Q
1
S3
N/C

nce Abstracts
Section A

U. of ILL. LIBRARY
JUL 28 1965
CHICAGO CIRCLE

Six-monthly Cumulative Indexes to Science Abstracts

Commencing with volume 68 (1965) Science Abstracts will publish the annual cumulative indexes in two parts, each covering a six-month period. The present 1965 Part I indexes should be retained for use with the January–June issues, and the Part II (July–December) indexes will be issued after the publication of the December issue. Abstracts will continue to be numbered consecutively throughout the twelve monthly issues of each Section, as in previous years, and these twelve issues will complete a single volume.

Physics Abstracts

Published by
he Institution of
ctrical Engineers

Vol. 68

Subject Index Number 1965
Part I (January-June)

(The Author Index Number is published separately)

SUBJECT INDEX

NTRODUCTION

The entries in this index refer to the abstracts by their serial number, not by the page number. The entries are grouped under headings (printed in bold type, e.g. "**Abrasion**") which represent, in the main, general categories or concepts rather than specific names. If a heading for a particular subject does not appear, a more general heading should be consulted; for example, "Zone plates" would be listed under "**Diffraction/light**"; "Barkhausen discontinuities" under "**Magnetization process**". There are numerous cross-references directing attention to related headings in other parts of the index.

Many of the headings are subdivided by the use of subheadings, which are indented (i.e. printed slightly to the right) and commence with a small letter (for example, see the subheadings under "**Absorption**").

ARRANGEMENT OF HEADINGS AND SUBHEADINGS

The headings are arranged throughout the index in alphabetical order according to British Standard 1749:1951 (the "word by word" system, not "reading right through"). The subheadings, with a few exceptions, are themselves arranged in alphabetical order under their respective headings. The exceptions (for example, see the subheadings under "**Spectra**", "**Crystal structure, atomic**") are cases where a more logical order is preferable to a purely alphabetical one.

ARRANGEMENTS OF ENTRIES JNDER HEADINGS

Entries are arranged in two alphabetical groups as follows. First group: generalities and named substances (in words); second group: named substances (chemical formulae). If a search is being made for a particular substance, both the first and second alphabetical groups should be inspected since, for example, alumina may also be listed as Al_2O_3.

COLLECTED LIST OF SUBJECT HEADINGS

The alphabetical arrangement of the headings is the most convenient for locating a known heading quickly, but there may be other related headings elsewhere in the index of which the reader is unaware, and which he would only come across by accident. To assist the reader to discover all the headings appropriate to his subject, a collected list of the headings is given at the end of the index, which should be consulted as a matter of routine each time a search is made. In this list, the headings are not arranged in alphabetical order, but are grouped into sections by subject on the same basis as the arrangement of the abstracts in the monthly issues of Physics Abstracts. By using this list, the reader can quickly determine which are the headings appropriate to his subject, and they are then easily found in the main index in their alphabetical position.

HEADINGS WITH NO ENTRIES

Because physics is a developing subject, it is not possible to maintain the list of headings unchanged from year to year; it is subject to a continuous process of revision, with the introduction of new headings and subheadings, and the alteration and elimination of old ones. This process is a gradual one, however, and the great majority of the headings are the same as those of the previous year. To assist in maintaining the continuity of the index, all the headings in current use in a given year are printed, even those for which there are no abstracts to be recorded. The latter are followed by the announcement "No entries"; this supplies confirmation that these headings have not been dropped from the index, and entries may reappear under them in the next issue of the index.

ELEMENTS, COMPOUNDS AND OTHER SUBSTANCES

The names of elements, their compounds, a few compounds of special interest (e.g. "**Ruby**", "**Water**") and a few common materials (e.g. "**Wood**", "**Paper**") are included as headings or subheadings (e.g. "**barium titanate**" under "**Barium compounds**"). Under these, as well as under the appropriate "subject" headings, are listed any abstracts which contain significant physical information about the element, compound or substance named; except however, that abstracts listed under headings referring to nuclear properties, including radioactivity, are not necessarily also listed under the substance name. The entries under these headings are themselves arranged in alphabetical order of substance or nuclide names, so that a given substance can be readily located.

Inorganic compounds of the elements are listed under the first element in the chemical formula, and all the compounds of a given element are grouped under a single heading (e.g. "**Sodium compounds**"). Alloys are listed under compounds of the base or first-named constituent, e.g. Au–Ag alloys under "**Gold compounds**". There are also four special headings for the common alloys: "**Aluminium alloys**", "**Copper alloys**", "**Iron alloys**", "**Nickel alloys**". Organic compounds are grouped under "**Organic compounds**", "**Polymers**", "**Plastics**" and under special substance headings such as "**Paper**", "**Proteins**", etc.; all the latter are listed in the collected list of headings at the end of the index.

BEFORE USING INDEX, CONSULT LIST OF SUBJECT HEADINGS PRINTED AT THE END

SUBJECT INDEX

Abacs. See Nomograms.

Aberrations, optical
- See also Electron lenses; Ion optics; Optical instrument testing; Optics/geometrical; Particle optics.
- astigmatism, complex in microelectrophoresis cell walls 5=4399
- chromatic, and coloured form-perception 5=8185
- doublet, thin cemented, spherical and coma, simple calc. method 5=5047
- image evaluation methods 5=8083
- and resolving power and best images, wide object 5=8084
- wavefront in system, study using 3-beam interf. 5=309

Abrasion
- See also Hardness; Wear.
- cavitational erosion of solids by molten Pb 5=6745
- Al, effect on photoelec. emission 5=1710
- GaP, anisotropy of scratching, dislocation prod. 5=12497
- Sb, surface reorientation 5=12080

Absorption
- See also subheadings of Alpha-rays; Beta-rays; Cosmic rays; Electrons; Gamma-rays; Hyperons; Mesons; Neutrons and antineutrons; Protons and antiprotons; and also Sorption; X-ray absorption.
- alkali halides, i. r., U-centres and H^- ionic radius 5=6237
- porous materials, of liquids, cell meas. 5=1258
- vermiculite, shock waves, expt. 5=4794
- water, microwave dielec. props. 5=1200
- Br_2, by graphite, cryst. struct. 5=3627
- **acoustic waves**
  - See also Noise abatement; Transmission/acoustic waves.
  - air, below 1000 c/s 5=6089
  - chairs, upholstered 5=10341
  - coeff. meas. in reverberating chambers 5=2128
  - crystals, attenuation, review 5=9375
  - emulsions and suspensions, dilute 5=4805
  - gases in critical region 5=6085
  - insulators, thermal phonon interaction, calc. 5=12276
  - metals, quantum oscillations, giant, electron relax. time determ. 5=15039
  - perforated membranes, resistance and mass reactance 5=13954
  - quartz single crystals, geometric attenuation 5=9378
  - reverberation-room and impedance-tube absorpt. meas. 5=2115
  - solids, conference London, 1964 5=6529
  - solids, two-phase mixtures with impurities 5=6525
  - $MgSO_4$ in sea water, dissociation, relax. time, temp. var. 5=3330
  - O_2 thermal relax. freq. H_2O, HDO and D_2O conc. var. 5=14810
  - O_2—H_2O vapour, and vibrational relaxation 5=11888
  - O—water vapour mixture 5=6172
- **acoustic waves, ultrasonic**
  - and acoustoelectric current 5=9380
  - benzol, optical determ. 5=1181
  - cell, u. h. f., maintaining parallelism 5=120
  - cholesteryl caprate liquid crystals 5=3334
  - crystals, rel. to disloc. motion, theory 5=3740
  - crystals meas., rel. to disloc. motion 5=3741
  - cylindrical waves, focusing 5=13953
  - duralumin, surface and spatial, damping 5=6526
  - ethyl formate liquid, relaxation and isomerism 5=11887
  - formic acid and ethyl formate mixture, absorpt. coeff. 5=6173
  - gases, monatomic 5=6088
  - glass, surface and spatial, damping 5=6526
  - halomethane gas binary mixtures 5=3269
  - isopropyl formate solns., relaxation and cis—trans-interconversion 5=11889
  - liquid metals, relax. time, m. f. p. calc. 5=3197
  - metal, two dimensional model, u. s. attenuation 5=3683
  - metals, and electron—phonon interaction, mag. field effect, calc. 5=15201
  - metals, fluid dynamic approx. 5=3682
  - metals, in mag. fld. 5=6535
  - methyl formate liquid, relaxation and isomerism 5=11887
  - non-electrolyte solns., and relaxation of solute, solvent and complex mols. 5=11885
  - in plasma, relax. time, m. f. p. calc. 5=3197
  - polymer solns. 5=6175
  - polystyrene, surface and spatial, damping 5=6526
  - 1, 2-propanediol, 0. 25-12 Mc/s, -40° to 25°C 5=6174

Absorption—contd
- **acoustic waves, ultrasonic**—contd
  - quartz, internal function, 4 to 100° K, resonance method meas. 5=6530
  - quartz, 70 Gc/s 5=1416
  - quartz, 600-1110 Mc/s 5=9379
  - resonant, by spins of metal electrons, calc. 5=9376
  - ruby, paramag. acoustic reson., 10^{10} c/s 5=6537
  - sea water, 10 to 1000 kc/s, $MgSO_4$ dissociation effect, relax. time, temp. var. 5=3330
  - superconductor containing mag. impurities, attenuation 5=3987
  - superconductors, h. f. in BCS theory 5=3986
  - three-phonon interactions, study 5=1404-5
  - Ag crystal, 10-50 Mc/s, rel. to orientation, Bordoni peak 5=15182
  - Al, 8 Mc/s, after γ irrad. at 77°K, and stage III defect annealing 5=12469
  - Al, supercond., shear waves, attenuation 5=3990
  - Al, superconducting, calc. 5=12277
  - Al_2O_3, due to microscopic bubbles 5=12278
  - Au, 15 Mc/s, after γ irrad. at 77°K, and stage III defect annealing 5=12469
  - CCl_4, optical determ. 5=1181
  - Cd halide solns. 5=1182
  - Cd, resonance absorption, by open orbit electrons 5=3900
  - Cu, elastic fatigue obs. 5=3839
  - Cu, by fast moving dislocations 5=1529
  - Cu salts, hydrated, in mag. field, 'inversion' absorpt. 5=1
  - Cu—Mn, by fast moving dislocations 5=1529
  - Ga, liq., 270 Mc/s and 30°-80°C 5=6177
  - In_2Bi, supercond. energy gap det. 5=3997
  - KCl, by fast moving dislocations 5=1529
  - LiF, by fast moving dislocations 5=1529
  - MgO:Ni^{2+}, Fe^{2+}, and e. s. r., 9375 Mc/s 5=15042
  - Na, rel. to elec. cond. temp. var. 5=1618
  - UO_2, para- and antiferromag., temp. var. 5=12280
  - Zn, resonance absorption, by open orbit electrons 5=3900
- **electromagnetic waves**
  - See also Spectra (radiofrequency subheadings).
  - atmosphere, atmospherics meas., 1-15 kc/s 5=13298
  - aurora, and precipitated electrons 5=7514
  - ionosphere, D-region, at auroral dawn breakup 5=15736
  - Martian atmosphere, microwaves 5=4634
  - plasma, nonlinear absorpt. 5=8978
  - plasma, rate 5=11707
  - polymer crystals, hypochromism electron gas analogy theory 5=4282
  - rocks, r. f. wave penetration in mine-tunnels 5=4436
  - superconductors, umklapp absorption spectrum, rel. to normal phonon contrib. 5=3985
  - water vapour, 1. 64 mm line-breadth study 5=8842
  - Al and Zn, mm microwaves, rel. to supercond. energy gap anisotropy 5=3989
  - H, interstellar, r. f. 5=7620
  - O_2, absorpt. of mm waves, mag. field present 5=8008
- **light**
  - See also Atmospheric optics; Densitometry; Filters, optical; Optical constants; Optical films; Pleochrois Transmission/light; Spectra.
  - air, of laser, due to ionization and photoelec. 5=9046
  - air, opacity, high temp. 5=6091
  - alkali nitrates and halides, around melting, u. v. 5=3336
  - asymptotic field, semi-infinite plane-parallel layer 5=10719
  - attenuator, variable, 2-prism 5=10699
  - band width, of impurity ions in crystals 5=4284
  - benzene, absorbancy, 10^{-3} to 10^{-4}cm^{-1} 5=2341
  - bulk coeff., calc. 5=10701
  - calculations of opacity, review and summary 5=2340
  - carbonate and bicarbonate ions in aqueous solution, u. v. abs. 5=1186
  - by coloured particle suspensions, calc. 5=14871
  - crystals with inversion symmetry, 2nd order i.r., select rules calc. 5=12264
  - crystals, mixed, with organic emitters 5=13094
  - crystals, surfaces for various systems 5=13019
  - diamond-type crystal, one-phonon impurity absorpt. 5=

Absorption—contd
light—contd
electrons, bound, coherence effects 5=295
flame radiation, by molecular bands 5=11480
glasses, diamag., 0.334 μ to 1.9 μ 5=1842
impurities in solid, Green's function calc. 5=4285
infrared, by antiferromag. crystals, spin dependent 5=7304
infrared studies, spectrophotometric cell 5=314
integrating sphere, for spectrophotometer 5=5070
interference lines, in diffractometers 5=10715
laser, effects 5=14146
measurement, correction for scattering 5=329
metal sphere extinction calc. 5=14196
multilayer coating, effect on transmission and reflection extrema 5=5074
multilayer colloids 5=3384
nitrobenzene, absorbancy, 10^{-3} to 10^{-4}cm^{-1} 5=2341
nonpolar liquids in laser resonator 5=8053
opacity calc., astrophysical, mixture 5=7569
opacity calcs., review 5=4776
phthalocyanine dyes, laser nonlinear 5=11577
pigments, coloured, integral effective cross-section, Mie theory 5=2317
polarized, by metal films 5=7303
polynucleotides, helical, hypodromism 5=11616
polypeptides, helical, hypodromism 5=11616
saturation at high intensities 5=14195
semiconductors, coeff. from refl. light characts. 5=7297
semiconductors, in crossed elec. and mag. fields, edge shift 5=1827
semiconductors, heavily doped, theory 5=15532
semiconductors, III-IV, free-carrier i.r. absorpt. 5=9885
sky radiation, extinction and scatt. var. 5=13272
spectral band absorptance 5=8131
tinters, Kubelka and Munk coeffts., precise meas. 5=8149
toluene, absorbancy, 10^{-3} to 10^{-4}cm^{-1} 5=2341
two-photon, in anthracene and naphthalene excited with Xe flash 5=4369
Ag dispersions in glass, rel. to particle size and temp. 5=6206
Ag films, coeff., 3.5-14 eV 5=7365
AlSb, i. r., inter-conduction band transitions 5=9885
Ar, coeff., 450A-800A, using Lyman flashtube 5=5059
BP, correction 5=7323
CCl_4, absorbancy, 10^{-3} to 10^{-4}cm^{-1} 5=2341
CS_2, absorbancy, 10^{-3} to 10^{-4}cm^{-1} 5=2341
CaF_2, YF_3 doped, rel. to d^1 electron levels 5=6793
CdS—CdSe mixed crystal, prep. by diffusion 5=4300
CdSb, absorption edge 5=1836
$CoBr_2$, solid and liquid, phase change effect 5=15549
$CoCl_2$, solid and liquid, phase change effect 5=15549
Cr^{3+} in β-Ga_2O_3 5=9905
Eu chalcogenides, 0.325 to 2.5 μ range, meas. 5=7335
GaS, model 5=7340
GaSb, electron bombarded, i. r. studies 5=15320
GaSb, i. r., inter-conduction band transitions 5=9885
GaSe, model 5=7349
$GaSe_xS_{1-x}$ layer structures, absorpt. edge 5=7339
Ge, p-n junction, absorption in space-charge region 5=12762
H—C plasma, coeff. at 40 000°K, 120-500 atm 5=1097
H_2O vapour, absorbance, 400° to 1000°K 5=14811
Ho, i.r. absorpt. band, rel. to s–f exchange interaction 5=6802
K halide crystals, Ag activated, 100-10 cm^{-1}, at 2°K 5=3678
KBr, interstitial ions, at He temp. 5=4316
KCl, by I^- centres 5=15603
KCl, R centres, stress effects 5=15113
KNO_3, radiolytic fragments 5=4315
LiI films, infrared spectrum 5=15559
NaCl, effect of annealing in different atm. 5=1853
$NaNO_3$, radiolytic fragments 5=4315
Ni-activated alkali halides, spectra 5=15564
O, ionizing radiation from discharge 5=8916
PbI, and exciton prod. 5=13175
Se, and crystal electron valence bands, polarized i.r. 5=12606
Se, polarized edge, and energy gap, temp. var. 5=15568
Si, As and Sb doped, 50 to 70°K, degenerate states states energies calc. 5=3908

Absorption—contd
light—contd
Si, In or B doped, free carrier i.r. absorption, photo-induced calc. 5=15571
SnO_2 semiconducting films, effect of free-electron conc. 5=4329
SnO_2, u.v. absorpt. edge 5=7368
Te, and crystal electron valence bands, polarized i.r. 5=12606
UO_3—SiO_2—Na_2O, visible and near i.r. 5=15578
ZnO, crystals 5=1856
Abundance ratio. See Elements/relative abundances; Isotopes/relative abundances.
Acceleration. See Dynamics; Kinematics.
Acceleration measurement
See also Velocity measurement.
superconducting suspension 5=7710
Accelerators. See Particle accelerators.
Acids, inorganic. See individual compounds, and hydrogen compounds.
Acids, organic. See Organic compounds.
Acoustic analysis
farfield directivity funcn., Pachner's analyses restrictions 5=116
piston, circular plane, acoustic field 5=4796
pressure contours from oscillating press. in cylindrical chamber with piston 5=2104
radiation from finite cylinder, semianalysis 5=4795
signals, complex, phase rel. determ. 5=2105
spreading loss for refracted/reflected waves in constant-vel.-gradient media 5=4806
u.s. waveform, optical method 5=7837
vocoder, channel, with digital pitch extractor 5=2133
Acoustic generators
See also Musical instruments.
amplifier, theory, and plasma and resistive wall amplifiers 5=4802
edgetones, meas. and theory 5=13935
gas-jet 5=13937
internal, in any continuous material, inhomogeneous wave equation 5=7838
light beam superposition for ultrasonics 5=10325, 13938
magnetostrictive flexural vibrator, parametric, u. s. 5=117
optical induction and amplification, direct obs. 5=118
p—n junctions of non-piezoelec. mats., ultrasonic 5=12281
plasma nonlinear fluctuations sound emissions 5=1090
quartz, u. s., power and equiv. resistance meas. 5=4798
quartz, u.s., 2nd and 3rd harmonics, piezoelec. prod 5=119
reflection by coupling media to probes, 5 to 45 Mc/s 5=9377
"singing" flame, gas jet collision, calc. 5=2107
CdS, piezoelectric ultrasonic harmonics 5=1414
Acoustic impedance
ears, human 5=10342
human ears, 20 c/s—8 kc/s 5=133
radiation resist., reactance of aligned pistons in baffle, calc. tables 5=13945
transducers mutual radn. resist. at air—H_2O surface, calc. 5=13941
Acoustic paramagnetic resonance. See Paramagnetic resonance and relaxation.
Acoustic radiators
See also Doppler effect.
backing techniques 5=10329
circular cylinder, acoustic field 5=13936
cylinder, finite, semianalysis 5=4795
disk, with uniform press. distrib. 5=10324
large, edge effect 5=13934
resonant, tuning for minimum Ql 5=7839
Acoustic receivers
See also Microphones.
hydrophone calibration at h. p., coupler-reciprocity system 5=4800
linear arrays, reception characteristics 5=13943
Acoustic resonators
losses, for steady gas flow 5=10327
organ pipes, open, eigenfrequencies 5=13960
perforated membranes, resistance and mass reactance 5=13954
tuning for minimum Ql 5=7839
Acoustic streaming
No entries

Acoustic transducers
See also Acoustic generators; Acoustic receivers; Microphones; Sound reproduction.
backing techniques 5=10329
calibrator, in-place 5=7853
electrokinetic, press. transducer 5=2109
ferrite elements, magnetostrictive props. 5=15462
liquid-filled array for deep-ocean operation 5=7852
multilayer, electrical loading effect 5=13940
mutual radn. resist. at air—H_2O surface, calc. 5=13941
piezoelectric, props. from elec. analogue 5=2110
piezoelectric, for vibr. acceleration meas. 5=7851
quartz, u. s., liquid loaded, equiv. circuit meas. 5=4797
resonant, tuning for minimum Q 5=7839
thin-film type, vapour deposited 5=13939
3-layer cylindrical, with piezoelec. element, static sensitivity calc. 5=2108
u.s., h.f., use of piezoelec. semiconductors 5=7841
u.s., power handling capacity and efficiency 5=10328
velocity effect on signal scatt. from ocean bottom 5=1928
CdS, amplification by integrated diffusion-layer transducers 5=7840
Pb(Zr, Ti)O_3 ceramic, pressure in bubble-chamber, rel. to pre-breakdown elec. phenomena 5=6198

Acoustic wave propagation
See also Absorption/acoustic waves; Dispersion/acoustic; Doppler effect; Helium/liquid, sound propagation; Shock waves; Velocity/acoustic waves.
amplification, phonon maser picture 5=12282
amplifier theory, and plasma and resistive wall amplifiers 5=4802
Bose gas, slightly imperfect, second sound 5=14809
Brillouin, Raman scatt. stimulation, calc. 5=13024
Brillouin scattering, stimulated, intense hypersonic wave coherent generation 5=6533
conduction electrons with non-spherical energy surfaces, amplification 5=6531
crystals, mechanical resonances 5=6522
crystals, resonances, beams obs. 5=3690
crystals, review 5=9375
cylinder, influence on local heat transfer 5=4829
deep-ocean 5=10040
elastic layer-wise inhomogen. medium with power-law density varns. and Larné params. 5=7846
elastic wave bounded layered fluid, critical freqs. calc. 5=14795
excitation in plasma 5=11743
foams, characts., air space effect 5=10337
gas, forced sound, kinetic theory 5=11802
gas, ideal linear-mol, effect of viscosity, thermal cond. and relax. 5=6087
gases, rarefied 5=11813-14
in heat conducting medium 5=13947
inhomogeneous medium, internal conditions calc. 5=2111
in inhomogeneous medium, ray patterns 5=13946
irregular interface 5=13949-51
liquids, absorbing and relaxing, transient propag. 5=6170
medium with inhomogeneities, amplitude and phase fluctuations 5=4803
metals, coupled with e. m. waves, quantum theory 5=15044
micro-inhomogeneous media, effective parameters, s. c. f. calc. 5=13948
natural waveguides, limiting case 5=4804
non-rigid strip in baffle effects 5=7843
ocean, fine struct. and stability 5=1930
ocean, normal mode and wave theory 5=10330
ocean, SOFAR propag. effects, mathematical models 5=10043
piezoelectric crystals, standing wave excitation 5=15041
piston, circular plane, acoustic field 5=4796
plasma, 2 temp., turbulent fluct. 5=5993
semiconductors, amplification of singular surface waves 5=6532
solids, damping, conference, London, 1964 5=6529
spatial dispersion effects near critical point 5=7848
stratified medium, normal modes method 5=7845
stress waves in liquids 5=9077
surface layers, pulse compression 5=2113
underwater surface duct, normal mode theory 5=7844
waveform analysis, optical method 5=7837
wave motion along periodic surface 5=2112
Al crystals, mechanical resonances 5=6522

Acoustic wave propagation—contd
ultrasonic
alloys, second harmonic generation, dielec. contrib. 5=6528
amplification, microwave 5=3686
focusing, cylindrical waves, in absorptive medium 5=13953
light beam superposition, in dielectrics 5=10326
metals, polarization plane rot. and circular mag. dichroism 5=3681
p—n junctions of non-piezoelec. mats. 5=12281
photoelastic materials, hypersonic wave excitation by laser coupling 5=9374
quartz in re-entrant cavity, 2nd and 3rd harmonics of piezoelec. effect 5=119
semiconductors, amplification theory 5=3684
solids, fields, absolute parameters, magneto-elec. meas. 5=3689
solids, nonlinear, second harmonic generation, dielec. contrib. 5=6528
water, degassed, effect on cavitation threshold 5=6136
Al, second harmonic generation, dielec. contrib. 5=6528
CdS, amplification and nonlinearity meas. 5=6534
CdSe amplification, obs. 5=3685
YIG (YFe garnet) spheres, props., Mn^{3+}, Si impurity effects 5=12279

Acoustic waves
See also Diffraction; Interference, etc.; Elastic waves; Shock waves; Ultrasonics.
in atmosphere, damping 5=15690
increase of fluctuations in piezoelectric semiconductor 5=3687
in piezoelectrics, phonon emission by charged particle motion, calc. 5=12269
piezoelectric semiconductors, light scattering during instability 5=13025
pulses, frequency mod., compression, Love wave appl. 5=2113
solar, magnetic enhancement 5=4681
sonic boom, characteristics 5=2094
effects
See also Chemical effects of radiations/acoustic waves.
air, tangential flow, boundary layer of flat plate 5=3260
booms, on buildings, glass in windows 5=2095-7
laser freq. mod. by u. s. diffraction grating in quartz 5=2292
laser gating by u. s. in rod 5=282
metals, crystallization grain size, min. u. s. power reqd. 5=1302
n.m.r. saturation 5=2271
neuroanatomic quantitative studies by u. s. lesians 5=4689
plates, normal mode excitation by sound beam 5=2083
polymer solutions, in intense ultrasound, effect on structure 5=14839
pressure on body in gas near u. s. generator 5=13968
semiconducting alloys, ternary, u. s. during preparation and struct. 5=9526
suspensions, light diffr. persistence after removal of u. s. 5=14872
water, luminescence 5=9120
ultrasonic corrective cooling techniques 5=4839
$Cu^{63,65}$, n.m.r. prod. by u.s. 5=9866

Acoustical laboratories
anechoic chamber at Queen Mary college, design and constr. 5=129
reverberation chambers, absorption coeff. meas. 5=2128

Acoustical measurement
See also Interferometry/acoustic waves; and under separate subjects e.g. Intensity measurement/acoustics.
babies' cries, improved techniques 5=2135
model and room measurement, in architectural design 5=2131
octave-band levels, conversion between old and new 5=4811
pitch detection, vector 5=126
pitch detectors, vector and autocorrel. equivalence 5=127
rocket engines, clustered and single nozzled, static tests 5=2106
signals, periodic, waveform recording 5=10340

Acoustical measurement—contd
- solids, u. s. field, absolute parameters, magneto-elec. meas. 5=3689
- sound ranging, reverberation elimination 5=13223
- u. s. absolute power, radiation press. balance 5=2123

Acoustics
- See also Architectural acoustics; Atmospheric acoustics; Hearing; Noise/acoustic; Resonators/acoustic; Sound reproduction; Speech; Ultrasonics; Vibrations.
- delay line, electrosonic, 600 ft. 5=2122
- jet engines, sound field 5=13963
- jets, free turbulent, sound field 5=13963
- objective ideals 5=115

musical
- See also Musical instruments.
- mathematical analysis of music 5=10335

Acoustoelectric effects
- and absorption, u. s. 5=9380
- conduction electrons with non-spherical energy surfaces, sound amplification 5=6531
- delay line, electrosonic, 600 ft. 5=2122
- piezoelectric crystals, standing wave excitation 5=15041
- semiconductors, acoustic-magnetoelec. effect at 30 Mc/s, analysis 5=12694
- due to space vehicles, waves induced in ionosphere and radar return 5=13630
- wave scatt. by cylinder in plasma 5=10548
- CdS, continuous current oscills. 5=4020
- CdS, transient saturation effects 5=6949
- CdSe, ultrasonic amplification, obs. 5=3685
- GaAs, current induced by 9 Gc/s acoustic waves 5=4023
- ZnS, transient saturation effects 5=6949

Acoustomagnetic effects. See Magnetoacoustic effects.

Actinides
- No entries

Actinide compounds
- No entries

Actinium
- No entries

Actinium compounds
- No entries

Activation analysis. See Chemical analysis/by nuclear reactions.

Active nitrogen. See Nitrogen.

Active oxygen. See Oxygen.

Adhesion
- bonding metals to UO_2 5=871
- silicate powders, in u.h. vacuum 5=12546
- films, effect of loading on plastic flow, rigidity 5=1494
- strength of joints in torsion, design effects, review 5=6685
- Mo(80%)–Mn(20%)–Al_2O_3 seal mechanism 5=6741

Adiabatic demagnetization. See Magnetic cooling.

Adion. See Adsorption.

ADP. See Nitrogen compounds/ammonium compounds.

Adsorbed layers
- alkali metals on refractory metals, thermionic emission variation influences 5=4131
- hard-disk monolayer isotherms with phase transitions 5=9248
- hydrocarbons on C, H-band energy gas-chromatographic calc. 5=9249
- metals, of liquid metals, and mechanical weakening 5=6684
- methyl esters of monocarboxylic acid on C black, solvent—ester competition 5=3514
- molecules, n. m. r., 3-spin, magnetization calc. 5=3058
- monolayers, collision frequency of mols. calc. 5=13160
- monolayers, localized—unlocalized model, thermal mech. 5=13159
- water and hydroxyl groups on silica surfaces, i. r. spectra 5=3522
- water vapour on γ-alumina and silica, neutron inelast. scatt. study 5=3513
- CO on W, rel. to electron reflection 5=3541
- Cs on refractory metals, electric field effect 5=3524
- Cs on W, rel. to electron reflection 5=3541
- H_2 on metal films, surface potentials, negative and positive 5=3517
- H_2 on Pd films, rel. to resistance and photoelectricity 5=9636
- K on Pt, rel. to K ion photoemission 5=4151
- O_2 on NiO, transient ions rel. to elec. cond. 5=9252

Adsorption
- See also Chemical analysis/adsorption; Chromatography; Films; Heat of adsorption; Sorption.
- alloys, ads. of CO, rel. to electron transfer direction 5=3937
- charcoal trap for separation of gases 5=1144
- and condensation 5=6324
- at electrodes, rel. to reaction kinetics 5=4402
- Frumkin's theorem for gases on solids 5=12059
- glass, borosilicate, of DOP oil, time 5=14956
- glass, of HCN, i.r. spectrum and surface polymerization 5=1282
- graphite, exfoliated, adsorpt. of Kr 5=14955
- isolation trap for adsorption studies on evaporated films 5=6328
- kaolin, ads. of polyacrylamide and cation-active hydrophobic material 5=6333
- liquid molecules, perfect preferential ads. on Langmuir-type surface 5=3511
- measurement, high vacuum 5=1281
- metal films, ads. of H_2, surface potentials, negative and positive 5=3517
- metals in vapour, description calc. for atoms and ions 5=12060
- moisture in porous materials, humidity and temp. var. 5=1283
- order possibilities, gas—solid 5=12058
- polymers from soln. onto solids, elliptically polarized light obs. 5=3510
- polystyrene, adsorption from cyclohexane onto chrome, elliptically polarized light obs. 5=3510
- refractory metals, ads. of Cs 5=3523
- self, and surface energy of crystals 5=6316
- silica, ads. of org. aromatic molecules, i. r. spectral change 5=4322
- silica gel of H_2O, at 94°K, sites from n.m.r. 5=3376
- and surface area meas. 5=6323
- Al, and electron emission 5=12848
- Al_2O_3 ads. of water, isotherms for 75 Å radius spheres 5=12064
- γ Al_2O_3, model, for surface hydration 5=13165
- γ Al_2O_3, surface hydration 5=13164
- Ar on Pt, Ag, Au or Al, accommodation coeff. var. 5=12062
- Au, self-ads. on (100), rel. to epitaxial growth 5=3576
- C, ads. of H, n. m. r. study 5=6329
- C black, ads. of methyl esters of monocarboxylic acid in org. solvents, solvent effect 5=3514
- CdS, ads. of H_2O, rel. to exciton recomb. radiation 5=4345
- CdS single crystals, ads. of gases 5=4111
- Cr(100) crystal, gases, resulting surface struct. 5=3515
- Cu, of O and H on (110) plane, electron diffr. obs 5=12200
- Fe, ads. of electronegative gases, rel. to work function 5=4123
- Ge, ads. of O and H_2O in surface defects, rel. to recombination centres 5=3934
- H_2, on diamond-like crystals, model 5=13168
- Hg–electrolytic interface, org. mols., potential effect on props. 5=6160
- LiF, of H_2O, dielec. obs., phase change 5=6332
- Mg evaporated films, of ethylene, microstruct. meas. method 5=12050
- Mg evaporated films, of Kr, microstruct. meas. method 5=12050
- N by metals when gas activated by electrons 5=6325
- Nb (111) surface, ads. of O_2 5=4124
- Ni, of Ba, effect on Hall effect 5=6847
- Ni films, ads. of H and H_2 5=3516
- Ni, O on [111], [100] and [110] faces 5=3518
- NiO, CO_2 ads, differential isotopic investig. 5=1284
- NiO, ads. of O_2, pulsed, rel. to conductivity 5=6331
- O_2 and O_4 dimeric units 5=9253
- OH in dried aerosils and gels, study, by i. r. spectra and D_2O-exchange 5=6317
- Pd, ads. of H_2, activation 5=12066
- Pt, ads. of anion, multipulse, potentio-dynamic method 5=3519
- Pt (100) face, ads. of CO, low-energy electron diffraction study 5=3520
- Pt, ads. of Cs^+, SO_4^{2-}, rel. to potential 5=9254
- Si ads. of BaO, rel. to electron emission and conductivity 5=15413
- on Si, of H_2O, CCl_4, acetone, elliptically polarized light obs. 5=3521

Adsorption—contd
- Si, ads. of O_2, ellipsometry meas. 5=12067
- Si, of O, e. s. r. broadening obs. 5=7249
- Si p—n junction, impurity distrib. 5=12068
- TaO form. on Ta, electron diffr. study 5=13158
- W, ads. of Cu 5=12071
- W, ads. or gases, effect of slow electron impact 5=14957
- W, ads. of Ge, rel. to field emission and surface migration 5=12840
- W, desorption of Au, Ag, Cu, calc. 5=14958
- W (111) face, ads. of O_2 rel. to structure 5=3537
- W, ads. of Th, rel. to work function 5=12069
- W, of O surface layer role 5=6330
- ZnO, CO_2 ads, differential isotopic investig. 5=1284
- ZnO, ads. of O_2, elec. cond. var., high freq. versus d. c. 5=3525
- ZnO, of O_2, at low temps. 5=13167
- ZnS, ads. of $ZnCl_2$ in acidic media 5=9209

Aerials. See Electromagnetic waves/radiators.

Aerodynamics
- See also Flow, gases; Jet; Shock waves; Supersonic flow; Turbulence.
- fluctuating airstream cylinder drag meas., piezo-electric gauge 5=11801
- gas flow with streamlines of different shapes 5=11798
- heating of solids, temp. distrib. 5=4851
- hypersonic boundary layer transition 5=11800
- jet engine noise 5=13963
- jet engines, noise, flight velocity effect 5=13964
- linearised, compressible flow unified formalism 5=9033
- satellites, convex, torques 5=4518
- satellites, lift effect on orbits 5=4527
- streamlines with known press. distrib. on rigid surface 5=11796

Aerosols
- See also Foams.
- atmospheric dust, vertical distrib., to 30 km 5=13231
- atmospheric, particle conc., size distrib., rel. to light scatt. 5=7478
- atmospheric, size distrib. 5=4451
- thermal precipitator 5=1210
- Ag—Cu alloy, formation conditions and properties 5=11991
- NaCl, particles, electron micrograph exam., sampling effect 5=3386

Ageing. See Alloys; Metallurgy; Phase transformations/solid-state.

Air
- See also Atmosphere.
- absorption, of laser light, due to ionization and photoelec. 5=9046
- air—Ne or He laser oscillations, 27 Mc/s 5=279
- attachment coeffs, meas. 5=8945
- breakdown under d.c. and a.c. fields 5=8927
- breakdown, elec., pulsed, 3.2cm, in rect. guide 5=3110
- breakdown, by intense light pulse 5=8926
- bubbles in H_2O, air in H_2O, resonance frequency near boundary, calc. 5=14828
- damp, electron avalanches at large electrode separation 5=8928
- density, precipitation falling vel., effects 5=10069
- density at 3500 km 5=15698
- discharge striking 5=5941
- electrodeless ring discharge 5=3097
- electron excited, 50 keV, N_2 spectrum 5=2975
- heat transfer, conduction/radiation proportion in heated stationary air 5=1153
- ion recombination rate in laboratory 5=5958
- ionization, Boag's const. 5=5256
- ionization by electrons, $O_2{}^+$ and $N_2{}^+$ form. 5=11663
- ionized, thermodynamic props., 10^3-10^6 °K 5=3123
- ions, recombination mean free path 5=14695
- jet in cylinder, heat transfer coeff., jet-height effect 5=4827
- mixture with H_2S, corrosion at 20°C of films 5=4393
- opacity, high temp. 5=6091
- plasma, free path lengths, calc. 5=8965
- plasma spectrum, N^- role 5=11700
- sound absorption below 1000 c/s 5=6089
- space charge form., in h. f. elec. field 5=11662
- spark chamber filling, ionization discrimination of various geometries 5=2503
- spark gap, supershort flashes by exploding wire 5=2327
- streamer lifetime, point-to-plane gap 5=11644
- streamer propag., model, atm. air 5=11643

Air—contd
- viscosity meas., dry and humid, 25 to 250°C, 1 to 140 atm. 5=3258
- Ra A diffusion 5=6108

Airglow
- See also Atmospheric spectra; Aurora; Sky brightness; Twilight; Zodiacal light.
- and atomic association 5=7509
- dayglow, 1500-3200Å, rocket spectrometer meas. 5=1336
- dayglow in visual region, meas. 5=13366
- dayglow, $N_2{}^+$ (0, 0) negative band obs., height var. 5=13367
- dayglow, Na D lines, diurnal var. 5=13370
- dayglow, atomic O red line, mechanism of emission 5=4478
- dayglow $O(^1D)$ 5=7506
- enhancement, of 6300 Å emission, predawn 5=15699
- excitation by local elec. fields 5=13359
- intensity var. with time and mag. activity 5=13362
- IQSY, 1964/65 programme 5=7651
- Lyman α glow, in earth's H geocorona 5=13372
- Lyman α absorpt. effects 5=13769
- night-, day-, far u. v., rocket meas. 5=13365
- nightglow chemical reactions 5=7512
- night glow, green line enhancement after $(CH_3)_3Al$ release 5=15704
- nightglow, intensity var. in mag. anomaly region 5=133
- nightglow, rel. to ionosphere F-region 5=10093
- nightglow modification by optical radn., radio-wave excited, calc. 5=15729
- nightglow, O green and red emission patches, connection 5=1940
- nightglow, OH rotational temp., latitude var. 5=13375
- photometer for observation 5=13358
- satellite photography 5=13357
- 5577Å, low-altitude, correl. with sporadic-E emission 5=13360
- O, far u. v. 5=4479
- O_2^* metastable molecules influence 5=13363
- O 6300 Å Pic du Midi 5=7508
- OI, 5577A, altitude of emitting layer 5=15706
- OI, 5577A, 11 yr data 5=15705
- [OI]6300Å seasonal var. 5=13361
- [OI] 6300Å at Townsville 5=13364
- O + NO luminescence 5=7426
- 6300Å, correl. with ionospheric parameters 5=15700

Albedo. See Cosmic rays; Earth; Nuclear reactors, fission.

Algebra
- all local observables 5=2389
- Lie, and Clebsch—Gordan series 5=10217
- matter tensors 5=10255
- propositional calculus 5=7715

Alignment
- No entries

Alkali metals
- See also the individual metals.
- atoms, excitation p-level by electron impact 5=5784
- atoms, excitation, resonance and nonresonance levels, models 5=8771
- atoms in inert-gas matrices, absorption 5=7318
- conduction band model, effective potential perturbation method 5=1569
- conduction electron spin resonance, g-value 5=1577
- ion function, negative, by electron reson. capture 5=3124
- ion and neutral source, triode 5=4929
- ion polarizability calc. 5=5742
- ionization, absolute electron cross-sect. 5=8954
- metal-NH_3 solns., electronic processes 5=3358-9
- metal—NH_3 solns. Knight shift and relax times 5=3372
- metal—NH_3 solns., wavefunction calc. 5=3295
- P—V relations, shock wave meas. method 5=15147
- singly charged ions, secondary electron coeff. meas. 5=1715
- spectra, atoms, shell model calc. 5=14596
- spectra, continuous, atomic and autoionized, bibliographic review 5=14585
- vapour laser, arc excited by nuclear heat, calc. 5=1414
- vapours, transport collision integrals calc. 5=14813
- Zeeman-level degeneracy removal by elec. field 5=8744

Alkali metal compounds
- See also the compounds of the individual metals.
- alkaline ice, colour centres, γ ray prod. 5=9494

Alkali metal compounds—contd
azides, thermoluminescence and exo-electron emission 5=7384
borosilicates, immiscible liquid microphase rearrangement 5=9097
chalcogenides, interatomic forces and bonds, calc. 5=6236
dilute alloys at low temps., thermoelec. power 5=7024
fluorides, phase transformations, high press., temp. var. 5=9234
fluorides, thin films, electron and ion penetration depth 5=1488
germanates, i. r. spectra 5=4294
nitrate mixtures, fused, elec. cond., as function of ionic radii 5=3357
nitrates, absorption, around melting, u. v. 5=3336
permanganates, elec. conductivity and thermoelec. power 5=9685
thiocyanates, Raman spectra and electronic struct. 5=5874
halides
See also compounds of the individual metals.
activated with Ni, absorpt. and e. s. r. 5=15564
admixture with Pb, absorpt. spectra 5=9889
cathodoluminescence, meas. by scanning electron microscope 5=9937
chlorides, polymorphic transitions at high press., to 200°C 5=6309
cohesive energy, compressibility and thermal expansion 5=11958
colour centres, bleaching by isothermal annealing 5=12422
colour centres, F-centres of M and R type 5=12423
colour centres, F, M, transition energies calc. 5=15106
compressibility 5=3813
crack propagation 5=3827
crystal dislocations, heat treatment effects 5=6626
crystal growth 5=6361
crystal props. and lattice energies, Lennard—Jones calc. 5=3414
crystal stability, 3-body exchange interaction between ions 5=3417
crucible for growth from the melt 5=12095
Debye temp., Debye—Waller factor, calc. versus expt. 5=1420
defect generation, multiple ionization role of soft X-rays 5=6607
dielectric constant temp. depend. 5=1675
electron energy loss spectrum, 50 keV 5=15258
electron pairs, annihilation, 3-quantum 5=6826
electron polarizability and diamag. susceptibility 5=4157
exciton, relaxed 5=15246
F-band, press, shift and splitting 5=9498
F-band spin—orbit effects, theory 5=7320
F-centre, absorption and emission 5=1484
F-centre, Faraday rot. and spin—orbit splitting 5=7319
F-centre, spin—lattice relax. 5=1791
fluoride crystals, V_k centres, hyperfine structure 5=3778
hardness, micro 5=12483
heating and cooling, paraelec. 5=13995
impurities, chem. det. 5=15634
infrared absorpt. spectra of solid solns. of nitrate ions 5=4293
infrared absorpt., U-centres and H^- ionic radius 5=6237
interatomic forces and cohesive energy calc., departure from pure ionic bonding 5=6235
ion collisions with Gaussian wavefunctions, 3-body 5=11465
ion formation, negative, by electron reson. capture 5=3124
ion polarizability dispersion, and light refractivity 5=13031
ionic conductivity, nonlinear 5=12796
light scatt. by surface irregularities, removal by polishing 5=3773
liquid, site equilibria 5=3298
luminescence, electro-X-ray 5=15589
luminescence, low-temp. recombination 5=4355
luminescence, recombination 5=9935
luminescent centres, S grown 5=15591
mixtures, binary liq., enthalpies of mixing 5=13149
N-centre absorpt. bands 5=15110
n.m.r. of Na^{23}, chemical shift, impurity effect 5=9876
phosphors, X-ray luminesc., effect of F-band illum. 5=15590
photoemission 5=9751
powders, thermoluminesc. spectra 5=9953

Alkali metal compounds—contd
halides—contd
Raman spectra, and vibr. freq., elastic consts., comparison 5=13030
refractivities and ion polarizabilities 5=7298
secondary electron emission from cleaved crystals 5=4147
scintillation process in impurity activated crystals 5=4344
supersaturated solns., nucleation by mech. shock 5=3551
thermoluminescence, kinetic model 5=9936
triboluminescence mechanisms 5=13098
ultraviolet absorption, around melting 5=3336
ultraviolet absorption, f.c.c. 5=4288
vacancy formation energy and lattice strain calc. method 5=6606
Z-1 colour centre calcs. 5=15108
Alkaline earth metals
See also the individual metals.
spectra, continuous, atomic and autoionized, bibliographic review 5=14585
Alkaline earth compounds
See also the compounds of the individual metals.
borates, luminescence, Tb and Gd activated 5=9938
chalcogenide films, crystal struct. 5=12041
fluorides, thin films, electron and ion penetration depth 5=1488
halides, trivalent rare-earth ion reduction, electrolytic 5=1912
monofluorides, dissociation, high-temp. 5=3073
oxides, positron decay, anomalous 3-quantum decay 5=1597
oxides, reducing-agent impurities 5=1458
platinocyanides, absorption spectra, in polarized light 5=1829
selenides compounded with rare-earth selenides, struct. 5=6478
Allotropes. See Phase transformations.
Alloys
See also Crystal structure, atomic/alloys; Heat treatment/alloys; Solid solutions; Steel; and under alloys or compounds of the base or the first named elements. Alloys such as Au_3Cu, Au—Cu, Au—Cu—Zn are indexed under compounds of the first-named element, i.e. Gold compounds in these examples.
(A + B)—(AO + BO) oxides, reactive diffusion, theoretical analysis 5=6579
acoustic second harmonic generation, disloc. contrib. 5=6528
β-phase, vacancies, conc. formation energy, vibr. entropy quenching temp, calc 5=1454
burning in airflow characs. 5=15620
casting, pressure, arc melted 5=13793
compressibility, var. with melting point, pressure 5=1498
dilute, vacancy diffusion 5=12315
disordered, X-ray diffuse scattering 5=1259
electrical resistivity, effect of thermal ageing on thin films 5=1600
electron structure 5=1587
electronic struct. of one-dimensional random alloy 5=6801
eutectic, composition rules and microstructure 5=6261
f. c. c. lattices, Cottrell atmospheres 5=3764
f. c. c. structure, free energy for 3 kinds of superstructures 5=1270
ferromagnetic, damping of ferromag. resonance near Curie point 5=4224
ferromagnetic, Hall effect 5=1613
freezing, horizontal, convection 5=9178
impurity effects, electron states, use of Green's functions 5=3915
Ising system, dilute, nonequilib. atom distrib. 5=1248
magnetic, dilute, anomalous electron scattering 5=9618
metals, liquid, elec. resistivity theory 5=11901
microstructure features from spark etching 5=3579
n.m.r. review 5=1808
noble metals, with transition metals, thermodynamic props. of transition ions 5=3692
ordering, pressure effects 5=6263
ordering and segregation, polar model 5=11996
semiconductors III—V, electron effective mass meas. 5=6795
specific heats, theory 5=6543

Alloys—contd
stress relaxation, effect of structural stability 5=12449
structure and phase transform. kinetics, by radioisotopes 5=3580
superconducting with paramag. impurities, properties 5=3982
superconducting with paramag. impurities, thermal conductivity 5=12303
type I, superconducting state parameters calc. 5=15288
X-ray emission spectra, band structure determ. 5=4279

Alfvén waves. See Magnetohydrodynamics; Plasma/oscillations.
Algol. See Calculating apparatus/digital computer programmes.
Alnico alloys. See Nickel alloys.
Alpha decay. See Nuclear decay theory; Radioactivity/decay periods; Radioactivity/decay schemes.
Alpha-particle model. See Nucleus/models.

Alpha-particles and helium nuclei
See also Alpha-rays.
binding energy, separable nonlocal central pot. calc. 5=8515
emission from nuclear reactions, above 50 MeV 5=11291
K$^-$ non-mesic capture calc. 5=5440
production in high energy reactions, mechanisms 5=2799
from sun flares, and ionosphere PCA, calc. 5=13431
4N possibility 5=5459
4N search in d fission of U 5=8494
He^3 β-decay and presence of $2S_{1/2}(S^1)$ state 5=654
He^3(d, t)2p, t spectra and final state interactions 5=8495
He^3 and d-n capture 5=649
He^3, exchange currents and dispersions theory 5=14448
He^3 form factor, e. m., calc. 5=8491
He^3 form factors, anal. and interpretation 5=14449
He^3, form factors, two-pion exchange current contrib. 5=14450
He^3 interactions and H^4, Li^4 search 5=11177
He^{3+4} prod. by d + N at 650 MeV, ang. distrib. 5=656
He^3(d, t) 2p search, from 5 spectrum 5=657
He^3(He^3, α)2p search, from α spectrum 5=657
He^3 + $\mu^- \rightarrow$ H^3 + ν calc., from e — He^3, H^3 scatt. 5=5379
He^{3,4,5} lifetimes, prod. by 2. 4 BeV/c K$^-$ in emulsion 5=5501
He^4 + $\gamma \rightarrow$ d + d versus inverse process, calc. 5=11133
He^4(p, d)He^3, elastic and inelastic, 55 MeV 5=5462
He^4(p, d)He^3, 53 MeV, diff. 5=5463
He^5 ground state from He^4(d, p)He^5 p spectra 5=5461
He$^5 \rightarrow$ H^3 + D decay, 16. 69 MeV level calc. 5=2769
He^6, decay branching ratio from first state 5=2693
He^6, levels from Be^9(n, α)He^6 5=5460

Alpha-ray spectra
See also Nuclear decay theory.
clusters in harmonic oscillator pot. 5=11253
fission prod., ang. var. 5=14556
γ—α reactions with fluoron, Si, Au, Al, photonuclear emulsion meas. 5=14521
heavy nuclei, Y_{40} deformation rel. to transition rates 5=8584
statistical model calc. 5=14491
transitions, favoured, effect of nonlocal potential 5=14492
Ac^{222,224} 5=5596
Ac^{225} and Fr^{221} levels 5=8605
At^{214,216} 5=5596
At^{217} and Bi^{213} levels 5=8605
C^{12} decay 5=8589
Eu^{148} decay 5=2784
Fm^{257} decay 5=2792
Fr^{218} 5=5596
Fr^{221} and At^{217} levels 5=8605
Gd^{144,151} decay 5=11271
Hf^{157,158} decay 5=11276
Lu^{155,156} decay 5=11276
Ne^{20} levels, β^+, delayed α, isobaric spin admixing 5=11258
Pa^{226,230} 5=5596
Po^{213} 5=8605
Sm^{146} 5=762
Tm^{153,154} isotopes 5=2786
Yb^{154,155} isotopes 5=2786

Alpha-ray spectrometers
noise sources, rel. to energy resolution 5=659
semiconductor, large area, high resolution 5=8497

Alpha-rays
See also Alpha-particles; Cosmic rays/alpha-particles; Radioactivity.
No entries

Alpha-rays—contd
absorption
No entries
angular distribution
monel metal backscatter, and energy meas. 5=11134
(n, α), calc., invoking direct interaction process 5=813
(p, α) reactions, analysis by population numbers 5=800
Al^{27} (p, α) Mg^{24}, resonant spin, mag. substates population calc. 5=800
B^{10}(d, α)Be^8, 14 MeV 5=2814
B^{10}(p, α)Be^7, 7 MeV 5=2814
B^{11}(d, α)Be^9, 14 MeV 5=2814
B^{11}(p, α)Be^8, 7 MeV 5=2814
Be^9(d, α)Li^7, 14 MeV 5=2814
Be^9(p, α)Li^6, 7 MeV 5=2814
C^{12} decay 5=8589
C^{12} $\rightarrow$ 3α, Feynmann diagram method 5=749
C^{12}(d, α)B^{10}, 9. 2 to 13. 8 MeV 5=11352
C^{12} (p, pα) Be^8, 150 MeV, impulse approx., calc. 5=803
C^{12}(t, α)B^{11}, 10. 06 MeV 5=11353
C^{12}(C^{12}, α)Ne^{20}, 10. 15 to 12. 8 MeV, meas. versus statistical calc. 5=855
C^{12}(C^{12}, α)Ne^{20}, 20. 3 to 25. 6 MeV, sample size effect 5=854
He^5 5=14451
Li^7(p, α)He^4, 3. 2-5. 3 MeV 5=8634
Na^{23} (n, α) F^{20} 5=813
Na^{23}, 18. 4 MeV, elastic, inelastic scatt., meas. 5=842
O^{16}(α, $\alpha'\gamma_{6\cdot13}$), α–γ correl. 5=8676
O^{16} (n, α) C^{13} 5=813
O^{16}(He^3, α)O^{15}, 8. 8-10 MeV 5=8681
O^{16}(He^3, He^3)O^{16}, 8. 8-10 MeV 5=8681
O^{18}(p, α)N^{15} 5=2740
P^{31}(d, α)Si^{29}, 1. 5 to 2. 5 MeV 5=5680
Pt backscatter, and energy meas. 5=11134
Si^{28} (α, $\alpha'\gamma_{1\cdot77}$), α–γ correl. 5=8676
Ti^{46,48,50} inelastic scatt. 5=5683
detection, measurement
See also Alpha-ray spectrometers; Dosimetry; Particle detectors; Radioactivity measurement
counter, DE, E, non-multiplying, > 10 MeV 5=14388
counter, 4π proportional, routine counting 5=2496
counter, plastic 5=14452
counter, proportional, gas flow 5=5464-5
fission prod., spectrum ang. var. 5=14556
interaction, m. f. p. in nuclear emulsions, high energy meas. 5=2607
low background phoswich detector (CsI crystal on Pilot B discriminator) 5=2694
polystyrene-based plastic scintillator, α, β ratio 5=7413
Si counters for α-active matter conc. in solns. meas. 5=1135
effects
See also Nuclear reactions/alpha-rays.
rare gases, scintillation induced, depend. on elec. field 5=6097
tracks in nuclear emulsion, liquid exposure effects 5=109
Ar excitation and ionization 5=8943
Ar–molecular gas, electroluminescence 5=9049
Au, crystal stacking fault tetrahedra removal 5=9488
Au, length change, at −20 to +90°C 5=12433
Cu, very pure, internal friction var., oscillations amplitude meas. method 5=3840
Cu, very pure, Young's modulus var., oscillation amplitude meas. method 5=3841
KBr, anomalous thermoluminescence decay, kinetic order calc. 5=13127
KCl, anomalous thermoluminescence decay, kinetic order calc. 5=13127
NaCl, anomalous thermoluminescence decay, kinetic order calc. 5=13127
NaCl, effect on dislocations 5=12397
Pb supercond. ring, persistent current decay 5=9649
Si, electron—hole pair generation 5=5270
Si p—i—n detectors, radiation damage 5=5266
scattering
fission saddle-point nuclear state investig. 5=5512
γ—He^4, Compton effect 5=10977
n—α 23 MeV, n polariz. 5=5354
monel metal backscatter, ang., energy distrib. meas. 5=11134
optical potential $6 \leqslant A \leqslant 100$, 30 MeV real part 5=11363
optical potentials 5=8493

Alpha-rays—contd
- scattering—contd
  - p—α, 40 MeV, experimental tests between analyses 5=11030
  - p—He^4, 53 MeV 5=5463
  - 4.04-4.78 MeV p polariz., 5=5346
  - Ag, 18.7-40 MeV, optical model analysis 5=14550
  - Ar^{36,40}, large-scale elastic, energy dependence 5=2840
  - B^{10}, differential cross-section meas. 5=2839
  - Be^9, ang. distrib. 5=2814
  - C^{12}, differential cross-section, ang. distrib., 18-24 MeV 5=841
  - Fe even—even isotopes, 15-45 MeV, review 5=843
  - Fe^{56}, ang. var., and optical model, 22 MeV 5=8677
  - He, < 120 MeV, and Be^8 levels 5=658
  - He^4, 53-120 MeV, diff. 5=8496
  - Mg^{24}, diffraction scatt., surf. diffuseness effect 5=11283
  - Mg^{24} to Zr^{90}, optical model analysis and d scatt 5=840
  - MoO$_3$ film, He^3 scatt., tracks, electron microscope obs. 5=2843
  - Na^{23}, 18.4 MeV, elastic—inelastic differential cross-section, ang. distrib. meas. 5=842
  - Ni even—even isotopes, 15-45 MeV, review 5=843
  - Ni^{58}, 43 MeV, wide-angle 5=11364
  - Ni^{62}, 25-100 MeV, phase rule, rel. to energy 5=2842
  - O^{16}(α, $\alpha'\gamma_{6\cdot 13}$) 5=8676
  - O^{16}, large-scale elastic, energy dependence 5=2840
  - O^{16}, 7.2-8.5 MeV, resonances, spin and parity 5=8675
  - Pt backscatter, ang., energy distrib. meas. 5=11134
  - S^{32}, large-scale elastic, energy dependence 5=2840
  - Si^{28} (α, $\alpha'\gamma_{1\text{-}77}$) 5=8676
  - Si^{28}, large-scale elastic, energy dependence 5=2840
  - Ti^{46,48,50}, inelastic, angular distribs. 5=5683
  - Zn even—even isotopes, 15-45 MeV, review 5=843
  - Zn^{64,66,68}, ang. var., and optical model, 22 MeV 5=8677

Altimeters. See Length measurement.

Aluminium
- acoustic second harmonic generation, disloc. contrib. 5=6528
- activation energy and diffusion coeff. by n.m.r. 5=12318
- annealing, energy release 5=15139
- asperite deformation during plastic flow 5=12474
- atoms, displaced levels population, autoionzation effect 5=8745
- corrosion, in distilled H$_2$O, at high temp. 5=13157
- Coulomb scatt., 1 MeV electrons 5=14618
- cracks, fatigue effect of SiO$_2$ fibre reinforcement 5=9531
- creep, block misalignment var., 18°, 100°, and 250°C 5=3830
- creep, internal grain boundary sliding 5=12471
- crystal dislocations, cold-rolled, distribution, thickness effect 5=9462
- crystal dislocations, low value prod. by heat treatment 5=9464
- crystal dislocations, rearrangement obs. 5=9463
- crystal imperfection loop rotation on quenching 5=9442
- crystal imperfection, point prod. on plastic deformation, annealing 5=12470
- crystal texture, mech. anisotropy, effect of rolling temp. 5=3532
- crystal vacancies, quenched from liquid 5=9428
- crystal vacancy condensation and surface pit nucleation 5=9427
- cyclotron resonance, 35 Gc/s 5=6825
- Debye—Waller factor, de Launay's method calc. 5=6427
- defects, size and density in single crystals 5=12418
- deformation critical degree effect 5=1509
- deformation texture and recrystallization 5=12472
- deformed, low temp. recovery 5=3829
- dielectric resonance in powder, 1500-3000 Mc/s 5=6840
- diffusion, radioactive, of Fe, effect of Si 5=1438
- dislocation loop measurement 5=6604
- dislocation loops, prismatic, orientation 5=6628
- dislocations, thermal motion 5=12379
- elastic relax. Bordoni peak and crystal dislocations 5=6694
- electron diffraction intensities, effect of temp. 5=15007
- electron emission, exo and photo, and surface purity 5=12848
- electron gas, collective and individual behaviour calc. 5=6818
- electron m.f.p. rel. to Fermi surface area calc. 5=6785
- electron scatt. in polycrystalline foils 5=15008
- etching of glide dislocations 5=6349

Aluminium—contd
- films, effect of evap. press. on elec. resist. 5=1604
- films, electron beam, 50 kV, excitation L$_{\mathrm{II,\,III}}$ levels 5=6828
- films, electron diffr. intensities 5=6404
- films, electron penetration meas. 5=14067
- films, inner potential, by electron interferometry 5=6400
- films, resistance rel. to annealing 5=9622
- γ-ray attenuation cross-sections 5=8774
- Hall effect Sondheimer oscillations 5=9621
- heat treatment, after γ-irrad at 77°K, stage III defect annealing 5=12469
- holes, thermal equilib. shape and size 5=9307
- "hook effect", in X-ray diffr. line profiles 5=1326
- interatomic potl. from ion-range meas. 5=9205
- internal friction, high press. var 5=12476
- internal friction, temp. depend. to near m.p. 5=3842
- internal friction, temp. var. peaks 5=12475
- ions, in NaAlSi$_3$O$_8$ and KAlSi$_3$O$_8$, elec. field grad. 5=1229
- K X-ray emission spectrum, high energy α-satellites 5=9891
- liquid-quenched, structure 5=1466
- luminescence, shock-induced 5=13100
- magnetoresistance, longitudinal 5=3967
- mechanical hysteresis losses at points of discrete contact 5=1543
- mechanical resonances 5=6522
- mosaic blocks, size and misalignment degree in solidification direction 5=3768
- mosaic structure, X-ray diffraction broadening anomalies 5=6644
- optical consts., 0.6-4.6 eV meas. 5=7322
- oxide-coated, thermionic work function in vac. and Cs vapour 5=1705
- oxide layers, thickness, low frequency capacitance meas. 5=9
- photoelectric emission during oxidation, sensitized 5=1710
- photoelectric yield, 300-1300 Å 5=7058
- photon attenuation coeffs. 5=8372
- plastic deformation distrib. statistics, discontinuity influence 5=15138
- plastic deformation, orientation var. of dissipation energy 5=9532
- plastic deformation, rapid, single crystal activation volumes 5=12479
- plastic deformation, rotating element statistics 5=12473
- polygonization of single crystals plastically deformed at —196°C 5=3455
- positron annihilation and fixed charge shielding calc. 5=15256
- powder in Ar, thermal expansion up to 900°C, charact. temp. of 396°K X-ray scatt. meas. 5=3695
- powder recrystallization properties 5=9306
- pulse loads, resistance to fracture, meas. 5=6728
- quenched, shape of voids 5=1325
- reactions on Si (111) surfaces 5=4395
- recrystallization, alloying addition effect and temp. depend. 5=1305
- recrystallization and polygonization 5=9219
- resistivity increase when cold-worked at 78°K 5=12642
- solid, electronic structure and atomic props., theory and calc. 5=3435
- solubility in β Al—Li, 150°-550°C 5=14912
- spectra, temp. var., 4000-2100 Å 5=14597
- stacking fault—cold working energies, rel. 5=15101
- stopping cross-section of He$^+$ ions 5=12432
- stopping cross-sections for protons and ions 5=12431
- strains, residual, in polycryst. grains, X-ray meas. 5=6693
- stress—strain curves, surface condition effects 5=3832
- stress—strain relns. Cottrell—Stokes ratios, temp. var. 5=12478
- stress, surface, residual, X-ray diffr. obs. 5=3831
- strips, stretched, electron exo-emission depend. on surface state 5=4125
- superconducting energy gap anisotropy 5=3989
- superconducting transiton temp., rel. to dislocations 5=6871
- superconducting, u.s. shear waves attenuation 5=3990
- superconductivity rel. to press. 5=15289
- thermal expansion, below 100°K 5=12296
- u.s. acoustic absorption, calc. 5=12277
- very high purity, by zone melting 5=14969
- wire, Poisson's ratio determ. 5=1510
- work hardening, plasticity boundary stabilization 5=12477

Aluminium—contd
X-ray absorpt. coeff. 5=9890
X-ray absorpt. 7-17 Å range 5=1833
X-ray charact. emission intensity calc. 5=9916
X-ray diffr., pure profile prod. from deformed sample 5=6405
X-ray emission plasmon satellite bands intensity theory 5=1830
X-ray K spectrum, diagram, nondiagram lines versus Al_2O_3 5=13032
X-ray prod., charact., proton channeling effect 5=9892
X-ray spectrum, K, valence and coordination effects 5=4313
X-ray spectrum, and X-unit meas 5=14223
zone refining, effect of P, F and I 5=3552
Al^{27} n.m.r. in CoAl and FeAl 5=7273
AlI, auto-ionization lifetime and oscillator strengths 5=2904
AlI, spectral lines, transition probabilities 5=8754
Al I $3p^2P^0$ ionization edge spectrum and Sun depression near 2085A 5=13757
Al^{27}, in Zn spinels, n. m. r. 5=15517
Ar adsorption, accommodation coeff. var. 5=12062

Aluminium alloys
See also Aluminium compounds.
alloys, binary, magnetic and thermal props. 5=9762
alloys, grain growth rate temp. depend during recrystallization 5=6406
Alnico/Alcomax III, miner loops 5=12907
Alnico (5%Ti)(34%Co), phases, structure, mag. props. 5=6262
corrosion penetration, ageing and temp. var 5=12480
duralumin, u. s. waves, surface and spatial, damping 5=6526
duraluminium, internal friction, temp. depend. to near m.p. 5=3842
liquid binary, with Fe, Co, Ni, Al activities at 1600°C 5=14833
stress analysis, ratio method for principal stresses 5=12451
superconducting transition temp., rel. to dislocations 5=6871
vacancies and diffusion in Al-rich alloys 5=12357
2024-T4, reversion during cycling 5=15140
Al—Ag alloy, Guinier—Preston zone size determ. 5=3586
Al alloys, Ag addition effect on ageing 5=3458
Al alloys, Lorentz parameter at low temps. 5=3971
Al—Ag alloys, effect of vacancy conc. on precipitation 5=6273
Al—Ag, dislocation nodes 5=12384
Al—Ag, electron diffraction pattern spots 5=12187
Al—Ag, Guinier—Preston zone structure 5=1260
Al—Ag, n. m. r. 5=12997
Al-Ag, plastic deformation, electron microscope study 5=6692
Al—Al_2Br_6, cryoscopy and solubility 5=9210
Al—Al_2I_6, cryoscopy and solubility 5=9210
Al—Al_2O_3 alloys, on microstruct. and mech. props. 5=3584
Al—Al_2O_3 SAP-type alloys, microstruct., by transmission electron microscopy 5=3585
Al—Al_2O_3—Al tunnel diodes, barrier shape determ. 5=15360
Al—Al_2O_3—Au tunnel diodes, barrier shape determ. 5=15360
Al—Al_2O_3—Zn, Sn or Au, Schottky emission mechanism rel. to energy bands 5=1706
Al—Cu, Al—Ag alloys, cyclically strained, dislocation and structure interactions 5=3744
Al—Cu, creep and grain boundary sliding, 500°F 5=3833
Al—Cu, diffusion var. in mag. field 5=3712
Al—Cu, dislocation tracing by decoration 5=12380
Al—Cu, dislocations, interface and glide types 5=12381
Al—Cu, elastic limit var. with strain rate and temp. 5=12481
Al—Cu—Mg, plastically deformed, lattice deform. 5=1360
Al—Cu solidification, separation in mag. fields, due to diffusion 5=3400
Al—Cu, θ' to θ phase change, microscope obs. 5=6272
Al-Cu, X-ray diffr., pure profile prod. from deformed sample 5=6405
Al—Fe alloys, eutectic formation 5=3389
Al—Fe, annealing texture form 5=12096
Al—Fe, θ—AlFe precipitates platelets, habit planes and dims. 5=9265
Al—Ge, Ge precipitation 5=12003

Aluminium alloys—contd
Al—Li, solubility of Al, $(\alpha + \beta)$ boundary, 150°-550°C 5=14912
Al-Mg, crystal vacancies, lattice expansion meas. 5=9429
Al—Mg metastable solid soln., crystal struct. 5=6260
Al—Mg preprecipitation, meas. by resistivity 5=14926
Al—Mn alloys, eutectic formation 5=3389
Al—Si—Cu, segregation of Cu 5=14913
Al—Si—Mg—Ni, UTS, time to rupture, creep rates var. with stress 5=12482
Al—Sn, neutron irrad., point defect—Sn atom interaction 5=12348
Al—Zn crystals with Guinier—Preston zones, struct. and props. 5=12147
Al—Zn, Guinier—Preston zone structure 5=1260
Al—10% Zn, precipitation, n-irrad. 78°K 5=14925
Al—Zn (40% Zn), transitory cubic phase 5=6274
Al—Zn, pre-precipitation rate 5=9220
Al—Zn, superconducting, clustering and conc. effects 5=15290
Al—Zn—Mg, nucleation of precipitates 5=12097
Al—Zn—Mg—Cu, plastically deformed, lattice deform. 5=1360

Aluminium compounds
See also Aluminium alloys; Ruby.
beryl, crystal growth, high press. 5=6362
corundum, Cr^{3+} R-line "pseudo-Stark" splitting 5=15567
corundum, electro-, grains, microstruct. thermal changes 5=12150
corundum, Fe^{57} h. f. s. structure 5=9203
corundum, molten, enthalpy and heat capacity 5=1177
corundum, paramag. reson. of V^{3+} at 6 Mc/s 5=1811
intermetallic order, n.m.r. obs. 5=9859
kaolin, with and without ZnO, semiconducting nature 5=1651
rare earth $Al_{3,4}$, crystal struct., atomic 5=3620
ruby, with Cr_2O_3, mag. susceptibility at 4.2°K 5=12878
sapphire crystal growth by Czochralski method, for lasers 5=6383
sapphire, total emissivity, crystal oriented, meas. 5=13069
sapphire, wear surfaces, microscopical obs. 5=3877
sapphire whiskers with birefringent matrix, mech. interact. 5=6751
tourmaline pyroelectric, anomalous electron beam diffraction 5=4097
Al Heusler alloys, n. m. r. 5=4266
Al oxide films, tunneling current in Al—Al oxide—Al diode 5=4074
Al—Al_2O_3, fusion, controlled 5=14878
Al_2Au, lattice parameters, expansion coeffs. 5=6448
Al_2BeO_4, synthetic flux growth 5=6360
Al_2BeO_4:Cr, synthetic flux growth 5=6360
$Al_2Ca_3(SiO_4)_3$, crystal structure 5=9324
Al_4C_3, heat of combustion and heat of formation 5=4842
AlCl, microwave spectroscopy at high temps. 5=8806
$AlCl_3$, KCl, Raman spectra, solid and liquid 5=9114
$AlCl_3$, NaCl, Raman spectrum, liquid 5=9114
AlDy garnet antiferromag. structure 5=9819
AlF, microwave spectroscopy at high temps. 5=8806
AlF_2, vibration amplitudes 5=5856
$AlF_3 . H_2O$, crystal structure 5=1359
AlH, Zeeman effect, $^1\pi$-$X^1\Sigma^+$ system, O, O band 5=14636
$AlLaO_3$ base solid electrolytes, elec. props rel. to fuel cell use 5=13174
Al N bi-crystals, axial boundaries obs., rel. to growth mechanism 5=9295
AlN, crystal growth mechanism 5=3553
AlN, crystal intersecting faults 5=9486
AlN, luminesc. and cathodoluminesc. 5=9939
AlN, whiskers, axial and twist dislocations 5=12382-3
γ-Al_2O_3, chemisorption of NH_3 effect 5=13166
AlO_2 crucibles, electron bombard. heating for Be, Cu, Au vaporization 5=1994
AlO, new band heads in visible spectrum 5=5839
AlO reson. radiation, in upper atm. 5=13371
AlOCl (gas), heat of formation 5=1900
α-Al_2O_3, polysynthetic twins 5=14962
γ-Al_2O_3, adsorbed water vapour, neutron inelast. scatt. study 5=3513
Al_2O_3, Al^{27} n.q.r., perturbation by elec. field 5=7290
Al_2O_3, bending strength, porosity and grain size effects, 25°, 1200°C 5=15141

Aluminium compounds—contd
Al_2O_3, δ to α phase transform., in Pb—$CaBO_3$ melt, 705°C 5=3456
Al_2O_3, e. s. r. of Cr^{3+}, Zeeman effect obs. 5=9840
Al_2O_3, emissivity, and porosity and surface roughness 5=15537
Al_2O_3, films, deposition by electron bombard. evap., dielec. props. 5=3499
Al_2O_3 films, electron beam, 50 kV, excitation $L_{II, III}$ levels 5=6828
Al_2O_3 films, Mott's formation theory and electron tunnelling 5=15316
Al_2O_3—fluorescein films, polarised photoluminesc., calc. 5=13133
Al_2O_3, fracture surfaces, distortion and depth var. 5=15142
Al_2O_3 high content ceramics, dielectric losses, secondary crystal phase effects 5=6997
Al_2O_3, heats of transformation, from soln. in Pb—Cd—borate 5=6275
Al_2O_3 powder, H_2O adsorbed, mag. proton relax. times 5=1812
Al_2O_3, pure, dense, mech. props. rel. to temp. and grain size 5=6695
Al_2O_3 (sapphire), filamentary crysts., growth 5=12098
αAl_2O_3 sapphire transmission, light, vacuum u.v., temp. var. 5=7348
Al_2O_3, sintered, thermal cond., high temp. 5=15063
α-Al_2O_3, spectrum, reflection, heat treatment effects, Kramer-Kronig analysis 5=7349
γ-Al_2O_3, surface hydration 5=13164
γ-Al_2O_3, surface model 5=13165
Al_2O_3 thin films, photocurrents 5=12817
Al_2O_3, u.s. acoustic absorption by microscopic bubbles 5=12278
Al_2O_3, ultraviolet reflectance spectrum 5=15538
Al_2O_3—water system, heat of adsorption, rel. to particle size 5=12063
α-Al_2O_3 whiskers 5=9291
Al_2O_3, X-ray K spectrum, diagram, nondiagram lines versus Al 5=13032
$Al_2O_3 . 3CaO. 6H_2O$, H atom position determ. 5=6446
$Al_2O_3 . H_2O$, surface diffusion of CO_2 5=6582
Al_2O_3:Nd^{3+}, Cr^{3+}, fluorescence, test for Nd-Cr coupling 5=7397
$AlPO_4$, structure 5=6447
AlSb, free-carrier i. r. absorpt. 5=9885
AlSb, n. m. r. lines, chemical shift 5=13004
AlSb p—n junctions 5=1660
Al_2SiO_5, Fe^{3+} ion e. s. r. spectra, sites calc. rel. to zero mag. field maser use 5=7234

Americium
Am^{3+} spectrum in soln., low levels 5=894

Americium compounds
No entries

Ammonia. See Nitrogen compounds/ammonia.

Ammonium compounds. See Nitrogen compounds/ammonium compounds.

Amorphous state
See also Vitreous state.
conference on non-crystalline solids, Delft, 1964 5=1286
cotton fibres, degradation due to radiation and fungi 5=9217
e. s. r. of radicals, computer prog., var. struct. tensors 5=7208
metastability 5=6334
quantum many particle, one-electron calc. 5=10280
quartz, zones in, neutron scatt. cross-section 5=3799
radical e.s.r., computer programmes 5=12983-4
silicoaluminas struct. 5=1287
silicoaluminas, structure, from X-ray fluorescence and i. r. spectra 5=1287
X-ray scattering, Compton component elimination 5=9256
Be, zones in, neutron scatt. cross-section change, wavelength var. 5=3799

Amplifiers
acoustic, theory, and plasma and resistive wall amplifiers 5=4802
d. c., high-sensitivity with supercond. modulator 5=10430
d c. measuring 5=14008
d. c., with supercond. modulator 5=14018
e.m., parametric, ferrimag., with longit. pumping C band 5=7996

Amplifiers—contd
e. m., reflection, broadband design 5=4948
electrometer, for scanning spectrometers 5=8121
electron beam—plasma, for mm waves, design problems 5=2254
high-stability, with distributed constants 5=10432
nanosecond pulse 5=509
for neutron detect., overload-free for $B^{10}F_3$ multiwire 5=14422
oscilloscope, multi-stage with feedback 5=2188
photoelectrooptical, for ballistic meas. 5=13977
preamplifier, fast, charge-sensitive 5=14020
preamplifier, hybrid low noise charge sensitive 5=7914
preamplifier, low-noise, charge sensitive, for semicond. detectors 5=8315
pulse, logarithmic 5=14022
pulse modulators, h.f., for accelerators 5=10949
pulse, variable-gain, using different controlled elements 5=14021
for radiation detect., semi-cond., low-noise 5=7871
transistor biased, using current switching techniques 5=14025
transistor, with Si junction detectors 5=508
video pulse, for counting circuits 5=5279
voltage, cathode follower 5=10431
wave amplification in moving media 5=2025

Analogue computers. See Calculating apparatus/analogue apparatus.

Analysis. See Chemical analysis; Statistical analysis.

Anechoic rooms. See Acoustical laboratories.

Anelasticity. See Internal friction.

Anemometers
hot-wire, heat transfer, var. with flow direction 5=6077
mean air speed indicator 5=4448

Angle measurement
See also Alignment.
cross-staff made from meter-stick 5=13805
surface normal, by gonio-microscope 5=14988
tangentometer, curve drawing by reflection 5=2017
by laser, ring, for direction 5=269

Angular distribution. See Gamma-rays/angular distribution; Neutrons and antineutrons/angular distribution; Protons and antiprotons/angular distribution.

Angular velocity measurement
See also Stroboscopes.
No entries

Annealing. See Heat treatment.

Annihilation of electrons. See Electron pairs.

Antennae. See Electromagnetic waves/radiators.

Antiferroelectric materials. See Ferroelectric materials.

Antiferromagnetic resonance
biaxial, energy spectra and frequencies 5=15483
with Dzyaloshinsky—Moriya coupling 5=4231
longitudinal spin—spin coupling and n. m. r. 5=9833
lines, spin—phonon width 5=4230
Fe_2O_3, effect of spontaneous striction, meas. 5=7205
α-Fe_2O_3, orientation and freq. depend. 5=4231
α-Fe_2O_3, 12-37 Gc/s, 230-290°K 5=1788
Mn^{55} in $KMnF_3$ and $CsMnF_3$, coupled nuclear antiferromag. reson. modes, excitation 5=4232
$MnCl_2 . 4H_2O$, 0. 32-1. 62°K 5=4233
$NiCl_2$, 9. 2 kMc/s 5=7204

Antiferromagnetism
See also Magnetic properties/antiferromagnetic.
Conference, USSR (1962) 5=12881
coupled magneto-elastic waves 5=7177
cubic crystals, theory 5=4177
Dirac vector model, cluster expansion derivation 5=4155
discontinuities in magnetization below 1°K 5=15472
energy—susceptibility relations, rel. to long-range interactions 5=4215
Heisenberg antiferromagnet, field-induced phase transitions 5=4214
helical spin mag. struct., anisotropy and exchange magnetostriction, calc. 5=1766
helicial superstructures, formation, mechanism 5=1767
infrared absorpt. by crystals, spin dependent 5=7304
Ising model low temp. expansion 5=12884
linear chain, free energy 5=1765
linear chains, mag. moment correl. 5=7277

Antiferromagnetism —contd
spin wave spectrum lowest order correction 5=15470
spin waves in spin-flop phase, and spin-flop transition metastability 5=7176
statistical theory 5=1728

Antimony
charge carriers, cond. and mean free paths 5=12579
crystal elec. field press. var. n.q.r. meas. 5=1222
diffusion in Ag, high press. var. 5=9416
diffusion in Ag 5=6583
diffusion along Si dislocs., eqn. soln. 5=1445
diffusion, electrical, in Ge, anomalies 5=6586
Fermi surface, from magnetoacoustic resonances 5=6807
films on Al_2O_3, elec. and optical props., 4-140μ 5=4295
film meas. 5=1280
impurity distrib., in epitaxial growth 5=12131
impurity in Si, 1s(E) and 1s(T_1) states 5=15236
magnetoacoustic effect, parallel field oscillations 5=15043
magneto-optical reflection var. and interband transitions 5=15539
melting and crystallization of small particles 5=14876
optical de Haas–Shubnikov effect 5=15540
photomechanical effect anisotropy 5=6720
photomechanical effect, temp. region 5=15161
radioactive isotopes in atmosphere 5=13316
re-orientation, surface, by unidirectional abrasion 5=12080
self-diffusion, meas. using tracer technique 5=1439
solubility in heavily Ga doped Ge, acceptor–donor interaction 5=6258
twinning, interaction of dislocations and hardening 5=3763
Ge n-type, magnetoresist., Hall voltage, Sb-conc., temp. var. 5=1648
Sb_4, heats of vaporization, fusion, dissociation meas. 5=6208

Antimony compounds
Sb–Bi alloys, liquid, thermoelectromotive force 5=1208
$SbCl_5$, vibr. amplitude, 0.298°K, matrix calc. 5=3007
$SbCl_5$, vibr. analysis and force consts. 5=11539
SbF_5 solutions, chemical structure, $Sb^{121,123}$ n.m.r obs. 5=11914
SbS_3 films, effects of stoichiometry on photoelec. props. 5=1696
Sb_2S_3 doped with Sb, cond. process, rel. to switch, calc. 5=12717
Sb_2S_3, photosensitivity to X-rays 5=15399
Sb_2S_3–Sb_2Se_3, phase equilib., microhardness, thermal cond. meas. 5=14927
Sb_2Se_3, optical props., i.r. absorption meas., temp. var. 5=4296
Sb_2Se_3–Sb_2Te_3, phase equilib., microhardness, thermal cond. meas. 5=14927
SbSi, photocond. and energy gap, temp. var. 5=1697

Antineutrinos. See Neutrinos and antineutrinos.
Antineutrons. See Neutrons and antineutrons.
Antinucleons. See Nucleons and antinucleons.
Antiparticles. See under corresponding particle.
Antiphase domains. See Alloys; Crystal structure/microstructure; Solids/structure.
Antiprotons. See Protons and antiprotons.
Antireflection coatings. See Optical films.
Apodization. See Optical images.
Apparatus. See Cosmic rays/apparatus; Instruments; Ionosphere measuring apparatus; Laboratory apparatus and technique; Radioactivity measurement/apparatus; Vacuum apparatus; X-ray crystallography/apparatus. Further entries describing apparatus for specific purposes are included under the headings of the appropriate subjects.
Appearance potential. See Ionization potential.

Architectural acoustics
See also Echo; Noise abatement; Reverberation; Transmission/acoustic waves.
cinema, model and room measurements 5=2131
conditions for speech and music, difference calc. 5=13967
electroacoustically coupled rooms, freq. response curves, rel. to reverberation times 5=4812
noise levels, tolerable, in studios, concert halls and theatres 5=2130
review, semipopular 5=130
room normal vibrational mode, freq., ang. distrib. calc. 5=13966
rooms acoustic quality from dead points investig. 5=4813

Arcs, electric
arc–deion-extinction plates, forces between 5=5954
column, thermal, filled-tube, theory 5=11652
d.c., atomic conc. and degree of inhomogeneity by line absorpt. 5=8935
d.c., temp. calc., self-reversed spectra lines method 5=1040
electrode erosion at 1000A 5=5953
heater with two cooled electrodes 5=1042
material functions, evaluation from arc characteristics meas. 5=3114
noise, microwave, l.f. current 5=3113
for plasma device thermal shock study 5=6055
spectroscopic light source for controlled atmospheres 5=14194
spots, considered as exploding wire 5=14689
stability in six gases 5=8933
temperature increase by application of mag. field 5=5952
temperature meas., by spectral line reversal, a.c. 5=5951
Ar arc, microwave cavity investigation 5=11654
Ar, mag. confined, electron density meas. 5=11653
Ar, material functions 5=3114
Ar plasma, microwave cavity investigation 5=11654
Ar, radiation at high pressure 5=1043
Ar, thermal flow meas. 5=5950
C arc, d.c., Cs line broadening 5=11655
C, d.c., Cs line broadening 5=11655
Cs, low-voltage, meas. 5=1044
Cs thermionic convertor, ionization mechanism and electron temp. 5=3115
Cs–Cd, elec. and spectral characs. at low voltage 5=7940
Cu atom, e^4D levels, in arcs and sparks 5=14601
Cu atom, e^4D levels, in discharge 5=14601
D flute stabilization 5=8932
Fe spectral line broadening and displacement 5=8936
Fe, temperature meas., by spectral line reversal, a.c. 5=5951
H, wand stabilized elec. cond., transport cross-section, meas. 5=1157
Hg rectifier, anode surface current density distrib. 5=5949
Hg rectifier, auxiliary arc extinction 5=5947
Hg rectifier, h.v., vapour density dynamic changes 5=5948
N_2, material functions 5=3114
NaI, with Hg or Ar, characts. 5=3116
SF_6 and other polyatomic gases, quenching reactions, mass spectrometer studies 5=1041
TlI, with Hg or Ar, characts. 5=3116
Xe, double cathode 5=3117
Xe, light output stability 5=8934

Area measurement
surface, from adsorption 5=6323
Area measurement, porous substances. See Surface measurement

Argon
adsorption on Pt, Ag, Au or Al, accommodation coeff. var. 5=12062
analysis by mass spectrometer 5=8728
arc, mag. confined, electron density meas. 5=11653
arc plasma, microwave cavity investigation 5=11654
arc, radiation at high pressure 5=1043
atom–ion charge transfer, scatt. effects 5=14621
atomic beams, energy 50-200 eV, prod. and spectrum 5=5810
atomic and ionic line contours in discharge positive column 5=8747
atoms, collision, discrete energy losses, coincidence meas. 5=926
atoms, high-velocity scattering by CH_4 5=929
atoms, struct., calc. of electron densities and energies 5=5732
compressibility, critical isobar deviation 5=1135
desorption in Bayard–Alpert gauge 5=1161
discharge, electron density and temp. distrib. 5=11642
elastic waves, solid, vel. temp. var., and interatomic pot. 5=9534
and electron m.f.p., back diffusion method meas. 5=1049
emission spectrum in vacuum-u.v. 5=8746
excitation and ionization with α-parts. 5=8943
excitation, in positive column of discharge, at medium press. 5=5936
gas, dispersion, formula at 15°C and 760 torr 5=1156

Argon—contd
gas, elec. arc in, material functions 5=3114
gas, electron average energy, vel. and m. f. p. 5=6095
gas, ionized, stagnation-point heat transfer theory 5=11807
gas, specific heat near critical point 5=3266
gaseous diffusion in Xe 5=6110
glow discharge, handling technique 5=3106
and G–M Br-quenched counter, characs. var. by mixing 5=14318
heat flow in electric arc, meas. 5=5950
ion beam effects on Nb (111) surface 5=4124
ion beam transmission in plasma 5=4933
ions, Ar^{2+}—Ar, one and two-electron capture meas. 5=1052
ions, recombination, empirical regularities 5=14693
isotopic analysis 5=11473
K and L shell vacancies, atomic readjustment 5=11429
laser action, u. v. 5=14156
liquid, atomic motion correlations, computer simulation 5=1168
liquid, bulk viscosity 5=3315
liquid, slow neutron scatt. by, coherent 5=3302
liquid, slow neutron scatt., rel. to correl. functions 5=6145
Lorentz—Lorenz fn., liquid and gaseous refractive index meas., 0°C 5=3270
molecular gas, electroluminescence, α irradiated 5=9049
photoionization cross-section 5=1066
photoionization at peak of intense shock wave 5=1046
plasma in discharge, r. f., inductive, stable column prod. 5=1105
plasma, conductivity 5=1080
plasma jet, temp. meas. from spectra in far i. r. 5=6013
plasma in mag. field, probe, negative I—V characts. 5=3182
plasma, radiation meas. 5=1092
polycrystals, growth and thermal etching 5=12099
positron annihilation 5=2601
positron annihilation rate, velocity effect 5=559
reaction with H_2^+, 12 to 135 eV 5=11664
shock wave plasma, microwave meas. of electron densities 5=14718
shock waves, anomalous measurements 5=10323
shock waves precursor phenomena, expt. 5=7835
solid, anharmonic forces and vapour pressure 5=1215
solid, entropy, anharmonic and defect contribs. 5=12286
solid, liquid, rigid sphere model 5=11929
solid, refractive index and Lorentz—Lorentz funcn. 5=9894
solid, shear strength, press. var., versus In standard 5=15145
solution in D_2O and H_2O, 5-25°C, thermodynamic props. calc. 5=11880
solution in water + ethanol, solubility and thermodynamics 5=3306
specific heat near critical temp. 5=3403
thermodynamic props., solid 5=12285
upper atmosphere mass spectrometer minor peaks 5=13330
vapour pressure eqn., by Mayer's theory modification 5=9037
vapour pressure meas. and equations 5=6218
ArI lines, press. broadening, intrinsic 5=14595
Ar I lines in vac. u. v. 5=11439
Ar XI and XII, resonance lines 5=8748
Ar^+ laser level relaxation 5=4998
Ar^+—Ar collisions, 50 keV, electrons removal probabilities 5=927
Ar^+, $Ar_2^+Ne^+$ mobility in Ar and N_2 5=8956
Ar, N_2 diffusive separation in atmosphere 5=13324
Ar—N phase diagram 5=6276
Ar—OCS and HCl collisions, $\mu_1 q_1 \alpha_2$ 5=11610
Ar—O_2 liquid mixture, viscosity meas. 5=14823

Argon compounds
Ar—Kr solid solutions 5=6259
Ar—Ne binary system, liquid—vapour equilib. 5=9180

Arsenic
α and γ, elec. and mag. props., unit cell dimensions 5=9325
diffusion in Si 5=6593
electronic band structure, pseudopotential approach 5=9596
impurity in Si, 1s(E) and 1s(T_1) states 5=15236
solubility in heavily Ga doped Ge, acceptor—donor interaction 5=6258

Arsenic compounds
As_2, $A^1\Sigma u^+ \rightarrow X^1\Sigma g^+$ band system 5=8807
As chalcogenide films, effects of stoichiometry on photoelec. props. 5=1696
$AsBr_3$, crystal and mol. struct. at —10°C 5=3621
AsH_3, negative ion prod. by electron reson. capture 5=1067
As_2O_3 crystal growth on GaAs 5=9292
As_2O_3, precip. on GaAs wafers, etching investig. 5=1298
As–S–Br, resist., band gap, mol. struct. calc. 5=12718
As_2S_3, absorpt., spectrum and optical transitions 5=15541
As—Sb semimetal, elec. resist., composition var., versus Bi—Sb 5=15317
As_2Se_3 crystals, props. 5=12100
$AsSe_xGe_y$-type glass, X-ray investig. of crystallization 5=3554
As—Te glasses, dielectric props., cond. 5=15373
As—Te—I glasses, Hall effect—Seebeck effect sign anomaly 5=1642
As—Te—I glasses, semicond. props., and crystal phase transform. with thermal breakdown 5=6917

Assistors. See Semiconducting devices; Resistance, electrical.

Association
No entries
gases
H atoms, in atmosphere 5=7422
liquids
See also Colloids.
aromatic hydrocarbon solns., photoassociation 5=1196
and dielectric props., Onsager reln. 5=11896
rhodamin aqueous soln., dimerization rel. to solvent structure 5=11602

Astatine
No entries

Astatine compounds
No entries

Asteroids. See Planets; Solar system.

Astigmatism. See Aberrations, optical.

Astronautics. See Space research.

Astronomical instruments
See also Radioastronomy; Telescopes/astronomical.
angle meas., cross-staff made from meter-stick 5=13805
coronagraph and spectrograph at High Altitude observatory 5=7559
Coudé spectrograph, 100 in., i. r. resolving power 5=1966
electrophotometer, stellar, with automatic control, description 5=4547
ground-based astronomy review 5=15784
image tubes, practical 5=15786
photography, Diafine developer 5=10124
polarimeter design 5=10126
slow-motion control for photographic or photoelectric recording 5=4549
spectrometer, noise due to atmospheric turbulence 5=10125
spectrostratoscope (balloon-borne observatory) 5=7560
stellar image dia. meas., by comparison 5=7562
X-ray collimator 5=10123

Astronomical observations
See also Radioastronomy.
antimatter detect by optical protonium and positronium obs. 5=4546
atmospheric disturbing effects minimization 5=1965
chromosphere obs. technique 5=7677
gamma ray astronomy, > 50 keV 5=15777
image orthicon threshold for stars and satellites, calc. 5=4548
image quality obs. 5=15785
moon erosion by Brownian motion 5=4627
orbiting astronomical observatories, semipopular review 5=1959
photoelectric, accurate 5=10106
photometry, photomultiplier temp. var. effects 5=15787
photometry, stars, u.v., comparison 5=7565
plasma turbulence, by radio 5=4686
radio sources, radio and optical position comparison 5=15778
rise and set of bodies, Algol calc. from posns. 5=15788
sun, declination, and standard date periods 5=7563
satellite observatory, stabilization and control 5=13642
visible and infrared, high altitude or from satellites 5=13702

Astronomical spectra
  See also Atmospheric spectra; Cosmic radiations, radio-frequency; and individual astronomical bodies, e.g. Sun.
  comet heads, continuous, solar light scattering by dielectric particles 5=4641
  gamma ray astronomy, > 50 keV 5=15777
  i. r., by balloon 5=15846
  infrared, stars, Mars, Jupiter, moon, balloon obs. 5=13715
  Mercury, 1.0-3.9 μ 5=7639
  molecular problems 5=13703
  CiO of M-type stars, Franck–Condon, centroids, calc. 5=947
Astronomical telescopes. See Radioastronomy; Telescopes/astronomical.
Astronomy and astrophysics
  See also Cosmology; Radioastronomy.
  aberration constant and solar parallax calc. 5=4619
  neutrino astronomy, observational 5=15776
  infra-red sources 5=7602
  and ν production in turbulent plasma, calc. 5=14400
  opacity calc., mixture 5=7569
  relativistic fluid sphere like Emden polytrope of index five 5=7551
  review (1961-4) with radioastronomy 5=13667
  stability and oscillations of a compressible cylinder 5=7552
  X-ray astronomy 5=7622
  X-ray sources search 5=7623
  X-ray sources in Scorpius and Sagittarius, rocket obs. 5=10160
Atmosphere
  See also Air; Electromagnetic wave propagation/atmosphere; Ionosphere.
  attenuation, between 100 and 140 Gc/s 5=13286
  chemical reactions, conference 5=7502
  cosmic-ray neutron density 5=11171
  gravity waves 5=15691
  gravity waves, damping 5=15690
  gravity waves of finite amplitude, interaction 5=3256
  heat transfer, radiative, mechanism 5=7819
  IQSY, 1964/65 programme, rocket and satellite studies 5=7651
  Lamb waves, damping 5=15690
  laser radar echoes 5=4473
  lower, nucleonic cosmic ray attenuation coeff., depth var. 5=11159
  lunar, var. with strength of solar wind 5=15832
  mesosphere, laser scatt. calc., Rayleigh and Mie particles 5=13373
  photophoretic effects in stratosphere 5=4469
  polytropic, uniform mag. field convection theory 5=13692
  and proton cosmic ray flux, depth var. 5=11158
  tropopause–mesopause region, props. 5=10046
  tropospheres, tropical, interaction between lower and upper 5=7477
 composition
  aerosol particle conc. and size distrib. rel. to light scatt. 5=7478
  dust, vertical distrib., to 30 km 5=13231
  high altitude H_2O vapour, satellite meas. 5=13239
  laser radar echo meas. 5=4473
  magnetosphere and ionosphere, ionic composition determ. 5=13441
  neutral composition, 100-200km altitude 5=13321
  ozone content, 26 month oscill. and solar diameter 5=10047
  ozone, Dobson spectrophotometer, extra-terrestrial const. determ. 5=4452
  ozone, quasi-biennial variations 5=4455
  ozone, stratospheric variations, rel. to wind oscillations 5=15656
  size distrib. of natural aerosols 5=4451
  stratosphere, volcanic particles 5=10049
  thoron relative to radon discrepancies 5=13238
  upper, N_2/O ratio 5=13322-3
  H diffusion in thermosphere, Monte Carlo method 5=13233
  H, meas. from Sun Lyman α absorpt. 5=13769
  H_2O vapour, high, calc. from circulation theory 5=13232
  $O(^1D)$, 10-240 km, and reactions 5=7506
  O dissociation, rocket-borne mass spectrometer meas. 5=13328
  O formation theory 5=13229
  O_2, upper, and Lyman -α absorpt. 5=13327
  O_3, by chemiluminescence 5=13234

Atmosphere—contd
 composition—contd
  O_3 vertical distrib., and synoptic meteorological conditions 5=13235
  O_3 vertical distrib., Umkohr method < C > 5=10048
  O_3, vertical var. meas. from sun u. v. radiation 5=13237
  O_3, O_2 dissociation by solar radiation, height and freq. var. calc. 5=13236
 humidity
  See also Humidity.
  measurement, by H_2O vapour band absorpt. 5=7480
  statistical correlations for vertical var. 5=13240
  transfer in convection 5=10055
  transfer eqn., appl. to clouds 5=4454
  turbulent, moisture exchange and heat cond. 5=1932
  vertical profile approx. 5=13241
 ionization. See Atmospheric electricity; Ionization, atmosphere; Ionosphere.
 movements
  See also Wind.
  baroclinic, rotating, viscous boundary layer 5=11774
  circulation, effect of variable Coriolis parameter 5=4458
  circulation, general, expt. based on quasi-geostrophic model 5=15661
  circulation under 80 km, thermodynamic meas. 5=4459
  clouds, latitudinal distrib., Tiros III obs. 5=13266
  cyclones, tropical, vortex theory 5=10062
  dust cloud deposition, cross wind conditions 5=13257
  and earth's mag. field, in Northern Hemisphere 5=1934
  electricity, effects of turbulence 5=10067
  energy changes during warming of stratosphere 5=13246
  geostrophic equilibrium adjustment 5=10053
  horizontal, 70-190km, from Na cloud drifts 5=13326
  ionosphere F-region, drift meas. at night 5=15746
  Karman vortex streets 5=10056
  laser radar echo meas. 5=4473
  mean energy level, geopotential space correl. 5=13248
  meso-scale turbulence, energy spectra along and across jet stream 5=4464
  moisture, transfer in convection 5=10055
  oscillations, damping, by viscosity and thermal cond. 5=15690
  storms, airflow and precipitation trajectories 5=10061
  stratosphere, low mean and eddy circulation energies 5=4461
  stratospheric oscillations, biennial, in southern hemisphere 5=10059
  stratospheric solar response 5=10058
  stratospheric-winds, 26 month oscill. and solar diameter 5=10047
  travelling planetary waves 5=4460
  turbulence, autocorrelation coeffs., energy spectra 5=1005
  turbulence, daytime thermal, rel. to solar obs. 5=7483
  turbulence dissipation, Eulerian wind record, calc. 5=10054
  turbulence, 100-300m 5=13251
  turbulence, radar meas. 5=10057
  turbulence, in surface layer 5=15659
  turbulence in surface layer, symmetry 5=13245
  turbulent eddy motion and frozen-in field 5=15720
  upper, and density, H, daily var., lateral flow effect 5=4476
  vapour flux in lower atm. 5=4456
  vorticity, beta-plane approx. 5=13249
  and H_2O vapour content in high atmosphere 5=13232
 precipitation
  See also Ice; Rain; Snow.
  aerosol distrib., meas. by field aureole apparatus 5=7479
  bright band microstructure obs. 5=13265
  current meas., splashing errors 5=13259
  currents, correl. 5=15664
  and fallout 5=7494
  radar backscattering cross-section of ice-water mixtures 5=7486
  rain and hail gushes after lightning 5=10072
  rain-showers, summer, ice role 5=10071
  trajectories in storms 5=10061
 radiation belts
  allowed regions 5=2219
  artificial Cu dipoles, West Ford project, optical effects 5=15713
  charged particle density and intensity distrib., Boltzmann soln. theory 5=1943

Atmosphere—contd
radiation belts—contd
charged particle obs., magnetospheric boundary and solar plasma 5=13422-3
electron, artificial, decay meas. by satellite 5=13400
electron motion study using positrons as tracers 5=13404
electron precipitation, e^-—e^+ ratio, balloon obs. 5=11168
electrons, energetic precip. into atm. 5=13406
electrons, geomag. trapped, collisions effects time var. 5=13416
electrons injected, flux, energy distrib. meas. 5=13414
electrons, trapped and precipitated, diurnal var. 5=13413
electrons, trapped, scatt. by v. l. f. waves 5=13407
and explosions, nuclear, high, neutron effects 5=13483
geocyclotron mechanism, time reversal 5=15714
inner belt protons, 40 to 110 MeV, Injun 3 obs. 5=13419
inner, proton intensities and energy spectra 5=13403
inner, proton population, solar cycle var. 5=13415
magnetospheric boundary 5=13421
magnetospheric sunward boundary, energetic electron meas. 5=13418
neutron albedo, Agena satellites meas. 5=13345
outer, e, p radial distrib., Explorer 14 obs. 5=13412
outer, electron distrib., morphology 5=13409
outer, var. during mag. storm 5=4492
particle motions in earth's mag. and gravitational fields 5=13411
penetration mechanism into geomag. field 5=4490
protons, trapped, in South Atlantic mag. anomaly 5=13408
plasma trapping in magnetosphere, lab. meas. 5=4489
ring current belt rel. to auroral substorm 5=4491
from space nuclear reactor neutron β decay 5=13402
synchrotron radiation decay 5=13405
terrestrial ring current 5=13417
trapped particle coordinates 5=13420
trapped particles drift velocity 5=13410
trapping of charged particles 5=13401
radioactivity
See also Fallout.
β, long-lived, 2 high-altitude Alpine sites 5=1938
current and pot. through radioactive point 5=13284
electron belt, artificial, decay meas. by satellite 5=13400
and explosion, nuclear, Starfish, sudden absorpt. 5=13614
fallout during 1962 and 1963, meas. 5=7496
γ-field due to surface contamination 5=7498
high intensity, autumn 1962, balloon obs. 5=13315
measurement, multi-channel recorder 5=7501,
sun radiation effects on nuclear explosion aerosols 5=7495
Sb isotopes 5=13316
$Sr^{89,90}$ ratio at var. heights 5=7500
U-Th, annual var. 5=7499
structure
laser radar echo obs. 5=13247
oblateness, effect on satellite acceleration 5=13656
ozone distribution, i.r. data and model 5=15657
tropopause height, quasi-biennial variations 5=4455
temperature
atmosphere—earth radiation balance, balloon study 5=1922
auroral zones, heating 5=13378
distrib., by schlieren interferometer 5=10051
below 80 km, heat pumps and refrigerators, det. 5=4459
field microstructure, 20-30 km 5=7482
ionosphere, meas. from fluorescence of molecules 5=7517
magnetosphere and ionosphere 5=13441
measurement, radiosonde RS12 radiation error 5=10050
oscillations, duration of nonseasonal 5=4453
quasi-biennial variations 5=4455
statistical correlations for vertical var. 5=13240
thermospheric, time correl. with EUV radiation 5=13243
transfer eqn., appl. to clouds 5=4454
variation in geomag. quiet intervals, rocket meas. 5=13346
vertical profile approx. 5=13241
vertical profiles 5=13250
thermodynamics
and clouds 5=13242
echo top max. rel. to stability 5=15658
energy changes during warming of stratosphere 5=13246

Atmosphere —contd
thermodynamics —contd
heat flux in lower atm. 5=4456
heat pumps and refrigerators below 80 km 5=4459
heat radiation spectrophotometric meas. 5=15667
i. r. flux meas. and upper cloud boundary 5=10073
mean energy level, geopotential space correl. 5=13248
mesosphere, polar night, acoustic heating 5=13334
radiative heat input 5=15668
radiative heating rates, height var. 5=1933
radiometer readings during eclipse, 20 July 1963 5=15669
transport equations 5=4449
troposphere diabatic heating 5=4457
turbulent, conduction and moisture exchange 5=1932
vorticity, beta-plane approx. 5=13249
upper
air density, 3500 km 5=15698
boundary layer with similarity methods applic., Yudin—Shvets formula 5=15692
charge drag, orbital effects, bound of Cu dipoles 3650km 5=13343
chemical reactions with charged particles 5=7503
clouds of water from rocket, atmospherics 5=13325
composition, Explorer 17 meas. 5=13353
composition, neutral 5=13321
cosmic dust cloud, optical props. 5=7649
densities, from drag on Explorer 17 satellite 5=13348
density, H, daily var., lateral flow effect 5=4476
density rel. to lat., satellite obs. 5=7505
density, 255 to 330km, by Explorer 17 and satellite drag 5=13355
density var. between sunspot max. and min. 5=1939
density variations, > 200 km 5=7504
diffusion and geomagnetic anomaly 5=13511
e. m. v. l. f. radiation, 250-2000km 5=13395
echoing region, stratified, 150 km, near magnetic equator, during daylight 5=13396
electrojet model 5=13399
electron density at Alouette orbit, ~1000km 5=13341
electrons, energetic, fluxes and spectra 5=13406
electrons, 0. 1 to 500 keV, penetration 5=1948
electrons of > 30 keV in shock transition region 15 – 20 × 10^3 km beyond magnetosphere 5=4477
exosphere, Doppler radiation and v.l.f. emissions 5=15697
exosphere, electron and ion distrib. 5=13340
exosphere, nighttime, electrical processes 5=13342
exosphere, transequatorial radio echoes 5=15696
Explorer 17 electrostatic probe results, 258 to 927 km 5=13354
and explosions, nuclear, high altitude, neutron shadow analog calc. 5=13424
hydromagnetic emission extrapolation 5=13606
hydromagnetic emission source above afternoon ionosphere 5=13607
ion-exosphere density distrib. model 5=4475
magnetosphere boundary, effect of solar wind 5=15695
magnetosphere, dynamo-electric field effect on electrons 5=15694
magnetosphere, elec. field assoc. with geomag. var. 5=13332
magnetosphere, electron energy and density, whistler determ. 5=13333
magnetosphere, ideal, neutral-point expansion 5=13335
magnetosphere impulses Explorer 12 obs., and ground 5=13337
magnetosphere ionization depletion during disturbances, theory 5=13339
magnetosphere, shape and behaviour, effect of interplanetary mag. field 5=13336
magnetosphere—solar wind interface stability 5=13338
magnetosphere, temperature and ionic comp. determ. 5=13441
magnetospheric boundary shape rel. to solar wind 5=13344
magnetospheric sunward boundary, energetic electron meas. 5=13418
mesosphere, polar night, acoustic heating 5=13334
meteor trails, altitude distrib., theory versus expt. 5=1944
meteor trails, thermal radiation production 5=13425
movements, horizontal, 70-190km, from Na cloud drifts 5=13326

Atmosphere—contd
- upper—contd
  - neutral composition, Nike-Cajun mass spectrometer meas. 5=13352
  - neutral constituents, mass spectrometer minor peaks 5=13330
  - neutral gas, mass spectrometry, rocket borne 5=13636
  - neutron albedo, Agena satellites meas. 5=13345
  - noctilucent clouds in Southern hemisphere 5=4480
  - optical radar sounding 5=15693
  - radiation meas., 200-400 km 5=13347
  - radio noise, 0.7-7.0 Mc/s 5=13320
  - radio receiver obs., satellite UK2 5=13467
  - results from space research 5=10081
  - scintillation producing irregularities heights 5=10085
  - AlO reson. radiation, from trimethyl aluminium 5=13371
  - Ar, N_2 diffusive separation, mass spectrometry meas. 5=13324
  - H and He ion distrib. 5=13331
  - H_2O vapour content, calc. from circulation theory 5=13232
  - N and Na ions, metastable state height and density 5=13356
  - N and O excited ion collisions, importance 5=3131
  - N_2 ionization by geomagnetically trapped electrons 5=13329
  - N_2/O ratio 5=13322-3
  - O dissociation, rocket-borne mass spectrometer meas. 5=13328
  - O + NO luminescence, lab. study, press. var. 5=7426
  - O_2 and Lyman -α absorpt. 5=13327

Atmospheric acoustics
- acoustic-gravity waves from explosive sources 5=13319
- damping 5=15690
- gravity acoustic wave propagation, horizontal wind effects 5=13318
- horizontal wind effects 5=13318
- path equations, vel., temp. gradient effects 5=15689

Atmospheric disturbances. See Atmosphere/movements; Thunderstorms.

Atmospheric duct. See Electromagnetic wave propagation.

Atmospheric electricity
- See also Atmosphere/radioactivity; Atmospherics; Aurora; Electromagnetic wave propagation/atmosphere; Ionization, atmosphere; Ionosphere; Lightning; Thunderstorms.
- air conductivity in thunderstorms 5=13278-80
- charging during cloud drop coagulation 5=13268
- current through radioactive point 5=13284
- electrojet, equatorial, and earth mag. field daily var. 5=13580
- electrojet, equatorial, charges, in Nigeria 5=13397
- electrojet, equatorial, charges, in Peru 5=13398
- electrojet and magnetic storm SC 5=13592
- electrostatic field, 10-30km, by radiosonde 5=13281
- equatorial jet calculation from H and Z meas. 5=1941
- ice crystals and hail collisions, in thunderstorms 5=13277
- ion mobility, New Mexico meas. 5=13282
- ionospheric, rel. to geomag. disturbances 5=15716
- magnetosphere, elec. field assoc. with geomag. var. 5=13332
- New Mexico dust devil, elec. field 5=13283
- point-discharge currents, from multiple points 5=15672
- potential, altitude var., above radioactive ground 5=13285
- potential gradient, fair weather, effect of living tree 5=15675
- precipitation, melting effects 5=10067
- tornados, lab. expt. and theory 5=13253

Atmospheric optics
- See also Airglow; Sky brightness; Sunlight; Twilight; Visibility.
- absorption of Lyman α in upper atmosphere 5=13327
- astronomical disturbing effects minimization 5=1965
- and astronomical spectrometer noise 5=10125
- aureole apparatus, field, for aerosol distrib. meas. 5=7479
- brightness, photoelectric photometer meas. 5=7490
- diffusion sky light, intensity and polarization 5=4470
- geocorona, H, Lyman α scatt. 5=13372
- light scatt., Mie theory, rel. to rainbow 5=10075
- methane, absorpt. 3.9μ laser beam 5=8864
- photographic contrast attenuation by turbidity 5=5100

Atmospheric optics—contd
- polarization props. in mol. atm., higher-order scatt. effects 5=4471
- primary light scatt. at twilight 5=7492
- radiative transfer, numerical calcs. 5=7817
- Rayleigh (R. J. Strutt), summary of work 5=293
- satellite radiation data 5=7487
- scattering, in atmos. of finite optical thickness 5=7550
- scattering, interference effects 5=15671
- scintillation producing irregularities, heights 5=10085
- shock wave effects, after explosion in ionosphere 5=15718
- skylight polarization meas. 5=13275
- solar observations, atm. daytime thermal fluctuations 5=7483
- star shadow-bands, turbulent mixing theory 5=10077
- sun radiation absorpt. and N_2, O_2 absorpt., 580-1050 Å 5=7507
- sun radiation absorpt. and N_2, O_2, absorpt., photoionization, 830-1000 A 5=7510
- transparency and light scatt., aerosol particle conc., size distrib. effects 5=7478
- u.v. attenuation and extinction coeffs. to 50 km 5=1936

Atmospheric pressure and density
- and cloudiness, tropopause 5=1921
- latitude var., 190 to 260 km, satellite obs. 5=7505
- micropulsations, time spectrum 5=13254
- pressure, effect of thunderstorm space charges 5=13256
- solar O-line half width, pressure influence 5=4472
- solar semi-diurnal variation 5=4466
- stratospheric and mesospheric densities, X-15 meas. 5=13230
- synoptic processes, vertical profiles 5=13255
- upper, density, H, daily var., lateral flow effect 5=4476
- vertical struct. 5=4465
- > 200 km 5=7504
- 255 to 330km, by Explorer 17 and satellite drag 5=13355
- at 3500 km 5=15698

Atmospheric spectra
- See also Atmospheric optics.
- daylight, tropical colour, 340-700 mμ 5=13276
- i.r. absorption, apparatus 5=15667
- i.r. transmission, press., temp. var. 5=13271
- lower absorpt. 5400-8520Å 5=7491
- oxygen 6300A line in dayglow, obs. 5=13368
- scintillation-rate, in auroral zone 5=10084
- He I 584Å and He II 304Å day airglow 5=15702
- Na twilight emission, model of Na abundance 5=7511
- O 1302-4-6 Å triplet emission in day airglow, photoelectronic excitation 5=15703
- OI 6300Å emission in airglow 5=15701
- $(O_2)_2$ complex, near i.r. 5=10076
- $O(^1D)$ deactivation 5=1935

Atmospherics
- chorus, diurnal variation 5=13304
- in conducting media, excitation, 2-layer geometry 5=15681
- e.l.f. below 40 c/s, prelim. obs. 5=15682
- earth—ionosphere cavity resonances, power spectral analyses 5=15684
- from clouds of water from rocket, in upper atmosphere 5=13325
- from lightning, spectra, 6 kc/s-450 Mc/s 5=13297
- man-made interference, extreme l.f. 5=2249
- polarization at 500 kc/s, and lightning orientation 5=13301
- spectra and height attenuation, 1-15 kc/s 5=13298
- spectra at v.l.f. 5=13292
- upper atmosphere noise, 0.7-7.0 Mc/s 5=13320
- whistler mode group delays 5=13305
- whistlers, current-jet theory difficulties 5=13299
- whistlers, Durban, short and spread F 5=13300
- whistlers, echoes 5=15676
- whistlers, low-latitude, characteristics 5=15677
- whistlers, micropulsation 5=15679
- whistler, nose, in low latitude 5=15678
- whistlers, subprotonospheric, theory 5=13307
- whistlers trapped below protonosphere 5=13306
- v.l.f. bursts and geomag. vars., ionosphere absorpt. and aurora 5=15683
- v.l.f. emission periods 5=13305
- v.l.f. generation mechanisms 5=13302
- v.l.f. hiss, 800 c/s to 8 kc/s at Greenland 5=15680
- v.l.f. in ionosphere, triggered by transmitted whistlers 5=13449

Atmospherics—contd
v. l. f. maximum duration 5=13303
v. l. f., three phase 5=13308
Atomic beams
See also Particle velocity analysis.
alkali, triode source 5=4929
focussing into H generator, props. of magnets 5=10488
probing of h. f. discharge plasma 5=14683
rare earth metals, ionization on W surface 5=8947
Ar, energy 50-200 eV, prod. and spectrum 5=5810
Ar, high-velocity, scattering by CH_4 5=929
H, free radical production by organic solid bombardment 5=11605
H, recombination bolometer detector 5=2923
K, interacting with CH_3I, Br_2, ICl mol. beams, mag. analysis of scatt. 5=3087
K, rotational de-excitation of O-D_2, mol. beam, due to collisions 5=2954
Lu^{176m} hyperfine struct., by mag. reson. technique 5=14602
Atomic clocks. See Time measurement.
Atomic frequency standards. See Time measurement.
Atomic mass and weight
See also Isotopes; Mass spectra.
$Cl^{35,37}$, mass 5=8780
H^1, mass 5=8780
Atomic orbitals. See Atoms/structure; Orbital calculation methods.
Atomic scattering factors. See Crystal structure, atomic; X-ray crystallography; X-ray scattering.
Atomic spectra. See Spectra/atoms.
Atoms
See also Atoms, mesic; Elements; Nucleus; Positronium.
alkali metal, ground state, interaction potential energies 5=14813
association and earth's airglow 5=7509
atomic physics calcs. 5=8734
constants, atomic, and electric units, review 5=2182
Coulomb integrals, two-centre 5=5734
in crystals, pot. distrib., analytical representation 5=1333
dl and d^9l configurations, energy spectrum 5=14581
electromagnetic Maxwell equations 5=10474
electron spin—spin interaction integrals, calc. 5=5835
electronic correlation energy, Z-expansion perturbation theory, review 5=5733
error estimates for atomic quantities 5=11405
ferric ions, high spin, $g = 4.27$, theory 5=901
field perturbation theory, Feynman diagram ang. integration 5=5737
formation from positive ion beams, scattering 5=2232
inert gas, long-range interaction forces 5=5809
inert gases, ion—atom reson. charge exchange 5=11673
in irradiated medium, energy distribution 5=11983
light, Hartree—Fock diagrams, for ground state energy 5=14580
linked-cluster theorem and unitarity 5=2872
many-body problem 5=76
on metal surface, interact. with crystal atoms, Morse functions 5=3433
non-linear optics in Dirac's theory 5=14587
in plasma, width of spectral lines 5=11701
potential curves for neutral atoms in collision 5=5805
quantum many particle one-electron calc. for disordered ensemble 5=10280
radii in crystals 5=3593
reactions and photochemistry 5=11404
self-consistent field theory, analytical, relativistic 5=5726
spectrophotometry, absorption 5=14189
spin-Hamiltonian parameters, origin 5=11587
Thomas—Fermi models, deformation 5=11472
X-ray scatt., and ions, 208, calc. tables 5=6425
Ag, interatomic pot. 5=2922
in Al alloys, effect of thermal vibrs. on migration of boundaries 5=6406
Au, interatomic pot. 5=2922
B^+, Be, polarizabilities and shielding factors, Hartree—Fock approx. 5=5750
C, in graphite, amplitude of vibration 5=6511
C^-, photodetachment, effect of continuous correl. 5=5789
C^{2+}, polarizabilities and shielding factors, Hartree—Fock approx. 5=5750
Cl, luminescence from recombination 5=1903
Cs, elec. dipole moment 5=8752
Atoms—contd
Cu, interatomic pot. 5=2922
H, laser, relax. rates 5=11471
H, with HCl and Cl_2, reaction rates 5=13145
H^+—H collisions, electron capture probability 5=5808
H^+ + H inelastic collisions, coupling 5=2921
He, isoelectronic sequence, refractive index, shielding approximation 5=2903
K, scattering by He, Ne, Ar, Xe and H_2, total cross-sections 5=2920
Li, ionization by n collision, calc. 5=14699
N doublet, 2P—4S, wavelengths and relative intensity of components 5=5769
N, slow-electron absorption and bremsstrahlung cross-sects. 5=907
Ne, Compton effect calc. 5=5766
O, recombination rates, at high temps. 5=13143
O—O^+ and O—H^+ charge transfer 5=11675
PrI, absorption spectrum 5=14606
V^{51}, slowing down in CrO_2Cl_2 gas 5=14812
Xe, n. m. r. chemical shift, in Xe gas 5=2918
electron scattering
absolute measurement in gases rel. to Lenz's theory 5=5792
analytic approximation of factors 5=14615
bremsstrahlung theory 5=10992
cross-section calcs. for no excitation 5=14616
effective pots., data extrapolation to zero energy 5=11456
elastic, and negative ion existence 5=11459
elastic, screening effects rel. to spin and relativistic effects, above 200 keV 5=2915
electric quadrupole transitions, impact parameter method 5=5777
exchange scatt. amplitudes 5=11457
excitation and ionization of atoms cross-section formula 5=14610
inert gas, elastic cross-sect. resonances 5=921
inert gases, slow electron momentum-transfer cross-sections from transport coeffs. 5=2916
ions, matrix theory 5=8776
negatons, longitudinal depolarization 5=14617
noble gases, cross-sections 5=14620
one-electron approx. in scatt. theory 5=5795
polarization and exchange, theory 5=5794
resonance theory 5=374
small angles, compared to Lenz's theory 5=5793
and spectra broadening 5=8739
and spectral line breadth, adiabatic contrib. 5=2880
Thomas—Fermi—Dirac and Hartree—Fock atom 5=11458
Al target, Coulomb scatt. at 1 MeV 5=14618
Be II, matrix theory 5=8776
C, elastic, cross-section calc. 5=920
C, elastic, phase shifts calc. 5=5796
Cs, cross-sections 5=14620
Cs, inelastic cross-sections, semi-classical calc. 5=11460
H—e^- scatt., reactance matrix 5=8777
H, ionization, electron impact, allowance for exchange, methods 5=5798
H, ionization, with exchange 5=5797
H, resonance in elastic scatt. 5=11462
He, cross-sections 5=14619
He, resonances in inelastic cross-section 5=11461
He spectrum, polarisation mag. field depend. 5=5748
$He^+(1s)$ phase shift, reson. cross-section calc. 5=922
Hg, electron polarization, 100-2000 eV 5=11463
Hg, Mott-type, polarization degree depend. on scatt. angle 5=5802
Hg, rel. to polarization 5=5801
Hg, 200-4000 eV 5=11464
K, cross-sections 5=14620
by Li atoms, in polarization—exchange approximation 5=5800
Li, cross-section calc. in strong-coupling approx. 5=923
Li, excitation 2p-level 5=5784
excitation
alkali metals, resonance and nonresonance levels, models 5=8771
calculation, by charge exchange, resonances, for plasma devices 5=5780-1
coherent precession, mag. depolarization, by electron impact 5=11451

- **Atoms**—contd
  - **excitation**—contd
    - configuration interaction "linear theory" generalization 5=8737
    - dilute system, in dielec. medium, broadband emission and absorption spectra, Einstein relations 5=2890
    - displacement of energy levels by strong illumination 5=5776
    - electric quadrupole transitions, impact parameter method 5=5777
    - by electrons, cross-section formula 5=14610
    - gases, resonance optical scatt. in mag. field 5=6092
    - interaction of atoms with radiation 5=912
    - inert gases 5=14614
    - inert gases, conc. at metastable and reson. levels 5=5936
    - inert gases, new i.r. stimulated transitions 5=5783
    - isoelectronic sequence BI, CII, NIII etc., energy levels, splitting calc. rel. to stellar spectra 5=2892
    - Lamb shifts, meas. by modulated fluorescent light 5=913
    - lifetime meas. 5=14582
    - lifetime meas., from correlated cascade photons 5=14583
    - multiquantum absorption in 2-level system 5=5727
    - neutral, by charge-exchange, for plasma devices 5=5782
    - rare gas ion–atom collisions 5=8770
    - relaxation by collisions 5=11453
    - relaxation during scattering of resonance radiation 5=2912
    - 3-level systems, quantum transition and Raman action 5=11406
    - Ar with α-parts 5=8943
    - Au^{197}, K—LL Auger spectrum 5=2914
    - Ba, $^1P_1$, first, lifetime 5=905
    - Be, many-body perturbation theory 5=886
    - Br^{79}, K Auger electrons, intensities and energies 5=8775
    - Cd, by electronic bombard., metastable 5^3P_2 5=5753
    - Cs, hyperfine relaxation by exchange collisions with Rb 5=5752
    - D^3, lifetime meas. 5=918
    - H, collisional diffusion among excited levels, effect of radiative transitions 5=2899
    - H, electron cross-sections for $3 \leqslant n \leqslant 30$, calc. 5=2897
    - H, by electron swarms, far u. v. emission 5=1058
    - H, by H_2^+, H_3^+, p, in He, Ne, at 10-30 keV, multiple collision effects 5=930
    - H, highly excited, formation by charge exchange of protons in gases 5=2911
    - H, highly excited, transition probabilities 5=11421
    - H, lifetimes for excited states 5=11422
    - H metastable, production in p–inert-gas collisions 5=8949
    - H, 1s—2p, second Born approx., with virtual transitions 5=5779
    - He, calc., and discharge Paschen curve calc. 5=5929
    - He, by electron impact, quadrupole-allowed $1^1S \rightarrow 3\ ^1S$ transition 5=2901
    - He, by electrons, crossing of levels 5=11452
    - He, energy transfer by collision 5=14612
    - He, finite mass, 2^1P state 5=893
    - He, by He^+ impact, emission spectrum meas. 5=14613
    - He I, lifetime meas. 5=918
    - He I, in nonthermal plasma, population densities 5=14707
    - He, oscillator strength, cross-section for 15 keV electrons 5=14611
    - He spectrum, polarisation, mag. field depend. 5=5748
    - He, 2^3S, cross-section meas. 5=917
    - $He^+(1s)$, by electrons, phase shift, reson. cross-section calc. 5=922
    - Hg, spectrum, afterglow 5=5762
    - Hg (6^3P_0) deactivation 5=8772
    - Hg 6^3P_1 reson. radiation imprisonment, Ar–Hg discharge 5=3103
    - Hg, $6\ ^3P_2$ level, alignment by optical pumping 5=5785
    - $Hg^{193*, 195, 195*}$ hyperfine structure by Zeeman level crossings 5=8759
    - Li, electron impact, 2p level 5=5784
    - Li, by electrons, cross-section calc. 5=923
    - Li, hyperfine structure, calc. 5=5759
    - Mg, $^1P_1$, first, lifetime 5=905
    - N ion beam, emission lines and ionization in C foil 5=5811
    - N spectrum 5=5768
    - Na, shock, in N_2, line reversal obs., and N_2 vibr. 5=5807
- **Atoms**—contd
  - **excitation**—contd
    - Na, in solar photosphere, theory 5=7665
    - Na, $3^2S \rightarrow 3^2P$, by electrons, cross-sect. 5=8773
    - Ne, by He addition 5=5786
    - Ne metastables, deactivation by hydrogenic impurities 5=11438
    - Ne^+ excited states, Hartree—Fock results 5=11443
    - O 1302-4-6 Å triplet emission in day airglow, photo-electronic excitation 5=15703
    - O singlet, collisional deactivation 5=2909
    - O^{2+} and O^+ excited states, Hartree—Fock results 5=11443
    - Pb, Sn, W, Zr, K-ionization by negatons and positons 5=1068
    - Rb spectral lines, excitation functions 5=8765
    - Rb, spin-disorientation by inert gases 5=2913
    - Rb^{87}, optically pumped, in buffer gas, hyperfine relax. 5=919
    - Xe, $(5p^56S)^1P_1$ states, lifetimes 5=5788
  - **magnetic moment**
    - See also Gyromagnetic ratio.
    - Cl, calc. 5=5757
    - Fl, ground states calc. 5=5758
    - He, mag. susceptibility value from quantum mechanics 5=11425
    - Na, energy levels, nuclear potential method, calc. 5=910
  - **structure**
    - See also Nucleus; Spectra/atoms.
    - binary correlations in n-electron systems 5=2875
    - calculation, e.s. interaction operator matrix 5=5739-41
    - density matrix, first-order, direct calc. 5=2900
    - Dirac—Slater self-consistent-field wave eqns. 5=5735
    - eigen values and functions for atomic field 5=11412
    - electron shell, completely filled, in external elec. field 5=8736
    - electronic energies, statistical theory, SCF 5=11414
    - energy levels, configuration interaction "linear theory" 5=8737
    - field perturbation theory for two filled states in open shells 5=5738
    - first-row atoms and ions, many-electron theory calc. 5=896
    - Hund's rule 5=11418
    - hydrogen, generalization of Schrödinger eqn. 5=14589
    - integrals containing functions of r_{12} and r_{13} 5=2881
    - isoelectronic sequence AlI, SiII, PIII etc., energy levels, splitting calc. rel. to stellar spectra 5=2892
    - isoelectronic sequence BI, CII, NIII etc., energy levels, splitting calc. rel. to stellar spectra 5=2892
    - L_1—$L_{2,3}M_{4,5}$ Coster—Kronig transitions 5=11415
    - magnetic double reson. obs. of electron spin struct. 5=8024
    - many-body perturbation theory 5=886
    - many body problems, conference, Manchester (1964) 5=7793
    - many-electron, correl. energy, heuristic estimate 5=885
    - many-electron theory 5=895-6
    - nonadiabatic transition near turning point 5=884
    - oscillator strengths of spectral lines 5=11431
    - radiative transitions, relativistic treatment 5=11413
    - and radioactivity, electron capture, angular correl. 5=5570
    - Russell—Saunders coupling of electrons, new calc. method 5=4766
    - screened hydrogenic orbitals, many electron atom 5=2893
    - screening consts. in light elements, from X-ray spectra 5=2883
    - screening const. many electron, interdependent electron statistical mechanics 5=2886
    - statistical eqn. with exchange, numerical soln. 5=7791
    - statistical eqn. with volume effect of exchange 5=7792
    - statistical model, with correlation and ang. momentum 5=2891
    - statistical model with principle quantum numbers grouping, higher approx. 5=5732
    - Thomas—Fermi—Dirac model, solutions 5=2879
    - Thomas-Fermi model, quantum corrections 5=8733
    - Thomas—Fermi potential, quantum, correl. corrections 5=2873
    - Thomas—Fermi, quantum numbers and energy levels 5=11417
    - 2-electron systems, compound-atom states 5=11423
    - two-electron systems, correlation energy 5=2882
    - two-electronic, calc. by perturbation theory in field form 5=5736

Atoms—contd
- **structure**—contd
  - wave function by self-consistent field, approximations 5=2889
  - Z-dependence of energy levels, relativistic calc. 5=4674
  - Al, displaced levels population, autoionzation effect 5=8745
  - AlI, auto-ionization lifetime and oscillator strengths 5=2904
  - Ar, calc. of electron densities and energies 5=5732
  - Ar, K and L shell vacancies, atomic readjustment 5=11429
  - As^{75}, hyperfine, meas. 5=2905
  - As^{75}, hyperfine struct. consts., calc. 5=2906
  - Be and its ions, many-electron theory calc. 5=895
  - Be, many-body perturbation theory 5=886
  - Bk, electron binding energies, from conversion electrons 5=14598
  - C^- valence state, pi-electron correl. 5=8749
  - Cd, 5^3P_2 metastable level, study 5=5753
  - Cr^{53}, hyperfine, meas. 5=2905
  - Cs, energy levels 5=8753
  - Cs excited states, mag. sublevel intersection 5=8750
  - Cs^{133}, hyperfine levels of $^2P_{3/2}$ states, mag. transitions, freq. shift 5=11430
  - Cu, e^4D levels, in discharges 5=14601
  - Eu^{152}, isotope shift and nuclear moment 5=8517
  - EuI, h.f.s. struct. of states 5=11432
  - EuI spectrum, theoretical anal. 5=8756
  - Fe, oscillator strengths 5=11434
  - Ga I, oscillator strengths of spectral lines 5=11433
  - H, electron density rel. to halfwidth of lines 5=8740
  - H, ground state determ. 5=11419
  - H, h.f.s., radiative correction 5=891
  - H, n=2, level crossing 5=14591
  - H, radial eqn. factorization, for teaching 5=5744
  - H, 1s Gaussian wavefunctions 5=11507
  - H wave functions, sum rules, rel. to charge exchange and ionization 5=889
  - He, approximate Hartree-Fock wavefunction 5=892
  - He, autoionization levels 5=11424
  - He, electron movement 5=14593
  - He, finite mass, 2^3 P state 5=11426
  - He, phase mechanical calc. 5=5746
  - He, range of electron correlation 5=5747
  - He, 1^1S - n^1D transitions, quadrupole strengths 5=11428
  - He, 2^3P and 3^3P states, fine structure 5=11427
  - Hg^I, 7^3S_1 level, mag. resonance 5=11436
  - Kr I lines in thermal luminous plasma, transition probabilities 5=11440
  - Li, calc. by Hartree-Fock method 5=904
  - Li, ground state energy, calc. 5=5760
  - Lu^{176m}, hyperfine, by atomic beams method 5=14602
  - Mo^+ and Mo^*, ground states, self-consistent field calc. 5=11437
  - N, electronic states, identification 5=8762
  - N, ground state determ. 5=11419
  - N, 2p—3s transitions, oscillator strengths 5=11442
  - N, and N ions, analytical self-consistent field functions 5=2908
  - Na excited states, mag. sublevel intersection 5=8750
  - Na, nuclear potential method, calc. 5=910
  - Na^+, quadrupole coupling const. and dipole polarizability 5=8736
  - Ne, calc. of electron densities and energies 5=5732
  - Ne I films in thermal luminous plasma, transition probabilities 5=11440
  - Ne metastables, deactivation by hydrogenic impurities 5=11438
  - O, ground state determ. 5=11419
  - O, 2p—3s transitions, oscillator strengths 5=11442
  - O, and O ions, analytical self-consistent field functions 5=2908
  - P^{31}, hyperfine, meas. 5=2905
  - Pr III levels, $4f^3$ configuration interaction effects 5=8763
  - Pr^{2+}, $4f^26s$ and $4f^26p$ configuration 5=908
  - Rb spin relaxation 5=11446
  - $Rb^{85,87}$, h.f.s. of 5 $^3P_{2/3}$ and 6 $^3P_{2/3}$ states 5=8764
  - Rb^{87}, h.f.s. struct. of $6^2P_{3/2}$ terms 5=11447
  - Rb^+, calc. of electron densities and energies 5=5732
  - $Sn^{115,117,119}$ $^3P_1$ and $^3P_2$ magnetic hyperfine structure 5=5772
  - Tb^{3+}, energy levels, fluorescence in CaF_2 5=13128
  - TlI, h.f.s. struct. and lifetime of $(6s^26d)^2D_{3/2}$ 5=11448

Atoms—contd
- **structure**—contd
  - Tl, lifetime and hyperfine structure, by resonance fluorescence 5=8767
  - Zn, 4^3P_1 level, Landé factor meas. 5=11450

Atoms, mesic
- $d\mu$, elastic scattering 5=2924
- $d\mu$, lifetime in H 5=2924
- gamma ray fine struct., μ mesic 5=5817
- μ-mesonic, quadrupole splitting of 2p-doublets 5=8784
- Bi^{209}, Pb^{208}, counts—energy curves 5=14625
- Ca, muonic X-rays, nuclear charge distrib. 5=688
- $Ca^{40,44}$ X-ray spectra, isotope effects 5=932
- H, μ-mesonic, nucleon polarization 5=11476
- He liquid, negative meson capture 5=8785
- Pb (52% Pb^{208}), counts—energy curves 5=14625
- Rh to U, μ -mesonic X-rays 5=8786
- Th^{232}, counts—energy curves 5=14625
- U^{238} counts—energy curves 5=14625

Attenuation. See Absorption.

Auger effect. See Atoms/excitation; Atoms, mesic; Radioactivity.

Auger showers. See Cosmic rays/showers and bursts.

Aurora
- See also Airglow; Atmospheric spectra.
- absorption, for breakup events, day—night ratio 5=13384
- absorption due to electron ionization 1-250 keV, height, satellite obs. 5=4488
- absorption events, South Pole 5=13394
- artificial, from nuclear tests 5=13381
- and atmospherics, v.l.f. bursts 5=15683
- belt, latitudinal shift 5=13382
- bremsstrahlung X-rays and atmospheric ionization 5=4482
- cinematography and prelim. velocities 5=13386
- College, Alaska, rel. to cosmic noise absorption 5=13393
- configuration of radiation in space 5=10083
- diurnal variation, high-latitude 5=13379
- e.m. absorption var. and earth currents 5=15745
- e. m. reflection, 19. 4 Mc/s, and field aligned ionization 5=13391
- e.m. wave absorpt. and precipitated electrons 5=7514
- electrojet model 5=13399
- electron ang. distrib., energy spectra, rocket meas. 5=4483
- electron energy spectrum var. from photometer—riometer obs. 5=15711
- electron, low energy, satellite obs. 5=13387
- electrons synchrotron radn. calc. 5=13388
- excitation by local elec. fields 5=13359
- excitation, satellite study 5=13376
- form vars., cinematography system 5=13377
- geomagnetic and ionospheric obs. 5=13385
- heating 5=13378
- height determination, use of wide-angle cameras, parallactic method 5=4481
- height variation of band lower borders 5=4484
- IQSY, 1964/65 programme 5=7651
- intensity var. with time and mag. activity 5=13362
- and ionosphere D electron profiles 5=13488
- night E-layer, connection 5=15709
- 120 km, 5577Å, Fort Churchill, 1964 5=7513
- photometer for observation 5=13358
- photometry of sky camera photographs 5=15712
- polar cap, rel. to magnetic activity, 1957-58 5=15707
- polar-glow, rel. with solar cosmic ray flux 5=13380
- radar echoes, pulsating, hydromagnetic association 5=15710
- radiowave absorption, at dawn breakup, D-region electron density 5=15736
- radio wave absorption, nonthermal electron contrib. 5=13392
- space-time association with mag. disturbance 5=13383
- strong absorption event, central region height 5=4485
- substorm rel. to ring current belt 5=4491
- 25 June 1964, description 5=4486
- X-rays, balloon obs., high time resolution studies 5=13389
- zenithal arc, thickness over Alaska 5=15708
- N_2^+, 3914A, rotational temp. 5=4487
- Na emission, in B-type 5=13390

Austenite. See Iron alloys; Steel.

Avogadro's number. See Constants.

Axicons. See Lenses.

Backward wave oscillations. See Electromagnetic oscillations; Electron tubes.
Balances
  mag., for absolute susceptibility meas. 5=204
  for photomagnetism meas. 5=12872
  thermobalances, sample temp. meas. 5=177
  vacuum, recording balance 5=7708
  weights, calibration 5=10209
Ballistics
  See also Impact.
  No entries
Band theory of solids. See Crystal electron states; Solids/theory.
Bardeen—Cooper—Schrieffer theory. See Nucleus/theory; Superconductivity.
Barium
  adsorption on Ni, effect on Hall effect 5=6847
  atom, $^1P_1$, first excited state, lifetime 5=905
  atoms, Ba II line strengths 5=8758
  migration and evaporation mechanisms 5=1708
  Ba^{137} atom, h. f. s. 5=905
Barium compounds
  crystal struct., atomic, Ba^{2+} coordination 5=9327
  Ba stearate plating on porous solids 5=12029
  $BaCl_2$—nitrate mixtures, Raman spectra 5=11521
  $BaCl_2 . 2H_2O$, crystal structure determ. 5=6439
  $Ba(ClO_3)_2 . H_2O$, H_2O two-proton spin system, double resonance 5=1813
  $BaCo_{1.5}Fe_{16.5}O_{27}$ ferrite, mag. anisotropy 5=12943
  BaF_2 crystals, optical and photoelec. props., 6-14.5 eV 5=7329
  BaF_2, e. s. r. of Gd^{3+} 5=7231
  BaF_2, e.s.r. of Mn^{2+}, spin-Hamiltonian constants 5=1801
  BaF_2, F-like colour centre struct., e. s. r. and optical meas. methods 5=6648
  BaF_2, optical phonons, longitudinal 5=1835
  BaF_2, plasticity of single cryst. 5=3834
  BaF_2, sublimation pressures, 1232° to 1505°K 5=1217
  BaF_2, thermal expansion, temp. var. 5=9394
  BaF_2, transmission, light, vacuum u.v., temp. var 5=7348
  BaF_2, Ce^{3+} e. s. r. 5=12973
  $BaF_2:Dy^{2+}$, absorption and fluorescence, rel. to Dy^{2+} energy levels 5=13108
  BaF_2—Sm^{2+}, Zeeman effect for f—d transition in spectrum 5=7321
  $BaFeO_{3-x}$, stoichiometry 5=9222
  $BaFe_{12}O_{19}$, crystal orientation effect on ferrimag. reson. 5=1786
  $BaFe_{12}O_{19}$, remanent domain structs. 5=12908
  $BaFe_{18}O_{27}$, magnetostriction of hexagonal cryst. 5=7158
  $BaLi_4$, crystal struct., atomic 5=6489
  Ba_6Mg_{23}, crystal struct., atomic 5=6489
  BaO [$(2-x-y)NiO . xCoO . yZnO$]. $(7.8-\delta)Fe_2O_3 . \delta Al_2O_3$, ferrite 5=15463
  Ba $(NO_3)_2$, molten. spectrum 5=6185
  $BaNiO_2$, crystal structure and magnetic order 5=9332
  BaO, Eu-doped, cryst. growth 5=12101
  BaO—FeO—Fe_2O_3, phases, near $BaFe_{12}O_{19}$, 1300-1550°C 5=6279
  $Ba_4R_2^{3+}Fe_2Nb_8O_{30}$, (R is Nd, Sm, Gd), crystal chemistry 5=9259
  BaS, spectroscopic obs. 5=2949
  Ba—Ti—phosphate, exctinction of luminesc. by heating 5=9940
  $Ba_6Ti_2Nb_8O_{30}$, crystal structure 5=12188
  $BaTi(SO_3)_3$, benitoite, Fe^{3+} e. s. r. 5=12985
 barium titanate
  See also Ferroelectric materials/barium titanate.
  crystals, growth, from TiO_2-rich BaO–TiO_2 5=6364
  dielectric loss factor 5=9711
  domain walls, 180°, velocity rel. to temp. 5=1679
  doped, resistivity anomaly 5=4089
  e.s.r, 9400 Mc/s, 78°K 5=1792
  etching and motion of 180° domains 5=12378
  Fe^{3+} e. s. r. in rhombohedral and cubic phases 5=7236
  ferroelectric associated losses, diff. thermal obs. 5=7016
  ferroelectric Curie point and tetragonal-orthorhombic transition point, press. var. 5=1680
  films, preparation and props. 5=9709
  lattice parameter increases due to impurities 5=3622
  permittivity, 0.06V/cm—1.2kV/cm 5=9710
  phase transitions, e. s. r. study 5=3459
  phase transition, 120°C, effect of Fe_2O_3 5=1261
  phase transition at high pressure, dielec. props. 5=1678

Barium compounds—contd
 barium titanate—contd
  piezoelectric oscillations, 100 kc/s—10 Mc/s 5=9711
  polarization, freq. and temp. response, 1 to 1000 cm^{-1} 24° to 200°C 5=1831
  prism, light beam deflection by Kerr effect calc. 5=13034
  refractive indices, principal, interferometric determ. 5=7324
  semicond., prep. and props. 5=4012
  single crystal prism, light beam scatt. using Kerr effect 5=1832
  single crystals, polarization directions, anomalous 5=4088
  switching current decay, due to a-domain formation 5=1681
  Young's modulus, ΔE effect 5=1511
  (Ba—Sr)TiO_3, net patterns, polarising microscope exam. 5=12148
  Ba(Ti, Zr)O_3, dielec. props. in phase transition region at high press. 5=1678
Barkhausen effect. See Magnetization process.
Barnett effect. See Gyromagnetic effect.
Baryons
  See also Hyperons; Nucleons and antinucleons.
  B and Δ supermultiplets, octet enhancement 5=10819
  baryon—antibaryon annihilation, high energy 5=5203
  baryon–leptonic decay, and vector meson models, calc. 5=14266
  baryon–lepton symmetry 5=10816
  baryon–meson baryon couplings in static model 5=10787
  baryon–meson resonance by unitary symmetry 5=8228
  baryon—meson scatt., pseudoscalar, dynamical model 5=433
  baryon–meson scattering, exact bootstraps 5=8272
  baryon—meson scattering, model 5=5228
  bootstrap model, SU(6) 5=10824
  composite with mesons, unitary symmetry model 5=8226
  decuplet, mass spectrum 5=10821-2
  e.m. mass differences, octuplet scalar mesons effect 5=10820
  e. m. properties in supermultiplet scheme 5=8234
  electromag. mass splitting, non-tadpole contrib. 5=442
  energy spectra rel. to meson mass charge symmetry violation 5=10796
  generation and resonances in broken SU_3 symmetry 5=14276
  and hyperon nonleptonic decay contrib., dynamical model calc. 5=11116
  interaction with bosons, and Klein paradox 5=2438
  interactions with baryons in octet unitary symmetry 5=2437
  isobars and mesonic resonances, empirical mass relations 5=2562
  magnetic moment 5=8236
  many-fermion structure rel. to hard core nuclear forces 5=10826
  mass differences, e. m., in unitary symmetry 5=2419
  mass formula, octet, allowing for e. m. shifts 5=2433
  mass formula, quadratic 5=5201
  masses of isobars and meson resonances 5=423
  masses of multiplets on rotator theory 5=5173
  masses, scatt. and fundamental eqn. 5=2432
  masses, unitary covariant equations, with pseudoscalar mesons 5=2418
  meson–baryon coupling in SU(6) generalization 5=14260
  meson–baryon resonances, in $U_q \otimes U_3$ symmetry 5=14261
  meson–baryon scatt., with SU(3) invariant interactions 5=5227
  model, three-body problem 5=443
  N—N_{33}* reciprocal boot strap generalization to G_2 symmetry scheme 5=5200
  nonleptonic decays and 8-fold way 5=2436
  octet (B, and $j^p = {}^3/_2{}^+$ decouplet (B^*) bootstrap model 5=10801
  paraquark model, spin and unitary-spin independence 5=8218
  "persisting", identification and applic. in high-energy interaction analysis 5=2563
  pseudoscalar meson–baryon amplitudes, Yukawa coupling consts 5=10798
  pseudoscalar meson + baryon → vector meson + baryon, peripheral calc. 5=11064
  resonances, classification, eightfold way additions 5=8215
  resonances, data survey 5=10971
  resonances, higher, static model 5=2434

Baryons—contd
resonances, masses 5=441
resonances in 10* SU$_3$ multiplet 5=2435
resonances with 2 mesons, in unitary symmetry 5=440
SU$_3$ invariant solns. to a reciprocal bootstrap model 5=5202
SU$_3$ symmetry, relation between baryons and leptons 5=10817
in SU$_4$ scheme with leptons and fermions for weak interactions 5=10840
supermultiplet, and possibility of SU(6) bootstrap 5=10825
S-wave virtual states in meson-baryon scatt. amplitudes 5=2483
70-plet of SU(6), masses 5=10823
shell model 5=8235
star models 5=10132
in superdense stars, conservation 5=13708
system with mesons, broken U(4) symmetry 5=10788
$^3/_2{}^+$ resonances, 27 → B + P decays. in broken SU$_3$ symmetry 5=10818
unitary symmetry tests in meson—baryon reactions 5=2417
vector decay amplitude, first-order correction 5=5195
Barysphere. See Earth.
Bauschinger effect. See Deformation.
Bayard—Alpert gauges. See Vacuum gauges.
Bays. See Earth/magnetic field; Magnetic storms.
BCS theory. See Nucleus/theory; Superconductivity.
Bells. See Musical instruments.
Bending
See also Stress analysis; Torsion.
beam, creep calc. 5=6680
constrained beam, nonlinear soln. 5=10237
measurement in ribbons, due to dislocations 5=9521
metal rod, strain, by transformation-induced loss of rod shape 5=6665
metal tube, frozen benzene as filler 5=1995
plate on point support system, stress analysis 5=6672
plates, reflection method 5=10236
rectangular plates, partially loaded, deflection calc. 5=13842
spontaneous, in thin III—V crystals, surface tension considerations 5=3812
steel, mild, plastic fatigue behaviour 5=12550
stress relaxation, simple test 5=3817
urania base solid solutions, creep-in-bending tests 5=6681
Al$_2$O$_3$ strength, porosity and grain size effects, 25°, 1200°C 5=15141
Al$_2$O$_3$, transverse bend strength rel. to temp. and grain size 5=6695
C, glassy, rel. to heat treatment 5=9625
Cu, plastic fatigue behaviour 5=12550
GaAs thin (111) crystals, spontaneous 5=3848
GaSb thin (111) crystals, spontaneous 5=3848
InAs thin (111) crystals, spontaneous 5=3848
InSb thin (111) crystals, spontaneous 5=3848
MgAg, surface effects 5=12521
MgO, mechanical strength, var. grain size, temp. 5=12520
MgO, yield drops, at high temp. 5=1531
Pb beam, creep calc. 5=6680
UO$_2$—Mo, elastic modulus and rupture strength 5=15377
Bending of light. See Gravitation; Light.
Berkelium
atoms, electron binding energies 5=14598
Beryllium
atom, polarizabilities and shielding factors, Hartree—Fock approx. 5=5750
atoms, many-body perturbation theory 5=886
crystal lattice mechanics, electron gas model 5=9368
crystallization in condensing column, habit and surface struct. 5=3555
de Haas—van Alphen effect, new frequencies, temp. var. 5=4159
fatigue, 550°-650°C 5=6697
Fe impurity atoms, mean-square displacement, Mössbauer meas 5=1459
Fermi surface 5=3924
films, effects on cracking proneness 5=1512
films, growth 5=1303
friction stress, and dislocation substructure 5=12484
mean inner potential meas. by interferometer 5=11970
mechanical tests with pure single crystals 5=6696
Beryllium—contd
neutron inelastic scatt. 5=2617
neutron scattering law calc. 5=2794
photo-emission, 304 to 1216 Å, angle of incidence var. 5=7054
photon attenuation coeffs. 5=8372
plastic deformation and fracture neutron effects 5=12486
polycrystalline, neutron scatt. cross-section change due to irrad., wavelength var. 5=3799
recrystallization, primary 5=12081
relative abundance, origin by spallation in proto-terrestrial bodies 5=931
slip modes 5=12485
specific heat, single cryst., 1.2-4.4°K 5=6545
304 to 1216 Å, angle of incidence var. 5=7054
vacuum-distilled, prep., impurity and mech. props. study 5=1997
vaporization from ceramic crucibles by electron bombard. heating 5=1994
X-ray absorpt. coeff. 5=9890
X-ray absorption, 7-17A range 5=1833
X-ray charact. emission intensity calc. 5=9916
Be II, electron scatt., matrix theory 5=8776
Be^{2+}, collision, inelastic, with H cross-section rel. to pot. energy 5=928
Beryllium compounds
beryl, H$_2$O mol. movement in channels, n. m. r. meas. 5=9860
beryl, water and hydroxyl group binding, n-scatt. study 5=11984-5
chrysoberyl, BeAl$_2$O$_4$, elec. fld grad. and n. q. coupling consts. 5=9199
Be alloys etching, thermal, rel. to impurities 5=15097
Be oxide, defect cluster density meas. 5=12400
Be oxyacetate, n. m. r. line shape and phase transitions 5=6277
Be—(10%) Al—(3%) Si, ductility rel. to temp., and inter-granular failure 5=3835
Be$_2$BO$_3$OH, Raman scatt. from OH$^-$ polarizability, location of H atom, calc. 5=1834
Be$_2$C and BeO, electron irrad., re-formation of Be 5=10025
BeO, annealing behaviour of lattice streaking 5=15146
β-BeO, crystal struct. 5=12190
BeO, diffusion and creep 5=9408
BeO, evaporated, electron diffr. study 5=12189
BeO films, cond., elec., mechanism 5=4075-6
BeO, films, i. r. transmission and lattice vibrations, 10-42μ 5=4297
BeO, neutron irrad., expansion, contrib. of He bubbles 5=6657
BeO, neutron irrad., primary damage state 5=15086
BeO, neutron scattering law calc. 5=2794
BeO, sintered, creep, strength, expansion and elastic moduli 5=6698
BeO, ultraviolet reflectance spectrum 5=15538
BeO. Al$_2$O$_3$, heat capacity and thermodynamic props. 5=15045
BeO$_2$ crucibles, electron bombard. heating for Be, Cu, Au vaporization 5=1994
Be$_2$O(g), heat of formation by mass spectrometry 5=4388
Be$_4$O(CH$_3$CO$_2$)$_6$, internal crystal field 5=6241
BeS, films, i. r. transmission and lattice vibrations, 10-42μ 5=4297
Be$_4$[Si$_2$O$_7$](OH)$_2$, crystal struct. 5=12191
Bessel functions. See Functions.
Beta-decay theory
See also Nuclear decay theory.
axial vector current, partially conserved 5=8585
coupling consts., dispersion relations 5=14265
decay constant, renormalization, weak vector boson interaction 5=458
electron polarization analysis 5=11254
electron radial functions and phase shift tangents, Z = 1 — 10 5=2764
elucidation, review 5=2761
even—even nuclei, transition enhancement, log ft method 5=2766
first-forbidden decay, nuclear matrix elements 5=2763
to 5$^-$ levels of even—even nuclei, log ft values 5=14464
G-T type, allowed, n—p interaction 5=8583

Beta-decay theory—contd
  Λ hyperon, e—$\bar{\nu}$ ang. and transverse correl., $\bar{\nu}$ energy spectrum meas. 5=11121
  Λ hyperon, form of interaction calc. 5=11122
  $\Lambda \rightarrow (\rho + e^- + \nu)$, branching ratio, interaction form calc. 5=11120
  matrix elements, charge-depend. corrections 5=11256
  mesic effect 5=2762
  mesonic charge effects and coupling const. 5=14493
  mirror nuclei 5=746
  odd-A nuclei ($150 < A < 190$), $\frac{1}{2} + \rightleftharpoons \frac{1}{2} -$ type, abs. log (ft) values, calculus 5=5569
  and renormalization effect, axial vector coupling calc. 5=10839
  review 5=747
  single forbidden transitions in deformed odd nuclei 5=11255
  tritons, and axial vector mesonic exchange effects calc. 5=11132
  using exact electron radial wave functs., screening influence 5=5568
  vector boson theory, of weak interact. 5=2453
  to vibrational levels in even nuclei, log ft / energy ratio empirical correlation 5=2765
  Ba^{139}, matrix elements calc. by shell model jj coupling 5=14500
  Bi^{210}(RaE) analysis 5=5594
  Ce^{141}, matrix elements calc. by shell model jj coupling 5=14500
  La^{140}, matrix elements calc. by shell model jj coupling 5=14500
  N^{12} and B^{12} mirror decays, nuclear matrix elements 5=5573
  $Ne^6 \rightarrow Li^6$, calc. on phenomenological rotation model 5=14474
  Pr^{142}, matrix elements calc. by shell model jj coupling 5=14500
  Pr^{144}, β, pseudoscalar interaction in long polarization 5=761
  Pr^{144}, partially conserved axial vector current 5=8585
  Pr^{144}, and pseudoscalar coupling 5=8586
  $Rb^{84} \rightarrow Kr^{84}$, $2^-(\beta)2^+(\gamma)O^+$ 5=756
  $Rb^{86} \rightarrow Sr^{86}$, $2^-(\beta)2^+(\gamma)O^+$ 5=756
  Re^{188}, energy levels calc. 5=734
  T, He^3, and presence of $2S_{1/2}(S^1)$ state 5=654
Beta-ray spectra
  See also Nuclear decay theory.
  absorber method, for γ-ray effect reduction, in γ-sensitive β-detectors 5=5324
  electron and positron, mean energies calc. 5=2767
  nuclei $150 \leqslant A \leqslant 190$, first forbidden transitions, log ft values 5=14494
  Ag^{109m} decay 5=11266
  Ag^{110m} 5=2778
  Ag^{110m} isomeric decay, 1 to 29 keV and 48 to 120 keV 5=8594
  Ag^{115} 5=759
  Au^{198} 5=8603
  Au^{198} decay 5=5589
  Bi^{210}(RaE) decay analysis 5=5594
  $Co^{56} \rightarrow Fe^{56}$ decay, $\beta^+/(\beta^+ + \epsilon)$ 5=8593
  Eu^{152}, β^+ emission, 1530 keV 5=2785
  F^{18}, positron spectrum 5=14495
  Ge^{67}, β^+ emission 5=750
  Ge^{78} decay 5=11263
  Hg^{190} decay 5=5592
  I isotopes 5=2782
  I^{130} decay 5=11268
  In^{114}, allowed and unique first-forbidden, shapes 5=2779
  Ir^{192} 5=14506
  Ir^{192} decay 5=8601
  Ir^{194} decay 5=8602
  K^{42} allowed and unique first-forbidden, shapes 5=2779
  K^{42}, $2^- \rightarrow 2^+$ transition, and form factor 5=5575
  Lu^{1741} decay 5=8600
  N(n, 2n) 5=8649
  Na^{22}, β^+ spectrum, allowed shape 5=2773
  Nd^{147} 5=14501
  Ne^{19}, β^+ emission 5=750
  $Ni^{63,65}$, l-retarded transitions 5=2745
  P^{32}, l-retarded transitions 5=2745
  Pr^{138} decay 5=5584
  Rb^{86}, allowed and unique first-forbidden, shapes 5=2779
  Sb^{118}, β^+ emission 5=750
Beta-ray spectra—contd
  Sr^{90}, allowed and unique first-forbidden, shapes 5=2779
  Sr^{93} decay 5=5580
  Tb^{158} decay 5=11272
  Te isotopes 5=2782
  Te^{115}, β^+ decay 5=8597
  Th^{81-3}, Th(B + C + C″), $B\rho$ value 5=5595
  Tl isotopes, β, and discontinuity near N = 120 5=764
  Tm^{170}, β—γ correl., and nuclear matrix element calc. 5=11274-5
  U^{235} fission, meas., by thermoluminescent technique 5=860
  W^{188} decay, rel. to energy levels of Re^{188} 5=734
  Xe isotopes 5=2782
  Xe^{137} decay 5=727
  Y^{86} decay 5=11265
  Y^{90}, allowed and unique first-forbidden, shapes 5=2779
 conversion electrons
  internal pair formation, in M1 transitions 5=704
  spectrometer, using semiconductor detectors 5=14472
  Ag, neutron-deficient, new doublets 5=5543
  Ag^{109m} 5=11267
  Bk^{249} and atom electron binding energies 5=14598
  Ce^{137m}, oriented 5=730
  Cs, neutron-deficient, new doublets 5=5543
  Cs^{131} 5=729
  Cs^{134m} decay, transition energy meas. 5=5582
  $Hg^{198,199}$ 5=2756
  I, neutron-deficient, new doublets 5=5543
  In^{114m} double int. con., 2 quantum decay 5=5581
  Ir, neutron-deficient, new doublets 5=5543
  La^{135} decay 5=8598
  $Nd^{138,139}$ 5=5587
  Pb^{212}(ThB), conversion electron line momenta 5=11244
  Sb, neutron-deficient, new doublets 5=5543
  from Sn^{119}, 23.8 keV recoilless γ-rays, meas. 5=5497
  $W^{177} \rightarrow Ta^{177}$, 47 transitions 5=14504
  $W^{187} \rightarrow Re^{187}$, 23-135 keV 5=5588
Beta-ray spectrometers
  automatic measuring and demagnetization 5=14406
  β-γ coincidence, total absorption 5=494
  Compton, p—n junction replacement of scintillation counter 5=5325
  conversion coeff. meas, using semiconductor detectors 5=14473
  conversion, using semiconductor detectors 5=14472
  directional correlation 5=14486
  electron spectrometer, high resolution, low energy 5=2598
  iron, double-focussing, with field-form control, struct. and props. 5=8393
  magnetic, double-focussing, image props. calc. 5=2229
  magnetic field regulator 5=557
  magnetic lens, rel. to electron—electron and electron—gamma correl. meas. 5=14489
  resolution correction for no-scattering case 5=11014
  single gap type, construction 5=8394
  trochoidal, with iron-free coils 5=5326
Beta-rays
  See also Electrons.
  atmospheric, long-lived, 2 high-altitude Alpine sites 5=1938
  $p \rightarrow n + \beta^+$ in mag. field, energy loss 5=5340
  spectroscopy, electrodeposition of rare earths as sources 5=8571
  Li^9 decay, intermed. coupling shell model mode 5=2768
  V^{52} decay, and γ—γ cascades 5=2774

 absorption
  See also Electrons/absorption.
  air, S^{35} β source, count rate press. var. 5=11010
  Cl^{36}, bremsstrahlung spectra from electron capture 5=14497
  Eu^{150}, electron capture 5=14503
 angular distribution
  correlation with circularly polarized γ's, asymmetry, 9 nuclides 5=5577
  Ar^{35} decay, asymmetry 5=11261
  Rb^{86}, β—γ, source thickness effect 5=14499
 detection, measurement
  See also Beta-ray spectrometers; Dosimetry; Particle detectors; Radioactivity measurement.
  corrections due to air layer 5=11010

Beta-rays—contd
detection, measurement—contd
counter, 4π proportional, routine counting 5=2496
counter, proportional, gas flow 5=5464-5
counters, scintillation, polystyrene base manufacture 5=14407
dosimetry, appl. of one-group transport theory 5=11013
dosimetry, calorimetric, 35 MeV 5=740
dosimetry, by semiconductor p-i-n junctions open circuit voltage 5=8391
electron multipliers, crossed field, for 100v counting 5=2599
ionization chamber, 1383A, calibration factors for 16 nuclides 5=488
liquid scintillator 5=8390
low-level, twin counter 5=11011
multiplier, continuous-channel 5=11012
polystyrene-based plastic scintillator, α, β ratio 5=7413
pulse height–energy rel. for $<$100 keV 5=8390
Si junction, Li drifted 5=10911
and Si Li drifted counter, construction, characs. 5=14330
effects
See also Electron beams/effects; Nuclear reactions/electrons.
colliding beams, weak interactions 5=8386
collision with positron beam, proton-antiproton pair prod. 5=2611
polypropylene, mol. wt. 5=3875
positron beam collision γ's 5=8397
Ag, 10-30 keV, bremsstrahlung, transition- and plasma-radiation 5=3952
Ge, length change at liquid He and 4.5 MeV 5=9510
and He excitation, oscillator strength calc. 5=14611
LiF, colour centre prod., 5000A 5=15116
Pb, cascade energy spectrum, average number versus thickness, track length versus electron energy 5=790
Pb showers, 300 MeV-1 BeV 5=555
SiC p—n juncn., I—V characts. 5=4055
polarization
longitudinal, relative to P^{32} 5=5571
negatons, longitudinal depolarization 5=14617
thick absorbers, depolarization 5=7960
Au^{198}, longitudinal polarization, with Mott scatt. 5=753
Co^{60}, meas. by Mott scattering from Au 5=11262
in Ho^{166} decay, longitudinal 5=14496
in In^{114} decay, longitudinal 5=14496
in P^{32} decay, longitudinal 5=14496
P^{32}, longitudinal polarization, with Mott scatt. 5=753
Pm^{148}, longitudinal polarization, with Mott scatt. 5=753
in Pr^{142} decay, longitudinal 5=14496
Re^{186} and ρ^{132}, ratio meas. 5=2788
in Re^{188} decay, longitudinal 5=14496
scattering
See also Electrons/scattering.
back, monoenergetic, Bothe calcs. improvements 5=11009
Betatrons. See Particle accelerators/orbital.
Bethe—Salpeter equation. See Field theory, quantum.
Bethe—Uhlenbeck equations. See Statistical mechanics.
Bevatron. See Particle accelerators/orbital.
Bibliographies
classical mechanics, philosophical foundations, resource letter 5=2029
comets 5=7645
Cu, elec. resistance recovery from —40 to 250°C, vacancies effect 5=6704
dictionaries, foreign and English, physics and engineering 1952-63 5=7702
dosimeters, solid-state 5=2526
electron microscope crystallography 5=3612
gamma ray spectra analysis by computer 5=8381
heat transfer 5=10360
heat transfer, Japanese work 5=161
heat transfer, Russian works 5=10359
lasers, Ne, i. r. 5=278
magnetic materials, book, papers digest (1964) 5=15427
n. m. r. 5=12994
optics papers of R. J. Strutt (fourth Baron Rayleigh) 5=294
pressure effects 5=6094
Rayleigh scattering, his original papers 5=330
Rayleigh's work on optics 5=292
Bibliographies—contd
refractory and ceramic materials, props. survey, 690 refs. 5=4695
rheometric measuring instruments 5=11784
spectra, continuous, atomic and autoionized, review 5=14585
superconductivity, tunnel effect 5=3979
III—V compounds, review (book) 5=4011
Binary stars. See Stars.
Biographies
anniversaries in 1965, eleven brief biographies 5=10201
Galileo Galilei 5=7703
Millikan 5=2001
Rayleigh (J. W. Strutt, third Baron) 5=3
Rayleigh (R. J. Strutt, fourth Baron) 5=4
Rayleigh's collaboration with E. M. Sidgwick 5=5
Biological effects of radiations
frog, 8th nerve single unit response 5=4690
neuroanatomic quantitative studies by u. s. lesians 5=4689
Biological technique and instruments
autoradiography, use of Lippmann-type emulsions and electron microscope 5=5107
Coulter counter apertures 5=4688
small movement monitoring, stylus spurious response identification 5=1990
Biology
See also Medical science; Physiology; Zoology.
ageing, quantum theory and clock paradox 5=4746
biological systems, conduction and diffusion, computer analysis 5=7897
brain, memory system, rel. to superconductor switching 5=15287
milk, Swedish, Cs^{137} fallout 5=15687
reactions, obs. using combined spectrophotometer and calorimeter 5=7896
ultramicrotomy 5=3583
Biophysics
animal motion in water, waves 5=1143
cotton, degradation due to fungi 5=9217
electric organ, energetics, temp. var. 5=1991
electrical V—A chars. of excitable membranes, temp. effects 5=13789
feedback control with transportation delay, stability study 5=1989
figure of cells, isoperimetric problem 5=13814
fish air bladders, acoustic scatt., 1 to 25 kc/s effect on deep sea layer responses 5=4437
leaves light scattering 5=13059
microscopy 5=13787
plant leaves and stems spectra 5=13788
DNA, cooperative transconformation heat meas. 5=5919
Biot—Savart law. See Electromagnetism.
Birefringence. See Double refraction.
Bismuth
atomic heat, 11° to 273°K 5=12290
bolometer element, temp. gradient 5=13979
charge carrier density, mobility calc. 5=12580
conduction band, magnetic levels 5=9597
conductivity electrons, momentum and reflection 5=1561
current—voltage characts., deflection points, at 2°K 5=4013
electrical conductivity, pressure effect 5=6918
fluorescence, M-shell yields 5=13101
Hall coeff. and mobility, and elec. resistivity 5=6920
impurity effect on elec. cond. of Se in elec. field 5=6941
magnetoacoustic attenuation, giant oscillations 5=6536
magnetoelectric effects, rel. to self-magnetic field 5=9623
magneto-resistance 5=12643
melting and crystallization of small particles 5=14876
metal—semiconductor transition under pressure 5=12719
neutron and γ-ray attenuation 5=8435
phases existing under h. p., crystal lattice determ. 5=1374
photoelectromagnetic effects, 4.2°K 5=12818
quantum oscillations of mag. susceptibility, frequency modulation 5=7078
Shubnikov—de Haas effect 5=12720
solid—liquid boundary, oscillations 5=1304
solubility, in InSb and CdSb, effect on phys. props. 5=3445
thermoelectric power 5=4102
twinning, elastic 5=12082
twinning, interaction of dislocations and hardening 5=3763

Bismuth compounds
- triethylbismuth, vibrational spectra 5=8863
- Bi-BiI_3, molten solns., thermoelec. props. 5=3360
- $Bi_2Fe_4O_9$, crystal structure 5=1362
- $BiFeO_3$—$LaAlO_3$ system, phase structure rel. to composition 5=11997
- $BiFeO_3$—$LaAlO_3$ system, rel. to composition 5=11997
- BiI, temp. coeff. of resistance 5=12644
- BiI_3—I_2, phase diagram 5=11925
- Bi_2O_3—$[Fe; Al; Ga; Mn]_2^{3+}O_3$ prep. and cryst. structr. 5=9328
- Bi_2O_3—Fe_2O_3 system, X-ray study 5=1362
- Bi_2O_3—TeO_2 glass, dielectric props. and infrared spectrum 5=12791
- Bi—Pb—Sn—Cd liquid, wetting of solids, contact angles 5=11850
- Bi—Sb, condensation, temp. var. 5=11952
- Bi—Sb alloys, homogeneous crystal growth 5=12102
- Bi—Sb alloy, Shubnikov—de Haas effect and cyclotron resonance 5=1594
- Bi—Sb, elec. resist., composition versus As—Sb semimetal 5=15317
- Bi—Sb solidification, separation in mag. fields, due to diffusion 5=3400
- Bi_2Se_3 carrier energy spectrum 5=9593
- Bi_2Se_3, semiconductor-metal transition under pressure 5=12721
- Bi—Sn alloys, thermoelectric properties 300°-700°C 5=3361
- Bi—Sn system, molten, electrotransport and resistivity 5=14864
- Bi_2Te_3-base solid solutions, lattice thermal conductivity 5=15059
- Bi_2Te_3 carrier energy spectrum 5=9593
- Bi_2Te_3, diffusion of impurities 5=9420
- n-Bi_2Te_3, effective mass det. from i. r. reflection meas. 5=3917
- Bi_2Te_3, n and p type, antistructure defects 5=9422
- Bi_2Te_3 sputtered films crystal growth and orientation 5=9274
- $Bi_2(Te, Se)_3$, charge carriers per doping Cu, CuBr and BiI_3 molecule 5=15205
- $Bi_2Te_{2.3}Se_{0.7}$, thermoelectricity, electron states, doping effect 5=15206
- BiTe—BiSe, thermoelec. and semicond. props. 5=9722
- Bi_2Te_3—Bi_2Se_3 solid solns., structure 5=3460
- Bi_2Te_3—Bi_2Se_3 thermoelement branches, ageing prevention 5=9738
- Bi_2Te_3 + Bi_2Se_3 or Sb_2Te_3 rel. to thermoelec. cooling 5=4014
- BiTe—SbTe, thermoelec. and semicond. props. 5=9722
- Bi_2Te_3—Sb_2Te_3 [Bi_2Se_3] thermoelement branches, brignetting, and heat treatment 5=9215
- Bi—Te—Se for thermoelements 5=9737
- $Bi_4Ti_5O_{12}$, constant d. c. field effect on hysteresis loops 5=1682

Bitumen. See Materials.

Bitter patterns. See Magnetization state/domains.

Bloch walls. See Ferromagnetism; Magnetization state/domains.

Blood
- No entries

Boiling
- See also Distillation.
- acetone, statistical kinetics 5=3407
- book part 5=3408
- bubble growth in propane chamber, heat transfer effects, calc. 5=14357
- film round sphere, heat transfer, rel. to nuclear reactors, calc. 5=13981
- and fluctuations in nuclear reactor 5=874
- noise, acoustic, mechanism 5=14884
- nucleate, dissolved gas effects 5=9182
- saturated nucleate, latent heat transfer importance 5=1213
- supercooled liquids, boundary layer flow 5=11941
- water, forced circulation, pressure drop 5=14885
- water, statistical kinetics 5=3407
- H_2O, forced circulation, pressure drop 5=11944
- H_2O, heat transfer, saturation press. var. 5=10362
- H_2O, saturated nucleate, latent heat transfer importance 5=1213
- H_2O, subcooled, acceleration effects 5=9184

Boiling point
- hexafluorobenzene, meas. 5=11926

Bolometers
- metal, receiving area size and sensitivity 5=10355
- Au, large-area bolometers 5=4825
- Bi element, temp. gradient 5=13979

Boltzmann equation. See Transport processes.

Bonds
- See also Molecules.
- acetylene cpds.,H, by n. m. r. 5=3013
- acetylene hydrocarbons in solvents, H-bond, proton n. m. r. 5=3012
- aliphatic and aromatic amines and amides, H-bonds, n. m. r. meas. 5=5910
- alkali halide, departure from pure ionic 5=6235
- alkali halides, H^- ionic radius 5=6237
- alkali metal chalcogenides, and interatomic forces, calc. 5=6236
- alkyl radicals, secondary, dissociation energy 5=13141
- amines, anharmonicity and H bonding 5=14649
- aminopyridines, N—H stretching vibr., basicities 5=11550
- anharmonicity and H bonding 5=14650
- atomic radii in crystals 5=3593
- beryl, water and hydroxyl groups, n-scatt. study 5=11984-5
- boehmite, rel. to i. r. absorpt. spectrum interpretation 5=9895
- bromo-4-ditertiary butyl-2. 6 phenol, no CH—O bonds 5=12249
- in carbonium ion in triphenylmethyl ClO_4, angles meas. 5=12260
- p-chlorophenol with ethers and thioethers, H bond from i. r. absorpt. spectra 5=3028
- crystals, molecular, Van der Waals interaction, collective aspects 5=3418
- diatomic crystals, cohesive energy 5=11958
- energies, from ion—molecule reactions 5=11672
- glass, liquid, and viscous flow activation energy 5=11868
- guanine-cytosine, N—H. . . N bonding 5=3034
- hydrocarbons, polarizability derivative tensor and chem. bond, calc. 5=8859
- ionic characters from Mössbauer isomer shifts 5=14893
- ionic, Madelung energy calc., CaC_2-type 5=14894
- isotope effects on vibrs. 5=11487
- ligand field parameters, cubic, from group theory 5=14892
- melamino-formaldehyde, and breaking strength, temp. var. 5=6737
- metal—CO systems, atom—bond. populations 5=14647
- methyl bromide, C—Br bond distances calc. 5=14659
- methyl chloride, C—Cl bond distances calc. 5=14659
- methyl—4-ditertiary butyl-2. 6 phenol, no CH—O bonds 5=12249
- N-methylenemethylamine, methyl proton eclipse to N=C double bond 5=3038
- mixed crystals, stretching frequencies, rel. to i. r. spectra 5=4291
- molec. orders, perturbation expansion 5=11498
- molecular binding 5=8799
- molecules, homonuclear diatomic, energy partitioning 5=945
- nitro cpds., H bond with alcoholic OH groups, from i. r. spectra, n. m. r. 5=5830
- nucleic acids, Mn^{2+} binding 5=5918
- organic fatty acids, vibr., from Raman spectra 5=985
- organic liquids, C^+—C^-, and activation energy 5=11910
- organic mols. and transition metal complexes, book 5=11497
- perturbation expansion 5=11498
- in perylene, lengths, vapour sector electron diffr. obs. 5=11575
- polyether, and breaking strength, temp. var. 5=6737
- polyphosphate chains, lengths 5=3630
- rare earth covalent, spectral evidence 5=9193
- rare gas crystals, dipole interactions, long range 5=6233
- semiconductors, bond strength 5=3916
- transition metal complexes, metal—metal, review 5=6238
- transition metal complexes with nitrosyl ligand, Mössbauer effect 5=3431
- and valence 5=11497
- vinyl halides, C^{13}—H n.m.r. satellite spectra 5=3068
- Ag halides, and interatomic forces, calc. 5=6236
- $Au(CN)_4^-$ 5=2999
- B cpds., B—C, B—O, B—S, B—B, diamag. susceptibility 5=11501
- BH and $(BH)^+$, bonding strengths 5=11502

Bonds — contd
C—C in higher hydrocarbons, conformational energy 5=8845
C—C length in peroxypelargonic acid 5=12256
CH_3NH_2 versus CH_3ND_2, C—N length, amplitude of vibr. var. 5=14658
Cl—O—Cl group stretching consts. 5=3010
Co^{2+} ion in ligand octahedron, covalency 5=11964
$[Cr(CN)_6]^{3-}$, e. s. r. obs. in $K_3Co(CN)_6$ 5=3416
$[CrF_6]^{3-}$, calc. 5=3416
Cu, cohesion energy 5=6234
Cu halides, and interatomic forces, calc. 5=6236
D_2O, gaseous, mean length 5=11532
Fe_2B and FeB, Mössbauer study 5=8831
Fe—O, in iron cupferron 5=12254
Fe_3Si, chemical, nature 5=11959
GaAs, ionicity search by X-ray reflections 5=11960
H bond study, by n. m. r. spectroscopy 5=14669
H-bonded H_2O mol. in cryst., lone-pair coordination 5=3653
H, dielec. props. in rigid system 5=6991
H, effect of adjacent H atoms, n. m. r. 5=3061
H, force constants 5=982
H in hydrocarbons adsorbed on C 5=9249
H, in liquid association, Onsager reln. 5=11896
H, nature in bifluoride ion 5=6239
H, in saturated amines, n. m. r. study 5=974
H in solvent, interact. of complexes 5=8855
H, tendency for form. in benzene and methyl derivatives 5=3019
H, tendency for form. in p-benzoquinone and methyl derivatives 5=3020
H, vibr., from ice intermol. temp. var. calc. 5=9372
H, vibration, stretching and bending frequs. 5=11488
H weak, relative stability to N, in amine- and nitrile-chloroform 5=3041
HF_2^- ion, strong H bonds 5=8830
H_2O, gaseous, mean length 5=11532
H_4O^{2+}, valence structure 5=3002
$HgNO_2$, from i. r. absorpt. spectrum 5=4325
HgO_2, Bastiansen—Morino shrinkage effect 5=5859
HgSe, interatomic, from cleavage 5=3543
HgTe, interatomic, from cleavage 5=3543
KrF_2 vapour, negative interaction const., bond—bond 5=11535
MF_6, (M = Mo, Tc, Re, Ru, Rh), force const.—d-electron var. calc. 5=11536
$[MoOCl_5]^{2-}$, paramag. reson. studies 5=8841
N_2F_4, and spectrum, i. r. 5=3005
NH in N-alkylanilines, vibr., solvent effects 5=3014
N^+—H—O^- in metanilic acid 5=12255
N—O length in CH_3N_2OK 5=12257
$NaFeCl_4$(g), and vapour thermodynamic props. 5=6230
$Na_2M(SO_4)_2 \cdot 4H_2O$ (M = Mg, Zn, Co or Ni), H-bond, O—H, Raman spectra study 5=15574
NbO_2, Bastiansen—Morino shrinkage effect 5=5859
OH, vibr. stretching rel. integrated intensity, Si and org. cpds. 5=5831
O—H—O hydrogen bonds, symmetrical 5=6240
OH. . . . O in org. cpds, proton chemical shifts 5=11597
P—O—P group stretching consts. 5=3010
Pt-Si thermo-compression bonding 5=9192
Rh—H in tristriphenylphosphine Rh carbonyl hydride, calc. 5=12261
S, orthorhombic, lengths 5=11961
SF_4, force field, including lone electron pair 5=11547
S—O—S group stretching consts. 5=3010
Si, covalent bond nature 5=15254
Si—O—Si group stretching consts. 5=3010
TaO_2, Bastiansen—Morino shrinkage effect 5=5859
Te halides, and interatomic forces, calc. 5=6236
Ti—transition metal alloys, ω-phase, binding force magnitude 5=11994
TiO, and electronic band structure, rel. to vacancies 5=6611
UCl π-tricyclopentadienyl, U—Cl lengths meas. 5=12262
U—O stretching frequency, in $K_3UO_2F_5$ solid 5=3419
VO_2, Bastiansen—Morino shrinkage effect 5=5859
$[VOCl_5]^{3-}$, paramag. reson. studies 5=8841
Xe—F, lengths, in solid and gas 5=11519
Bone. See Materials.

Books
condensation and evaporation, nucleation and growth kinetics 5=3408
dictionaries, foreign and English, physics and engineering, bibliography, 1952-63 5=7702
dimensional analysis and scale factors 5=7733
direct methods in mathematical physics, review 5=10228
dynamics 5=4726
electrons and chemical bonding 5=11497
elementary particle theory 5=5168
elementary particles 5=14387
ferromagnetism, ferrimagnetism 5=12880
fluid mechanics, perturbation problems book 5=14780
fluids, classical, equilibrium theory 5=11769
gas discharges and plasma, introduction 5=11618
Internat. Encyc. Phys. Chem. and Chem. Phys., Topic 11, Vol. 1 5=6438
lasers 5=14143
Lie 3rd rank algebra and strong interaction symmetry 5=10849
magnetic materials, papers digest (1964) 5=15427
Mössbauer effect, principles and appls. 5=7701
nucleus, optical model 5=8506
oceanography, progress in 5=4444
plasma theory 5=5969
quantum theory many particle systems conference lectures 5=10274-5
relativity, general, experimental tests 5=7774
semiconductor models, electron distrib., and carrier transport 5=12692
semiconductor physics 5=12691
semiconductors, potential barriers 5=6905
solids, quantum theory 5=9191
strong interactions analysis 5=8256
sunspots 5=7670
symmetry in the solid state 5=6231
tables, mathematical 5=4720
III—V compounds, review 5=4011
units dictionary 5=7705
Bootstrap theory. See Elementary particles; Field theory, quantum.
Bordoni effect. See Acoustic wave propagation/ultrasonic; Damping; Internal friction.
Boron
addition to Ni, internal friction, structure, effects 5=6744
amorphous, energy band struct., spectrum 5=12693
atoms in Si, hole capture coeffs. 5=15332
band structure, Kp-perturbation calc. for rhombohedral B 5=6805
diffusion in graphite 5=9412
e. s. r., elec. cond., and impurity diffusion 5=9837
effect on Fe self-diffusion, rel. to grain bndry. energies 5=1437
films, amorphous, elec. conductivity 5=4015
impurity distrib., in epitaxial growth 5=12131
ions, B^+, polarizabilities and shielding factor, Hartree—Fock approx. 5=5750
new form, 1500° to 2000°C, > 100 kbar 5=12103
pairing energy in Si with Li 5=15572
relative abundance, origin by spallation in proto-terrestrial bodies 5=931
X-ray charact. emission intensity calc. 5=9916
in Si n—p—n diffused epitaxial layers, phonon drag meas., conc. effect on m.f.p. 5=1567
Boron compounds
bonds, B—C, B—O, B—S, B—B, diamag. susceptibility 5=11501
borates, inorganic cryst., i. r. spectra 5=4298
borazines molecular LCAO—MO—SCF calcs. 5=14644
borogermanate melts, structure, viscosity, density 5=3299
borosilicate glasses, phase separation at temp. > transition 5=6336
borosilicate melts, structure, viscosity, density 5=3299
metaborate—fluoride mixtures, vibrational spectrum 5=8909
metaborate trimer and polymer ions, vibrational spectrum 5=8909
B hydrides, binding energies 5=11496
BBr_3, infrared spectra, meas. 5=11523
BC—SiC phase equilibrium 5=9223
BCl_3 with addition cpds., magneto-optical effects 5=6183

Boron compounds—contd
- B_2Cl_4 gas, molecular struct. study 5=2987
- B–Cu–Zn thermoelastic and burst-type martensites 5=6288
- BF_2, n.m.r., nuclear mag.–dipole coupling, 70°K 5=4263
- BF_2, vibration amplitudes 5=5856
- BF_3, with addition cpds., magneto-optical effects 5=6183
- $B^{11}F_4^{19-}$, molecular nuclear coupling, spin–spin, solvent effects 5=5907
- BH and $(BH)^+$, bonding strengths 5=11502
- BH_4^- isotopic ions, anharmonicity correction and pot. consts. 5=8824
- B_2H_6, dissociation heat, mass spectrometer obs. 5=1010
- $B_{20}H_{18}^{2-}$, B^{11} n.m.r., 60 Mc/s 5=3059
- B_2H_6 and B_2D_6, molecular structures, electron diffr. study 5=11522
- B_5H_8I, crystal structure. molecular symmetry 5=6459
- BI_3, infrared spectra, meas. 5=11523
- BN, e. p. r. 5=15489
- B_2O_3, i.r. spectrum and molecular structure 5=8825
- $xB_2O_3 . Rb_2O$, crystal varieties 5=11998
- BP, absorption, light, correction 5=7323
- BP, crystal electron band gap discrepancy 5=12599
- BP, thermodynamic props. 5=13148
- B_6P, thermodynamic props. 5=13148
- B–U phosphors, phosphorescence 5=13102

Bose gas. See Bosons.

Bosons
- See also Elementary particles; Quantum theory/many-particle systems.
- angular momentum, complex, singularities rel. to non-planar kernels 5=14293
- composite, 4-fermion and Yukawa coupling, $Z_3 = 0$ condition 5=436
- degenerate system, quasiparticle model 5=2068
- diagonalization, approx. quadratic form 5=705
- with fermion fields, structure 5=2447
- with fermions, double time–temp. Green's functions 5=13886
- field, Neuman algebra type 5=5164
- gas, normal and superfluid components, mutual friction 5=2176
- gas, variational calc., error estimates 5=84
- gauge masses and broken symmetries 5=5198
- hard sphere gas, pair distrib. function 5=4769
- hard sphere system at low temps. 5=83
- interaction with baryons, and Klein paradox 5=2438
- interactions, multiple boson prod. effects 5=14389
- interactions, weak, with intermediate boson 5=5219
- intermediate, nonleptonic decays 5=14271
- intermediate, search using atmospheric ν 5=10973
- intermediate, super-weak coupling with neutrinos, calc. 5=10842
- intermediate, unitary triplet or octet 5=2429
- intermediate-vector, interaction with hadrons, calc. 5=10843
- linked cluster expansion 5=85
- liquid, energy levels 5=7802
- liquid system, quasi-particle rel. to Landau theory 5=2069
- mass differences in supermultiplets on composite model 5=5197
- mass, pseudoscalar, and λA^4 interaction with fermion 5=437
- massless, interaction free, and broken symmetry 5=5188
- N–boson system sum rules, mass 5=2428
- in N–N scatt., mass width effect 5=14411
- neutral vector, existence test, resonance in $e^+–e^-$ scatt. 5=457
- parity determ., from photoproduction 5=5374
- production, by central collisions at v. high energies 5=14272
- production in neutrino high-energy interactions, spark chamber search 5=8441
- radiative corrections in vector potential fields, perturbation theory 5=459
- resonance assignment to SU_6 p-wave multiplet 5=14270
- scalar field continuous representations 5=7803
- spinor interactions, Green's functions peratization 5=10769
- system, low-temp. interacting, sum rule applic. 5=7805
- system, phonons 5=4860
- system variational problem reduction 5=7800
- systems, canonical variable representation 5=13885
- systems, hard sphere, with strong forces 5=7801

Bosons—contd
- θ particle interaction with V, N fermions (Lee model), LSZ formalism calc. 5=10836
- 2^- decomplet theory 5=11093
- vector decay amplitude, first-order correction 5=5195
- vector, e.m. moment effects on $\mu \rightarrow e + \gamma + \overline{\nu} + \nu$ 5=2624
- vector, new, CP violation, rel. to $K_0^2 \rightarrow 2\pi$ decay 5=2668
- W leptonic decay ang. distrib. after π prod. 5=2430
- wave excitation for particle scatt. at very high energies, calc. 5=10864
- weak interaction, intermediate theory 5=5218
- and weak interactions, problem 5=8255
- in weak interactions theory 5=14284
- and HeII, liquid, theory 5=183

Boundary layer flow. See Flow.

Bragg reflection. See X-ray crystallography.

Bravais lattice. See Crystals/internal fields; Magnetism.

Breakdown, electric
- See also Discharges, electric; Electric strength.
- avalanche growth and critical multiplication 5=11645
- radiation visible, from metal anodes preceding elec. breakdown 5=1035
- semiconductors and dielectrics, rel. to current fluctuations 5=15313
- in vacuum, transition in mechanism 5=8929
- vacuum voltage breakdown as thermal instability of emitting protrusion 5=1033
- gases
  - air under d.c. and a.c. fields 5=8927
  - air, damp, electron avalanches at large electrode separation 5=8928
  - air, discharge striking 5=5941
  - air, discharge striking, non-uniform fields and low press. 5=5942
  - air, by intense light pulse 5=8926
  - air, pulsed, 3.2cm, in rect. guide 5=3110
  - avalanches at high E/p 5=8930
  - electric rupture, exptl. study 5=3109
  - h. f. electrodeless discharge with transverse mag. field, calc. 5=5938
  - image intensifier exam., anode and cathode streamer vel. meas. 5=1032
  - inert gases, by intense light beam, kinetic theory 5=5940
  - inert gases, laser induced, multiphoton ionization 5=11647
  - introductory book 5=11618
  - ionosphere, by radio waves, and electron density var. 5=15734
  - Paschen's law, theoretical formulation 5=11646
  - Penning discharge with superimposed r.f. field, Mathieu eqn. calc. 5=8925
  - plasma in triode 5=5944
  - plasma sheath formation, exploding wires 5=14691
  - from statistical fluct. of ionization current 5=5937
  - strength recovery after spark discharge 5=5943
  - in triggered discharge tube, mechanism 5=11648
  - CO_2, discharge striking 5=5941
  - Cs vapour 5=1034
  - Cs vapour, through slit in glass 5=11649
  - H_2, discharge striking 5=5941
  - Hg vapour, discharge striking, non-uniform fields and low press. 5=5942
  - N_2, discharge striking 5=5941
  - Ne, below Paschen minimum 5=5939
  - Ne, influence of metastable mols. at low press. 5=3112
  - O_2, discharge striking 5=5941
  - SF_6/air, time lags, statistical 5=11650
- liquids
  - in ether, electron avalanches at high amplification 5=3111
  - hexane, pre., Schlieren system obs. 5=11897
  - pre-breakdown phenomena, photographed in bubble-chamber 5=6198
- solids
  - Ge, 4.2°K, potential distrib. 5=9677
  - Ge, microwave, 4.2°C 5=9676
  - Ge, surface, under high transverse fields 5=4025
  - LiF films meas. 5=15376
  - Na_3AlF_6 meas. 5=15376
  - NaCl films meas. 5=15376

Breaking strength. See Mechanical strength.

Breeders. See Nuclear reactors, fission.

Bremsstrahlung
See also Electrons/radiation; Gamma-ray spectra; Gamma-rays; X-ray spectra/emission; X-rays.
angular var. of intensity near high energy end 5=5313
for astronomical X-ray sources, electrons in mag. fields 5=10159
asymmetry, from transversely polarized electrons 5=8379
auroral, X-rays, and atmospheric ionization 5=4482
calorimeter for energy meas., 10^{-5} W 5=10993
circular polarization, from β-decay electrons 5=5571
in e—e scatt. 5=11008
e-p high energy collisions prod., polarization calc. 5=549
in elastic electron scattering, radiative tail 5=789
from electron—ion encounters in mag. fld. 5=548
electron on nucleus mag. dipole potential, cross-section rel. to photon polarization meas. 5=550
electron—nucleus scattering, nuclear size and mag. effects 5=11301
electrons, slow, impinging on atom 5=10992
γ-ray scattering meas., effects 5=10982
Hargreaves formulae 5=13824
inverse process, high intensity radiation, absorption cross-section calc. 5=554
low energy, local field theory series expansion first two terms 5=14396
neutrino scattering on nuclei 5=2579
from p scattering on light nuclei, p—n calc. 5=11310
from plasma single particles in mag. fld. 5=1091
polarization, circular, in thick absorbers, electron scatt. effects 5=551
shielding calc. for Sr^{90} + Y^{90} source using Pb 5=744
tagging system for high energy meas. 5=10994
from Ag targets, for 10-30 keV electrons 5=3952
from Be^7, polarized, e capture, internal, ang. distrib. 5=5572
C irrad., deuteron yield 5=11295
N cross-section for slow electrons 5=907
Tm^{170} decay, internal 5=11274-5
Brightness
See also Illumination.
condensor, new, calc. 5=8097
enhancement with paired light flashes 5=8175
estimation 5=8174
luminous medium in glass cylinder, radial distrib. calc. 5=5039
stationary stimulus threshold, moving line effects 5=14220
vision, contrast, colour contrast depend. 5=5115
Brillouin zones. See Crystal electron states.
Brittleness
See also Breaking strength.
polyaryls, strength time dependence during fracture 5=12533
polymers, solid, brittle fracture mechanism 5=3821
polytetrafluorethylene, rel. to γ-irrad 5=12538
repetitive fracture, fragment size distrib. 5=15135
steel, brittle fracture 5=6764
steel fracture, rel. to fine structure and susceptibility 5=12549
strength-porosity relation, for brittle polycrystalline materials 5=6687
surface dislocation effects 5=3824
temperature of incidence 5=3825
zircaloy-2, and corrosion in steam, H uptake 5=9583
Zircaloy-2, embrittling factors, rel. to H-content 5=12564
Be—(10%) Al—(3%) Si, from melting point meas. 5=3835
CO$_2$, solid, and microstructure 5=14992
Fe, cold working effect, dislocation 5=1528
Fe—Si, brittle fracture, effect of prestrain and strain ageing 5=3858
H-charged, rel. to fracture 5=12525
MgAg, notch, temp. var 5=12521
ZrNb (1 and 2.5), and corrosion in steam, H uptake 5=9583
Bromine
and G-M counter quenching, characs. var. by Ar mixing 5=14318
intercalation in graphite, cryst. struct. 5=3627
ions in various solvents, u. v. spectra 5=1188
isotopes, autoclyne for obs. n. q. r. 5=14670
liquid, neutron coherent inelastic scattering 5=2616
molecular beam, interacting with K atomic beam, mag. analysis of scatt. 5=3087
Br^{79}, K Auger electrons, intensities and energies 5=8775
Br^{78,80} retention analysis, from NaBrO$_3$, (n, 2n) and (n, γ) reactions 5=15630
Bromine—contd
Br$^-$, photodetachment curves 5=11665
Bromine compounds
bromates, aqueous solutions, u. v. absorption 5=6187
BrO$_3$, vibr., mean square amplitudes 5=11524
Brownian movement
finite system, Langevin eqn. modification 5=2053
Green's function, applic. to plasma 5=63
rel. to moon erosion 5=4627
polar dispersive liquid, rel. permittivity, frequency var., calc. 5=1201
statistical mechanical theory 5=7789
Stokesian particle diffusion 5=7788
unified theory with transport and collective motion, damping and thermal aftereffect functions 5=13891
Tb^{3+} in aqueous soln., effect on nonradiative transitions 5=14852
Brush discharges. See Corona, electric discharge.
Bubble chambers
Cherenkov-counter monitor for separated beams 5=493
condensation and growth of bubbles, ascent effects 5=10936
data handling, automatic, review 5=10933
density-velocity reln. 5=14354
picture meas., logical surveyor for sequential operations 5=8327
pre-breakdown elec. phenomena photography 5=6198
propane bubble growth, heat transfer effects, calc. 5=14357
propane, radiation sensitivity zone boundaries meas. 5=14358
review, H, D, He 5=10934
scanning projector on line to computer 5=8326
track meas. on photograph, automatic, punched tape output 5=10937
track photograph, coordinates meas. 5=14355-6
200 litre, freon 12 and 13 5=10935
Bubbles
See also Foams.
air, absent segment on solid surface, energy 5=9238
air, effect on ice frictional charge separation 5=9703
air in H$_2$O, resonance frequency near boundary, calc. 5=14828
cavitation, rectified diffusion during pulsations 5=14827
dynamics of gas-vapour bubbles in binary systems 5=3293
figure of cells, isoperimetric problem 5=13814
gas in solids, thermal equilib. size and shape 5=9307
inert gas in material, rel. to grain boundary mobility 5=9300
meter method of gas flow meas., photoelectric timer 5=11799
wall oscillation in incompressible liquid due to periodic pressure field, digital computation 5=3294
He, in neutron irrad. BeO, contrib. to expansion 5=6657
at Pd cathode, rel. to overvoltage component 5=7442
Burgers vector. See Crystal imperfections/dislocations.

Cadmium
activity coeff. in Pb liq. alloys, meas-cal. comparison 5=9093
atomic spectra, Lα_1, β_1, β_2 satellites, classification 5=5755
compressibility, versus NaCl 5=12487
crystal growth and decomposition planes 5=9275
crystal growth, equilib. form 5=12104
de Haas–van Alphen effect, u.s. obs at 1.2°K 5=7080
diffusion in GaAs from gaseous phase 5=6585
effect on growth of Zn single crystals 5=14982
electron induced light radn., and energy loss calc. 5=13035
electronic structure, open orbits, Fermi surface, u. s. absorption study 5=3900
5^3P_2 metastable level, study, in excited atom 5=5753
grain growth, exponential w. r. t. time 5=3448
internal friction, temp. var peaks 5=12475
ionic diffusion in KCl, through impurity—vacancy complex 5=15076
isotope shifts and hyperfine struct., in u. v. lines 5=14622
n.m.r. line shape in presence of Knight shift 5=7269
pressure, effect on elec. resistance and lattice parameters 5=9624
spectrum, Cd, Cd$^+$, h.f.s., mag. reson. obs. 5=5754
stress relaxation time var. 5=15148

Cadmium—contd
  technical-grade, impurities redistrib. on quenching rel. to pore form 5=1460
  thermodynamic props., from vap. press., in Cd—Au liquid and solid solns. 5=6165
  ultrasonic resonance absorption, by open-orbit electrons 5=3900
  vapour, photoionization cross-section meas. 5=5790
  vapourization, flash, films on W 5=9187
  whisker growth, conditions for condensation from vapour 5=6390
  work hardening curve, rel. to melting temp. 5=6733
  work hardening of single cryst., temp. dependence 5=3836
  Cd^{114} line shift due to Ar lamp pressure 5=14599
  in InSb, diffusion 5=9414
Cadmium compounds
  phonon emission by charged particle motion, calc. 5=12269
  tobermarite, substituted Al co-ordination 5=9330
  ultrasonic amplification, obs. 5=3685
  Cd halide solns, absorption, u. s. 5=1182
  CdAs, magnetoresistance, 1. 6° to 300°K 5=12724
  Cd_3As_2 evaporated films, semicond. props. 5=1644
  Cd_3As_2, Shubnikov–de Haas effect, 4. 2°K 5=7079
  $CdB_{2-x}B'_xO_{6+x}$, B is Ti, Zr or Sn, B′ is hexavalent W, crystal struct. of pyrochlore type 5=3640
  $Cd_xHg_{1-x}Te$, optical props., photoelec., photomag. 5=13061
  CdI_2 crystal growth 5=9276
  CdI_2, neutron scatt., anomalous 5=6441
  CdI_2, polytypes 26Hc, 26Hd, 50Hc, atomic structure 5=15009
  $CdIn_2Se_4$, elec. resist., Hall coeff., 114° to 650°K composition effect 5=4016
  $CdCl_2$, e.s.r. of V^2, 4. 2, 77°K, spin Hamiltonian 5=9851
  Cd—Mg solid solns., density 5=1249
  CdO, conductivity in h. f. e. m. field 5=15318
  CdO films, optical constants, temp. var. 5=7325
  Cd_3P_2, prep. and semiconducting props. 5=12105
  CdS_x—$CdSe_{1-x}$, birefringent isotropic pts., conc., temp. var. 5=13036
  $Cd(S_{0.73}Se_{0.27})$, electron trap distrib. 5=6786
  CdSb, absorption edge 5=1836
  Cd–Sb alloys, liq., resistivity 5=9149
  CdSb, crystal electron band struct. theory 5=12600
  CdSb, doped, transport props., 90°-420°K 5=9668
  CdSb, electrical properties, effect of In impurity 5=12723
  CdSb, physical properties, effect of Bi, solubility 5=3445
  CdSb, piezoresistance anisotropy 5=12722
  Cd—Sb system, phase transforms. 5=1262
  CdSe, absorption coeff., wavelength, temp. var. 5=7326
  CdSe, fluorescent emission 5=13105
  CdSe, I—V characteristics 5=15404
  CdSe, impurity activation energies, optical/thermal ratio 5=7033
  CdSe, In doping effect on optical props. 5=9896
  CdSe optical props and band structure 5=13081
  CdSe, photoconductivity, relax., trap effects 5=7030
  CdSe, photocurrent decay time/trap distrib. rel. 5=7034
  CdSe, semicond., Se press. effects 5=6922
  CdSe, semiconducting transistor, field effect 5=9699
  CdSe, surface contact pot. light change 5=12819
  CdSe—Se, barrier layers, elec. forming, effect 5=15357
  Cd_3SiO_5, crystal lattice structure 5=12232
  $CdSO_4$ with CdS, luminescence props., heating in N_2 effects 5=7387
  $CdSnAs_2$, thermal conductivity 5=12309
  CdTe, absorption edge, press., temp. var. 5=15543
  CdTe, electroluminescence from p—n junctions, 77°K 5=1870
  CdTe, epitaxial growth on GaAs by gas transport 5=14987
  CdTe films, absorpt. and refl. spectra, 3-15eV 5=4301
  CdTe, fluorescent emission 5=13105
  CdTe hole lifetimes, from photovoltaic effects 5=15207
  CdTe, impurity activation energies, optical/thermal ratio 5=7033
  CdTe, recombination radn., electron pulse excited, spectrum, temp. var. 5=13037
  CdTe, subliming congruently, partial press. and Gibbs free energy of formation 5=6225
  $CdWO_4$, e. s. r. of Cr^{3+} 5=12975
  $CdWO_4$, e.s.r. of Cu^{2+} 5=1796
 cadmium sulphide
  acoustoelectric transient saturation effects 5=6949
  birefringent isotropic pts., temp. var. 5=13036

Cadmium compounds—contd
 cadmium sulphide—contd
  c-face evaporation rel. to light illumination and doping 5=3409
  carrier trap filling, effect of elec. field 5=12725
  cathodoluminesc., elec. field effect 5=9942
  chemisorption of O, kinetics 5=1907
  current oscillations, continuous 5=12727
  damaged surface layers, a.c. behaviour 5=4019
  diamagnetism, 77°-700°K and with In and Cu 5=12870
  defect struct., 80° to 300°K 5=12344
  diffusion length meas. of excitons and electrons 5=1584
  diodes, i. r. photocond. 5=1699
  dislocations, electron microscope obs. 5=3747
  dislocation zigzag contract in X-ray diffr. 5=3748
  edge emission, photocond., and transport props., calc. 5=15593
  edge luminesc. and neutral acceptor impurities 5=1869
  electroluminescence, high-current density injection 5=13104
  electrolyte solution interface, pulsed photoeffect 5=12825
  electron diffraction, forbidden reflections 5=6452
  electron emission, secondary 5=7063
  electron mobility, determ. from threshold field for current saturation, 120°-300°K 5=1643
  energy band structure, photoemission meas. 5=15230
  e.s.r. of Co^{2+}, 9-34 kMc/s, 1. 4-1. 5°K 5=7216
  e. s. r. of Mn^{2+} 5=15501
  evaporated layers, microstruct., annealing conditions effects 5=3587
  evaporation, orientation dependence 5=3481
  evaporation source 5=12042
  exciton luminescence, ambient atmosphere influence 5=4345
  exciton states under thermal gradient 5=12622
  Fermi level motion, by e. s. r. 5=12611
  films, evaporated, texture var. with substrate 5=14950
  films on glass, crystal structure 5=12192
  films, Hall and field-effect electron surface mobility, temp. var. 5=6921
  films, Hall mobility meas., resistivity, temp. effect 5=4017
  films, space-charge-limited currents 5=12726
  "forming," high-freq., in single crysts. 5=4018
  free carrier ambipolar diffusion 5=6787
  generating crystals, I—V characteristics 5=15404
  green fluorescence at 20°K, luminogene centres 5=9941
  Hall effect of photoelectrons 5=9669
  Hall meas., application of ohmic contacts 5=6916
  hexagonal, fundamental vibr. freqs. determ. 5=4299
  impurity activation energies, optical/thermal ratio 5=7033
  interface with electrolyte surface states, tunneling effects meas. 5=15241
  laser, fast electron excited 5=8057
  light harmonic generation near absorption edge 5=15528
  luminescence, as function of incident electron energy 5=7388
  luminescence, 1.3-2.3 μ, energy level structure 5=15592
  luminescence, review 5=7404
  luminescence temp. depend. rel. to fundamental absorpt. edge 5=13103
  n. m. r. 5=12998
  optical props. and band structure 5=13081
  optical transitions, far u.v., polarization dependence 5=1837
  P—V relations, shock wave meas. method 5=15147
  phonon emission in green luminesc., probability var. 5=1868
  photochemical effects 5=1562
  photocond. excitation spectra and edge luminescence 5=12821
  photocond., influence of additives 5=15403
  photocond., rel. to light intensity and temp. 5=15401
  photoconducting oscills., near absorpt. edge, 40°K 5=7032
  photoconducting, surface states and surface barrier region 5=15400
  photoconductivity, extrinsic 5=1700
  photoconductivity, high field characts., pulse meas. 5=15402
  photoconductivity, short-wavelength quenching 5=12822
  photoconductivity spectra under continuous and pulsed excitation 5=1838

Cadmium compounds—contd
cadmium sulphide—contd
photoconductivity variability, in absorption edge region 5=12820
photocurrent in air and vac. rel. to double-doping 5=7301
photocurrent decay time/trap distrib. rel. 5=7034
photocurrent kinetic parameters, rel. to impurities 5=12824
photoelectric losses, h. f. elec. field effects 5=9742
photocurrent noise investigation 5=12823
photoeffect, internal, quantum yield calc., pulsed light method 5=4133
photoelectric oscillations, for hν > band gap 5=9741
photoelectret state formation kinetics 5=12806
photovoltage and photoconductivity, long wavelength quenching 5=1701
photovoltages, photocurrents, and adsorbed gases 5=4111
piezoelectric polaron, energy spectrum 5=15391
piezoelectric ultrasonic harmonic generation 5=1414
precipitated, structure 5=1327
polycrystalline layers, photocurrent spectra struct. 5=1698
recovery, high-press. phase 5=1263
spectrum, exciton absorpt., deform. and mag. field effect 5=7327
superlinear photoconductivity, theory 5=4110
surface states of single cryst., by field effects 5=15240
transducers, vapour-deposited thin-film 5=13939
transistors, environmental effects 5=15366
u.s. wave amplification by integrated diffusion-layer transducers 5=7840
ultrasonic amplification and nonlinearity meas. 5=6534
wurtzite—sphalerite transform., defect and domain struct. interpretation 5=6620
Ca^+ impurity in NaCl lattice, variational calcs. 5=15237
CdS—CdSe hetrojunctions, photovoltaic effect, doping, growth conditions var. 5=15405
CdS—CdSe, homogeneity, Se content, X-ray fluorescence obs. 5=3440
CdS—CdSe mixed crystal prep., by diffusion, and optical absorpt. 5=4300
CdS—Si heterojunction triodes 5=12782
in $CdSO_4$, heating in N_2 effect, props. meas. 5=7387
Caesium
adsorbed layer on refractory metals, electric field effect 5=3524
adsorption on refractory metals 5=3523
arc, elec., low-voltage, meas. 5=1044
atom, excitation function for spectral lines 5=899
atom excited states, mag. sublevel intersection 5=8750
atoms, excitation p-level by electron impact 5=5784
atoms, hyperfine relaxation by exchange collisions with Rb 5=5752
in C arc, d. c., line broadening 5=11655
e.s.r. Zeeman transitions, optically aligned 5=5751
effect on UC electron emission temp. characts. 5=7049
electric dipole moment 5=8752
electron collision cross-sections 5=14620
electron scatt., semi-classical calc. 5=11460
energy levels 5=8753
ion beam transmission in plasma 5=4933
ions in H_2O, conductance at 25°C 5=11909
ionization in W capillaries 5=8944
laser, arc excited by nuclear heat, calc. 5=14148
optical pumping, filter 5=915
plasma devices, loss 5=11763
plasma diode, Cs F addition, efficiency improvement 5=7941
plasma parameters, Langmuir probe meas. 5=6014
polymorphism, 42. 2 to 42. 7 kbars 5=11999
thermionic direct converter, current oscill., temp. 4=200
vapour, elec. breakdown 5=1034, 5=11649
Cs I spectrum, 6s, 6p, 6d levels 5=14600
Cs I, ^2F series, polarization formula and penetration effects 5=897-8
Cs^{133}, hyperfine levels of $^2P_{3/2}$ states, mag. transitions, freq. shift 5=11430
Cs^{133}, hyperfine structure, Stark effect 5=8751
Cs^+ adsorption on Pt, rel. to potential 5=9254
Cs^+ in H_2O, electrical cond. meas. 5=11902
Caesium compounds
improvement of Cs plasma diode by CdF addition efficiency 5=7941
Cs—graphite, decomposition, kinetic study 5=10004
Cs halides, F centres and lattice distortion motion 5=9499
Caesium compounds—contd
Cs halides, u. v. absorption spectrum 5=4290
$CsAlO_2$, crystal structure 5=12193
CsBr, mech. props., single and polycryst. 5=3837
CsCl, coupling coeffs., rel. to elastic consts. 5=3927
CsCl, cryst. pot. by Evjen's method of lattice sums 5=9198
CsCl, crystal lattice phonon spectrum, specific heat, calc. 5=9369
CsCl, polymorphic transition energy 5=9224
CsCl II fibrous structure 5=14923
Cs_3CoCl_5, Co^{2+} e. s. r., zero field splitting 5=7218
Cs_2CuCl_4, e.s.r. of Cu^{2+} 5=1797
Cs_2CuCl_4, paramagnetism, MO orbital calc., temp. var. 5=12875
$CsCuF_3$ 5=15010
CsF, phase transformations, high press., temp. var. 5=9234
CsI, dislocation rosettes 5=12385
CsI soln., specific heat, partial molal, 0-100° 5=9105
CsI (Tl), fluorescent decay excited by charged particles 5=4346
CsI, 2-quantum absorption spectrum 5=13065
$Cs_4Mg_3F_{10}$ 5=15010
Cs_2MnCl_4, magnetic interaction 5=9810
$CsMnF_3$, magnetic structure 5=7192
$CsNiF_3$ 5=15010
$(CsPb)_3Sb$ layers, photo-emission props. 5=1711
Cs_3Sb double photon photoelec. emission after laser beam irrad. 5=4134
Cs_3Sb semicond. films, band bending from photo-emission and -voltaic effects 5=3918
$Cs_4Zn_3F_{10}$ 5=15010
Cs_2ZrCl_6, Pa^{231} e. s. r., 1. 4° to 4. 2°K 5=12989
Calcium
atoms, Ca II line strengths 5=8758
diffusion in CaF_2 5=9409
Fermi surface, cellular versus de H—van A periods calc. 5=1579
films, optical props., effect of residual H_2O vapour 5=13038
$Ca^{40,44}$ mesic atoms, X-ray spectra, isotope effects 5=932
Calcium compounds
apatite, e. s. r. of Mn^{2+}, allowed and forbidden transitions 5=9844
apatite, e. s. r. of Mn^{2+}, 10-50 Gc/s 5=7242
calcite, e. s. r. spectrum of CO_2^- 5=998
calcite, electron diffraction dielectric relaxation due to captured electrons 5=1354
calcite, scatt. intensity freq. depend. 5=1846
calcite, secondary cleavage, study 5=1513
calcite, surface electron energy levels 5=3932
chabazite, e.s.r. of Mn^{2+} in crystal exchange field 5=7241
chabazite powder, diffusion coeffs. of 5 gases var., sorption method calc. 5=6599
perovskite-type cpds., O-deficiency 5=6608
Ca aluminate hydrates, i. r. spectra 5=5863
Ca—Bi—Tl—phosphate, thermoluminesc. 5=9943
$CaCO_3$, dichroism in Schumann region 5=15544
CaC_2O_4 hydrates, thermolysis, 25°-1000°C 5=13156
$CaCl_2$, self-diffusion coeffs. 5=6162
$CaCl_2$—NaCl films dislocations and precipitates, Burgers vector, electron irrad. effect 5=3760
CaF_2, optical and paramag. reson. spectra of Er^{3+} 5=15545
CaF_2, U^{3+} and Tb^{3+} e. s. r., F h. f. s. 5=15506
CaI_2 and CaI_2 (Eu) scintillation crystals, performance rel. to NaI(Tl) 5=2507
Ca—K metaphosphate, system, liquid—solid equil. 5=14875
$CaMgSiO_6$, e. s. r. of Mn^{2+}, 10 and 36 Gc/s 5=7240
(Ca Mg) SiO_3—Ti, fluorescence props. 5=7383
Ca Na $[B_5O_7(OH)_4]$ $3H_2O$, crystal struct. meas. 5=12194
$Ca^{40/48}O$, molar volume, isotopic effect, 78° and 300°K 5=1421
CaO, doped, thermoluminescence, rel. to γ-irrad. 5=13106
CaO, e. s. r. of Er^{3+} 5=7226
CaO, e. s. r. spectra and tetragonal distortions 5=15490
CaO, luminesc. excitation mechanisms 5=9930
CaO, molecular dissoc. energy, mass spectrometer obs. 5=5913
CaO precipitation in CaF_2, disloc. var. 5=6630
CaO. $2Al_2O_3$, growth, lattice parameters, transmittance 5=14970
CaO, Ni^{3+} reson. relax. 5=15502
$Ca(OH)_2$ solution thermochemistry 5=11857

Calcium compounds—contd
- $CaO:Pr$ phosphors, doubly-activated, luminescence 5=13107
- $CaO:Sb$, luminesc. 5=9945
- $CaO:Sb:Cl$, luminesc. depend on O and N atom densities 5=9944
- $CaO—SiO_2—H_2O$ system, solubility relations 25° 5=11921
- Ca_2PO_4Cl, Mn^{5+} doped, absorption spectra and fluorescence 5=7331
- $Ca_5(PO_4)_3Cl$, Mn^{5+} doped, absorption spectra and fluorescence 5=7331
- $Ca_{10}(PO_4)_6(OH)_2$ crystal structure 5=9329
- CaS, thermal expansion, crystal lattice meas., 27°-173°C 5=1422
- $CaSO_4.2H_2O$, dielectric permittivity tensor, microwave 5=6998
- Ca_3SiO_5, crystal lattice structure 5=12232
- Ca_3SiO_5, polymorphism, re-exam. 5=6280
- $Ca_{1-x}Sr_xF_2$, chemical and optical studies 5=9211
- $CaWO_4$, acoustic wave vel. and elastic consts. 5=6523
- $CaWO_4$, Ce^{3+} electron—spin—echo meas. 5=7272
- $CaWO_4:Cr^{5+}$, saturation effects, e. s. r. obs. 5=4234
- $CaWO_4$, crystal growth, low-angle boundary free 5=12107
- $CaWO_4$, crystal struct., atomic, refinements comparison 5=6429
- $CaWO_4$, crystal structure 5=9332
- $CaWO_4$ doped with Ce, Nd, Sm or Tb, dislocation pinning and charge compensation 5=1467
- $CaWO_4$, e. s. r. of Eu^{2+}, h. f. s. 5=9842
- $CaWO_4$, Mo^{5+} e. s. r., 4.2°K, 9.2 Gc/s 5=7244
- $CaWO_4$, Nd-doped laser, mode patterns 5=10627
- $CaWO_4:Nd^{3+}$, floating zone recrystallization 5=6368
- $CaWO_4$, plastic deformation by slip 5=9535
- $CaWO_4$ single crystals, light scatt. centres 5=15546
- $CaWO_4$, thin foil preparation technique for electron microscopy 5=1324
- $CaZrTi_2O_7$, lattice metric 5=1364
- $3CaO.Al_2O_3.6H_2O$, crystal structure 5=1363
- **calcium fluoride**
  - absorpt., spectrum, Sm^{2+} mag. induced and cubic crystal field 5=7328
  - cleavage in vacuum, epitaxial growth on Ge study 5=3544
  - crystal field, ground states and Stark splittings of trivalent rare-earth ions 5=3425
  - crystal imperfections due to Sm^{2+} 5=15092
  - d^1 electron levels, strong dynamical Jahn–Teller distortions 5=6793
  - diffusion of Ca^{45} 5=9409
  - dislocation arrangement depend. on growth method 5=3746
  - dislocations, growth and CaO precip. effects 5=6630
  - e.s.r. of Eu^{2+} and Gd^{3+}, meas. 5=12980
  - e.s.r. of Mn^{2+}, spin-Hamiltonian constants 5=1801
  - e.s.r. and relax. of Nd^{3+}, 9500 Mc/s 5=1804
  - etched cleavages, trigon patterns 5=9270
  - etching of cleavages 5=12085
  - expansion, thermal, temp. var. 5=9394
  - F-like colour centre struct., e. s. r. and optical meas. methods 5=6648
  - growth, by zone melting 5=12106
  - internal field pot., Dy^{3+}, Nd^{3+}, versus CaO 5=1223
  - internal field pot., Dy^{3+}, Nd^{3+}, versus MgO 5=1223
  - lattice constants and expansivities, 6° to 322°K 5=1424
  - optical phonons, longitudinal 5=1835
  - optical and photoelec. props., 6-14.5 eV 5=7329
  - Raman spectra, first and second order 5=7330
  - relaxation and spin diffusion of F^{19} 5=1815
  - structure atomic displacement anomaly 5=6449
  - transmission, light, vacuum u.v., temp. var. 5=7348
  - U doped, laser, threshold conditions calc. 5=13039
  - X-ray scattering factors 5=1340
  - Zeeman effect meas., Ce^{3+} 5=13042
  - $CaF_2:Dy^{2+}$, absorption and fluorescence, rel. to Dy^{2+} energy levels 5=13108
  - $CaF_2:Dy^{2+}$, hot-pressed, laser action 5=5008
  - $CaF_2:Dy^{2+}$, $^5I_7—^5I_8$ transition, Zeeman effect 5=13109
  - $CaF_2:Gd^{3+}$, e.p.r., line width and shape 5=4240
  - $CaF_2:Nd^{3+}$, induced radiation, 300° to 15°K 5=15594
  - $CaF_2:Sm^{2+}$, light amplification 5=10628
  - $CaF_2—Sm^{2+}$, Zeeman effect for f—d transition in spectrum 5=7321
  - F^{19} rotary resonance line shape 5=7230
  - F^{19} spin—lattice relax., low temp. 5=7229

Calculating apparatus
- See also Fourier analysis; X-ray crystallography, calculation apparatus.
- analogue to digital converters, fast, review 5=10420
- fixed wire multichannel analysers, review 5=10925
- for gamma ray spectra analysis, bibliography 5=8381
- hybrid, Fourier schemes calc. 5=2027
- Fourier analyser circuit 5=7740
- multichannel analysers with magnetic storage 5=10926
- for nuclear physics data acquisition and reduction, conference 5=5249
- optical aids in signal processing 5=10737
- for spherical coil prod. 5=13790
- **analogue apparatus**
  - See also Nomograms; Sliderules.
  - double refraction, mechanical, retarded negative 5=13843
  - energy of high power elec. discharge meas. 5=14684
  - fields in nonhomogeneous media 5=7741
  - Hall effect multiplier, freq. var. of accuracy 5=4721
  - ionization chamber track recognition 5=5255
  - multiplier, square-law 5=4722
  - nonlinearities, dead-zone and saturation, signal transmission, rel. to appl. as components 5=4880
  - for nuclear reactor neutron reflector, heat conduction analogue 5=11395
  - for particle accelerator orbital motion, by electron tube 5=5295
  - periodic functions anal., reduced to 1 dimension 5=13829
  - pulse divider high speed, back to back diodes 5=4883
  - for spark chambers, sonic 5=8330
  - WEAC2230, for annular plate deflection, stresses, computing 5=13841
- **digital computers**
  - for bubble chambers, scanning projector 5=8326
  - dilute radical e.s.r. in amorphous solid 5=12983-4
  - electrodynamical problems, evolution method 5=14061
  - for elementary 2-particle coincidence expts. 5=8301
  - e. p. r. spectra, analysis 5=15487
  - ferroelectric components, bistable, pulse generator investig. 5=10443
  - Gamma E.T., Schrödinger's eqn., soln. 5=11515
  - IBM FORTRAN II, thermal detection system corrections 5=7894
  - MAGGIE (Monte Carlo) for neutron scatt. corrections 5=8422
  - magnetic tape data recording, review 5=10891
  - memory, dynamical distrib. 5=30
  - multiplication optimal algorithm coders 5=31
  - for neutron spectrometer multiple control system 5=8437
  - for neutron time-of-flight meas. 5=8345
  - for neutron transmission resonance meas. 5=8639
  - for nuclear expt. display control 5=8293
  - for nuclear physics 5=8303
  - for nuclear physics at Bonner lab. 5=8305
  - for nuclear physics data handling at low energies, review 5=10887
  - for nuclear physics data handling, review 5=10889
  - for nuclear physics, low energy, PHYLIS, at Argonne 5=8289
  - for nuclear physics multichannel analysers, associative storage, review 5=10890
  - for nuclear physics, store 5=8300
  - for nuclear physics, stored program 5=8304
  - for nuclear physics time-of-flight calcs. 5=8299
  - nuclear physics wired programme analyser 5=8296
  - nuclear reactor data collector 5=8721
  - for nuclear reactor, Karlsruhe FR2, data acquisition 5=8295
  - for nuclear time of flight expts, store 5=8292
  - on-line, for low energy nuclear physics, review 5=10886
  - for on-line, small, review 5=10893
  - on-line system rel. to high energy scatt. expts. 5=8318
  - for particle accelerator, Chalk river tandem 5=8346
  - for particle accelerators, with feedback to accel. 5=8344
  - for pions, interactions, $\pi^- + p, \rightarrow p$ + heavy meson search 5=8443
  - printer, paper tape, for 100-channel A1-100 analyser 5=10928
  - for radioactivity meas., pulse height analyser with c. r. t. display 5=8573
  - for spark chamber, sonic buffer store 5=8331
  - and spectrophotometer i. r. absorption sensitivity improvement 5=14186

Calculating apparatus—contd
- **digital computers**—contd
  - statistics of many body problem calc. 5=66
  - 3nj coefficient calc. 5=13816
- **digital computer programmes**
  - astronomical rise and set of bodies, Algol calc. from posns. 5=15788
  - CDC 3600, Ar liquid atomic motion correl. simulation 5=1168
  - conduction and diffusion in biological systems, analysis 5=7897
  - crystal structure extraction from Patterson peaks by computer 5=9315
  - crystal surface and chemisorption electronic states 5=3929
  - crystal symmetry groups, 230, amplitude 5=9313
  - e.s.r. of radicals in amorphous solids, var. struct. tensors 5=7208
  - FORTRAN II, metallic thin films, Hall coeff., elec. cond., calc. 5=1603
  - gamma ray spectra analysis 5=8380
  - IBM 7090, PERSEUS, ARIADNE, CERBERUS 5=2865
  - for ion optics 5=8294
  - language, GAP, for criterion fulfillment 5=7742
  - MAFCO, mag. field code 5=2211
  - molecular stopping-power simulation 5=3081
  - neutron absorption chain member yield calc. program 5=5567
  - neutron diffraction crystallography 5=6444
  - for neutron scatt., Monte Carlo 5=8640
  - for nuclear physics angular distribution expt. analysis 5=14311
  - for nuclear physics, low energy, PHYLIS at Argonne 5=8290-1
  - for nuclear reactions, languages 5=8617
  - for nuclear reactor control, executive 5=8723
  - nuclear resonance analysis 5=8380
  - PIP2, for lattice cell thermal calcs. 5=2864
  - particle counting, conference, Washington, 1964 5=2506
  - for particle spectrometer data 5=8294
  - photographic emulsions, latent-image model 5=14363
  - planets photographic position 5=7633
  - preliminary orbits calc. 5=10229
  - programme temperature controllers, scribing cams 5=4853
  - radar echoes 5=13258
  - radiative heat transfer calcs. 5=7875
  - radioactivity chain member yield calc. program 5=5567
  - reflectivity, absorbing film on absorbing substrate 5=5076
  - refractive index, complex, from reflectance data 5=10703
  - spectrophotometry data conversion to CIE coordinates 5=14191
  - stars, evolution 5=7574-5
  - VTXFTN for spark chamber interaction vertices optimization 5=14362
  - for X-ray absorpt. meas. 5=5130
  - X-ray crystallog. refinement of atomic positions, scale and temp. factors 5=1338

Calculation
- See also Graphs; Nomograms.
- generating functions, numerical exact expansion 5=7736
- limiting problems approx. 5=7734
- nuclear data preparation for Monte-Carlo calcs. 5=8287
- period from obs. 5=7737
- potential, 2-dimensional fields continuation, extrapolation 5=7735
- primitive triplets generation, from $a^2 + b^2 = c^2$ 5=2026
- regression and correlation by least percentage squares 5=13828
- variational methods in elasticity, review 5=10228

Calculus. See Differential equations; Integrals; Mathematics.

Californium
- No entries

Californium compounds
- No entries

Calorimeters
- animal, time response improvement using compensated gradient method 5=2163
- for biological reaction obs. 5=7896
- differential thermoanalysis cell 5=2164
- laser-energy measuring calorimeters 5=14147
- micro-, for solids, 20°-1000°C 5=7895

Calorimeters—contd
- for nuclear reactor meas. of radiation induced power 5=11401
- for polymer solution transition meas., differential 5=11861
- Smith, thermal data evaluation 5=4857
- for solids, 5°-300°K, continuously 5=1417
- vacuum-jacketed, for heat of soln. in aq. HF 5=13991

Calorimetry
- See also Heat of adsorption, etc; Specific heat.
- adiabatic, Dauphinee thermocouple comparator circuit 5=13990
- biological systems, conduction and diffusion, computer analysis 5=7897
- bremsstrahlung energy meas. 10^{-5} W 5=10993
- dosimetry, electrons, 35 MeV 5=740
- electrical lead bonding to Ge, for high-temp. meas 5=10194
- glycerol glass as heat exchange medium, 1.5° to 4°K 5=6550
- liquids, absorbed radiation dose 5=14484
- macromolecules, cooperative transconformation, heat meas. 5=5919

Cameras
- high speed, DSL-1 5=10736
- image size adjustment 5=8154
- image tube, for plasma photography 5=5106
- Kerr cell type, exposure-limited applications 5=5104
- motion picture, raster, synchronizing and speed control systems 5=14214
- plastic replica washing 5=13791
- rotating mirror, maximizing exposure-limited resolution 5=5105
- scintillation, space resolution 5=8575
- for spark chamber, large-format with 10 m sec deadline 5=8332
- vidicon, direct-view scanning system for spark chambers 5=2541
- X-ray diffr., high temp. 5=3609
- X-ray single crystal oscillation 5=3611
- X-ray, Weissenberg, crystal alignment, graphical 5=6435
- for z-pinches, light distrib. study 5=11734

Candoluminescence. See Luminescence.

Capillarity
- See also Bubbles; Contact angle; Drops; Films/liquid; Foams; Surface tension.
- porous materials, hysteresis props. 5=11849

Capture cross-sections. See Nuclear reactions and subheadings.

Carbon
- See also Diamonds; Graphite.
- adsorption of H gas, n. m. r. study 5=6329
- arc, d. c., Cs line broadening 5=11655
- atom, electron scatt., elastic, phase shifts calc. 5=5796
- atomic orbitals, and aromatic mols. electron structure 5=11552
- blocks, fine particle diffraction pattern 5=9331
- in comets, C_2 Swan bands luminescence calc. 5=10176
- crystal growth in films on heating 5=12043
- diffusion in Ta, mobility, 873°-2873°K 5=3727
- diffusion, in W, at over 2000°C 5=3729
- e. s. r. electron delocalization study, pre-graphite 5=7217
- effect on activity coeff. of Si in Fe–C–Si 5=9092
- electron elastic scatt., calc. 5=920
- in α-Fe, energy and migration characteristics 5=1463
- fibres from polyacrylonitrile, elec. cond., magnetoresist., thermoelec. power meas., versus other C-types 5=1606
- films, penetration of Li ions 5=2234
- films, transmission characts. in vac. u.v. 5=7332
- glassy, density, elec. and thermal cond., elastic moduli rel. to heat treatment 5=9625
- "glassy", model for struct. 5=12073
- glassy, thermoelectric power at high temp. 5=4103
- granular aggregates, modulation efficiency, prod. process, mech. ageing effects 5=6842
- graphite, ablation in oxygen and air 5=13153
- graphitization, effect of gas phase 5=6290
- graphitized C black, heat of adsorption of n-butane 5=1285
- green rods, Eyring flow model appl. 5=15149
- impurities in Nb, mechanical twinning var. 5=15178
- pyrolytic carbons, deposited between 1100° and 1800°C, structural props. 5=6410
- pyrolytic, slightly orientated, deposition and props. 5=6411
- pyrolytic, structure 5=6409

Carbon—contd
- pyrolytic, struct. effect on mech. props. 5=6701
- pyrolytic, structure and formation from cyanogen 5=1328
- pyrolytic, vibrational amplitude of C atoms 5=6511
- resistance thermometers, low temp., calibration formulae 5=7891
- in Si, vibr. freq., 2nd harmonics, absorption spectra meas. method 5=13041
- stopping cross-section of H^+ and He^+ ions 5=12432
- stopping cross-sections for ions 5=12431
- solubility in liq. Ni—Cu and Ni—Sn at 1500°C, rel. to electron struct. 5=3307
- in V, energy and migration characteristics 5=1463
- X-ray absorpt. coeff. 5=9890
- X-ray charact. emission intensity calc. 5=9916
- C^{2+}, polarizabilities and shielding factors, Hartree—Fock approx. 5=5750
- C^{11} spectrum, h.f.s. of $^3P_2$, $^3P_1$ states by atomic beam mag. reson. 5=2721
- C^-, photodetachment, effect of continuous correl. 5=5789
- C^- valence state, pi-electron correl. 5=8749

Carbon compounds
- See also Organic compounds.
- carbides of W, Ti, Ta, Nb, corrosion in acids 5=1909
- carbon disulphide, stimulated emission of Raman radiation, onset threshold 5=3022
- carbonate and bicarbonate ions in aqueous solution, u.v. absorpt. 5=1186
- carbonyls, phosphorescence $(\pi^* \rightarrow n)$, intramol. heavy-atom effects 5=2989
- photoelectrets, internal field distrib. 5=3426
- C—transition metal interaction 5=1256
- CCl_4 acoustic dispersion, 3 Gc/s 5=9109
- CCl_4, Brillouin scatt. of light from ruby laser source 5=3339
- CCl_4, cavitated, oscillations in heating curves 5=11876
- CCl_4, compressibility meas. 5=9072
- CCl_4, electro-optical Kerr const. meas., high press. 5=9113
- CCl_4, electro-optical parameters and Raman spectra intensities calc. 5=8854
- CCl_4, flow in porous material with heptane 5=9075
- CCl_4 liquid, Rayleigh scatt., ang. depend. 5=11556
- CCl_4, Raman effect, reson. 5=11528
- CCl_4, Raman lines, depolarization 5=11527
- CCl_4, Raman scattering energy yield 5=11484
- CCl_4, Raman spectra, polarizability derivatives, meas. 5=964
- CCl_4, u.s. attenuation, optical meas. 5=1181
- CCl_4, vel. acoustic waves, 1-8 Mc/s 5=6171
- CCl_4, C_6H_{12} mixtures, significant structure theory 5=9087
- C_8Cs, superconductivity 5=15291
- CF_2, vibration amplitudes 5=5856
- $2CF_2 \rightarrow C_2F_4$, kinetics flash photolysis meas. 5=1896
- CF_4, Lorentz—Lorenz fn., liquid and gaseous refractive index meas., 0°C 5=3270
- CF_4, C_2F_6, CH_3F electro-optical calc. from i.r. spectra 5=11569
- CF_4, rotational mag. moments 5=2991
- C_8F_{12}, crystal structure, disordered, molecular configuration 5=12195
- CF_2N_2 flash photolysis in solid Ar matrix 5=1914
- C_8K, superconductivity 5=15291
- CN, B $^2\Sigma^+$ state, hyperfine structure 5=2952
- CN, microwave transitions between excited states 5=2951
- CN, optical absorpt. cross-section by δ-function, 6000°K 5=2950
- CN spectrum, oscillator strength and sun excitation temp. 5=7659
- $C_2N_2 + N_2O$ flame, spectroscopic source, CO, CN bands, spectral analysis 5=318
- CNO, NCN, CN_2 identification in flash photolysis 5=11603
- CO adsorbed on metal films rel. to H_2 5=3517
- CO, absorptance, temp. depend. 5=11503
- CO adsorption on Pt (100) face, low-energy electron diffraction study 5=3520
- CO, attachment coeffs, meas. 5=8945
- CO chemisorbed on W, isotopic mixing, kinetic study 5=10001
- CO, chemisorption on Nb 5=4394
- CO, desorption from W by electron impact 5=3509
- CO, electron impact spectrum 5=5849

Carbon compounds—contd
- CO, ionized, laser transitions, visible 5=10621
- CO, laser oscillation on $X^1\Sigma^+$ vib.—rot. transition 5=2286
- CO laser, pulsed, excitation mechanisms of population inversion 5=2288
- CO, luminescence, i.r., excited by active N 5=5840
- CO, mass 28 and 29, thermal diffusion column transport coeffs. 5=8781
- CO photodesorption from Fe, Ni, Zr 5=9251
- CO, vib. relax. by ortho- and para-hydrogen 5=946
- CO, E—X transition, u.v. absorpt. spectrum 5=11504
- CO, $X^1\Sigma^+ \rightarrow A^1\pi$ transition, intensity distrib., from electron impact 5=2953
- CO^+, electron partition functions calc. 5=959
- CO^+ excited ion break-up by electron impact, fragment k.e. 5=3125
- CO^{2+}—N_2 one and two-electron capture meas. 5=1052
- CO_2, absorpt. band correl. 5=11526
- CO_2, adsorption by ZnO, thermodynamics 5=13162
- CO_2, attachment coeffs, meas. 5=8945
- CO_2, band absorpt. and total emissivity 5=8827
- CO_2, crystal lattice l.f. vibr. calc. 5=3667
- $C^{14}O_2$ desorption from mica, rel. to temp. 5=12065
- CO_2 diffusion on $Al_2O_3.H_2O$ surface 5=6582
- CO_2 diffusivity in glycerine and Na salt of carboxy methyl cellulose solns. 5=6161
- CO_2, discharge striking 5=5941
- CO_2, with electron swarm, Townsend energy factor 5=8826
- CO_2, luminescence i.r., excited by active N 5=965
- CO_2, mol. collision cross-section and vibr. relax. 5=5857
- CO_2, photolysis, u.v., ^1D O atom reactions 5=7444
- CO_2, rot. relax. 5=2990
- CO_2, rotational mag. moments 5=2991
- CO_2, solid, absolute i.r. intensities and fundamental absorption bands 5=4302
- CO_2 solid, microstructure, fragmentation 5=14992
- CO_2 spectrum, 9.4μ, 10.4μ band intensities 5=2993
- CO_2, vac. u.v. photolysis, reactions of ^1D oxygen atoms 5=4408
- CO_2, C^+ ion prod. by electron bombardment, isotope effect var. with meas. method 5=5959
- CO_2 in He gas mixtures, molecular vibrs. 5=2994
- CO_2, N-activated, i.r. luminescence 5=11525
- CO_2—H_2O mixture, spectral emissivities, 2.7μ, 1000°-2200°K 5=8828
- CO_2—He, laser oscillations, 27 Mc/s 5=279
- CO_2—Ne, laser oscillations, 27 Mc/s 5=279
- CO_2^-, e.s.r. spectrum, in calcite 5=998
- CO_3^{2-}, Raman effect, reson. 5=11528
- C_3O_2 in different states, vibr. spectrum 5=2995
- C_3O_2, i.r. spectrum 5=8829
- C_8Rb, superconductivity 5=15291
- CS_2, i.r. and Raman spectra at 77°K 5=9897
- CS_2, induced laser absorption versus Raman scatt. 5=1184
- CS_2, light scatt, Brillouin, He—Ne maser source, meas. 5=1183
- CS_2 liquid, Faraday effect, He—Ne laser source, fields to 400 kOe, meas. method 5=15558
- CS_2 off-axis resonator, stimulated Brillouin scattering 5=14149=50
- CS_2, rotational mag. moments 5=2991
- CS_2, solid, black, high-press. prep. 5=6365
- CS_2, vibrational transitions 5=8853

Carcinotrons. See Electromagnetic oscillations; Electron tubes.

Carrier mobility. See Crystal electron states; Semiconducting materials; Semiconductors.

Carathéodory's principle. See Thermodynamics.

Catalysis
- See also Reaction kinetics.
- adsorbed monolayers, reaction rate 5=13160
- gas mixture, multicomponent, dissociated, boundary layer soln. 5=3261
- nickel-chromia, elec. props. and catalytic activity 5=1652
- γ-Al_2O_3, chemisorption of NH_3 effect 5=13166
- powders, activity and chemisorption effects 5=3450
- C catalyst, Pt active, poisoning with H_2 5=15625
- CH_4 and C_2H_6 reaction with active N, HCl catalysed 5=1899
- Fe carbide catalyst, structure 5=1373

Catalysis—contd
- H atom recombination by P strip, detection bolometer 5=2923
- Ni and Cu + Ni, chemisorbed gases, effect on o—pH, H_2—D_2 conversion 5=4396

Cataphoresis. See Electrophoresis.

Cathode-ray tubes. See Electron tubes.

Cathode rays. See Electron beams.

Cathodes
- See also Electron emission.
- dynodes, planar, in high-speed electron multiplier 5=2530
- hollow cathode effect 5=7050
- massive, X-ray photoemission energy struct. 5=15417
- porous, electron emission considerations 5=1709
- refractory cpds on metal backings (12) 5=7051
- AgMgOCs dynodes in photomultipliers, fatigue rel. to Cs uptake 5=4139
- Ag—O—Cs photocathodes, lifetime 5=15409
- Ag—O—Cs photocathode, optical and electronic props. 5=13074
- Al, galvanoluminesc. of oxide film, in diethylphthalate 5=7385
- K_2CsSb photocathode, structural and chemical analysis 5=9748
- W, carburized, thoriated, Th evaporation 5=11954
- W, evaporation rate 5=14886
- W, grain boundary 5=15103
- W, grain oriented thoriated 5=12844
- ZrC evaporation rate determ., 2300°—2500°K 5=3411

oxide
- reducing-agent impurities 5=1458

Cathodoluminescence. See Luminescence.

Causality. See Physics fundamentals.

Cavitation
- See also Vortices.
- erosion of metals and alloys by molten Pb 5=6745
- glycerine, oscillations in heating curves 5=11876
- liquid atomization in u. s. fountain 5=14824
- in liquids, book 5=3408
- u. s.—acoustic wave interaction, radiator voltage effect 5=3332
- ultrasonic, reduction of viscosity 5=6133
- water, degassed, u. s. effect on threshold 5=6136
- waves, tension, onset obs. 5=9076
- CCl_4, oscillations in heating curves 5=11876
- H_2O, laser prod. 5=9111
- H_2O, oscillations in heating curves 5=11876
- U, mechanical, swelling 5=15193

Cavity resonators. See Electromagnetic oscillations; Resonators, acoustic.

Celestial mechanics
- annual aberrations of stars, relativisitc corrections 5=13700
- conducting medium gravitational instability, Hall current effects 5=10118
- convection conditions for atmosphere with gravitational separation 5=4540
- earth—moon system, motion calc., past and future 5=15835
- equation averaging methods 5=13693
- equations, new solution methods 5=4545
- expanding universe body energy local effects 5=13672
- fluid rotation and tidal action distortions 5=13695
- general relativity Kerr metric orbits 5=13871
- globular cluster orbits and third integral 5=13724
- gravitational collapse and elec. charge 5=10117
- Jacobi ellipsoid instability initial motion 5=10119
- locating celestial objects 5=15782
- moon—earth system and tidal dissipation 5=13228
- nebula, gravitational instability, isothermal stratified, calc. 5=13690
- oscillations of rotating gaseous mass, variational eqn. 5=4541
- planet orbits, stellar encounter effects 5=15783
- polytropic and isothermal cylinders, equilibrium 5=4542
- preliminary orbits calc. 5=10229
- quasars, oscillations 5=7616
- review of Moscow university 1957-62 work 5=13652
- satellite orbit inclination for oblate precessing planet 5=10120
- satellite, stability of regular precession 5=7554

Celestial mechanics—contd
- satellites, artificial, J_{22}, J_3 perturbations appl. to Izsak—Borchers relations 5=13649
- self-gravitating rings, equilibrium 5=4543
- solar system boundaries for comets in galactic field 5=4620
- star galactic orbits centre distance—longitude reln. 5=15818
- "third" integral in non-smooth potentials 5=4544
- three body problem, inclusion of extra forces 5=13834
- 3-body problem, restricted, fragment dispersion 5=13698
- 2 attracting spheroidal bodies, translational rotational motion 5=13694
- two-body problem, completely general closed solutions 5=13833

Cell model. See Liquids, theory.

Centrifuges
- concentration errors 5=3378-9
- crystal cutting method 5=6399
- for macromolecule study, Archibald, review 5=14680

Ceramics
- betatron use 5=10966
- celsian pyroceramic, permittivity and tan δ 5=12790
- ferroelectric, dielectric and piezoelec. props. rel. to stress 5=15383
- glass, microstruct. and mech. strength, transparency, and dielec. props. 5=9551
- magnetic, conference, London (1963) 5=15459
- props. survey 5=4695
- pyroceramics, with Ti dioxide, structure 5=15020
- vacuum out-gas mass spectrometry 5=14822
- Al_2O_3 high content bodies, dielectric losses, secondary crystal phase effects 5=6997
- Pb zirconate titanate, Nb-modified, precipitation of ZrO_2 5=1271
- V, from heating at low air press., structures 5=12236
- VK-3, lattice structure, electric field strength effect 5=12237

Cerenkov radiation. See Cherenkov radiation.

Cerium
- compressibility to 30 000 kg cm^{-2} 5=15154
- e.s.r. linewidth in $La_2Mg_3(NO_3)_{12}.24\ H_2O$ 5=7215
- fusion curve, f. c. c.—b. c. c. and γ—α transformations 5=6212
- L_{III} X-ray spectra 5=7345
- spectrum, Ce III 5=5756
- in CaF_2, Zeeman effect meas. 5=13042
- α-Ce, superconductivity, search 5=12673
- Ce^{3+}, e. s. r. in SrF_2 and BaF_2 5=12973

Cerium compounds
- stilbellite, CeBO $[SiO_4]$ crystal struct, atomic 5=12196
- Ce ethyl sulphate, sp. ht. rel. to Schottky anomaly 5=6547
- $CeAlO_3$, dielec. props. and elec. cond. 5=15386
- $CeCl_3$, magnetic transitions, < 2.2°K 5=7141
- CeF_2, ferromagnetic properties 5=1739
- CeO_2, microstructure obs. sintering and etching prep. 5=6265
- Ce—Pu—Co, crystal structure of phase C 5=1365

Cermets. See Ceramics; Metals.

Change of state. See Boiling; Condensation; Freezing; Melting; Phase transformations; Sublimation; Vaporization.

Characteristic temperature. See Specific heat.

Charge. See Electric charge.

Charge carriers. See Crystal electron states; Semiconducting materials; Semiconductors.

Charge exchange. See Collision processes; Ionization/gases.

Chemical analysis
- See also Spectrochemical analysis.
- alkali halides, impurities det. 5=15634
- gas, adsorption method 5=15636
- gas mixture, n.m.r. meas. 5=8883
- hematite, identification by mag. low temp. remanence 5=12926
- magnetite, identification by mag. low temp. remanence 5=12926
- by n. m. r. filling factor, circuit and h. f. stable oscillator 5=259
- solar atmosphere, comparison of methods, rel. abundance of Ca, Fe and Ti calc. 5=4671
- γ Al_2O_3, gravimetric and i. r. study of surface hydration 5=13164
- K_2O—V_2O_5, 6 phases 5=13066

Chemical analysis—contd
- Ti—V—H alloys, H-content of Ti hydride, proton mag. reson. determ. 5=3646
- **adsorption**
  - See also Chromatography.
  - chemisorption detector 5=7456
- **electrochemical**
  - No entries
- **by mass spectrometry**
  - See also Mass spectrometers/applications.
  - errors in isotopic dilution analysis 5=13179
  - ions, ideal spectrometer 5=6119
  - on nuclear reactions with n or p 5=5729
  - relative sensitivities of elements for spark source 5=15631
  - NH_4ClO_4, thermal decomposition dissoc., 120 to 200°C 5=4386
- **by nuclear reactions**
  - due to n or p, and mass spectroscopy 5=5729
  - In, photoactivation 5=5540
  - U, by fission delayed n 5=7454
- **radioactive**
  - See also Radiochemistry.
  - by α—γ coincidences 5=13186
  - fallout dust, by γ-spectra, and Ru^{103} missing 5=13185
  - Li^6, by (n, α)H^3 reaction in LiF, melting 5=653
- **X-ray**
  - See also X-ray examination.
  - conference, Denver (1964) 5=2363
  - demountable tube appl. 5=4426
  - electron probe microanalysis, conference 5=7451
  - electron probe, storage oscilloscope scanning 5=7453
  - emission, absolute, eqn. 5=4419
  - emission, var. of line posn. with temp. 5=5129
  - fluorescence analysis with radionuclide γ-sources and scintillation spectrometer 5=15632
  - fluorescence effects 5=7452
  - fluorescence, and selective excitation calc. 5=15633
  - light elements with electron microprobe 5=4424
  - macroprobe attachment 5=4420
  - macroprobe attachment, emission 5=4422
  - macroprobe for soft X-ray diffr. 5=3581
  - microprobe variation of emission with accel. voltage 5=4425
  - moon, soft-landing equipment 5=4629
  - probe slit improvement 5=4421
  - specimen in electron microscope, during structure examination 5=4427
  - ultra-soft techniques 5=4423
  - CdS—CdSe, homogeneity, Se content 5=3440
  - Fe—Cr fluorescence effects 5=7452
  - Ti—V—H alloys 5=3646
  - ZnTe—HgTe solid solutions, continuous series 5=3443

Chemical effects of radiations
- See also Nuclear reactions/chemical effects; Photochemistry.
- condensed systems at room temp.,electron-neutralization times 5=1884
- methane, radiolysis 5=10030
- and neutron absorpt. in probes 5=8433
- H_2 formation in irrad. water, H/D effect rel. to LET 5=10024
- **acoustic waves**
  - No entries
- **ionizing radiations**
  - aliphatic alcohols, solvated electron, absorpt. spectra and radiation chemical yields 5=10028
  - alkali hydroxide soln., frozen, colour centres, γ ray prod. 5=9494
  - alkaline solns., radiolysis mechanism 5=4416
  - alkylbenzenes, γ-irrad., intermolecular and intramolecular energy transfer 5=10031
  - cyclohexane—cyclohexane-1-C^{14}, radiolysis 5=1916
  - e. s. r. difference spectra meas., 77°K 5=253
  - ethane radiolysis, effect of elec. field and density 5=7448
  - ice, alkaline, colour centre prod. by γ rays 5=9494
  - methane, radiolysis, direct and inert-gas sensitized, in solid state 5=10026
  - methyl bromide γ-radiolysis at 77°K 5=13176
  - n-pentane, elec. fields effects 5=4414
  - polypropylene, mol. wt., γ, e effects 5=3875

Chemical effects of radiations—contd
- **ionizing radiations**—contd
  - polythene and styrene, craft copolymerization ageing after electron irrad. 5=54415
  - radiolysis of aq. solns. at high intensity 5=1915
  - radiolysis induced by electrons 5=10027
  - solutions, γ-irrad., H_2O_2, Fe^{2+}, H_3O^+, Fe^{3+} and O_2 conc., spectrochem. meas. method 5=7450
  - Be_2 Ne_2C and BeO, electron irrad., re-formation of Be 5=10025
  - H_2O, H_3O as precursor of H_2 5=13177
  - H_2O, hydrated electron, reactions and props., radiolysis prod. 5=6146
  - H_2O and N_2O frozen solns. of NaOH, KOH, H_2SO_4, H and solvated e prod. by X-rays, e. s. r. obs. 5=4417
  - KNO_3, optical props. of radiolytic fragments 5=4315
  - $LiBrO_3$ radiolysis by Li^6 particles 5=7446
  - N-alkylureas, and e. s. r. spectra 5=4413
  - $(NH_4)_2SO_4$, radiolysis 5=10029
  - Na formate, free radical prod., e.s.r. obs. 5=8881
  - $NaNO_3$, optical props. of radiolytic fragments 5=4315
  - Na_2SO_4, radiolysis 5=10029
  - O_3 formation from O_2 5=7447

Chemical exchanges. See Exchanges, chemical.

Chemical reactions
- See also Exchanges, chemical; Heat of formation; Heat of reaction; Oxidation; Photochemistry; Polymerization; Reaction kinetics.
- acetylene formation by C + H 5=7429
- acetylene—O_2 reaction, in shock waves 5=10010
- alkyl halides, thermal decomposition by shock-tube method 5=4387
- aromatic hydrocarbon solns. electroluminescence 5=1189
- in atmosphere, conference 5=7502
- atmosphere, upper, with charged particles 5=7503
- atoms and molecules 5=11404
- chemiluminescent, in flow systems, study using photomultiplier 5=7062
- dichlorodimethylsilane and nonamethylcyclotrisilazane, equilibrium 5=4376
- dimethyl hydrazine with diborane 5=11563
- hydrated electron, with irrad. H_2O, inorg. ions and org. mols. 5=6146
- intermolecular proton transfer reactions 5=10009
- methane, ionic reactions 5=10030
- molec., and photochemistry 5=11404
- molecular beam obs. (crossed beams), review 5=7420
- nightglow 5=7512
- with muonium, rate const. and other parameters 5=1898
- powder versus bulk activity, meas. methods 5=3450
- propane, ionic reactions, secondary spectra 5=15615
- propane, ion–molecule reactions 5=3136
- quinol—quinone equilibrium, tautomeric, fluorescence investigation 5=10000
- ultrasonically induced, with Br catalyst 5=15624
- variational theory extensions 5=13147
- wüstite, reduction in mixtures 5=12326
- Ag, reversible chemisorption of S 5=15621-2
- Ag tarnishing by H_2S rel. to surface structure 5=9267
- CH_4 and C_2H_6 with active N, HCl catalysed 5=1899
- CaC_2O_4 hydrates, thermolysis, 25°-1000°C 5=13156
- Cl-atom recombination, luminescence 5=1903
- $2FeCl_3 \rightleftharpoons FeCl_2^+ + FeCl_4^-$ in pyridine, thermodynamics 5=11912
- Ga and its cpds. 5=1219
- GaAs, thermal decomposition, crystal face orientation, surface effects 5=7416
- Ge, chemisorption of O_2 and NH_3 5=4027
- $H + Cl_2 \rightarrow HCl + Cl$, distrib. bet. vibr. excited HCl states, i. r. emission obs. 5=1901
- $H + Cl_2 \rightarrow HCl + Cl$, vibr. HCl ground state amount, i. r. self-absorpt. obs. 5=1902
- $H + H_2$, potential energy surface 5=3000-1
- He^+ loss, with N_2 and O_2, ionosphere appl. 5=7525
- K + HBr reaction, internal energy of reaction products 5=13154
- KBr doped with KNO_3, OH^- prod. by H reduction 5=15614
- KCl doped with KNO_3, OH^- prod. by H reduction 5=15614
- $Mn(NO_3)_2$ decomposition in different atmospheres 5=7423
- NH_2 radicals, recombination and disproportionation 5=742
- NH_3, formation of NH by shock heating 5=3069

Chemical reactions—contd
- NH_4ClO_4, thermal decomposition, mass spectrometric study 5=4386
- N_2O_3 involved, isotopic exchange, calc. 5=4377
- $NeAr^+ + Ar \rightarrow Ne + Ar_2^+$ 5=8956
- Ni surface area changes after gas chemisorption 5=13161
- NO $C^2\pi$ ($\nu = 0$) luminescence 5=7424
- O excited singlet atoms, with propane 5=2909
- O_2 $A^3\Sigma_u^+$, and formation, spectrum 5=7427
- O_2 $^1\Delta_g$ and $^1\Sigma^+_g$ 5=7425
- O_3 chemical formation in elec. discharged O_2, mass spectra obs. 5=7418
- $O(^1D)$ in atmosphere, 10-240 km 5=7506
- $O(^1D) + N_2(X^1\Sigma_g^+) \rightarrow N_2O^*(X^1\Sigma_g^+)$ in atmosphere 5=1935
- $O(^1D) + O_2(X^3\Sigma_g^-) \rightarrow O_3^*$ (triplet) 5=1935
- OH radical, with aromatic mols., rate constants 5=4381
- O + NO luminescence, press. var., upper atmosphere conditions 5=7426
- O—NO recombination spectrum 5=10008
- (P_4 + O), vibr. and rotation spectra obs. 5=960
- Si (111) surfaces, with Al and In 5=4395
- $UO_{2\pm x}$ heating U loss, in O, 1100-2200°C 5=11946
- Y—Cl surface reaction 5=1905

Chemical structure
- See also Bonds.
- aliphatic and aromatic amines and amides, n.m.r. meas. 5=5910
- monohydrates of HNO_3, $HClO_4$ and H_2SO_4 5=1845
- NbF_5 solutions, Nb^{93} n. m. r. obs. 5=11914
- SbF_5 solutions, $Sb^{121,123}$ n. m. r. obs. 5=11914
- TaF_5 solutions, Ta^{181} n. m. r. obs. 5=11914
- VF_5 solutions, V^{51} n. m. r. obs. 5=11914

Chemical technology
- PbTe polish 5=13795

Chemiluminescence. See Chemical reactions; Luminescence.

Chemisorption. See Chemical reactions; Sorption.

Cherenkov radiation
- See also Counters/Cherenkov; Electrons/radiation.
- from confined sources in anisotropic regions, refractive index diagram method calc. 5=10226
- for cosmic ray dose meas., by water detector 5=8578
- crystals, chanelling energy loss, continuum model calc. 5=9504
- crystals, uniaxial, var. with electron angle 5=10995
- electron beam 5=10530
- and electron beam, modulated, leaky space charge waves 5=14397
- from extended charge structures, phenomenological theory 5=10996
- image intensifier system 5=5284
- magnetoacoustic waves from extended sources 5=14094
- negative absorp. in electron stream, rel. to plasma longit. wave amplification 5=8999
- and particle beam energy meas. 5=10487
- π, by N—N interaction 5=11077
- in plasma 5=3158
- in plasma 5=11696
- rings, P. 829 light amplifier study, photographic results 5=2231
- source symmetry influence 5=10997
- theory, from new moving charge field calc. 5=5314
- Vavilov—Cherenkov, hard emission possibility 5=10998

Chirality. See Elementary particles; Field theory, quantum.

Chlorine
- atomic mag. moment calc. 5=5757
- atomic recombination three-body reaction rates 5=1894
- ions in various solvents, u. v. spectra 5=1188
- reaction with Y surface 5=1905
- solid, interatomic distances 5=12197
- Cl^-, photodetachment curves 5=11665
- Cl_2, absorpt. coeffs., continuous 5=8808
- Cl^{35} in dichloropyridine, n.q.r. Zeeman effect 5=7291
- Cl^{35} hyperfine coupling to electron in $SiCl_3$, e. s. r. obs. 5=9838
- Cl^{35} in paradichlorobenzene, n.q.r. 5=8889
- $Cl^{35,37}$, atomic mass 5=8780

Chlorine compounds
- chlorates, aqueous solutions, u. v. absorption 5=6187
- ClF_3, molecules, vibr. amplitude at 300°K 5=11544
- Cl—O—Cl group vibrs. and bond stretching consts. 5=3010
- Cl_2O, i.r. spectrum and vibr. assignment 5=11529
- HCl and KCl solns., heat of mixing 5=11879

Chromatic aberration. See Aberrations, optical.

Chromatography
- See also Adsorption; Chemical analysis/adsorption.
- amino acids, automatic optical density integrator 5=13184
- column, pressure-regulating device 5=15635
- gas, use of simple injection port and column holder 5=7455

Chromosphere. See Sun.

Chromium
- antiferromagnetic transition temp., effect of press. 5=12958
- atoms, arc lines, absolute oscillator strengths meas. 5=8757
- crystal struct atomic, charge distrib., X-ray scatt. obs. 5=12205
- deformed and recovered, disloc. substructs. 5=9465
- diffusion in Fe, Fe—Mo, Fe—W, 1200°-1250°C mechanism 5=3718
- e. s. r. of Cr^{3+} in Al_2O_3, Zeeman effect obs. 5=9840
- e. s.r., in ruby and potassium alum 5=12976
- elasticity and damping, interstitial solute effects near Néel temp. 5=3838
- films on W electron secondary emission, elastic refl., surface effects 5=7065
- foils, transverse magnetoresistance 5=9626
- internal friction, near Néel temp. 5=9536
- ions, Cr^{3+}, in MgO, e. s. r. absorption spectrum, isotopic shift 5=4235
- ions, Cr^{3+}, in Mg WO_4 and $ZnWO_4$, spin—lattice relax. 5=1794
- ions, Cr^{5+}, e. s. r. in $CaWO_4$, saturation effects 5=4234
- isotopes, foil preparation 5=12044
- isotopes, targets for nuclear investigations, production 5=2708
- liquid, surface tension 5=3321
- magnetic scatt. of neutrons 5=15473
- molecular dissociation energy 5=3074
- n.m.r. of Cr^{53} in Cr_2O_3, antiferromag., and coupling consts. 5=13000
- Néel temp., pressure effect 5=7181
- nuclear specific heat, effective mag. fields on nuclei 5=1773
- (100) crystal, cleaning methods, gas adsorption and corrosion characts. 5=3515
- self-diffusion of Fe^{55}, various comparisons 5=3713
- stopping cross-section of He^+ ions 5=12432
- in sulphate, borate glasses, e. s. r. absorption line g-values meas. 5=15494
- whiskers, surface structure and properties 5=1329
- X-ray charact. emission intensity calc. 5=9916
- Cr^{3+} in β-Ga_2O_3, optical and microwave props. 5=9905
- Cr^{3+}, e.p.r. in ScF_3, spectrum 5=1795
- Cr^{3+} e. s. r., in $CdWO_4$ 5=12975
- Cr^{3+}, e. s. r. in $ZnAl_2O_4$ spinel, synthetic 5=15492
- in $MgAl_2O_4$ spinel, optical spectrum, meas. versus theory 5=13043

Chromium compounds
- chrome alum, crystal field strength parameter 10 Dq calc. 5=11971
- colour, thermochromy and piezochromy 5=4303
- refractory cpds, electron structure from X-ray spectra 5=15231
- Cr chrysoberyl, mag. props. 5=4216
- Cr—As system, phase diagram, 500°-3000° 5=12000
- $CrBr_3$, ferromagnetism and anisotropy 5=1740
- $CrCl_3$, antiferro. and ferro. sublattice magnetization, spin-wave analysis 5=7182
- $[Cr(CN)_6]^{3-}$, e. s. r. in $K_3Co(CN)_6$, and bonding 5=3416
- Cr—Cu alloy Hidurel-6, thermal and elec. cond. 5=1430
- $[CrF_6]^{3-}$, bonds calc. 5=3416
- Cr—Fe, electronic specific heat and saturation magnetization 5=6546
- Cr—Fe, self-diffusion of Fe^{55} and Cr^{51}, various comparisons 5=3713
- $Cr_{88}Fe_{15}$, discontinuites in magnetization below 1°K 5=15472
- CrH, paramag., susceptibility var. with temp., 80° to 400°K 5=7091
- Cr—Mn alloys, mean mag. moments 5=9820
- Cr—Mn, antiferromagnetic props. 5=4217
- $Cr(NO_3)_3$ solns., nuclear mag. relax. of p, d, 0. 1-160 Mc/s 5=9160
- 10% Cr—Ni, oxidation, effect of Si 5=13151

Chromium compounds—contd
- CrO spectrum, Franck—Condon factors, r-centroids, rel. to astrophysics, calc. 5=947
- $[CrOCl_n]^{-(n-3)}$, e. s. r., h. f. s. and g-factor components 5=9839
- Cr_2O_3, effect of elec. and mag. fields on mag. props. 5=12728
- Cr_2O_3, magnetic structure 5=7146
- Cr_2O_3, magnetoelectric annealing 5=9702
- $4Cr_{15}O_{12}$, crystal. struct., atomic 5=1366
- $12CrO_5$ or $8Cr_3O_8$, crystal. struct., atomic 5=1366
- CrO_3 Li doped, Cr^{3+} e. s. r. fine struct., Li conc., excess O effects 5=15491
- $Cr_2^{53}O_3$, n. m. r. and coupling consts. 5=13000
- CrRe, crystal struct., atomic ordering 5=3635
- Cr—Rh [Ru, Re, Os] alloys, mag. susceptibilities 5=9791
- CrS, mag. props., neutron diffraction studies 5=7121
- Cr_2Ta, phase transform., C15 to C14 5=6287
- Cr—1% V antiferromag. props. neutron diffraction study 5=9821
- Cr—W—C system, structure 5=1250
- $Cr_3X_4(X = S, Se, Te)$, magnetic structures 5=7122
- Cr—Zr—O, phase diagrams, at 1200°, 1500° and 1700°C 5=6286
- Fe-Cr dilute alloys, mag. props 5=7082

Chronographs. See Time measurement.

Cinematography
- See also Cameras.
- auroral form vars. 5=13377
- high-speed, of nsec exposure 5=5103
- photomicrography with electronic flash 5=5101

Circuits
- See also Amplifiers; Counting circuits.
- a.c., applic. of Lagrangian formalism extension to convolution products 5=7716
- a.c. overload voltage indicator 5=4876
- amplifier, d. c. measuring 5=14008
- amplifier, transistor biased, using current switching techniques 5=14025
- amplifier, for scanning spectrometers 5=8121
- analogue computer, square-law multiplier 5=4722
- analogue to digital converters, fast, review 5=10420
- analogue, elec., of piezoelec. transducer 5=2110
- analyser, 100 channel A1-100, paper tape digital printer 5=10928
- analysers, fixed wire multichannel, review 5=10925
- autodyne stabilization 5=15513
- automatic gain control for photomultipliers 5=1714
- beta ray spectrometer magnetic field regulator 5=557
- for cameras, motion picture, raster, synchronizing and speed control systems 5=14214
- Cockroft—Walton 250 kV voltage multiplier, with small Se rectifiers and h. f. power input 5=14039
- commutator, electronic, 4-channel 5=14026
- commutator switch, transistorized 5=10426
- component reliability by redundancy method 5=4871
- conference, Monterrey (1964) 5=4701
- contactor pin design for vel. meas. 5=7833
- control and protection systems for MURA electron accelerator 5=532
- for counter, scintillation, gain stabilizer 5=10903
- current discriminators, tunnel diode 5=10434
- currents, 5×10^{-17} to 2×10^{-7}, voltages 0. 02 to 200 mV meas. instrument 5=14007
- decade divider, inductive, low output impedance 5=4877
- decay rate meas. of l. f. signal 5=193
- dielec. const. meas. in 3 cm wavelength band 5=14016
- diffusion pump N traps, automatic regulation 5=14820
- digital time-interval analyser 5=13809
- dummy load, 200 kW, adjustable 5=14044
- e. m. induced forces, meas. recording electrometer 5=14015
- e. s. r. spectrometer, microwave circuit design 5=4976
- electrometer, tandel, bridge connection and props. 5=4879
- electrometer, tandels in bridge cct. 5=4878
- electronic servo for synchrotron injection time control 5=535
- electronic timer, stability improvement 5=10427
- electronic voltage regulator 5=10428
- field emission techniques, semipop. review 5=4128
- filters, bandwidth calc. 5=4882
- flexible board for demonstrations 5=7909

Circuits—contd
- Fourier analyser 5=7740
- four-terminal network, optical system simulation 5=10708
- fuse, accurate 5=4881
- γ spectrometer stabilization by variable reactance gain control 5=14395
- gas analyser, i. r., using transistors 5=4418
- gate, linear 5=7917
- gated integrator for repetitive signals 5=2195
- generator, electrostatic, recharging, model 5=14040
- Hall effect (multiplier for pulsed operation) 5=2192
- harmonic analyser for tunnel, pt. contact diode 1st, 2nd derivatives of I—V characts. 5=4873
- high-voltage nanosecond pulses, single, generator 5=10414
- impulse generator, high precision 5=10444
- ion burst generation, bunching and chopping system 5=7973
- for linearising sawtooth generator output, transistorised 5=2189
- log nanoammeter 5=7916
- long time interval generator, and precision timer 5=14034
- for low impedance loads, const. magnitude variable phase circuits 5=191
- low-noise receiver for solar radioastronomy 5=7690
- mag. field generation, pulsed, long-duration 5=14055
- Mössbauer expt. drive and waveform generator using multichannel analyser 5=8520
- multichannel analysers with magnetic storage 5=10926
- neutron spectra meas., time of flight module for analyser 5=14420
- nonlinear network for operation of inductive transducers 5=14023
- nonlinear systems, graphical analysis 5=4872
- non-linearities, dead-zone and saturation, signal transmission, rel. to analogue components 5=4880
- oscillator, h. f. stable, for n. m. r. filling factor meas. 5=259
- oscillator, high stability transistorized 5=10525
- oscillator, semicond. tunnel diode, power, with Hall isolator 5=10433
- oscillator, transistor blocking, theory 5=10423
- oscillograph, high-vel., using travelling wave cathode ray tubes 5=14027
- oscilloscope, sampling 5=10418
- Parseval's theorem applications 5=10214
- passive polyphase systems, with symmetry conservation 5=4875
- phantastron, with high linear characteristic 5=14028
- phase sensitive E—I recorder, mag. reson. exptl. use 5=252
- phase-shifting, continuous between 0° and 360° 5=192
- photolysis flash apparatus 5=4405
- photomultiplier dynode pulses, linear gate and stretcher 5=2196
- power stabilizer for electron-bombardment heating 5=1042
- power supplies for magnets of MURA electron accelerator 5=522
- power supplies, stabilized, low-voltage 5=10452
- preamplifier, low-noise, charge sensitive, for semicond. detectors 5=8315
- printed, applied to mag. thin films for memory elements 5=10471
- pulse divider, analog, high speed, back to back diodes 5=4883
- pulse generator, bipolar for ferroelec. crystal investig. 5=10443
- pulse generator for driving GaAs laser at room temp 5=8062
- pulse generator as frequency divider 5=10438
- pulse generator, high-voltage nanosec. 5=10439
- pulse generator for large amplitude square pulses 5=10437
- pulse generator, for n.m.r. experiments 5=8030
- pulse generator, nanosec., super h. f. 5=10442
- pulse generator for spin echo obs. 5=14134
- pulse generator, subnanosec. risetime multi-kV 5=14029
- pulse generator, triple 5=14032
- pulse generator, tunnel diode 5=10441
- pulse modulators, h.f., for accelerators 5=10949

Circuits — contd
pulse shaper for variable load 5=10440
pulse time and amplitude paper tape print out 5=10927
pulsers, high speed, non-periodic 5=10424
pulses, short, formation, by twinned transmission lines 5=14030
pulses, short, ultra-low freq. generator 5=14033
pulsing system for spark chamber 5=513
quenching, for self-quenched Geiger–Müller counters 5=8309
RC filtering and integration, optimum, for sequential d.c. signal meas. 5=2194
R-C, in metal film elec. cond. meas. 5=3966
r. f. acceleration system for MURA electron accelerator 5=531
radio, high-speed, adjustment by short pulse sources 5=14031
reactor, series-connected saturable, feedback charge control 5=14565
recorder for impulse response of linear systems 5=4884
resistance, elec., lattice random walk soln. 5=2193
resistance network analogue of square core nuclear reactors, neutron distrib., flux calc. 5=5708
resonator with rectangular hysteresis equivalent 5=10422
retrieval of μsec signals from noise 5=14019
scintillation counter, balloon-borne, pulse height telemetry 5=2695
signals and information communication, time-varying, approximation methods 5=2190
solar cells current–voltage recording by artificial light 5=7044
stabilizer, transistorized emission for ion gauges and r. f.
stroboscope lamps, pulse operated, supply system 5=14183
switches, transient-free tone-burst 5=2191
temperature controller, high precision 5=2161
10^{-14}A current meas. apparatus, using S-95 electrostatic voltmeter 5=14011
thermocouple comparator circuit 5=13990
for time interval meas. in nuclear physics 5=10892
transformer, 3 phase rotating field, for current matching 5=10421
transistor integrator, temp. compensation 5=190
transistor, temp. stability calc. by equiv. 5=4874
velocity, of surfaces instantaneous recording, data transmitter 5=13811
vibroscope meter read-out 5=7821
vocoder, 10-spectrum-channel, freq. multiplex system 5=2134
voltage pulsation suppression 5=10450
voltage regulator for autotransformer 5=14043
voltage regulator, low noise transitorized, fast recovery, for W lamps 5=7918
voltage stabilizer, gas-discharge 5=10436
voltages, impulse meas., by toroidal compensating coil 5=14009
wave analyser, semiconductor magnetoresistance 5=14024
X-band freq. stabilizing system 5=7919
X-ray dosemeter 5=10999
Si controlled-rectifier, time-delay 5=6978

Clay
bentonite solutions, light scatt. in elec. field 5=9112
kaolin, adsorpt. of polyacrylamide and cation-active hydrophobic material 5=6333
kaolin, with and without ZnO, semiconducting nature 5=1651
kaolin–quartz–felspar, softening under load and sintering 5=12513

Cleavage. See Crystals/faces; Fracture.
Clebsch–Gordan coefficients. See Field theory, quantum; Nucleus/theory; Quantum theory.
Climatology. See Meteorology.
Clock paradox. See Relativity.
Clocks. See Time measurement.

Cloud chambers
condensation nucleation rate meas. 5=9186
He filled diffusion chamber, low press. 5=2539
Wilson expansion, origin and elimination of background cloud 5=2538

Clouds
aerosol distrib. in lower atm., meas. by light scatt. 5=7479
and atmosphere heat exchange 5=13242
bright band microstructure obs., 5=13265
charge separation 5=10067

Clouds—contd
coagulation kinetic equn. soln. 5=15662
convection and microstructure parameters 5=13263
cumulus, model, stationary, with evaporation 5=13260
development dependence on heat radiation 5=13262
drop coagulation, electric charging 5=13268
droplet coalescence, statistical effects in distribution 5=4468
droplet collisions 5=4467
dust, deposition under cross winds 5=13257
echo top max, rel. to atmospheric stability 5=15658
exclusion limits, from vapour press. 5=13264
fallout contrib. in rain 5=10079
forbidden regions in planetary atmospheres 5=13267
heat conduction and moisture exchange 5=1932
heat and moisture transfer effects on development 5=13262
humidity and temp. eqns 5=4454
intergalactic obscurations 5=4611
latitudinal distrib., Tiros III obs. 5=13266
Martian, yellow, and wind vel. 5=15839
monsoon, formation rel. to tropospheric interactions 5=7477
noctilucent, origin 5=7485
noctilucent in Southern hemisphere 5=4480
observed by satellite, artificial, Tiros 5=13639
particle trapping, exper. analogue 5=15665
perspective, seen from space vehicles 5=13261
and surface temp. and tropopause press. 5=1921
upper boundary theory 5=10073
Venus, origin 5=7642
water from rockets in upper atmosphere, 5=13325

Clusins–Dickel columns. See Isotope separation.

Coal
Faulquemont, pyrolysed at series of temps., n. m. r. 5=7275

Cobalt
addition effect on recrystallization of zone-melted Fe 5=6374
α–β phase transformation, 400°C 5=1265
atoms, arc lines, absolute oscillator strengths meas. 5=8757
creep, transitions, 450-750°C 5=9537
crystal stacking faults, n. m. r., electron mic. obs. 5=9487
diffusion in InSb 5=15074
diffusion of Fe^{59}, in grain boundaries, porous and solid 5=6584
domain structure, specific features 5=7119
electrodiffusion, in liquid Sn 5=3323
ferromagnetic, atomic nuclei, mag. fields 5=12920
films, β-phase increase, 200°-470°C 5=6321
films, β-phase, magnetic anisotropy 5=7118
films, c. p. h.→ f.c.c. transformation 5=1264
films, Kerr magneto-optic effect 5=1839
films, magnetic domain edge flux closure rel. to electron microscope images 5=9784
films, non-coherent magnetization reversal 5=12910
magnetic anisotropy due to Co^{2+} in K$_2$CoF$_4$ 5=9770
magnetic films with stripe domains, relax. phenomena 5=9801
magnetocrystalline anisotropy, effect of press. 5=7117
molecular dissociation energy 5=3074
n. m. r., dilute in Fe 5=9862
n. m. r. in ferromag. Co alloys, l. f. satellite lines 5=15519
n. m. r. in sheets and powders 5=9861
n. m. r., shielding in K$_3$Co^{59}(CN)$_6$, isotope shifts calc. 5=9865
neutron total reflection 5=5359
optical consts., 2. 5-20μ, room temp. meas. 5=7369
paramagnetism, temp. var., just above Curie temp. 5=12876
phase transform., allotropic, stress effects 5=6281
sintered, self-diffusion, grain boundary var. 5=15068
spin rotation in hexagonal Co 5=7116
Co^{59} n.m.r., finely powdered, pressure, temp. var. 5=1814
Co^{2+} interstitial in KCl, absorption spectrum 5=13044
Co^{2+}, in Cs$_3$CoCl$_5$, e. s. r., zero field splitting 5=7218

Cobalt compounds
intermetallic, order, n. m. r. obs. 5=9859
salts, magnetic rotary dispersion 5=7311
[(C$_2$H$_5$O)$_2$PS$_2$]$_3$Co, e. s. r. of Cr 5=7219
Co alloys with Nd, Eu and Gd, Co^{59} n. m. r. 5=7276
Co fluosilicate . 6H$_2$O, phase transform., crystal struc., X-ray obs. 5=1367

Cobalt compounds—contd

- Co salts, hydrated and anhydrous, i.r. 5=9899
- Co(II) ionic complexes, isotropic n.m.r. shifts 5=3064
- CoAl, Al^{27} n. m. r. 5=7273
- Co Al–Co Si, resistivity and thermoelec. power 20 to 600°C temp var., calc. 5=7026
- $CoAl_2O_4$, mag. props. 5=7178
- Co—Be alloys, ageing, first stage 5=1254
- Co—Br boracites, dielec. const., temp. var. 5=15385
- $CoBr_2$, absorption spectra, solid—liquid phase change effect 5=15549
- $CoBr_2 . 2H_2O$, magnetization meas., temp. var. 5=15474
- $CoBr_2 . 2H_2O$, metamag. model 5=7179
- $Co_4(CO)_{12}$, new struct., D_{2d} symmetry 5=11530
- $CoCl_2$, absorption spectra, solid-liquid phase change effect 5=15549
- $CoCl_2$, antiferromag. field dependent spin-wave effects at 2. 1°K 5=1769
- $CoCl_2$, X-ray absorpt., pink and blue solns. 5=14850
- $CoCl_2 . 2H_2O$, antiferromag. structure 5=1768
- $CoCl_2 . 2H_2O$, heat capacity and mag. transition, 7-120°K 5=1417
- $CoCl_2 . 2H_2O$, magnetization meas., temp. var. 5=15474
- $CoCl_2 . 2H_2O$, metamag. model 5=7179
- $CoCl_2 . 2H_2O$, specific heat anomaly rel. to antiferro—paramag. transition 5=1418
- Co—Cr alloys, Co n. m. r., l. f. satellite lines 5=15519
- $CoCr_2O_4$, ferrimagnetic spiral configurations 5=9813
- $CoCs_3Cl_5$, Zeeman effect and anisotropy, meas. 5=13045
- $CoCs_3Cl_5$, Zeeman effect of axial absorpt. spectrum 5=2996
- $CoCs_3Cl_5$, Co^{2+} mag. susceptibility and anisotropy 5=15449
- $CoCs_2(SO_4)_2 . 6D_2O$, with Mn^{54}, cooling 5=13994
- CoF_2, antiferromag. props. 5=9822
- CoF_2, light absorpt., above and below Neèl point 5=7333
- $(CoF_6)^{4-}$, unpaired spin in 2p orbits on ligand 5=5867
- Co—Fe alloys, H_{eff} at Co n. m. r. meas. 5=13001
- $Co_{1-x}Fe_{2+}$ O_4, crystal structure, atomic, disorder, ion distrib 5=12198
- Co—I boracites, dielec. const., temp. var. 5=15385
- Co^{59}—NH_3 complexes, n. m. r. 5=9863
- Co—Ni alloys, self diffusion, 1100-1416°C 5=9410
- 24Co–14Ni–8Al–3Cu–Fe, precipitate orientation in mag. field 5=7131
- Co—Ni—B, ternary systems, Co and Ni conc. effect 5=6282
- Co_xNi_{1-x} Si, resistivity and thermoelec. power, 20 to 600°C temp var., calc. 5=7026
- CoO, antiferromagnetic anisotropy 5=7180
- CoO, crystal growth in oxy-hydrogen flame, O—H ratio effect 5=3548
- CoO, mag. domain struct., fringe pattern of electron microscopy 5=4218
- CoO, resistivity, Hall effect meas. 5=15319
- Co—O system, phase diagram at high temps. 5=6283
- Co_3O_4—Fe_3O_4 system, thermodynamic props. at 1200°C 5=3702
- Co—P magnetic film, uniaxial anisotropy, prod., props. 5=12911
- CoPt, magnetic structure 5=7120
- Co—Pt, sat. magnetization and Curie pts. rel. to composition 5=1741
- Co—S, liquid, elec. cond, temp. and comp. depend. 5=14863
- α-$CoSO_4$, canted, antiferromagnetic props. 5=1770
- CoSi, liquid and solid, thermodynamic props. 5=6548
- $CoSiF_6 . 6H_2O$ antiferromag. structure, below 1°K 5=9825
- $CoSiF_6 . 6H_2O$, reversible phase change, mag. and other props. 5=6284
- Cu–Th , eutectics, melting and struct. 5=14877
- Co—Ti alloys, Co n. m. r., l. f. satellite lines 5=15519
- $CoTiO_3$, magnetic exchange interactions 5=1775
- Co—V alloys, Co n. m. r., l. f. satellite lines 5=15519
- $Co_{1+\delta}V_{2-\delta}O_4$ $(1 \geqslant \delta \geqslant O)$, growth by CoO—$V_2O_5$ electrolysis 5=12126
- Co—Zn ferrite, mag. spectra 5=12945

Cochlea. See Ear.

Coherence. See Electromagnetic waves; Lasers; Light/coherence; Masers.

Cohesive energy. See Bonds; Solids.

Coincidence circuits. See Counting circuits.

Cold working

See also Plastic deformation; Slip; Work-hardening.

- steel, low-temp. annealing of cold rolls 5=15186
- steel, Cr—Ni martensite, structure modification during ageing 5=12553
- Ag, stored energy—stacking fault energy, rel. 5=15101
- AgZn, and phase transforms., β, ζ 5=12017
- Al, and crystal texture, mechanical anisotropy 5=3532
- Al, energy release on annealing 5=15139
- Au, stored energy—stacking fault energy, rel. 5=15101
- Cu, cold-rolled, subsequent recovery on heating, —40° to 250°C 5=6704
- Cu foil, deformation band—tensile direction, angle meas. 5=1517
- Cu foil, hard rolled, deformation bands orientation rel. to strain ratio, calc. 5=1517
- Cu—Al sintered alloys, effect of annealing on mech. props. 5=15157
- Fe, and brittleness, dislocation 5=1528
- Mg alloys, rolling, and mechanical strength directional var. 5=12519
- Nb, formation of internal friction peaks 5=1547
- Ni, rel. to mag props 5=7144
- Ni, stored energy—stacking fault energy, rel. 5=15101
- Ta, formation of internal friction peaks 5=1547
- W, recovery activation energy 5=6768

Collections of physical data

Only comprehensive works of reference are listed here.

- γ–e, cascades in Pb, emulsion Cu, tables 5=8385
- nuclear fission product yields and mass distrib. 5=11382
- spectra, diatomic molecules, ~1500 lines 5=14635
- units dictionary 5=7705

Collision processes

See also Atoms/electron scattering; Field theory, quantum/interactions; Elementary particles; and under the individual particles; Ionization; Nuclear forces; Nuclear reactions; Scattering, particles.

- alkali halide ions with Gaussian wavefunctions, 3-body 5=11465
- atomic scatt., non-adiabatic 5=2919
- atoms, coincidence meas. 5=925
- atoms, discrete energy losses, coincidence meas. 5=926
- atoms, electrons removal probabilities 5=927
- atoms, excited, coherence relaxation 5=11466
- atoms, inelastic, pseudo-crossing of pot. energy surfaces calc. 5=928
- atoms and molecules, potential curves 5=5805
- atoms, slow, inelastic collisions 5=11467
- atoms and spectra, 2 and 3 body collisions 5=2885
- charge exchange, reson., scatt. effects 5=924
- charge exchange of type $H^+ + H(n_1 l_1 m_1) \rightarrow H(n_2 l_2 m_2) + H^+$ 5=8952
- charged particle in plasma, quantum theory 5=14701
- electrolytes, dilute, interionic effects on thermal cond. 5=4398
- electron—atom, polarization and exchange, theory 5=5794
- electron—hydrogen, wave function 5=3127
- high-energy interaction analysis, "persisting baryon" application 5=2563
- induced satellite bands in spectra 5=5806
- inert gas atoms with Gaussian wavefunctions, 3-body 5=11465
- inert gas atoms, interatomic potentials 5=8778
- ion–atom interchange, from mass analysed ion beam mobility peaks in drift tube 5=8956
- ion—molecule, polarization energy importance 5=11611
- molecular, quadrupole-induced dipole and dipole-induced quadrupole 5=11610
- molecules, rearrangement cross-section, high energy calc. 5=1011
- transport collision integrals, automatic calc. 5=3275
- 2-body reactions, spherical spin tensor decompositions, Bohr's symmetry consequences 5=10811
- van de Waal's forces calc. 5=3078
- Van de Waals const. 5=9039
- Ar atoms, discrete energy losses, coincidence meas. 5=926
- Ar, atom—ion charge transfer, scatt. effects 5=14621
- Ar^+—Ar, 50 keV, electrons removal probabilities 5=927
- CH_4, scattering of high-velocity Ar atoms 5=929
- CO_2, mol. collision cross-section 5=5857
- H-theorem μ-space, generalization for no detailed balancing 5=4764
- H—Be^{2+}, inelastic, cross-section rel. to pot. energy 5=928

Collision processes—contd
H-e, in wand stabilized arc, transport cross-section calc. 5=1157
$H-Mg^{2+}$, inelastic, cross-section rel. to pot. energy 5=928
H_2^+—Ar, collision cross-section 5=11664
$H_2 + p \rightarrow H^- + 2p$, cross-section calc. 5=5962
H^+—H, electron capture probability 5=5808
H^+—H(1s), electron capture cross-section 5=11670
H_2^+, H_3^+, p, in He, Ne, at 10-30 keV, H excitation, multiple collision effects 5=930
H^+—He, He^+—H, electron capture meas. 5=1060
HCl—Ar, $\mu_1 q_1 \alpha_2$ importance 5=11610
He atoms, excitation energy transfer 5=14612
He^+ charge exchange with O and N 5=8961
He^+ ion reaction rates in gas 5=8950
Hg—He, and Hg 2537 A line displacement, temp. var. 5=14604
Hg vapour, cross-sections 5=11470
K with CH_3I, Br_2, ICl, in crossed beams, magnetic analysis 5=3087
Li atoms, 80 keV, energy loss on collision with inert gas atoms 5=5804
Li ion—atom charge transfer 5=11468
N and O ions, long-lived, excited 5=3131
N_2—He, with excitation by 10kV electrons, N_2 afterglow 5=11609
NH_3, neutron scatt. double differential, calcs. 5=963
Na vapour, cross-sections 5=11470
Na—N_2, shock excited, Na line reversal and N_2 vibr. 5=5807
Ne, atom—ion charge transfer, scatt. effects 5=14621
O^+ charge exchange with O and N 5=8961
in O plasma, electron collision freq. for momentum transfer 5=14714
OCS—He and Ar, $\mu_1 q_1 \alpha_2$ not important 5=11610
Rb—foreign gas nuclei, spin exchange theory 5=11469
V^{51} atoms, in CrO_2Cl_2 gas 5=14812

Colloids
See also Electrophoresis; Emulsions; Gels; Sols; Thixotropy.
centrifuge study, Archibald, review 5=14680
charged particles in electrolyte, electromagnetophoresis 5=4400
dielectric dispersion, in electrolyte soln., theory 5=1211
ionic self-diffusion const., in particle elec. fields, calc. 5=3322
light scattering analysis, apparatus 5=8095
multilayer, optical props. 5=3384
particle size log. distrib. functions 5=6207
particle size of synthetic lattices, use of turbidity meas. 5=11920
wool, particle size, low angle X-ray diffr. exam. 5=9166
X-ray small angle scatt., calc. 5=14873
Au in glass, coloration after irradiation 5=6650
CaO—SiO_2—H_2O, solubility relns., 25° 5=11921
KCl, particle size, rel. to excess conductivity 5=12793

Colorimeters. See Colorimetry.

Colorimetry
See also Spectrochemical analysis; Spectrophotometry.
colormaster differential new blue filter 5=8076
colour matching by observers, metamerism indices 5=8178
difference meas. review 5=14174
mineral absorpt. colours, meas 5=8077

Colour
See also Photography, colour.
fibres, blending calc. 5=5040
moon, variations over surface 5=10161
ocean 5=7476
perceived, variables 5=2362
pigments, colour strength rel. to particle size, Mie theory 5=2317
stars, Δ, g diagram with 5 colour photometry 5=10138
stars, Δ, g diagram, metallic stars and sub-dwarfs 5=10139
Cr-containing solids 5=4303

Colour centres
alkali fluoride crystals, V_k centres, hyperfine structure 5=3778
alkali halides, bleaching by isothermal annealing 5=12422
alkali halides, F and M, transition energies calc. 5=15106
alkali halides, F-band, press. shift and splitting 5=9498
alkali halide F-band spin—orbit effects, theory 5=7320

Colour centres—contd
alkali halides, F-centre, absorption and emission 5=1484
alkali halides, F-centres Faraday rot. and spin—orbit splitting 5=7319
alkali halides, F-centres of M and R type 5=12423
alkali halides F-centres, spin-lattice relax. 5=1791
alkali halides, multiple ionization role of soft X-rays 5=6607
alkali halides, N-centre absorpt. bands 5=15110
alkali halides, U-centres, i. r. absorpt. and H^- ionic radius 5=6237
alkali halides, Z-1 calc. 5=15108
alkali hydroxide soln., frozen, prod. by γ-rays 5=9494
F, optical bands, theory 5=15107
F, paramag. relax., theory 5=12970
F, Pekar's theory, comments 5=9497
F, relaxed excited state 5=12421
glass, multi-colour production by γ-irrad. 5=15109
glass, Na aluminosilicate, opt. and e.s.r. study 5=12427
glass, Pb silicate, prod. by γ-rays and opt. absorption 5=12426
ionic crystals, F-centre theory 5=1483
optical properties, applied field effects 5=7308
quartz, A and C type, formation and annealing 5=12420
quartz, smoky, and growth rate 5=15104
R, in KCl, stress effects in optical absorpt. 5=15113
ruby: Cr_2O_3, Co^{60} γ-ray effects 5=9495
$AlLaO_3$ base solid electrolytes, V, F, rel. to fuel cell use 5=13174
Au-glass, F, irrad. prod., heat treatment effects 5=6650
BaF_2, F-like, additively coloured, e. s. r. and optical methods struct. meas. 5=6648
CaF_2, F-like, additively coloured, e.s.r. and optical methods struct. meas. 5=6648
CdS green fluorescence at 20°K luminogene centres 5=9941
Cs halides, F and lattice distortion motion 5=9499
KBr, zone-refined, X-ray generation 5=6647
KBr, M_4 band 5=9501
KBr, Z_2 and Z_3 centres 5=1487
KCl, additively coloured, self-diffusion 5=3721
KCl with Ca^{2+} and Sr^{2+}, F and Z, centres, prod. 5=6653
KCl, F → M conversion 5=15112
KCl, F-band excited M-luminesc. 5=9955
KCl, F-centre coagulation, effect of impurities 5=12425
KCl, F-centre coagulation impurity role 5=3775
KCl, F-centres, rel. to γ and electron irrad 5=12542
KCl, F-centres, X-ray colourability, and defect prod. 5=15085
KCl, F-centres, spin—lattice relax. and interacting F-centres 5=3776
KCl, M_4-band 5=9501
KCl, zone-refined, X-ray generation 5=6647
KCl, Pb-doped, F-centre introduction by ionizing radiation 5=1485
KCl, SH^-, S^- and S^{--} 5=6652
KCl, Z_2 and Z_3 centres 5=1487
KI, F-centres excited state fine struct., Faraday paramag. effect meas. 5=3777
KI, F-centres, u.v. irrad., impurity process, temp depend 5=1486
LiCl, F-centres, excited states 5=12424
LiF, F-centres prod. by divalent impurities 5=9500
LiF, on strong e or X irradiation, 5000A 5=15116
LiF and LiCl, M centre, triplet states 5=15111
MgO, F-centres, shock wave prod., e. s. r. study 5=6609
NaCl, F-centre ground state rel. to Ca^{2+} trapped electron 5=15237
RbBr, F-centres excited state fine struct., Faraday paramag. effect meas. 5=3777
NaCl, F-centres γ-irrad., luminescence study in TlCl soln. 5=1194
NaCl, F-centres, by X-ray irrad., rel. to F-aggregate centres 5=6649
NaCl and NaCl:Tl, colour centre creation mech. 5=15115
NaF 5=15260
NaF, rel. to luminesc. and absorpt. spectra 5=9963
Na_2O—$3SiO_2$ glasses, X-ray prod. 5=6646
RbCl, F-centres, excited state fine struct., Faraday paramag. effect meas. 5=3777

Colour centres—contd
  Si, A-centres, n-irrad., generation rate, aμ absorption method meas. 5=15114
  TCl, R-centres, quartet state 5=6651
  U, in alkali halide crystals 5=15036
  ZnS: Ag, Cu, Au, orange 5=4368
  ZnS–CdS, light centre 5=9496
Colour photography. See Photography/colour.
Colour vision
  absolute line maintenance in different background 5=8184
  adaptation 5=14218
  age effect 5=8181-2
  Bezold–Brücke hue shift with luminance, meas. 5=5118
  colormaster differential colorimeter, new blue filter 5=8076
  coloured form-perception and chromatic aberration 5=8185
  cone pigments, directional props. 5=10743
  cone–rod hypothesis 5=351
  contrast, brightness contrast depend. 5=5115
  foveal threshold sensitivity on fields of different colours 5=8180
  Frieles formulae smoothing 5=5119
  hue–wavelength relation, by colour-naming method, for three retinal locations 5=5117
  human, receptors 5=8179
  Köllner effect and suppression of view of eye 5=10744
  low level mixture functions 5=355
  matching and adaptation 5=8183
  matching and chromatic adapting stimuli 5=14221
  matching, metamerism indices 5=8178
  primary retinal process 5=5120
  purple region, differential colour sensitivity 5=352
  retinal cone photosensitive pigment detect., using microspectrophotometer 5=2334
  road traffic light signal recognition 5=353
  small stimuli and colour receptor spatial distrib. 5=354
  three-pigment 5=10745
  variables of perceived colour 5=2362
  variation with retina position and luminance, yellow/blue 5=5116
Columbium. See Niobium.
Coma. See Aberrations, optical.
Combustion
  See also Explosions; Flames; Heat of combustion; Reaction kinetics.
  fires, small, 60°C contours with cross winds calc. 5=7884
  flame curvature and burning velocity 5=10374
  gas mixtures, vibration mechanism 5=173
  gas velocity meas. 5=1145
  metal, alloy in airflow, characs. 5=15620
Comets
  isotope ratio C^{12}/C^{13} 5=4640
  magnetohydrodynamic phenomena and geoactive currents, review 5=7645
  orbit, calc. max., in galactic field 5=4620
  radiation in C atmosphere, photodissociation effects 5=1978
  review of 1963 obs. 5=7644
  review of recent physics progress 5=15847
  spectra, continuous, solar light scattering by dielectric particles 5=4641
  spectra, CN violet O, O band, resonance fluorescence calc. 5=4638
  spectra, CO^+ resonance fluorescence in tail of Humason 5=4639
  Sun, wind interaction 5=1979
  C_2 Swan bands luminescence calc. 5=10176
Compasses
  Nc entries
Complimentarity. See Physics fundamentals; Quantum theory.
Compressibility
  See also High-pressure phenomena and effects.
  alkali halide crystals 5=3813
  alkali metals, P–V rels., shock wave meas. method 5=15147
  alloys, var. with melting point, pressure 5=1498
  diatomic crystals 5=11958
  earth core, chemically inhomogeneous 5=13210
  elements, isoperiodic var. with atomic vol. 5=9520
Compressibility—contd
  inorganic materials, eleven 5=15144
  metals, var. with melting point, pressure 5=1498
  polymers, meas. device to 5000 atm. and 300°C 5=3311
  powder equation, empirical 5=6264
  Ar, critical isobar deviation 5=1135
  Cd, compared to NaCl 5=12487
  Ce, to 30 000 kg cm^{-2} 5=15154
  Cs, alkali metals, P–V rels., shock wave meas. method 5=15147
  Cu_3Au alloy, and thermal expansion, temp. var. 5=6559
  Eu, at low temps, and mag. ordering, transitions effects 5=15187
  Li, P–V rels., shock wave meas. method 5=15147
  $MnSn_2$, at low temps, and mag. ordering, transitions effects 5=15187
  N_2, critical isobar deviation 5=1135
  Si, at low temps, and mag. ordering, transitions effects 5=15187
  Tb at low temps, and mag. ordering, transitions effects 5=15187
  Zn compared to NaCl 5=12487
 gases
  use in extrapolation up to 2 times critical density 5=6082
  SF_6, extrapolation up to 700°C 5=6082
 liquids
  benzene, meas. 5=9072
  formamide–inorganic salt solutions 5=14848
  measurement techniques, theory, review 5=6127
  measuring method 5=9072
  methylene dichloride, meas. 5=9072
  polymers, meas. device to 5000 atm. and 300°C 5=3311
  CCl_4, meas. 5=9072
  H_2O, critical tension, precompression effect 5=3312
Compressive strength. See Mechanical strength/compressive.
Compton effect
  amorphous materials, X-ray scattering 5=9256
  amplitude and density matrix of final state 5=5150
  electrons, moving, meas. 5=5304
  nonlinear effects, due to multi-photon absorption 5=560
  p, dispersion relations 5=10979
  p, d, He^4 scattered by photons 5=10977
  polarized γ, ang. var. 5=8371
  solids, scatt. by electrons, Stokes shift, calc. 5=1230
  spectrometer, Lee–Whiting design 5=14392
  spectrometer for n capture γ's 5=14391
  and sun flare γ-emission 5=13784
  $Co^{60}\gamma$, 13°-140° 5=14390
  Ne atom, calc. 5=5766
  Si, X-ray weak scatt. obs. 5=6517
Computer memories. See Calculating apparatus/digital computers; Magnetic devices; Magnetic films; Superconducting materials and devices.
Computers. See Calculating apparatus.
Concrete
  microcracking, photoelastic detection 5=15136
  prestressed, damping of vibrs., amplitude independ. 5=12488
  spectral reflectance, 0.7 - 100 μ 5=7316
Condensation
  See also Drops; Fog.
  and adsorption 5=6324
  in bubble chambers, ascent effects 5=10936
  contact angle effects on nucleation rate 5=11951
  entropy in surfaces 5=3486
  metal, nucleation of stable phase, on foreign substrate 5=1278
  nucleation in vapour phase coeffs., book 5=3408
  nucleation rate, cloud chamber meas. 5=9186
  surface energy, structure var. 5=3485
  Au atoms on (100) crystal plane, rel. to temp. 5=3576
  Bi–Sb, temp. var. 5=11952
  He, liq., Base–Einstein, in narrow channels 5=14005
  KBr, in vacuum onto temp. gradient substrate 5=11945
  KCl, in vacuum on to temp. gradient substrate 5=11945
  NaCl, in vacuum on to temp. gradient substrate 5=11945
  O_2 on Ag and Cu surfaces 5=4390
  Pb–Bi, Bi in Pb, Bi prod. 5=11952
  Pb–Sb, temp. var. 5=11952

Conduction, electrical
- See also Conductivity, electrical; Contact resistance; Current, electrical; Photoconductivity; Resistance, electrical; Semiconductors; Skin effect; Superconductivity.
- alloy films, thin, resistivity, effect of thermal ageing 5=1600
- anisotropy, global current-lim., in isotropic media with cond. fluctuations 5=232
- crystals, surface, review 5=3931
- dielectrics 5=4071
- dielectrics, electron-excited, pecularities 5=12797
- electroluminescent cells 5=7414
- electron beam scanning obs. for dielectrics 5=9144
- electron and phonons transport equations, higher order 5=6780
- ferromagnetic metals, complex tensor at optical freqs. 5=3965
- films, and isothermal Hall effect, theoretical expressions for film thickness 5=1610
- formation in gas sparks, press. effects 5=8931
- gas jets, meas. by circuit Q var. 5=1158
- high temp. liquids, saltlike to metallic transition 5=3360
- Kubo formula calc. 5=6831
- lightning stroke, 24 000°K, calc. 5=13287
- liquid insulators, model 5=11899
- Lorenz number of monovalent metals 5=6808
- in magnetic field, quantum theory 5=6784
- metal film, from R-C circuit impedance 5=3966
- metal films, field effect, mean free path and boundary influences 5=3963
- metal films, and thickness meas. by temp. var. 5=3505
- metal thin films, Sondheimer oscills. calc. 5=1603
- metals, granular films, freq. var., rel. to bulk 5=6835
- metals at low temp., theory 5=3961
- metals with paramag. impurities, low temp. 5=3962
- metals, rel. to chemisorption 5=3964
- metals and semiconductors, press. effect on resistivity 5=9616
- plasma, effect of mag. field and diffusion coefficient 5=11685
- plasma, and heating, in strong elec. fields 5=5923
- plasma, h. f., nonlinear theory 5=5981
- plasma, at low freq. and wavenumbers 5=1077
- plasma, meas. technique 5=14740
- plasma, for osc. elec. force in strong mag. field 5=5983
- plasma, rel. to thermoelec. 5=3144
- plasma, thermodynamical model of dispersion 5=11686
- plasma, transient conductivity decay function 5=11687
- polymer dielectrics, rel. to crystallization 5=12799
- Onsager relations for linear media 5=10475
- "roc", as reciprocal ohm cm, new unit 5=2183
- semiconducting films on cond. substrates, 5=12696
- semiconductor films, probe method 5=4009
- semiconductor films, 4-probe meas. method 5=12708
- semiconductor sheets, square samples, 4-probe method 5=1640
- semiconductors, binary, self-compensation limited 5=1639
- semiconductors, capacitive meas., theory 5=9665
- semiconductors, drift velo. calc. method 5=9661
- semiconductors and dielectrics, rel. to impact ionization and avalanche breakdown 5=15313
- semiconductors, low-mobility, non-stationary, theory 5=4005
- semiconductors, microwave meas. 5=6915
- semiconductors, polaron, high freq., calc. 5=12697
- semiconductors, prediction on multiple valence state basis 5=6911
- semiconductors, specific resist., high freq. meas. method 5=12709
- semiconductors, temp. dependence, dynamic method 5=9667
- semiconductors, temp. dependence, rapid determ. 5=9666
- semiconductors, thermodynamical model of dispersion 5=11686
- semiconductors, transient conductivity decay function 5=11687
- solids, electron scatt. by optical modes, calc. 5=3895
- transference number, high temp., determ. 5=12635
- tunnel diodes, conductance anomalies 5=12775
- two-phase system, and grain structure, model 5=15265

Conduction, heat. See Heat conduction.

Conductivity, electrical
- See also Resistance, electrical; Semiconducting materials; Semiconductors; Skin effect; Superconducting materials and devices; Superconductivity.
- aromatic complexes, 13 high-press. 5=12798
- ceresin, temp. var., melting point region 5=7014
- paraffin waxes temp. var., melting point region 5=7014
- Au, as vacancy formation energy method meas. 5=15089
- **gases**
  - air in thunderstorms 5=13278-80
  - Ar, plasma 5=1080
  - H, wand stabilized arc, transport cross-section, meas. 5=1157
  - H_2, electron diffusion at high fields, meas. and theory 5=6096
  - He, plasma 5=1080
  - Xe plasma 5=11688
- **liquids**
  - alkali nitrate mixtures, fused, as function of ionic radii 5=3357
  - n-butanol, and soln. in benzene, 30°C 5=11907
  - ethanol, and soln. in benzene, 30°C 5=11907
  - n-hexanol, and soln. in benzene, 30°C 5=11907
  - metal alloys, binary, theory 5=11901
  - methanol, and soln. in benzene, 30°C 5=11907
  - molten oxides up to 1700°C, dipping electrode 5=14013
  - o- and p-nitrophenol in ether, 21°C 5=11908
  - organic, activation energy 5=11910
  - organic, d. c. activation energy and C=O vibr. 5=1206
  - organic, low temp. d. c. cond. 5=1207
  - organic, thermal excitation energy 5=9148
  - n-pentanol, and soln. in benzene, 30°C 5=11907
  - phenol in benzene and ether, 21°C 5=11908
  - salt water, jet, mean meas. 5=11900
  - sea water, activation energy, 0°-10°C 5=13224
  - sea water, dilute solns., 5° to 120°C 5=14862
  - sea water, var. temp., press., Walden's rule appl. 5=13225
  - Ag—S, temp. and comp. depend. 5=14863
  - Bi—Sn system, electrotransport and resisitivity 5=14864
  - Cd—Sb alloys, resistivity 5=9149
  - Co—S, temp. and comp. depend. 5=14863
  - Cu—S, temp. and comp. depend. 5=14863
  - Cu—Sb, conc. depend., 898°-1073°K 5=3319
  - Hg—In 5=9150
  - Li_2MoO_4, temp. var. 704-950°C 5=11906
  - Na, resistivity 5=6849
  - Na-NH_3 solns. 5=3359
  - Na NO_3, high Ar press. decrease 5=9151
  - Ni—S, temp. and comp. depend. 5=14863
  - Tl alloys, semicond. and metallic props. 5=11905
  - V_2O_5, up to 1100°C 5=12752
- **liquids, electrolytic**
  - See also Chemical analysis/electrochemical; Ion velocity/electrolytic.
  - alkyl ammonium ion motion, correction factor calc. 5=3354
  - d. c., for low values 5=3353
  - limiting law, electrophoretic term 5=9145
  - limiting law relaxation term 5=9147
  - measurement, by d.c. bridge 5=7436
  - measurement, d. c., for low values 5=3353
  - protonic conductivity, and magnetoelec. effect 5=1205
  - solutions, calc. by Oseen's vel. field 5=9146
  - uni-univalent, conc. effect, calc. 5=3355
  - $AgNO_3$ in CH_3CN and C_6H_5CN, conc. var. 5=11904
  - Cs ions in H_2O, 25°C, limit equivalent 5=11909
  - Cs^+ in H_2O, limiting value 5=11902
  - KBr + TlBr mixed melt, excess 5=6196
  - N, N-dimethylformanide salt solns., ionic conductance 5=13173
  - NaCl in H_2O—ethylene glycol, 25°C, conc. var. 5=11903
  - Na—NH_4 solutions, field depend., relax., meas. 5=14861
- **solids**
  - alkali halides, nonlinear ionic 5=12796
  - alkali metal permanganates 5=9685
  - anthracene 5=1656
  - cellulose acetate, alkali-halide doped, effect of moisture and elec. fields 5=4082
  - deoxyribonuclei acid, rel. to mag. props. 5=1723
  - earth, and terrestrial planets 5=15645
  - electroluminescent phosphor powders, fatigue decay 5=6996

Conductivity, electrical—contd
  solids—contd
    f. c. c. metals, and plastic point and line defect effects 5=15126
    ferrocene, resistance rel. to pressure 5=9707
    glass immersed in molten salts 5=12323
    graphite, along trigonal axis, temp. var. 5=12585
    graphite, pyrolytic, 60°-300°K meas. 5=15276
    metals, transport coeffs., lattice defect influence 5=12636
    nickel-chromia catalyst 5=1652
    polybutadiene films from glow discharge 5=4084
    poly (vinylpyridine)—iodine complexes, temp. var. 5=1658
    pulse method for Si 5=12749
    pyrocarbons, 80°-296°K 5=1605
    rare earth alloys, disorder resistivity calc. 5=3976
    Ag alloys, 0. 3-4°K, phonon mechanisms 5=6572
    Ag films, and defect struct., temp. effects 5=15272
    Ag halides, thin film in equilib. with aq. solutions 5=4080
    Ag thin films, resistivity rel. to thickness, 4. 2°K, meas. 5=6848
    Ag, very thin layers, new phenomena 5=15275
    AgI, and electron trapping, pressure induced 5=12592
    Ag—Pd, resistivity, rel. to temp. 5=15396
    Al alloys, Lorentz parameter at low temps. 5=3971
    Al, electron m.f.p. rel. to Fermi surface area calc. 5=6785
    Al, films, resistance rel. to annealing 5=9622
    Al, resistivity increase when cold-worked at 78°K 5=12642
    $AlLaO_3$ base solid electrolytes, rel. to fuel cell use 5=13174
    Al—10% Zn alloy, rel. to n-irrad. 5=14925
    As, α, cryst., resistivity rel. to temp. 5=9325
    As—Sb semimetal, composition var., versus Bi—Sb 5=15317
    As—Te glasses 5=15373
    Au aggregated films 5=3972
    Au, electron m.f.p. from thermoelectric power of foil and wire 5=4104
    Au films, and defect struct., temp. effects 5=15272
    Au films, and isothermal Hall effect theoretical expressions for film thickness 5=1610
    Au impurity in Cu, Ag, Ni, Pd, Pt, resid. resistivity 5=9630
    Au, very thin layers, new phenomena 5=15275
    Au—Ag, quenched resistance 5=9629
    Au—Sn, quenched resistance 5=9629
    B, effect of impurities 5=9837
    B films, amorphous 5=4015
    $BaTiO_3$, semicond., resistivity increase above ferroelec. Curie point 5=4012
    BeO films, mechanism 5=4075-6
    Bi, single crystal and polycrystalline, rel. to mag. field 5=6920
    $BiFeO_3$—$LaAlO_3$ system, rel. to phase diagram 5=11997
    C fibres from polyacrylonitrile, meas., versus other C-types, heat treatment effect 5=1606
    C, glassy, rel. to heat treatment 5=9625
    Ca, rel. to Fermi surface 5=1579
    CdO, in h. f. e. m. field 5=15318
    Cd_3P_2, 200° to 650°K, meas. 5=12105
    $Cd(S_{0.73}Se_{0.27})$, thermally stimulated, for electron trap distrib. 5=6786
    CdSb, effect of In impurity 5=12723
    CdSb, Ag doped 5=9723
    $CeAlO_3$ 5=15386
    Co Al—Co Si, and thermoelec. power, 20 to 600°C temp. var., calc. 5=7026
    Co_xNi_{1-x} Si, and thermoelec. power, 20 to 600°C temp. var., calc. 5=7026
    CoO, pure and Li-doped, meas. 5=15319
    Cr, resistivity rel. to temp., for Néel pt. meas. 5=7181
    Cu alloys, 0. 3-4°K, phonon mechanisms 5=6572
    Cu cold rolled, recovery from −40 to 250°C. vacancies 5=6704
    Cu, electron irrad., resistivity annealing 5=12349
    Cu films, and defect struct., temp. effects 5=15272
    Cu, heat treatment effect in H, He 5=9424
    Cu, quenched, two stage annealing and vacancy migration 5=15273
    Cu wire, rel. to annealing 5=9627
    Cu—Au—Zn, and lattice parameters, temp. var., meas. versus calc. 5=6841
    Cu—Ni, resistivity, rel. to temp. 5=15396

Conductivity, electrical—contd
  solids—contd
    Cu—Zn[Ga, Ge, As], resistivity 5=9730
    Dy_2O_3, semicond. and ionic, temp. and O_2 press. var. 5=9670
    Fe—Al alloys, resistivity rel. to order 5=9633
    Fe_xCo_{1-x} Si, and thermoelec. power, 20 to 600°C temp. var., calc. 5=7026
    Fe—Co, Va addition and ageing effects 5=6844
    Fe—Ni alloy, deformed, temp. depend. 5=15278
    Fe—Ni ferrites, rel. to thermomag. treatment 5=15464
    Fe_3O_4, < 119°K, crystal imperfect. mechanism 5=6830
    Fe—P alloys 5=3320
    Fe—S alloys 5=3320
    Ga, resistivity rel. to specimen size 5=9628
    GaAs rel. to pressure 5=9598
    GaP, n-type, 80-295°K 5=12731
    GaSb, n-type, resistivity rel. to temp. 5=6923
    Gd_2O_3, semicond. and ionic, temp. and O_2 press. var. 5=9670
    Gd—Y alloys, 77°-380°K, 4. 2°K 5=1609
    Ge, beta rays effects, at liquid He and 4. 5 MeV 5=9510
    Ge, current harmonics in high microwave field 5=15324
    Ge, d. c., effect of microwave elec. field 5=12734
    Ge diode, and turn-over mechanism 5=6970
    Ge, excess conductivity, due to H-ion bomb. 5=12732
    Ge, high field, rel. to surface 5=15213
    Ge, hot electrons 5=15211
    Ge, at low temps. 5=4024
    Ge metallic 5=3392
    Ge, n-type, anisotropy in strong elec. fields 5=12736
    Ge, n-type, irrad. 5=15325
    Ge, p-type, hot-carrier 5=6924
    Ge, resistivity, rel. to radiation and annealing 5=9675
    Ge, resistivity rel. to temp., data using thermocompression bonded Ta wire elec. leads 5=10194
    Ge, surface, in high fields 5=15323
    Ge—GaAs heterojunctions, interface 5=4050
    Ge—Si alloys, rel. to impurity conc. 5=1649
    Hf—Zn, temp. var., phase transition effects 5=6291
    HgTe, 2-300°K 5=12744
    In_2O_3 single crystals 5=1307
    InSb, films, flash-evap., epitaxial 5=6932
    InSb, n-type, at low temp. 5=12738
    InSb, rel. to temp. and mag. fld 5=12829
    KBr, ionic, excess during plastic deformation, calc. 5=15281
    KBr, temp. var. 5=4079
    KBr and KCl, intrinsic 5=9705
    KBr, K_2CO_3 ionic cond., conc. var. 5=4079
    KCl, electronic conduction, addit. coloured crystals 5=12792
    KCl, excess, rel. to thermionic emission from colloidal particles 5=12793
    KCl, ionic, excess during plastic deformation, calc. 5=15281
    KCl: Pb[Sr] rel. to X-irrad. 5=9704
    KNO_3 polymorphic transitions, elec. cond. changes 5=6308
    $KTaO_3$, carrier mobility and scatt., 1. 6-295°K 5=12588
    La—Te, meas. 5=12646
    Li_2MoO_4, temp. var. 704-950°C 5=11906
    $Li(N_2H_5)SO_4$, proton conduction 5=4091
    $Li_xNi_{1-x}O$, temp. var., and hopping model 5=9684
    Mg—Al—Mn alloys (fixed Mn) 5=12874
    MgO, bulk versus surface 5=9615
    Mo, change with irrad. 5=3794
    Mo, temp. depend., 4. 2° to 300°K 5=12647
    $Mo_{0.8}Nb_{0.2}$—(0.2—2.3%)Fe, resistivity 5=6845
    $MoSi_2$—$ReSi_2$ system, rel. to $ReSi_2$ content 5=3439
    Na, magnitude, temp. var., calc. 5=1618
    NaCl, by dislocations 5=9476
    NaCl, surface, cleavage face relief effect 5=1619
    Na_2S, 200°-800°C 5=15628
    Nb-insulating-Al tunnel junction peak and electron density singularity 5=6851
    Nb oxide—metal film sandwich, negative resistance, temp. var. 5=6939
    Nb, plastic deformation effect 5=9634
    Nb, and stage III recovery from cold-work meas. 5=15177
    Nb, superconducting, resist. changes rel. to appl. mag. field 5=6900
    Nb_3Sn, anomalous resistivity, 18°-850°K 5=6881

- **Conductivity, electrical**—contd
  - **solids**—contd
    - Ni films, and chemisorption of H_2O, 77-273°K 5=1906
    - Ni, rel. to temp. ~ 200°C 5=9635
    - Ni—chromia, rel. to conc. 5=15279
    - Ni—Cr alloys, temp. depend., long-range order 5=14916
    - NiO, non-stoichiometric, temp. var. 5=15331
    - NiO rel. to O_2 adsorption 5=9252
    - NiO, rel. to pulsed O_2 adsorption 5=6331
    - NiO, pure and Li-doped, meas. 5=15319
    - Ni—V, temp. var., rel. to other group Va solutes 5=7096
    - Ni—Zn ferrites 5=7001
    - Np, resistivity, due to radioactive self-damage 5=12650
    - Pb_2CoWO_6, anomalies due to phase transition 5=3466
    - Pb—In, supercond., transitions 5=4001
    - Pd, resistance rel. to H_2 and D_2 adsorption 5=9636
    - PbS, 100° to 500°K 5=9682
    - PdTe, $PdTe_2$ 5=12011
    - Pt, temp. var., surface contamination theory 5=3975
    - α-Pu, anomalous resistivity 5=15282
    - α-Pu, damaged, annealing effect on resistivity 5=12651
    - Pu, resistivity, due to radioactive self-damage 5=12650
    - Sb deposits, and carrier mean free paths 5=12579
    - Se, in strong fields, effect of impurities 5=12747
    - Si epitaxial layers cond., 3-point probe meas. method 5=12707
    - Si, high field, rel. to surface 5=15213
    - Si junction devices, surface conduction 5=15369
    - Si, n-type, γ-irrad., resistivity meas. 5=6944
    - Si, n-type, hot electron mobility at 77°K 5=4034
    - Si, rectifiers, channel conductivity meas. 5=12765
    - Si with B impurity, improvement by thermal neutron irrad. 5=4693
    - Si, with BaO surf. adsorption 5=15413
    - Sm_2O_3, semicond. and ionic, temp. and O_2 press. var. 5=9670
    - SnO_2 5=15343
    - SnO_2, single cryst. grown from vapour 5=14980
    - $SrTiO_3$, time depend. rel. to electrode material 5=15389
    - Ta-insulating-Al tunnel junction peak and electron density singularity 5=6851
    - Ta oxide—metal film sandwich, negative resistance, temp. var. 5=6939
    - Ta_2O_5, films, on Ta, heat treatment effects 5=9706
    - Te, amorphous layers, temp. var. 5=15340
    - Te, resistance rel. to phase transformations 5=15339
    - Ti oxide—metal film sandwich, negative resistance, temp. var. 5=6939
    - $TiAs_2$-type phases, resitivity meas. 5=12653
    - TiNi, stoichiometric, 3° to 300°K 5=1436
    - p-TlSe, anisotropy 5=6945
    - U, α-phase, resistivity 5=12655
    - U, resistivity, due to radioactive self-damage 5=12650
    - α-U, resistivity, elec., anisotropy 5=12654
    - UO_2, effect of neutron irrad. 5=4040
    - UO_2—Mo, specific resistivity 5=15377
    - V oxide bronzes 5=9637
    - V, superconducting, resist. changes rel. to appl. mag. field 5=6900
    - V_2O_5 5=12753
    - V_2O_5, up to melting point 5=12752
    - V_3Si, effect of stress 5=6899
    - W, and annealing, dislocation rearrangement and recrystallization 5=9478
    - W, change with irrad. 5=3794
    - W, temp. depend., 4.2° to 300°K 5=12647
    - β-W-type superconductor, resistivity evidence of phase transformations 5=9656
    - Y_2O_3, semicond. and ionic, temp. and O_2 press. var. 5=9670
    - n-$Zn_xCd_{1-x}Te$, self-compensation-limited 5=9689
    - ZnO films, tempering effects 5=12754
    - ZnO, O_2 adsorption effect, high freq. versus d. c. 5=3525
    - ZrO_2, effect of γ-ray irrad. 5=12756
    - ZrO_2, rel. to vacancies 5=15346
    - ZnS single crystals, effect of elec. fields 5=7405
    - $ZnSnAs_2$, single crysts., p-type cond. and resistivity 5=9690
    - ZrO_2—$CaZrO_3$ system 5=4081
- **Conductivity, thermal**
  - See also Heat conduction.
  - conference, 50 varied papers 5=4833
  - conference, Teddington, 1964 5=169
- **Conductivity, thermal**—contd
  - dispersed insulator, gas press. var. 5=4834
  - entropy local potential production 5=2074
  - non-stationary method for meas., after Joffe 5=12308
  - **gases**
    - alkali metals calc. 5=14813
    - binary mixtures with Morse potential 5=14801
    - effect on acoustic wave propag. 5=6087
    - Kinetic theory approx. 5=9042
    - measurement, radial heat flow apparatus 5=3329
    - methane halogen derivatives, rel. to pressure 5=11809
    - with rotational states, thermal cond. 5=3267
    - steam, 14 000°K, meas. 5=3268
    - Ar—contaminant mixtures 5=11654
    - H, atomic, 1 to 400°K 5=11818
    - H_2O—D_2O mixtures, equimolar 5=11810-11
    - He^3, He^4 and mixtures, 0.5° to 3°K meas. 5=6086
    - SO_2, 295°-887°K, by line source method, collision number for rot. relax. 5=1154
  - **liquids**
    - electrolytes, dilute, interionic effects 5=4398
    - measurement, radial heat flow apparatus 5=3329
    - from transport mechanism, mol. theory 5=6151
    - α—P, 25 to 60°C 5=6578
  - **solids**
    - cubic crystals, rel. to sound scattering of isotopes 5=12305
    - cylindrical specimen, calc. from heat flow meas. 5=6568
    - diamond, pure and impure, 3°-300°K 5=3700
    - diffusivity at incandescent temps. by electron beam technique 5=12307
    - effect of spin—phonon interaction, near mag. transition 5=9397
    - and elongation, hardness, calc. 5=12304
    - granular systems, theory 5=7882
    - graphite, anisotropy 5=9401
    - graphite, pyrolytic, 1.7 to 300°K, turbostratic structures 5=1432
    - graphite, pyrolytic, 60°-300°K meas. 5=15276
    - harmonic crystal, disordered, one-dimensional lattice calc. 5=6569
    - inert gas crystals, theory 5=6577
    - metals, meas., liq. air to room temp. 5=1428
    - metals and semiconductors, meas. apparatus 5=4099
    - metals, theory, in strong mag. fields 5=12306
    - plate, composite, semi-infinite, two-dimensional steady temp problems 5=7880
    - polymer materials 5=1429
    - pressure effects, review 5=6094
    - quartz, fused 5=164
    - standardization of measurements, review 5=6544
    - superconducting alloys with paramag. impurities 5=12303
    - superconducting thermal switches, 0.3°-2°K 5=15306
    - superconductors, electronic, theory 5=15285
    - superconductors, thermal transport coefficients 5=3984
    - triglycine sulphate, temp. depend. 5=15062
    - $A_2^{I}B^{IV}C_3^{VI}$-type semiconductors 5=12297
    - Ag alloys, 0.3-4°K, phonon mechanisms 5=6572
    - Al alloys, Lorentz parameter at low temps. 5=3971
    - Al_2O_3, sintered, high temp. meas. 5=15063
    - Be oxide, for defect cluster density meas. 5=12400
    - Bi_2Te_3-base solid solutions, lattice 5=15059
    - C, glassy, rel. to heat treatment 5=9625
    - CdSb, Ag doped 5=9723
    - $CdSnAs_2$ 5=12309
    - Cr—Cu alloy Hidurel-6 5=1430
    - Cu alloys, 0.3-4°K, phonon mechanisms 5=6572
    - Cu, below 1°K, use of graphite thermometer 5=10385
    - EuS, spin-wave, 1.5° -4°K 5=1431
    - GaAs laser semiconductors 5=12310
    - $GaAs_{1-x}P_x$, laser semiconductors 5=12310
    - p-Ge, low temps., phonon scatt. calc. 5=6575
    - Ge, neutron effect, 16°-100°K 5=6573
    - Ge, neutron effects, fast, and defect clusters 5=6574
    - Ge—Si alloys, effect of phonon scatt. by electrons 5=6509
    - Ge—Si alloys, rel. to impurity conc. 5=1649
    - Ge—Si, 300° to 1200°K 5=15060
    - In films, in mag. field, meas. by zig—zag effect 5=6576
    - KCl with I substitution, lattice vibr. scatt. by impurity effect 5=1408

Conductivity, thermal—contd
solids—contd
$KCoF_3$ single crystals 5=1433
$KFeF_3$, low temp. 5=12312
$KMnF_3$ single crystals 5=1433
$KNiK_3$ single crystals 5=1433
$KZnF_3$, single crystals 5=1433
MgO—$MgFe_2O_4$ solid solutions, effect of vacancies 5=15061
MnTe, effect of spin—phonon interact. 5=12311
$MoSi_2$—$ReSi_2$ system, integral and lattice cond. rel. to conc. 5=3439
Nb_3Sn, superconducting and normal 5=6884
Ni, diffusivity, 25-500°C 5=9402
Ni and Ni—Cu alloys rel. to transverse field H 5=3974
α-P, 25 to 60°C 5=6578
Pr, and monochalcogenides, 80°-460 K 5=1434
Sb_2S_3—Sb_2Se_3, meas. 5=14927
Sb_2Se_3—Sb_2Te_3, meas. 5=14927
Si, pure and impure, 3°-300°K 5=3700
SiC, pure and impure, 3°-300°K 5=3700
Sm and monochalcogenides, 80°-460°K 5=1434
Tb, 5° to 300°K 5=1435
TiNi, stoichiometric, 3° to 300°K 5=1436
UO_2, under irradiation, 150-1600°C 5=9403
UO_2, sintered, high temp. meas. 5=15063
UO_2—Mo, rel. to Mo conc. 5=15377
$ZnSnAs_2$, thermal conductivity 5=12309
measurement
high temp., unmatched guard method 5=10363
insulating materials 5=164
liquid-metal heat transfer materials 5=172
liquids, non-electrically conducting 5=14847
metals, liq. air to room temp. 5=1428
metals and semiconductors 5=4099
non-metallic materials quasi-stationary method 5=7883
by non-steady state method 5=4836
plane temperature wave method, accuracy 5=163
polymer materials 5=1429
pressure contacts, graphite coupled 5=9400
review 5=170
semiconductors, high temp. 5=9398
semiconductors, new method 5=162
solids, apparatus, 20 to 600°K 5=15057
solids, diffusivity, by heat pulse 5=9399
solids, flash technique 5=4837
solids, < 700°C, unsteady 5=7881
solids and melts, near melting point 5=15058
Armco Fe, flash technique 5=4837
Conferences
acoustic waves, damping in solids, London, 1964 5=6529
atomic energy, peaceful uses, Geneva (1964) 5=8700
chemical reactions in atmosphere, Edinburgh (1964) 5=7502
coherent radn., <1 mm wavelength, generation, detection, properties, Bournemouth 1963 5=10574
cosmic rays, India (1963) 5=5466
cyclotron improvement, Williamsburg (1964) 5=14372
eightfold way in strong particle interaction 5=5179
electrical contacts, Graz (1964) 5=4888
electrical discharges in gases 5=3096
electromagnetic fields, u. l. f. 5=10472
electron beam processes in microelectronics, Malvern, 1964, 5=7691
electron emission, Keele, 1965 5=12838
electron microscopy, Prague (1963) 5=14989
electron microscopy, crystal defect appls., Prague (1964) 5=6602
electron probe X-ray microanalysis, Delft (1964) 5=7451
electronic mag. reson. and solid dielectrics, Bordeaux (1963) 5=7206
embedding problem, Dallas Texas 5=13819
ergodic theories 5=4749
evolution of galaxies, I.A.U. Hamburg (1964) 5=7608
exploding wires, 3rd, Boston (1964) 5=10449
ferromagnetism and antiferromagnetism, USSR (1962) 5=12881
gravitational collapse and relativistic astrophysics, Dallas, 1963 5=4537
high-energy particle physics, Dubna 1964 5=5250
i.r. and Raman spectroscopy, intensity meas. 5=14627

Conferences—contd
i.r. spectroscopy, progress, Buffalo, (1962 and 1963) 5=14184
interference and coherence, Sydney, Australia (1964) 5=5080
ionosphere, progress from 1960, Tokyo (1963) 5=15715
laser applications, review 5=4995
laser physics and applications, Berne (1964) 5=14144
leptonic interactions, discussion (1964) 5=14275
low-pressure meas, fundamental problems 5=11821
low pressure meas., NPL (1964) 5=6111
low temperature, 9th, Columbus (1964) 5=10397
luminescence, Hull, (1964) 5=7381
luminescence, Torun, 1963 5=9048
magnetic ceramics, London (1963) 5=15459
magnetic relaxation, (1964) 5=7193
magnetism, Nottingham, (1964) 5=7943
many-body problems, Manchester (1964) 5=7793
microelectronics, Munich (1964) 5=7910
n. m. r. and relax. in solids, Leuven, September 1964 5=4258
neutron diffraction and scattering, Grenoble (1963) 5=6437
non-crystalline solids, Delft, 1964 5=1286
novae, supernovae, Haute—Provence (1963) 5=4577
nuclear compound states, Tennessee, Oct. 1963 5=8606
nuclear energy, peaceful uses, Geneva (1964) 5=14310
nuclear magnetic resonance in solids, Leuven, 1964 5=4257
nuclear physics data acquisition and reduction, Karlsruhe (1964) 5=5249
nuclear physics, high energy, 9th, Krakow (1963) 5=2567
nuclear physics, low and medium energy, Univ. of Sussex (1964) 5=8288
nuclear physics, Paris, 1964 5=483
opacity, Albuquerque (1963) 5=2884
opacities, September (1964) 5=14588
order—disorder structures, Bratislava (1964) 5=6270
particle photography, Moscow (1960) 5=5287
photographic and spectroscopic optics, Tokyo and Kyoto, (1964) 5=5096
physics and mathematics, Mouterrey (1964) 5=4701
plasma, advanced theory 5=11678
quantum theory many particle systems, book of lectures 5=10274-5
quasi-optics, New York (1964) 5=5027
scintillation and semiconductor counters, Washington, 1964 5=2506
semiconductor particle detectors 5=496
semiconductor physics developments, Paris (1964) 5=6904
semiconductors, radiation damage, Royaumont (1964) 5=6654
semiconductors radiative recombination, Paris (1964) 5=7382
solar—terrestial rels., Tokyo 1964 5=13755
solid state physics, Brussels (1963) 5=3412
solid surfaces, U.S.A.(1964) 5=3480
solids, plasma effects, Paris (1964) 5=6815
space exploration and solar system, Varenna (1962) 5=13629
spectrochemical analysis, Exeter, 1964 5=1918
strong, electromagnetic and weak interactions, Sicily 1963 5=2451
superconducting computer devices, London, 1964 5=12690
surface and thin film meas. by ellipsometry, Washington (1963) 5=3483
thermal conductivity, 50 varied papers 5=4833
thermal conductivity, Teddington, 1964 5=169
thermoelectric props. of semiconductors 5=4101
XIII th international astronautical, Bulgaria (1962) 5=13628
transition metal compounds, Pittsburgh (1963) 5=15262
transport processes in gases 5=9052
weak interactions and higher symmetries, Schladming (1964) 5=14283
X-ray analysis accuracy 5=12171
X-ray analysis applications, Denver (1964) 5=2363
zirconia, Ohio, 1962 5=11956
Pt metal alloys, magnetic props. 5=9765
Confinement of plasma. See Plasma/confinement.
Constants
astrophysics aberration const. calc. 5=4619
atomic, and electric units, review 5=2182

Constants—contd
- $e^2/\hbar c$, constancy in gravitational field 5=43
- in gravitational field, behaviour 5=43

Contact angle. See Capillarity; Surface tension; Wetting.

Contact potential
- electron interferometry meas. method 5=7911
- metal—metal or metal—semiconductor surfaces, Zisman's probe method 5=1685
- CdS, rel. to O chemisorption 5=1907
- U—Au, effect of oxygen 5=1276
- CdSe, light change, spectral distrib. 5=12819

Contact resistance
- C, granular aggregates, mech. ageing, prod. process effects 5=6842

Continuous creation hypothesis. See Cosmology.

Convection
- in atmosphere with gravitational separation 5=4540
- atmosphere, moisture transfer 5=10055
- boiling of supercooled liquids, boundary layer flow 5=11941
- closed cavities, USSR review 5=10372
- clouds, and microstructure parameters 5=13263
- convective diffusion, adjoint variational principles 5=10304
- earth mantle and core formation 5=13191
- electrolytes, temp. and current var. 5=10373
- fires, 60°C contours with cross winds, calc. 5=7884
- fluid, between rigid boundaries 5=13985
- fluid, two-layer, instability on heating from above 5=2154
- in freezing, horizontal, of metals and alloys 5=9178
- gas, radiating 5=10368
- interfacial, large roll cells 5=10371
- laminar boundary flow, similarity conditions 5=10369
- m. h. d., fluid in long rectangular cavity 5=10511
- magnetohydrodynamic, free, between walls 5=7994
- Ostwald—De Waele fluid in laminar flow in cylind. tube 5=11778
- polytropic atmosphere with uniform mag. fld., theory 5=13692
- power-law fluid, laminar free convection flow 5=4840
- solar photosphere, magnetohydrodynamic, turbulent 5=2237
- thermal diffusion, 2nd order transport equations 5=10305
- ultrasonic cooling techniques 5=4839
- wedge, laminar boundary flow 5=10370
- H_2O, forced boiling, pressure drop 5=11944
- Na, free and forced, with oxides deposited on transfer surface 5=6169

Conversion electrons. See Beta-ray spectra/conversion electrons; Gamma-rays/internal conversion.

Cooling
- See also Joule—Thomson effect; Low temperature production; Magnetic cooling; Supercooling.
- paraelectric, with OH^- dipoles in alkali halides 5=13995
- photomultiplier, device 5=9759
- refrigerator for field-emission ion microscope 5=7983
- refrigerator, thermoelectric, 20 litre 5=9734
- by sublimation, for space research, low temp. 5=179
- thermoelectric, by $Bi_2Te_3 + Bi_2Se_3$ or Sb_2Te_3 semicond. props. 5=4014
- thermoelectric device 5=9733
- thermoelectric, by heat from low-grade sources 5=9735
- GaAs non-lasing i. r. sources, effect on efficiency 5=4373
- KNO_3—$BaCl_2$, molten mixtures, cooling curves 5=6185

Copper
- adsorption on W 5=12071
- adsorption of O and H on (110) plane, electron diffr. obs. 5=12200
- α-irrad., internal friction var., oscillations amplitude meas. 5=3840
- α-irrad., Young's modulus var., oscillation amplitude meas. method 5=3841
- atom, e^4D levels, in discharges 5=14601
- bending plastic fatigue behaviour 5=12550
- cavitational erosion by molten Pb 5=6745
- cohesion energy 5=6234
- cold-rolled orientation, electron diffr., selected points obs., versus X-ray method 5=3588
- collective resonances 5=12624
- coordination groups, e. p. r. spectral h. f. s. 5=15496
- crack formation at twins, by fatigue 5=9539
- creep, steady-state characts., 400°-950°C 5=3843
- crystal dislocation dipoles 5=9466
- crystal dislocations slip and polygonization 5=9492

Copper—contd
- crystal growth, seeded, graphite mould design 5=6366
- crystal growth, single, by zone melting 5=6367
- crystal imperfect., mono-vacancy formation and migration energy calc. 5=6612
- crystal lattice vibr. calc. 5=9370
- crystal orientation distrib. rel. to cold worked texture, meas. method 5=6340
- crystal point defects, heat treatment effect in H, He 5=9424
- Crystal struct., X-ray anomalous diffr. obs of perfection 5=12199
- crystals, scratching deformation 5=6702
- Debye—Waller factors, de Launay's method calc. 5=3668
- defect—dislocation interaction rel. to γ-irrad. 5=15155
- desorption energy on W 5=12072
- desorption from W, calc. 5=14958
- deuteron irradiated, heat treatment stored energy release 5=9508-9
- diffusion in GaAs, divacancy reaction 5=15088
- diffusion of impurities, planar corr. to Mehl—Rhines formula 5=12320
- dipole needles, artificial radn. belt, optical effects 5=15713
- directional effects, in electron irrad. crysts. 5=12350
- dislocation formation by Ar ion bomb. 5=12387
- dislocation structure in fatigued single crystals 5=12386
- dislocations, fast moving, frictional force, acoustic attenuation 5=1529
- elastic fatigue, u. s. absorpt. obs. 5=3839
- elec. cond. rel. to annealing 5=9627
- electrical resistance recovery from −40 to 250°C, vacancies effect 5=6704
- electrodeposited, struct. by X-ray diffr. 5=12149
- electron emission, knock on from fast μ, ang. var. 5=12862
- electron emission, secondary and sputtering, by Ar, ang. var. 5=7066
- exoelectronemission, after plastic deform. 5=15414
- films, adsorbed H_2, surface potentials, negative and positive 5=3517
- films, annealing and oxidation morphological changes, substrate effect 5=6344
- films, electrical props., and defect struct., temp. effects 5=15272
- films, electron penetration meas. 5=14067
- films, inner potential, by electron interferometry 5=6400
- films, porosity, crystal imperfections 5=3505
- films, u.h. vac. meas. of optical consts. rel. to ageing 5=1840
- freezing point meas. 5=3401
- γ-ray spectra, due to 24 MeV electrons meas., photoneutron yield calc. 5=2593
- grain size and microhardness of films 5=3500
- growth twins and branching in electrodeposited dendrites 5=3535
- Hall effect rel. to mobility 5=6839
- hardening, neutron induced, disloc. breakaway stress var. 5=6703
- holes, thermal equilib. shape and size 5=9307
- hollow cathode discharge spectrum, mechanism, current and gas pressure depend. 5=2907
- impurity in Ge, n-type, effect on irrad. and annealing 5=15325
- internal friction and damping in deformed single crystals and wires, imperfections effects 5=6706
- internal friction, temp. depend. to near m.p. 5=3842
- internal friction in whiskers 5=9556
- ions, Cu^{2+}, in $K_2SO_4(Cu_xZn_{1-x})SO_4 . 6H_2O$, spin—lattice relax., Van Vleck 5=7225
- liquid, density meas., thermal expansion 5=14841
- magnetoresistance, longitudinal 5=3967
- mechanical hysteresis losses at points of discrete contact 5=1543
- mechanical strength, tensile, improvement by pre-torsion 5=12507
- metal, radiation damage and focuson-impurity interaction 5=3786
- metal transfer on impact 5=6707
- monocrystals, deform. by conical indenter 5=1514
- n-irrad., yield region parameters, slip prevention, activation energy temp. var. 5=3787
- n. m. r. anisotropy for orientation w. r. t. mag. field in sheets 5=4264
- n. m. r. quadrupole effect, due to dislocation elec. field gradients 5=13012
- n. m. r., u. s. excited 5=9866

Copper—contd
- neutron irrad., atomic displacement anisotropy 5=6615
- optical consts., films, vacuum u. v., ageing effects 5=7334
- phonon spectrum, theta-expansion method 5=1410
- photoconductivity, films < 20 mμ thick 5=7035
- photoelec. absolute cross-section for 145 keV γ-rays meas. versus theories 5=785
- photoelectric emission potential meas. in mag. fields 5=7055
- photoelectron emission, quantum yield, energy distrib. 5=4135-6
- photon attenuation coeffs. 5=8372
- plastic deformation and deconsolidation activation energy 5=12493
- plastic deformation and Kossel line broadening disloc. density calc. 5=15153
- plastic deformation, effect on diffuse scattering of X-rays 5=15083
- plastic deformation fatigue, X-ray diffr. obs. 5=12490
- plastic deformation, large, generalised behaviour 5=9540
- plastic deformation rel. to texture 5=1515
- plastic deformation, stored energy and grain size 5=12489
- plastic flow, rate and temp. var. 5=9541
- plasticity, effect of crystal orientation 5=6705
- point defects, calcs. 5=9423
- point defects by plastic straining, —195°C 5=12502
- pores and cracks, "healing" during plastic deformation 5=3846
- powder compact, Al_2O_3 strengthened, interphase tensile stresses 5=1516
- powders recrystallization properties 5=9306
- precipitation in Si, models, microscopes obs., rel. to disloc. decoration 5=3473
- pulse loads, resistance to fracture, meas. 5=6728
- radiation damage by ion bombard. 5=3788
- range distrib of 25-150 keV Kr 85 ions, in single crystals 5=1489
- recovery, low-temp., in irrad. Cu 5=12351
- recrystallization, alloying addition effect and temp. depend. 5=1305
- recrystallization nuclei, formation, and effect of Al and Be additions 5=3557
- reprecipitated in ZnS, and electroluminesc. characs., time var. 5=13129
- resistance annealing after quenching, vacancy migration effects 5=15273
- shock wave temp. rise, thermocouple meas. and intensity meas. 5=111
- slip on plastic deformation, electron mic. obs. 5=9484
- slip, secondary, in deformation 5=9542
- slip and work hardening in neutron irrad. single cryst. 5=3844
- small angle scatt. of thermal neutrons, cold worked, disloc. density calc. 5=3749
- solubility and diffusivity of O 5=3444
- specific heat, Kreb's model 5=12291
- specific heat, 20 to 600°C temp. var. 5=15046
- stacking faults formation, rel. to plastic deform. and solidification 5=1480
- stress/strain rels., anelasticity at low stresses 5=9538
- stress/strain rels., n irrad., heat treatment 5=9543
- stresses, internal around He bubbles due to irradiation and annealing 5=12492
- superconductivity, with superimposed Pb films 5=1629
- surface atom migration during oxidation 5=4390
- surface layer removal by sputtering, activity of Kr^{85} impregnated layer method 5=3785
- surface tension in contact with UO_2 5=871
- thermal cond., below 1°K, use of graphite thermometer 5=10385
- thermal expansion 5=12296
- thermocouples, low-temp. power, versus Au—Fe 5=9739
- tricrystals, fatigue crack initiation and propag. 5=3845
- vacancy zone, distrib. in elongation cascades 5=15087
- vaporization from ceramic crucibles by electron bombard. heating 5=1994
- wire, Poisson's ratio determ. 5=1510
- work hardening, effect of dispersed oxides 5=12491
- X-ray absorption, 7-17Å range 5=1833
- X-ray diffr., pure profile prod. from deformed sample 5=6405

Copper—contd
- X-ray prod., charact., proton channeling effect 5=9892
- wire protection by Al paint in high-temp. air 5=1998
- Cu^{64} in GaAs, supersaturated, divacancy reaction diffusion 5=15071
- Cu I, spectral lines, transition probabilities 5=8754
- Cu ions in porous crystals, e. p. r. 5=15495
- Cu^{2+} e. s. r. in borax beads 5=9841
- Cu^{2+}, e.s.r. in $CdWO_4$ 5=1796
- Cu^{2+} e.s.r. in Cs_2CuCl_4 5=1797
- Cu^{2+} in NH_4Cl, e. s. r. spectrum 5=12974
- $Cu^{+,2+}$ in Ag Cl, e. s. r. and optical studies 5=1799
- CuI spectra, isotope shifts and configuration mixing 5=8755
- Fe impurity atoms, mean-square displacement, Mössbauer meas. 5=1459
- and Ni multilayers on Al, H_c var., Ni thickness effect 5=7142

Copper alloys
- See also Copper compounds.
- α-brass, dislocation dipoles 5=3745
- brass, internal friction, temp. depend. to near m.p. 5=3842
- α-brass, Lüders band propag. in plastic deformation 5=6699
- brass, mechanical strength, tensile 5=12507
- β-brass, phonon temp. depend. 5=15033
- α-brass, secondary, in deformation 5=9542
- α-brass stacking faults formation, rel. to plastic deform. and solidification 5=1480
- α-brass, stress corrosion cracks 5=15159
- brass wire, Poisson's ratio determ. 5=1510
- crystal stacking faults and deformation anisotropy 5=9489
- hardness and creep under spherical indentation 5=1546
- Cr base, paramag. susceptibility, meas. 5=4162
- CuAg[Au] alloys, dilute, thermoelectric power 5=1688
- Cu—Al, deformed, strength, conc., grain size, disloc. struct. effects 5=15156
- Cu—Al, factors affecting strain-hardening 5=3847
- Cu—Al foil, crystal orientation rels. and habits in martensitic transformation 5=6289
- α-Cu-Al, n-irrad., yield stress heat treatment 5=9544
- Cu—Al, sintered, cold worked, effect of annealing on mech. props. 5=15157
- Cu—Al solid soln., short-range order characts., conc. var. 5=3438
- Cu—Al solid solutions b.c.c., Suzuki atmospheres, alloying-element conc. temp. dep. 5=1479
- Cu—Al system, β-phase, diffusion 5=1440
- Cu-Al, yield drop, strain rate and temp. effect 5=6766
- Cu—Au, strain relaxation and short-range order 5=12448
- Cu—Au, yield stress, rel. to composition 5=12456
- CuAu II-type superlattice films, electron diffr. satellite reflections 5=3616
- $CuAu_3$, anti-phase domain structure of ordered phase 5=1251
- Cu_3Au alloy, ordering 5=9227
- Cu_3Au alloy, thermal expansion and compressibility, temp. var. 5=6559
- Cu_3Au, long-range order, nature 5=12001
- $Cu_{72}Au_{28}$, long-range order, nature 5=12001
- Cu—Au—Zn, lattice parameters and elec. resistivity, temp. var., meas. versus calc. 5=6841
- Cu—Au—Zn, solidus 5=9172
- Cu—Ba, photo- and thermoemission characteristics 5=12843
- Cu—Be alloy, magnetic susceptibility meas. 5=4161
- Cu—Be, elastic damping, phase transitions 5=15158
- γ-Cu_4Cd_3, crystal structure, atomic 5=12201
- Cu—CdSe, photovalve construction, calc. 5=4121
- Cu—Ga, f. c. c. alloys foils, stacking fault intersection fringes 5=3767
- αCu-Ga, n-irrad., yield stress heat treatment 5=9544
- Cu—Ga, phase diag. in ζ phase region 5=9225
- Cu—Ga, stress for cross slip, var. strain rate and temp. and stacking fault energies 5=12494
- Cu—Ge alloys, solute atom-dislocation binding energy 5=3750
- ζ-Cu-Ge, elastic limit, heat treatment effects 5=9545
- α-Cu-Ge, n-irrad., yield stress heat treatment 5=9544
- Cu—Ge, stress for cross slip, var. strain rate and temp., and stacking fault energies 5=12494
- Cu—In, elastic damping, phase transitions 5=15158
- Cu—In—Se, crystal structure and phase composition 5=3623
- Cu-Mn, fast moving dislocations, frictional force, acoustic attenuation 5=1529

Copper alloys—contd
Cu—Ni, Debye temp., var. Ni conc. 5=9390
Cu—Ni diffusion couples, reversal of preferential vacancy flow 5=15069
Cu—Ni, factors affecting strain-hardening 5=3847
Cu—Ni, internal friction temp. var. damping peaks and quenching 5=9546
Cu—Ni, n.m.r. of Cu and Ni 5=9864
Cu—Ni, specific heat, 20 to 600°C temp. var. 5=15046
Cu—Ni, thermopower and resistivity 5=15396
Cu-Ni-Fe alloys, anhysteretic susceptibility 5=4180
Cu-Ni-Fe remanent mag. props. after heat treatment and cold work 5=7123
Cu-P alloy, strained, grain orientation 5=6407
Cu-Pb-Sb, Young's and rigidity moduli 5=6730
Cu—Pd, n.m.r. of Cu 5=9864
Cu—Pt, n.m.r. of Cu 5=9864
Cu—S, liquid, elec. cond., temp. and comp. depend. 5=14863
Cu—Sb, liq., viscosity and elec. cond., conc. depend. 5=3319
Cu—Sn, $\beta \rightarrow \varepsilon^1$ phase transform., by X-ray diffr. 5=12002
Cu-Sn (bronzes), elastic const. determ. from elastic wave vels. 5=6700
Cu-Sn, crystal imperfections on n-irrad., and yield 5=9430
Cu-Sn, crystal vacancies, on n-irrad., and yield 5=9430
Cu—Sn, Cu_6Sn_5 separation meas. 5=12108
Cu—Sn, flow stress, disloc. prod., grain size effect, temp. var. 5=6710
Cu-Sn, strain hardening and flow stress, versus pure Cu, temp. var. 5=6709
Cu_6Sn_5 fibres, strength, size effect, and fracture 5=9547
Cu-Sn-Sb, Young's and rigidity moduli 5=6730
Cu—Th, eutectics, melting and struct. 5=14877
Cu—Zn, α-phase, specific heats, low temp. 5=15047
Cu-Zn (brasses), elastic const. determ. from elastic wave vels. 5=6700
Cu—Zn, factors affecting strain-hardening 5=3847
Cu—Zn solid soln., short-range order characts., conc. var. 5=3438
Cu—Zn solid solutions b.c.c., Suzuki atmospheres, alloying-element conc. temp. dep. 5=1479
Cu_{70}—Zn_{30}, formation, α-brass 5=9226
Cu—Zn[Ga, Ge, As], thermopowers and resistivities 5=9730

Copper compounds
See also Copper alloys.
conductivities, 0.3-4°K, phonon mechanisms 5=6572
cuprous halides, thermal expansion 5=1425
ferrite, alloyed, internal friction peaks 5=3854
halides, crystal props., Lennard-Jones (12:6) potential calc. 5=3415
mechanical hysteresis losses at points of discrete contact 5=1543
turquois, crystal structure 5=6451
Cu acetate, mag. props. at low temps. 5=9774
Cu complexes in soln., e.s.r. hyperfine linewidihs rel. to nuc. spin orientation 5=8878
Cu ferrite mixture with magnetite, thermodynamic funcn. conc. depend. 5=6539
Cu ferrite, thermal expansion obs. 5=12867
Cu halides, interatomic forces and bonds, calc. 5=6236
Cu—lanthanide compounds, magnetic and structural props. 5=9772
Cu oxides, film formation by cathode sputtering, rel. to initiating plasma 5=9244
Cu phthalocyanine, e.s.r. 5=4238
Cu phthalocyanine thin films, electron injection 5=15349
Cu salts, hydrated and anhydrous, i.r. spectra 5=9899
Cu salts, hydrated, in mag. field, 'inversion' absorpt. of sound 5=1415
Cu_3Al, ordering by 1st order transformation 5=6295
Cu_3Au, disloc. pairs theory 5=3739
Cu_3Au, short-range order, X-ray meas. 5=3461
Cu_3Au, strain-hardening 5=6708
Cu_3Au, structr., X-ray meas., Nilssons formula rel. to numerical integration 5=9333
Cu_3Au, thermoelectric power rel. to order 5=9724
CuAu I, ordering, from stress-strain anal. 5=3808
CuCl luminescence to low temps. 5=9946
Cu_2Cl_2, paramag. relax., low temp., impurity prod. 5=7221
$CuCl_2 . 2H_2O$, antiferromagnet, mag. props. 5=12956

Copper compounds—contd
$CuCr_2S_4$, magnetic props., spinel structure 5=15450
$CuCr_2Se_4$, magnetic props., spinel structure 5=15450
$Cu\,Cs_2\,Cl_4$, paramag susceptibility and anisotropy meas. 5=7092
$CuCs_2(SO_4)_2 6H_2O$, 0.1°K, spin—lattice relax., phonon bottleneck 5=1798
$CuF_2 . 2H_2O$, e.p.n. line width, temp. var. 5=4237
Cu_2GeS_3 thermal expansion, thermal cond., elastic modulus 5=12297
Cu_2GeSe_3 thermal expansion, thermal cond., elastic modulus 5=12297
CuI, phases, specific heat and diffusion meas. 5=9385
CuI, specific heat and crystal defects 5=9386
Cu_2In—Ni_2In, B_8 structure lattice consts. 5=3624
$CuK_2Cl_4 . 2H_2O$, electron—phonon double reson., saturation 5=1810
$CuK_2(SO_4)_2 . 6H_2O$, electron—phonon double reson., saturation 5=1810
$CuK_2(SO_4)_2 . 6H_2O$, g-values and orientation of $Cu_2^{2+} . 6H_2O$ mag. complex, e.s.r. meas. 5=7222
$CuMoO_4$, electrical properties 5=12729
$Cu(NH_4SO_4)_2 . 6H_2O$, g-values and orientation of $Cu_2^{2+} . 6H_2O$ mag. complex, e.s.r. meas. 5=7222
Cu—Ni powder mixtures, homogenization and particle size 5=14920
CuO, absorption lines, exciton series strain shifts 5=9900
CuO, reflection bands, exciton series strain splittings 5=9901
Cu_2O, cryst. pot. by Evjen's method of lattice sums, and Madelung pot. 5=9198
Cu_2O, exciton absorption and Faraday effect, calc. 5=13026
Cu_2O, exciton absorpt. spectrum, crystal defect effect 5=9898
Cu_2O films, prep. and structure 5=12045
Cu_2O, nonlinear photoconductivity 5=12826
CuPt, ordered and disordered, heat capacity below 4.2°K 5=3691
Cu_2O, polarization in yellow exciton series 5=15247
$CuSO_4$, mag. struct. 5=15475
$CuSO_4$, magnetic structure 5=9332
$CuSO_4 . 5H_2O$, effect of e.s.r. on static susceptibility 5=7223
$CuSO_4 5H_2O$, internal electric field and g-factor evaluation 5=1224
$CuSO_4 . 5H_2O$, proton mag. reson. line shape, 4.2-0.35°K 5=4265
$CuSO_4 . 5H_2O$, proton reson. lines 5=7277
Cu_2SnS_3 thermal expansion, thermal cond., elastic modulus 5=12297
$CuTaS_3$, crystal structure 5=3625
$CuTiF_6 . 4H_2O$, crystal struct., atomic 5=6450
β′-CuZn, de Haas—van Alphen effect at 4°K 5=9761
Corbino effect. See Electric current.
Coriolis forces. See Dynamics.
Cornea. See Eye.
Corona, electric discharge
See also Breakdown, electric.
stationary, const. magnetic field effect 5=1036
He, meas. 5=1037
Corona, solar. See Sun corona.
Coronagraphs. See Sun/corona.
Corpuscular streams. See Cosmic rays; Sun/radiation, corpuscular.
Correspondence principle. See Quantum theory.
Corrosion
α-brass, stress corrosion cracks 5=15159
carbides of W, Ti, Ta, Nb, in acids 5=1909
films, vac. deposited, in air—H_2S mixture at 20°C 5=4393
glass surfaces, by acids, microstructure obs. 5=12032
and semiconductor cond. type meas. 5=12705
zircaloy-2, in steam, H uptake and embrittlement 5=9583
Al alloy, penetration, ageing and temp. var 5=12480
Al, superpure, in distilled H_2O, at high temp. 5=13157
Cr(100) crystals character 5=3515
Fe—Al sintered alloys 5=1252
Pb, and fatigue life 5=9563
TiN, in acids 5=1909
ZrNb(1 and 2.5), in steam, H uptake and embrittlement 5=9583
Cosmic dust. See Interplanetary matter; Interstellar matter; Meteorites.

Cosmic noise. See Cosmic radiations, radiofrequency.
Cosmic radiations, radiofrequency
    See also Radioastronomy; Sun/radiation, r.f.
  absorption in auroral zone 5=13394
  Cassiopeia A, F-region inhomogeneity fading 5=13530
  Crab Nebula, infrared radiation flux meas., freq. var. 5=4595
  double radiosources, component shapes 5=7625
  11 quasi-stellar radio sources, optical identification 5=15823
  flare stars, review 5=4573
  flare stars, UV Ceti emission mechanism 5=7589
  Galactic centre region, microwave obs. 5 Gc/s 5=15814
  Galactic emission, polarized, large-scale distrib. pattern 5=4596
  Galactic noise, and primary electron flux, Nov. 1963 balloon meas. 5=11146
  Galactic sources, thermal 5=7606
  from galaxies, including ours, review 5=10151
  and galaxy evolution diagram 5=15821
  Galaxy, 1.5-5 Mc/s, by Alouette satellite 5=7604
  Galaxy, rotation, from radio data 5=7605
  Galaxy, spectra < 20 Mc/s, var. directions 5=15812
  Galaxy structure 5=7607
  galaxies, 31, red shifts and spectra 5=10152
  γ and ν sources review 5=13680
  IC 443, radio structure 5=4588
  intergalactic gas absorber poss. 5=13731
  low-frequency, rocket and satellite obs. 5=7618
  moon and planets 5=7630
  nebula, planetary, NGC 7009 5=4594
  nebula, Rosette, 1430 Mc/s, 2315 Mc/s, contours, spectra, model 5=10149
  1934-63 source, theory and possible var. 5=13730
  noise, 0.7 and 2.2 Mc/s, high-altitude rocket meas. 5=7603
  non-thermal radiosources, spectra 5=4604
  polarization of sources, 10-21 cm, catalogue 5=4605
  quasars, oscillations 5=7616
  quasi-stellar diameters and intensity fluctuations 5=13699
  quasi-stellar galaxy nucleus explosions model 5=15820
  quasi-stellar radio waves, density crises in the Cosmos 5=4537
  quasistellar source 3C273, gas envelope conditions and recurrence 5=4609
  quasi-stellar sources as forming spherical galaxies 5=7612
  quasistellar sources, semipopular review 5=1972
  radio galaxies, particle jets nature, discussion 5=4606
  radio sources origin, theory 5=7617
  radio-star Cygnus A scintillation meas. 5=15722
  radio-star scintillation, versus satellite, and ionosphere irregularities meas. 5=15723
  radiotelescope aperture, asymphase distrib., frequency spectra 5=15896
  small diameter sources, scintillations due to interplanetary matter 5=10157
  source counts and evolutionary universe, 4 parameter 5=4531-2
  source 3C273, 6100-3300 A spectrophotometry 5=13729
  sources, intense, and magnetic field winding in gravitational collapse 5=4583
  sources, 90, declinations to ± 12 sec 5=10153
  sources, ~100, 1430, 2315 Mc/s 5=15816
  sources right ascensions, accurate 5=4602
  sources, 6 most intense, 1 minute beam obs. 5=10154
  sources, weak, 32 cm 5=4603
  stars, flare, review 5=10135
  supernovae remnants, ring source 5=4580
  synchrotron radiation of charged particles in dipole mag. field 5=2252
  theory, expt. meas., visual range to 10^{20} eV energies, review 5=7624
  3C273 brightness distrib. from lunar occulation 5=15819
  H, interstellar, absorpt. 5=7620
  OH interstellar lines, spectrum and intensities 5=4616
  OH and other mol. lines in interstellar medium 5=7619
Cosmic rays
  acceleration by plasma waves, nonlinear effects 5=3158
  from balloon, low geomag. latitude meas. 5=11161
  conference, India (1963) 5=5466
  cutoffs at high latitude 5=11164
  equator at 170°W longitude meas. 5=11162
  intensity at Thule, Greenland, 1962-3 5=11160

Cosmic rays—contd
  neutrinos, observation attempts 5=15776
  nucleonic intensity, solar disturbances effects 5=11166
  review of theories and techniques 5=5467
  scattering by mag. irregularities 5=14062
  solar, effect on D-region electron densities 5=15738
  solar events during Aug. 1957 5=15879
  total radiation in deep space and earth 5=11139
  wave excitation for particle scatt. at very high energies, calc. 5=10864
 absorption
  and μ dE/dx calc., ultrarelativistic 5=11069
  noise at College, Alaska, rel. to aurora 5=13393
  nucleonic attenuation coeff., lower atmos. depth var. 5=11159
  riometer, rel. to solar absolute intensity 5=13312
  rock, muonic intensity, depth var. 5=11157
 apparatus
    See also Particle detectors.
  neutron monitors, IGY and IQSY, spectral sensitivity 5=11138
  orbiting geophysical observatory, semipopular review 5=1959
  photomultipliers, background events at high altitudes 5=11137
  pulse height recorder and transmitting system from balloon-borne equipment 5=5468
  recorder control system for nuclear interactions >100 BeV 5=11136
  scintillation counter, balloon-borne, pulse height telemetry 5=2695
  scintillator, cylindrical, hard component range response 5=2696
  simultaneous sampling at different altitudes 5=660
 composition
  investigation, 306-339 km 5=661
  μ excess at sea level, p—N → π OPE mechanism 5=5387
  nuclear component, Soviet satellite and rocket meas. review 5=5470
  solar-flare produced, relative abundances 5=2698
 alpha-particles
  galactic, low energy, 1962-3 solar modulation 5=11151
  and heavy nuclei, hysteresis over solar cycle 5=668
  low-energy, meas. by Cherenkov—scintillation counter in balloon, 100-1200 MeV/nucleon 5=662
  low-energy, meas. by oriented emulsion, at 149×10^3 5=663
  primary, He^3 proportion 5=11153
  primary, p ratio, solar wind effects 5=11152
  rigidity, geomagnetic cutoff, solar modulation 5=11143
  solar flare, interplanetary storage 5=15884
 deuterons
  primary flux meas. rel. to origin 5=14454
 electrons
  and equatorial soft radn., "Kosmos-4" meas. 5=11145
  Galactic, low energy, by collisions of primaries with interstellar gas 5=10115
  inverse Compton scattering 5=13685
  precipitation, positron—electron ratio, balloon obs. 5=1116
  primary flux over France, Nov. 1963 balloon meas. rel. to galactic radio noise 5=11146
  showers lateral deviation calc. 5=666
  near Venus, ≥ 0.5 MeV, Mariner 2 obs. 5=13678
 jets. See Cosmic rays/showers and bursts.
 mesons
  and γ-N energy var. 5=8368
  K/π ratio, from e.m. cascade meas. 5=2697
  muons in atmosphere, zenithal distrib. 5=11174
  muon flux, sea-level, 30 to 60° zenith angle var. 5=11175
  muon spectrum at 3000m 5=8503
  muons, high energy spectrum 5=2704
  muonic intensity, depth var. 5=11157
  muon spectra, sea-level, 83 to 90° zenith angle var. 5=111
  and nuclear components in solar flare modulation meas. 5=11154
  underground intensity, atm. effects 5=14456
 neutrons
  anomaly of barometric coeff. 5=2702
  atmosphere, var. with depth, time var. at high altitudes 5=11169-70
  density in atmosphere 5=11171
  earth's albedo, Agena satellites meas. 5=13345

- **Cosmic rays** — contd
  - **neutrons** — contd
    - measurement. 160-300 g cm^{-2} depth and equator to 55° geomag. N 5=11173
    - primary, space albedo 5=14453
    - solar, synodic month var. 5=11165
    - from sun protons, leakage calc. 5=11172
  - **photons**
    - γ and ν sources review 5=13680
    - gamma ray astronomy, > 50 keV 5=15777
    - high-energy, origin hypotheses 5=5471
    - interaction with protons in extragalactic space 5=5469
    - interstellar gamma-ray flux 5=7621
    - primary, 5×10^{12} eV, upper limits for sources 5=13683
    - primary, γ 5=13681
    - primary high energy γ mechanisms calc. 5=13682
    - primary, origin by p + photon → π° 5=13679
    - X-ray sources 5=13684
    - X-rays, sources 5=15780
  - **protons**
    - flux, atmospheric depth var. 5=11158
    - galactic, low energy, 1962-3 solar modulation 5=11151
    - low-energy, meas. by Cherenkov–scintillation counter, in balloon 100-1200 MeV 5=662
    - non-Störmer cutoff, time var., quiet field, satellite obs. 5=11149
    - primary, energy spectrum, India and USA nuclear emulsion meas. 5=11147
    - primary flux meas. rel. to origin 5=14454
    - primary, He ratio, solar wind effects 5=11152
    - rigidity, geomagnetic cutoff, solar modulation 5=11143
    - solar spectrum 5=15877
    - solar, synodic month var. 5=11165
    - in South Atlantic mag. anomaly 5=13408
    - and sun flares and loop prominences 5=15881
    - near Venus, ⩾ 10 MeV, Mariner 2 obs. 5=13678
  - **effects and interactions**
    - See also Nuclear reactions/cosmic rays.
    - dosimetry, by water Cherenkov detector 5=8578
    - energy transfer from v. l. f. emissions 5=13302
    - high energy, conference 5=2567
    - high-energy, "persisting baryon" application 5=2563
    - high-energy $\gtrsim 10^{3}$ BeV, ICEF 5=2566
    - isobar decay products, in high-energy interactions 5=768
    - primary and secondary, nuclear emulsion obs. 5=2565
    - secondary events, ICEF, freq. distrib. 5=2705
  - **origin**
    - exploding galaxies as source 5=7611
    - Hayakawa's hypothesis of high-energy photons 5=5469
    - neutrino fluxes, production by gravitational focusing 5=4534
    - protons and deuterons, from flux data 5=14454
  - **primary**
    - anisotropic, geomagnetic effects 5=11140
    - anisotropy, three explanations 5=4535
    - chemical constitution, spectra, Soviet satellite and rocket meas. review 5=5470
    - electron flux over France, Nov. 1963 balloon meas. rel. to galactic radio noise 5=11146
    - electronic component, rel. to galactic radn., review 5=7624
    - extra-Galactic 5=15781
    - 5×10^{12} eV, upper limits for sources 5=13683
    - Forbush and long-term variations 5=11142
    - galactic, charged albedo and polar plateau edge 5=11141
    - galactic, scattering by interplanetary mag. field and sun 5=13675
    - γ 5=13681
    - γ, high energy, mechanisms calc. 5=13682
    - heavy, slow, rocket emulsion obs. 5=2699
    - intensity change with distance from sun 5=13676
    - interplanetary plasma motion prod. 5=13677
    - interstellar gamma-ray flux 5=7621
    - and interstellar plasma turbulence prod. 5=13734
    - investigation, 306-339 km 5=661
    - jets, 4-momentum transfer, between particle groups 5=8498
    - in meteorites, etching obs. 5=10116
    - modulation near solar minimum 5=11144
    - neutrons, space albedo 5=14453
    - ν_e flux upper limit 5=8400
    - nuclear component, Soviet satellite and rocket meas. 5=5470
    - photon origin by p + photon → π° 5=13679
- **Cosmic rays** — contd
  - **primary** — contd
    - proton and deuteron flux meas. and origins 5=14454
    - proton energy spectrum, India and USA, nuclear emulsion meas. 5=11147
    - proton flux, 10 to 130 MeV meas. 5=11148
    - solar flux, rel. with polar-glow aurora 5=13380
    - solar, July 1961, balloon obs. discussion 5=11155
    - near Venus, Mariner 2 obs. 5=13678
    - X-rays, astronomical sources in Scorpius and Sagittarius, rocket obs. 5=10160
    - H nuclei, low-energy, isotopic composition 5=11150
    - H and He nuclei, meas. by oriented emulsion, at 149×10^{3} ft 5=663
    - p/He ratio, solar wind effects 5=11152
    - He^{3} proportion 5=11153
  - **showers and bursts**
    - collisions, high energy, 4-momentum transfer 5=11076
    - e. m. cascades, fluctuation problem 5=8500
    - electron lateral deviation calc. 5=666
    - extensive showers with few muons, frequency 5=5471
    - high energy, conference 5=2567
    - jets, ang. distrib., asymmetry 5=8499
    - jet ang. distrib. and prob. function 5=664
    - jets, linked heavy particle model 5=2700
    - jets prod., anal. as two-body process 5=5328
    - μ, e produced, size fluctuation 5=665
    - μ less, p–N → π OPE mechanism 5=5387
    - N–nuclei, Monte-Carlo calc. 5=667
    - π–nuclei, Monte-Carlo calc. 5=667
    - π production, centre of mass system 5=11078
    - sea level, low energy, Calcutta meas. 5=11156
    - secondary particles, pair ang. correl. 5=2701
    - spark chamber recording efficiency 5=10940
    - storms, and solar flares modulation meas. 5=11154
    - storms, spectral variations 5=8501
  - **variations**
    - barometric coeff. anomaly for nucleonic component 5=2702
    - charge spectrum var. with rigidity 5=8502
    - diurnal, moving plasma diffusion model calc. 5=14455
    - east-west assymm., nuclear emulsion plates meas. 5=2703
    - 11 year, magnetic rigidity dependence 5=11163
    - intensity, rel. to polar-cap-absorpt. events 5=11167
    - and interplanetary plasma and mag. field 5=4648
    - primary, solar modulation near minimum 5=11144
    - protons, α-particles, 1962-3 solar modulation 5=11151
    - solar abs. intensity rel. to riometer absorption 5=13312
    - and sun flares and loop prominences 5=15881
    - and sun radiations, transit time 5=4662
    - He and heavy nuclei, hysteresis over solar cycle 5=668
- **Cosmogony**. See Cosmology.
- **Cosmology**
  - See also Elements, origin.
  - antimatter detect by optical protonium and positronium obs. 5=4546
  - C-field as a direct particle field 5=4528
  - constant and galaxy clusters stability 5=7609
  - continuous creation and quantum weak interaction fields 5=1961
  - distinction between models, three obs. rels. 5=13673
  - and elementary particles, numerical rels. 5=13674
  - evolution of expanding universe in prestellar stage 5=4530
  - evolution of galaxies, conference report 5=7608
  - evolutionary universe, 4 parameter, and radio source counts 5=4531-2
  - expanding universe body energy local effects 5=13672
  - expanding universe, metric, for non-homogeneous and anisotropic mass distrib. 5=10111
  - formation of light elements, at prestellar stage 5=7546
  - Friedman universe, delayed expansion and super-stars 5=7614
  - use of galaxies ang. dia. in calcs. 5=7547
  - gravitation equation singularities 5=10246
  - gravitational collapse and elec. charge 5=10117
  - gravitational collapse with non-zero pressure 5=1963
  - gravito-c-field in empty region with spherical symmetry 5=13707
  - Hale telescope, observations, historical survey 5=4533
  - Hoyle–Narlikar theory 5=45
  - K-meson decay, milky way and universe pots. 5=5437

Cosmology—contd
light elements, isotopic abundance, rel. to origin by spallation in proterrestial bodies 5=931
light propagation, in nonhomog. flat universe 5=7549
models, theory, steady-state 5=13669
neutrino astronomy, observational 5=15776
neutrino degeneracy in Universe, experimental limits 5=13686
Newtonian expanding universe 5=13668
radiation near massive bodies 5=4536
red shift, gravitational inhomogeneity explanation 5=10112
red shift implies round trip distance increase 5=4743
relativistic, current aspect, hydrodynamic models and natural material formation 5=7545
relativistic, general, foundations review 5=13670
relativistic gravitational collapse, adiabatic 5=4538
rotating, stationary, and dust-filled universe, Einstein's field eqn. soln. 5=7544
Schwarzschild metric and gravitational energy release 5=13869
singularity of non-isotropic relativistic model 5=13671
spherical galaxies, radial discretization, deviations from static metric 5=1962
steady state creation Newtonian universe condensation growth 5=15779
steady-state like universe, time scale and red shift, metric ang. diam. 5=4529
steady-state, test from background X, i. r. rays 5=10113
studies, radio astronomical requirements 5=7548
universe exploration by radio and radar astronomy 5=7555
Cosmotron. See Particle accelerators/orbital.
Costa Ribeiro effect. See Dielectric phenomena; Phase transformations.
Cotton—Monton effect. See Magneto-optical effects.
Cottrell atmosphere. See Crystal imperfections/dislocations.
Couette flow. See Flow; Hydrodynamics.
Counters
See also Ionization chambers.
for α ray detect , plastic 5=14452
differential, and dead—time losses calculation 5=14314
electron multiplier, high-speed, with planar dynodes 5=2530
hodoscope digital data handling for high energy scatt. expts. 5=8318
point counter, with quenching vapour, as exoelectron detector 5=8317
in satellites, interpretation 5=13349-50
time lag of build up for halogen quenching 5=10896
Cherenkov
high-resolution gas-type, DISC 5=492
for mesons, separation of π and μ 5=14428
monitor for separated bubble chamber beams 5=493
perspex, efficiency meas. 5=5265
crystal
charge collection time 5=2512
improved crystal assembly for automatic sample changers 5=2511
preamplifier for low capacities 5=10910
solid state detector telescope 5=495
Geiger
background, temp. effects on cathode emission, halogen quenching 5=14316
counting characteristic, high intensity calc. 5=14317
discharge propagation vel. 5=2494
discharge speed along wire, organic vapour filling effect 5=5252
in exoelectron emission detection, effect of electro-negative gases 5=9746
4π, for low activities 5=5271
for γ detect., spherical 5=544
gas flow, 4π 5=10897
reduction of cathode diameter 5=486
self-quenched, quenching circuit 5=8309
threshold pulse form mechanisms 5=10896
twin, for low-level β-detection 5=11011
Br-quenched, characteristics, geometry, Ar mixing effects 5=14318
for I^{131}, β, low background 5=2780
Sn^{119}, recoilless γ-ray conversion electron meas., with internal Sn cpd. 5=5497
proportional
construction and testing, inner anticoincidence screening 5=2495

Counters — contd
proportional — contd
4π gas flow, thin source support Au—Pd metallization 5=8310
4π, routine absolute α and β counting 5=2496
gas flow, for α, β 5=5464-5
gas flow counters, fractionation effects 5=487
n, BF$_3$, rem, calibration 5=584
n, slow, BF$_3$, pulse amplitude distrib. 5=11050
pulse amplifier, non-overloading, transistorized 5=5277
for radioactivity meas., natural 5=5565
transmission, fast, for charged particles, theory 5=8311
He^3—Ne—CH$_4$ fillings, for thermal neutrons 5=581
scintillation
alkali halide crystals, impurity activated, scintillation process 5=4344
α low background phoswich detector (CsI crystal on Pilot B discriminator) 5=2694
anthracene scintillation pulse shape discrimination 5=7409
anthracene, scintillation slow component, temp. depend. 5=2510
for β,polystyrene base manufacture 5=14407
balloon-borne, pulse height telemetry 5=2695
borazene and borazole, for slow n 5=580
in coincidence system, for radioactive decay rate meas. 5=741
in Compton spectrometer, replacement by p—n junction 5=5325
conference, Washington, 1964 5=2506
cylindrical, range response to cosmic-ray hard component 5=2696
detector for mag. particle spectrometer 5=2505
filters, optical, for background reduction 5=2504
fluorescence decay-time meas., ordinary and deuterated cpds. 5=2508
gain stabilizer 5=10903
gamma-ray, automatic 5=14488
for γ-ray detection, resonance 5=10902
gamma-ray, sample changing mechanism 5=8377
gas, review 5=10905
use for high coupling factor and high current capability counter 5=2570
for ion detection, heavy slow 5=10907
large aperture time-of-flight system 5=8314
liquid, metallic containers 5=10908
liquid, pulse height—energy rel. for electrons <100 keV 5=8390
liquid, 620 gallon, antineutrino reaction detection 5=2588
liquids, efficiency and transparency 5=3350
(n, p) and (n, γ) reactions, pulse shape discrimination 5=5280
neutron det. with low γ-sensitivity 5=14423
for n, scatt., meas. by time-of-flight 5=11046
for n, slow, ZnS(Ag) + B$_2$O$_3$ 5=11047
n spectrometer, B—H, for fast n, calc. 5=11048
naphthalene solutions, decay times 5=9130
phoswich system, discrimination depend. on integrating time constant 5=5261
photomultipliers, e. m. screens calc. 5=12856
photons, sealed-off detector, for u. v. 5=2571
π^+ detection, low energy 5=8462
plastic scintillator, pulse height distrib. of incident electrons 5=5264
plastics, commercial, relative light output evaluation 5=2509
polystyrene-based plastic α, β ratio 5=7413
polystyrene filament preparation 5=10906
and pulse form discrimination, 2-phosphor method 5=1433
pulse shape and counter time fluctuations 5=14322
and pulse shape descriminating circuit 5=14335
random photo-peak shape, distrib., calc. 5=14323
resolving time meas. 5=13809
spectrometer, Polish D20 5=5258
spectrometer, selective 5=10904
stilbene, scintillation slow component, temp. depend 5=2510
styrene—paravinyltoluene copolymer, efficiency, conc. effects 5=14326
sum spectra, construction method 5=5262
summing, coincident and random, in spectrometers 5=831
and time marker circuit with tunnel diodes 5=14327
time resolution, revised theory, Monte Carlo method 5=52

Counters—contd
  scintillation—contd
    tritium coincidence counter, efficiency depend. on photocathode sensitivity 5=5260
    xylene, large area 5=10901
    CaI$_2$ and CaI$_2$ (Eu) scintillation crystals, performance rel. to NaI(Tl) 5=2507
    CsI, crystals, Pb, Bi shielded, 14 MeV pulsed neutrons time–energy response 5=14324
    NaI crystals, Pb, Bi shielded, 14 MeV pulsed neutrons time–energy response 5=14324
    NaI:Tl, calibration by photon monochromator 5=14394
    NaI(Tl) cryst., positron—electron differences 5=14325
    NaI(Tl) crystals, scintillation mechanism 5=4363
    NaI: Tl, efficiency calc., var. size, γ energy 5=545
    NaI(Tl), electron response, comparison with anthracene and Pilot B 5=4364
    NaI(Tl) γ-ray energy response 5=491
  semiconductor
    (α, p), (p, α) reactions, p and α-particle elastic scatt., resonance examination 5=849
    alpha-ray spectrometer, large area, high resolution 5=8497
    annular detector for spectrometry at 180 degrees 5=505
    in Compton spectrometer, p—n junct. replacement of scintillation counter 5=5325
    conference, Washington, 1964 5=2506
    dE/dx p—n junction particle detectors, uniform and stable 5=2518
    electronic equipment at Geesthacht 5=507
    energy meas., radiation, appls. and limitations 5=2513
    excitation by fast i. r. emitting diodes 5=1667
    p—n, p—i—n, depletion layer thickness, charge collection times, inversion layers, surf. states 5=496
    preamplifier, low-noise, charge sensitive 5=8315
    radiation damage 5=502
    scattering chamber 5=8316
    scattering chamber for (d, p) (d, α) reaction study 5=2835
    spectrum expanding circuit 5=14328
    surface barrier, preparation 5=5269
    surface barrier for rapid response radiations 5=501
    surface barrier type, depletion and inversion layers 5=497
    telescope, directional 5=10909
    thin + thick Si combined for Z = 1, 2 and > 10 MeV identification 5=5267
    Au or n-type Si surface barrier detectors, rectifying process 5=2517
    Ge, radiation absorpt. data 5=2513
    Ge, Li-drifted, resistive and breakdown charac. removal 5=2525
    Li diffusion detectors 5=498
    Li-drift p—i—n, γ-ray spectra meas., resolution 5=2577
    Li-drifting apparatus, automatic, for Si and Ge counters 5=2522
    Li, p—i—n diode, diffused, windowless 5=499
    Li^{6}F sandwich spectrometer at Geesthacht 5=506
    Si, adjoining barrier detectors 5=500
    Si, Cosmotron beam analysis 5=503
    Si diffused-junction detectors, proton and electron radiation effects 5=4053
    Si, electron—hole pair generation by electrons and α-particles 5=5270
    Si, impurity compensation by P^{31} prod. on n irrad. 5=6962
    Si junction, 500 keV and 100 keV B ion implantation doping 5=2521
    Si junction, particle energy meas. in bubble chamber 5=504
    Si junction, in time-of-flight method for particle discrimination 5=2534
    Si p—i—n detectors, Li—ion drifted, heavy particle radiation damage effects 5=5266
    Si p—i—n junction detectors, Li-drifted Co^{60} γ-radiation damage 5=4052
    Si p—i—n Li-drift detectors, α- and β-particle response anomaly, below 77°K 5=2516
    Si p-n, depth of P meas. by α 5=5268
    Si p—n junction particle detectors, manufacture 5=10912
    Si, proton channelling, 2.1 MeV 5=6662
    Si, radiation absorpt. data 5=2513
    Si surface barrier, pulse height defect 5=14329
    Si surface barriers, multiplication rel. to fission fragment pulse height response 5=2515

Counters—contd
  semiconductor—contd
    Si, transient response determ., by nanosecond-pulse electron accelerator 5=2520
    Si, Li-drift, alternative diode geometry 5=2524
    Si, Li drifted, construction, characs. 5=14330
    Si Li-drifted radiation detectors, stabilization 5=2523
    Si Li-drifted radiation detectors, surface effects 5=2514
    SiC nuclear particle detector, high temp., effect of crystal perfection and purity 5=2519
  spark
    digitized, for automatic data retrieval 5=8312
    magnetostrictive spark localization 5=14320
    photography of discharges 5=10900
    wire, and decision making ability 5=14321
    wire—plate, functioning modes, separation effect 5=5257
  accessories
      See also Counting circuits.
    collimator, focusing, fine resoln. 5=2493
    improved crystal assembly for automatic sample changers 5=2511
    pulse amplifier, non-overloading, transistorized, for proportional counter 5=5277
    pulse amplifiers, low-noise vacuum -tube, for semiconductor radiation-detector spectroscopy 5=2532
    pulse-height analyzer, two-parameter, for particle discrimination by time-of-flight methods 5=2534
    pulse shape discriminator, for particle separation and pile-up suppression 5=5280
    scaler, versatile, and read-out system 5=5276
    semiconductor detector spectrum expanding circuit 5=14328
    single channel analyser, using tunnel diodes 5=5278
    target preparation source, electron heated micro-evaporation 5=14313
    time analyser, multi-channel, for photomultiplier time behaviour 5=9754
    time-to-pulse height converter, solid-state 5=2536
    transistor preamplifiers with Si junction detectors 5=508
    video pulse amplifier 5=5279
  operation technique
      See also Counting circuits.
    background, accidental coincidence, reduction by pulse sequence selection 5=10932
    correction for scalar losses with pulse sources 5=10921
    correlation counting of coincident events 5=10895
    dead time corr. for $4\pi\beta$—γ coincidence with several γ channels 5=485
    fluctuation obs. methods 5=10894
  statistical analysis
    accuracy in experiments 5=14315
    gamma-ray pulse height distributions, complex peaks, analysis 5=5311
    γ-ray spectra, complex, rigorous least-squares analysis 5=2572
    output time distrib. with input Poissonian distrib. 5=8307
    scintillation, time resolution, revised theory 5=5263
    sum spectra, construction method, in scintillation detectors 5=5262
    unscrambling pulse—height spectra or-line 5=2531
Counting circuits
    amplifier, nanosecond pulse 5=509
    analyser, 100 channel A1-100, paper tape digital printer 5=10928
    analysers, fixed wire multichannel, review 5=10925
    anticoincidence 5=5281
    for background reduction, accidental coincidence, by pulse sequence selection 5=10932
    calculating wired programme analyser 5=8296
    coincidence—anticoincidence, multichannel 5=10931
    coincidence, avalanche transistors construction 5=14349
    coincidence, efficiency determ., by input signal delay var. 5=8324
    coincidence, 1.5-150 nsec variable resolution 5=10930
    coincidence pile-up elimination, calc 5=14352
    coincidence and tubes used with below rated voltages 5=14351
    conference, Washington, 1964 5=2506
    data multidimensional analyzer, magnetic core memory construction 5=14333
    decade scaler to 100 Mc/s construction 5=14332
    decatrons, triggering, tranistorized 5=14331
    delayed-coincidence, time-to-pulse-height converter, solid-state 5=2536

Counting circuits—contd
- delayed coincidence, XP1020 photomultiplier and plastic scintillator use 5=14350
- gamma radiation background pulse suppression circuit 5=2535
- low ratemeter, 2.5×10^{-2} – 25 pulses/sec 5=10919
- multichannel analysers with magnetic storage 5=10926
- nuclear charge integrator for radn. monitors 5=14319
- for particle accelerator, synchrocyclotron, 30 channel hodoscope 5=14384
- preamplifier for crystal counters 5=10910
- pulse amplitude analyser, 12-channel 5=10923
- pulse amplitude multichannel analyzer, construction 5=14342
- pulse amplitude ratio conversion to pulse amplitude α ratio, calc. 5=14343
- pulse analyser, associative, with 10^6 channel resolution 5=2533
- pulse evaluation characs. electronic evaluation, construction 5=14344
- pulse form discriminator for scintillation counter, construction 5=14337
- pulse generator, alternating polarity 5=4886
- pulse-height analyser, fast single-channel 5=14035
- pulse height analyzer logarithmic converter construction 5=14341
- pulse height analyser, transistorized single channel 5=510
- pulse height discriminator, construction 5=14336
- pulse height multiparameter recorder digital gain stabilizer 5=14345
- pulse height recorder and transmitting system from balloon-borne equipment 5=5468
- pulse height tape storage for multichannel analysis 5=14347
- pulse height wide range analyzer, tunnel diode construction 5=14334
- pulse lengthener, transistor 5=10922
- pulse multichannel analyzer electronic adaptor, construction 5=14348
- pulse shape discriminator, for particle separation and pile-up suppression 5=5280
- pulse shape descriminator, for scintillation counter 5=14335
- pulse shapers, tunnel diode 5=10924
- pulse time and amplitude paper tape print out 5=10927
- ratemeter, linear, speed and random fluctuations 5=8322
- scalar losses with pulse sources, correction 5=10921
- scaler, versatile, and read-out system 5=5276
- scaling circuit, decimal 5=8323
- scaling unit, using transistors 5=10435
- for semiconductor detectors at Geesthacht 5=507
- semiconductor devices, non-linearity use 5=10929
- sequential routing delay, for time dependent neutron thermalization 5=5366
- short-time-measurement limit with differential coincidence system 5=8325
- summed coincidences method in nuclear spectroscopy 5=8522
- time analyser, 160 channel, 0.2 μ sec minimum width 5=10425
- time analyzer buffer memory, Ge tunnel diode construction 5=14346
- time analyzers, scales calibration 5=14338
- time-of-flight counter system, large aperture 5=8314
- time to pulse height converter, tunnel diode construction 5=14340
- time to pulse height delayed coincidence apparatus, using tunnel diodes 5=2537
- transistorized, printed circuit, modular 5=10920
- vidicon direct-view scanning system, for spark chamber events 5=2541

Cracks
- alkali halides, propagation 5=3827
- α-brass, stress corrosion cracks 5=15159
- concrete, photoelastic detection of microcracks 5=15136
- diamonds, polished, n irrad. 5=9548
- elastic solid, fracture criterion, infinitesimal disloc. distrib. calc. method 5=15137
- fibrous polymers, crack nucleation 5=3873
- formation during thermal cycling, effect of impurities 5=15196
- initiation from inclined thin elliptical holes 5=6690

Cracks—contd
- and plasticity 5=9530
- plasticity spread relaxed crack model 5=1506
- polyethylene, stress-cracking rel. to environment and temp. 5=12537
- in polymers, solid, propagation 5=3822
- polystyrene with rubber additions 5=1539
- propagating tensile, const. shape, calc. 5=9527
- propagation control in all-brittle systems, mechanism 5=3826
- propagation, fatigue, review 5=9529
- propagation model with dislocations 5=9528
- representation of suitable physical processes, conditions 5=4732
- in solid with < limiting stress, limiting load calc. 5=6686
- stress analysis, approx., penny-shaped 5=13849
- stress effects, local yield and extension calc. 5=12468
- Al, fatigue, effect of SiO_2 fibre reinforcement 5=9531
- Al_2O_3 grain size and bending strength, 25° and 1200°C 5=15141
- Al_2O_3 and porosity, 25° and 1200°C 5=15141
- Be films, proneness, temp. and deposition rate effect 5=1512
- Cu, and pores, "healing" during plastic deformation 5=3846
- Cu tricrystals, fatigue crack initiation and propag. 5=3845
- Cu, at twins, by fatigue 5=9539
- α-Fe foils, growth 5=9557
- Fe–Si(3%), fracture growth 5=9562
- H-charged 5=12525
- MgO, nucleation 5=9566
- Mo notched sheet, initiation 5=12523
- Nb, cleavage, interstitial impurity effects 5=15178
- α-Ti alloy, during fatigue 5=12555
- Ti alloy, initiation from inclined thin elliptical holes 5=6690
- W coatings on graphite 5=15189
- Zn, due to thermal cycling, effect of impurities 5=15196

Creation of electron pairs

Creep
- See also Slip.
- beam during bending 5=6680
- and dislocation kinetics, plastic flow 5=1500
- graphite, Cottrell creep from anisotropy comparison with U 5=3852
- graphite, due to n irrad. 5=9552
- Hastelloy-X, rupture behaviour 5=3853
- measurement, from spring relax. 5=9522
- metals, meas. device, 4.2°-300°C 5=15131
- metals, measurement at low temp. 5=12460
- metals, temp. after effect and strain hardening 5=15129
- Nimonic-type alloys, transient, after thermo-mechanical treatment 5=15130
- polycrystals, non-equilibrium thermodynamics 5=6682
- porous bodies, diffusional creep, under pressure 5=12461
- primary, rel. to stress reversals 5=15128
- ruby heat treated, 1400°-1700°C, kinetics 5=3876
- secondary, and void growth, high temp. 5=9523
- spring, vibrating, damping by creep 5=12462
- steel, mild, cyclic, strain-induced 5=12551
- stress relaxation estimation 5=3818
- transient, equation derivation 5=15127
- urania base solid solutions, 1200°-1450°C, in dry H_2 atmosphere 5=6681
- Zircaloy-2, activation energies 5=15197
- Ag loose powder aggregates, during hot pressing 5=12548
- Ag—Al, prismatic slip, stress var., 440°-770°K 5=15183
- Ag—Al—Zn, prismatic slip, stress var., 440°-770°K 5=15183
- Al, block misalignment var., 18°, 100° and 250°C 5=3830
- Al, internal grain boundary sliding 5=12471
- Al—Cu at 500°F 5=3833
- Al—Si—Mg—Ni, rate var. with stress 5=12482
- Au, tertiary, and grain boundary voids 5=12501
- BeO, diffusion 5=9408
- BeO, sintered, as function of grain size and orientation, and porosity 5=6698
- β-Co, transitions, 450°-750°C 5=9537
- Cu, steady-state characts., 400°-950°C 5=3843
- Fe-base austenitic alloy, grain size effect 5=3856
- Fe, rel. to twinning 5=6721
- Fe, under tensile stress and alternating torsion 5=3855
- In with dispersed glass, steady-state, temp. var. 5=15168
- In, high temp., Pt sheathing effects 5=9555
- Mg—Al—Be—Si, rel. to use 5=1530
- MgO, stress and temp. effects on creep-rupture 5=6735

Creep—contd
Ni, block misalignment var., 400°C 5=3830
Ni, stress and temp. effects, 4.2°K 5=6743
Ni-0.1 at % Pd alloy, stress change effects 5=15175
Ni-Cr (20%)-Ti (1.2%)-Al (0.6%) and dislocation motion 5=9569
$Ni-ThO_2$, and fracture mechanism 5=12526
Pb beam during bending 5=6680
Si, viscous movement of dislocations 5=1544
α-U, 325° to 480°C rel. to deform. 5=1551
Zn, rel. to programmed hardening and thermal cycling 5=12561
Zn, stress var., thermal activation 5=9581
Zn wires. vibrs. effect on static creep 5=6772

Critical constants, thermal
benzol—propyl alcohol solutions, behaviour near crit. pt. 5=14836
heat capacity of gases in critical region 5=6084
hexafluorobenzene, press. and temp. meas. 5=11926
liquid—gas transitions, critical point 5=3403
measurement, corrosive solids, high temp. and press. 5=11949
polystyrene in cyclohexane, critical opalescence 5=6182
sound absorpt. in gases in critical regions 5=6085
H, neutral mols., Frost—Kalkwarf vapour pressure eqns. 5=11927

Critical opalescence. See Phase transformations; Solutions.
Cryoscopy. See Freezing; Low temperature production; Low temperature technique.

Cryostats
glass, for mounting He-cooled photocond. detector 5=2169
Joule—Thomson cascade liquefier, miniature for He 5=13997
mobile, with thermometer alignment device 5=2170
for nuclear reactor irradiation 5=180
Ar liquid inverted cryostat 5=4858
for Ge detectors 5=13998
He^3, with adsorption pumping 5=10398
He, mechanical manostat 5=2168
N, liq., temp. regulation of by controlled injection 5=7899

Crowdions. See Crystal imperfections/interstitials.
Cryotrons. See Superconducting materials and devices.

Crystal chemistry
ferroelectrics with O—W bronze tetragonal struct. 5=9259
Al_2BeO_4 and Al_2BeO_4:Cr, synthesis 5=6360
$Ba_4R_2^{3+}Fe_2Nb_8O_{30}$ 5=9259
$MgSO_4.7H_2O$, crystal structure refinements 5=1379

Crystal classes. See Crystallography; Crystal structure, atomic.
Crystal counters. See Counters, crystal.

Crystal electron states
See also Colour centres.
$A^{II}B^{VI}$, valence band complex struct. 5=3913
alloys, one-dimensional, random electronic struct. 5=6801
alloys III-V, electron effective mass 5=6795
amorphous semiconductors, energy band struct., spectrum, review 5=12693
anthracene, charge carrier generation 5=12578
anthracene, electron and hole mobility, exchange effects 5=9591
band structure determ. using photoemitted electron energy distrib. meas. 5=4132
band symmetry in $D_{2h}^1-D_{2h}^{16}$, $D_2^1-D_2^4$ and $C_{2v}^1-C_{2v}^{10}$ 5=3912
Bloch electron, 2-dim., in magnetic field, 1-dim. eqn. 5=3909
Bloch electrons, zero-field magnetic susceptibility 5=1719
Bloch representation of electron—electron interaction 5=6779
Bloch waves of fast electrons, scattering, in crystals with lattice defects 5=1557
Brillouin scatt., rel. to first order lattice vibr. spectra 5=7306
Brillouin zone, symmetrized plane waves 5=3926
calculation, continuous wave-function expansions 5=6775
carrier scatt. by optical modes 5=3895
chalcopyrite structure, energy band struc., $\vec{k}-\vec{p}$ perturbation calc. 5=1573
chalcopyrites, energy band symmetry props. group theory 5=1572
charge carrier recombination rate reduction, in mag. fld. 5=9587

Crystal electron states—contd
chemisorption states on various planes, theory, rel. to diamond-type lattice 5=3929
conduction electrons, energy-dependent relaxation time effect on paramagnetism 5=9769
correlation in narrow s band, and ferromagnetism 5=12595
cubic, phonon occupation no. change in adiabatic compression 5=6501
cyclotron resonance with helicon waves 5=9610
DNA energy band, approx. computation 5=3919
DNA periodic models, band calcs. 5=12601
density influence on tunnel diode current, Esaki calc. 5=6967
diamagnetism of moving free electron in mag. field, matrix calc. 5=7077
diamond, charge density 5=6804
diamond-type, hole band dispersion law study 5=6810
diamond-type, hole band spin—orbital splitting 5=3894
disordered lattices structure 5=3911
disordered system, density of states and Boltzmann eqn. 5=6797
electroluminescent powders, excitation model 5=4341
electron—electron interactions in effective mass eqn. 5=6803
electron—electron interaction potential 5=12566
electron focusing in metals, semi-circular 5=15261
electron gas at metallic densities, correlation energy 5=1588
electron—hole pairs in dielec. cryst., effective-mass method calc. 5=1553
electron—impurity and electron—phonon systems quantum transport eqns. 5=9588-9
electrons in mag. fld., Wigner representation of quantum operators 5=4755
electron—phonon mutual drag, rel. to galvanomagnetic effects 5=15311
electron—phonon gas, transport phenomena theory 5=3892
electron—phonon interactions, exchange and correl. 5=6783
electron—phonon model, one-dimensional 5=3891
electron-phonon systems in mag. field, transport props. 5=3890
electrons and phonons transport equations, higher order 5=6780
electron scatt. by moment. transfer 5=15200
energy—momentum reln., electron—phonon interaction 5=1559
energy spectrum, of disordered solid 5=6791
ferromagnetic metals, electron—phonon role in Hall effect 5=15271
free electrons, number, electron heat and X-ray diffraction determ. 5=3960
Fröhlich Hamiltonian transformations 5=9585
graphite, and conductivity along trigonal axis, temp. var. 5=12585
graphite, electronic struct. 5=15547
graphites, pyrolytic, STB model and transport props. 5=1563
Hartree—Fock eqn., generalized, spin—depend. potential functions 5=3947
Hartree—Fock equations, symmetry 5=12593
helicon oscillations, proper mode existence 5=6820
hot electron in strong mag. field for semicond. and semimetal 5=15198
hot electron recombination 5=12569
hot electrons, anisotropic scattering in semiconductors 5=15143
impurities, coupling in one-dimensional lattice 5=6617
impurities in one-dimensional lattice, energy level effects 5=6618
ion drag by electrons 5=12567
ion energy spectrum in crystal, calc. 5=14907
ionic crystals, refractivities 5=7298
Landau level broadening, group-theory 5=1570
magnetic alloys, dilute, anomalous electron scattering 5=9618
magnetic double reson-obs. 5=8024
mean free path, meas. method 5=1560
metal—insulator—metal, energy bands rel. to Schottky emission mechanism 5=1706
metals and alloys, band structure from X-ray spectra 5=4279
metals, collision lifetime, meas. by i.r. emissivity temp. var. 5=1568

Crystal electron states—contd
metals, cyclotron effective mass 5=12610
metals, and cyclotron orbits, rel. to mag. breakdown 5=1599
metals, electron–electron scattering and transport integral convergence 5=9584
metals, electron—phonon interaction, mag. field effect, calc. 5=15201
metals at high temp., positron annihilation 5=3957
metals, impurity effects, use of Green's functions 5=3915
metals, ionic effective charge, theory 5=15203
metals, mag. breakdown and u. s. attenuation 5=3683
metals with mag. inpurities, Sd interaction 5=12869
metals, s—d exchange and ferromagnetism 5=12887
mobility of holes scattered by phonons in diamond-type semiconductors 5=3896
molecular crystals, collective electronic states 5=3888
momentum matrix elements calc. from one dimensional rectangular well potential 5=3910
effect of multiplicity of d or f shells on electron interaction 5=3914
naphthalene, absorption linewidth 5=13085
naphthalene, electron and hole mobility, exchange effects 5=9591
noble metal alloys, anomalous transport props. 5=3897
non-parabolic bands, effective mass, thermoelectric power 5=6777
nonradiative recombinations, kinetic quantum eqns. 5=12570
nuclear ferromag. state, cond. electrons, use of perturb. theory 5=7103
one-carrier, space-charge-limited currents including diffusion and trapping, theory 5=1555
phonon–single electron small interaction, ergodic master equation 5=6776
piezoelectric materials, phonon—electron collective waves and oscillations 5=3662
polarization due to spin—dependent impurity potential 5=12594
poly (vinylpyridine)—iodine complexes, energy gap temp. var. 5=1658
Raman scatt., by ions, spin waves, electronic excitations and plasmons 5=7306
rare-earth alloys, disorder resistivity 5=3977
rare-earth garnets, energy levels in crystal field 5=4212
semiconductor, carriers, excess conc. decay 5=12572
semiconductors, amorphous, density in band "tail" 5=6798
in semiconductors, Auger recomb. and impact ionization 5=3898
semiconductors, band structure rel. to homogeneous deformation 5=9595
semiconductors, carrier activation across forbidden zone, thermodynamic aspects 5=6778
semiconductors, carriers, minority mobility 5=12573
semiconductors, charge-carrier densities, steady-state fluctuations 5=6781
semiconductors, conduction in a.c. mag. field 5=12574
semiconductors, degenerate structure, tunneling theory 5=15229
semiconductors, dipole scatt. theory 5=6782
semiconductors distrib. function rel. to thermo-emission 5=12842
semiconductors, electron thermal trapping by neutral centre 5=12568
semiconductors, energy band assymmetry and thermo-mag. props., calc. 5=15310
semiconductors, radiative transitions 5=15202
semiconducting films, band struct. calc. 5=12598
semiconductor films, electron scatt. by acoustic vibrations 5=9586
semiconductors, forbidden band rel. to thermodyn. energy parameters 5=6794
semiconductors, forbidden zone width rel. to Gibb's energy 5=3916
semiconductors IV, III—V, II—IV, phase transition, energy gap rel. to critical pressure 5=1571
semiconductors, free carrier conc. from refl. light characts. 5=7297
semiconductors, hot electron energy distrib. 5=12571
semiconductors, impure, donor and acceptor occupation probab. 5=9594
semiconductors, impurity electrons electric susceptibility 5=9662
semiconductors, impurity energy states, effective mass approx. calc. 5=6912

Crystal electron states—contd
semiconductor impurity ion potential 5=9663
semiconductors, impurity level activation energy 5=12576
semiconductors, effect on kinetic coeffs. of phonon and electron drag 5=3893
semiconductor layer structures, electron—phonon interaction 5=1558
semiconductors, phonon-assisted electron tunneling, calc. 5=12699
semiconductor, piezoelectric, phonon—helicon interaction 5=6821
semiconductor slices, carrier lifetime meas. 5=12575
semimetallic state instability toward Coulomb interact. 5=15228
shallow electron impurity centres, coherent neutron scatt., electron-phonon interact. 5=15026
skin effect, electron—phonon collision processes 5=9617
solid solns., spectrum and impurities 5=12597
spin coupling by conduction electrons 5=6829
spin—lattice interaction, between local electron centres, adiabatic approx. 5=1789
superconductivity, surface 5=6860
superconductors, energy gap consideration 5=3980
superconductors phonon spectra and density of states, tunnelling meas. 5=9647
surface energy levels, electron diffraction obs. 5=3932
thermoelectric materials, carrier energy spectrum 5=9593
transition metals, impurity states 5=3922
transition metal ions with cubic symmetry, d-electron config., spin–orbit Hamiltonian 5=9201
transition metals, neutron scatt. data bearing on Pauling theories 5=6792
transitions, radiationless, theory in non-Condon approx. 5=3899
transport processes in mag. field, quantum theory 5=6784
wurtzite-type crystals, band structure 5=13081
Ag, band structure 5=9601
AgBr, band structure and props. 5=9602
AgBr, hole conductivity, 177-415°C 5=12591
AgCl, band structure and props. 5=9602
AgI, electron trapping, pressure induced 5=12592
Al, theory and calc. 5=3435
As band structure, pseudopotential approach 5=9596
$Au^{2-[-]}$ hot electron capture in Ge, 20°K 5=9613
B, rhombohedral, band structure, Kp-perturbation calc. 5=6805
BaF_2—Sm^{2+}, f^5d configuration calc. 5=7321
B—AgSe, energy gap, prep. methods effect 5=1576
BP, band gap discrepancy 5=12599
Bi, carrier density, mobility calc. 5=12580
Bi conduction band, magnetic levels 5=9597
Bi, Hall mobility 5=6920
Bi, momentum and reflection of conductivity electrons 5=1561
Bi—Sb alloy, Shubnikov—de Haas effect 5=1594
$Bi_2(Te, Se)_3$, charge carriers per doping Cu, CuBr and BiI_3 molecule 5=15205
$Bi_2Te_{2\cdot 3}Se_{0\cdot 7}$, band, effective mass, doping effect structure 5=15206
n-Bi_2Te_3, effective mass det. from i. r. reflection meas. 5=3917
Ca^+ impurity in NaCl lattice, variational calcs. 5=15237
CaF_2—Sm^{2+}, f^5d—d configuration calc. 5=7321
CaF_2, YF_3doped, d^1 levels, strong dynamical Jahn–Teller distortions 5=6793
Cd, open orbits, u. s. absorption study 5=3900
CdS, carrier trap filling, effect of elec. field 5=12725
CdS, electron traps, photochem. effects 5=1562
CdS, free carrier ambipolar diffusion 5=6787
CdS, photoemission meas., 6. 0-11. 5 eV 5=15230
Cd $(S_{0.73}Se_{0.27})$, electron trap distrib. 5=6786
CdSb, band struct. theory 5=12600
CdSe, and photoconductivity, relax., trap effects 5=7030
CdSe, In doping effect on optical props. 5=9896
CdTe hole lifetimes, from photovoltaic effects 5=15207
Cr refractory cpds, from X-ray spectra 5=15231
CsCl, coupling coeffs., rel. to elastic consts. 5=3927
Er^{3+} in YCl_3, energy levels, spectra meas. method 5=13046
Fe, density of states, 1. 5°-4. 2°K 5=6561
Fe, Ni, polarized positron annihilation 5=9611
Fe_2O_3, (haematite), Morin transition, study by Mössbauer effect 5=3906
GaAs band structure 5=9598

Crystal electron states—contd
GaAs p—n juncn., carrier lifetime in space-charge layer, 293°-545° 5=3901
GaAs, shallow acceptor level resulting from Cu diffusion 5=6800
GaAs, tail and recombination radiation in p—n junction injection 5=12602
GaAs, thin films, forbidden band, width variations 5=7337
GaAs—GaP system, cond. band minimum 5=15232
$GaAs_{1-x}P_x$ semiconds., intrinsic gap var. from electron beam irrad. 5=4350
GaP, band structure 5=15233
GaP single crystals, vapour-grown on GaAs substrate, mobilities, and carrier concs. 5=1564
Ge, carrier capture, n-type, plastic deformation effects 5=12583
Ge, defect levels by n-irrad. 5=15084
Ge, effective hole mass, degenerate 5=12596
Ge, electron—phonon interaction 5=15212
Ge electron recomb. at Ni^- 5=15210
Ge, hot carriers, energy distrib. functions and energy-loss mechanisms, in p-type 5=3903
Ge, hot carriers in microplasmas and their radiation 5=1591
Ge, impurity centre capture 5=15326
Ge, minority carrier distrib. with enrichment and depletion 5=12603
Ge, minority carrier lifetimes, stress effects 5=12582
Ge, minority carrier local lifetime 5=15214
Ge, minority current carriers, lifetime meas. 5=15221
Ge, mobility at low temps. 5=4024
Ge, n-type, phonon and impurity scatt. of carrier relation 5=6789
p-Ge, thermal cond. at low temp., phonon scatt. calc. 5=6575
Ge, transitions from magneto-optical absorpt. in valence band 5=1841
Ge, Sb-doped, band structure, tunnel diode investig. 5=9599
Ge, Sb-doped, mobility at high stress 5=12584
Ge—Si alloys, Hall mobility rel. to impurity conc. 5=1649
GeTe, valence band struct. rel. to elec. props. 5=4028
HgSe, conduction band structure, electron scatt. 5=12587
HgTe, band structure 5=15234
HgTe, effective e mass, magneto-reflection obs. 5=12604
HgTe, energy gap and electron effective mass, intrinsic cond. region calc. 5=6940
HgTe—CdTe alloys, band structure 5=15234
Ho, antiferromag., s—f exchange interaction 5=6802
In alloys, and lattice spacing ratio 5=1377
In, helicon waves 5=9608
In, positron mean lives, rel. to temp. 5=9612
In thin films, charge transport 5=1560
InAs, cond. band. struct., and electron scatt. mechanism 5=1565
InSb, current carrier lifetime 5=15216
InSb, electron—phonon coupling, magnetoresistance evidence 5=15217
InSb, hole mobility from magnetoresistance meas. 5=12586
InSb, n-type, phonon drag 5=3905
InSb, scattering 5=9592
InSb, scatt. mechanism 5=15215
InSb and spectrum doping effects 5=13054
Ir chalcogenides, electronic energy gaps 5=9335
KCl:Tl, electron transfer transitions 5=4356
$KTaO_3$, carrier mobility and scatt., 1.6-295°K 5=12588
Li Pauli susceptibility, e.s.r. obs 5=9085
LiF and LiCl, M centre, triplet states 5=15111
Mg, theory and calc. 5=3435
$Mg_{1-x}Ni_xAl_2O_4$, absorption, and Ni^{2+} energy level diagrams 5=15562
Na, b.c.c. and h.c.p., energy bands 5=3921
Na, from e.s.r. nuclear polarization shift 5=7252
Na, electron—phonon interaction 5=1618
Na, electron-phonon scattering 5=3676
Na, theory and calc. 5=3435
NaCl-type semipolar, normalization, incomplete integrals 5=3889
Na_xWO_3, conduction band, transient n. m. r. study 5=1575
Nb, singularity, from Ta-insulating-Al tunnel junction cond. peak 5=6851
Ni, ferromagnetic Kerr effect anal. 5=15455
Ni^{2+} electronic struct. in MgF_2 and ZnF_2, from absorpt. spectra 5=9911

Crystal electron states—contd
NiO(II), energy levels, transitions, X-ray absorption method calc. 5=3920
PbS, and optical transmission, pressure var. 5=15557
PbS single crystal, energy gap rel. to pressure 5=1574
PbTe 5=9600
PbTe, carrier mass, conc. var. from i.r. reflect. 5=6799
PbTe, and deformation potentials calc. 5=12517
Pr^{3+} eigenstates in $LaCl_3$, using Zeeman effect 5=6256
$PtSb_2$, band struct. 5=15235
Rh chalcogenides, electronic energy gaps 5=9335
S, orthorhombic, electron hopping transport 5=15223
Sb, carrier mean free paths 5=12579
Sb, interband transitions, magneto-optical obs. 5=15539
SbSi, energy gap, temp. var., photocond. calc. 5=1697
Se, energy gap, from polarized light absorption edge, temp. var. 5=15568
Se, phonon drag, hole mobility, temp. var. 5=12589
Se, valence bands calc., and i. r. absorpt. 5=12606
Se—Te system, band structure 5=4362
Si attachment, capture-centres, heat treatment effect 5=3907
Si group V donors, 1s(E) and $1s(T_1)$ states 5=15236
Si, hot carriers in microplasmas and their radiation 5=1591
Si, impurity ground shallow state, lattice shielding correction 5=9196
Si, minority current carriers, lifetime meas. 5=15221
Si, n-type, electron irrad., Li effect on recomb. 5=15220
Si, n-type, γ-irrad., energy level form. 5=6944
Si, n-type, phonon and impurity scatt. of carriers relation 5=6789
Si, p-type, mobility temp. var. 5=12590
Si, photoexcited carrier mobility below 300°K 5=6790
Si recombination, O effect 5=15219
Si, stressed, cyclotron reson. 5=15254
Si, Li—B pairing energy 5=15572
Si, As and Sb doped, energy of 2-fold and 3-fold degenerate states 5=3908
SiC(4H), conduction band minima 5=13125
SnO_2, effective mass from optical consts. 5=15225
SnO_2 films, effect of electron conc. on absorption edge 5=4329
SnO_2, free electrons, optical const., 0.4-9μ 5=15576
SnO_2:V, V 3d electron orbital 5=7257
SnO_2:V^{4+}, superhyperfine structure mechanism 5=7258
SnTe, susceptibility mass, two carrier concs., 300°, 800°K 5=15238
SrF_2—Sm^{2+}, f^5d configuration calc. 5=7321
$SrTiO_3$, band gap mechanisms 5=12607
Ta, singularity, from Ta-insulating-Al tunnel junction cond. peak 5=6851
Te, forbidden gap width change meas., rel. to pressure 5=6796
Te, scattering of carriers, low temp. 5=15338
Te, thermal acceptors props., lattice mobility var. 5=15224
Te, valence band and electron masses 5=7367
Te, valence bands calc., and i. r absorpt. 5=12606
TiN, band struct., APW calc. 5=12608
TiO, band struct., APW calc. 5=12608
TiO, band structure and bonds rel. to vacancies 5=6611
Tl, energy gap, electron tunnelling meas. method 5=12688
Tl, relativistic band struct. 5=12613-4
TiC, band struct. APW calc. 5=12608
V oxide bronzes carrier conc. and mobility 5=9637
V_2O_3, at metal—semicond. transition, n. m. r. meas. 5=13011
W, spin-orbit parameter 5=12609
Zn, open orbits, u. s. absorption study 5=3900
excitons
alkali halides f. c. c., structure in u. v. absorption spectrum 5=4288
alkali halides, relaxed exciton 5=15246
anthracene, charge-transfer state search 5=12577
anthracene, Davydov splittings 5=1582
anthracene, laser-generated 5=7408
anthracene, luminescence spectrum 5=15606
anthracene, and photoconductivity 5=9745
anthracene, rel. to hole release by light 5=7043
anthracene, singlet-exciton series 5=12621
anthracene, triplet, diffusion length 5=9604
aromatic molec. cryst., triplet excitons 5=6813
aromatic molec. crysts., charge-transfer exciton states 5=3941

- **Crystal electron states**—contd
  - excitons—contd
    - capture in mol. crystals by shallow traps 5=15244
    - charge carrier drag and mobility effect 5=6812
    - complexes near ionized impurities 5=12618
    - cubic symmetry crystals, dispersion freq., deformation depend. 5=3939
    - diffusion length in CdS crystal meas. 5=1584
    - Green's functions, theory 5=15243
    - inert gas alloys, trapped 5=7317
    - inert gas solids, structure in u. v. absorption spectrum 5=4289
    - interaction with phonons, theory 5=3942
    - investigation from phototransistors between series 5=15245
    - mixed crystals, exciton spectra, theory and expt. 5=1823
    - molecular crystals, electron gas analogy 5=3940
    - molecular crystals, ground state energy and spectrum 5=12619
    - molecular crystals, optical excitation waves 5=1583
    - molecular, theory, review 5=6814
    - Mott model, and dielec. const., Faraday effect calc. 5=13026
    - multipole interaction methods 5=1581
    - napthalene, disturbed states and energy transfer 5=12623
    - and optical props., finite dimension effects 5=13014
    - polar crystals, m. f. p. 5=9603
    - and polymer crystals, e. m. absorpt., hypochromism theory 5=4282
    - semiconductors, form. and dissoc. in phonon presence 5=6811
    - semiconductors, instabilities and crystallographic anomalies 5=12620
    - spectra, h.f.s., and imperfection size due to neutron bombard. or quenching 5=6645
    - surface, energy for small quasimomenta 5=3943
    - surface states 5=15242
    - II—VI cpds, defect—exciton complex photoluminescence 5=15588
    - Ag, collective resonances 5=12624
    - AgBr, exciton light absorpt. 5=9917
    - CdS, edge luminesc. and neutral acceptor impurities 5=1869
    - CdS, exciton states under thermal gradient 5=12622
    - CdS, light absorpt., deform. and mag. field effect 5=7327
    - CdS, mechanism rel. to photocond. and luminescence edge excitation 5=12821
    - CdS, radiative recombination luminescence, rel. to ambient atmospheres 5=4345
    - Cu, collective resonances 5=12624
    - CuO, absorption lines, strain shifts 5=9900
    - CuO, reflection bands, strain splittings 5=9901
    - Cu$_2$O, effect on exciton absorpt. spectrum, crystal defect effect 5=9898
    - Cu$_2$O, polarization in yellow exciton series 5=15247
    - Ge, spectrum, strain effect 5=9605
    - InP, exciton absorption and emission 5=4311
    - K, collective resonances 5=12624
    - Na, collective resonances 5=12624
    - Ne, ion-pair exciton states 5=1585
    - PbI, photoprod., and conductivity and absorpt. 5=13175
    - SnO$_2$, rel. to optical absorption 5=13078
  - Fermi level
    - alloys, dilute, density of states and potential temp. depend. 5=6543
    - kaolin, effect on semicond. props, with and without ZnO 5=1651
    - metals, Au impurity wave function 5=9630
    - metals, Fermi edge from X-ray spectra 5=4279
    - semiconductors, depend. of impurity photocond. and lifetime 5=6910
    - X-ray spectroscopy, convolution broadening of Fermi edge 5=3923
    - CdS, motion by e. s. r. 5=12611
    - Ge n-type, surface recomb. vel. var. neutron irrad. effect 5=3902
    - InSb, Landau level spin splitting in Shubnikov—de Haas effect 5=6929
  - Fermi surface
    - alkali metals, e. s. r. g value 5=1577
    - arbitrary shape, Landau level broadening, effect on de Haas—van Alphen effect 5=4158
    - diffusion of electrons 5=6808
    - and electrons in gas interact. 5=12628
    - in metals, galvanomag. effects, theory 5=15270
- **Crystal electron states**—contd
  - Fermi surface—contd
    - metals, galvanomag. meas. method, review 5=6837
    - metals, helicon-wave dispersion 5=15249
    - metals, magnetic traps 5=15204
    - metals, semipopular review 5=1578
    - Ag—Pd, charges 5=15396
    - Ag—Sn, α-phase, density of states 5=15050
    - Al, electron m.f.p. method calc. 5=6785
    - Au, area, from thermoelectric power of foil and wire 5=4104
    - Au, surface shape, effect of optical const. and Hall effect 5=1843
    - Be 5=3924
    - Be, Brillouin zone overlap causing new de Haas—van Alphen oscillations 5=4159
    - Ca, cellular versus de H—van A periods calc. 5=1579
    - Cd 5=3900
    - Cu—Ni, charges 5=15396
    - Cu—Zn, α-phase, density of states 5=15047
    - Ga, from anisotropy of magnetoacoustic oscillations 5=1580
    - In 5=12612
    - In, 2nd and 3rd zone, de Haas—van Alphen effect investig. 5=4160
    - In, spiral trajectories in inclined r.f. mag. field, size effect 5=6806
    - Ir, density, X-ray emission isochromat obs. 5=7354
    - Na, b. c. c. and h. c. p. 5=3921
    - Ni, magneto-optical obs. of interband transistions 5=12605
    - Pd, density, X-ray emission isochromat obs. 5=7354
    - Pt, density, X-ray emission isochromat obs. 5=7354
    - Rh, density, X-ray emission isochromat obs. 5=7354
    - Sb, from magnetoacoustic resonances 5=6807
    - Sb, and magneto-resist. anisotropy, positive Hall voltage, calc. 5=12716
    - Tl 5=12613-4
    - V$_3$X cpds., energy bands 5=15239
    - W, spin—orbit coupling, cyclotron orbit meas. 5=6809
    - Zn 5=3900
    - Zn, "needles", g factor 5=3925
    - Zn whiskers, pressure effects, connectivity 5=12615
  - plasma
    - conference, Paris (1964) 5=6815
    - electron and ion plasma, dispersion relation 5=6819
    - Fermi gas in quantizing mag. field, heat conductivity 5=369
    - films, electron losses of charged particle due to volume and surface plasmons and pair collisions 5=6822
    - graphite, Alfvén wave propag. 5=9609
    - helicon dispersion relation 5=12631
    - helicon quantum dispersion relation, instability 5=1586
    - magnetoconductivity tensor, collision effect 5=9590
    - metal particles, reson. absorpt. bands 5=3951
    - metals, collective and individual behaviour of electron gas, calc. 5=6818
    - metals, positron annihilation rel. to polarization effects 5=3958
    - oscillations in mag. field, calc. 5=12627
    - resonance, plasma and helicon, in mag. field, calc. 5=3950
    - resonances, and helicon res., classical theory 5=3950
    - review 5=9607
    - semiconductors, impurity, space charge injection 5=6817
    - semiconductors, plasmas—polar phonon coupling 5=12630
    - spin-density-wave system excitation 5=12629
    - waves, expt. review, semipopular 5=1590
    - Ag, transition radiation due to 10-30 keV electrons 5=3952
    - Ag—Al alloy, oscs. rel. to composition 5=6816
    - Ag—Al alloy, plasma oscillations of electrons rel. to composition 5=6816
    - Al—Cu, diffusion var. in mag. field, plasma oscillation calc. 5=3712
    - Cd, and electron induced light radn., energy loss calc. 5=13035
    - Co, conduction electrons, plasma and relax. freqs. 5=7369
    - In, and electron induced light radn., energy loss calc. 5=13035
    - InSb, stabilization by mag. trap 5=3949
    - LiF, oscillations, calc. 5=12632
    - Ti, conduction electrons, plasma and relax. freqs. 5=7369
    - Zn, and electron induced light radn., energy loss calc. 5=13035
    - Zr, conduction electrons, plasma and relax. freqs. 5=7369

rystal electron states—contd
polarons
aromatic hydrocarbons, band structure and carrier mobility 5=3946
diatomic molec. cryst., band structure and carrier mobility 5=3946
Lee–Low–Pines, mobility 5=9606
piezoelectric crystal, electron interact. analysis 5=15227
polyelectronic theory 5=12626
rutile, coupling consts. 5=3679
self-energy, perturbation approach 5=12625
self energy, for polarization field with one k-component 5=3945
symmetrical model, excited states 5=3944
CdS, piezoelectric, energy spectrum, rel. to second order effects 5=15391
surface
Auger–band electron interaction, rel. to secondary emission k. e. distrib. 5=7067
defect localized vibration modes at plane faces 5=3660
exciton states 5=15242
metal films, rel. to field effect, mean free path and boundary influences 5=3963
metals, rel. to chemisorption 5=3964
refractory metals in alkali metal vapours, thermionic emission variation influences 5=4131
and semiconductor—gas, —electrolyte interfacial tension, electrostatic contrib., calc. 5=12703
semiconductor, rel. to i. r. reflectivity 5=4278
semiconductor surface potential, dynamic capacitor meas. method 5=12704
theory, review 5=3928
transport properties, review 5=3931
on various planes, theory, rel. to diamond-type lattice 5=3929
CdS—electrolyte interface, and tunneling effects meas. 5=15241
CdS, by field effects 5=15240
Cs_3Sb films, semicond., band bending from photo-emission and-voltaic effects 5=3918
Fe—Ni alloy transfer direction 5=3937
GaAs 5=3933
GaAs rel. to field effect and photovoltage meas. 5=4021
GaAs(III)A rel. to oxygenation 5=3930
GaSb(III)A rel. to oxygenation 5=3930
Ge, breakdown, under high transverse fields 5=4025
Ge, carrier density in high fields 5=15323
Ge, rel. to field emission energy distrib. 5=4129
Ge, hole transport props. in (111) space charge region rel. to band bending 5=4026
Ge n-type, recomb. vel., neutron irrad. no effect 5=3902
Ge, oxide states, internal field emission 5=3935
Ge, recombination centres, origin 5=3934
InSb, $(1\bar{1}\bar{1})$ 5=3936
Ni(III) rel. to oxygenation 5=3930
PbTe films, charge transfer to surface states from elec. cond. 5=1566
Si 5=3938
Si, cleaved, from relax. temp. var. 5=12617
Si field effect relaxation 5=15336
Si hole mobility, rel. to thermal oxidation 5=4039
Si-Au alloy, field effect 5=12616
Crystal fields. See Crystals/internal fields.
Crystal imperfections
See also Colour centres.
acoustic waves, vel. and absorpt., two-phase mixtures 5=6525
alloys, eutectic, effect on growth 5=6261
alkaline-earth oxides, impurities 5=1458
alkali halides, impurities, chem. det. 5=15634
anthracene, lattice defects, effect on luminescence 5=15606
atomic chain with defect, vibr. spectrum calc. 5=12267
b. c. c. lattices, stacking fault formation 5=15100
α-brass, stacking faults formation, rel. to plastic deform. and solidification 5=1480
cetyl palmitate 5=7008
creep mechanism 5=6682
defect distrib. in focused collision sequences 5=3732
defect localized vibration modes at plane faces 5=3660
defects, effect on lattice vibration 5=6504
diamagnetic, paramag. impurity, n. m. r. line broadening 5=15510

Crystal imperfections—contd
diamond, platelet precipitates, X-ray diffraction spikes 5=1475
diamond-type semiconductors with defect struct., general props. 5=1641
diamonds, type I, precipitate diffraction contrast 5=9308
and diffusion, double stream 5=6580
disordered lattices, vibrational spectra 5=3658
dodecyl myristate 5=7008
electron diffr. exam., dark field 5=9441
electron microscope applications, conference, Prague (1964) 5=6602
in electron microscope, point defect migration 5=12347
f. c. c. alloy foils, stacking faults, intersection fringes electron microscope exam. 5=3767
f. c. c. lattices, Cottrell atmospheres 5=3764
f. c. c. metals, point, line defects and elec. resist. calc. 5=15126
ferromagnetic crystals, impurity atoms, rel. to spin system vibrations 5=15437
fissile metals, irrad., impurity behaviour and effects 5=3737
flaws, streak-type, in laser crystals 5=12419
focuson interaction 5=3786
glass, fracture flaws, intensity 5=15162
grain boundary energies rel. to diffusion 5=1437
grain boundary motion in deformed bicrystals 5=3771
graphite, n irrad., n scatt. 5=9432
ice, dielectric thermodynamics 5=6999
impurities, coupling in one-dimensional lattice 5=6617
impurities and Mössbauer line intensity var. 5=12270
impurities, one band model 5=9439
impurities in one-dimensional lattice, energy level effects 5=6618
impurity atoms, vibr. spectrum by neutron reson. capture 5=15025
impurity centre electron-phonon interactions and spectral line broadening 5=13018
impurity centres, electron scatt., momentum transfer 5=15200
impurity centres, light emission. Green's fn. calc. 5=4286
impurity centres, rel. to emission, absorption spectra, and mirror symmetry 5=13022
impurity conc. distrib. calc. in zone refining 5=12087
impurity distrib., in epitaxial growth 5=12131
impurity potential, effect on band electron polarization 5=12594
inelastic scattering of neutrons 5=3665
internal friction, two-phase mixtures 5=6525
lattice distortion, i.r. spectrum effects 5=7300
lattice vibr. spectrum of imperfect crystal 5=6791
mass defect, rel. to localized mode frequency boundary surfaces 5=1407
measurement, precision, with X-ray spectrometer 5=12368
measurement of size due to neutron bombard. or quenching by exciton absorpt. spectra 5=6645
metals, impurity-vacancy interaction 5=12364
metals, influence on transport coeffs. 5=12636
metals, oxide layer growths, grain boundary effects 5=9245
metals, stacking faults electron scatt., calc. 5=15226
naphthalene, stacking faults and slip planes rel. to plastic flow 5=12524
neutron prod., X-ray obs. 5=3730
pair orientation polarization 5=9421
pentaerythintol, 45 kV X-ray irrad., breakings into mosaic 5=3770
point defect long-range correls. on disloc. lines 5=3731
point defects, acoustic wave scattering 5=12305
precipitates in metal foils, electron diffr. exam. 5=6401
quartz, structural, capture and growth rate 5=15104
quartz surfaces, screw dislocations and spirals 5=6346
radiation, Frenkel pair density, Kinchin—Pease calc. 5=6614
ruby laser, and filamentary modes, theory 5=5020
semiconductors with impurities, conditions for pulling from melt 5=9273
semiconductors, impurity distrib. and homogeneity, photo-e.m.f. meas. method 5=12706
semiconductors, impurity level activation energy 5=12576
and semi-infinite lattice surface vibr. modes var. 5=12266
solid solutions, b.c.c., Suzuki atmospheres, alloying-element conc. temp. dep. 5=1479

Crystal imperfections—contd
stacking-fault energy, calc. from dislocation nodes 5=12407
stacking fault tetrahedra, migration 5=12409
stacking faults, electron diffraction contrast obs. at π 5=9485
steel, austenitic, stacking fault energies, extended mode method meas. 5=6641
steel, austenitic stainless, H effect on stacking fault energy 5=6643
steel, low C, and fatigue 5=6763
stilbene mols., impurity centres, in cryst. tolane, analysis 5=7379
superconducting alloys, paramagnetic impurities rel. to props. 5=3982
superconductors, density of states rel. to magnetic impurities 5=6869
III—V compounds, review (book) 5=4011
II—VI cpds, defect—exciton complex photoluminescence 5=15588
transition metals, impurity states 5=3922
vibrations, simplification for large size 5=9367
visualization, ultrasonic method 5=12417
and X-ray excess average intensity compensation 5=3598
X-ray diffr., parallel beam, topographical study 5=1450
X-ray exam., versus electron microscopy 5=1449
Ag films, alignment, substrate effects 5=9446
Ag films, and elec. properties, temp. effects 5=15272
Ag, point defects by plastic straining, –195°C 5=12502
Ag, stacking fault—cold working energies rel. 5=15101
Ag, stacking fault energy 5=12412
AgBr—CuBr, and specific heat 5=9387
AgCl, thermal expansion and equilibrium defects, meas. 5=3697
AgI, specific heat and defect orders 5=9386
AgI—CuI, specific heat and defect orders 5=9386
AgZn, deformation faults, and phase transforms., β, ζ 5=12017
Ag-Zn, stacking fault energy, rel. to deformation modes 5=6774
Al, density and size of defects in single crystals 5=12418
Al, on heat cycling, and internal friction peaks 5=12475
Al, loop rotation on quenching 5=9442
Al, mosaic blocks, size and misalignment degree in solidification direction 5=3768
Al, mosaic structure, X-ray diffraction broadening anomalies 5=6644
Al, on plastic deformation, point, interaction with dislocations on annealing 5=12470
Al, recrystallized powders 5=9306
AlN, intersecting faults 5=9486
γAl_2O_3, defects in domain boundaries 5=13165
Al_2O_3, fracture surfaces, distortion and depth var. 5=15142
Al—Sn, neutron irrad., point defect—Sn atom interaction 5=12348
Au, grain boundary voids and tertiary creep 5=12501
Au films, and elec. properties, temp. effects 5=15272
Au, point defects by plastic straining, –195°C 5=12502
Au, stacking fault—cold working energies rel. 5=15101
Au, stacking fault tetrahedra, α-ray removal 5=9488
Au, stacking fault tetrahedra, growth and annealing 5=12408
Au—Ag point defects by plastic straining, –195°C 5=12502
Au—Cu point defects by plastic straining, –195°C 5=12502
Au—Sn[Ag], point defects rel. to quenched resistance 5=9629
Au—Zn, β-phase, point defects, quenched-in 5=12354
B, impurities, effect on e. s. r. and elec. cond. 5=9837
(Ba—Sr)TiO_3, net patterns, polarising microscope exam. 5=12148
$BaTiO_3$ lattice parameter increases due to impurities 5=3622
Be, impurities, rel. to thermal etching 5=15097
Be, impurities vac.-distilled, nature and distrib. 5=1997
Be oxide, defect cluster density meas. 5=12400
Be, Fe impurity atoms, mean-square displacement, Mössbauer meas. 5=1459
BeO, neutron irrad., lattice streaking 5=15146
BeO, neutron irrad., primary damage state 5=15086
Bi_2Te_3, n and p type, antistructure defects 5=9422
Ca^+ impurity in NaCl lattice, variational calcs. 5=15237
CaF_2, impurity Sm^{2+} 5=15092

Crystal imperfections—contd
Cd, technical-grade, impurities redistrib. on quenching rel. to pore form. 5=1460
CdS, damaged surface layers, a. c. behaviour 5=4019
CdS, defect struct., 80° to 300°K 5=12344
CdS, edge luminesc. and neutral acceptor impurities 5=1869.
CdS, impurities, rel. to photocurrent kinetic parameters 5=12824
CdS, precipitated, stacking faults 5=1327
CdS, wurtzite structure, defect and domain struct. interpretation 5=6620
Co, stacking faults, n. m. r., electron mic. obs. 5=9487
CrO_3 Li doped, Cr^{3+} e. s. r. fine struct., excess O defects effect 5=15491
Cu alloy stacking faults and deformation anisotropy 5=9489
Cu, deformed single crystals and wire, rel. to internal friction and damping 5=6706
Cu, electrodeposited, struct. by X-ray diffr. 5=12149
Cu, electron irrad., directional effects 5=12350
Cu, electron irrad., point defects, mobilities 5=12349
Cu films 5=3505
Cu films, and elec. properties, temp. effects 5=15272
Cu, irrad., recovery, low-temp. 5=12351
Cu, point defects by plastic straining, –195°C 5=12502
Cu, point, heat treatment effect in H, He 5=9424
Cu, produced by plastic deformation 5=15083
Cu, recrystallized powders 5=9306
Cu, stacking faults formation, rel. to plastic deform. and solidification 5=1480
Cu, X-ray anomalous diffr. obs. of perfection 5=12199
Cu_2Cl_2, impurities, and paramag. relax. 5=7221
Cu, Fe impurity atoms, mean-square displacement, Mössbauer meas. 5=1459
Cu—Ga foils, stacking faults, intersection fringes, electron microscope exam. 5=3767
Cu—Ge, stacking fault energies and stress for cross slip, var. strain rate and temp. 5=12494
CuI, specific heat and defect orders 5=9386
Cu_2O, effect on exciton absorpt. spectrum, crystal defect effect 5=9898
Fe filament, defect effects on positive ion emission 5=4153
Fe lattice, impurity nuclei, hyperfine fields 5=14895
Fe_xC in steel tempered at low temps., mosaic block size and microdefects 5=3769
Fe-Mn, stacking faults as nuclei for martensitic transforms. 5=6726
Fe_3O_4, and cond., elec., $< 119°K$ 5=6830
GaAs, in epitaxial growth in closed tube 5=6395
GaAs with Mn impurities, edge emission, 4. 2°K 5=15595
GaSb, defect levels 5=15320
Ge, defect levels, by n-irrad. 5=15084
Ge, defects in epitaxial layers 5=12134
Ge grain boundary channel currents, field dependent 5=9674
Ge, impurities behaviour 5=15322
Ge, impurity centre electron capture 5=15326
Ge, n-type, Cu effect on irrad. and annealing 5=15325
Ge, n-type, γ defects, annealing, high temp. 5=12353
Ge, n-type, impurity, effect on mobility 5=12581
Ge, neutron prod. clusters and thermal cond. 5=6574
Ge, stacking fault energy 5=1481
Ge, surface defects with O and H_2O adsorption, rel. to combination centres 5=3934
Ge, Au dopant distrib. 5=1461
Ge, I_2 doping in closed tube process 5=14974
Ge, O-doping, rel. to e. s. r. 5=12988
In, lattice defects, current-induced motion 5=9632
In and Sb impurity anomalous mobility in Ge 5=6586
InP, Hall constant, magnetoresistance, n-type 5=6936
InSb, defect generation by X-ray irradiation 5=12369
InSb, stacking fault energy 5=1481
KCl, defect prod., F-centre X-ray colourability method meas. 5=15085
KCl with I substitution, lattice vibr. scatt. by impurity, rel. to thermal cond. 5=1408
KCl, impurity, local-mode freq. 5=15036
KI, impurity, local-mode freq. 5=15036
KI, with Cl^- impurity, i. r. absorption 5=15035
KI:Tl, effect on i. r. stimulated luminescences 5=4357
K_2NiF_4, stacking faults and antiferromagnetism 5=6642
KNO_3, nonvicarious impurity capture during crystallization 5=6382

Crystal imperfections—contd
  LiF, impurities and mechanical strength, tensile 5=12514
  LiF, lamellar defects due to n-irrad., effect on X-ray diffr. results 5=1449
  LiF, linear, associated with dielectric breakdown 5=1471
  LiF, neutron irradiated, Frenkel and Schottky 5=15090
  Mg single crystals, stacking fault energy from work hardening curve 5=6733
  Mg—Mn—Fe ferrite, Mn^{3+} ions, and rectangular hysteresis loop 5=7171
  MgO cleavage faces, rel. to Au nucleation 5=3559
  MgO, effect of point defect on broadening of e.s.r. of Er^{3+} 5=4239
  MgO, lattice bend zones 5=9443
  Mo, neutron irradiated 5=3795
  Mo single crystals, coaxial prismatic loops by etching 5=3753
  N impurity platelets, in diamond struct. 5=3738
  NaCl, doped, light scatt. due to planar defects 5=9920
  NaCl, impurity, local-mode freq. 5=15036
  NaCl, surface, obs. by etching, decoration, and X-rays 5=9493
  NaCl, trapped point defects, relaxation modes 5=3733
  Ni films, impurity study by electron microscope 5=12366
  Ni, recrystallized powders 5=9306
  Ni, stacking fault—cold working energies rel. 5=15101
  Ni—Co—Cr alloys, stacking fault energies 5=12410
  Pb films 5=3505
  Pt, cond. elec., temp. var., surface impurity effect 5=3975
  α-Pu, damaged, resistivity, effect of annealing 5=12651
  α-Pu, self-irradiated, length change and Frenkel defects 5=6661
  Se, Bi impurity effect on elec. cond. in elec. field 5=6941
  Se films, impurity effect on surface struct. 5=3507
  Si, decoration by Cu precip., models and obs. 5=3473
  Si, defects in epitaxial layers 5=12134
  Si, defects, radiation-produced, orientation dependence 5=1451
  Si, epitaxial, faults, by etching and X-ray diffr. 5=1452
  Si epitaxial films, impurity distrib. 5=15093
  Si, epitaxial films, impurity distrib. meas. 5=12365
  Si, epitaxial layers, stacking-fault defects 5=12137–8
  Si, epitaxial, stacking fault control 5=12411
  Si epitaxial wafers, film defects characterization 5=1465
  Si film, prep. for electron microscopy 5=14991
  Si film, stacking fault obs., by phase contrast microscopy 5=9491
  Si, highly-doped, As impurity segregation along black boundaries 5=1464
  Si, highly-doped, impurity distrib. 5=1331
  Si, hole capture coeffs. of In and B 5=15332
  Si, impurities behaviour 5=15322
  Si, impurity compensation by P^{31} prod. on n irrad. 5=6962
  Si, induced by impurity diffusion 5=3758
  Si, n-type, γ-irrad., defect form. at low temps. 5=6944
  Si, p effects, lattice tilt and increase 5=9445
  Si p—n junction, adsorbed impurity distrib 5=12068
  Si, particles, causing poor device yields 5=1653
  Si, quenched-in defects in p-type 5=1457
  Si, stacking 5=9490
  Si surface, abraded, microscope exam. 5=14944
  Si, surface, effect on Ga diffusion 5=3722
  Si, surface processing prod., X-ray extinction contrast exam. 5=3774
  Si wafer, impurity distrib.profile meas 5=1462
  β-SiC coatings, stacking faults orientation 5=1482
  SiC, N impurity, lattice const. decrease 5=9440
  SiO$_2$ vitreous, E' defect paramag. relax., temp. var. 5=7250
  Sn, impurity distribution in single crystals 5=12367
  SnO$_2$, impurities, rel. to optical absorption 5=13078
  Sn—Pb alloys, segregation, grain boundaries 5=14917
  Ta, impurity content, effect of recrystallization annealing 5=3590
  Ta$_2$O$_5$, Frenkel in anodic films, recombination kinetics 5=6616
  Ta—W, impurity content, effect of recrystallization annealing 5=3590
  TiO$_2$, anti-phase boundary or stacking fault fringe pattern, electron microscope exam. 5=3765

Crystal imperfections—contd
  TiO$_2$, defect structure and phase transformation 5=3478
  U crystal elongation during neutron irrad. 5=3800
  U, neutron irradiated, and elec. resistivity 5=12656-7
  α-U, stacking faults 5=15102
  W, grain boundary migration at 2600°K, field emission microscope obs. 5=15103
  W, neutron irradiated 5=3795
  YFe garnet spheres, acoustic props., Mn^{3+}, Si impurity effects 5=12279
  Zn, effect on crack formation during thermal cycling 5=15196
  Zn, large grain boundary motion 5=3772
  Zn, stacking energy, and plastic flow 5=9582
  Zn, stacking faults electron scatt., calc. 5=15226
  ZnS, inhomogeneities between different forms, TiO$_2$ deposition obs. 5=15105
  ZnS, wurtzite, defect and domain struct. interpretation 5=6620
  ZnS, Ag centre, spectra, luminescence, e.s.r. 5=9425
  ZnS—CdS, point, and light centres 5=9496
 dislocations
  alkali halides, heat treatment effects 5=6626
  alloys, acoustic second harmonic generation var. 5=6528
  and bending in ribbons, electron mic. obs. 5=9521
  α-brass, dislocation dipoles 5=3745
  charged, electrostatic potential 5=6624
  density tensor components, meas. by oscillating film method 5=9448
  diamonds, energy 5=12086
  by diffusion in bicrystal 5=9459
  dipole reorientation and termination 5=9451
  distortion calc., edge or screw 5=9461
  electron microscope exam., Burgers vector 5=9481
  energy of two-segment dislocation 5=12371
  extended dipole pairs contraction 5=9450
  f. c. c. metals, edge dislocation, energy and atomic configuration 5=6621
  and fracture criteria 5=9528
  Frenkel model, static 5=12373
  graphite, oxidation and etch pits 5=12388
  graphite, screw dislocations, evidence for 5=12403
  ice, structure in dendritic crystals 5=12389
  interaction between edge dislocations and dipoles 5=9455
  interaction equations 5=6623
  interaction with vacancies, theory 5=12355
  interactions on {111} in f. c. c. 5=9452
  and internal friction high temperature, activation energy 5=9516
  internal friction theory 5=3807
  ionic crystals, energy and Peierls stress 5=6625
  jogs, undissociated, elastic strain energy calc. 5=12416
  kinetic eqns. 5=6622
  kinks, motion, explanation of Bordoni internal friction peaks 5=3811
  linear chain, velocities 5=1499
  lines, point defect long-range correls. 5=3731
  loops–dislocation forces 5=9453
  loops, elastic interaction with lattice vacancy 5=6604
  Magnox AL80, movement, vacancy-producing jogs, obstacles 5=15169
  mapping by X-ray topographical method 5=6636
  metals, effect on internal friction 5=12447
  metals, f.c.c., point defect prod. by dislocation jogs 5=12346
  metals, slip edge, and twinning 5=9460
  metals, stress fields and secondary slip 5=9519
  motion, activation energy 5=12375
  motion, drag due to phonon interactions 5=12374
  motion, kink model, effect of internal stresses 5=12377
  motion, thermodynamics of 5=12376
  motion, u.s. attenuation study 5=3740-1
  moving, interaction 5=9454
  networks, revealed by etching, analysis 5=3743
  nodes, rel. to stacking-fault energy calc. 5=12407
  and plastic flow 5=1500
  polyethylene single crystals 5=3756
  polymer cryst. 5=3742
  quartz, etching in autoclave 5=12404
  rel. to radiation damage studies 5=3779
  rutile, thin films, anti-phase boundaries and dislocation ribbons 5=3761

Crystal imperfections—contd
dislocations—contd
screw, dilation fields in b.c.c. crystals 5=12370
self-stress, and extended node shape 5=9457
and slip, secondary 5=9525
solid solutions, diffr. anal. of dislocation pairs, order detection 5=1245
solids, nonlinear, acoustic second harmonic generation var. 5=6528
steel austenitic stainless, and NbC precipitation 5=9477
steel, dislocation struct. during deform. in presence of surface active materials 5=3752
steel, ferritic, rel. to N solubility 5=12398-9
steel, transformer, dislocations rel. to ductile fracture 5=6762
step, surrounding piezoelec. potential fields 5=9717
strain distribution, from e.m. and acoustic resonances 5=12372
stress effects on parallel dislocations 5=9456
triglycine sulphate, etching obs. 5=9482
velocity, stress. var., work hardening effects, criticism and reply 5=9449
Zircaloy-2, creep control 5=15197
ADP, low value prep. method 5=3578
Ag film (epitaxial) on Cu, boundary layer 5=6635
Ag films, epitaxial, and lattice const. 5=9474
AgBr containing Fe, rel. to oxidation state of Fe 5=6257
AgBr, pure and NaBr doped, plastically deformed, n. m. r. var. due to dislocs. and recovery 5=6629
AgCl containing Fe, rel. to oxidation state of Fe 5=6257
Al, acoustic second harmonic generation var. 5=6528
Al alloys, cyclically strained, dislocation and structure interactions 5=3744
Al, cold-rolled, distribution, thickness effect 5=9462
Al and elastic relax. Bordoni peak 5=6694
Al, glide dislocations, etching 5=6349
Al, liquid-quenched 5=1466
Al, low value prod. by heat treatment 5=9464
Al, perfect prismatic dislocation loops, orientation 5=6628
Al, rearrangement obs. 5=9463
Al, strain-hardening 5=12478
Al, thermal motion of dislocations 5=12379
Al—Ag alloy, extended nodes 5=12384
Al and Al alloys, rel. to superconducting transition temp. 5=6871
Al—Cu alloy, dislocations, interface and glide types 5=12381
Al—Cu alloy, tracing by decoration 5=12380
AlN, whiskers, axial and twist dislocations 5=12382-3
Al—Zn—Mg, lattice defects, effect on nucleation 5=12097
Au, in quenched and deformed metal 5=12359
Au–Sn alloy, intrinsic and extrinsic nodes 5=9458
BaF_2 single crystals 5=3834
$BaTiO_3$, and 180° domain motion in elec. poling 5=12378
Be, and friction stress 5=12484
Bi, interaction during twinning 5=3763
CaF_2, arrangement depend. on growth method 5=3746
CaF_2, growth parameters effect 5=6630
$CaWO_4$, distrib. modification, due to change in vacancy conc. 5=12107
$CaWO_4$ doped with Ce, Nd, Sm or Tb, dislocation of pinning and charge compensation 5=1467
CdS, electron microscope obs. 5=3747
CdS, movement causing wurtzite—sphalerite transform. 5=6620
CdS, zig-zag contrast in X-ray diffr. 5=3748
Cr, substructure 5=9465
CsI, rosette distribution 5=12385
Cu, Ar ion-irrad., dislocation step form. 5=3788
Cu, breakaway stress, neutron effects 5=6703
Cu, dipoles 5=9466
Cu, fast moving dislocations, frictional force, acoustic attenuation 5=1529
Cu, formation by Ar ion bombardment 5=12387
Cu, Kossel line broadening and disloc. density in slip systems 5=15153
Cu, and n. m. r., quadrupole effects due to elec. field gradients 5=13012
Cu, slip and polygonization 5=9492

Crystal imperfections—contd
dislocations—contd
Cu, small angle scatt. of thermal neutrons, cold worked, disloc. density calc 5=3749
Cu, structure in fatigued single crystals 5=12386
Cu—Al, deformed, struct. and strength 5=15156
Cu_3Au, pairs theory 5=3739
Cu—Ge alloys, solute atom-dislocation binding energy 5=3750
Cu-Mn, fast moving dislocations, frictional force, acoustic attenuation 5=1529
Cu–Sn, flow stress required for prodn., temp. var. 5=6710
Cu–Sn, on n irrad. 5=9430
α-Fe alloys with dispersed phase, stress depend. of vel. 5=6722
Fe, deformed 5=9467
Fe, due to cold working, and brittleness 5=1528
Fe, fatigued 5=9468
Fe, and friction press. var. 5=9571
Fe, loops in Fe^+-irrad. foil 5=12390
Fe, prismatic dislocations 5=15096
Fe, produced during cyclic loading 5=1468
Fe—C alloys, generation by hydrostatic press. 5=6632
Fe—Ni—Cr alloys, thermally-activated motion rel. to stress and impurities 5=6627
α-Fe_2O_3, accumulation producing memory effect 5=1745
Fe_2O_4Zn. Fe_2O_4Mn. $Fe_2O_4Li_2$ finite, due to neutron irrad. 5=3789
Fe—Si alloy, edge dislocation mobility 5=12395
Fe—4. 2% Si, plastic deform. temp. effect 5=3751
GaAs, edge dislocations, etch pits 5=12401
GaP, scratching prod., anisotropy 5=12497
Ge, Ar ion-irrad., dislocation step form. 5=3788
Ge, damping 5=3757
Ge, formation by Ar ion bombardment 5=12387
Ge, inhomogeneous deformation, by disloc. density meas. 5=6712
Ge, p-type, films 5=15095
Ge, rel. to luminescence yield determ. 5=13118
Ge npn mesa transistor, dislocation density rel. to process parameters 5=4067
Ge, n-type, reduction in charge, effect on mobility 5=12581
Ge {111} faces, indentation rel. to etching 5=6640
Ge, radiative recomb. mech. 5=15599
Ge, theory of initial stage of deform. 5=6713
H-charged rel. to fracture 5=12525
InSb, mechanical damage induced, effect on elec. props. 5=9680
KBr, etching, cation addition role 5=6638
$KBr^{79,81}$, n.m.r. signal intensity var. with disloc. density 5=7287
KCl, distrib. rel to p-irrad 5=1469
KCl, fast moving dislocations, frictional force, acoustic attenuation 5=1529
KCl tubular whiskers, hollow dislocations 5=1472
KI, n.m.r. signal intensity var. with disloc. density 5=7287
LiF, on deformation near yield, and stress, var, temp., deform. rate 5=12515
LiF, disloc. pinning effect on amplitude-dependent internal friction 5=3860
LiF, distrib. rel to p-irrad 5=1469
LiF, fast moving dislocations, frictional force, acoustic attenuation 5=1529
LiF, n irradiated, orientation kinetics 5=9469
LiF whiskers, < 20μ, by etching 5=1470
MgO 5=9470
MgO, pinning, during high temp. bending, yield drops 5=15
MgO, and slip 5=9565
Mo, effect on internal friction, meas. 5=6739
Mo, and internal friction, ageing and temp. effects 5=9471
Mo, movement of free dislocations, stress relaxation, yield point 5=1536
Mo, on neutron irrad. 5=9437
Mo, prismatic loop obs. on precipitation 5=9473
Mo, redistrib. during annealing 5=15094
Mo single crystals, helical, by etching 5=3753
Mo, slip, on deformation 5=9472
Mo—Re alloy, dislocation pinning 5=12391
MoS_2, formation and interactions 5=6633
NaCl, and charge transport 5=9476
NaCl, charged dislocations 5=3759

Crystal imperfections—contd
- **dislocations**—contd
  - NaCl, distrib. rel to p-irrad. 5=1469
  - NaCl, effect of α-ray bombardment 5=12397
  - NaCl, etching, cation addition role 5=6638
  - NaCl, etching obs. 5=6639
  - NaCl, formation on X-ray irradiation 5=12396
  - NaCl, and friction press. var. 5=9571
  - NaCl, n.m.r. signal intensity var. with disloc. density 5=7287
  - NaCl, nucleation with impurities calc. 5=9475
  - NaCl, and plastic deformation p. d. prod. 5=9576
  - NaCl single crystals, dislocation line charge rel. to temp. 5=1474
  - NaCl—CaCl$_2$, films and precipitates, burgers vector, electron irrad. effects 5=3760
  - NaF, n.m.r. signal intensity var. with disloc. density 5=7287
  - NaI and NaI(Tl) scintillation crystals, absorption rel. to dislocation density 5=4363
  - Nb epitaxial films on MgO, substrate temp. effect 5=6396
  - Nb, movement of free dislocations, stress relaxation, yield point 5=1536
  - Ni, decoration, rel. to mechanical stressing 5=3867
  - Ni, effect on coercive force 5=7143
  - Ni films, epitaxial, and lattice const. 5=9474
  - Ni—Cr, pile-ups, electron microscopy 5=3754
  - Ni$_2$ Cr-type, rel. to strengthening 5=1477
  - Ni—Cr(20%)—Ti(1.2%)—Al(0.6%), and creep 5=9569
  - Ni$_3$Mn, pairs theory 5=3739
  - Ni—Ti, pile-ups, electron microscopy 5=3754
  - Pd, effect on whisker growth 5=6391
  - Pt, motion during annealing, Wollaston wire samples 5=3755
  - Sb, interaction during twinning 5=3763
  - Si, absorpt. spectra during heat treatment, effects 5=7363
  - Si, damping 5=3757
  - Si, eqn. soln. for diffusion of Sb 5=1445
  - Si, formation by diffusion 5=12393
  - Si, formation in single crystals 5=12394
  - Si, images by X-ray shadow micrography 5=12153
  - Si, Laue photographs 5=6637
  - Si, Ni precipitation 5=12392
  - Si, and orientation etching determ. 5=9263
  - Si, P-diffused, anomalous X-ray transmission obs. 5=1473
  - Si slip patterns 5=1478
  - Si surface, emergence by autoradiography after marked-atom diffusion 5=6634
  - Si, viscous movement, creep mechanism 5=1544
  - β-SiC coatings, etch pits orientation 5=1482
  - α-SiC, decoration of dislocations by Cu 5=6631
  - SnO$_2$, etch pits 5=12405
  - TiO$_2$, decoration by Li diffusion 5=3762
  - α—U, loop orientation and Burgers vectors 5=9479
  - V, deformed, dislocation density rel. to flow stress 5=3884
  - W, and annealing, elec. cond. obs. 5=9478
  - W, dislocation etch-pits 5=9483
  - W, etch-pits 5=9483
  - W, plastic deform. rate var. 5=9578
  - Zn, etching, on cleavage face 5=12406
  - Zn, interaction during twinning 5=3763
  - Zn, quenched-in vacancy migration rel. to internal friction 5=12562
  - Zn, vacancy diffusion along edge disloc. 5=6771
  - Zn, X-ray obs. 5=9480
  - ZnS, movement causing wurtzite—sphalerite transform. 5=6620
- **interstitials**
  - covalent crysts., formation and migration energy 5=12345
  - f. c. c. metals, from ferromag. after-effect meas. 5=3796
  - graphite, irradiated, stored energy annealing expts. 5=6659
  - impurities, rel. to supercond. transitions 5=9646
  - metals, Au imperfect Mössbauer shift and resid. resistivity 5=9630
  - metals, b.c.c., sites and diffusion, Snoek's model corrected 5=6613
  - AgBr, effect on Cu$^+$ diffusion, 50°to 400°C 5=3725
  - AgCl, effect on Cu$^+$ diffusion, 50°to 400°C 5=3725
  - Al—Mg preprecipitation, meas. by resistivity 5=14926
  - Al—10% Zn alloy, rel. to n-irrad. 5=14925
  - Cr, effect on elasticity and damping near Néel temp. 5=3838

Crystal imperfections—contd
- **interstitials**—contd
  - Cu, d irradiated, and heat treatment stored energy release 5=9509
  - Cu, di-interstitials, calcs. 5=9423
  - Cu, neutron irrad., atomic displacement anisotropy 5=6615
  - Fe, neutron irrad., atomic displacement anisotropy 5=6615
  - KBr, low temp. recombination 5=9433
  - KBr, optical absorption 5=4316
  - Mo, n irrad. loops 5=9436
  - Mo, on neutron irrad. 5=9437
  - Nb, impurities, strain-ageing effects 5=15176
  - Nb, mechanical twinning, interstitial impurity effects 5=15178
  - Nb, in stage III recovery from cold-work, resist. method meas. 5=15177
  - Nb$_3$Sn, Zr impurity and solute, effect on superconductivity 5=9654
  - Ta—Zr, phase diagram modified 5=14936
  - TiO$_2$, Li, diffusion, 80°-360°C, optical obs. 5=1447
  - W, neutron irrad., atomic displacement anisotropy 5=6615
  - W, C impurities, (110) surface 5=9438
- **vacancies**
  - alkali halides, defect generation, multiple ionization role of soft X-rays 5=6607
  - alkali halides, lattice strains and formation energies calc. method 5=6606
  - alloys, β-phase, conc. formation energy, vibr. entropy, quenching temp, calc. 5=1454
  - covalent crysts., formation and migration energy 5=12345
  - distributions caused by elastic interaction, effect on Guinier—Preston zone growth 5=1453
  - effect of O$_2$ diffusion in rutile crystals 5=9417
  - elastic interaction with dislocation loops 5=6604
  - excess distribution in diffusion zone 5=6603
  - f. c. c. metals, divacancy diffusion 5=3705
  - f. c. c. solid solns., vacancy diffusion and interface reaction, theory 5=3706
  - graphite, formalism energy calc. 5=9431
  - graphite, vacancy loops in irrad. and annealed material 5=12360
  - interaction with dislocations, theory 5=12355
  - Magnox AL80, obstacles to dislocation movement 5=15169
  - metals, impurity-vacancy interaction 5=12364
  - metals, from plastic deformation increase, rel. to destruction 5=15134
  - migration, rel. to recovery of quenched metal 5=12356
  - noble metals, migration- and activation-energy 5=6605
  - phonon field, entropy change due to formation 5=3735
  - phonon scattering by vacancies and vacancy pairs 5=3734
  - quartz, O divacancy spin—lattice relax. time 5=7247
  - sinks, coherent annealing twin boundaries 5=1455
  - surface, and surface energy 5=6316
  - tetra, lattice distortion and relax., digital calc. 5=9426
  - Ag, distrib. in elongation cascades 5=15087
  - AgBr, due to addition of FeBr$_2$, CoBr$_2$, NiBr$_2$ 5=9435
  - Al, condensation and surface pit nucleation 5=9427
  - Al, quenched from liquid 5=9428
  - Al, quenched, shape of voids 5=1325
  - Al-rich alloys, quenched-in vacancies and precipitation 5=12357
  - Al—Ag alloys, effect of vacancy conc. on precipitation 5=6273
  - Al—Mg, lattice expansion meas. 5=9429
  - Al—Zn—Mg, lattice defects, effect on nucleation 5=12097
  - Ar, rel. to entropy 5=12286
  - Au, distrib. in elongation cascades 5=15087
  - Au films, cold vac. deposited, X-ray diffr. exam. 5=6322
  - Au, migration, rel. to recovery of quenched metal 5=12356
  - Au, vacancies, annealing in quenched and deformed metal 5=12358-9
  - Au, vacancy formation energy, high press., resist. method meas. 5=15089
  - Au—Cd, β-phase conc formation energy, vibr. entropy, quenching temp, calc., 5=1454
  - Au—Zn, conc. formation energy, vibr. entropy quenching temp, calc. 5=1454

Crystal imperfections—contd
  vacancies—contd
    BeO, neutron irrad., embryo cluster conc. 5=15086
    Ca perovskite-type cpds., O-deficiency 5=6608
    $CaWO_4$, change in vacancy conc. 5=12107
    Cu cold rolled, elec. resistance recovery var. from –40° to 250°C 5=6704
    Cu, distrib. in elongation cascades 5=15087
    Cu, divacancies, calcs. 5=9423
    Cu, mono, formation and migration energy calc. 5=6612
    Cu, quenched, migration and resistance annealing 5=15273
    Cu–Sn, on n irrad., and yield 5=9430
    GaAs, divacancy reaction during diffusion 5=15088
    KBr, low temp. recombination 5=9433
    KBr with K_2CO_3 impurities, enthalpy values calc. 5=4079
    KCl, lattice strains and formation energies calc. method 5=6606
    KCl, pair props. calc. 5=9434
    KCl, and Cd^{2+} diffusion, by complex formation 5=15076
    La, self-diffusion and n.q.r., 295°-825°K 5=4270
    LiF, dielectric obs. of dipoles, on heat treatment 5=7000
    MgO, shock wave prod., e.s.r. study 5=6609
    $MgO—MgFe_2O_4$ solid solutions, effect on thermal cond. 5=15061
    Mo, form., by specific ht. meas., 1300°-2500°K 5=1456
    Mo, quenched, formation and activation energies 5=6610
    Na, equilib. net conc., meas. 5=3736
    NaCl, lattice strains and formation energies calc. method 5=6606
    NaCl, rel. to thermal expansion, 50° to 800°C 5=12299
    NaCl single crystals, cation vacancies, free energy of formation 5=1474
    NaCl, vacancy concs., determ. by density meas. 5=15091
    Nb, in stage III recovery from cold-work, resist. method meas. 5=15177
    Nb_3Sn sintered, superconducting props. var. 5=12683
    Ni, recovery of cold-worked and irrad. metal 5=12361
    O–vacancy interaction, hardening mechanism 5=6757
    PbO_2, due to O, prod. on heating 5=12209
    $Si—SiO_2—Al$ rectification and O vacancies 5=12786
    TiN_x, vacancy-induced displacements 5=12362
    TiO, creation, rel. to bonding and electronic band structure 5=6611
    Zn, quenched-in, migration at dislocations, rel. to internal friction 5=12562
    Zn, vacancy diffusion along edge disloc. 5=6771
    ZnSe, rel. to Al diffusion 5=6598
    ZrO_2, rel. to elec. props. 5=15346
    ZrO_2, vacancy—pair interaction 5=12363
Crystal properties
    alkali halides, electron polarizability additivity deviation 5=4157
    alkali halides, and lattice energies, Lennard-Jones calc. 5=3414
    Bloch wave existence 5=3413
    elastic constants, third-order, meas 5=12441
    graphite, anisotropy comparison with U rel. to Cottrell creep 5=3852
    i.r. absorption anisotropy, ionic needle-shaped, cubic 5=1824
    lamellar cryst., electrostatic energy barriers in expansion 5=1227
    metals, energies of crystal structure 5=14891
    molec. crystals, lattice energy surface cross-sect. 5=1220
    nature at elevated temp. 5=11957
    nuclear excitons, appearance conditions, rel. to γ-quanta emission 5=11972
    nuclear polarization, dynamic 5=11973
    optical, near exciton absorpt., finite dimension effects 5=13014
    primary atoms, energetic, replacement probabilities 5=9204
    scattering of neutral particles by perfect crystal surface 5=12428
    slip, stress and deformation calc. 5=12464
    thermoelastic properties, cubic clos-packed lattices 5=12436
    work hardening, crystals, cubic, rel. to recovery process 5=12465
Crystal properties—contd
    Ag halides, cohesive energy etc., Lennard-Jones (12:6) potential calc. 5=3415
    AgBr, charge carrier transport, scatt., mag. field effect, calc. 5=15222
    AgCl, charge carrier transport, scatt., mag. field effect, calc. 5=15222
    Cu halides, cohesive energy etc., Lennard-Jones (12:6) potential calc. 5=3415
    Cu, scratching deformation 5=6702
    Fe cpds., ionic, electronic interactions 5=3432
    $KI Cl_2.H_2O$, I^{127} first excited state quadrupole moment 5=11974
    $KICl_4.H_2O$, I^{127} first excited state quadrupole moment 5=11974
    NH_4 halides, cohesive energy etc., Lennard-Jones (12:6) potential calc. 5=3415
    Th halides, cohesive energy etc., Lennard-Jones (12:6) potential calc. 5=3415
    U, anisotropy comparison with graphite rel. to its Cottrell creep 5=3852
Crystal structure
    See also Polymorphism.
    antiferromagnets, helicoidal superstructures, formation, mechanism 5=1767
    beryl, water and hydroxyl group binding, n-scatt., study 5=11984-5
    borders and ribbons, groups of symmetry and of different types of antisymmetry 5=1293
    cotton fibres, degradation due to radiation and fungi 5=9217
    diamond, artificial, morphological investig. 5=1297
    isotactic polybutene-1 5=3533
    neutron diffraction applic., book 5=6438
    polyethylene, grown from soln. and melt 5=3565
    polyoxymethylene acicular crystals, struct. and strength 5=1289
    rare-earth metals, heavy, magnetic structures 5=4168
    rare-gas, and dipole interactions, long range 5=6233
    Shubnikov antisymmetry groups, illustrations 5=1292
    spinoidal decomposition in cubic type, correction 5=9208
    steps, macroscopic, end faces, growth forms 5=9260
    superconductor metastable phases, by plasma-jet spraying 5=9648
    and supercooling of liquids, expts. 5=11934
    Al, texture, effect of rolling temp. 5=3532
    Al_2O_3 high content ceramics, and dielectric losses 5=6997
    B, new form, 1500° to 2000°C, > 100 kbar 5=12103
    $xB_2O_3.Rb_2O$, varieties 5=11998
    $Ca_{1-x}Sr_xF_2$ 5=9211
    CdS—CdSe, homogeneity, X-ray fluorescence obs. 5=3440
    Cu, polygonization and dislocation slip 5=9492
    Fe–Ni alloys, and elastic fatigue limit 5=9561
    Fe_3Si, superstructure, up to 1200°C 5=12005
    $Ge_2S—Sb_2S_3$ system 5=6335
    LaF_3 films 5=12049
    $MoSi_2—ReSi_2$ system 5=3439
    NiFe sputtered films grown in d.c. discharge 5=1749
    Nb_2O_5, ζ-phase obs. 5=1255
    OsC phase structure 5=1242
    Pb zirconate—titanate solid solns. 5=12078
    $PtSb_2$, by etch-pit patterns 5=3531
    RuC phase structure 5=1242
    Si wafer, impurity distrib. profile meas. 5=1462
    SnO_2, single cryst. grown from vapour 5=14980
    $Sr_nZr_{n-1}O_{3n-2}$ 5=14908
    U_3O_8 reduction products, semiconducting phase determ. 5=1243
    $Zn_3As_2—Cd_3As_2$. solid soln. series 5=1257
  microstructure
    See also X-ray examination of materials/microstructur
    (A + B) alloy—(AO + BO) oxides, complex character, rel. to reactive diffusion 5=6579
    alkali halides, scatt. centres on cleaved surfaces, removal by polishing 5=3773
    alloys, eutectic 5=6261
    Alnico (5%Ti)(34%Co), phases, and mag. props. 5=6262
    carbon, deposited by pyrolysis of cyanogen 5=1328
    carbon, pyrolytic 5=6409
    carbon, pyrolytic, slight orientation of crystallites 5=6411
    carbons, pyrolytic, deposited between 1100° and 1800°C 5=6410

Crystal structure—contd
microstructure—contd
chabazite powder, diffusion coeffs. of 5 gases, var., sorption method calc. 5=6599
chromite–periclase, at 1650°-2310°C 5=6408
diamonds, type I, precipitate diffraction contrast 5=9308
electrical cond. and grains, two-phase system, model 5=15265
electrocorundum abrasive grains, thermal changes 5=12150
graphite, meteoritic and artificially shocked, electron microscope exam. 5=6412
graphite, pyrolytic, etched 5=9271
Guinier—Preston zones, growth, effect of vacancy distribs. caused by elastic interaction 5=1453
lamellar cryst., electrostatic energy barriers in expansion 5=1227
M metastanate (M = Cd, Zn, Cu, Ni, Co, Mg and Ca), i. r. spectroscopy meas. 5=12146
metal rod, texture formation by irreversible polymorphic phase transformations 5=6665
metals and alloys, features by spark etching 5=3579
metals, crystallization grain size, min. u. s. power reqd. 5=1302
metals, particle size and strain magnitude 5=12450
metals, polycrystalline, crystallite orientation distrib. 5=9261
metals, refractory, b. c. c., and plastic deform. 5=9570
polyethylene 5=6421
polymers, rel. to stress-cracking 5=1538
polyolefins, rel. to deformation mechanism 5=3874
pyrolytic graphite, rel. to mech. props. 5=3589
sphalerite structure, grain boundaries 5=6413
steel, cold rolls, annealing effects 5=15186
steel, Cr—Ni martensite, modification during ageing 5=12553
steel, transformer, cold-rolled 5=3474
Ag, epitaxial growth on W 5=12140
Ag, very thin films, lacuna, new phenomena 5=15275
Ag—Cd alloy, internally oxidized, Widmanstätten structr. 5=9312
Al alloys, cyclically strained, dislocation and structure interactions 5=3744
Al alloys, temp. depend. of grain growth rate during recrystallization 5=6406
Al, holes thermal equilib. shape and size 5=9307
Al, liquid-quenched 5=1466
Al, quenched, shape of voids 5=1325
Al, recrystallized powders 5=9306
Al, texture and recrystallization 5=12472
Al—Ag alloy, Guinier—Preston zone size determ. 5=3586
Al—Ag alloys, Guinier—Preston zones 5=1260
Al—Al_2O_3 alloys, ht. treatment effect 5=3584
Al—Al_2O_3 SAP-type alloys, by transmission electron microscopy 5=3585
Al—4%Cu, θ' to θ phase change 5=6272
Al—Fe, θ-AlFe precipitates platelets, habit planes and dims. 5=9265
Al N bi-crystal whiskers, axial boundaries, electron diffr. obs. 5=9295
Al_2O_3, bubbles and u.s. acoustic absorption 5=12278
Al_2O_3 grain size and bending strength, 25° and 1200°C 5=15141
Al—Si—Cu alloys, segregation of Cu 5=14913
Al—Zn alloys, Guinier—Preston zones 5=1260
Al—Zn crystals with Guinier—Preston zones 5=12147
Au films, annealed, changes by electron microscopy 5=3504
Au films, vacuum deposition temp. effect, X-ray versus electron diffr. exam. 5=6322
Au, very thin films, lacuna, new phenomena 5=15275
Au_3Cd, lattice modulation 5=9309
AuCu alloy, long-range ordering temp. var. 5=3463
(Ba—Sr)TiO_3, net patterns, polarising microscope exam. 5=12148
CO_2 and fragmentation, prod. and storage effects 5=14992
Cd, decomposition planes 5=9275
Cd grain contrast, rel. to Zn–Ni–S film transparency meas. 5=7353
Cd, technical-grade, impurities redistrib. on quenching rel. to pore form. 5=1460
CdS, domains, rel. to stacking faults 5=6620
CdS evaporated layers, annealing conditions effects recrystallization temp. var. 5=3587

Crystal structure—contd
microstructure—contd
CdS, precipitated 5=1327
CdSe evaporated layers, annealing conditions effects recrystallization temp. var. 5=3587
CeO_2, sintered, preparation 5=6265
Co—Pt alloys, superstructure, rel. to composition, magnetic meas. 5=1741
Cr whiskers 5=1329
Cu, effect of plastic deformation 5=15083
Cu films, annealing and oxidation morphological changes, substrate effects 5=6344
Cu films, grain size, electron microscope study 5=3500
Cu, grain size and deformation stored energy 5=12489
Cu, holes, thermal equilib. shape and size 5=9307
Cu, recrystallized powders 5=9306
Cu, rolled texture, by electron micros. fine range diffraction 5=3588
Cu, Ar ion-irrad., grain size increase 5=3788
$CuAu_3$, anti-phase domain structure of ordered phase 5=1251
Fe, in plastic deform., surface active medium effect 5=1527
Fe—Al alloys, rel. to mag. props 5=14993
Fe—Cr—S—O system, rel. to composition, 900°-1490°C 5=11989
Fe—Mo—B alloys 5=3857
Fe_2O_4Zn. Fe_2O_4Mn. $Fe_2O_4Li_2$ finite, changes due to neutron irrad. 5=3789
Ge, Ar ion-irrad., grain size increase 5=3788
InSb films 5=12047
La quenched with Rh 5=3999
Mg evaporated films, Kr, C_2H_4 adsorption method meas 5=12050
Mo, holes, thermal equilib. shape and size 5=9307
Nb alloys, U-rich, study 5=6307
Nb_3Sn, gas phase prep. versus sintering 5=1309
Nb_3Sn, vapour-deposited 5=6379
Ni, deformed, sub-grain size 5=6417
Ni films, annealed, changes by electron microscopy 5=3504
Ni, grain size rel. to Curie temp. 5=9773
Ni—graphite and Ni—diamond 5=3393
Ni, polycryst., deformed, subgrain growth 5=6418
Ni powder, grain growth, X-ray study 5=9214
Ni, recrystallized powders 5=9306
Ni, temp. and strain rate effect 5=6742
Ni–Al surfaces, by electron microscopy 5=6414
Ni, B addition effects 5=6744
Ni–Cr alloys, grain-boundary migration 5=6416
Ni and Ni–B, etching technique 5=6351
Ni, ThO_2 strengthened, rel. to mech. props. 5=6415
Ni–Ti surfaces, by electron microscopy 5=6414
Pb, grain boundary migration 5=12414
Pb, pair correlations near m. p. 5=3437
α-Pu, coarse-grained, prep. method 5=6419
Se films, impurity and heat treatment effect on surface struct. 5=3507
Si, filamentary 5=1313
Si, highly-doped, impurity distrib. 5=1331
Si surface, abrasion damage 5=14944
Si, by U. S. spectroscopy 5=12154
SiC, growth spirals, interferometric studies 5=9311
Si—Fe, cold-rolled, texture of intermediate layer 5=1330
SiO_2, new compact modification 5=6481
Sn, and growth 5=9287
Sn superconducting films, hysteresis var. with grain size 5=6895
Sn—Pb alloys, segregation, macromosaic or striation substructure 5=14917
Ta, effect of recrystallization annealing 5=3590
Ta—W, effect of recrystallization annealing 5=3590
α-U, cold-worked, recrystallized 5=14994
U—N system 5=3391
UO_2, calcination kinetics, under H 5=14996
V—Ga system 5=9359
W, grain boundary topography 5=12415
W, mosaic blocks, optical and X-ray study 5=12413
ZnO, grinding effects 5=6773
ZnS, domains, rel. to stacking faults 5=6620
ZnS:Cu films, heat treatment effects 5=12057
Zr, oxidation, single and polycrystalline 5=15618
ZrO_2, metal addition effect on microstruct. 5=12156
ZrO_2—$CaZrO_3$ system, rel. to elec. cond. 5=4081
ZrO_2 : Cu_2O semiconductor 5=12244

- **Crystal structure, atomic**
  - See also Crystal electron states; Crystals/lattice mechanics; Electron diffraction crystallography; Neutron diffraction crystallography; X-ray crystallography.
  - analysis, least-squares method analysis 5=12165
  - analysis by modified Fourier technique 5=6423
  - anisotropic tensor generation with group invariance 5=3595
  - atomic radii in crystals 5=3593
  - black—white point group sub group 5=12162
  - Bravais lattice nomenclature 5=12161
  - curved crystallite cluster, diffr. intersities 5=12163
  - determ. from g-factor directional depend. 5=6445
  - direct methods, Sayse and Vainshtein relations, F function derivation 5=3594
  - films, thin, lattice constant decrease causes 5=1277
  - ideal closest packing, translation—permutation operator algebra 5=3591
  - lattice const. determ. using electron diffraction 5=3615
  - lattice harmonics, cubic groups, review 5=14998
  - lattice harmonics, hexagonal close-packed, review 5=14999
  - ligand field parameters, cubic, from group theory 5=14892
  - phase determ., anomalous X-ray dispersion meas. 5=1356
  - phase distrib. probability, heavy atoms 5=15001
  - powders, from neutron time-of-flight method 5=3619
  - R factor, significance tests 5=12164
  - refinement by differential synthesis 5=12158
  - Renninger effect 5=12159
  - residual value, thermal parameter error 5=12160
  - sign relations, rel. to correlation method 5=12157
  - space group selection rules 5=6422
  - space groups, symmetrized plane waves 5=3926
  - space groups and wave-function symmetry 5=15000
  - superstructures in nth layer of closest packing 5=3596
  - structure factor, error estimation 5=1334
  - TFD atom model, shape factor calc. 5=12166
  - tensors, component determination 5=3592
  - Ag, films, epitaxial 5=9474
  - AsBr$_3$, cell dimensions, –10°C 5=3621
  - AuCuII, long period 5=6455
  - B$_5$H$_8$I, molecular symmetry 5=6459
  - NaCl-type semipolar, electron normalization, incomplete integrals 5=3889
  - Ni, films, epitaxial 5=9474
  - ZrO$_2$: Cu$_2$O semiconductor 5=12244
  - **elements**
    - energies 5=14891
    - inert gases in solid form 5=1386
    - graphite, amplitude of vibr. of C atoms 5=6511
    - graphites, pyrolytic, layer-plane phenomena rel. to parabolic 2-band system 5=1563
    - Ag, Debye–Waller factor, de Launay's method, calc. 5=6427
    - Ag, heated to melting point 5=1391
    - Al, Debye–Waller factor, de Launay's method calc. 5=6427
    - Al, theory and calc. 5=3435
    - Ar—N system 5=6276
    - As, α, unit cell dimensions rel. to temp. 5=9325
    - Au films, vacuum deposition temp. effect, X-ray versus electron diffr. exam. 5=6322
    - Bi, phases, existing under h. p 5=1374
    - C blacks, fine particle 5=9331
    - Cd, lattice parameters, effect of press. 5=9624
    - Cl, interatomic distances 5=12197
    - Co films, β-phase increase, 200°-470°C 5=6321
    - Cr, charge distrib., X-ray scatt. obs 5=12205
    - Cs, 42.2 to 42.7 k bars 5=11999
    - Cu, atomic configuration and motion energies of point defects, lattice calcs. 5=9423
    - Cu, X-ray anomalous diffr. obs. of perfection 5=12199
    - Fe, charge distrib., X-ray scatt obs 5=12205
    - Fe, phases existing under h. p. 5=1374
    - Fe, soft, plastically stretched, lattice deform. 5=1526
    - Ga, effect of high press. 5=6454
    - Ge, elastically strained 5=1518
    - Ge (111) surface, electron diffraction prediction 5=3538
    - Ge surfaces, (111) and (100), clean, annealed, possible 5=3626
    - H, solid, regular models 5=6457
    - In, effect of high press. 5=6454
    - Mg, theory and calc. 5=3435
    - Mo, lattice parameter change on irradiation 5=3794

- **Crystal structure, atomic**—contd
  - **elements**—contd
    - Na, Debye–Waller factor, de Launay's method, calc. 5=6427
    - Na, theory and calc. 5=3435
    - Ni, (110), (111), faces 5=3540
    - N$_2$, solid films 5=9326
    - O$_2$ 5=6473
    - O$_2$, solid films 5=9326
    - Pb monolayers on Si (111) surfaces 5=3632
    - Pb, near melting temp., pair correlations 5=3437
    - S, rhombohedral, Soklakov evidence criticism 5=1395
    - Si, elastically strained 5=1518
    - Si lattice constants, 6° to 322°K 5=1424
    - Si, surface perfection rel. to filing, grinding and etching techniques 5=12035
    - Si surfaces, (111) and (100), clean, annealed, possible 5=3626
    - Sn monolayers on Si (111) surfaces 5=3632
    - Sn, under pressures up to 300 kbar 5=14938
    - Ta, effect of recrystallization annealing 5=3590
    - Ta, (110) face stability under ion bombard. and ht. treatment 5=3648
    - Te, electric and magnetoelectric props. low temp. 5=15338
    - W, lattice parameter change on irradiation 5=3794
    - W, C impurities, (110) surface 5=9438
    - Zn, lattice parameters, effect of press. 5=9624
  - alloys
    - disorder, atomic displacement from X-ray diffuse scattering 5=1259
    - ordering and segregation, polar model 5=11996
    - rare earth metals—gallium, existence of RGa$_3$ type cpds. 5=3641
    - rare earth—Cd 5=6477
    - rare-earth—In cubic AuCu$_3$ struct. 5=3650
    - scandium group—Al—C ternary phases 5=3642
    - steel, magnetostriction depend. 5=7130
    - Ag—Ga, order in ζ' phase 5=1246
    - Ag$_8$Ca$_3$, prep. and exam. 5=1388
    - Ag—Cu, in finely dispersed region, rel. to composition 5=11991
    - Ag—Zn, β' and ζ phases, lattice spacing rel. to In, Ga impurities 5=9354
    - Al intermetallic cpds., order, n. m. r. obs. 5=9859
    - Al—Ag, electron diffraction pattern spots 5=12187
    - Al$_2$Au phase 5=6448
    - Al—Cu—Mg, plastically deformed, lattice deform. 5=1360
    - Al—Ge, Ge precipitation 5=12003
    - Al—Mg metastable solid soln. 5=6260
    - Al—Zn—Mg—Cu, plastically deformed, lattice deform. 5=1360
    - As–S–Br, structure calc. 5=12718
    - AuCu$_3$, lattice points displacements 5=1259
    - Au—In 5=1267
    - Au$_5$Mn$_2$, ordered phase in Au—Mn system 5=1247
    - AuPd films, superlattice struct, X-ray diffr. meas. 5=14952
    - Au—Pd lattice spacing rel. to composition 5=9334
    - Ba$_6$Mg$_{23}$ 5=6489
    - Ce—Pu—Co, phase C 5=1365
    - CrRe, ordering 5=3635
    - Cu—Al solid soln., short-range order characts., conc. var. 5=3438
    - Cu—Au—Zn, parameters and elec. resistivity, temp. var., meas. versus calc. 5=6841
    - γ-Cu$_4$Cd$_3$ 5=12201
    - Cu$_2$In—Ni$_2$In, B$_8$ structure lattice consts. 5=3624
    - Cu—In—Se 5=3623
    - Cu—Sn, β^1-phase, from X-ray diffr. 5=12002
    - Cu—Zn solid soln., short-range order characts., conc. var. 5=3438
    - FeAl$_6$ 5=9336
    - Fe–Co, atomic order and plastic flow stress 5=9560
    - Fe–Ni–Al, and diffuse X-ray scatt. 5=12204
    - Fe—Zn, electrodeposited 5=9337
    - Gd—Ce alloys, rel. to mag. props. 5=4164
    - Ho$_5$Mg$_{24}$, lattice parameters and space group 5=12223
    - In alloys, lattice spacing ratio and electron structure 5=1377
    - InAs–InSb, variation with composition 5=6376
    - In—Te, pressure-induced phases 5=12675
    - KBr—KI solid solns., lattice consts. 5=9212
    - Li$_{15}$Ge$_1$ 5=9339
    - Li$_{22}$Pb$_5$-type, new examples 5=9340

Crystal structure, atomic—contd
alloys—contd
Lu_5Mg_{24}, lattice parameters and space group 5=12223
Mg—Ce, Mg—rich phase 5=3633
Mg—Nd, Mg—rich phase 5=3633
Mg—Pr system, Mg rich cpds. 5=12221
Mn—transition metal tetrag. phase 5=9346
Mn_2GeS_4 in GeS_2—MnS, meas. 5=12077
Mn—Zn, superlattice, neutron diffraction studies 5=7088
Mo—Fe—Mn, ordering, neutron diffr. obs. 5=6465
Mo—Ni—Cr, ordering, neutron diffr. obs. 5=6465
MoOs, MoIr, ordering 5=3735
NbOs, NbIr, NbRe, ordering 5=3635
Nb—Rh binary system 5=3638
Nb—Ti b. c. c. soln. 5=3472
Ni—Cr, long-range order 5=14916
Ni—Pd, at25 and 900°C 5=1382
NiPt, changes during ordering 5=14931
Ni–V, lattice parameters changes, deviations rel. to other group Va solutions 5=7096
PdH, α- and β-phase, n-diffraction study 5=6476
Pr—Nd system 5=11990
Pu, in α-U, lattice constants 5=15019
Sc—Al, lattice parameters 5=12224
$Ta_{64}C$, ordered domains and c/a ratio 5=12155
Ta—W, effect of recrystallization annealing 5=3590
$TaNi_2$ 5=6490
Ti—V—H 5=3646
V—Ga system compounds 5=9359
Zn solid solns. 5=1398
inorganic compounds
alkaline earth chalcogenide films 5=12041
arsenopyrite, calc. 5=12715
barysilite, $MnPb_8.3(Si_2O_7)$ 5=12211
ceramic VK-3, electric field strength effect 5=12237
chloro-2 amino-3 naphthoquinone 1. 4 5=15024
cyanamides 5=1368
dipentene Pt (II) chloride 5=9362
ferroelectrics with O—W bronze tetrag. structr. 5=9259
graphite—bromine cpds. 5=3627
"Hartstoffen", transition metal nitrides, carbides, borides, silicides 5=3645
ice, n. m. r. obs. 5=9867
ice II 5=1372
inert gases, solid films 5=9326
lanthanide—Cu compounds 5=9772
marcasite, calc. 5=12715
marcasite, space group 5=6467
metals, X-ray scattering, theory 5=6424
micas, synthetic Fe mica 5=1384
micas, trioctahedral 5=1385
muscovite mica, substitution isomorph distrib. 5=6466
polyphosphate chains, bond lengths 5=3630
pyridine N-oxide—$CuCl_2$ 5=9768
pyrite, calc. 5=12715
pyrocatechol, unit cell dims., space group meas. 5=6497
pyroceramics, with Ti dioxide 5=15020
quartz, cultured, "tadpoles" 5=12084
quartz, growth rate effects 5=15104
rare-earth selenides with alkaline-earth selenides 5=6478
rare-earth sesquioxides, high press., B-type 5=12202
rare-earth tungstates, $M_2(WO_4)_3$ type 5=12234
rare-earth $Al_{3.4}$ 5=3620
sklodowskite 5=3634
spinel lattice const. calc. from cationic distrib. and O parameter 5=12212
stilbellite, $CeBO[SiO_4]$ 5=12196
tobermarite, substituted Al co-ordination 5=9330
transition metal compounds 5=9323
turquois 5=6451
Tutton's salts 5=1380
uraninite 5=9358
51 substances 5=1357
60 metallic phases, lattice constants 5=1358
ABO_3 ferroelectrics, dipole patterns in orthorhombic and trigonal phases 5=7015
$AgBiTe_2$ 5=9353
AgBr containing Fe impurity 5=6257
AgCl containing Fe impurity 5=6257
$AgFeTe_2$, suggested as Ag_2Te—Fe_2Te_3 5=11986
$AgMoO_2PO_4$ 5=15021

Crystal structure, atomic—contd
inorganic compounds—contd
$Ag_2O.4B_2O_3$ 5=6480
AgOCN 5=12225
Ag_2O—Na_2O(40 mol.%). $4B_2O_3$ 5=6480
$Al_2Ca_3(SiO_4)_3$ 5=9324
$AlF_3.H_2O$ 5=1359
$Al_2O_3.3CaO.6H_2O$, H atom position determ. 5=6446
$AlPO_4$ 5=6447
Ba^{2+} coordination 5=9327
$BaCl_2.2H_2O$, neutron diffr. determ. 5=6439
BaF_2, lattice const. temp. var. 5=9394
$BaLi_4$ 5=6489
$BaNiO_2$, by neutron diffraction 5=9332
$Ba_4R_2^{3+}Fe_2Nb_8O_{30}$ R = Nd, Sm or Gd 5=9259
$Ba_6Ti_2Nb_8O_{30}$ 5=12188
$BaTiO_3$, grown from TiO_2-rich BaO−TiO_2 5=6364
$BaTiO_3$, lattice parameter increases due to impurities 5=3622
Be_2BO_3OH, H atom location in unit cell, calc. 5=1834
β-BeO 5=12190
BeO, evaporated, electron diffr. study 5=12189
$Be_4[Si_2O_7](OH)_2$, crystal struct. 5=12191
$Bi_2Fe_4O_9$ 5=1362
Bi_2O_3—$[Fe; Al; Ga; Mn]_2^{3+}O_3$ 5=9328
CaC_2-type, Madelung energy calc. 5=14894
C_8F_{12}, disordered 5=12195
Ca perovskite-type cpds., O-deficiency 5=6608
CaF_2, anomalous neutron diffr. due to atomic displacement 5=6449
CaF_2, lattice const. temp. var. 5=9394
CaF_2 lattice constants, 6° to 322°K 5=1424
CaF_2, structure factors 5=1340
$CaNa[B_5O_7(OH)_4].3H_2O$ 5=12194
CaO, e. s. r. spectra and tetragonal distortions 5=15490
$CaO.2Al_2O_3$ 5=14970
$3CaO.Al_2O_3.6H_2O$ 5=1363
$Ca^{40,48}O$, molar volumes, isotopic effect, 78° and 300°K 5=1421
$Ca_{10}(PO_4)_6(OH)_2$ 5=9329
CaS, and thermal expansion, 26-293°C 5=1422
Ca_3SiO_5 compared to Sr_3SiO_5 5=12232
$CaTe_2O_5$, denningite 5=1381
$CaWO_4$, by neutron diffraction 5=9332
$CaWO_4$, refinements comparison 5=6429
$CaZrTi_2O_7$, lattice metric 5=1364
Cd hexahydrostannate, by i. r. absorpt. spectrum, 2-150 μ 5=3651
CdS films on glass 5=12192
CdS, recovered high-press. phase 5=1263
Cd_3SiO_5, suggestion 5=12232
$CdB_{2-x}B'_xO_{6+2}$, B is Ti, Zr or Sn, B′ is hexavalent W, pyrochlore type 5=3640
CdI_2, polytypes 26Hc, 26Hd, 50Hc, X-ray study 5=15009
CdS, forbidden electron reflections 5=6452
Co fluosilicate . $6H_2O$, phase transform., X-ray obs. diffrn. exam. 5=1367
Co hexahydrostannate, by i. r. absorpt. spectrum, 2-150 μ 5=3651
$CoBr_2$(s), and phase transform. ~ 370° 5=6285
$Co_{1-x}Fe_{2+x}O_4$, disorder, ion distrib. 5=12198
$4Cr_{15}O_{12}$ and $12CrO_5$ or $8CrO_8$, from CrO_3 pressure-heated, meas. 5=1366
$CsAlO_2$ 5=12193
$CsCuF_3$ 5=15010
$Cs_4Mg_3F_{10}$ 5=15010
$CsNiF_2$ 5=15010
$Cs_4Zn_3F_{10}$ 5=15010
Cu with adsorbed O 5=12200
Cu hexahydrostannate, by i. r. absorpt. spectrum, 2-150 μ 5=3651
Cu_2O films 5=12045
$CuSO_4.5H_2O$, determ. from g-factor directional depend. 5=6445
$CuTaS_3$ 5=3625
$CuTiF_6.4H_2O$ 5=6450
EuF_2, composition, prod. method 5=15431
Eu_2SiO_4 5=1371
EuTe, lattice distortion at low temperatures 5=15015
Fe carbide, pseudo-hexagonal 5=1373
Fe-group cyanides, mol. orbital anal. 5=6254
$FeAlO_3$ 5=12206
$FeCl_2.2H_2O$, 298°K 5=9344

- **Crystal structure, atomic**—contd
  - **inorganic compounds**—contd
    - $FeCr_2S_4$ spinel 5=6458
    - β-$FeNaO_2$ 5=7165
    - $FeO_{1\cdot066-1\cdot127}$, heat treatment effects 5=1375
    - Fe_7S_8, rel. to temp. 5=9797
    - Fe_2SiO_4, by neutron diffraction 5=9332
    - $FeVO_4$, high-pressure form 5=1376
    - GaSb—GaAs system 5=11987
    - Gd–Fe garnets, Fe^{3+} and Gd^{3+} substitution study 5=7161
    - $H_4Fe(CN)_6$ 5=6453
    - Hg(II) - thiocyanate, unit cell dimensions 5=12213
    - Hg_2OCl_4, neutron and X-ray determination 5=15012-13
    - HgS, cubic and hexagonal 5=14976
    - HoD_3 5=6456
    - InSb, high press. 5=3629
    - InSb, under pressures up to 300 kbar 5=14938
    - InTe, high press. metallic form 5=12203
    - Ir chalcogenides 5=9335
    - K hexahalogen technetates and rhenates 5=12219
    - K oxalate monohydrate, motion of H_2O molecule in crystal 5=4269
    - K synmethyldiazotate 5=12257
    - $KAl_3(SO_4)_2(OH)_6$ 5=9347
    - K_2BeF_4, point group, lattice parameters, X-ray diff. meas. 5=15017
    - $K_2Ca[SO_4]_2.H_2O$ 5=6475
    - $(K_{1-x}Cs_x)_3Sb$, $(O \leqslant x \leqslant 1)$, structural and chemical analysis of phases 5=9748
    - $KHCO_3$, H localization and atomic position refinement 5=6474
    - KHF_2 5=6239
    - $K_4(HSiO_3)_4$, erratum 5=12218
    - K_2NbF_7, neutron diffr. determ. 5=6439
    - K_2TeBr_6 5=9350
    - $KTeO_3(OH)$ 5=12220
    - KrF_2 5=6460
    - La AlO_3 5=12207-8
    - LaF_3 films on silica, substrate temp effects 5=12048
    - La_2O_3—BeO system, 1200-2600°C 5=6278
    - Li galloferrites, cation distrib. 5=15465
    - Li orthoniobates and orthotantalates, crystallog. study 5=6461
    - $Li_6Be_4ZrF_8$ 5=3631
    - LiF, neutron irrad., lattice defects 5=15090
    - $LiGaO_2$ 5=12210
    - $LiNH_4SiF_6$ 5=9341
    - $Li_2O.Al_2O_3.2SiO_2$—$Li_2O.Al_2O_3.2GeO_2$ system 5=9342
    - Mg hexahydrostannate, by i. r. absorpt. spectrum, 2-150 μ 5=3651
    - $MgAl_2O_4$, cation distrib. using neutron diffraction 5=6462
    - Mg—Mn ferrites, cation distrib. 5=9343
    - $Mg(NH_4)_2(SO_4)_2.6H_2O$ 5=1380
    - $Mg^{24}O$, molar volumes, isotopic effect, 78° and 300°K 5=1421
    - $MgSO_4.7H_2O$ 5=1379
    - $MgSO_4.3Na_2SO_4$ 5=6464
    - $MnCl_2.2H_2O$, 298°K 5=9344
    - MnO, lattice distortion at low temperatures 5=15015
    - Mn_2SiS_4 in SiS_2—MnS, meas. 5=12077
    - Mn_2TiO_4 5=6463
    - $Mn_5(Si_{1-x}Ge_x)_3$ 5=15014
    - $MnTe_2O_5$ denningite 5=1381
    - Mo—Ir, constitution diagram phases 5=14930
    - MoO_3, and thermal expansion, 25-500°C 5=15056
    - ND_4F, high-pressure phase 5=9348
    - NH_4 oxalate monohydrate neutron diffr. study 5=12246
    - NH_4 oxalate monohydrate refinement at 30°K 5=12247
    - NH_4Br, I and II modifications 5=9221
    - $(NH_4)_2CuCl_4$ 5=1361
    - NH_4F, high-pressure phase 5=9348
    - $N_2H_4.H_2O$ 5=3628
    - $(NH_4)_2H_2P_2O_6$ 5=1370
    - $(NH_4)_3NbO_8$ 5=6472
    - Na hexahydrostannate, by i. r. absorpt. spectrum, 2-150 μ 5=3651
    - $Na[AlSi_2O_6].H_2O$, from X-ray diffr. data 5=1390
    - $NaBSi_2O_5(OH)_2$, searlesite 5=1392
    - $NaCaB_5O_6(OH)_6.5H_2O$ (ulexite), crystal struct. rel. to pentaborate polyanion 5=6486
    - NaCl, corr. 5=9355
    - $Na_2Co_5Mo_4Cl_4O_{16}$ 5=12226

- **Crystal structure, atomic**—contd
  - **inorganic compounds**—contd
    - $NaFeCl_4$ 5=12227
    - $NaHF_2$ and $NaDF_2$ 5=6239
    - $NaMg[SO_4](OH).2H_2O$ 5=6485
    - $Na_2Mg_2(SO_4)_2(OH)_2.3H_2O$, uklonskovite 5=1393
    - $NaNbO_3$, solid soln. by K^+, Ta^{5+} and Sb^{5+} substitution 5=4095
    - $Na_3P_3O_9$ 5=9356
    - $Na_3P_3O_9.H_2O$ 5=9356
    - Na_2SiF_6 5=1389
    - $Na_2(TiO)[SiO_4]$ 5=6487
    - $Na_5Zr_2F_{13}$, X-ray study 5=12228
    - $NbAs_2$ 5=12215
    - NbN, superconducting 5=15299
    - Nb_2O_5, high temp. form. 5=3636
    - Nb_3O_7Cl 5=12216
    - $NbSb_2$ 5=12215
    - Nb_3Se_4 5=3637
    - Nb_3Sn, vapour-deposited 5=6379
    - Nb_3Te_4 5=3637
    - Ni-group chalcogenides, lattice consts. calc. 5=15264
    - Ni hexahydrostannate, by i. r. absorpt. spectrum, 2-150 μ 5=3651
    - $3Ni.C_2N_2.3NH_3.C_4H_4S$ 5=12214
    - $Ni(CN)_2.NH_3.\frac{1}{2}H_2O$ 5=12214
    - NiH 5=6469
    - $Ni(NH_4)_2(SO_4)_2.6H_2O$ 5=1380
    - $Ni^{58,60}O$, molar volumes, isotopic effect, 78° and 300°K 5=1421
    - NiO—MnO solid soln. system, lattice parameters 5=6470
    - $NiSO_4.(NH_4)_2SO_4.6H_2O$, and NH^4 ion X-ray scatt. curve role 5=15016
    - $NiSe_2$, layer polytypism 5=6471
    - $NiZrH_3$ and $NiZrD_3$ 5=6468
    - P_4O_9—P_4O_8 mixed crystals 5=3639
    - β-P_4S_7 5=9345
    - Pb cyanamide 5=1369
    - $PbB_{2-x}B'_xO_{6+x}$, B is Ti, Zr or Sn, B′ is hexavalent W, pyrochlore type 5=3640
    - $PbCO_3.PBO.2H_2O$ 5=1378
    - Pb_2CoWO_6, changes due to phase transition 5=3466
    - PbO_2, parameter increase on heating due to O vacancies 5=12209
    - PbO—Gd_2O_3, phases and comp. var., ⩽1000°C 5=15011
    - PbO—La_2O_3, phases and comp. var., ⩽1000°C 5=15011
    - PbO—Sm_2O_3, phases and comp. var., ⩽1000°C 5=15011
    - $[Pb(PO_3)_2]_x$ 5=3630
    - $PbTiO_3$—$CaSn[Zr]O_3$ 5=9338
    - Pd_3Mn, large tetragonal distortion 5=15018
    - $PrAlO_3$, lattice parameters and space group 5=12222
    - $PuGa_3$, high temp., rhombohedral 5=12217
    - PuO_2, for Pu^{4+} atomic scattering factors 5=6381
    - Rb hexahalogen technetates and rhenates 5=12219
    - RbI, and thermal expansion, 27-173°C 5=1422
    - ReH_9^{2-}, H atom arrangement 5=6479
    - Rh chalcogenides 5=9335
    - $ScBe_5$, by X-ray diffr. 5=3643
    - Sc_5Ga_3, by X-ray exam. 5=1387
    - SiC, coalescence of polytypes, X-ray study 5=6482
    - SiC, polytype 24R, struct. 5=6483
    - SiC, polytype 69R 5=6484
    - SiC polytypes, X-ray identification 5=3644
    - SiC, 32 new polytypes 5=9351
    - Si_3N_4 whiskers, X-ray meas. 5=3574
    - SiO_2 films 5=9352
    - SiO_2, new compact modification 5=6481
    - $SmAlO_3$, lattice parameters and space group 5=12222
    - Sr caprylate hydrate 5=9365
    - SrB_{12} 5=1394
    - $SrBr_2.H_2O$ 5=6488
    - SrF_2, lattice const. temp. var. 5=9394
    - $SrMg_4$ 5=6489
    - Sr_6Mg_{23} 5=6489
    - $3SrO.B_2O_3$, $2SrO.B_2O_3$, $SrO.2B_2O_3$ 5=9938
    - $Sr(OH)_2.8H_2O$, neutron diffr. determ. 5=6439
    - Sr_3SiO_5, compared to Ca_3SiO_5 5=12232
    - Sr_3SiO_5, X-ray study 5=12231
    - $Sr(VO_3)_2.4H_2O$, analysis method 5=12229
    - $Sr(VO_3)_2.4H_2O$, co-ordinates 5=12230
    - β_1—Ta_2D 5=9357
    - Ta_2D, neutron diffraction anal. 5=12233
    - $TaSe_2$, layer polytypism 5=6471

rystal structure, atomic—contd
- **inorganic compounds**—contd
  - Tb_5Mg_{24}, lattice parameters and space groups 5=12223
  - ThC_2, and phase transform., high temp. 5=3476
  - Ti group phosphides 5=9323
  - TiNi 5=6386
  - TlCl, by electron diffraction, precision det. 5=9321
  - Tm_5Mg_{24}, lattice parameters and space group 5=12223
  - UF_4 5=3648
  - UF_4, by neutron diffraction 5=6440
  - $UO_{2-2.25}$, after quenching, X-ray study 5=12235
  - UO_2 monocryst. films, interstitial positions of O atoms 5=15022
  - UO_2 and UO_{2+x}, by neutron diffraction 5=6492
  - U_3O_8, neutron diffraction investigation 5=6491
  - U_4O_9, by neutron diffraction 5=6492
  - $U_2SiO_3 . CaSiO_3$, β-uranophane, symmetry 5=1397
  - V ceramics from heating at low air press. 5=12236
  - V group phosphides 5=9323
  - $VCrO_4$ 5=1396
  - V—Cu—O system 5=12238
  - V_2O_5, and thermal expansion, 25-630°C 5=15056
  - V_3Si, temp. var. and supercond. 5=3649
  - XeF_2, neutron diffr. determ. 5=6439
  - XeF_4, neutron diffr. determ. 5=6439
  - Y-ceric earth mixed garnets 5=7175
  - YFe garnet, rel. to divalent Co substitution 5=4213
  - Y_5Ga_3, by X-ray exam. 5=1387
  - YNi 5=6494
  - Yb_5Mg_{24}, lattice parameters and space group 5=12223
  - XeF_2—XeF_4 5=6493
  - Zn hexahydrostannate, by i. r. absorpt. spectrum, 2-150 μ 5=3651
  - $ZnF_2 . 4H_2O$, unit cell dimensions 5=15023
  - $[Zn(N_2H_4)_2(NCS)_2]$ 5=12241
  - ZnO, grinding effects 5=6773
  - ZnP_2, tetrag. modification 5=9360
  - α-$Zn_3(PO_4)_2$ 5=12243
  - $Zn_3[PO_4]_2 . 4H_2O$, new determination 5=12240
  - ZnS, new polytype 5=12242
  - ZnSe 5=12836
  - ZnSe films 5=12239
  - $ZnSeO_3 . 2H_2O$ 5=1399
  - $ZnTe_2O_5$, denningite 5=1381
  - $ZrCl_3$ 5=3652
  - ZrO_2, tetragonal, rel. to thermal expansion 5=12301
  - ZrP_2O_7, polymorph, high pressure prod. 5=6315
- **organic compounds**
  - alkaloid jamine ($C_{21}H_{35}N_3$) 5=1400
  - allylpalladium chloride complex at 140°C 5=12245
  - bis-o-phenylene disulphide, unit cell dim. and space group 5=12258
  - bromo-4-ditertiary butyl-2. 6 phenol, meas. 5=12249
  - cadmium n-butyl xanthate 5=12250
  - chloral hydrate, neutron diffr. determ. 5=6439
  - decammine-μ-peroxodicobalt tetrathiocyanate 5=12251
  - p-dimethyldiazominobenzene, lattice constants 5=12252
  - di(o-phenyl azophenyl) disulphide 5=9361
  - ferrichrome A, crystal and mol. struct. 5=6495
  - p-iodobenzonitrile 5=12253
  - iron cupferron 5=12254
  - merocyanine, molecular structure 5=6496
  - metanilic acid, X-ray study 5=12255
  - methyl-4-ditertiary butyl-2. 6 phenol, meas. 5=12249
  - o-nitroperoxybenzoic acid 5=9364
  - oxalate ion, in ammonium oxalate monohydrate, enantiomorphism 5=12079
  - oxalic acid dihydrate, deuterated, new modification 5=1401
  - peroxypelargonic acid 5=12256
  - poly(4-methylpentene-1) Moiré patterns 5=9366
  - polyoxymethylene, Moiré patterns 5=9366
  - polytrifluorochloroethylene 5=1402
  - δ-pyrazinamide, analysis by modified Fourier technique 5=6423
  - pyridine picrate 5=9361
  - sucrose, neutron diffr. determ. 5=6439
  - α-sulphanilamide 5=12259
  - triethylenediamine, and i. r. spectrum calc. 5=3654
  - triphenylmethyl ClO_4, space group, cell dim., bonds meas. 5=12260
  - tristriphenylphosphine Rh carbonyl hydride, space group, cell dims., calc. 5=12261

Crystal structure, atomic—contd
- **organic compounds**—contd
  - tropone Fe tricarbonyl 5=9363
  - K antimonyl tartrates, X-ray study 5=12248
  - K oxalate monohydrate, by neutron diffraction 5=3653
  - NH_4 antimonyl tartrates, X-ray study 5=12248
  - Rb antimonyl tartrates, X-ray study 5=12248
  - UCl π-tricyclopentadienyl, space group, cell dims., X-ray diffr. meas. 5=12262

Crystal symmetry. See Crystallography; Crystal structure, atomic.

Crystallization
- See also Crystals/growth.
- austenite, recrystallization during high-temp. thermo-mechanical treatment 5=3560
- eutectic, mechanism 5=1301
- inert gases 5=1386
- metals, u. s. min. power to affect grain size 5=1302
- polyethylene, light scattering obs. 5=3381
- poly (tetramethyl-p-silphenylene)-siloxane polymers 5=3566
- secondary nucleation from aqueous soln. 5=6352
- solid—liquid interface, interaction with particles 5=1212
- steel wires, recrystallization, rel. to Young's modulus 5=12552
- surface equilibrium with vapour, thermodynamics 5=6343
- Al, recrystallization, alloying addition effect and temp. depend. 5=1305
- Al—Fe, annealing texture form 5=12096
- As_2Se_3, amorphous, viscosity depend. 5=12100
- $AsSe_xGe_y$-type glass, X-ray investig. 5=3554
- Be in condensing column 5=3555
- Be recrystallization, primary 5=12081
- Bi, 2.5 × 10^{-6} cm particles 5=14876
- Bi-solid—liquid boundary, oscillations 5=1304
- Cu, recrystallization, alloying addition effect and temp. depend. 5=1305
- Cu, recrystallization nuclei, formation, and effect of Al and Be additions 5=3557
- Fe, zone-melted, Co effect on recrystallization 5=6374
- Fe–Si strip, secondary recrystallization by impurity inhibition 5=6375
- InAs—InSb alloys, prep. 5=6376
- Ni, deformed, nucleation during recrystn. 5=3563
- Ni, recrystallization, effect of deformation degree 5=3468
- Ni, recrystallization, microhardness rel. to annealing time 5=3866
- Pb, 2.5 × 10^{-6} cm particles 5=14876
- Sb, 2.5 × 10^{-6} cm particles 5=14876
- Se, kinetics, X-ray diffr. exam. 5=3568
- Zn, secondary recrystallization, surface-energy induced 5=9288

Crystallography
- See also Electron diffraction crystallography; Neutron diffraction crystallography; X-ray crystallography.
- amplitude computing programme, 230 symmetry groups 5=9313
- anisotropic tensor generation with group invariance 5=3595
- atomic scattering factors 5=9317
- chemical saw and drill 5=12141
- cleavage device 5=9269
- complete symmetry concept, comments 5=14961
- cutting, centrifuge method 5=6399
- electron density, integral characteristics, analytical rep. 5=1333
- fibres, reflections absent or overlapping, least-squares anal. 5=12167
- Fourier synthesis, optical, simplified representation 5=1342
- ideal closest packing, translation—permutation operator algebra 5=3591
- molecular crystals, scattered intensity, contrib. from orientation 5=1332
- Patterson function, graphical construction from 1-dim. models 5=9316
- Patterson peaks by computer 5=9315
- point group, conjugate subgroups 5=9314
- space group irreducible representation through point groups 5=14997
- structure extraction from Patterson peaks by computer 5=9315
- tensors, axial, third rank 5=12076
- tensors, component determination 5=3592

- **Crystals**
  - See also Liquid crystals.
  - elastic wave propag. in stressed crystals 5=12439
  - **electron states.** See Crystal electron states.
  - **etching**
    - cubic, class m^{3m}, anisotropy 5=6348
    - diamonds, etch pit orientation 5=12086
    - dislocation network analysis 5=3743
    - graphite, oxidation and non-basal dislocations 5=12388
    - graphite, pyrolytic 5=9271
    - magnetite, thermomechanical, for domain struct. 5=7136
    - metals and alloys, spark, rel. to microstruct. features 5=3579
    - quartz, dislocation etching in autoclave 5=12404
    - quartz, after X-irrad. 5=1476
    - rock salt, pits, by conc. NaCl solution treatment 5=1300
    - triglycine sulphate, dislocations and ferroelec. domains, obs. 5=9482
    - Al, glide dislocations 5=6349
    - Ar, thermal 5=12099
    - $BaTiO_3$, and 180° domain motion in elec. poling 5=12378
    - Be, with impurities, thermal 5=15097
    - CaF_2 cleavages, trigon patterns 5=9270
    - CaF_2, etching of cleavages 5=12085
    - CeO_2, sintered, for microstruct. obs. 5=6265
    - Fe alloys, rel. to twinning 5=3536
    - GaAs, HNO_3 soln., As_2O_3 surface precip. 5=1298
    - Ge, reactions with HCl and GeCl in H flow for epitaxy 5=1299
    - KBr, dislocation, cation addition role 5=6638
    - LiF, inhibited dissolution of {100} surfaces 5=6350
    - LiF whiskers, rel. to dislocation revelation 5=1470
    - Mo, helical dislocations and prismatic loops 5=3753
    - NaCl, dislocation, cation addition role 5=6638
    - NaCl, dislocation, obs. 5=6639
    - NaCl, and surface imperfects. obs. 5=9493
    - NaCl, thermal, surface structure edge effects 5=3545
    - Ni, figure development by vacuum thermal etching 5=6351
    - $PtSb_2$, rel. to struct. 5=3531
    - Si, dislocation determ. or orientation 5=9263
    - Si, water-vapour as etchant 5=9272
    - β-SiC coatings, pits orientation 5=1482
    - SnO_2, dislocation etch pits 5=12405
    - $SrTiO_3$, rel. to growth method 5=15389
    - TiO_2 5=3762
    - U—Mo, γ phases, selective 5=14964
    - Zn, dislocation, etching, on cleavage face 5=12406
    - Zr, preparation for microscope exam. 5=6420
  - **excitons.** See Crystal electron states/excitons.
  - **faces**
    - alkali halides, light scatt. by irregularities, removal by polishing 5=3773
    - bicrystal systems, interfacial energy, pointed minima 5=9268
    - quartz, rhombohedral faces, surface structures 5=6347
    - thermionic emission variation with face 5=4131
    - Ag facet decoration 5=9266
    - Ag, surface tarnishing by H_2S rel. to structure 5=9267
    - CaF_2, cleavage in vacuum, epitaxial growth on Ge study 5=3544
    - CdS, evaporation rate 5=3481
    - GaAs, and thermal decomposition, orientation effect 5=7416
    - Ge, (111) and (100), clean, annealed, possible structures 5=36
    - HgSe, cleavage and interatomic bonds 5=3543
    - HgTe, cleavage and interatomic bonds 5=3543
    - Ir field-evaporated, thermal rearrangement 5=3539
    - LiF (100), electron diffraction study, low-energy 5=3542
    - NaCl cleavage in vacuum, epitaxial growth on Ge 5=3544
    - NaCl, surface conductivity, cleavage relief effect 5=1619
    - Ni (111), Auger electron ejection by ion bombard 5=7068
    - Ni, (110), (111), clean, structure 5=3540
    - Pt (100) face, adsorption of CO 5=3520
    - Si, (111) and (100), clean, annealed, possible structures 5=362
    - Si epitaxial layers, layer thickness meas. 5=10
    - W, (111), structure rel. to O_2 adsorption 5=3537
    - YFe garnet, morphology 5=6345
  - **growth**
    - See also Crystallization; Zone melting and refining.
    - ADP, method for high perfection 5=1291
    - ADP, near perfect 5=3578
    - alkali halides 5=6361

- **Crystals**—contd
  - **growth**—contd
    - alkali halides, crucible for growth from the melt 5=1209
    - alkali halides, supersaturated solns., nucleation by mech. shock 5=3551
    - alloys, eutectic, theory, effect on interlamellar spacing 5=6261
    - benzophenone, rate meas., retardation factors 5=6363
    - beryl, high press. 5=6362
    - in binary eutectic, directional freezing 5=9176
    - cetyl palmitate 5=7008
    - chlorpromazine, and nucleation 5=3556
    - condensation entropy in surfaces 5=3486
    - cyanamides, inorganic 5=1368
    - cylinder in diffusion field, shape stability 5=12088
    - dendrites 5=9289
    - diamonds, coated structure 5=9293
    - diamonds, from graphite, opposed-anvil apparatus 5=121
    - diamonds, Si effects 5=6369
    - p-dichlorobenzene, and phase transforms., mono—mono, mono—polycrystal 5=14942
    - diffusion nucleation 5=3546
    - dodecyl myristate 5=7008
    - epitaxial, impurity distrib. 5=12131
    - flame fusion furnace, viewing port 5=4856
    - garnet laser crystals 5=14973
    - glass crystallization, e.s.r. study 5=14971-2
    - grain, normal and abnormal, theory 5=12090
    - graphite in C films, on heating 5=12043
    - graphite dendrites, twinning 5=12083
    - ice, nucleation, AgI photolytic activation 5=9279
    - ice, from supercooled water 5=9278
    - ice, in supercooled water films on hydrophobic surface 5=3402
    - imperfect and dislocation-free, book 5=3408
    - lamellar, electric analogue 5=6355
    - layers of altered composition 5=12091
    - long chain mol. nucleation theory, critical consts., var. mol. wt. and temp. 5=6353
    - macroscopic steps, forms 5=12092
    - metal oxides in oxy-hydrogen flames, conditions study 5=3548
    - metal, by twin plane re-entrant mechanism 5=12127
    - metal whiskers, methods, props. and theory 5=6389
    - metals, cubic, epitaxy on alkali halides cleaved in vacuum 5=6392
    - metals, zone melting, power stabilizer 5=10429
    - mica, synthetic production in laboratory for optical appl. 5=3562
    - molecular mechanism 5=3547
    - oxalic acid, solvent effects on crystal habit 5=6380
    - oxides, by flux method 5=6371
    - polyethylene, from soln. and melt, structure 5=3565
    - polymer dielectrics, rel. to elec. conductivity 5=12799
    - polymers, differential thermal analysis meas. 5=3564
    - polymers, high, sequential processes and crystallization 5=12117
    - polymethylene, secondary, mechanism 5=9283
    - polystyrene, artificial nuclei effect 5=9284
    - pulling from melt, device for vibrating 5=14966
    - quartz, rate and impurity capture and smoky colour centre formation 5=15104
    - quartz, rhombohedral faces, circular growth fronts and spirals 5=6347
    - quartz, spirals on surfaces 5=6346
    - raised-crucible method for single crystals 5=14965
    - for Raman studies, low temp. 5=7307
    - ratemeter for pulling 5=12094
    - rotation rate effects 5=3549
    - salol, rate meas., retardation factors 5=6363
    - sapphire, Czochralski method, for lasers 5=6383
    - semiconductor layers, zone recryst. conditions 5=3550
    - semiconductor, from soln. using twin-plane re-entrant edge mechanism 5=6359
    - semiconductors with impurities, conditions for pulling from melt 5=9273
    - in silica gels, method description 5=14968
    - snow, shape formation conditions 5=1315
    - by solvent evaporation, apparatus 5=12093
    - steps, macroscopic, end faces, growth forms 5=9260
    - supercooling of liquids, expts. 5=11934
    - surface condensation energy structure var. 5=3485
    - temperature distrib. Czochralski method 5=14967

rystals—contd
  growth—contd
    for thermoelectric coolers 5=6358
    vacuum condensates, possible formation mechanisms 5=9243
    whiskers, diffusion-controlled, kinetics 5=3572
    Ag dendrites, electrolytic 5=12130
    Ag evaporated films, crystallite coalescence 5=1314
    Ag films, epitaxial, by sputtering 5=12053
    Ag, (111) planes, electrolytic 5=9286
    Ag single crystals, in Al_2O_3 presence 5=3569
    Ag on W, field-emission microscope exam. 5=12140
    Ag_2O on Ag surfaces, rel. to migration 5=4390
    Al epitaxial on Si (111) surfaces 5=4395
    Al, from melt, mosaic blocks, size and misalignment degree 5=3768
    Al_2BeO_4, synthetic flux growth 5=6360
    Al_2BeO_4:Cr, synthetic flux growth 5=6360
    AlN, single cryst. from gaseous phase 5=3553
    Al_2O_3 (sapphire), filamentary 5=12098
    Al_2O_3 whiskers, by heating corundum crystals 5=12128
    Ar, polycrystals 5=12099
    As_2O_3 on GaAs 5=9292
    Au, epitaxial, on rocksalt 5=3575
    Au epitaxy on (100) crystal plane, 1000°K 5=3576
    Au films, epitaxial, by sputtering 5=12053
    Au nucleation onto MgO cleavage face, 209°-381°C 5=3559
    Ba ferrite 5=6279
    BaO, Eu—doped 5=12101
    $BaTiO_3$, from TiO_2-rich $BaO-TiO_2$ 5=6364
    Be films 5=1303
    Bi_2O_3—$[Fe; Al; Ga; Mn]_2^{3+}O_3$ 5=9328
    Bi—Sb alloys, homogeneous 5=12102
    Bi_2Te_3 sputtered films 5=9274
    CS_2, black, high-press. prep. 5=6365
    Ca tartrate, in silica gel 5=14968
    CaF_2, Czochralski method, and dislocations 5=6630
    CaF_2, dislocation depend. on method 5=3746
    CaF_2, by zone melting 5=12106
    $CaO.2Al_2O_3$ 5=14970
    $CaWO_4$, low-angle boundary free 5=12107
    $CaWO_4$:Nd^{3+}, floating zone recrystallization 5=6368
    Cd, and decomposition planes 5=9275
    Cd, equilib. form 5=12104
    Cd grains, exponential w. r. t. time 5=3448
    Cd whiskers, conditions for condensation from vapour 5=6390
    CdI_2 5=9276
    Cd_3P_2, prep. 5=12105
    CdTe, epitaxial by gas transport on GaAs 5=14987
    CoO, in oxy-hydrogen flame, O—H ratio effect 5=3548
    $Co_{1+\delta}V_{2-\delta}O_4$ $(1\geqslant\delta\geqslant 0)$, by $CoO—V_2O_5$ electrolysis 5=12126
    Cu dendrites, electrodeposited, growth twins and branching 5=3535
    Cu films, annealing and oxidation morphological changes, substrate effect 5=6344
    Cu, seeded, graphite mould design 5=6366
    Cu, single, by zone melting 5=6367
    Cu tartrate, in silica gel 5=14968
    Cu_2O on Cu surfaces rel. to migration 5=4390
    Cu_2O films 5=12045
    Cu—Sn, Cu_6Sn_5 separation meas. 5=12108
    $DyCo_5$, zone melting in He atmosphere 5=14981
    EuS films, epitaxy 5=12132
    α-Fe, by chemical transport 5=12112
    Fe, cold-rolled, recrystallization on heat treatment 5=6372
    Fe, recrystallization on heat treatment and internal frict. 5=9558
    Fe twins, 78°K 5=6373
    Fe—C, ferrite sideplates, thermionic emission study 5=1317
    Fe_3O_4, in oxy-hydrogen flame, O—H ratio effect 5=3548
    GaAs, closed tube process, transport reaction 5=14974
    GaAs, epitaxial, closed tube, defects obs. 5=6395
    GaAs, epitaxial, vapour composition effects 5=6394
    GaAs, epitaxially doped with Zn, deposition on Te-doped substrates 5=6393
    GaAs, epitaxially on Ge, orientation 5=9262
    GaAs sputtered films, fibered and epitaxial growth 5=3501
    GaAs, vapour in closed tube 5=14974
    GaAs—GaA, epitaxial 5=9296
    $GaAs_{1-x}P_x$, epitaxial 5=12135

Crystals—contd
  growth—contd
    $(Ga_xIn_{1-x})As$, single crystals, by vapour phase reaction 5=1306
    β-Ga_2O_3, Verneuil technique 5=6370
    GaP, epitaxial by gas transport on GaAs 5=14987
    GaP morphology 5=12110
    GaP single crystals, vapour-growth on GaAs substrate 5=1564
    GaSb and InAs, interface alloying, inversion of diatomic layers 5=3558
    Ge, dendrites 5=12129
    Ge, dendritic growth 5=14984-5
    Ge, epitaxial films, in iodide process 5=12133
    Ge, epitaxial in Ge—Br system 5=9294
    Ge films, epitaxy on solid Ge 5=14953
    Ge films, review 5=3503
    Ge, from supercooled droplets 5=12134
    Ge, vapour in closed tube 5=14974
    Ge, vapour—solvent, diffusion versus surface limitations 5=9277
    Ge, by H reduction of GeI_4 5=12111
    Ge, and I_2 doping, in closed tube process, transport reaction 5=14974
    HgS, cubic, prep. and stabilization 5=14976
    HgSe, from gas phase 5=12113
    Hg—Te, in binary system, at monotectic 5=12114
    HgTe, from gas phase 5=12113
    HgTe, preparation and electrical properties 5=12745
    I, constitutional supercooling of vapour 5=9281
    In_2O_3 single crystals, by flux technique 5=1307
    InSb, high perfection 5=9280
    $KAl(SO_4)_2.12H_2O$, regeneration in solution, first stages 5=1311
    KCl, gamma ray effects 5=1312
    KCl whiskers, growth from vapour 5=14986
    KCl, Tl-doped, distrib. coeff. determ. 5=3567
    KCl—KBr, negative crystals (holes), mechanism during mutual diffusion 5=1310
    $K_2Cr_2O_7$, growth rate 5=12118
    $K_2Cr_2O_7$, zero growth rate faces 5=12119
    KNO_3, from aqueous soln. 5=12120
    KNO_3, nonvicarious impurity capture during crystallization 5=6382
    $KTa_{0.65}Nb_{0.35}O_3$, single crystals, for optical appls. 5=14978
    Li ferrite, single cryst. grown in ordered state 5=4209
    Li, from film on W, use of elec. field 5=14975
    $LiGaO_2$, Czochralski flux 5=3561
    $M^{2+}Cr_2O_4$, $M^{2+}Fe_2O_4$ (M^{2+}=transition ion), from polytungstate fluxes 5=12126
    MgO, fully dense, grain growth 5=3449
    MnO, in oxy-hydrogen flame, O—H ratio effect 5=3548
    Mn_3O_4, in oxy-hydrogen flame, O—H ratio effect 5=3548
    $MoSi_2$—Mo, growth kinetics of intermediate silicides 5=6304
    Mo_3Sn 5=9282
    $NaBrO_3$, regeneration in solution, first stages 5=1311
    $NaBrO_3$, shock waves at growth centres 5=3570
    NaCl, dislocation nucleation with impurities calc. 5=9475
    NaCl, plate segregation 5=6384
    NaCl, regeneration in solution, first stages 5=1311
    NaCl, theory rel. to etching 5=3545
    $Na_2O.2MnO.2SiO_2$ 5=14979
    Nb epitaxial films, on MgO disloc. density, substrate temp. effect 5=6396
    Nb, by strain-anneal. method 5=6378
    Nb_2O_5 films, anodic, electron microscope obs. 5=6385
    Nb_3Sn, recrystallization, struct. rel. to sinter prep. 5=1309
    Nb_3Sn, vapour-deposited, prep. and props. 5=6379
    $NdCo_5$, zone melting in He atmosphere 5=14981
    Ni cobaltite, 400°-700°C 5=6377
    Ni, recrystallization nuclei growth rate, deform. effect 5=1308
    $NiFe_2O_4$, by chemical transport 5=12115
    NiO, in oxy-hydrogen flame, O—H ratio effect 5=3548
    Ni—Ta, recrystallization, primary 5=12116
    PuO_2, single crystals, from silicate glass 5=6381
    Re, high-purity 5=9285
    Se, epitaxial 5=12136
    Si epitaxial deposition, multiple slice, in resistance heated furnace 5=1320

Crystals—contd
growth—contd
Si, epitaxial growth by iodine transport between piled-up pellets 5=1319
Si, epitaxial layers, by pyrolysis of silane 5=12139
Si, epitaxial layers, by vacuum evap. 5=12137–8
Si epitaxial pyrolytic films, tetrahedral growth 5=6397
Si epitaxial on Si in ultrahigh vac. 5=3577
Si epitaxial on quartz 5=9299
Si, epitaxial, tripyramid growth 5=12122
Si filamentary growth from vapour 5=1313
Si films on alumina ceramic 5=9298
Ta_2O_5 films, anodic, electron microscope obs. 5=6385
Si films, review 5=3503
Si, needles, lamellar structure 5=3573
Si platelets, with (0001) surface in plate, from vapour phase 5=1850
Si, from supercooled droplets 5=12134
Si, and twinning 5=9444
Si, using reliable pneumatically operated polytetrafluoroethylene valve 5=6398
α-SiC, epitaxy and overgrowth exam., conditions effect calc. 5=1318
SiC production 5=12123
SiC, from Si melt 5=12121
in SiO films, on heating 5=12043
Sn and dislocations and struct. 5=9287
Sn, melt-grown, impurity distribution 5=12367
SnO_2, single cryst. from vapour phase 5=14980
Sn—Pb alloys, dendrite spacing 5=9290
SrO, Eu—doped 5=12101
TiNi single crystals by modified strain-anneal technique 5=6386
UO_2 single crystals, by sintering 5=3571
V_3Si, single prep. and props. 5=1316
W, on glowed W wires 5=12125
W, sintering 5=6266
WO_4Ca, single crystals for lasers, methods and props. 5=6387
WSi_2—W, growth kinetics of intermediate silicides 5=6304
YCo_5, zone melting in He atmosphere 5=14981
YFe garnet, vapour growth 5=6388
$Y_3Fe_5O_{12}$, from polytungstate flux 5=12126
Zn single crystals, effect of growth rate and Cd 5=14982
ZnO, from molten PbF_2 5=1856
$ZnSnAs_2$, single crysts., p-type cond. and resistivity 5=9690
ZnTe, n-type prep. 5=15347
$ZnWO_4$, Czochralski, Rh impurities from crucibles analysis 5=14983
Zr—H, nucleation shear stress 5=15099
imperfections. See Crystal imperfections.
internal fields
alkali halides, interatomic forces and cohesive energy calc. 5=6235
alkali halides, 3-body exchange interaction between ions, lattice stability 5=3417
alkali halides, U-centres and H^- ionic radius 5=6237
alkali metal chalcogenides, interatomic forces and bonds, calc. 5=6236
axes orientation, from quadrupole resonance 5=14896
chabasite, from e.s.r. of Mn^{2+}, exchange 5=7241
chrome alum parameter, 10 Dq calc. 5=11971
chrysoberyl, $BeAl_2O_4$, elec. fld grad. 5=9199
conception generalities 5=11962
corundum-type lattices 5=3424
cubic, deform. splitting of spectral transitions, calc. 5=1556
electric in dipole lattices 5=6245
electric gradient interaction with nuclear quadrupole moment 5=9206
electric, gradients in point-ion and uniform-background lattices 5=6244
electric, stress dependence 5=1221
electric, at surface or interior, calc. method 5=11968
electron—electron interaction potential 5=12566
electrostatic potentials, Evjen's method of lattice sums 5=9198
ferrocene, gradient, Mössbauer study 5=11969
ferromagnetics, energy consts., determ. from parallel field pumping expts. 5=7109
ion energy spectrum 5=14907

Crystals—contd
internal fields—contd
ions, paramagnetic, quadrupole moments 5=14906
lamellar cryst., electrostatic energy barriers in expansion 5=1227
ligand field parameters, cubic, from group theory 5=14892
metals, dielectric screening, non-local 5=9197
molecular, Van der Waals interaction, collective aspects 5=3418
perturbed angular correlations, randomly oriented magneti field influence 5=11965
rare-earth ions, calculated parameters 5=6242
standard operators, matrix elements 5=11967
transition metal ions with cubic symmetry 5=9201
Ag halides, interatomic forces and bonds, calc. 5=6236
Al interatomic potl. from iron-range meas. 5=9205
Au in Fe, polarization and mag. field 5=6248
Be, mean inner potential meas. by interferometer 5=1197
$Be_4O\ (CH_3CO_2)_6$ 5=6241
CaF_2, Dy^{3+}, Nd^{3+} g-factors, versus parameters in CaO, MgO, spin reson. calc. 5=1223
CaF_2, ground states and Stark splittings of trivalent rare-earth ions 5=3425
CaF_2, and Sm^{2+} spectrum, absorpt., mag. induced 5=7328
CdS photoelectrets 5=3426
Ce ethyl sulphate, electric quadruple—quadrupole interaction 5=3422
Co—Fe alloys, H_{eff} at Co n. m. r. meas. 5=13001
Cr, effective mag. fields on nuclei 5=1773
Cr-containing solids 5=4303
Cr^{3+} ethylenediammine complexes, spin Hamiltonian calc. 5=3427
Cu, due to dislocations, and n. m. r., quadrupole effects 5=13012
Cu halides, interatomic forces and bonds, calc. 5=6236
$CuSO_4.5\ H_2O$, electric, and g-factor evaluation 5=1224
Dy—Al garnet, exchange-field splitting 5=3421
Dy^{3+} in CaF_2, Ca O and MgO, 6th order rel. to 4th order pot., g-factor spin reson. calc. 5=1223
Er, hyperfine magnetic, 4.2 to 40°K 5=9195
Er^{3+} in gallate, and mag. susceptibility 5=4163
ErGa garnet, field at rare earth ion 5=9194
Eu^{3+} and Tb^{3+} in YAl garnet 5=1225
Eu^{3+} in YAl garnet, absorption spectrum and crystal field 5=1226
Fe alloys, at Fe^{57} sites 5=4193
Fe group ions in cubic environment, ground state 5=11963
Fe lattice, impurity nuclei, hyperfine fields 5=14895
$FeCl_2$, Fe^{57} Mössbauer study, 1.5°-530°K 5=6251
Fe^{57}—Ni, Mössbauer spectra of irrad. and unirrad.
Hf and Hf cpds., electric gradient interaction with nuclear quadrupole moment 5=9206
K Al Si_3 O_8, elec. field grad., O^{-2} polarizability 5=1229
KCl photoelectrets 5=3426
$K_2Cr_2O_7$ photoelectrets 5=3426
KI, n. m. r. obs. of elec. gradient at I^{127} nuclei surrounding substitution Rb ion 5=3423
(K, Zn) Tutton salt, rel. to Cu^{2+} spin—lattice relax. theory 5=7224
Mg, effective mag. fields on nuclei 5=1773
Mn II ion in zeolites 5=1803
$Mn^{2+,4+}$ in MgO, hyperfine 5=3420
Mn_5Ge_3, ferromag., hyperfine mag. fields at Mn, meas. 5=6246
Na Al Si_3 O_8, elec. field grad., O^{-2} polarizibility 5=1229
Nd^{3+} in CaF_2, CaO and MgO, 6th order rel. to 4th order pot g-factor spin reson. calc. 5=1223
Nd^{3+} in YAl garnet 5=1228
Ni–Zn–Co ferrites 5=7109
$PbCl_2$, from e. s. r. of Eu^{2+} 5=7228
Pr^{3+} eigenstates in $LaCl_3$, using Zeeman effect 5=6256
$RbAl(SO_4)_2 . 12H_2O$, Ti^{3+} energy-level splittings 5=9200
S photoelectrets 5=3426
Sb, elec., press. var. n.q.r. meas. 5=1222
Si impurity ground state, lattice shielding 5=9196
SrF_2, and Sm^{2+} spectrum, absorpt., mag. induced 5=7328
Te halides, interatomic forces and bonds, calc. 5=6236
Tm and Er in Y_2O_3, crystal field splitting 5=4328
U^{4+} in octahedral field, energy levels 5=6255
W and Ru in Fe, magnetic 5=11966
Yb^{3+} chelates, crystal-field splitting 5=6243

Crystals—contd
- lattice mechanics
  - See also Diffusion in solids; Paramagnetic resonance and relaxation; Solids/theory.
  - alkali halides, 3-body exchange interaction between ions, lattice stability 5=3417
  - alkali halides, vibr. freq., and Raman spectra, calc. 5=13030
  - anharmonic forces and vapour pressure monatomic isotopic solids 5=1215
  - atomic chain with defect, vibr. spectrum calc. 5=12267
  - p-azoxyanisole, neutron scatt. 5=9090
  - β-brass, phonon temp. depend. 5=15033
  - conductors, many-valley, electron—lattice interaction and vel. of sound 5=15038
  - coupling to near dielectric with mm absorpt. 5=6502
  - cubic, neutron scattering cross-section tail, temp. var. 5=12271
  - cubic, rel. to elastic const. temp. depend. calc. 5=9513
  - cubic symmetry crystals, deformation, effect on dispersion freq. 5=3939
  - cyanuric acid, lattice vibrations 5=982
  - Debye model, anharmonic effects, Grüneisen parameters calc. 5=12265
  - diamond, on plastic deformation 5=12495
  - diamond-type cryst., charact. phonon freq. 5=3677
  - diamond-type, one-phonon impurity absorpt. of light 5=15533
  - and diffusion, thermal 5=9404
  - diketopiperazine, lattice vibrations 5=982
  - dynamics, X-ray diffr. apparatus, 77°-600°K vac. path 5=3610
  - electron energy—momentum reln., electron—phonon interaction 5=1559
  - electron—phonon interactions, exchange and correl. 5=6783
  - equations of motion of phonons, Lagrangian formulation 5=3656
  - exciton—phonon interaction theory 5=3942
  - ferromag. helicoidal struc., n—magnon scatt., energy distrib., calc. 5=1726
  - ferromag. helicoidal struc., spin—phonon interaction, calc. 5=1725
  - ferromagnetic spin-wave instabilities, phonon pumped 5=12896
  - finite size crystals, vibrs. 5=3659
  - free energy, boundary conditions and anharmonic contribs. 5=3655
  - glass-like struc., vibrations of monatomic and alternating diatomic chains, calc. 5=1409
  - graphite, amplitude of vibr. of C atoms 5=6511
  - graphite, phonon spectrum 5=6512
  - hexane, molecular vibrations, low freq., study by neutron inelastic scatt. 5=6513
  - ice, intermolecular, temp. var. calc. 5=9372
  - imperfections, simplification for large size 5=9367
  - impurity atoms, vibr. spectrum by neutron reson. capture 5=15025
  - and impurity centre electrons, effect on spectral line breadth 5=13018
  - inelastic scatt. of neutrons in disordered cryst. 5=3665
  - insulators, acoustic—thermal phonons interaction calc. 5=12276
  - interaction with elastic waves 5=12437-8
  - isotropic, elastic wave interactions 5=1403
  - kinetic coeffs., effect of phonon and electron drag 5=3893
  - lattice stability 5=6498
  - localized mode frequencies, boundary surf. effects rel. to mass defect 5=1407
  - localized vibr. modes of defects at plane faces 5=3660
  - localized vibration mode, freq. shift, lifetime 5=6505
  - for low temp. prod., by phonon laser adsorption 5=13993
  - metals, focussing energies 5=9506
  - metals, freq. distrib. 5=15027
  - metals, ion core lattice in electron gas model 5=6503
  - metals, review 5=6500
  - model, for optical bands of F centres 5=15107
  - molec. crystals, lattice energy surface cross-sect. 5=1220
  - Mössbauer line thermal broadening 5=6506
  - neutron scattering, electron-phonon interaction 5=15026
  - and optical props., visible and X-rays 5=15527
  - particle waves and phonon fission 5=1501
  - phonon-electron systems in mag. field, transport props. 5=3890

Crystals—contd
- lattice mechanics—contd
  - phonon field, vacancy effect, perturbation method calc. 5=3735
  - phonon freq. spectrum, neutron scatt. meas. methods 5=6507
  - phonon interactions, effect on dislocation motion 5=12374
  - phonon maser acoustic amplification 5=12282
  - phonon occupation no. change in adiabatic compression in cubic crystal 5=6501
  - phonon system, Boltzmann eqn. 5=3657
  - phonon-vacancy scattering 5=3734
  - phonons in semiconductors, rel. to exciton form. and dissoc. 5=6811
  - piezoelectric materials phonon—electron collective waves and oscillations 5=3662
  - piezoelectrics, phonon emission by charged particle motion, calc. 5=12269
  - polytetrafluoroethylene, vibrational modes rel. to Raman bands 5=1865
  - quartz, low energy phonon m. f. p. 5=9379
  - Raman scatt. study of long wavelength lattice vibr. 5=7306
  - rutile, polar modes of vibration 5=3679
  - scattering of slow neutrons crystal with point defects 5=3666
  - semiconductor, piezoelectric, phonon—helicon interaction 5=6821
  - semiconductors, optical phonon amplification, quantum approach 5=6499
  - semiconductors, optical vibration amplification by carrier drift 5=15031
  - semiconductors, phonon emission, coherent, nonequilib. carriers 5=1406
  - semi-infinite lattice, surface tension, vibr. modes calc. 5=12266
  - single electron—phonon interaction, ergodic master equation 5=6776
  - specific heat, Schottky anomaly, for strong spin—lattice coupling 5=6547
  - spin—lattice interaction, between local electron centres, adiabatic approx. 5=1789
  - spin—lattice relax., finite lattice heat capacity effects 5=12263
  - spin—phonon interaction, effect on thermal cond. near mag. transition 5=9397
  - spin—spin temp. var. consequences 5=1776
  - stressed crystals, and elastic props. 5=15029
  - superconductors, umklapp absorption spectrum, rel. to normal phonon contrib. 5=3985
  - surface waves and rot. invariance 5=15030
  - thermal vibrations, anharmonicity, calc. 5=3664
  - thermal vibrations, and phononless line broadening, calc. 5=12268
  - three-phonon interactions, ultrasonic study 5=1404-5
  - transition metal hydrides, H atom vibr., neutron scatt. cross-section calc. 5=3680
  - two impurities, in-band resonant mode at low freqns. 5=15028
  - 2-phonon processes, selection rules for inversion symmetry lattices 5=12264
  - uracil, lattice vibrations 5=982
  - urea, thermal vibrations, comparison with other workers 5=12275
  - urea, vibrations 5=6521
  - vibration frequencies, temp. coeff., rel. to thermal expansion 5=3694
  - vibrational spectrum of imperfect crystal 5=6791
  - vibrations, effect of defects 5=6504
  - vibrations, and γ-ray emission and scatt. 5=6249
  - vibrations, surface effects 5=3663
  - vibrations of two-dimens. disordered lattices 5=3658
  - vibronic bands calc. 5=3661
  - wurtzite-type cryst., charact. phonon freq. 5=3677
  - Ag alloys, and conductivities, 0.3-4°K 5=6572
  - Al, supercond., u. s. shear waves, attenuation 5=3990
  - Al, theory and calc. 5=3435
  - Au, Debye—Waller factors, de Launay's method calc. 5=3668
  - BaF$_2$, longitudinal optical phonons 5=1835
  - Be, electron gas model 5=9368
  - Be, pure single crystals, lattice parameters 5=6696
  - BeO, i. r. vibrations, 10-42μ 5=4297
  - BeS, i. r. vibrations, 10-42μ 5=4297
  - Bi, vibrations, rel. to atomic heat, 80° - 210°K 5=12290

Crystals—contd
lattice mechanics—contd
CO_2, calc. 5=3667
CaF_2, first and second order Raman spectra 5=7330
CaF_2, longitudinal optical phonons 5=1835
CdS, hexagonal, fundamental vibr. freqs. determ. 5=4299
CdS, phonon emission in green luminesc., probability var. 5=1868
Cs halides, F centres and distortion 5=9499
CsCl, phonon spectrum calc. 5=9369
Cu alloys, and conductivities, 0.3-4°K 5=6572
Cu, calc. 5=9370
Cu, Debye—Waller factors, de Launay's method calc. 5=3668
Cu, phonon spectrum, theta-expansion method 5=1410
$Fe(H_2O)_6SiF_6$, $Fe(H_2O)_6^{2+}$ ion motion, n.m.r. meas. 5=6508
Ge, i.r. lattice bands, meas. and multiphonon theory 5=6510
Ge, microwave phonon amplification 5=3669
Ge, n-type, phonon and impurity scatt. of carriers relation 5=6789
Ge, phonon energy change at BZ boundary under uniaxial stress 5=1411
Ge, vibrational spectrum model, rel. to negative thermal expansion 5=12302
Ge, vol. depend. of transverse acoustic phonon, rel. to thermal expansion 5=1411
Ge—Si alloys, phonon scatt., by electrons 5=6509
Ge—Si alloys, phonon spectra 5=3670
Ge—Si, thermal cond., phonon contrib. 5=15060
KBr, Ag activated, far i. r. reson. states 5=3678
KCl with I substitution, lattice vibr. scatt. by impurity, rel. to thermal cond. 5=1408
KCl, with substitutional impurities 5=15036
KCl, Ag activated, far i. r. reson. states 5=3678
KCl. KH, H^- localized mode decay, 3-phonon process role 5=6516
KI, from i. r. lattice absorption 5=15035
KI, with substitutional impurities 5=15036
KI, Ag activated, far i. r. reson. states 5=3678
KNO_2. KBr, KNO_2. KCl, NO_2^- spectrum phonon struct. 5=1412
$K_3UO_2F_5$ solid, U—O asymmetric, stretching frequency 5=3419
$LaF_3:Er^{3+}$, Orbach relax. and spectral line breadth 5=9371
Li_2O, i. r. vibrations, 10-42μ 5=4297
Mg, theory and calc. 5=3435
MgF_2, optic modes, transverse and longit. 5=4314
$Mg(H_2O)_6SiF_6$, ion motion, n.m.r. meas. 5=6508
MgO, i. r. vibrations, 10-42μ 5=4297
MgO, 1080-2225°K, from optical consts 5=15560
MgS, i. r. vibrations, 10-42μ 5=4297
Mg_2Si, lattice vibr. freqs. 5=9373
Mo 5=15034
Na, ionic exchange overlap pot. 5=6519
Na, phonon freq. distrib. funcn. 5=3674
Na, phonon frequencies calc. 5=3676
Na, phonon spectrum, calc. 5=6518
Na, theory and calc. 5=3435
NaCl, with substitutional impurities 5=15036
NaCl-type cryst., charact. phonon freq. 5=3677
NaCl-type, wave funcns. and normalization integrals 5=3675
NaI, localized vibration modes due to substitutional mass defects 5=6520
Na_2SiF_6, SiF_6^{2-} ion motion, n.m.r. meas. 5=6508
Ne solid, vibr. props, intermol. potential parameters calc. 5=12272
NH_4Cl, torsional oscills. of NH_4^+, neutron scatt. study 5=15032
Ni (110) surface atom vibrations 5=3672
Ni, phonon spectrum by diffuse scatt. of X-rays 5=6515
Ni, phonons, neutron scatt. 5=6514
Ni, vibration, normal modes 5=3671
Ni_3Fe disordered solid solution, phonon spectrum 5=3673
PbSe, acoustic oscills, rel. to current carrier scatt. 5=12812
Si n—p—n diffused epitaxial layers, phonon drag meas., B conc. effect on m. f. p. 5=1567
Si, n-type, phonon and impurity scatt. of carriers relation 5=6789
Si, thermal vibr. freq., temp. var. 5=12273
Si, X-ray weak scatt. obs. 5=6517

Crystals—contd
lattice mechanics—contd
Si:P, spin—lattice relax. of donor electrons 5=4253
Sn, phonon dispersion and sound velocities 5=12274
SrF_2, longitudinal optical phonons 5=1835
Ta, dynamics 5=1413
Tb^{3+} compounds, absorpt. and emission vibronics 5=9921
UCl π-tricyclopentadienyl, U and C atoms pos. and vibr. parameters calc. 5=12262
W, meas. 5=15037
Xe solid, vibr. props, intermol. potential parameters calc. 5=12272
Zn-blende-type cryst., charact. phonon freq. 5=3677
Zn, thermal vibrations, rel. to X-ray transmission 5=122
ZnF_2, optic modes, transverse and longit. 5=4314
$Zn(H_2O)_6SiF_6$, ion motion, n.m.r. meas. 5=6508
orientation
alloys, eutectic, relations between phases 5=6261
cubic crystals, random orientation testing using statistical tables, five-cell cases 5=1294
feldspar, by e. s. r. of Fe^{3+} 5=7238
ion bombardment determ., apparatus technique 5=6339
Kossel line X-ray study 5=12175
metal deposits condensed on alkali halides in vacuo 5=14
metals, deformed, distrib. meas. method 5=6340
metals, polycrystalline, crystallite distrib. 5=9261
molecular crystals, scattered intensity, orientation contrib. 5=1332
shellac wax electrets, crystallite orientation 5=6341
Ag films, on rocksalt substrate 5=14954
Ag, rel. to u. s. absorption, 10-50 Mc/s meas. 5=15182
Al, rel. to recrystallization and polyganzation 5=9219
$BaFe_{12}O_{19}$, effect on ferrimag. reson. 5=1786
Bi_2Te_3 sputtered films 5=9274
CdS, effect on evaporation rate 5=3481
Cu, cold rolled, distrib. rel. to texture, meas. method 5=6340
Cu, effect on plastic deformation 5=6705
Cu—Al foil, relationships and habits, in martensitic transformation 5=6289
Cu–P alloy, strained, grain orientation 5=6407
GaAs, effect on elec. props. 5=1646
GaAs, grown epitaxially on Ge 5=9262
Nb epitaxial films on MgO, thickness effect 5=6396
Ni, effect on stress/strain rels., slip line distrib. 5=153
Si, dislocation etching method 5=9263
Si, rel. to radiation defects 5=1451
SiC, effect on hardness 5=6753
Ta, rolled and annealed, (110) preferred, development 5=6342
polarons. See Crystal electron states/polarons.
twinning
coherent annealing twin boundaries, as vacancy sinks 5=1455
graphite dendrites, growth 5=12083
mechanical, book review 5=9264
metals, and edge dislocations 5=9460
metals, hexagonal, close-packed, distrib. round microhardness indenter 5=3828
monoclinic crysts., mechanism 5=3534
rutile 5=3761
Ag—Zn modes, 25 to —196°C meas. 5=6774
α-Al_2O_3, in filamentary crystals 5=14962
Bi, dislocation interaction and hardening 5=3763
Bi, elastic 5=12082
Cu, and crack formation by fatigue 5=9539
Cu dendrites, electrodeposited, growth twins and branching 5=3535
CuAu I, rel. to ordering 5=3808
Fe, rel. to creep 5=6721
Fe, and elastic limit, 4-300°K 5=12509
Fe, formation and growth, 78°K 5=6373
Fe(Armco), by etch pits 5=3536
Fe—Mn, by etch pits 5=3536
Fe—Ni alloys, internal twinning, in martensite plates 5=1296
Fe—Si, three-dimensional shape 5=14963
$H_4Fe(CN)_6$ 5=6453
Mg, incoherent boundaries, prod., behaviour 5=1295
Nb, mechanical, interstitial impurity effects 5=15178
Sb, dislocation interaction and hardening 5=3763
Si epitaxial pyrolytic films 5=6397

Crystals—contd
- twinning—contd
  - Si, vapour grown 5=9444
  - UC with UC$_2$ precipitate 5=9447
  - Zn, dislocation interactions and hardening 5=3763
  - Zn, incoherent boundaries, prod., behaviour 5=1295
- whiskers
  - diffusion-controlled growth, mechanism 5=3572
  - metals, growth methods, props. and theory 5=6389
  - sapphire, with birefringent matrix, mech. interact. 5=6751
  - semiconductor, mounting and electroding 5=7692
  - semiconductors, organic, electron field emission 5=9747
  - AlN, axial and twist dislocations 5=12382-3
  - Al N bi-crystals, axial boundaries obs., rel. to growth mechanism 5=9295
  - α-Al$_2$O$_3$ 5=9291
  - Al$_2$O$_3$, by heating corundum crystals 5=12128
  - Be, growth 5=1303
  - Cd, growth conditions for condensation from vapour 5=6390
  - Cr, surface structure and properties 5=1329
  - Cu, internal friction 5=9556
  - Fe, for epitaxial growth of Fe 5=12112
  - Fe, ferromag. reson., obs. 5=1782
  - Fe, internal friction 5=9556
  - Fe, magnetoresistance 5=12645
  - Fe, phase transform., $\alpha \to \gamma$ 5=6293
  - KCl, growth from vapour 5=14986
  - KCl, tubular, twists and hollow dislocations 5=1472
  - LiF, $>20\mu$, disloc. struc. by etching 5=1470
  - Pd, growth by dislocation system 5=6391
  - Si filamentary growth from vapour 5=1313
  - Si$_3$N$_4$, separation, metallising with Ni and Ag 5=3574
  - Zn, pressure effects, Fermi surface connectivity 5=12615

Curie temperature. See Magnetic properties of substances/transitions.

Curium
- Cm^{247}, natural, search 5=13218

Curium compounds
- No entries

Current, electrical
- See also Conduction, electrical.
- bridge out-of-balance loss, c.r.o. meas. 5=4868
- contacts, electrical, conference, Graz (1964) 5=4888
- d.c., converters for transformation to higher voltage 5=10416
- d.c., meas. using electrometer amplifier 5=10417
- d. c. supplies, zener-diode, regulated 5=14041
- exploding wires, 3rd conference, Boston (1964) 5=10449
- heating in toroidal coil, temp. distrib. 5=196
- high press., shock resistant seal 5=10200
- homopolar generator for polarized proton source 5=14382
- ion beam integrator, voltage—freq. convertor and Faraday cup 5=4932
- measurement, current balance, force diagram 5=2187
- measurement, nanoammeter 5=7916
- measurement, by transistor, grounded base 5=10415
- monitor for pulsed, high voltage circuits 5=2186
- motor, d. c. heteropolar, without commutator, principle 5=14042
- one-carrier, space-charge-limited currents including diffusion and trapping, theory 5=1555
- power supplies, stabilized, low-voltage 5=10452
- semiconductors, instability in collision ionization presence 5=1638
- stabilizer supply for mass spectrometer magnet 5=14575
- switch, megampere, dielectric 5=195
- thermoelectric crysts.anisotropic 5=15394
- transport processes in strong mag. field 5=4902
- tunneling current structure, resolution by differentiation 5=4045
- vacuum ceramic terminal electron beam welding 5=9070
- vacuum leads, demountable, using cast resin 5=3282
- vacuum metal systems ceramic terminals electron beam welding 5=9071
- voltage pulsation suppression 5=10450
- Al oxide films, tunneling current in Al—Al oxide—Al diode 5=4074
- CdS, current oscillations, continuous 5=12727
- CdS, films, space-charge-limited currents 5=12726
- In, induced motion of lattice defects 5=9632

Curvature measurement. See Mechanical measurement.

Cyclotron resonance
- combined resonance bands, width 5=15252
- electrons in magnetic trap 5=3190-1
- with helicon waves 5=9610
- ion cyclotron resonance spectrometer 5=14570
- metals, e.m. excitation in vicinity 5=6823
- observation at mm wavelengths 5=15251
- plasma, anomalous cyclotron radiation, 10 Gc/s and 22 Gc/s 5=3160
- semiconductors, conductivity tensor calc. 5=3954
- skin effect, anomalous, in strong mag. field 5=7195
- solids, conduction electron states 5=15250
- Al, 35 Gc/s 5=6825
- Au, Azbel'—Kaner reson. 5=3956
- Bi—Sb alloy 5=1594
- Ge, deformed p-type, combined reson. 5=1592
- Ge, line-broadening due to ionized impurity scatt. 5=1593
- Ge, n-type 5=15253
- Ge, In doped 5=3955
- InSb-type crystals, comb. reson. at acceptor centres 5=3953
- PbTe, absorption analysis 5=6824
- Si, deformed p-type, combined reson. 5=1592
- Zn, up to 10 kG and 3. 6 × 10^{10} c/s 5=1595

Cyclotrons. See Particle accelerators/orbital, cyclotrons.

Czochralski method. See Crystals, growth.

D-layer. See Ionosphere/D-region.

Damping
- See also Internal friction.
- circuit for meas. decay rate of l. f. signal 5=193
- concrete beam, prestressed amplitude independ 5=12488
- electronic, for magnetically suspended rotor 5=7958
- modes, resonances, new definitions, theory 5=13898
- in n—p charge-exchange, absorptive 5=5353
- plate with free edges, normal mode 5=13899
- plate immersed in liquid, normal mode 5=13900
- spring, vibrating, damping by creep 5=12462
- timber, Indian, coeff. 5=12558
- Cr, interstitial solute effects near Néel temp. 5=3838

Dark space. See Discharges, electric.

Data tables. See Collections of physical data; Tables, mathematical.

Dating. See Earth/age; Radioactive dating.

Daughter. See Nucleus; Radioactivity.

Dawn chorus. See Atmospherics; Ionosphere.

Dayglow. See Airglow.

Debye—Hückel theory. See Conductivity, electrical/liquids, electrolytic; Electrochemistry; Solutions.

Debye—Scherrer cameras. See Cameras; X-ray crystallography/apparatus.

Debye temperature. See Specific heat.

Debye—Waller factors. See Electron diffraction crystallography; X-ray crystallography.

Decay periods. See Hyperons/decay observations; Mesons/decay observations; Radioactivity/decay periods.

Decay schemes. See Hyperons/decay observations; Mesons/decay observations; Radioactivity/decay schemes.

Decomposition. See Dissociation.

Decoration techniques. See Crystal imperfections/dislocations; Crystals/etching.

Defects. See Crystal imperfections.

Deformation
- See also Bending; Elastic deformation; Plastic deformation.
- cause of internal friction peaks 5=1547
- ductile—brittle transition temperature 5=12467
- elastic and Kelvin media, large thermodynamics of irreversible process calc. 5=2037
- measurement, by Moire fringes between gratings 5=8
- metals, stretching, triaxial, X-ray meas. 5=12452
- polyolefins, mechanisms and morphology 5=3874
- radial load in local elasto-plastic deform. 5=13837
- solids, viscoelastic, review 5=12457
- steel, in presence of surface active materials, disloc. struct. 5=3752
- wurtzite-type crystals, effect on spectrum 5=1821
- Al, critical degree effect 5=1509
- CdS, effect on exciton absorpt. spectrum 5=7327
- Cu monocrystals, by conical indenter 5=1514
- Nb, effect on superconductivity 5=1632

Deformation—contd
  Ni, effect on recryst. nuclei growth rate 5=1308
  PbTe, potentials calc., and electron states 5=12517
de Haas—van Alphen effect
  See also Diamagnetism; Magnetic properties/diamagnetic.
  Landau level broadening, Fermi surface of arbitrary shape 5=4158
  AuGa, AuSn and β'-AuZn, at 4°K 5=9761
  Be, new frequencies, temp. var. 5=4159
  Cd, u.s. obs. at 1.2°K 5=7080
  β'-CuZn, at 4°K 5=9761
  In, rel. to Fermi surface second, third zones 5=4160
  PdTe$_2$, at 4°K 5=9761
  PtSn, at 4°K 5=9761
  Sn—Cd alloy, at 4°K 5=9761
  Zn 5=9767
Delbrück scattering. See Photons/scattering.
Demagnetization. See Magnetization process.
Dember effect. See Photoelectromagnetic effects.
Dendrites. See Crystallization; Crystals/growth.
Densitometry
  microdensitometer system, optical analysis 5=301
  microphotometer, rel. to contrast transfer funcn. meas. of photographic emulsions 5=8156
  scanning microscope densitometer 5=8158
  spectrum of scans on photographic film 5=10729
Density
  air, precipitation falling vel., effects 5=10069
  ceresin, temp. var., melting point region 5=7014
  earth core, chemically inhomogeneous 5=13210
  earth core, and elasticity, models 5=13212
  nuclear emulsions, ionization meas. var. 5=10946
  paraffin waxes, temp. var. var., melting point region 5=7014
 gases
  Ne, thermodynamic props. var., 0°—150°C 5=14806
 liquids
  benzol—propyl alcohol solutions, behaviour near crit. pt. 5=14836
  borogermanate melts 5=3299
  borosilicate melts 5=3299
  ethane, 126-183°K 5=11870
  hexafluorobenzene, meas. 5=11926
  measurement in heterogeneous systems by air bubbles 5=9073
  metals, new meas. technique 5=14841
  nonpolar, vaporization energy reln. 5=14883
  stratification, obs. techniques 5=11863
  AgNO$_3$ solns. in CH$_3$CN and C$_6$H$_5$CN 5=11904
  Cu, meas. 1370°-2100°K 5=14841
  Fe—Mn alloys 5=3313
  Fe—Si, isotherms, conc. depend. at 1550°C 5=3314
  Mg aluminiosilicates, and struct 5=9086
  N$_2$O, 182-184°K 5=11870
  NaF—LiF—ZrF$_4$, temp. depend. 5=11871
  Tl amalgams 5=9095
  O^{18} water, 5°—90°C 5=6168
  Xe 5=9094
 solids
  carbons, pyrotytic, deposited between 1100° and 1800°C 5=6410
  metanilic acid, and atomic structure 5=12255
  porous materials, cell meas. 5=1258
  Al$_2$Au 5=6448
  Bi$_2$Te$_3$, n and p type, antistruct. defects by density meas. 5=9422
  C, glassy, rel. to heat treatment 5=9625
  Cd—Mg solid solutions 5=1249
  Ga, γ phase 5=12496
  Ge, length change by β-rays of 4.5 MeV at liquid He 5=9510
  KCl, gamma ray effects 5=1312
  LiF, neutron irrad., meas. 5=15090
  Mn—transition metal 5=9346
  Na$_2$SiF$_6$ 5=1389
  NbAs, NbAs$_2$ 5=1383
  NbSb$_2$, Nb$_3$Sb, Nb$_5$Sb$_4$ 5=1383
  Ni—Cr alloys, rel. to plastic deformation 5=12527
  PuGa$_3$, high temp., meas. 5=12217
  Pb, films 5=3505
  Si, precision meas. 5=3436
  SrB$_{13}$ 5=1394
  Xe 5=15194
  ZrCl$_3$ 5=3652

Density—contd
 solids—contd
  ZrP$_2$O$_7$ polymorph, high pressure prod. 5=6315
Density measurement
  discharge gauge, 1-30μ Hg, for transient density meas. 5=1162
  fibres, synthetic, polymer, rel. to heat and mech. props. 5=3453
  solids, precision weighing method 5=3436
Desorption. See Sorption.
Detonation
  See also Explosions; Shock waves.
  bridgewire parameter effect 5=13925
  driving shock tube 5=2098
  liquid HNO$_3$—dichloroethane, front continuity, refl. light study 5=4792
  powders, light emission, included gas effect 5=4391
  spark prod. by laser model 5=5946
  wave vel. meas. by Doppler effect at mm wavelength 5=7832
  wires, burst current criterion 5=13927
  wires, performance prediction 5=13928
  PETN wire 5=13926
Deuterium
  adsorbed on Pd films, rel. to resistance and photoelectricity 5=9636
  arc flute stabilization 5=8932
  fluorescence enhancement of Eu and Tb salts 5=11541
  in free radicals, and e.s.r. 5=11585
  ionization coeff., first, Townsend, meas. 5=1054
  molecules, vibr. relax. 5=8821
  molecules, vibronic energy computation and expectation values 5=2957
  nuclear quadrupole coupling, from n.m.r. in liquids 5=9156
  plasma, ion-electron reson., obs. 5=6035
  plasma, theta pinch expts. at 0.01 torr 5=14748
  D plasma, confined, heating in direct discharge 5=5977
  D$_2$ chemisorbed on Pd, mutual exchange with H$_2$ 5=9250
  D$_2$, dissociative ionization, by rare-gas ion impact 5=11672
  D$_2$ first Townsend ionization coeff. 5=1055
  D$_2$, ionization, Franck—Condon factors 5=5960
  D$_2$, solid, λ-anomaly obs. by n.m.r. 5=3462
  O-D$_2$, rotational de-excitation, due to collisions with K atomic beam 5=2954
Deuterium compounds. See Hydrogen compounds.
Deuterons
  See also Cosmic rays/deuterons; Nuclear reactions/deuterons.
  e.m. form factors, correction 5=11129
  detection, by counter, DE, E, non-multiplying, > 10 MeV 5=14388
  electromag. form factor, relativistic, dispersion theory calc. 5=645
  exchange currents and dispersion theory 5=14448
  form-factor meas. 5=5351
  form factors, e.m., from e-scatt. 5=644
  levels, first 6 vibr. 5=2690
  non-elementary, from triplet n - p range 5=8489
  in particle accelerator, cyclotron, injection from external source 5=14385
  22 MeV diffusion, detection system 5=652
  2N potential, OPEP + 2 finite rectangular cores 5=11018
  2p search in He^3(d, t) or (He^3, α), t, α spectrum 5=657
  wavefunction calc. 5=646
  from C, irrad. with bremsstrahlung 5=11295
  in D$_2$O, n.m.r., −10° to −130°C 5=7278
 effects
  Cu, heat treatment stored energy release 5=9508-9
 interactions
  d—d reaction cross-section, energy dependence 5=5454
  d—N break-up, final state problem calc. 5=10832
  D(n, p)2n, ang. distrib. 5=5453
  D(n, p)2n, proton spectrum 5=5352
  disintegration by electrons, rel. to exchange currents 5=10777
  $\gamma + d \rightarrow p + n$, 80-140 MeV, asymmetry 5=648
  γ, e disintegration as exchange current test 5=393
  γ, π prod. polarized γ, ang. var., 225-450 MeV and calc. 5=2633
  n, capture and 3-nucleon wave-function 5=650
  overlap integral calc. 5=832
  $\pi^- + d \rightarrow 2\mu + \gamma$ at rest 5=602

Deuterons—contd
interactions—contd
$\pi^+ + d \rightarrow \pi^+ + p + n$, 600-850 MeV, as free N scatt. 5=598
π^+—d, 4.5 GeV/c, pion systems 5=603
thermal neutron capture 5=649
D(d, n)He^3, collimation of neutrons 5=2614
He^3(d, t)2p, t spectra and final state interact. 5=8495
$He^{3+\pi}$ prod. by d + N at 650 MeV, ang. distrib. 5=656
He^4(d, p)He^5, and He^5 ground state 5=5461
photodisintegration
covariant theory, threshold to 150 MeV, exper. comparison 5=647
and N—N phase parameters, calc. 5=14412
pion exchange currents, dispersion theory 5=2691
π production, near threshold, 1756 events 5=11075
π production, polarization effects, dispersion relns. 5=11073
π^0 prod., coherent, 200-300 MeV γ's 5=5385
rel. to exchange currents 5=10777
review, theory 5=5455
polarization
after π^+ elastic scattering 5=5414
in stripping reactions, near scatt. 5=827
scattering
See also Protons and antiprotons/scattering, proton—deuteron.
(d, d′), (d, N), (N, d), (N, N′), amplitudes connection 5=8664
d—d, elastic, by N—d two body method, calc. 5=11130
d—e, elastic, meson exchange effects 5=2692
d—N elastic scatt. at 155 MeV, theory 5=8404
and (d, N), (N, d), N scatt., amplitudes connection 5=8664
d—n, 5-120 MeV total cross-sect. 5=8424
d—p, differential cross-section meas. 5=8412
d—π, dispersion relations in impulse approx. 5=2649
e, calc. 5=646
elastic, 15 MeV, on 23 nuclei, strong absorption model analysis 5=5667
elastic, impulse approx. 5=651
γ—d, Compton effect, N polarizability 5=10977
N—d, calc. and t binding 5=8492
n—d, doublet, calc. 5=2615
n—d, low energy calc. 5=8425
optical potentials 5=8493
$Ag^{107,109}$, 12 MeV, ang. var., optical fits 5=2834
Ag^{107}, 15 MeV, optical model analysis 5=14546
Au and Bi, 13.6 MeV 5=5668
C, elastic, 12.5, 156, 422 MeV 5=11335
C, 420 MeV, Glauber approx. 5=14545
Ca^{40}, 7-12 MeV, optical model analysis 5=2833
Er^{166}, 15 MeV, optical model analysis 5=14546
He^4, study of Li^6 excited states, ang. distrib. 5=709
Li^7, 0.4-1.80 MeV 5=2831
Mo^{96}, 15 MeV, optical model analysis 5=14546
N^{14}, 0.7-2.1 MeV, ang. var., models calc. 5=2832
Nb^{93}, 15 MeV, optical model analysis 5=14546
$Ni^{58,60,62,64}$, elastic, 6.5 MeV, ang. distrib. 5=826
O^{16} 5=11355
Y^{89}, 15 MeV, optical model analysis 5=14546
$Zn^{64,66-8,70}$, elastic, 6.5 MeV, ang. distrib. 5=826
Development, photographic. See Photographic process/development.
Diamagnetic resonance. See Cyclotron resonance.
Diamagnetism
See also Cyclotron resonance; de Haas—van Alphen effect; Magnetic properties/diamagnetic.
free electron moving in mag. field, matrix calc. 5=7077
solids, moving free electron in mag. field, matrix calc. 5=7077
Wigner representation of quantum operators 5=4755
Diamonds
artificial, morphological investig. 5=1297
charge density 5=6804
coated structure growth 5=9293
crystal growth, Si effects 5=6369
dislocation energy and etch pits orientation 5=12086
electroluminescence, Destriau effect 5=7390
in graphite, artificially shocked, anhedral and polycryst. struct. by electron microscopy 5=6412
luminescence, excited by irrad. in fundamental absorpt. edge 5=7389
plastic deformation, slip and twinning obs 5=12495
plastically deformed and electron irrad., absorpt. 5=9902
pure and impure, thermal cond., 3°-300°K 5=3700
Diamonds—contd
reflectance data, Kramers—Kronig analysis 5=4304
semiconducting properties of surface, due to ion bomb. 5=12730
synthesis, from graphite, opposed-anvil apparatus 5=12109
synthetic, X-ray diffr. and absorpt. topography 5=12151
type I impurity platelet diffraction contrast 5=9308
wear, fast n irrad., crack prod. on polishing 5=9548
X-ray diffraction spikes due to platelets, re-exam 5=1475
with N impurity platelets, struct. 5=3738
Dichroism. See Pleochroism.
Dielectric devices
capacitor switch, max. charge, transfer rate 5=14036
condenser paper props. 5=7010
condenser, plasma-filled, impedance 5=11689
electroluminescent cells, elec. cond. 5=7414
electrostrictive resonator 5=9718
glass—Si interfaces, effect of temp. and bias 5=15393
induction machines, noise, theoretical calc. 5=2199
metal-semiconductor barrier height meas. by differential capacitance 5=4044
tunnel effect across insulating film 5=12787
tunnelling through asymmetric barriers 5=4073
Nb-insulating-Al tunnel junction peak and electron density singularity 5=6851
SiO_2 capacitor, current transients due to trapping, calc. 5=6992
Ta-insulating-Al tunnel junction peak and electron density singularity 5=6851
ZnS condensers, electroluminescent film 5=1888
Dielectric loss. See Dielectric phenomena; Dielectric properties of substances.
Dielectric measurement
complex dielec. const. of isotropic solids at mm wavelengths 5=4085
complex dielectric constants meas., resonant cavity method 5=4866
complex permittivity of heterogeneous dielectrics, broad-band method 5=4865
const. meas. in 3 cm wavelength band 5=14016
ferrites, cavity 5=7156
ferroelectric hysteresis tracer 5=189
heterogeneous, complex permitt., > 1 Gc/s 5=7912
by interferometer, microwave 5=4952
liquids, microwave, by short-circuited liquid-filled line 5=11894
liquids, 2-impedance method, at microwave freq. 5=1199
liquids, weakly polar, meas. of microwave props. 5=6195
powders, 9275 Mc/s 5=7913
spherical, microwave meas. 5=14014
Dielectric phenomena
See also Electric strength.
artificial, Faraday rotation calc 5=7997
colloids in electrolyte soln., dispersion, theory 5=1211
conduction obs. by electron beam scanning 5=9144
conference, Bordeaux (1963) 5=7206
coupling to lattice vibr. near dielectric with mm absorpt. 5=6502
crystal defect pair orientation polarization 5=9421
dipolar cpds., complex dielec. const. in terms of temp., press., and frequency 5=1673-4
dipole coupling, short and long range calc. 5=7922
dipole linear chains, high field effects 5=7923
fluid rotation in e.m. field 5=10518
heterogeneous mixtures with polar component, freq. var. 5=10445
inhomogeneous medium, permeability fluctuations 5=14038
insulators, current transients due to trapping, calc. 5=6992
losses in strong elec. fields, thermometric meas. 5=10447
molecular correlation times from dielec. relaxation 5=1001
and Mott model exciton absorption, calc. 5=13026
moving medium, e.m. wave propagation, Minkowski electrodynamics calc. 5=14097
optical beam self-trapping 5=10601
photoinsulator reciprocity law deviation 5=7028
polarizability, electronic, in crystals, quantum dipole fluct. effects 5=6990
polarizability, nonlinear, of condensed media 5=15371
polarization of dielectrics by shock loads 5=12788
pressure, elec. polarization effects, review 5=6094
reflection, light, phase change 5=13017
relaxation, correlation function theory 5=8800
relaxation, high temp., quantum theory 5=6989

Dielectric phenomena—contd
relaxation modes of trapped crystal point defects 5=3733
relaxation time distrib. functions 5=7921
resonance medium, susceptibility 5=4985
solids, elec. cond. 5=4071
transition to dielec. phase due to pressure 5=6918
trapped charges release, activation energy meas. 5=1672
tunnelling through asymmetric barriers 5=4073
ultrasonic generation, light beams in dielectrics 5=10326
NaCl, plastic deformation p.d. prod., and dislocations 5=9576
ferroelectric. See Ferroelectric phenomena.
Dielectric strength. See Electric strength.
Dielectric properties of substances
See also Electric strength.
dipole molecules sorbed on γ-Al_2O_3, freq. var. 5=6326
layers in pile, X-ray reflection calc. 5=15530
medium with inhomogeneous spherical inclusions 5=2198
mixtures, heterogeneous, theoretical model 5=14037
gases
NO_2, in equilibrium with N_2O_4, constants meas. 5=969
N_2O_4, in equilibrium with NO_2, constants meas. 5=969
liquids and solutions
alkyl benzenes, dielectric loss at $\lambda = 7.7$ mm 5=14859
anisal-p-aminoazobenzene liquid crystals, elec., mag. field effects, 6, 24 KMc/s 5=9137
aqueous electrolyte solns., bulk dielec. const. 5=1204
aromatic ethers, intramolec relaxations 5=9140
aromatic methyl ethers, and intermolecular interactions 5=9139
associated by H bonds, Onsager reln. 5=11896
and association consts. meas., for dipole dimerization 5=5912
azobenzene-2-sulphenyl cyanide and halides in benzene, dioxene, dipole moment 5=977
butyrates, methyl, ethyl, butyl and amyl, microwave dispersion, chainlength effect 5=1202
citral and 4-chloro-3-nitrotoluene and mixtures, 100-35 × 10^9 c/s 5=9138
colloids in electrolyte soln., dispersion, theory 5=1211
dispersion in polar liquids 5=9135
drops, elec. charged, division, calc. 5=3351
electrophoresis ionic space charge effects 5=7435
emulsions, freezing effect, 50 c/s-300 c/s 5=9168
glycerol, effect of pressure on relaxation 5=1173
l-menthol, permittivity, rel. to spectral absorpt., 0.1 to 3300 Mc/s 5=9142
metanitrotoluene in paraffin, Debye eqns. applicability calc. 5=14858
molecules, polar, and atomic polarization 5=9141
nitrobenzene in n-hexane and benzene macro and micro relax 5=9143
nitrobenzene in paraffin, Debye equns. applicability calc. 5=14858
nitrobenzene in soln., relax. time depend. on viscosity 5=11898
polar dispersive, rel. permittivity, frequency var., calc. 5=1201
polymethylmethacrylate–tolnol solutions, dipole relaxation 5=14857
relaxation, rel. to viscosity and molecular size 5=1203
solutions, theory for constant 5=6194
viscous, relax., and mechanical relax., n. m. r. 5=9134
water, absorbed, microwave dielec. const. 5=1200
water–organic solvent mixtures, and solubility of electrolyte 5=11895
water in paraffin, electrically charged drops division, photographic obs. 5=3351
D_2O, dielectric relaxation time 5=14856
KCl: $(OH)^-$, para-and ferroelec 5=9136
solids
alkali halides, dielectric constant temp. depend. 5=1675
borax, constant rel. to thickness 5=4077
cellulose acetate, alkali-halide doped, effect of moisture 5=4082
celsian pyroceramic, permittivity and tan δ 5=12790
cetyl palmitate absorption 5=7008
crystals with electro-optical effect 5=15372
current fluctuations rel. to impact ionization and avalanche breakdown 5=15313
cyclohexanol, and rotational–non-rotational phase transform. capacity meas. method 5=14941
dodecyl myristate absorption 5=7008

Dielectric properties of substances—contd
solids—contd.
elec. conductivity, electron-excited, pecularities 5=12797
ferrites, cavity meas. 5=7156
ferrocene, resistance rel. to pressure 5=9707
ferroelectrics, polarized, rel. to stress 5=15383
ferromagnetic dielecs., n. m. r. theory 5=4260
glass ceramics and microstruct. 5=9551
graphite, complex constant 5=7343
hexamine mol. crystals, in terms of mol. props. 5=7009
ice, crystal imperfects., thermodynamics 5=6999
ice, dielec. const. 5=4090
ice, frictional charge separation, air bubbles effect 5=9703
insulator double injection, diffusion role 5=6993
metals, screening, non-local 5=9197
mixtures, effect of pressure 5=6995
naphthalene, thermoelectret depolarization 5=15379
organic P semiconductors 5=7012
oxides, on surfaces, mobile electric charges 5=4072
paper blocks with oriented fibres, anisotropy, 3000 Mc/s 5=7011
paper for condensers 5=7010
paraffin crystals, relaxation 5=1537
plexiglass, dielec. constant, 36 and 42 Gc/s 5=4083
polyethylene glycols, relax. 5=15380
polyethylene, loaded with metal powder 5=12789
polyethylene oxide, dispersion, 10^{-1}–10^6 c/s, and theory 5=15381
polyethylene, reduction of dielec. loss 5=4085
polymers, and molecular motion 5=7013
polymethyl acrylate, α-relaxation 5=1674
polypropylene, atactic, 4° to 300°K 5=4086
polystyrene–Ag mixtures, effect of pressure 5=6995
polystyrene, γ irrad., elec. polarization, relax. meas. 5=1676
polyvinylacetate, absorption, molec. weight effect 5=4087
resins, electrets, electric field effects 5=15382
semiconductors, microwave meas. 5=6915
semiconductors, microwave permitt., comments 5=12710
semiconductors, permitt. meas. apparatus 5=12711
2-carrier structures, potential-probe measurements, interpretation 5=6914
zeolites, 1 c/s-25 Gc/s, var. water, relax. activation energy 5=7007
Al powder, resonances, 1500-3000 Mc/s 5=6840
Al_2O_3, films, deposited by electron bombard. 5=3499
Al_2O_3 high content ceramics, losses, secondary crystal phase effects 5=6997
As–Te glasses, 60 c/s-3 Mc/s 5=15373
$BaTiO_3$, loss factor 5=9711
$BaTiO_3$, permittivity, 0.06V/cm–1.2kV/cm 5=9710
$BiFeO_3$–LaA'O_3 system, rel. to phase diagram 5=11997
$CaSO_4 . 2H_2O$, permittivity tensor, microwave 5=6998
Co–Br boracites, temp. var. 5=15385
Co–I boracites, temp. var. 5=15385
Dy_2O_3, conductivity, ionic, temp. and O_2 press. var. 5=9670
$xFe_2O_3 + (1-x)MeTiO_3 (Me = Cu, Ni, Mn, Co)$ 5=7168
Gd_2O_3, conductivity, ionic, temp. and O_2 press. var. 5=9670
H bonds in rigid system 5=6991
n-In Sb, Faraday rotation calc 5=7997
KCl, paraelectricity at OH^- centres 5=15374
KCl, space charge, polarization evidence, low-temp. 5=12794
KNO_3 powder, compressed, decay 5=7003
$KTaO_3$, Curie temp., meas. 5=12588
LiF, breakdown paths and associated imperfections 5=147
LiF, and crystal imperfects., dipole, on heat treatment 5=7000
LiF films, breakdown field meas. 5=15376
LiF, H_2O adsorption effect 5=6332
$Li_2SO_4 . H_2O$ 5=4078
MgO, films, deposited by electron bombard. 5=3499
Na_3AlF_6, breakdown field meas. 5=15376
NaBr, elec. strength rel. to thickness 5=12795
NaCl crystals, Ca-doped and pure, dielectric loss relax. maxima 5=7004
NaCl, dielec. losses, effect of annealing in different atm. 5=1853
NaCl films, breakdown field meas. 5=15376
$NaNbO_3$, solid soln. by K^+, Ta^{5+} and Sb^{5+} substitution 5=4094
Ni–Br boracites, temp. var. 5=15385

Dielectric properties of substances—contd
- **solids**—contd
  - Ni—Cl boracites, temp. var., ferroelec. evidence 5=15385
  - Pb_2CoWO_6, const. anomalies due to phase transition 5=3466
  - PbTe, permittivity 5=12742-3
  - $PbTiO_3$—$CaSn[Zr]O_3$ 5=9338
  - $PbZrO_3$, and phase transform., double 5=6303
  - Pr fluoride, temp. and freq. depend. 5=15375
  - Pr oxides, non-stoichrometric, relax. mechanism 5=15218
  - Pr—O system, phase boundaries 5=7002
  - Se, permittivity in microwave region, meas. 5=7005
  - Si, semiconductor surface, capacitance 5=15314
  - SiO_2, films, deposited by electron bombard. 5=3499
  - SiO_2 gels, 1 c/s-20 Gc/s, var. water, and relax. 5=9167
  - Sm_2O_3, conductivity, ionic, temp. and O_2 press. var. 5=9670
  - TiO_2, 4-300°K, 0.1-2000 kc/s 5=7006
  - Y_2O_3, conductivity, ionic, temp. and O_2 press. var. 5=9670
  - ZnS, powdered phosphors, diel. and photodiel. props. 5=12755
  - ZnS thin films, thickness var., stress effects 5=15378
- **solids, ferroelectric.** See Ferroelectric materials.

Dielectric relaxation. See Dielectric phenomena; Dielectric properties of substances.

Differential analysers. See Calculating apparatus.

Differential equations
- elliptical, boundary value problems 5=13838
- Hamilton—Jacobi eqn., separation of variables soln. 5=2031
- Navier—Stokes, one-dimens. scalar analog, uniqueness of weak solns. 5=18
- nonhomogeneous, with double transition point, formal solution 5=7719
- non-linear, Grinberg's solution method 5=2020
- preliminary orbits calc. 5=10229
- rotating coordinate system position calc. 5=10220
- stochastic systems stability 5=10269

Diffraction
- at circular cylinder, plane longitudinal waves 5=13911
- convex cylinder, boundary asymptote 5=14201
- of elastic waves, existence theorem 5=13910
- flexural wave by obstacle in plate 5=13907
- by periodic surface 5=13956
- by right-angled wedge 5=13827
- near shadow boundary, with eiconol eqn. for incident wave 5=7727
- short waves, geometrical theory 5=10222
- transients for plane pulse by cylinder 5=7728
- **acoustic waves**
  - array of rectangular panels 5=4808
  - circular aperture in rigid wall 5=10333
  - circular cylinder 5=13911
  - disc, h.f. 5=4809
  - disc, of spherical wave, higher order terms 5=2119
  - by rigid rectangular plate 5=121
  - by slits, in thick plate 5=13957
  - wedge, cylindrical, spherical waves calc. 5=10334
  - zone plate demonstration 5=2347
- **acoustic waves, ultrasonic**
  - No entries
- **electromagnetic waves**
  - in anisotropic media, geometrical theory 5=10539
  - band and slit, h.f. 5=14108
  - conducting cylinder, waves from dipole with axis parallel 5=4953
  - conducting cylinder, waves from mag. dipole on parallel axis 5=10542
  - by conducting elliptical cylinder, calc. 5=14104
  - crossed grating on cylinder 5=7999
  - cylinder, elliptical, h.f. 5=14107
  - dielectrics and poor conductors, integro-differential eqns. 5=14105
  - disc, h.f. 5=4954
  - grating anomalies at mm. obs. 5=10540
  - grating, plane and cylinder, oblique incidence calc., polarization 5=4956
  - grid of plane metal of finite size, meas. 5=243
  - integral differential eqn. reduction in e.s. case 5=14106
  - by plasma cylinder 5=6004
  - tensor formulation, by retarded pots. method 5=4955
- **electrons.** See Electron diffraction.
- light
  - alkali halides, surface irregularities effects 5=3773

Diffraction—contd
- light—contd
  - Bragg—Brentano and Seeman—Bohlin diffractometers 5=10715
  - convex cylinder, boundary asymptote 5=14201
  - diffractometers, intensity, absorpt. and displacement factors 5=10667
  - effect on reflection by microscopic objects 5=14175
  - ellipse autoconvolution 5=8143
  - Fraunhofer, opaque objects on transparent background 5=5090
  - Fresnel images, plane periodic objects, theory 5=14203
  - Fresnel, by narrow transparent ring, expts. 5=2346
  - Fresnel rings, discernibility improvement by electronic contouring 5=7965
  - Fresnel zone, field from single zone, calc. 5=14202
  - Fresnel zone plate prod. for u.v. and soft X-rays 5=328
  - gradients in stratified substances, det. by moiré fringes 5=5086
  - by gratings, ultrasonic 5=10716
  - image, error-free, irradiance distrib. 5=5089
  - pattern recording by high intensity-range photographic film 5=8145
  - patterns, prod. by apertures bounded by arcs 5=8144
  - periodic infinite reflecting surface 5=5088
  - by phase annuli, semitransparent 5=8146
  - by quasiplanar conducting surfaces, field calc., rel. to gratings 5=5087
  - quasi-plane infinite reflecting surface 5=5088
  - slit problem, aperture field 5=10717
  - suspensions, persistence after removal of ultrasound 5=14872
  - wavefront reconstruction, diffused illum. and 3D objects 5=327
  - zone plate demonstration using 9000 c/s sound waves 5=2347
- **neutrons.** See Neutron diffraction.
- **X-rays.** See X-ray diffraction.

Diffraction by acoustic waves. See Acoustic waves/effects; Diffraction/light.

Diffraction gratings
- on cylinder, crossed 5=7999
- cylindrical, collimation props. 5=8147
- e.m., anomalies at mm. obs. 5=10540
- e.m., plane and cylinder, oblique incidence calc., polarization 5=4956
- use for meas. of linear displacements 5=10668
- monochrometers, plane-grating 5=8130
- photographic film use 5=10731
- ruling engine, with hydraulic drive 5=10718
- ruling, replication and testing advances 5=5091
- scattering for finite grating of identical cylinders 5=4717
- ultrasonic 5=10716
- X-ray grating, 2 NPL systems 5=360
- X-ray, ultra-soft, blaze angle effects 5=5126
- X, soft, stearate, optimum thickness 5=13015

Diffusion
- See also Neutrons and antineutrons/diffusion; for diffusion of matter, see Diffusion in gases; Diffusion in liquids; Diffusion in solids.
- biological systems, computer analysis 5=7897
- convective adjoint variational principles 5=10304
- electrolytes, Soret coeffs, thermoelec. power method calc. 5=13171
- and electron m.f.p., back-diffusion in He and Ar method meas. 5=10491
- entropy local potential production 5=2074
- fluids, nonstationary, theory 5=3257
- magnetic field, trapped, reversed, in θ pinch 5=14746
- multicomponent systems, differential eqns. 5=13894
- n.m.r. obs of ultra slow atomic motion 5=7816
- Ostwald—De Waele fluid in laminar flow in cylind. tube 5=11778
- particles, with absorpt., in variable density medium 5=7815
- stationary Markov density distrib. process calc. 5=96
- Co, sintered, self, grain boundary var. 5=15068
- **acoustic waves**
  - See also Scattering, acoustic waves.
  - discharge, low pressure 5=11621
  - layered fluid 5=9024
  - in solids, theory 5=122

Diffusion—contd
- **electromagnetic waves**
  - See also Scattering/electromagnetic waves.
  - polarization effect, scattering matrix for sphere 5=13896
- **light**
  - See also Reflectivity; Scattering/light.

Diffusion in gases
- See also Flow/gases.
- air, Ra A diff. 5=6108
- alkali-metal ions in vapours, collision integrals 5=14813
- binary mixtures with Morse potential 5=14801
- coeff. calc. from diaphragm cell data 5=11819
- discharges, Faraday dark space, theory 5=11634
- interdiffusion press. difference calc. review 5=9056
- inert gas decay product deposition—diffusion in tubes 5=9057
- inert gases, multicomponent mixtures, Kr^{85} diffusion 5=3278
- inert gases in tubes, decay product deposition 5=9057
- ionosphere F2, and drift effects together 5=1956
- ions, in inert gases 5=11660
- ions in upper atmosphere, geomagnetic control 5=13511
- isotope separation 5=14624
- line source in turbulent boundary layer 5=1159
- plasma, anomalous, in magneto-acoustic wave prop. 5=1081
- plasma, effect on conductivity 5=11685
- plasma, nonlinear ambipolar diffusion across mag. field 5=3151
- and sublimation of dissociating vapour 5=6223
- systems with "glasslike" transitions, isothermal 5=3709
- thermal factor formula, correction 5=11820
- zeta toroidal discharge, current sheath diffusion, calc. 5=14751
- Ar, N_2 separation in atmosphere 5=13324
- Ar-Xe system 5=6110
- Ge crystal growth from Ge—I vapour, diff. limited 5=9277
- H in thermosphere, Monte Carlo method 5=13233
- H_2, electron diffusion at high fields, meas. and theory 5=6096
- He-Ar, He-Xe systems 5=6110
- N in N_2 5=1160
- N diffusion in N_2 5=1160
- Ne plasma, var. electron energy 5=5985
- O in Ag and Cu, from internal oxidation meas. 5=3444
- O in O_2, N_2, Ar, He 5=1160
- **thermal**
  - column eqns. soln. 5=6109
  - methane, Ne, and mixtures 5=9058
  - porous materials, of mixtures, press. var. calc. 5=3276
  - CO, mass 28 and 29, thermal diffusion column transport coeffs. 5=8781
  - $DT—H_2$, 5=3277
  - Ne, $-CH_4$ and mixtures 5=9058
  - $T_2—H_2$, $T_2 — D_2$ 5=3277

Diffusion in liquids
- See also Flow/liquids.
- activation energy and thermodynamic factor temp. var. 5=1175
- alkali borosilicate immiscible microphase rearrangement 5=9097
- ethylene in glycerine and Na salt of carboxy methyl cellulose solns. 5=6161
- glycerol, spin diffusion meas. 5=4982
- ionic self-diffusion const., in particle elec. fields, calc. 5=3322
- jump model and nuclear spin—lattice relax 5=9084
- measurement, radioactive tracer with porous grit 5=11874
- metals, self, atom displacements 5=11873
- naphthalene solns and triplet quenching 5=9099
- organic aliphatic H-bonding swollen gels, solute specificity 5=6164
- organic nonassociating systems, mutual, rel. to viscosity 5=9098
- rectified, rel. to bubble growth 5=14827
- self, high pressure effects, review 5=6154
- stirrer for cell, magnetic 5=11875
- suspensions, meas. by u. s. rel. to light diffr. persistence 5=14872
- theory, significant struct. appl. 5=6153
- Bi—Sn system, electrotransport 5=14864
- CO_2 in glycerine and Na salt of carboxy methyl cellulose solns. 5=6161

Diffusion in liquids —contd
- $CaCL_2$, self-diffusion coeffs. 5=6162
- I atoms in CCl_4, by photochemical space intermittency 5=6163
- KCl, self-diffusion coeffs. 5=6162
- $K—NH_3$, anions 5=7438
- LiCl, self-diffusion coeffs. 5=6162
- NaCl, self-diffusion coeffs. 5=6162
- Na_2NO_3, N^{22} coeffs. calc. 5=3325
- Pb, electrodiffusion of Ag 5=3323
- Se in Sn, 300°-1000°C 5=3324
- Sn, electrodiffusion of Co 5=3323
- Sn, mobility of Ag, Al, Mg and Ge 5=14846
- Tl in Tl—Hg 5=3326
- **thermal**
  - No entries

Diffusion in solids
- See also Permeability/mechanical.
- (A + B) alloy— (AO + BO) oxides, reactive diffus.. theoretical analysis 5=6579
- anthracene, self, anisotropy, tracer meas. 5=9407
- anthracene, triplet excitons 5=9604
- Archard electron diffusion model, evaluation 5=556
- b. c. c., diamond, f. c. c. structures, impurity diffusion, correlation factors 5=3704
- chabazite powder, 5 gases, rel. to crystalline disorder, sorption method calc. 5=6599
- coating formation by vac. condensation, mechanism characts. 5=3498
- crystal dislocation prod. in bicrystal 5=9459
- crystal growing nucleation 5=3546
- dilute, vacancy diffusion 5=12315
- double stream, trapping centre effects 5=6580
- f.c.c. crystals, mechanism and Soret effect 5=12314
- f. c. c. metals, divacancy 5=3705
- f. c. c. solid solns., vacancy diffusion and interface reaction, theory 5=3706
- glass, rel. to devitrification 5=3528
- glass, ion diffusion, stress formation 5=3850
- glass, stress-induced migration of Na ions 5=1441
- graphite, gas counter diffusion, effect of back-press. 5=15070
- rel. to grain-boundary energies 5=1437
- graphite, of B 5=9412
- ice, self, no dir. anisotropy 5=1442
- ice, self, no dir. anisotropy, radio-tracer method 5=1442
- impurities from vapour into crystal, mechanisms comparison 5=3711
- impurity distrib. in epitaxial growth, theory 5=12131
- insulator double injection, role 5=6993
- ion migration in glass substrates, effect on Sn oxide resistive films 5=6946
- ionic transport through ion-exchange membrane 5=6601
- measurement, grain boundaries and volume, radioactive 5=6584
- metals, b.c.c., interstitials, Snoek's model corrected 5=6613
- in metals, homovalent impurities 5=9405
- metals, of O, meas. by O^{18}(p, n) 5=9406
- metal and oxide targets, after bombardment with Xe up to 40 keV 5=12317
- metals, radiation-enhanced 5=3707
- point defects, migration, in electron microscope 5=12347
- polycrystals, diffusional viscous flow 5=15132
- polyethylene, gas transport process 5=3720
- polymer interfaces 5=15075
- under pressure, effects of conc. and temp. gradients and elec. fields 5=6600
- radioactive tracers, Gruzin sectioning study 5=3710
- refractory metals, Cs surface diffusion 5=3524
- resins, ion-exchange, ion self diffusion 5=4374
- self, through linear lattice chain, calc. 5=12313
- soda—lime—aluminosilicate glasses, Na diffusion, 200°-700°C 5=6595
- spin, and n. m. r. 5=9854
- surface coeff. determination 5=12316
- surface, thermal, rel. to pore movement 5=15067
- thermal, and lattice mechanics, linear chain 5=9404
- transition metals, in b. c. c. phases, mechanism 5=1446
- vacancy excess distribution in diffus. zone 5=6603
- whisker growth, mechanism 5=3572
- wüstite, rel. to reduction in mixtures 5=12326
- zircaloy—Al, inter 5=9419
- Ag, self 5=12334

Diffusion in solids—contd
- Ag, self-diffusion coeff., meas. using isotope exchange 5=6224
- Ag, self and In^{114}, Sb^{124}, high press. var. 5=9416
- Ag, self, surface 5=12333
- AgBr, AgCl, of Cu^+ 5=3725—6
- Ag—Cd alloys, of Cd, temp. and conc. depend. 5=6755
- AgI, self, and high-temp. phases 5=9385
- AgI—CuI, self, and high-temp. phases 5=9385
- Ag, of Sb and Ru 5=6583
- Al, coeff., by n.m.r. 5=12318
- Al-rich alloys, at low temperatures 5=12357
- Al—Cu in mag. fields, rel. to separation in ingots 5=3400
- Al—Cu, var. in mag. field 5=3712
- Al, of Fe, radioactive, effect of Si 5=1438
- $Al_2O_3.H_2O$ surface, of Co_2 5=6582
- Au, self-diffusion, pressure effect 5=6587
- Au—Ag alloy self-diffusion, hydrostatic press. effect 5=3715
- B, impurities, effect on e. s. r. and elec. cond. 5=9837
- BeO, and creep 5=9408
- Bi, thin samples, size effect rel. to galvanomagnetic properties 5=6919
- Bi—Sb in mag. fields, rel. to separation in ingots 5=3400
- Bi_2Te_3, impurity 5=9420
- CaF_2, of Ca^{45} 5=9409
- CaF_2, of F^{19}, spin 5=1815
- CdS, of excitons and electrons, lengths meas. 5=1584
- CdS, free carrier, ambipolar 5=6787
- CdS—CdSe mixed crystal prep., rel. to optical absorpt. 5=4300
- Co, of Fe^{59}, in grain boundaries, porous and solid 5=6584
- $Co_{1-x}\,Fe_{2+x}\,O_4$, of Fe, Co, var. x and O press., calc from crystal struct 5=12198
- Co^{60} in InSb 5=15074
- Co—Ni alloys, self, 1100-1416°C 5=9410
- Cr^{51} self-diffusion Cr—Fe, V, various comparisons 5=3713
- Cr in Fe, Fe—Mo, Fe—W, 1200°-1250°C mechanism 5=3718
- Cu films, self, morphological changes, substrate effects 5=6344
- Cu, planar corr. to Mehl—Rhines formula 5=12320
- Cu—Al system, β-phase 5=1440
- Cu in GaAs, divacancy reaction 5=15088
- Cu^{64} in GaAs, supersaturated, divacancy reaction 5=15071
- CuI, self, and high-temp. phases 5=9385
- Cu—Ni couples, reversal of preferential vacancy flow 5=15069
- γ-Fe, lattice diffusion 5=12324
- γ-Fe, self, grain boundary versus α-Fe 5=15072
- Fe^{55} self-diffusion in Cr—Fe and Cr, various comparisons 5=3713
- Fe—Cr, fission gas release 5=12325
- n-GaAs, of Au, 650°-1055° C 5=3714
- GaAs, of Cd, Zn from gaseous phase 5=6585
- GaAs, of Mn 5=12321
- GaAs, of Tm 5=3441
- GaAs, of Zn 5=12322
- GaSb, p-type, of Li, effect on hole conc. and Hall mobilities 5=9671
- Ge, electrons, coeff. in high elec. fields 5=15323
- Ge, n-type, impurity, effect on mobility 5=12581
- Ge, of rare earths, tracer meas. 5=9411
- Ge, of In and Sb, electrical, anomalies 5=6586
- H in metals 5=6581
- He, in beryl, aquamarine, quartz, and related glasses 5=12319
- Hf, of O 5=9413
- In, lattice defects, motion, current-induced 5=9632
- InSb, radioactive Hg diffusion, temp. var. 5=15073
- InSb, of Au, 140°-510°C by radioactive tracer 5=3716
- InSb, Cd diffusion 5=9414
- InSb, of Zn 5=3717
- InSb, of Zn^{65}, 400°-500°C 5=6588
- KCl, additively coloured, self-diffusion 5=3721
- KCl, Cd^{2+} through impurity—vacancy complex 5=15076
- KCl, of H_2O 5=12330
- KCl—KBr, mutual, rel. to negative crystal growth 5=1310
- KCl—KBr powder mixture, and mixed crystal formation 5=14977
- La, self diffusion, and n. q. r., 295-825°K 5=4270
- Li, ultra-slow translational, by mag. resonance 5=6589
- LiF, of Mg, surface regions rel. to strengthening 5=6731

Diffusion in solids—contd
- Li_2SO_4, cubic, thermal diffusion 5=1689
- Mo, diffusion mechanism for Ni activated sintering 5=12328
- Mo, self-diffusion 5=3719
- Mo in Fe, Fe—Mo, Fe—W, 1200°-1250°C mechanism 5=3718
- NaCl, anion diffusion 5=12335
- $Na^{23}Hg_2$, $Na^{23}Hg$, $Na_3^{23}Hg_2$, activation energy calc. from phase transforms. 5=13007
- Na, of Li 5=15078
- NaS_2, ion mobility, 200°-800°C 5=15628
- Nb, strain-ageing by O diffusion 5=15176
- Ni single and fine grained crystals, strain, temp. effects 5=6590
- Ni, surface diffusion, 400°-1000°C 5=6591
- Ni, H-diffusion, rel. to fracture 5=12525
- Pb, self-diffusion at 300°C by absorpt. tracer technique 5=1443
- PbS, of S 5=12327
- PbTe, impurity 5=9420
- Pd self-diffusion, isotope effect 5=1444
- Pd, H absorption, rel. to PdH structure 5=6476
- Pt, thermal 5=12329
- Re, by field-emission microscope 5=12331
- Rh on lattice substrate 5=9239
- Rn^{220} in nuclear emulsion, liquid exposure effects 5=10945
- Sb, along Si dislocs., eqn. soln. 5=1445
- Sb, self-diffusion, meas. using tracer technique 5=1439
- Si crysts., Au 5=12332
- Si, dislocation and precipitates induced by diffusion 5=12393
- Si, of impurities, electroluminescence 5=6592
- Si, of impurities, rel. to imperfection induction 5=3758
- Si, marked atoms, for surface dislocation obs. 5=6634
- in Si p—n junction particle detectors, role of O_2 5=10912
- Si, p—n transition determ. method 5=6961
- Si, redistrib. of solutes during thermal oxidation 5=3724
- Si, surface diffusion of Ag 5=15077
- Si, wafers, electron microscope exam 5=9697
- Si, As diffusion 5=6593
- Si, Au diffusion, elec. resistivity changes 5=9686
- SiC, of N 5=9440
- Si, of Ga, surface imperfection effects 5=3722
- Si, Na diffusion, Ar atmosphere, 650°C 5=6594
- Si, P diffusion, surface layer formation and solubility 5=9415
- Si, of P, resulting dislocations obs. 5=1473
- Si, of P, SiO_2 masking, from P_2O_5 source 5=3723
- $SrTiO_3$, O ion diffusion 5=12336
- Ta crysts., Nb^{95} 5=12337
- Ta, of C, mobility, 873°-2873°K 5=3727
- Ta—H system, diffusion of H 5=6596
- Ti—Ag system, interdiffusion, 700°-900°C 5=3728
- TiO_2 crystals, of O_2, 710° to 1300°C meas. 5=9417
- TiO_2, Li diffusion giving dislocation decoration 5=3762
- TiO_2, of Li, interstitial, 80-360°C, optical obs. 5=1447
- γ-U, radioactive Cr, Mn, Fe, Co, Ni, Cu, Nb 5=1448
- γ-U, radioactive tracers 5=1448
- UC, of C^{14} and U^{235} 5=12339
- U—Nb, composition var. 5=15081
- UO_2, of fission products 5=9418
- UO_2, inert gases, especially Xe 5=12340
- UO_2, noble gases, emitted during irrad. 5=12341
- U—Zr carbide mixture, investigation 5=15080
- V, V^{48} diffusion, temp. var. 5=12342
- W, surface, of Ge and Si 5=15079
- W, C diffusion, at over 2000°C 5=3729
- W, of W^{185}, $Re^{183,184}$ 5=12338
- W, of W^{185}, Re^{183} and Re^{184} traces 5=12338
- YIG, of O ion 5=6597
- Zn, contact liquid Hg or Ga, tensile strength var 5=6770
- Zn, vacancy diffusion along edge disloc. 5=6771
- Zn in III—V semicond. cpds., junction depth 5=3708
- ZnS, Cu diffusion, rel. to Al 5=6598
- ZnSb, impurity 5=9420
- ZnSe, Cu and Al diffusion, rel. to Zn vacancies 5=6598
- Zr-Al, inter 5=9419
- Zr, of He 5=15082
- α-Zr, O_2, kinetics and mechanism 5=12343

Diffusion columns. See Diffusion in gases/thermal; Isotope separation.

Diffusion pumps. See Vacuum pumps.

Digital computers. See Calculating apparatus/digital computers.

Dilatometers. See Length measurement; Volume measurement.

Dimensions
See also Units.
No entries
Dimers. See Molecules; Polymers.
Diodes. See Electron tubes; Plasma devices; Rectifiers; Semiconducting devices/diodes.
Dipole moments. See Molecules/moments; Nucleus/electric moment; Nucleus/magnetic moment.
Dirac electron theory. See Electron theory.
Dirac equation. See Quantum theory/wave equations.
Discharge tubes. See Electron tubes; Gas-discharge tubes; Ion sources; Particle accelerators: X-ray tubes.
Discharges, electric
See also Arcs, electric; Breakdown, electric; Corona, electric discharge; Plasma; Sparks, electric.
air, atmospheric, streamer propag., model 5=11643
air, electrodeless ring 5=3097
anode fall, det. by thermal method 5=8924
column, gas flow effect on props. 5=3108
electric rupture, exptl. study 5=3109
electron swarms, in H, location by u. v. signals 5=1058
energy meas., high power, use of analog. computer 5=14684
exploding wires, ignition mechanism 5=14687
explosion of confined conductors 5=14688
Faraday dark space, diffusion theory 5=11634
gas admission, pulsed, device 5=14771
gases, collection of papers 5=3096
gases, introductory book 5=11618
in Geiger–Müller counter, propagation vel. 5=2494
Geiger–Müller counter, speed along wire 5=5252
gettering and mol. excitation 5=9069
helical, obs., in absence of external mag. fld. 5=8912
hollow anode Li lamp 5=2326
hollow-cathode, plasma "vane" rotation meas. 5=14682
inert gases, excitation in positive column, at medium press. 5=5936
inert gases, positive column, radial props. and contraction 5=11642
instabilities, e. s., and plasma ohmic heating and elec. cond. 5=5923
Joshi effect 5=11624
Joshi effect, thermionic analogue 5=11623
light rays, ang. distrib., model 5=11622
low press, acoustic wave diffusion 5=11621
low-pressure, asymptotic plasma and sheath representations 5=11627
in magnetic field, electron oscillations 5=5924
nanosecond excitation mode 5=5926
Penning mechanism 5=5925
Penning, oscillations, plasma microwave freq. meas. 5=3098
Penning tube, peculiarities, low-pressure 5=1024
plasma probes, h. f., with atomic beams 5=14683
plasma spread 5=8913
point-discharge currents, from multiple points 5=15672
point-discharge, from living tree 5=15675
positive column, He–Ne, electron distrib. 5=5930
positive column, in mag. field, instability 5=11640
positive column, magnetized, conducting wall stabilization 5=3107
positive column plasma, electron temp. meas. 5=11718
power measurement, in positive column, of Hg–rare gas system 5=1031
pulsed, powerful, X-ray, neutron radiation, calc. 5=14685
rare gases, constricted 5=11625-6
rare gases, positive column, phase displacement 5=11638
self-sustaining, at negative electrode in plasma 5=5927
streamers, lifetime, atm. air. 5=11644
striations, moving 5=11637
striations, moving, development and props. 5=11636
striations, spacing–press. reln. and Debye length 5=1026
suppressor, neutral gas flow unimpaired in tubes 5=6123
torch discharge, complex-resistance meas. 5=1039
Townsend, propagation in crossed fields 5=3100
Townsend, statistical current fluct., analysis 5=5928
Townsend, temporal development up to breakdown 5=3099
voltage limit of thermally ionized one-dimensional discharge 5=8914
windows of chambers under press., materials 5=11619
wires, exploding, in vacuum 5=14691

Discharges, electric—contd
zeta toroidal discharge, current sheath diffusion, calc. 5=14751
Ar, emission spectrum in vacuum-u.v. 5=8746
Ar–Hg, Hg 6^3P_1 reson. radiation imprisonment 5=3103
Cu, hollow cathode, spectrum and mechanism, current and gas pressure depend. 5=2907
D plasma, confined, heating in direct discharge 5=5977
H, ionization, role of reabsorption of spectral lines 5=14696
H, positive column striations spectral analysis 5=5931
H, ring, first stage starting mechanism 5=11628
H, Townsend, U. V. emission 5=11631
He in C-stellator, perpendicular temp., diamag. coil method 5=14770
He, Paschen curve calc., from atomic excitation and ionization 5=5929
He, pulse decay in microwave cavity and pressure wave 5=1023
He, pulsed, excited atom concentration 5=8915
He, rel. to Ag photoemission 5=9750
He–Ne laser, current fluct. correl. with light noise 5=2291
He–Ne, resonant energy transfer meas. 5=11630
Hg, ionization rate and electron temp., microwave method 5=3130
Hg–noble gases, positive column, electron energy distrib. 5=11641
Hg, rel. to vapour press. meas. 5=6217
Hg vapour, d.c., relations of various parameters 5=8917
Hg–Ar, anode oscillations 5=11620
N gas, positive column, screw instability 5=11639
N_2, electrodeless ring 5=3097
Ne, low press., striation meas. 5=1025
Ne, probe meas. through double layer 5=11724
Ne, pulse decay in microwave cavity and pressure wave 5=1023
O, ionizing radiation from discharge 5=8916
S, surface photoelectret state 5=7021
glows
afterglow plasma, cryogenic, microwave interactions 5=3172
atmospheric gases, negative ions, mass spectra, impurity effects 5=8920
cathodic instability 5=11632
current–pressure charact. 5=5933
effect on electrical props. of diamonds 5=12730
hollow cathode effect 5=7050
plasma diffusion in mag. field, pulsed, h. f., machines review 5=3150
pulsed, cathode-fall region formation 5=5934
striations, moving, artifically excited, stroboscopic obs. 5=5932
striations, moving, origin, expt. 5=1027
Ar, handling technique 5=3106
Ar, positive column, atomic and ionic spectral line contours 5=8747
H, afterglow of Z-pinch, e-density, He–Ne laser meas. 5=14686
He, afterglow continuum, expt. 5=8923
He, afterglow, spectroscopic investigation 5=1030
He, hollow cathode glow, props. 5=1028
He, intensity distrib. 5=1029
He, negative, atomic and molec. emission 5=8922
He, negative, fast electrons 5=11633
He–Ne laser, moving striations 5=2293
He, Ne, Ar, cold-cathode, light-quenching by microwaves 5=8918
Hg–Ar low press., temp. effect on striation movement 5=3104
Hg–Ar, oscills. near anode, analysis and meas. 5=3105
I, handling technique 5=3106
N_2 pink and Lewis–Rayleigh afterglow, in vac. u.v. region 5=8919
N_2 + Ar, after, importance of $N_2 3\Delta_u$ 5=5935
N_2^+, N_4^+, N^* recombination in afterglows 5=8957
Ne, hollow cathode glow, props. 5=1028
Ne–Hg striations 5=11635
O, electron removal during afterglow, microwave meas. 5=8921
P, handling technique 5=3106
S, handling technique 5=3106
Se, handling technique 5=3106

Discharges, electric—contd
high-frequency
excitation of atomic and ionic spectra 5=5778
inert gases, "weak" and "strong", emission spectra 5=3102
Penning with superimposed r.f. field, breakdown, Mathieu eqn. calc. 5=8925
plasma, anomalous cyclotron radiation, 10 Gc/s and 22 Gc/s 5=3160
for spectrophotometry, u. v., 100-2000Å, capillary 5=5071
torch discharge, below atm. pressure 5=1038
Ar, inductive, stable plasma column prod. 5=1105
Cl, luminescence from atom recombination 5=1903
H_2, microwave cavities, at 2450 Mc/s 5=11629
He, microwave cavities, at 2450 Mc/s 5=11629
He, pulsed, spectroscopic investigation 5=1030
Disintegration. See Beta-decay theory; Nuclear decay theory; Radioactivity.
Dislocations. See Crystal imperfections/dislocations.
Disperse systems
See also Aerosols; Colloids; Emulsions; Foams; Powders; Sols; Suspensions.
electrophoresis, particles in metals, semiconductors 5=9164
glass in In, creep, steady-state, temp. var. 5=15168
light scattering analysis, apparatus 5=8095
particle size distrib. calc., shape invariant 5=6205
polymers, highly-branched, config. statistics 5=3377
"soft" particles distribution by light scatter, indicatrix inversion 5=6204
solid—liquid interface, interaction with particles 5=1212
thermal conductivity, gas press. var. 5=4834
Dispersion, acoustic
No entries
ultrasonic
acetone, 3 Gc/s, specific impedance meas. 5=9109
metals, in mag. fld. 5=6535
water, 3Gc/s specific impedance meas. 5=9109
CCl_4 3Gc/s, specific impedance meas. 5=9109
$SF_6 + CHClF_2$, vibrational energy transfer 5=1015
Dispersion, optical
See also Optical constants; Refractive index/light.
benzene, temp. and press. effect 5=3337
graphite colloidal sols., mag. field anisotropy, particle effects 5=15556
negative energy waves in dispersive medium 5=4943
quartz, rotatory, theory 5=4319
rotatory, magnetic 5=10728
rotary polarization, demonstration 5=10727
scanning coherent beams, and dispersion systems 5=14171
tinters, Kubelka and Munk coeffts., precise meas. 5=8149
water, temp. and press. effect 5=3337
Ar, formula at 15°C and 760 torr 5=1156
CCl_4, temp. and press. effect 5=3337
α-Fe_2O_3 colloidal sols., mag field anisotropy, particle effects 5=15556
LiI films, infrared freqs. 5=15559
MoS_2 5=13063
NaI:Tl, u. v. to far red, 113°-573°K 5=4326
ZnSe 5=1857
$ZnWO_4$ single crystals 5=1879
Dispersion relations
See also Field theory, quantum; S-matrix theory.
beta-decay coupling consts. 5=14265
deuteron e. m. form factor, relativistic, one pion-exchange calc. 5=645
deuteron photodisintegration, pion exchange currents 5=2691
exchange currents in light nuclei 5=14448
field equations, method for linear operator general structure 5=2044
modifications and unitary corrections, one particle exchange theory method calc. 5=2440
multipole, proof, rel. to Landau curves 5=8268
and nuclear-Coulomb partial amplitudes, calc. 5=10861
nuclear e. m. form factors, internucleon pots. 5=8249
partial-wave, and inelasticity 5=8250
partial wave, of scatt. amplitude, N/D versus inverse amplitude sols. 5=10859
p—p, $\bar{p}$—p, $\pi^{\pm}$—p scatt., small angle high energy check 5=14414

Dispersion relations—contd
π—d scattering, dispersion relations in impulse approx. 5=2649
π—π, π—p scatt. appl. 5=607
N/D equation, iterative soln. 5=22
outside light cone scatt. amplitude 5=452
partial wave, threshold behaviour 5=2449
Regge poles $l = -\frac{1}{2}$ as number $\to\infty$, effective range expansion calc. 5=480
scattering, forward, by covariant Low equn. 5=2466
3-body production and decay processes 5=10829
Dispersions. See Disperse systems.
Dissociation
See also Heat of dissociation; Ionization; Molecules/dissociation.
alkyl radical bonds, energy 5=13141
gas mixture, multicomponent, flow past catalytic or non-catalytic obstacle, boundary layer soln. 5=3261
gas turbulent boundary layer rel. to friction and heat exchange 5=1149
ions in double-focusing mass spectrometer, analysis 5=8731
liquids on solid surfaces, mechano-chemical dissociation 5=10016
and sublimation, diffusion controlled 5=6223
BP $\rightleftharpoons$ (1/6) B_6P + (5/12) P_2, temp. depend. 5=13148
CO_2 by electron bombardment 5=5959
Cs—graphite lamellar compounds, decomposition, kinetic study 5=10004
H, in positive column striations of low press. discharge, energy meas., spectral method 5=5931
H_2^+, elec. field required 5=1059
$MgSO_4$ in sea water, relaxation time calc. 5=3330
MnF_2 5=6221
NH_4ClO_4, thermal, 120 to 200°C, mass spectrometer meas. 5=4386
NO_2 in Ar, anomalous, by reflected shock wave 5=4383
SO and S_2, energy 5=13150
S_2O, u. v. predissociation limit 5=13150
γ-UO_3, dissociation pressure 5=10013
electrolytic
See also Ions, electrolytic.
$HClO_4$, aq. solns., det. by Raman intensity 5=6148
Distillation
See also Isotope separation.
fractionation, in gas flow proportional counters 5=487
Soxhlet, recording and controlling number of syphonings 5=1992
DNA. See Proteins.
Domains. See Ferroelectric phenomena; Magnetization state; Superconductivity.
Domains, antiphase. See Alloys; Crystal structure/microstructure; Solids/structure.
Doping. See Semiconducting materials, semiconductors.
Doppler effect
in Schwarzschild Universe 5=47
shift through heterogeneous anisotropic gases 5=10649
shock wave vel. meas. at mm wavelength 5=7832
Dosimetry
See also Radiation monitoring; Radioactivity measurement; X-ray measurement.
β ray, appl. of one-group transport theory 5=11013
beta ray, by semiconductor p-i-n junctions open circuit voltage 5=8391
chemical, fluorometer 5=5274
cosmic rays, by water Cherenkov detector 5=8578
electrons, carlorimetric, 35 MeV 5=740
gamma, calibration with collimated beam, errors 5=8376
gamma-ray, ground effects for distrib. Cs^{137} sources 5=5441
γ-ray, nuclear power station meas. 5=10984
gamma ray, by perspex, 1 mm clear 5=5309
ionization chamber, liq. hexane filled 5=489
liquids, absorbed radiation dose, meas. by calorimeter 5=14484
mixed, X, β, γ with R. P. S./A. E. R. E. film dosimeter 5=8321
n, thermal, Co monitor 5=582
n, use of $Li^6(n, \alpha)H^3$ in LiF, melting 5=653
neutron rem counter 5=5370
neutrons, scintillation counters and spherical moderators, new method 5=14421
particle accelerator for meson prod., residual γ dose calc. 5=14386

Dosimetry—contd
photographic, automation, review 5=8320
photographic, personal, for environmental radiation 5=2527
radioactive sources, by energy-transfer—radiochem. yield relation 5=8577
radioactive spherical source with self absorption 5=2758
reciprocity in a scattering medium, meas. 5=5560
scintillation, X-ray and γ-ray, 30-130 keV 5=11000
solid-dosimeter, comparison tests 5=5273
solid-state, review 5=2526
spaceships Vostok 5 and 6, total radiation dose 5=10102
thermoluminescence, LiF, glow curves meas. 5=2529
X-ray cells 5=8319
X-ray cells 5=14398-9
X-ray, circuit 5=10999
X-ray dosemeter, circuit 5=10999
X-ray exposure standards, NPL, congruity 5=2578
CdS radiation detectors, response time reduction with biassing radiation 5=2574
$FeSO_4$ soln., practical details 5=2528
Si junction detectors, use of direct current props. 5=2575
Double refraction
See also Electromagnetic wave propagation; Optical constants; Optical rotation; Polarized light.
acrylonitrile polymers, temp. effects 5=4331
evaporated dielec. films, determination 5=5095
graphite colloidal sols., mag. field anisotropy, particle effects 5=15556
polyolefins, deformation mechanism 5=3874
polystyrene, birefringence rel. to annealing 5=13088
quartz, birefringence meas., 1500 to 2000Å 5=10724
semiconductors, anisotropic Voigt effect, i.r. 5=7310
synthetic fibres, melting point, meas. 5=3399
ADP, Pockels effect light modulation 5=8072
ADP second harmonic light generation 5=9893
CdS, isotropic points temp. var. 5=13036
CdS_x—$CdSe_{1-x}$, isotropic points, conc., temp. var. 5=13036
α-Fe_2O_3 colloidal sols., mag. field anisotropy, particle effects 5=15556
In_2Se and optical props. 5=13055
KCl, coloured, light induced 5=9913
KCr alum, magnetic, X band and e.s.r. 5=7357
KDP, Pockels effect light modulation 5=8072
$LiNbO_3$ 5=1844
Na, oriented 5=8766
flow
polymer solns, shear rate dependence 5=1187
Rao birefringence apparatus, modification 5=2351
electric. See Electro-optical effects.
magnetic. See Magneto-optical effects.
mechanical
See also Photoelasticity.
glass, birefringence meas. by scatt. light technique with laser source 5=7342
photoelastic meas., intensity method 5=14211
retarded negative, electrical analogue 5=13843
stress reln., non-linear effects 5=7309
synthetic fibres, thermochemical props., meas. 5=4287
u.v. radiation, meas. and applications 5=2039
Double resonance. See Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation.
DPPH. See Free radicals; Organic compounds.
Drops
cloud, coagulation, electric charging 5=13268
coalescence in clouds 5=4468
coalescence and emulsion stability, kinetic theory 5=9165
collisions in clouds 5=4467
emulsions, 3-10μ, interfacial tension, meas. method 5=3291
liquid, vibr. and breakdown in gas stream 5=6140
supported mass floating on primary evaporating surface 5=3292
water, collision in air, collection efficiency 5=10066
water, electrification in freezing, expt. 5=10068
water, mass loss falling in elec. field 5=9079
Drying
No entries
Ductility. See Plastic flow; Plasticity.
Dusts. See Aerosols; Powders.
Dynamics
See also Ballistics; Kinematics; Rotating bodies; Vibrations.
acceleration of flat plates to high vel. 5=1996
book 5=4726
covered rollers, line pressure and rolling speed variations 5=34
equation of motion, unified 5=7745
Fermi acceleration statistics, one-dimensional 5=10235
gyroscopic processional motion, anal. by operational methods 5=33
Hamilton—Jacobi eqn., separation of variables soln. 5=2031
ignorable coordinates and steady motion 5=4724
Jacobi ellipsoid instability initial motion 5=10119
loose media, random walk model 5=4725
Newtonian expanding universe 5=13668
Newton's law for variable mass, Maxwell's comments 5=32
Newton's "Principia" in teaching 5=2011
plastic traction meas. using ribbon 5=10238
relativistic particles and systems with variable rest mass, eqn. of motion 5=2032
relativistic, point 5=4740
relativity, general, motion of body with variable mass 5=7763-4
stability of stationary motion 5=13831
three body problem, inclusion of extra forces 5=13834
three-body restricted problem, second kind periodic orbits 5=10234
two-body problem, completely general closed solutions 5=13833
Z-body collisions, vector method 5=7746
Dynamometers. See also Force measurement.
No entries
Dysprosium
ion in ethyl sulphate, paramag. relax. meas. using Faraday effect 5=1800
ion recoil stopping in gases and Al 5=2233
magnetization rel. to compression 5=15477
magnetoelastic props, ferromag.—antiferromag. transition temp., stress depend. 5=1766
Mössbauer effect in Dy^{161} 5=14903
thermal expansion and magnetostriction 5=15052
vapour pressure and sublimation props. 5=14888
Dy^{160} h.f.s. in various materials, Mössbauer study 5=11975
Dy^{3+} in soln., rotary mag. dispersion fine struct. 5=14849
Dysprosium compounds
gallate garnet, Dy^{3+} ion magnetization laws meas. 5=7162
Dy—Al garnet, exchange-field splitting 5=3421
$DyAl_2$, Mössbauer effect in Dy^{161} 5=14903
$Dy_3Al_5O_{12}$, antiferromag. struct., low temp. 5=15476
$DyCo_5$, crystal growth 5=14981
Dy ferrite domains obs. 5=12952
Dy Fe garnet, absorption spectrum, rel. to Dy^{160} h.f.s. 5=11975
$DyFe_2$, Mössbauer effect in Dy^{161} 5=14903
Dy_2O_3, conductivity, ionic and semicond., temp. and O_2 press. var. 5=9670
Dy_2O_3, paramagnetic, h.f.s. 5=11975

E-layer. See Ionosphere/E-region.
Ear
See also Hearing.
cochlea, mammalian, neural inhibition model 5=2145
fatigue and adaptation 5=2139
guinea-pig cochlea d.c. resting pot. meas. 5=13973
guinea pig, cochlear-microphonic pot. changes from fibre resection 5=154
guinea-pig tympanum displacements and nonlinearities meas. 5=153
human, acoustical impedance, 20 c/s—8 kc/s 5=133
Earphones. See Acoustic transducers.
Earth
See also Geodesy; Geophysics.
anelasticity 5=13209
core give structure, earthquake obs. 5=4435
core, real dimensions 5=15644
core rigidity 5=1925

Earth—contd
- density and elasticity of lower core, models 5=13212
- density gradients in chemically inhomogeneous core 5=13210
- mantle B layer adiabatic temperature gradient 5=13195
- materials yellowness index, versus asteroids 5=13746
- with moon, motion calc., past and future 5=15835
- photometry from Mariner 2 5=13187
- polar migration, causes 5=1924
- polar motion extrapolation 5=15638
- radar returns, effects of structure size 5=15830
- radiation field, outward, model application 5=10036
- results from space research 5=10081
- solar—terrestial rels., conference, Tokyo 1964 5=13755
- tidal dissipation in mantle and moon calc. and orbital evolution 5=13228

age
- See also Radioactive dating.

composition
- equation of state of materials 5=13214
- mantle and core, and density, seismic wave method meas. 5=13215
- from strain release, depth var. 5=7471
- Cm^{247}, natural, search 5=13218
- U, Th, K relative heat prod. 5=13219

electricity
- and aurora e. m. absorption var. 5=15745
- conductivity 5=15645
- electromagnetic field, natural, microvariation characteristics 5=7473
- fields over geoelec. profiles, completely joined, study method 5=7472
- m.h.d. dynamo theory 5=7929
- and magnetic field variations 5=1958
- resistivity, surface and deep, calc. 5=13216
- telluric currents, small islands effects 5=13217
- terrestrial ring current 5=13417

heat
- albedo and solar radn. polarization 5=15641
- balance 5=10033
- and core formation, and mantle convection 5=13191
- and crust thickness 5=1920
- frozen region round line heat sink under incompress. fluid stream 5=4830
- heat flux, into ground, calc. 5=15642
- ocean floor, heat flow meas. 5=13222
- radiation meas., albedo, total and net, radiometer effect 5=1919
- rock thermal conductivity, thermoelec. device 5=13193
- satellites, Tiros II, III, IV, VII, radiation data 5=7487
- surface—atm. radiation balance, balloon study 5=1922
- surface flow and radioactivity 5=13194
- surface temperature and cloudiness 5=1921
- U, Th, K relative contribution and chondrite contribution 5=13219

magnetic field
- and atmospheric circulation, in Northern Hemisphere 5=1934
- boundary region 5=13561
- boundary, shape in solar wind 5=13566
- cavity—solar plasma wind interaction, calc. 5=15751
- charts based on curl free orthogonal polynomials 5=13571
- cosmic rays, α-particles and protons, cutoff rigidity 5=11143
- cosmic rays, anisotropic, geomagnetic effects 5=11140
- deformation by solar wind 5=13567
- diffusion, mag., in conducting mantle 5=13550
- effect of Starfish nuclear explosion 5=13615
- hollow, centrifugal effects of plasma flow 5=15752
- IQSY, 1964/65 programme 5=7651
- induced in sea waves 5=13549
- ion diffusion in upper atmosphere, control 5=13511
- and ionospheric electric current, Mar. 10/12 1964 proton magnetometer meas. 5=7518
- ionospheric focussing, effect on 5=13517
- lines, oscillation, and mag. perturbations 5=13585
- m.h.d. dynamo theory 5=7929
- magnetopause particle penetration and trapping 5=13557
- magnetosphere boundary, effect of solar wind 5=15695
- magnetosphere, hydromagnetic excitation 5=15710
- magnetosphere—solar wind interface stability 5=13338
- magnetosphere tail length, calc. 5=13556

Earth—contd

magnetic field—contd
- magnetosphere, wave generation 5=13554
- magnetospheric boundary shape rel. to solar wind 5=13344
- magnetospheric boundary, stability 5=13553
- map interpret. by cylind. structure diags. 5=7540
- measurement, automatic 5=13572
- measurement by free radicals in soln. dynamic polarization 5=7948
- measurement, rocket p magnetometer and data equipt. 5=13635
- observation smoothing 5=15754
- observations in Arctic Ocean, and telluric current 5=13552
- optical integrator for reducing data 5=7457
- orbiting geophysical observatory, semipopular review 5=1959
- origin, in motion of highly cond. liquid, self-excitation mechanism 5=236
- outer, interaction of solar plasma streams 5=13564
- perturbation, spherical harmonic expansion 5=13584
- polar cap blackouts, patterns 5=15755
- polar plasma stream interaction 5=15766
- pole positions and rock magnetism 5=15753
- radial dipole deep sources 5=13569-70
- reversal, electromagnetic model 5=10095
- satellite meas. 5=4519
- solar plasma penetration mechanism 5=4490
- solar wind interaction, Pioneer 5 obs. 5=13565
- solar wind—magnetosphere transition, model 5=13555
- solar wind—mag. field interaction, expt. model 5=13559
- effect on solar wind, and plasma stream—dipole interaction obs. 5=13560
- South Atlantic mag. anomaly, trapped protons 5=13408
- space vehicle and satellite obs. 5=13568
- sun, plasma stream interaction, model 5=7539
- trapped particle coordinates 5=13420
- Vanguard 3 data modified 5=13562
- Vanguard 3 (1959 η) light analysis 5=13563
- K$_p$ index as combination of observatory index 5=15750
- Y component of Sq, sunspot effect 5=15731

magnetic field, variations
- See also Magnetic storms.
- activity indices, 3 stations, (Nov. 63-Mar. 64) 5=13581
- activity rel. to aurora, 1957-58 5=15707
- anomalies, interpretation 5=10096
- and atmospherics, v.l.f. bursts 5=15683
- Belgium, 1955—1960 5=4507
- continuous pulsation mechanisms, pc 2-5 5=7537
- daily disturbance theory 5=13587
- daily range of H, lunar tidal oscillations 5=13551
- distortion due to solar wind, calc. 5=13558
- disturbances due to nuclear explosion 5=13588
- diurnal in France 5=15758
- diurnal, due to steady solar wind, calc. 5=13567
- E—W, N—S, diurnal variation 5=7520
- and electricity 5=1958
- electrojet, equatorial 5=15765
- and electrojet, equatorial, daily var. 5=13580
- and explosion, nuclear, high altitude, "Starfish" 5=4510
- and explosion, nuclear, Starfish' 5=13614
- fluctuations, numerical analysis 5=7533
- hydromagnetic emission enhancement after mag. storms 5=13605
- hydromagnetic emission extrapolation to exosphere base 5=13606
- hydromagnetic emission fine struct., low lat. obs. 5=13604
- hydromagnetic emission source above afternoon ionosphere 5=13607
- hydromagnetic emissions, pearl-type, at middle-latit. points 5=7534
- impulse on ground and magnetosphere, Explorer 12 obs. 5=13337
- and ionosphere foF$_2$ post sunset rise 5=13528
- long period, 10-10^6 yrs 5=15757
- K$_p$ and lunar phase reln., unsuccessful search 5=15761
- with lunar phase 5=13577
- and magnetosphere ionization depletion 5=13339
- measurement, rapid, use of opposing solenoid 5=13582
- micropulsations, apparent polarization 5=13609
- micropulsation classification 5=13608
- micropulsations, irregular, associated with mag. bay, theory 5=13610

- **Earth**—contd
  - **magnetic field, variations**—contd
    - micropulsations, man made due to city elec. 5=13612
    - micropulsations, simultaneous 3 site recordings 5=13613
    - micropulsations, type Pc1 5=13611
    - moon phases effects 5=13586
    - due to moon tide, high value days 5=13576
    - moon tide oscs. 5=13591
    - noncyclic variation 5=13589
    - and nuclear explosions, 1962 Johnston Island 5=15764
    - rel. to nuclear explosion effects in E-layer 5=13497
    - and plasma beam magnetodynamic instability 5=11751
    - polarity epochs 5=15756
    - and positive ion flux in magnetosphere, satellite meas. 5=15760
    - power spectra, 4.5 to 1000 sec, average diurnal characteristics 5=13578
    - Puerto Rico anomalies, trend removal with polynomials 5=13575
    - pulsations, form index 5=7536
    - and ring current, induced component 5=1957
    - secular 5=15645
    - secular field, cause of changes 5=7535
    - short-period spatial gradients 5=4505
    - "slow oscillations", exospheric origin 5=15759
    - with solar wind properties 5=13574
    - S_a, effective equator 5=13573
    - S_q, N—S asymmetry of vortices 5=13579
    - Sq and SD, discrimination on individual recordings 5=15759
    - —SI, H-variation 5=4506
    - solar wind, semipopular review 5=4658
    - space-time association with aurora 5=13383
    - space vehicle and satellite obs. 5=13568
    - and sun, day/summer J maxima 5=15767
    - sun flare effects in magnetic γ and β_γ class regions 5=7538
    - and sun, radiation corpusc. 5=4511
    - and sun wind velocity 5=15883
    - and sunspots, large, N—S asymmetry 5=13616
    - turbulent eddy motion and frozen-in field 5=15720
    - and variations in upper atm. temp. 5=13346
  - **rotation**
    - abrupt change in 1963 and meteorology anomaly 5=15640
    - moment of inertia changes 5=10035
    - tidal friction 5=1976
- **Earth satellites**. See Satellites, artificial.
- **Earthquakes**. See Seismology.
- **Eberhard effect**. See Photographic materials.
- **Echalons**. See Diffraction gratings.
- **Echo**
  - See also Architectural acoustics; Reverberation; Sound ranging.

  - No entries
- **Eclipses**. See Moon; Sun/eclipses.
- **Eddy-currents**
  - No entries
- **Eightfold way**. See Elementary particles; Field theory, quantum.
- **Einstein—de Haas effect**. See Gyromagnetic effect.
- **Einsteinium**
  - No entries
- **Elastic constants**
  - See also Compressibility; Stress/strain relations.
  - alkali halide crystals, depend. on hydrostatic press. 5=6666
  - alkali halides, and Raman spectra, calc. 5=13030
  - Cosserat continuum, number 5=13836
  - crystals, Cauchy relations for 3rd order consts. 5=3801
  - crystals, third-order constants, meas. 5=12441
  - cubic lattices, temp. depend. calc. 5=9513
  - Debye lattice model, and vibr. freq. strain var., Grüneisen model calc. method 5=12265
  - fibre composites, transversely isotropic phases, elastic behaviour, no geometry effect, calc. 5=1492
  - films, adhesive, rigidity, effect of loading 5=1494
  - foam struct. materials, macroscopic, calc. 5=4729
  - gelatin film, rigidity modulus meas. 5=15122
  - glasses, Youngs mod., neutron effects, and alkali content 5=6717
  - graphite irradiated, elastic modulus by u. s. pulse method 5=6718
  - graphite, n effects 5=9552
  - graphite, neutron effects 5=9553
  - graphite, reactor, Young's modulus, effect of stress and annealing 5=15152
- **Elastic constants**—contd
  - ice 5=15164
  - 1, 8-dihydroxyanthraquinone 5=15160
  - paper, modulus, theory 5=12529
  - plagioclase 5=12530
  - polymers of crystalline films and fibres 5=12534
  - polymers, semicrystalline 5=12536
  - solid, isotropic, third-order, elastic-wave scatt. determ. 5=1403
  - solid, stressed, second-order constants 5=12440
  - solids, fourth- and fifth-order 5=12442
  - stressed crystals, and lattice dynamics 5=15029
  - trigonal crystals, Cristoffel eqns. calc. 5=3802
  - zirconia, zero porosity, monoclinic 5=12565
  - $A_2^{I}B^{IV}C_3^{VI}$-type semiconductors 5=12297
  - Al_2O_3, elastic modulus rel. to temp. and grain size 5=6695
  - C, glassy, rel. to heat treatment 5=9625
  - C, pyrolytic, struct. effect 5=6701
  - $CaWO_4$, from acoustic vel. meas. 5=6523
  - CsCl, rel. to coupling coeffs. 5=3927
  - Cu, very pure, Young's modulus var., oscillation amplitude meas. method 5=3841
  - Cu-Pb-Sb, Young's and rigidity moduli 5=6730
  - Cu-Sn (bronzes), from elastic wave vel. 5=6700
  - Cu-Sn-Sb, Young's and rigidity moduli 5=6730
  - Cu-Zn (brasses), from elastic wave vel. 5=6700
  - Fe alloys, rel. to martensitic transformation 5=12008
  - Fe—Al, Young's dynamic modulus, in vacuum, 25° to 1200°C 5=6667
  - Fe—Ni alloys, austenite and martensite 5=1524
  - Fe—Si, Young's dynamic modulus, in vacuum, 25° to 1200°C 5=6667
  - Ge, directional var., calc. 5=6752
  - h-Ge, third order C_{456}, doping effect 5=9549
  - Ge, third-order moduli 5=3849
  - HgTe 5=15171
  - K, pressure derivatives 5=12541
  - K, 4.2° to 195°K 5=12540
  - KCl, pressure derivative meas. 5=15185
  - LiF, pressure derivatives, meas. using u. s. technique 5=6732
  - MgO, single crystal versus polycrystalline, comments 5=1532
  - MgO, single cryst. rel. to polycryst., temp. dependence 5=3862
  - MgO, temp. var. 5=12520
  - Mg_2Si, from sound vels. meas. 5=9373
  - NaCl, pressure derivative meas. 5=15185
  - NaF, pressure derivatives, meas. using u. s. technique 5=6732
  - Nb, Young's modulus, alloying and temp. var. 5=6746
  - Nb-(<17%)Cr-[(<10.5%)Fe], rel. to composition 5=6747
  - Nb—Ti b. c. c. soln., modulus 5=3472
  - Ni, Young's dynamic modulus, in vacuum, 25° to 1200°C 5=6667
  - Pb-Ag, from elastic wave vel. 5=6729
  - PbF_2, 10 Mc/s meas 5=12516
  - Pb-Sb, from elastic wave vel. 5=6729
  - Pb-Sn, from elastic wave vel. 5=6729
  - Pb-Sn-Sb, Young's and rigidity moduli 5=6730
  - Pb-Zn, from elastic wave vel. 5=6729
  - Si, directional var., calc. 5=6752
  - Si, third-order moduli 5=3849
  - SiC, resonance and pulse—echo methods 5=12547
  - SrF_2, 4.2 to 300°K, u. s. study 5=3881
  - TiO_2, 25° to 1000°C 5=6767
  - UO_2—Mo, in bending, rel. to Mo conc. 5=15377
  - **measurement**
    - extensometer for low temp. tensile testing 5=9514
    - fibre composite, inelastic behaviour, overall modulii flow stress, calc 5=1493
    - films, almost incompressible, theory of meas. 5=15122
    - plastics, complex, Poisson's ratio meas. method 5=3803
    - polymers, dynamic modulus meas. 5=12445
    - polymethylmethacrylate complex, Poisson's ratio meas. 5=3803
    - Searle's double pendulum, sources of error 5=6668
    - sheet, rolled, simple meas. technique 5=12444
    - sound insulating materials, complex Young's modulus meas. methods 5=3804
    - by sphere forced vibr. 5=9515
    - third-order moduli of single crystals 5=3849

Elastic constants—contd
measurement—contd
Young's dynamic modulus, in vacuum, 25 to 1200°C, meas. apparatus 5=6667
Young's modulus, dynamic method, using flexural vibrations 5=1495
Cu foil, hard rolled, with deformation bands 5=1517
Elastic deformation
See also Bending; Stress/strain relations; Torsion.
annular disk, piezoelec. radial 5=37
compatability equation 5=7750
cubic crystals, splitting of spectral transitions 5=1556
cubic crystals, theory of finite deform. 5=6666
molec. crystal, tensor deriv. of charac. temp. w.r.t. strain 5=1497
polystyrene, rel. to annealing 5=13088
rigid sphere sliding on elastic half-space 5=36
strip, eigenfunctions calc. 5=7751
synthetic fibres, birefringence meas. 5=4287
Cu, recovery, effect of Al and Be additions 5=3557
Ge, inhomogeneity, by dislocation density meas. 5=6712
Zn, Cd doped, 90 to 573°K, rel. to work hardening parameters, temp., conc. var. 5=3885
Elastic fatigue
apparatus for testing in tension, l. f. sinusoidal 5=15123
crack propagation review 5=9529
cycling resistance, energy criteria, contact friction influence 5=3823
elastico-viscous layer under compression, folding instability 5=6679
fatigue-notch factor, definitions 5=3806
metals, strain range and fatigue life 5=12466
steel, low C, and crystal imperfections 5=6763
testing machine, hydraulic tension-compression 5=1504
Al, cracks, effect of SiO_2 fibre reinforcement 5=9531
Cu, Bordoni peaks, u. s. absorpt. obs. 5=3839
Cu, and crack formation at twins 5=9539
Fe, and crystal dislocation loops 5=9468
Fe, dislocations produced during cyclic loading 5=1468
Fe, no limit for ultrapure b.c.c. 5=12505
Fe–Ni alloys, crystal struct. effects on limit 5=9561
Pb, life, freq. and corrosion var. 5=9563
Ta, H-charged, tension—compression behaviour 5=1548
Zn, S/N curves in reversed shear 5=9580
Elastic limit
See also Slip.
graphite H4LM, to 2750°C 5=12503
Al—Cu, var. with strain rate and temp. activation energy 5=12481
Be, friction stress, and dislocation substructure 5=12484
Be, neutron effects 5=12486
$CaWO_4$ doped with Ce, Nd, Sm or Tb, yield point 5=1467
αCu–Al, Ga, Ge alloys, n irrad., heat treatment 5=9544
Cu—Au alloys, yield stress, rel. to composition 5=12456
ζ Cu–Ge, heat treatment effects 5=9545
Fe, increase by adding Ni, Pt, temp. var 5=12511
Fe, and twinning, 4-300°K 5=12509
Fe, very high for ultrapure b.c.c. 5=12505
Fe, H effects, review 5=6723
LiF, var. deformation rate 5=12515
Elastic losses. See Internal friction.
Elastic relaxation
See also Creep.
alloys, effect of structural stability 5=12449
cellulose, stress-time reln. 5=15180
crystals, temp. gradient effects 5=6671
liquids, viscous, and dielectric relax, n.m.r. 5=9134
paper, stress-time reln. 5=15180
paraffin crystals 5=1537
Ag crystal, Bordoni peak, from 10-50 Mc/s u. s. absorpt. 5=15182
Ag–Cd solid soln., temp. and conc. depend. 5=6755
Ag–In solid solutions, anelastic effect 5=6756
Al, Bordoni peak and dislocations 5=6694
Cd, stress-time var. 5=15148
Cu, fast moving dislocations, frictional force, acoustic attenuation 5=1529
Cu—Au alloys, strain relaxation and short-range order 5=12448
Cu–Mn, fast moving dislocations, frictional force, acoustic attenuation 5=1529
In, stress-time var. 5=15148

Elastic relaxation —contd
KCl, fast moving dislocations, frictional force, acoustic attenuation 5=1529
LiF, fast moving dislocations, frictional force, acoustic attenuation 5=1529
Mo, plastically deformed, rel. to X-ray reflection 5=13062
Mo, stress—time reln., polycrystalline, fibrous, 90-298°K 5=15172
Pb, stress-time var. 5=15148
Sn, stress-time var. 5=15148
Elastic waves
See also Acoustic waves; Seismic waves.
bar, composite, attenuation 5=7828
crystals, mechanical resonances 5=6522
cylindrical, diffraction theory 5=10315
diffraction at circular cylinder 5=13911
diffraction, existence theorem 5=13910
diffraction by obstacle in plate 5=13907
dispersed, attenuation 5=13914
distortional in isotropic medium, polarization 5=10314
eqns., generalized fns. calc. 5=101
and ferromagnetic spin wave instabilities 5=12896
flexural, amplification by semiconductor plate 5=4780
flexural waves, reflection by ridged plate and ice hummocks 5=13908
glass, from thermal fracture, velo. obs 5=12498
granular media, unconsolidated, unsaturated 5=13913
interaction with crystal lattice vibrations 5=12437-8
in layered inhomog. medium, displacement potl. 5=13909
Love surface waves, transmission and refl. 5=13916
magneto-elastic, in antiferromagnetics 5=7177
magnetoelastic oscillations in mag. film 5=7111
in metals, instantaneous surface velocity recording 5=13811
perturbation method calc. 5=13906
photoelastic materials, hypersonic wave excitation by laser coupling 5=9374
propagation in crystals under stress 5=12439
propagation, semi-infinite bar during heating 5=4783
pulse compression in steel strip 5=4779
pulse in semi-infinite medium 5=4778
Rayleigh, transmission and refl. at a corner 5=13917-8
Rayleigh waves, scattering, model surface defects, calc. 5=2092
reflection at rock—water, slate—granite, recalcs. 5=13199
reflection at rough boundary of saturated porous medium 5=4781
solid, isotropic, interactions 5=1403
in solids, wave props. demonstration, due to impulsive loading of bar 5=2093
spherical, reflection from half-space 5=7827
surface wave transmission, linearized theory 5=13915
transversally isotropic media 5=13912
viscoelastic media, spherical waves 5=4782
visco-elasto-plastic strain-hardening body, propagation and reflection theory 5=102
wall flexure, exciting fluid boundary layer waves and turbulence, meas. 5=6061
ADP, internal conical reflection 5=9533
Al crystals, mechanical resonances 5=6522
Ar, solid, velo. temp. var., and interatomic pot. 5=9534
Cu–Sn (bronzes), elastic const. determ. 5=6700
Cu–Zn (brasses), elastic const. determ. 5=6700
Pb–Ag 5=6729
Pb–Sb 5=6729
Pb–Sn 5=6729
Pb–Zn 5=6729
YFe garnet, magnetoelastic waves, polarization reversal at rod end 5=9579
Elasticity
See also Compressibility; Mechanical strength; Stresses, internal; Thermoelasticity; Viscoelasticity.
boundary problem, second, for homogeneous isotropic layer, theory 5=4728
coefficients for wave propag. in stressed crystals 5=12439
covered rollers, line pressure and rolling speed variations 5=34
discontinuity in displacement over half space 5=13839
double-force displ. fields, elastic image correction 5=12453
earth core, and density, models 5=13212
elastic and Kelvin media, large deformations, thermodynamics of irreversible process calc. 5=2037

Elasticity—contd
inclusion in asolotropic infinite medium 5=13835
large displacement, dilatational, shock waves, calc. 5=2036
mechanical hysteresis loss determ. at points of discrete contact 5=1543
micro, non-linear theory 5=7749
oriented polymers, anisotropy 5=3869
phase with surface couples, Murnaghan's formula extension 5=7748
plane theory, vol. var. with temp. calc. 5=15121
rare-earth metals, magnetoelastic props 5=7153
reflection method 5=10236
relativistic theory 5=10256
variational methods of calc., review 5=10228
Ag–In solid solutions, anelastic effect 5=6756
liquids
See also Compressibility/liquids.
hydroelastic soln. of sloshing of liq. in cylindrical tank 5=3290
Elastomers. See Rubber.
Elastoplasticity. See Plasticity.
Elastoresistance. See Piezoresistance.
Electrets
See also Electrostatics.
Carnauba wax, charge decay 5=12808
Carnauba wax, polarization by mag. field 5=7022
contact potential difference, Zisman's probe method 5=1685
ice 5=9716
naphthalene, thermoelectret depolarization 5=15379
photo, theory 5=1695
resins, electric field effects, space charge meas. 5=15382
resins, in elec. field, meas. 5=15382
shellac wax electrets, crystallite orientation 5=6341
state formation, free charge carrier role 5=15390
AgCl, photoelectret state formation kinetics 5=12807
CdS photoelectret state formation kinetics 5=12806
KCl, photoelectret, additively coloured, development kinetics 5=12809
S—mica double layer, photo 5=1684
Electric breakdown. See Breakdown, electric.
Electric charge
See also Space charge.
capacitor switch, max. charge, transfer rate 5=14036
crystal surface, electron diffraction obs. 5=3932
ethylene, π-electronic charge density 5=3033
and gravitational collapse 5=10117
ions in NaCl-type crystals 5=3675
naphthalene, π-electronic charge density 5=3033
pyridine, π-electronic charge density 5=3033
quasi-point charged particles, classical relativistic theory 5=4887
static hazard from blasting cap conversion to electric initiation 5=2197
trans-butadiene, π-electronic charge density 5=3033
Electric discharges. See Discharges, electric.
Electric fields
See also Electromagnetic fields.
air, h. f., space charge form. 5=11662
between dees of cyclotron, as exponential series 5=2549
meas. device, in presence of ionization 5=15773
metals, penetration by 5=1601
relativistic masses corresponding to potential energy 5=4738-9
static, noninteraction with magnetic field 5=14006
effects
alkali halide cpds., electro-X-ray luminescence 5=15589
anisal-p-aminoazobenzene liquid crystals, dielectric props., 6, 24 kMc/s, 5=9137
d. c., reverse current var. in surface barrier detectors, importance of O ions 5=2517
on negative ions, decay and polarization 5=1050
n-pentane, radiolysis, elec. fields effects 5=4414
plasma, ohmic heating, by uniform h. f. field 5=11731
radiolysis of ethane 5=7448
rare gases, influence on scintillation induced by α particles 5=6097
rare gases, radioluminesc. increase in elec. field rel. to electron energy distrib. 5=5965
rare gases, radioluminesc. increase, rel. to electron scatt. 5=5803
Rochelle salt ferroelec. 5=7020

Electric fields—contd
effects—contd
rotating and mag. field, charged particle motion, relativistic soln. 5=4903
sinusoidal field—matter interaction, general theory 5=11477
solids, n.q.r. perturbation 5=7290
water drops, mass loss 5=9079
Al^{27} in Al_2O_3, n.q.r. perturbation 5=7290
$BaTiO_3$, Young's modulus, ΔE effect 5=1511
CdS, cathodoluminesc. 5=9942
CdS, photoelectric losses 5=9742
Cl^{35} in NaCl, n.q.r. perturbation 5=7290
Cs adsorbed layer on refractory metals 5=3524
Ge, elec. cond., rel. to surface 5=15323
Ge, n-type, with Au^{2-} centres, electron capture rate var., at 20°K 5=9673
H_2O, freezing, supercooled 5=9179
NaCl, electron emission, secondary, from films 5=12863
$NaClO_3$, n.q.r., population inversion 5=7294
PbS layers, photocond. and noise 5=12831
Si, surface field effect relaxation 5=15336
ZnS—Cu, photoluminescence quenching 5=15605
Electric strength
See also Breakdown, electric.
No entries
Electrical conduction. See Conduction, electrical; Conductivity, electrical.
Electrical current. See Current, electrical.
Electrical measurement
Entries describing measurement methods for specific electrical quantities and effects may also be found listed under the various headings for the subjects concerned.
contact potential difference, electron interferometry meas. method 5=7911
crystal holder, for high press. investigations 5=15900
current balance, force diagram 5=2187
current monitor for pulsed, high voltage circuits 5=2186
current, 10^{-14}A, using S-95 electrostatic voltmeter 5=14011
currents, 5×10^{-17} to 2×10^{-7}, voltages 0.02 to 200mV 5=14007
dielectrics, spherical, by microwaves 5=14014
diodes, semicond., standard test procedure, IEEE, review 5=1666
e. m. induced forces, recording electrometer 5=14015
e. m. f. small, for small source resistances, instrument input stage 5=14017
electrometer for semiconductor ionization chambers 5=490
Hall effect (multiplier for pulsed operation) 5=2192
high-voltage nanosecond pulses, oscilloscopic recording 5=10413
low temp. high pressure vessel 5=13799
oscillograph, high-speed using ink jets 5=7915
potential dividers, rapid calibration under operating conditions 5=14012
probe, magnetic, response using transistorized circuit 5=11728
pulse-operated tubes, input resistance 5=14010
ratio sets, direct-reading, for audio-freq. admittances comparison 5=4867
Schering bridge loss current, by c.r.o. 5=4868
time-interval readings on oscilloscopes, accuracy improvement 5=10419
units systems and transitions between them 5=7908
voltages, impulse by toroidal compensating coil 5=13009
wattmeter, deflectional, correction factors 5=4870
Electrical properties of substances
See also Individual properties, e.g. Conductivity, electrical; Dielectric properties of substances, etc.
ferromagnetic metals, anomalous 5=3965
ionic and mass electrical transport in mag. field 5=3352
metal—diffuse salt interface, capacitance and struct. calc. 5=1910
metals, elec. field penetration 5=1601
metals, zero-charge potential meas. 5=6832
quantum theory importance in theory 5=12634
rare-earth metals 5=7153

Electrical properties of substances—contd
solids, hopping process magnetoresistance, calc. 5=9614
thermo-e.m.f. and elec. cond. for electron scatt. by optical modes 5=3895
transition metal cpds., and mag. props., conference 5=15262
III—V compounds, review (book) 5=4011
As—Sb semimetal, elec. resist., composition var., versus Bi—Sb 5=15317
Bi, reluctance, anomalous var., at low temps. 5=4013
C granular aggregates, modulation efficiency, prod. process, mech. ageing effects 5=6842
Ca, semicond. nature at high pressures, calc. 5=1579
CdS crystals, a.c. behaviour of damaged surface layers 5=4019
Eu—Se solid solns., and mag. props. review 5=1724
GaP single crystals, vapour-grown on GaAs substrate 5=1564
GaSb, p-type, containing Li, 20°to 400°K 5=9671
Gd—Se solid solns., and mag. props. review 5=1724
Ge, p-type, Be-doped 5=12737
Ge, surface properties, effect of N-ion bombard. 5=12733
H_2, electron diffusion at high fields, meas. and theory 5=6096
HgTe, preparation and electrical properties 5=12745
InSb films 5=12047
Kr, anomalous electronic conduction 5=3271
La—Se solid solns., and mag. props. review 5=1724
Ni-group chalcogenides, calc. 5=15264
PbSe, 100°-420°K 5=12812
$SC(NH_2)_2$, thiourea N electric quadrupole resonance 5=4249
Si oxidized surface 5=12750
Te semiconductor sol., cond., high temp. meas. 5=6197
Tl semiconductor soln., cond., high temp. 5=6197
V_2O_3, at metal—semicond. transition, n.m.r. meas. 5=13011
Xe, anomalous electronic conduction 5=3271
ZnS and ZnSe, in diffused defect centres 5=6598
$ZnSnAs_2$, single crysts., rel. to temp. 5=9690
ZnTe—HgTe solid solutions 5=3443
Electrical units. See Units.
Electricity
decade divider, inductive, low output impedance 5=4877
displacement current demonstration 5=2200
essays on paradoxes 5=7907
microelectronics, conference, Munich (1964) 5=7910
resistors, corona-free damping 5=2185
transformer, superconducting, low efficiency 5=6902
units, electric, and atomic consts., review 5=2182
direct conversion
irreversible thermodynamics method calc. 5=7942
m.h.d., by combustion 5=7935
m.h.d. dynamo, theory of infinite plane liq. layer 5=7929
m.h.d., electron density increase by thermionic emission from powders 5=7932
m.h.d., electron temp. formulae 5=10454
m.h.d. emitter using transition metal borides 5=7937
m.h.d., flame temp., i.r. meas. 5=7934
m.h.d., flame temp., spectral meas. 5=7933
m.h.d. generator, boundary layer problem 5=7930
m.h.d. generator; plasma prod., cond., flow 5=2203
m.h.d., graphite electrode–fluid current exchange 5=7931
m.h.d., Hall effect losses 5=10455
m.h.d., high temp. materials 5=7938
m.h.d. plasma vel. meas. 5=4889
m.h.d., 1000 KW combustion duct design 5=7936
thermionic 5=198
thermionic converter, collisionless model limits 5=7939
thermionic, current oscillations 5=14045
thermionic energy converters, contact potential differences 5=199
thermionic inert gas diodes, Cs-impregnated 5=226
thermionic, no d.c. state, computer calc. 5=2204
thermionic, reviews 5=10453
thermoelectric systems, limitations theory 5=2202
Cs arc, ionization mechanism and electron temp. 5=3115
Cs diode, l.f. oscills. at low cathode temps. 5=4891
Cs diode, spontaneous oscillations 5=2205
Cs plasma diode, CsF addition, efficiency improvement 5=7941

Electricity—contd
direct conversion—contd
Cs plasma diode with external emitter 5=4890
Cs thermionic converter, current oscill., temp. effect 5=200
Cs thermionic energy converters, low press., electron temp. meas. 5=201
Cs—Cd diode, elec. and spectral characts. at low voltage 5=7940
Electroacoustic transducers. See Acoustic transducers.
Electrocataphoresis. See Electrophoresis.
Electrochemistry
See also Chemical analysis/electrochemical; Electrolysis; Electrolytic deposition.
carbides of W, Ti, Ta, Nb, corrosion in acids 5=1909
conductivity, thermal, electrolytes, dilute, interionic effects 5=4398
ionic transport through ion-exchange membrane rel. to chemical reaction 5=6601
polyelectrolytes, fuzzy sphere model 5=3296
semiconductor–electrolyte interface impedance circuit 5=6909
semiconductor—gas, —electrolyte interfacial tension, electrostatic contrib., calc. 5=12703
semiconductors, Dember effect 5=4008
of thermocouples, electrolytic environment, error pot. 5=197
viscosity of electrolytes and ion association 5=6157
Ag halides, thin film elec. conductivity in equilib. with aq. solutions 5=4080
$AlLaO_3$ base solid electrolytes, elec. props, rel. to fuel cell use 5=13174
CdS—electrolyte interface, and tunneling effects meas. 5=15241
CdS—electrolyte soln. interface, pulsed photoeffect 5=12825
$FeO—Fe_2O_3$, liquids, activity and defect models 5=10018
$FeO—Fe_2O_3—Fe_2SiO_4$ liquid, activity and defect models 5=10018
H^+, thermoelectric powers and entropies 5=10017
$MgO—MgAl_2O_4$ liquid, activity and defect models 5=10018
NH_3 anodic oxidation on Pt 5=4401
NaS_2, ion mobility, 200°-800°C 5=15628
Pt wire with current, electrolytic current effect 5=13170
SiO_2 on Si, phenomena, annealing, elec. biasing, doping effects 5=15627
TiN, corrosion in acids 5=1909
electrodes
anodic oxide films, proton space charge 5=9701
charged particle in stationary, inhomogeneous mag. field, adiabatic invariants 5=213
charged powder in gas 5=7995
electron transfer, quantum mechanics 5=1911
electrons in mag. field Wigner representation of quantum operators 5=4755
explosion pulse in wet sand 5=7441
field and particle distrib. problems, evolutional solns. 5=14061
liquid junction potentials 5=7440
materials and reaction kinetics 5=4402
metal—diffuse salt interface, capacitance and struct. calc. 5=1910
metal, zero-charge potential meas. 5=6832
Ag—AgCl, third law potential calc. 5=9101
Fe, passive layer, characteristics meas. 5=13172
Ge, fast surface states, origin 5=4403
H evolution reaction, kinetics, proton tunnelling 5=4397
Hg_2Cl_2, third law potential calc. 5=9101
Pd palladized cathodes, overvoltage component rel. to bubbles 5=7442
Ta_2O_5—solution double layer, proton exchange 5=4404
Ti, passivity by oxide layer, expt. 5=7439
Electro-deposition. See Electrolytic deposition.
Electrodes. See Cathodes; Electrochemistry/electrodes.
Electrodynamics
See also Eddy-currents; Quantum electrodynamics.
acceleration of particles in var. axial mag. fields with space charge 5=10483
action integrals, renormalised 5=10477
adiabatic particle orbits in discontinuous fields 5=10485
adiabatic tracks in mag. field + e.m. oscillations 5=10486
allowed regions of charged particles 5=2219
calculation of forces, scatt., matrix appl. 5=4901

Electrodynamics—contd
- charged particle interaction with current 5=7956
- charged particle in mag. and rotating elec. field, relativistic soln. 5=4903
- charged particle motion in mag. dipole field for energy dissipation 5=212
- charged particle scattering by magnetic irregularities 5=14062
- electron mobility in mag. field, 0-200G 5=10480
- electron reflection, from superconductors 5=1627
- "extremal energy transfer" in electromechanical systems 5=2218
- force between currents from relativistic force between charges 5=10479
- gauge-independent theory of symmetry 5=7743
- high-frequency quasi-potential for charges in mag. field including collisions 5=215
- "hose" instability, in modulated charged particle beam, dispersion relation 5=217
- inertial effect of spin in ferromagnet 5=7957
- levitation force on sphere and excitation inductance 5=10476
- Lorentz—Dirac eqn. of motion allowing for radiation 5=4904
- magneto gas dynamic gas interaction coil Lorentz force meas. 5=10514
- motion of charged particle in inhomogeneous mag. field 5=214
- particle in non-uniform mag. field, drift approx. 5=10484
- pressure of plane wave on charged paricle 5=2220
- quasi-point charged particles, classical relativistic theory 5=4887
- reciprocity by variation 5=10478
- relativistic, Maxwell—Hertz 5=10250
- rotor, magnetically suspended, electronic damping 5=7958
- space charge (electrons or ions) motion through neutral gas, calc. 5=10481
- statistical 5=14063
- vector potential and motion in axisymmetric mag. fields 5=10482

Electroendosmosis. See Electrophoresis.

Electrojet. See Atmosphere/upper; Atmospheric electricity; Ionosphere.

Electrokinetic effects
- See also Electrophoresis.
- acoustic press. transducer 5=2109

Electroluminescence
- anodic oxide film on Al, electrolyte cond. effect 5=7386
- anthracene, recombination 5=13130
- aromatic hydrocarbon solns., in a.c. cell 5=11893
- basic dependences 5=9934
- cells, elec. cond. 5=7414
- diamonds, Destriau effect 5=7390
- emittance, effect of structural parameters 5=1867
- galvanoluminescence, anodic oxide film on Al, in diethylphthalate 5=7385
- panels, oscillographic study of instantaneous intensity 5=4372
- phosphor powders, conductivity fatigue var. 5=6996
- powders, excitation model 5=4341
- in tunnel diodes, metal—semicond. 5=4342
- Ag, very thin layers, new phenomena 5=15275
- Ar-molecular gas, α irradiated 5=9049
- Au, very thin layers, new phenomena 5=15275
- CdS, high-current density injection 5=13104
- CdTe p—n junctions at 77°K, prod. and efficiency 5=1870
- GaAs diodes, thermal-injection mechanism optical generation spectrum 5=13117
- GaAs infrared sources, high-speed 5=4373
- GaAs junctions, diffused, injection mechanisms 5=13115
- GaAs p—n junction, recombination radiation and electron state tail 5=12602
- GaAs p—n junctions, reverse biased, emission 5=4348
- GaAs, radiative recombination excited by electron beams 5=15598
- GaAs transistors, temp. var 5=15596
- $GaAs_xP_{1-x}$ 5=13116
- $Ga(As_{(1-x)}P_x)$, diode, press. depend. of emission 5=9948
- GaP diodes, quantum efficiency, rel. to γ-irrad. 5=4351
- GaAs diodes, electroluminescence, diffusion current role, 78°-298°K 5=7395
- InP p—n junctions, reverse biased, emission 5=4348
- InSb, microwave, in mag. and elec. fields 5=15601

Electroluminescence — contd
- Si, diffusion of impurities 5=6592
- SiC, p-n junctions 5=13126
- $Zn_xCd_{1-x}Te$ p—n junctions, visible 5=4366
- ZnS 5=9982
- ZnS, brightness waves 5=9983
- ZnS film condensers 5=1888
- ZnS films 5=9973
- ZnS, liq. He temps. 5=9979
- ZnS powder, ball milling effect 5=9974
- ZnS, in 300 kG mag. field 5=9985
- ZnS+ reprecipitated Cu, time var. 5=13129
- ZnS: Cu, mechanism 5=9984
- ZnS: Cu, quenched 5=9986
- ZnS: Cu, rise 5=7406
- ZnS: Cu, Al, temp. depend. 5=4367
- ZnS: Mn powders 5=9978
- ZnS : Mn, temp. and field depend. 5=1877
- ZnS: Cu or Mn, temp. var. 5=9981
- ZnS(Mn) films with Cu-rich layer, d. c. 5=9980
- n-ZnSe–(In–Ga) diode, prod. and props. 5=7402
- ZnTe 5=7407

Electrolysis
- See also Conductivity, electrical/liquids, electrolytic; Dissociation/electrolytic; Electrochemistry; Electrolytic deposition; Ion velocity/electrolytic.
- alkaline earth halides, trivalent rare-earth ion reduction 5=1912
- aromatic hydrocarbon solns. and chemiluminescence 5=11893
- electrical structures of interfaces 5=1908
- electrochemical diffusion, 2nd order transport equations 5=10305
- graphite, pyrolytic, etching 5=9271
- heat convection in electrolytes, current var. 5=10373
- ionic solution theory, integral equations 5=10019
- ions formed in electrolytic reductions, evolution, e. p. r. study 5=10020
- for isotope separation, counter-column theory 5=5816
- $CoO–V_2O_5$, for $Co_{1+\delta}V_{2-\delta}O_4$ $(1 \geqslant \delta \geqslant 0)$ growth 5=12126
- Ge, Peltier effect at phase boundary 5=9726

Electrolytes, theory. See Electrochemistry; Solutions.

Electrolytic conductivity. See Conductivity, electrical/liquids, electrolytic.

Electrolytic deposition
- rare earth elements as β-spectroscopy sources 5=8571
- Ni—Fe—Mo films, mag. props. 5=9803

Electrolytic tanks. See Calculating apparatus/analogue apparatus.

Electromagnetic fields
- beams, calc. 5=4942
- coherence functions, 3rd and 4th order, analytical signals use 5=10473
- conservation laws, two new classes, massless fields 5=2022
- dipole in layered medium, asymptote 5=14119
- general relativity, homogeneous nonstatic fields, Rainich eqns. 5=13872
- Maxwell's equations, atomic field 5=10474
- moving dipole 5=14121
- nearly coherent source, measurement theory by photoionization 5=211
- neutron beams, focusing and polarization effect 5=5357
- partially-coherent, theory review 5=2217
- particle motion, rel. to external gravitational fields 5=2041
- in planar stratified media, exact wave functions 5=14060
- plasmas, correlation tensors 5=14760
- quantum treatment as photon ensemble, stationary and random phase solns. 5=2216
- tensor, 4-index 5=4900
- u. l. f., conference 5=10472

Electromagnetic oscillations
- See also Magnetohydrodynamics; Masers; Plasma/oscillations.
- amplifier parametric, ferrimag., with longit. pumping, C band 5=7996
- DPPH, with e. s. r. coupling 5=2253
- klystron, 300-350V, beam current 45-50 mA, power 4-5W 5=240
- light modulation, single sideband 5=2311
- magnetrons and platinotrons, parameters calc. 5=14078
- measurement of impedance 5=14111
- metals, in cyclotron reson. vicinity 5=6823

Electromagnetic oscillations—contd
microwave cavity, for electron loss meas. in NO plasmas 5=14128
microwave cavity, high press., for mag. resonance 5=256
open resonators, field distrib. meas. 5=2255
Osen's extinction theorem 5=10524
quasi-optic resonators 5=14096
r.f. acceleration system for MURA electron accelerator 5=531
r.f. oscillator for nuclear magnetic double resonance 5=264
resonance medium, dielec. susceptibility 5=4985
resonator, dielec. cavity, for e.s.r. 5=255
resonator, perturbation approach 5=10526
resonator, superconducting, 3cm, Pb 5=242
resonators, cylindrical mirror, diffr. losses meas. 5=4947
resonators, dielectric microwave 5=10527
resonators, open, excitation 5=241
YIG sphere orientation for min. temp. depend. 5=10528
Cs diode energy convertor, spontaneous oscillations 5=2205
GaAs , microwave, of current 5=15321
Electromagnetic radiation. See Electromagnetic waves; Gamma-rays; Light; Radiation; X-rays.
Electromagnetic wave propagation
See also Absorption; Diffraction, etc; Plasma/electromagnetic wave propagation.
artificial dielectrics, Faraday rotation calc. 5=7997
around smooth object 5=2256
cavity resonator, v.h.f., matrix analysis 5=14095
convergence, stationary unbounded 5=10535
cubic symmetry crystals, dispersion freq., deformation depend. 5=3939
in dispersive media 5=11709
ferrites, lossy, graphical calc. 5=4949
ferromagnetic metals, spectrum in strong electric field 5=15526
helicon oscillations, proper mode existence 5=6820
interaction with electron beam 5=4951
in liquid, dipolar 5=14860
magneto-ionic theory, large Z, Appleton eqn. 5=14102
medium with inhomogeneities, amplitude and phase fluctuation 5=4803
metals, coupled with acoustic quantum theory 5=15044
metals, Fermi fluid interaction 5=15269
metals in mag. fld, theory 5=15583
metals, quantum theory 5=12637
moon, surface communication 5=2268
in moving dielec., Minkowski electrodynamics calc. 5=14097
near massive imploding bodies 5=4536
negative energy waves in dispersive medium 5=4943
nonlinear medium 5=10534
r.f. signals, amplitude and decay rate analysis 5=10567
random anisotropic irregularities, correlation functions 5=14098
random medium, review 5=2257
sea with rough surface, near and into, v.l.f., l.f. theory 5=13226
in semiconductors or plasma 5=3166
signal and information modulation and band compression methods 5=2190
spatial dispersion effects near critical point 5=7848
statistics, analogies to quantum field theory 5=10533
surface, along cond. plane with magneto-plasma 5=10531-2
transequatorial reception, of v.l.f. transmission 5=13445
two-layer conducting medium, excitation, sferic model 5=15681
n-InSb, Faraday rotation calc. 5=7997
InSb, microwave Faraday effect in n-type, meas. 5=15555
atmosphere
absorption coeff. of mm waves in O_2, mag. field 5=8008
and atmospherics, attenuation, 1-15 kc/s 5=13298
attenuation, between 100 and 140 Gc/s 5=13286
auroral absorption, r.f., nonthermal electron contrib. 5=13392
bright band microstructure obs. 5=13265
earth—ionosphere cavity resonances, 2-layer ionosphere model interpretation 5=4971

Electromagnetic wave propagation—contd
atmosphere—contd
earth—ionosphere guide, microwave model 5=10573
equatorial electrojet, backscatter refutation 5=1942
exosphere, Doppler radiation and v.l.f. emissions 5=15697
exponential atmosphere over plane earth 5=4970
fluxes on oriented surfaces, 300 km 5=247
guided, earth—ionosphere, v.l.f. phase vel. meas. 5=7515
i.r. transmission, press., temp. var. 5=13271
l.f. and v.l.f. propag. in abnormally ionized atmosphere 5=13310
low freq., long distance, wave hop theory 5=8009
Martian atmosphere, microwave absorption 5=4634
persisting propagation after high-altitude nuclear bursts 5=13311
r.l.f. below curved, stratified ionosphere 5=10568
radar echoes, conversion to digital form 5=13258
radiocommunication, 40-1000Mc/s, meteorological factors 5=10078
radio echoes, transequatorial, via exosphere 5=15696
radio emission from shock waves 5=10082
radio noise due to nuclear test 5=15685
rain Z—R rels. from Doppler radioscatter 5=10070
SWF rel. to sun flares 5=15686
and space vehicle tracking, refraction calc. 5=15774
thermal and particle structure, laser radar echo obs. 5=13247
troposphere, coherence theories 5=2265
tropospheric permittivity and wind vel. fields 5=13309
v.l.f. emission periods 5=13305
v.l.f. maximum duration 5=13303
v.l.f., 250-2000 km 5=13395
v.l.f. wave electron scatt. 5=13407
whistler propagation, geometrical optics convergence coeff. 5=7493
whistler propagation in magnetosphere 5=13333
ionosphere
absorption of cosmic noise and electron profiles 5=13488
aerial in plasma sheath, resonances calc. 5=10570
antenna impedance during rocket flights 5=6008
and atmospherics, v.l.f. bursts 5=15683
aurora, absorpt. and precipitated electrons 5=7514
aurora absorption var. and earth currents 5=15745
auroral zone absorption events, South Pole 5=13394
breakdown alteration of electron density calc. 5=15734
calculation, l.f. lower ionosphere 5=8013
compressible plasma, dielec. boundary 5=3164
compressible plasma theory 5=8011
cosmic noise, polar cap absorpt., 53.4°N latitude 5=10087
cross-modulation, microscopic theory 5=14125
cross-modulation theory 5=4494
cyclotron harmonics at topside sounder, local effect? 5=13544
D absorpt., quiet and disturbed, theory 5=4496
and D electron densities and collision freqs., l.f. obs. 5=7526
D-region, 2 Mc/s absorpt. 5=13494
D-region v.l.f. reflection height, solar flare effect 5=15735
D, v.l.f., and solar flares 5=15737
deviated path scatter, Pinwheel obs., 12-30 Mc/s 5=15724
diurnal and seasonal var., 164 kc/s 5=15733
E-region, gyro interaction, oblique incidence calc. 5=15742
E-F-regions, swept freq. signal amplitude var. 5=15743
earth—ionosphere cavity reson. calc. 5=13444
earth—ionosphere cavity resonances, 2-layer ionosphere model interpretation 5=4971
earth—ionosphere guide 5=2267
earth—ionosphere guide, microwave model 5=10573
earth—ionosphere waveguide, v.l.f., depression effect 5=10569
equivalent lightning channel, angle of inclination, reflected e.m. waveform calc. 5=4474
and explosion, nuclear Starfish sudden absorpt. 5=13614
and explosions, nuclear, 834 kc/s obs. 5=13471
and explosions, nuclear, high, neutron effects 5=13483
above F layer, aerial beam width, conical aperture calc. 5=4684
F_2, irregularities rel. to high multiple reflections 5=10094
fading, amplitude, space props. 5=7523

- **Electromagnetic wave propagation**—contd
  - ionosphere—contd
    - field, complete mode sum for l.f., v.l.f., e.l.f. 5=2267
    - fluctuations in absorpt. at conjugate stations 5=1947
    - focussing of extraterrestial radiation for immersed aerial 5=8010
    - guided, earth—ionosphere, v.l.f. phase vel. meas. 5=7515
    - h. f. times, precise determ. 5=13532
    - isotropic—gyrotropic interface, surface waves due to e. m. source, dispersion rels. 5=2266
    - and magnetic storm pre—SC, f$_0$F$_2$ 5=13593
    - maximum usable and critical frequencies 5=8015
    - in multicomponent plasma with static mag. field 5=11705
    - non-linear electron distrib., complex dielec. permitt. calc. 5=15728
    - nonlinearity problems 5=14126
    - optical radiation excitation calc. 5=15729
    - PCA and solar flare α's calc. 5=13431
    - phase—amplitude interaction for low regions obs. 5=13478
    - polar-cap-absorpt. events, rel. to cosmic-ray intensity var. 5=11167
    - polarization, mag.—elec. field relns., magneto—ionic coupled wave eqns. calc. 5=4972
    - r. f., aspect-sensitive reflections in F-region 5=10091
    - r.f. during solar eclipse 20 July 1963 5=4497
    - r. l. f. below curved, stratified ionosphere 5=10568
    - r. l. f. constitutive relations for lower ionosphere 5=10572
    - radio reflection by moon, effects 5=15828
    - radio-star Cygnus A scintillation meas. 5=15722
    - radio-star scintillation, versus satellite, irregularities meas. 5=15723
    - radio waves, magnetoionic components 5=10571
    - radio waves, in magnetoionic theory 5=14103
    - radio waves refl. from ionosphere, periodic fading curve shape 5=4973
    - reflection, partial, for electron density and collision obs. 5=13477
    - refractive index calc. 5=13435
    - resonant freqs. of earth—ionosphere cavity 5=248
    - satellite scintillations, statistics at subauroral latitude 5=13663
    - satellite signals, fluctuations 5=13664
    - scintillation producing irregularities height 5=13508
    - slow var. and pulsation in auroral zone, due to electron precipitation 5=13427
    - trans-equatorial v.h.f. meas. 5=15725
    - transverse region magnetoionic calc. 5=13448
    - v. l. f., between earth and ionosphere, convergence coeff. 5=14124
    - v. l. f. emissions triggered by transmitted whistlers 5=13449
    - v.l.f. noise bands, Alouette I meas. 5=15726
    - very strong wave nonlinear interaction, self-distortion meas. 5=15727
    - whistler propagation, geometrical optics convergence coeff. 5=7493
  - **guided waves**
    - aerial directivity, and lunar radio emission correction 5=13742
    - analogy of iris beam with Fabry—Perot interferometer 5=325
    - anti-Stokes radiation, in Raman liquids 5=14145
    - coaxial, rectangular lines, corner capacitance tables 5=4950
    - in dielectric slab, hollow wedge and hollow core 5=14120
    - discontinuities, scatt. matrix analysis 5=10552
    - dispersion of carrier wave, in waveguide 5=14122
    - earth—ionosphere cavity resonances, 2-layer ionosphere model interpretation 5=4971
    - earth—ionosphere, microwave model 5=10573
    - excitation by moving charged filament Weiner—Hopf 5=8007
    - ferrite-filled waveguides, finite amplitude waves 5=8006
    - ferrite in waveguide, scattering 5=245
    - grooved 5=10556
    - impedance perturbation and coupling 5=4969
    - light, directional control for communication 5=2323
    - and linear electron accelerator optimum phase vel. calc. 5=8351
    - mm band, small powers absorpt. meas. 5=14127
    - measurement of impedance 5=14111
    - microwave mode transforming elements, transmission factor alteration 5=14123

- **Electromagnetic wave propagation**—contd
  - guided waves—contd
    - microwave power meas. with electron beam probe 5=14099
    - miter elbow for circular elec. modes in oversize cylinder 5=10555
    - oversized, quasi-optical theory 5=10554
    - periodic guide iteration 5=14110
    - plasma waveguide, fed by cathode gun 5=14777
    - plasma waveguide, solid state, theory 5=10557
    - quasimodes, review 5=4964
    - rectangular waveguides, fields and propag. const 5=8004
    - ring, dispersion calc. 5=4968
    - ring and helical, calc. from grating diffr. 5=4957
    - surface, multimode theory 5=10553
    - transmission line with losses, amplitude calc. 5=246
    - twisted transverse-wave couplers, coupled-mode theory 5=2262
    - waveguide admittances, radiating into plasma 5=10558
    - waveguide cutoff wavelengths 5=10560
    - waveguide, 4kMc/s, reference noise source, He-cooled 5=8005
    - waveguide, with glide refl. symmetry 5=10559
    - waveguide, helical, e. m. wave propagation 5=4966
    - in waveguide, matched 5=11709
    - waveguide, and radiation from charge 5=10561
    - waveguide, radiation from point charge 5=10562
    - waveguide with resistive walls, fields prod. by electron beam 5=2263
    - waveguides, anisotropic and inhomogeneous, microwave propagation 5=4967
    - waveguides, nonuniform, with impedance walls 5=4965
- **Electrometers.** See Electric charge.
- **Electromagnetic waves**
  - See also Diffraction; Reflection, etc.; Light/electromagnetic theory.
  - amplification in moving media 5=2025
  - coexistence, photons, interaction on receiver 5=237
  - coherence theory developments, review 5=2217
  - diffraction by cylinder of plasma 5=6004
  - for electron beam focussing, slow wave 5=7962
  - excitation in nonlinear medium 5=10534
  - extended source magnetoacoustic Cherenkov radiation 5=14094
  - generator, for r.f. line pulse, 30-40 MW 5=7920
  - ionization of atoms and solids 5=5955
  - man-made interference, extreme l. f. 5=2249
  - microwave band, designation symbols 5=10523
  - microwave meas., signal-to-noise ratio improvement 5=14117
  - mode mixing in nonlinear media 5=14093
  - negative energy waves in dispersive medium 5=4943
  - obliquely incident, plane, interaction with electron beam 5=4951
  - plasma microwave power density detector 5=6016
  - polarimeter-ellipsometer with no rotating joint 5=8016
  - polarization effects in magnetic resonance, review 5=8017
  - and quantum many level system density matrix 5=10281
  - Ritz emission theory criticisms 5=5028
  - transformation of small-signal energy and momentum 5=2024
  - u. l. f., conference 5=10472
  - X-band freq. stabilizing system 5=7919
  - **radiators**
    - aerial, lossy time, above earth, radiation pattern calc. 5=8002
    - aerial, mag. dipole, in conical sheath, field 5=10563
    - in anisotropic media, elec. dipole 5=2250
    - annular aerial corrections 5=1988
    - antenna, insulated loop, in conducting medium 5=4962
    - antenna interaction with hot plasma 5=6008
    - antenna, loop, radiation field 5=2264
    - charged particle synchrotron radiation in dipole mag. field, rel. to radioastronomy 5=2252
    - Cherenkov, modulated electron beam leaky space charge waves 5=14397
    - Cherenkov, plasma—electron beam 5=10529
    - circular aperture, asymmetric phase effects 5=10225
    - confined sources in anisotropic regions, refractive index diagram method calc. 5=10226
    - diffraction, multifrequency 5=10565

Electromagnetic waves—contd
- **radiators**—contd
  - dipole, grounded electric, input impedance 5=14118
  - dipole in layered medium, field asymptote 5=14119
  - dipoles, broad band slit 5=10564
  - electrical and magnetic multipole radiation, source system structure 5=238
  - electron beam, Cherenkov and Smith—Purcell 5=10530
  - end-fire array 5=8003
  - end-fire dipole array; modified Hansen—Woodyard condition 5=4963
  - ferrites, microwave, mag. field var. at ferrimag. reson., calc. 5=1784
  - ionosphere dipole impedance meas. 5=10086
  - in ionosphere, dipole impedance meas. 5=13473
  - lightning, 420, 850 Mc/s, 10-30km away 5=13296
  - loop in dissipative medium 5=14116
  - magnetic ring source, Sommerfeld wave excitation efficiency 5=4944
  - magnetron, design and calc. 5=239
  - millimetre wave generation, review 5=4946
  - moving dipole fields 5=14121
  - in moving simple medium, pattern calc. 5=4945
  - nuclear explosions, Kompaneets model 5=5598
  - oscillator, high stability transistorized 5=10525
  - plasma-covered slot, magnet field effects obs. 5=14115
  - in plasma, line mag. current source in mag. field 5=14732
  - in plasma, loop in magnetoionic plasma, resistance 5=14112
  - in plasma, m. h. d. two-fluid approach 5=14724
  - in plasma, moving linear charge in electron plasma in mag. field 5=14723
  - into plasma, waveguide, admittance calc. 5=14114
  - into plasma, waveguide slot into stratified plasma, admittance calc. 5=14113
  - point charges in waveguide 5=10562
  - stars, neutron, oscill. 5=4554
  - transient field due to aerial near boundary between two half spaces 5=4961
  - whistler generation by helical electron beams 5=2251
  - GaAs n-type, microwave emission in 60V cm^{-1} elec. field 5=4022
  - InSb, ⩾ 6 kMc/s 5=6928
  - InSb, microwave emission in mag. and elec. fields 5=15601

Electromagnetism
- See also Electrodynamics; Quantum electrodynamics.
- field from conductor of rectangular cross-section 5=14059
- levitation force on sphere and excitation inductance 5=10476
- Lorentz invariance proof 5=13853
- Maxwell's eqns., statistical derivation 5=14058
- Maxwell's equations, averaged atomic volumes 5=210
- Maxwell's relations calc. 5=2215
- Onsager relations for linear media 5=10475
- Procopiu effect, appl. to anisotropy of wires and thin films 5=1731
- relativistic theory, quantization 5=13873
- vectors, contravariant 5=13854
- Nb_3Sn ribbon, electromagnetic performance 5=4898

Electromagnets. See Magnets.

Electromotive force
- No entries

Electron annihilation. See Electron pairs/annihilation.

Electron beams
- See also Electron optics; Particle accelerators.
- average energy, Cherenkov radn. diffr., polarization plane rotation methods meas. 5=10487
- behaviour under magnetic compression 5=4910
- broadening due to relaxation processes, mag. field effects 5=4915
- Cherenkov radiation on modulation, leaky space charge waves 5=14397
- crossed-field, noise propag, transmission line sol. 5=7925
- current integrator, from linear accelerator 5=10961
- data-destination determination, altered shadow method 5=220
- from discharge, plasma temp. 5=3229
- dose monitor for linear accelerator 5=2544
- electron–ion, neutral, magnetic barrier penetration 5=8992
- energetic electrons from beam–plasma overstability 5=6050

Electron beams—contd
- extraction from microtrons 5=10964
- gun, pulse, for high current density beam control 5=14066
- gun, toroidal, hollow beam 5=4912
- hollow, focused gun from section of concentric toroidal diode 5=227
- "hose" instability, in modulated beam, dispersion relation 5=217
- injector for MURA electron accelerator 5=527
- injector for orbital accelerators 5=10962
- instability, in periodic and uniform mag. fields 5=7959
- interaction with obliquely incident plane e. m. wave 5=4951
- linear accelerator, outlet device 5=10960
- measurement probes for MURA electron accelerator 5=533
- mono-energetic prod. by e.s. lens with 3 electrodes and diaphragm 5=4920
- multiturn injection in MURA electron accelerator 5=528
- MURA 50 MeV electron accelerator 5=519-33
- parameters, meas. device 5=10490
- "paraxial and conical" focussing 5=7961
- plasma—beam amplifiers and oscillators, design problems 5=2254
- polarized by optical pumping 5=4914
- position monitor for accelerators 5=10950
- probe, microwave power meas. 5=14099
- r. f. acceleration system for MURA accelerator 5=529
- relativistic, velocity modulation 5=219
- resistive instabilities of intense beams in accelerators 5=14373-4
- scanner, rotating half ellipse for 2 dimensions 5=10508
- stability in periodic static electric and magnetic fields 5=4911
- synchrotron light emission, 180 MeV 5=10963
- thermal velocity effects in thick steady beams 5=4905
- transverse modulation with axial mag. field, interception noise calc. 5=4913
- velocity distrib. meas 5=14065
- velocity-modulated, ion-focusing effect 5=222
- in waveguide with resistive walls, fields prod. 5=2263
- in He, production and effects 5=2221
- in KCl and KBr, energy losses rel. to optical props. 5=15259
- NaF, energy losses 5=15260
- **absorption.** See Electrons/absorption.
- **effects**
  - See also Beta-rays/effects.
  - air, N_2 spectrum, 50 keV 5=2975
  - in alkali fluorides and alkaline earth fluorides, thin films, electron penetration depth 5=1488
  - atomic excitation, coherent precession, mag. depolarization 5=11451
  - bombardment of H beam, narrow Balmer line prod. 5=890
  - Cherenkov negative absorp. rel. to plasma longit. wave amplification 5=8999
  - Cherenkov radiation in plasma 5=10529
  - Cherenkov radiation from uniaxial crystals 5=10995
  - cyclotron and plasma wave interactions between beams 5=10489
  - desorption of CO from W 5=3509
  - diamond, plastically deformed, absorpt. spectrum 5=9902
  - 8, 8-dicyanoheptafulvene, mass spectrum and struct. 5=14655
  - dielectric conduction obs. 5=9144
  - drilling, compared to laser, review 5=4698
  - ferrocene, very pure, H, Fe, and hydrocarbon products yields 5=3790
  - field emission techniques, semipop. review 5=4128
  - in film deposition, bombardment evaporation of Al_2O_3, MgO and SiO_2 5=3499
  - gas pressure meas. by scattering 5=14818
  - gases adsorbed on W 5=14957
  - graphite, reflection coeff., energy var. 5=9512
  - helical, whistler wave generation 5=2251
  - interaction with plasma in TWT at 4 to 5 Gc/s 5=4923
  - ion–cyclotron wave amplification 5=3214
  - ion impact, fragment kinetic-energy distrib. 5=3125
  - metal surfaces desorption, low energy 5=3508
  - methoxy-dicyanoheptafulvenes, mass spectrum and struct. 5=14655
  - microelectronics, beam processes, conference 5=7691
  - metals, reflection coeff., energy var. 5=9512
  - molecular vibration, by thermal energy transfer 5=2931

Electron beams—contd
- **effects**—contd
  - plasma instability 5=11756
  - in plasma, interaction, nonlinear theory 5=11677
  - plasma oscillations, quasilinear theory 5=3202
  - polymers, free radical e. s. r. saturation 5=14665
  - polythene and styrene, craft copolymerization ageing 5=4415
  - propane, ion mass spectrum and energies 5=14700
  - quartz, rotary power 5=7359
  - radiolysis 5=10027
  - semiconductor device microminiaturization 5=15350
  - semiconductors, low temp. liquid N_2 circulation system 5=2167
  - solar cells 5=12837
  - vacuum ceramic terminal welding 5=9070
  - vacuum metal systems ceramic terminals, welding 5=9071
  - X-ray prod. in thick targets, calc. 5=8190
  - X-ray spectra, data collection 5=2894
  - Al films, excitation $L_{II,III}$ levels 5=6828
  - Al films, surface plasma loss dispersion 5=15257
  - Al_2O_3 films, excitation $L_{II,III}$ levels 5=6828
  - Be_2C and BeO, re-formation of Be 5=10025
  - C^+ ion production, CO_2 bombardment, isotope effect and fragment k.e. meas. 5=5959
  - CaF_2, YF_3 doped, rel. to d^1 electron levels 5=6793
  - Cd atom excitation, 5^3P_2 metastable level, study 5=5753
  - Cd, light emission, and energy loss calc. 5=13035
  - Cs plasma, radiation from oscillations 5=3165
  - Cu, directional effects 5=12350
  - Cu, displacement threshold energy and focuson-impurity interaction 5=3786
  - Cu, irrad., annealing of resistivity, elec. 5=12349
  - Fe^{57}—Ni, irrad., Mössbauer effect study 5=6252
  - GaAs, fluorescence under intense excitation 5=4349
  - on GaAs, laser pumping 5=2297
  - $GaAs_{1-x}P_x$ semiconds., recomb. scheme and intrinsic gap var. 5=4350
  - GaSb, laser prod. 5=2299
  - Ge, e. s. r. 5=12988
  - Ge, impurity photoconductivity 5=4112
  - Ge, irrad., photoconductivity spectra 5=12352
  - Ge, 10-55 MeV, carrier lifetimes 5=3904
  - Ge, n-type, 5 to 45 MeV 5=15325
  - In, light emission, and energy loss calc. 5=13035
  - InSb, magnetoresistance 5=9679
  - KCl, hardening and coloration 5=12542
  - LiF, films, damage 5=15118
  - N adsorption by metals, gas activation 5=6325
  - N_2 spectrum, 50 keV 5=2975
  - N_2^+ excitation, first negative band 5=955
  - N_2—He, collisions and N_2 afterglow 5=11609
  - Na Cl—$CaCl_2$ films dislocations and precipitates, helical climb meas. 5=3760
  - $NaNO_3$, e.s.r. 5=7253
  - Si diffused-junction detectors damage 5=4053
  - Si, electron—hole pair generation 5=5270
  - Si, Li effect on recomb. 5=15220
  - SiO_2 film prod. by bombardment of triphenylsilanol and oxidation 5=12051
  - U, α-phase, elec. resistivity 5=12655
  - W, Lα radiation intensity 5=8768
  - Zn, on deform. in presence of surface-active metal melts 5=1552
  - Zn, light emission, and energy loss calc. 5=13035
- **ionization**. See Electrons/ionization.

Electron capture. See Ions/recombination; Radioactivity/electron capture.

Electron diffraction
- Fresnel fringes, appl. to local filament dia. in electron biprism 5=4918
- information retrieval 5=8787

Electron diffraction crystallography
- See also Crystal structure, atomic.
- calcite, dielectric relaxation due to captured electrons 5=1354
- intensities, temp. influence 5=12182
- interplanar spacing meas., reference method 5=12178
- interplanar spacings by selected area diffr. 5=12179
- for lattice const. determ. 5=3615
- lattice, distorted, Schrödinger eqn., soln. for N-beam case 5=1557

Electron diffraction crystallography—contd
- matrix form theory for thick cryst. 5=12181
- precision det. of lattice consts. 5=9321
- pulsed-beam low energy apparatus, for rapid meas. 5=1323
- review 5=3612
- selected area diffraction 5=6403
- twin reflections, anal. 5=15005
- two-beam approx., with complex atomic form factors 5=3618
- Al, dynamical intensities, effect of temp. 5=15007
- CuAu II-type superlattice films, satellite reflections, versus X-ray diffr. 5=3616
- Ni (111), back-reflected intensity, wavelength dependence calc. 5=3617

Electron diffraction examination of materials
- crystal imperfections, dark field 5=9441
- crystal stacking faults, diffraction contrast obs. at π 5=9485
- crystal surface, electron energy levels 5=3932
- graphite, surface props. 5=3482
- interferometric meas. of inner potentials of Al, Cu, Ge 5=6400
- Kikuchi line analyses applications 5=3613
- magazine for electron diffractograms 5=6402
- metal foils, cold-worked, pattern radial streaking 5=9301
- metal foils with precipitates, defect and struct. strong pattern prod. method 5=6401
- molecules in gases, planetary electron corrs. 5=5838
- patterns containing twin reflections, calc. 5=12180
- pulsed-beam low energy apparatus, for rapid meas. 5=1323
- tourmaline, anomalous, rel. to pyroelectricity 5=4097
- Ag films, stacking faults 5=3766
- Al, polycryst. films, diffr. intensity, comparison with theory 5=6404
- Au films structure, vacuum deposition temp. effects, versus X-ray diffr. exam. 5=6322
- Cu, cold-rolled orientation, selected points obs., versus X-ray method 5=3588
- TaO (111) on Ta (110), low energy study 5=13158
- U—1. 6% Mo alloy, γ′-phase detect. selected area method 5=14910
- UO_2 monocryst. films, interstitial positions of O atoms 5=15022

Electron emission
- See also Fluctuations/electrical; Photoelectricity.
- alkali azides, exo-electron emission 5=7384
- conference, Keele, 1965 5=12838
- detection, with GM counters, effect of electro-negative gases 5=9746
- measurement, with point counter, effect of quenching vapour 5=8317
- microscopy review 5=14071
- release by all processes, review 5=4122
- semiconductors, applied voltage in vacuum, review 5=7047
- Al, and surface purity, traps and light 5=12848
- Cu, exo, after plastic deform. 5=15414
- Ge, cleaned, effect of O_2 5=7056
- Ge, energy gap, phonon and ionization scatt. effects 5=7047
- Si, energy gap, phonon and ionization scatt. effects 5=7047
- Si, hot surfaces 5=4126
- Si p—n junction, hot electron spectrum 5=15412
- Si, with BaO surf. adsorption 5=15413
- SiC, energy gap, phonon and ionization scatt. effects 5=7047
- **field emission**
  - electron tunnelling with diffuse boundary conditions 5=1707
  - metal—insulator—metal, Schottky emission mechanism rel. to energy bands 5=1706
  - microscopy, emitter tip prep 5=7966
  - Nottingham effect, heat and cooling domains 5=7048
  - photomultipliers, props., mechanism and expt. reduction 5=4142
  - review, semipopular 5=4128
  - semiconductors, organic, whiskers 5=9747
  - CdS—electrolyte interface, and tunneling effects meas. 5=15241
  - Ge, energy distribution 5=4129
  - Ge, high resistivity, 293° and 80°K 5=4130
  - Ge on W, and surface migration 5=12840
  - Mo, and surface atomic migration activation energy 5=12034
  - Si, energy distrib. 5=12841
  - Si n—p reverse-biased junction, efficiency decrease with time due to oxide layer 5=7046

- **Electron emission** —contd
  - **field emission** —contd
    - Si, n-type, hot electron emission 5=15415
    - ZnS films 5=9973
  - **photoelectric**
    - air, and laser absorpt. 5=9046
    - alkali halides 5=9751
    - cathodes, X-ray emission energy struct. 5=15417
    - current, noise 5=9749
    - energy distribs. meas. by a. c. method 5=4132
    - γ-irrad., in vacuum cavity chamber 5=15419
    - for γ transition intensity meas. 5=14470
    - internal and photocond. and photomag. spectral var. 5=12847
    - metal foils 5=12846
    - negative ion photodetachment cross-section 5=11455
    - review, solid-state problems 5=15416
    - semiconductors, internal quantum yield 5=15420
    - triglycine sulphate crystals, spontaneous polarization effect on exoelectron yield 5=4127
    - tunnel diodes, barrier shape determ. 5=15360
    - vacuum spherical electrodes, γ irrad. 5=7059
    - due to X-rays, temp. var. for crystals 5=13020
    - Ag, quantum yield, energy distrib. 5=4135-6
    - Ag in He discharges, low-pressure 5=9750
    - AgBr, props. 5=7400
    - Ag—O—Cs photocathode, optical and electronic props. 5=13074
    - Al, sensitized emission during oxidation 5=1710
    - Al stretched strips, exo-emission depend. on surface state 5=4125
    - Al, and surface purity 5=12848
    - Al, 300-1300 Å 5=7058
    - Au films, vectorial effect 5=15421
    - BaF$_2$ crystals, 6-14.5 eV 5=7329
    - C$^-$, effect of continuum correl., theory 5=5789
    - CaF$_2$ crystals, 6-14.5 eV 5=7329
    - CdS, energy band structure, 6.0-11.5 eV meas. 5=15230
    - CdS, quantum yield calc., pulsed light method 5=4133
    - (CsPb)$_3$Sb layers, props. 5=1711
    - Cs$_3$Sb, double-photon, laser beam irrad. 5=4134
    - Cs$_3$Sb semicond. films, rel. to band bending effects 5=3918
    - Cu, emission potential meas. in mag. fields 5=7055
    - Cu, quantum yield, energy distrib. 5=4135-6
    - Cu—Ba 5=12843
    - Fe, emission potential meas. in mag. fields 5=7055
    - GaAs, (110) surfaces, threshold, yield, energy distrib., rel. to (111) Si and Ge 5=7057
    - Ge, (111) cleaved surfaces 5=4137
    - In, emission potential meas. in mag. fields 5=7055
    - InSb, (110) surfaces, threshold, yield, energy distrib., rel. to (111) Si and Ge 5=7057
    - Na, double quantum 5=9752
    - Ni, 304 to 1216 Å, angle of incidence var. 5=7054
    - SiO, doped with Ge or Al 5=15422
    - Ta, laser prod., var. background gas press. 5=12845
    - Ti and Ti–D surfaces, laser induced 5=7053
    - W, 304 to 1216 Å, angle of incidence var. 5=7054
    - W, 400 to 1200 A, processing effect 5=1712
    - W, W–Tl, Pt, by giant-pulse laser beam 5=7052
    - Zn, laser prod., var. background gas press. 5=12845
  - **secondary**
    - alkali halide cryst. cleaved in high vacuum 5=4147
    - alkali metals, single charged ions, coeff. meas. 5=1715
    - by contamination reduction of double-wall construction 5=9760
    - dielectrics, coeff. meas. 5=15426
    - in diode magnetron, rel. to space charge, calc. 5=7971
    - distribution, statistical, in windowless multipliers 5=4145
    - glass, statistics 5=4148
    - molecular crystals 5=12861
    - monitor, as linear accelerator electron beam dose monitor 5=2544
    - multiplication, statistics 5=7060
    - noble gas, singly and doubly charged ions coeff. meas. 5=1715
    - probability distrib. determ., by multistage electron multiplier 5=4146
    - by slow ions, kinetic energy distrib. rel. to electron–electron interaction in solid 5=7067
    - and work function 5=12860
    - CdS 5=7063
    - Cr films on W, elastic refl., surface effects 5=7065

- **Electron emission**—contd
  - **secondary**—contd
    - Cu, knock on from fast μ, ang. var. 5=12862
    - Cu, by Ar, and sputtering, ang. var. 5=7066
    - I, mol. crystal theory calc. 5=12861
    - In, spectrum, no change on melting 5=12864
    - Mo, kinetic ejection by Cs ions 5=7064
    - Mo, by Ar, and sputtering, ang. var. 5=7066
    - NaCl films, field enhanced 5=12863
    - Ni (111) face, Auger ejection by ion bombard 5=7068
    - Ni, by Ar, and sputtering, ang. var. 5=7066
    - Pb, knock on from fast μ, ang. var. 5=12862
    - Re 5=4149
    - Sn, spectrum, no change on melting 5=12864
    - Ta, elastic reflection surface effects 5=7065
    - W, by Ar, and sputtering, ang. var. 5=7066
    - W, elastic reflection surface effects 5=7065
    - W—Hf alloys 5=4150
  - **thermionic**
    - See also Cathodes.
    - application fields and alternatives 5=12839
    - cathode, porous 5=1709
    - for electricity, direct convertor, electron density increase, with powder 5=7932
    - for electricity, direct convertor, m.h.d., transition metal borides 5=7937
    - plasma, emission from hot particles 5=3187
    - refractory cpds. on metal backings (12) 5=7051
    - refractory metals in alkali metal vapours, crystal face and adsorption influences 5=4131
    - semiconductors, rel. to electron distrib. function 5=12842
    - thermionic converter 5=7939
    - Ag, very thin layers, new phenomena 5=15275
    - Au, very thin layers, new phenomena 5=15275
    - Cu—Ba 5=12843
    - KCl, colloidal particles, rel. to excess conductivity 5=12793
    - NaCl, Cu doped, X-irrad. effect 5=9962
    - Ni, ultra-pure, Ba coated, in emission microscope 5=1708
    - Si n—p reverse-biased junction, efficiency decrease with time due to oxide layer 5=7046
    - UC, temperature characs., Cs vapour effect 5=7049
- **Electron energy states.** See Crystal electron states.
- **Electron gas**
  - See also Metals/theory; Plasma; Solids/theory; Superconductivity.
  - disordered system, density of states and Boltzmann eqn. 5=6797
  - electron—ion gas, phonon damping 5=3197
  - e. m. radiator, moving linear charge, in mag. field 5=14723
  - extended random phase approx. 5=92
  - free, discussion 5=669
  - inhomogeneous, ground state, universal density function 5=90
  - inhomogeneous, quantum density oscillations 5=10297
  - inhomogeneous, thermal properties 5=10296
  - at metallic densities, correlation energy 5=1588
  - metallic densities, perturbation calc. 5=3948
  - metals and alloys, effect of small periodic potential 5=1587
  - metals, collective and individual behaviour, separation 5=6818
  - metals, electron—electron interaction, props. var. 5=12628
  - in metals, ground state energy 5=15248
  - and molecular crystal excitons 5=3940
  - plasma oscills., long wave, in mag. field 5=6032
  - and polymer crystals, e. m. absorpt., hypochromism theory 5=4282
  - in positive background, nonequilibrium kinetic theory 5=91
  - reduced density matrices and time reversal invariance 5=7811
  - renormalization constant in high density limit 5=10295
  - solid in mag. field, plasma and helicon reson., calc. 5=3950
  - statistical sum, collective variables, transition function 5=7810
  - supercond. BCS states approx. 5=89
  - thermal radiation spectrum collective corrections 5=10288
  - ultrasonic attenuation, fluid dynamic approx. 5=3682
  - Be, and crystal lattice mech. 5=9368
- **Electron guns.** See Electron beams.
- **Electron lenses**
  - See also Electron microscopes; Electron optics.
  - aberration and transmission electron microscope resolution calc. 5=14074

Electron lenses — contd
  electromagnetic, field distrib. along symmetry axes 5=2223
  non-spherical, terminology 5=14068
  objective for spectral time scans, bicylindrical 5=10492
  quadrupole, spherical aberration from trajectory equn. including third-order terms 5=223
 electrostatic
  in accelerator, current density increase 5=10954
  cylindrical, aberrations, and transaxial system calc. 5=14070
  and effective potential method calc. 5=14069
  for mono-energetic prod., 3 electrodes and diaphragm 5=4920
  periodic, max. current 5=224
  velocity filter, 5-electrode 5=10493
 magnetic
  No entries
Electron microscope examination of materials
  autoradiography, use of Lippmann-type emulsion 5=5107
  ferrite sideplates, in Fe—C, thermionic emission study 5=1317
  graphite, meteoritic and artificially shocked 5=6412
  metal specimen sample preparation 5=9303
  polyethylene, dislocations 5=3756
  sapphire, wear surfaces 5=3877
  solid solutions, dislocation pairs, order detection 5=1245
  Al—Al_2O_3 SAP-type alloys, microstruct. 5=3585
  Be oxide, image overlap, in defect cluster density meas. 5=12400
  CdS, dislocations in crystals 5=3747
  CdS, CdSe, evaporated layers, microstruct., effects of annealing conditions 5=3587
  Co magnetic film domain edge flux closure rel. to images 5=9784
  Cu—Ga, f. c. c. alloys foils, stacking fault intersection fringes 5=3767
  Fe, prismatic dislocations 5=15096
  NaCl aerosol particles, method 5=3386
  NaCl, surface structs. 5=12037
  Ni—Al surfaces 5=6414
  Ni—Cr, microstresses, dislocation pile-ups 5=3754
  Ni—Ti surfaces 5=6414
  Si controlled rectifiers, diffusion zones, effect on elec. props. 5=9697
  Si films 5=14991
  Si surface layers 5=12152
  Si transistors, planar, effect of exam. on props. 5=12784
  TiO_2, anti-phase boundaries and dislocations 5=3761
  TiO_2, anti-phase boundary or stacking fault fringe pattern 5=3765
  α-U, cold-worked, recrystallized 5=14994
  UO_2, sintered, thinning, to electron transparency 5=14995
Electron microscopes
   See also Ion microscopes.
  astigmatism compensator control relocation 5=2227
  "atomic resolution" attainability 5=7964
  emission 5=10495
  emission, development and application 5=14075
  field emission, Ge points purification by field desorption 5=7967
  filtered images, screen edge Fresnel diffraction 5=2225
  Hitacki HU-11A electron microscope, Lorentz attachment for lower chamber 5=4922
  H U11 A Hitachi, 100 kV, 2.0 A resolution 5=3614
  ion flux meas. from oxide coated filament 5=4152
  linac. electron source, current calc. 5=8350
  mirror-raster, variable velocity ≤ 2kV 5=10496
  Philips EM-200, preset goniometer-type specimen holder 5=9304
  physical principles, survey 5=2224
  reflecting, image formation 5=2228
  resolution from biprism interference fringes, calc. 5=14073
  scanning, rel. to alkali halide cathodo-luminesc. meas. 5=9937
  scanning, with 3 magnetic lenses and thermionic electron source 5=7963
  superconducting magnets 5=4921
  transmission, resolution calc. 5=14074
Electron microscopes—contd
  zone lenses for X-rays, u. v., Fresnel zone plates, prod. method 5=14072
Electron microscopy
   See also Crystal structure, atomic.
  bending in ribbons, due to dislocations 5=9521
  conference, Prague (1963) 5=14989
  crystal defect applications, conference, Prague (1964) 5=6602
  crystal dislocations, Burgess vector 5=9481
  diffraction, selected area 5=6403
  field emission emitter tip prep 5=7966
  field emission, semipop. review 5=4128
  goniometer stage, liq. He cooled 5=14990
  images, graininess in photographic recording 5=2226
  interplanar spacings by selected area diffr. 5=12179
  Kikuchi line analyses applications 5=3613
  magnetic domain structure, Bragg reflection effect 5=9783
  material prep., fluid level adjustment device in cutting trough 5=4700
  object protection from contamination 5=12144
  for particle film track visualization in crystals, He^3 scatt. in MoO_3 5=2843
  photographic emulsion characteristics 5=9302
  point defects, migration 5=12347
  reflected emission area in scanning 5=10494
  review, emission 5=14071
  ultramicrotomy of biological specimens 5=3583
  X-ray anal. of specimen in electron microscope during structure obs. 5=4427
  Au films, 2.0 A resolution in lattice images 5=3613
  MgO thin foil preparation technique 5=1324
  Si films, prep. of large films for imperfection anal. 5=14991
Electron multipliers. See Electron tubes; Photomultipliers.
Electron multiplier phototubes. See Photomultipliers.
Electron optics
   See also Beta-ray spectrometers; Electron lenses; Ion optics; Particle optics.
  beta-ray spectrometer, magnetic, double-focussing, image props. calc. 5=2229
  biprism, local filament dia., using Fresnel fringes 5=4918
  data-destination determination, altered shadow method 5=220
  emission microscope, aberration minimization 5=14075
  focussing by slow e.m.wave 5=7962
  interference fringes and source width, Fresnel biprism 5=4919
  internal fields calc. 5=221
  relativistic, and effective potential method calc. 5=14069
  resistor network model, theory 5=4917
Electron pairs
   See also Positronium.
  detection, summing spectra by NaI:Tl, non-linear effect 5=8399
  $e^+ + e^- \rightarrow e^+ + e^- + \gamma$ calc. 5=2591
  μ model 5=11054
  pion and reson. model 5=11054
 annihilation
  alkali halides, 3 quantum 5=6826
  alkaline earth oxides, anomalous 3-quantum decay 5=1597
  p-azoxyanisole liquid crystals 5=11854
  cholesteryl benzonate, stearate and myristate liquid crystals 5=11854
  $e^+ + e^- \rightarrow \eta^\circ + \gamma$ or $\eta^\circ + \pi^+ + \pi^-$ and η° lifetime meas. 5=623
  ferromagnets, polarized positrons, correction 5=15255
  γ absorpt. in cylindrical scintillators calc. 5=11015
  for γ high energy sources 5=8369
  gammas in stored beam collisions 5=8397
  $K\bar{K}$ prod. in colliding beams, and ϕ reson. 5=8471
  metals, rel. to polarization effects 5=3958
  → μ pair, correction due to γ emission from μ's 5=11016
  $\mu^+ + \mu^-$ prod., radiative corrs. in colliding beams 5=8398
  polymers positron mean lives rel. to temp. 5=9612
  polymers, solid, positron lifetime 5=12633
  Al, positron annihilation and fixed charge shielding calc. 5=15256
  Fe, polarized positrons 5=9611
  Ni, polarized positrons 5=9611

Electron pairs—contd
  annihilation—contd
    Si p-type, wave fn., var. with symmetry about <111> axis 5=1596
    Ti, two-quantum, γ ang. distrib., mag. field effects 5=2602
  production
    in field of nucleus by charged particles 5=14519
    and μ energy loss 5=14427
    nonlinear effects, due to multi-photon absorption 5=560
    photon pole approx. 5=11017
    protons in emulsions, 18.7 GeV 5=5339
    $\Sigma^\circ \to \Lambda^\circ + e^+ + e^-$, and pair form factors, mass distrib., calc. 5=11125
    in NaI:Tl, by γ, meas. near threshold 5=8396
Electron paramagnetic resonance. See Paramagnetic resonance and relaxation.
Electron—phonon interactions. See Crystal electron states; Crystals, lattice mechanics.
Electron probe analysis. See Chemical analysis/X-ray.
Electron resonance. See Cyclotron resonance; Paramagnetic resonance and relaxation.
Electron spin resonance. See Paramagnetic resonance and relaxation.
Electron states in solids. See Crystal electron states.
Electron theory
    See also Quantum electrodynamics.
  crystal Bloch wave existence 5=3413
  Dirac equation and partitioning 5=2373
  μ—e combined field electrodynamic propagators 5=5167
  quantum electrodynamics divergencies removal 5=11005
  relativistic, general 5=10258
  self mass dynamical origin 5=2589
Electron tubes
    See also X-ray tubes.
  cathode-ray tube waveforms, tracing method 5=2230
  Cs diode energy convertor, spontaneous oscillations 5=2205
  Cs–Cd diode, elec and spectral characs at low voltage 5=7940
  Cs F, addition improvement of Cs plasma diode efficiency 5=7941
  diode, concentric, toroidal, pot. distrib., for hollow electron beams 5=227
  diode, current pulse due to single electron, calc. 5=10499
  diode, cylindrical, cut-off due to heater current field 5=7968
  diode magnetron, space charge oscill. calc. 5=7971
  diodes, total emission and space-charge-limited current 5=225
  electron multiplier, continuous-channel 5=11012
  image orthicon TV system for cinematography system 5=13377
  klystron, efficiency, effect of electron-beam confinement 5=7970
  magnetron, current max. boundary anomaly 5=10500
  magnetron, Hall cut off violation, originality? 5=4924-5
  magnetron, plane, cut-off meas. 5=228
  magnetron smooth, distributions 5=10498
  magnetron, V–A characteristics with secondary emission cathode 5=229
  magnetrons and platinotrons, parameters calc. 5=14078
  mass spectrometer multiplier with mag. focussing, with time of flight 5=12859
  multichamber spark gap for strobotron 5=10501
  multiplier, channel 5=14076
  multiplier, magnetic, resistance-strip, operating characteristics 5=9757
  multiplier, statistics 5=7060
  for particle accelerator orbital motion analogue calc. 5=5295
  Re and Re alloy applications, review 5=10197
  secondary emission by contamination reduction of double-wall construction 5=9760
  spark gap, three electrode, response time 5=10502
  TWT, electron beam—plasma interaction, at 4 to 5 Gc/s 5=4923
  thermionic inert gas diodes, Cs-impregnated 5=226
  thyratron, EC50 type, characteristics 5=7969
  travelling-wave, effects of fast secondary electrons 5=7972
  triode as alkali ion and neutral source 5=4929
  triode, planar, potential function 5=10497

Electron tubes – contd
  triode with plasma, breakdown 5=5944
  twisted transverse-wave couplers, coupled-mode theory 5=2262
Electrons
    This heading includes both negative and positive electrons when the differences between them are of no special significance. See also Beta rays; Cosmic rays, electrons; Crystal electron states; Fluctuations, electrical; Nuclear reactions, electrons; Photoelectricity; Plasma; Positronium; Positrons; Space charge.
  acceleration in linac, by u.h.f. pulse 5=5292
  acceleration by photon beam 5=5305
  accelerator, 5 MeV, U-12 5=14369
  alkali halides, energy loss spectrum, 50 keV 5=15258
  angular distrib. in space, by scintillation chamber—image converter system 5=5259
  in atmosphere, precipitation 5=13406
  capture in betatron, theory 5=2552
  Compton effect, moving, meas. 5=5304
  cyclotron resonance in magnetic trap 5=3190-1
  diffusion length in CdS crystal meas. 5=1584
  drift, supersonic, phonon drag features 5=1554
  drift velocities in gases 5=8940
  e-e collisions, vector meson prod. 5=2623
  e–γ cascades in Pb, emulsion Cu, tables 5=8385
  in earth—moon interspace, total content, meas. 5=4647
  hydrated, reactions and props., H_2O radiolysis prod. 5=6146
  inverse Bremsstrahlung process, with high-intensity radiation fields 5=554
  light absorpt., bound, coherence effects 5=295
  light scatt., phase shift and freq. change 5=10721
  linear accelerator, 40 MeV 5=2553
  magneton, Bohr—Procopiu, determ. by resonance method on displaced beam 5=8384
  in magnetospheric boundary, energy meas. 5=13418
  mean free path, back-diffusion in He and Ar method meas. 5=10491
  polarization possibility 5=5495
  polarization prod. by pair prod. momenta correl. 5=2597
  polarized high-energy electrons and positrons, interactions 5=2592
  in radiation belts, explosion injected, flux, energy meas. 5=13414
  reflection from W faces, rel. to Cs and CO adsorbed layers 5=3541
  scattering, light, harmonics, bound electrons 5=14204
  in semiconductors, effective mass absorption edge shift calc. 5=1827
  from superconductors, diffuse reflection, electrodynamics 5=1627
  swarm in CO_2, Townsend energy factor 5=8826
  swarms, in H, location by u. v. signals 5=1058
  trapped in atm., scatt. by v. l. f. waves 5=13407
  Au-centres, in n-type Ge, thermal electron capture, at at 20°K 5=9672
  Au^{2-} centres, in Ge, n-type, hot electron capture rate, 20°K 5=9673
  LiF, energy loss spectrum, 50 keV 5=15258
  in O_2, free and attached, behaviour 5=11674
  absorption
      See also Beta-rays.
    polycrystalline films, transparency temp. depend. 5=6827
    range in thin films, temp. var., seven substances 5=2222
    Al films, penetration meas. 5=14067
    Au films, penetration meas. 5=14067
    Be^7, polarized, capture, internal bremsstrahlung ang. distrib. 5=5572
    Cu films, penetration meas. 5=14067
    He ions, capture cross-section calc. 5=1063
    N atom and ion, cross-sect. 5=907
  ionization
    avalanches at high E/p 5=8930
    photoelectron counting by e. m. field photoionization meas. 5=211
    of Pb, K-ionization, absolute cross-section, 240-1440 keV 5=1068
    of Sn, K-ionization, absolute cross-section, 240-1440 keV 5=1068

Electrons—contd
  ionization—contd
    of W, K-ionization, absolute cross-section, 240-1440 keV 5=1068
    of Zr, K-ionization, absolute cross-section, 240-1440 keV 5=1068
  radiation
    See also Bremsstrahlung; Cherenkov radiation; Electrodynamics.
    auroral, synchronotron calc. 5=13388
    Cherenkov and Smith—Purcell 5=10530
    in e—e collisions 5=14405
    in field of circularly polarized e. m. wave 5=392
  scattering
    See also Atoms, electron scattering; Beta-rays, scattering.
    atoms and molecules, resonance theory 5=374
    back, monoenergetic, Bothe calcs. improvements 5=11009
    benzene, inelastic, into 3 lowest excited singlet states, Born approx. 5=5880
    cosmic-rays, inverse Compton 5=13685
    Coulomb, relativistic, F—G rel. 5=2594
    cross-section calcs. for no excitation 5=14616
    d, calc. 5=646
    d, and e. m. form factors 5=644
    dust particles in a gas, theory 5=1048
    e—d, elastic, meson exchange effects 5=2692
    e-d, helicity with polarized target 5=11006
    e-d inelastic, correction to Hölzl and Urban factor C 5=8388
    e—d, three π exchange current 5=14404
    e—e, bremsstrahlung corrections 5=11008
    e—e, radiative effects 5=14405
    e + N → e + N + A, high-energy limit, rel. to γ + N → N + A 5=2590
    e—ν, in 4 component theory, with Heitler damping 5=2585
    e-p, helicity with polarized target 5=11006
    e.m. form factors for general spin J, covariant defin. 5=14291
    elastic, atomic screening effects rel. to spin and relativistic effects above 200 keV 5=2915
    ferromagnets, by spin homogeneities and Hall effect 5=12641
    γ, Haller's series expansion of S-matrix calc., 4th order divergence 5=541
    for gas pressure meas. 5=14818
    gases, small angle, compared to Lenz's theory 5=5792
    gases, small angles, compared to Lenz's theory 5=5793
    gases, study by radioluminesc. increase in rare gases in elec. field 5=5803
    impurity centres, moment transfer 5=15200
    inelastic, effect of zero-point oscill. of nuclear surface on form factors 5=5488
    inelastic, radiative tail 5=789
    metals, by stacking faults, calc. 5=15226
    molecules, excitation and de-excitation of mol. vibr., erratum 5=2940
    molecules, impact spectra 5=5849
    Mott, by Hg atom beams, polarization degree depend. on scatt. angle 5=5802
    by μ, knock on, energy spectra 5=11068
    multiple, in evap. metal films 5=9505
    by n, from d, H scatt., and form factors 5=8387
    non-spherical nuclei, partially aligned, ~200 MeV 5=11306
    nuclei, high-energy, analytic WKB 3-dim. approx. 5=11300
    nuclei, high energy, review 5=8626
    by nuclei, inelastic, exact calc. 5=8625
    nuclei, quasielastic spectrum study 5=2805
    nucleons bound in nuclei, inelastic, Born approx. form factors 5=14526
    nucleus bremsstrahlung prod., cross-section, ang. and energy distrib., meas. 5=550
    and nucleus energy level correlation structure obs. 5=14468
    nucleus energy levels, random phase approx. 5=14469
    nucleus, magnetic moment 5=14525
    nucleus, nuclear size and mag. effects, rel. to bremsstrahlung 5=11301
    by photons, laser detection 5=2596
    polarized high-energy electrons and positrons cross-section 5=2592

Electrons—contd
  scattering—contd
    relativistic, electrostatic energy analyser, spherical 5=8392
    setup for expts. < 60 MeV 5=4916
    solids, inelastic, for oblique beam 5=15199
    by t, form factors 5=8389
    thick absorbers, and depolarization 5=7960
    weak interactions in colliding beams 5=8386
    Al films, surface plasma loss dispersion 5=15257
    Al foils, temp. diffuse scatt. 5=15008
    Au, 0.2-290 keV calc. 5=11307
    Be^9, quasielastic spectrum study 5=2805
    C, elastic, cross-section calc. 5=920
    C^{12}, and energy levels, first three 5=5520
    Ca, nuclear charge distrib. 5=688
    Ca, 250 MeV 5=11304
    Cr^{52}, inelastic 5=5614
    Ge, anisotropic 5=15208
    Ge, electron—phonon anisotropy theory 5=6788
    H_2 mols., 25 keV 5=2960
    in He plasmas, cryogenic, interactions 5=14710
    by He^+, resonant scatt. 5=5799
    He^3, H^3, and $\mu^- + He^3 \rightarrow H^3 + \nu$ calc. 5=5379
    Hg, 0.2-290 keV calc. 5=11307
    Hg atom-scattered, polarization 5=5801
    HgSe, in conduction band 5=12587
    Ho^{165}, non-aligned 5=11306
    In^{115}, isomeric state excitation 5=11305
    InAs, mechanism 5=1565
    InSb crystals, mechanism 5=15215
    P^{31}, high-energy 5=11302
    Rh^{103}, isomeric state excitation 5=11305
    S^{32} nucleus, 120-180 MeV, elastic and inelastic 5=14527
    S^{35}, Pm^{147}, W^{185}, Tl^{204}, Sr^{89}, P^{32} backscatter factors 5=11303
    Si inversion layers, carrier surface scattering 5=15337
    in Si, n-type, by optical and acoustic phonons 5=4034
    Ta^{181}, nonaligned 5=11306
    Zn, by stacking faults, calc. 5=15226
  scattering, electron—proton
    from d, H, scatt., and form factors 5=8387
    elastic, 0° recoil of proton, meas., for mag. form factor 5=5335
    high energy, bremsstrahlung polarization calc. 5=549
    rel. to nucleon e. m. structure resonance models, restraints 5=561
    quasi-free in H^3, He^3, 550 MeV 5=2595
    radiative correction 5=11007
Electro-optical effects
    See also Electroluminescence; Optical constants.
    ADP, Pockels effect light modulation 5=8072
    p-azoxyphenotol liq., elec. field effects on optical props. 5=3338
    bentanite solutions, light scatt. in elec. flds 5=9112
    benzene, Kerr high press. meas 5=9113
    chloroform, parameters calc. 5=8854
    crystals, rel. to dielec. const. 5=15372
    deuterochloroform, parameters calc. 5=8854
    ferromagnetic metals, e. m. wave spectrum in strong electric field 5=15526
    n-heptane, Kerr high press. meas. 5=9113
    hexamine mol. crystals 5=7009
    hexamine, rel. with second harmonic generation 5=9927
    Kerr effect in flexible polymers, theory 5=1018
    light modulation and deflection by grating 5=5031
    linear, in class 32, 6, 3m, and $\bar{4}3$ m crystals 5=1859
    marcromolecule solns, double in refraction periodic field, and viscoelasticity 5=9110
    measurements of Kerr const. for liquids and gases at high press. 5=9113
    optical polarization 3rd order in elec. field strength effects 5=9888
    organic liqs. and solns., Kerr const. evaluation 5=3356
    quadratic, a. c. and d. c. appl. for optical freq. translation 5=2353
    semiconductors, in crossed elec. and mag. fields, edge shift 5=1827
    shutter, modified for polarized light 5=14208
    system, stigmatic orthomorphic, diffr. theory of aberrations 5=10658

Electro-optical effects—contd
BaTiO$_3$, light beam scatt. using Kerr effect 5=1832
CCl$_4$, Kerr high press. meas. 5=9113
CCl$_4$, parameters calc. 5=8854
CH$_3$F, calc. from i.r. spectra, and C$_2$F$_6$, CF$_4$ 5=11569
GaP p—n juncn., reverse-biased, rel. to light modulation 5=7338
Ge, photopiezoelectric effect 5=1687
H$_2$PO$_4$-type crystals, piezo-optical resonances 5=7315
KDP, coherent light parametric frequency conversion, in laser resonator 5=4991
KDP, laser 2nd harmonic amplitude modulation 5=4317
KDP, Pockels effect light modulation 5=8072
KH$_2$PO$_4$ and isomorphs, linear effects 5=4318
LiNbO$_3$ 5=1844
Si, electroabsorption spectrum 5=1851
Electrophoresis
colloidal particles in electrolyte, electromagnetophoresis 5=4400
dielectric fluids, ionic space charge effects 5=7435
dielectric particles in metals, semiconductors 5=9164
micro-, optical correction 5=4399
solution elec. cond., term in limiting law 5=9145
solutions, elec. cond., term in limiting law 5=9146
Electrophotography. See Photography.
Electropolishing. See Surface texture.
Electrostatic generators. See High voltage production; Particle accelerators/linear.
Electrostatic lenses. See Electron lenses/electrostatic; Ion optics.
Electrostatics
See also Electrets; Electric charge; Electric fields.
adsorbed charge effects in interphases surface tension 5=9078
Cockroft—Walton 250 kV voltage multiplier, with small Se rectifiers and h. f. power input 5=14039
coordinates of charges determ. from field 5=7747
dielectric liquid column, e. s. stability 5=7924
field modelling, by resistance networks, theory 5=4917
forces on body, free energy depend. 5=2210
generator, recharging, model 5=14040
relativistic masses corresponding to potential energy 5=4738-9
Robin's integral eqn. as reduction of diffr. integral differential eqn. 5=14106
spheres, inhomogeneous, multilayer dielectric in elec. field 5=2198

thermodynamics, non-linear systems 5=10446
Electrostriction
See also Piezoelectricity.
resonator 5=9718
Elementary particles
See also Baryons; Field theory, quantum; Leptons; Nucleons and antinucleons; Nucleus; Particle detectors; Quantum theory; Scattering, particles; and individual particles, e.g. Electrons, Mesons.
ABC exchange, nuclear forces range, virtual level calc. 5=8246
angular momentum and algebra of U(6) 5=14252
attenuation of streaming in ducts 5=5302
book 5=14387
book, theory 5=5168
bootstrap and elementary in Z$_3$ = 0 limit 5=10791
bootstrap model of 4 multiplets, mass splitting 5=10801
bound states, rel. to renormalization consts. in field theories 5=14240
broken-SU$_3$ predictions, simple derivation 5=10799
broken symmetries and gauge boson masses 5=5198
broken symmetries, at high energy 5=430
broken symmetries, PS$_8$—PS$_8$—V$_8$ coupling consts. 5=11059
broken symmetry, Goldstone theorem and zero mass particles 5=2414
broken symmetry and massless, interaction free bosons 5=5188
broken unitary symmetry, coupling consts. 5=10798
calculating apparatus, digital, for 2-particle coincidence expts. 5=8301
classification, eightfold way additions 5=8215
Clebsch—Gordan series and Lie algebras 5=10217
complex Lorentz group with real metric 5=2409
composite particles and asymptotic behaviour 5=10807

Elementary particles—contd
composite, soluble model, dynamical aspect 5=8216
conservation laws, semipopular review 5=396
cosmic ray interactions $>$100 BeV, recorder control system 5=11136
and cosmology, numerical rels. 5=13674
coupling in two dim. models, analyticity 5=5207
crossing relations and symmetry prediction in soluble model 5=2411
current-generated algebras 5=5204
in curved space, comparison flat space 5=14249
decay, permutation symmetries of initial and final states 5=2421
decay, with photon emission, graphical anal. 5=10972
decay polarization by canonical spin tensor Lorentz transform. props. 5=5171
decay, scatt. theory 5=2422
$\Delta T = \frac{1}{2}$ nonleptonic decays 5=8227
diffraction dissociation on complex nuclei, importance of final nuclear state 5=539
di-nucleon bound state in composite model 5=2431
Dirac magnetic forbidden poles 5=8213
$\frac{1}{3}$e search in cosmic rays 5=2557
e.m. form factors for general spin J, covariant defin. 5=14291
eightfold way, collection of papers 5=5179
elastic collisions, diagrams for calcs. 5=10974
embedded space—time, generalized covariance 5=14250
embedded space—time, and symmetries 5=14254
embedding problem in Riemann spaces, conference 5=13819
equivalence with composite particles 5=10779
exchange currents 5=10777
excited state systematics, rel. to nuclei 5=11203
F—W transform. for zero mass and any spin 5=2405
fractionally charged, mountain-altitude search 5=8362
fractionally charged, search of 3 × 10^5 tracks in bubble chamber 5=2558
fusion of 2 spin $\frac{1}{2}$ particles 5=14280
Goldstone theorem, failure? 5=2391
gravitons, prod. on spinor particles calc. 5=10838
gravitons spin in linear theory 5=10247
hadrons, classification by spin and internal symmetries 5=2413
hadrons, symplectic symmetry 5=10808
hadrons, 3-field model and higher symmetry group, W$_3$ with parity exchange 5=8222
heavier than pions, role in very high energy events 5=2564
Heisenberg theory difficulties 5=14248
helicity amplitudes, kinematic singularities, integral spins 5=14269
high-energy interactions, conference report 5=5250
higher symmetries and strange-particle production 5=8231
higher symmetry schemes, charge operator 5=14257
hypercharge and U$_2$ group 5=8224
hyperphotons, possible existance 5=2569
identification, by counter, DE, E, non-multiplying, $>$10 MeV 5=14388
interaction threshold anomalies for unstable particles 5=2448
interactions, $\hat{c} \times \hat{c}$ spinor theory 5=8195
interactions, conservation laws applicability, rel. to nuclear structure, review 5=8286
interactions, high energy, conference 5=2567
interactions, high energy transverse momentum distrib. 5=8365
interactions, phase shifts, asymptotic behaviour, rel. to closest singularity of amplitude 5=5236
internal degrees of freedom 5=2404
internal groups and Heisenberg theory 5=10782
internal and space—time symmetries 5=8223
internal space theory and masses 5=14267
internal symmetries as neutral sub-groups of SO(8) 5=10784
internal symmetries and space-time combination difficulties 5=14255
isobar decay products, from high-energy nuclear interactions, due to cosmic rays 5=768
isobar systems and decay modes 5=2560
isobaric assignments 5=407
isospin multiplets, models 5=8217
$J^P = \frac{3}{2}^-$ nonuplet dynamical model 5=434

Elementary particles—contd

jets prod., anal. as two-body process 5=5328
Kemmer, extreme relativistic representation 5=370
Kemmer particle covariant spin operator 5=5146
Klein—Gordon eqn. with small non-linearity, generalized perturbation expansion 5=5145
Klein—Gordon model 5=2407
leptonic decays, axial-vector current, octet version of unitary symmetry, calc. 5=431
Levinson's theorem, modification 5=14295
magnetic moments in SU(6) 5=5194
magnetic monopoles, semipopular review 5=202
magnetic monopoles, weak interactions and angular momentum 5=10809
magnetic unipole search 5=10970
mass and coupling const. formulae in broken symmetry schemes 5=10806
mass differences, e. m., baryons, mesons, in unitary symmetry 5=2419
mass-differences, electromagnetic 5=14264
mass formulae in broken SU(6) 5=5191
mass formulae, strong and e.m. particles 5=5189
mass levels, symmetry 5=5300
mass operator in SU(6) 5=5192
mass relations between vector and pseudoscalar mesons 5=427
mass relations and super-Lorentz group 5=14263
mass renormalization 5=401
mass renormalization divergence in $Z_3 = 0$ limit 5=5193
masses, empirical formula test 5=5301
masses, empirical reln. 5=8364
masses, empirical relns. 5=2561
masses of meson reson. and baryon isobars 5=423
masses, Nambu–Fröhlich and Okubo–Gell-Mann rules 5=422
massless, and global conservation laws 5=10793
microns as fermis 5=5170
mixing and renormalization 5=411
moderation, random functional approach 5=2568
N, e, nuclear field quanta expression 5=397
neutral massive spin-z field, Lagrangian theory 5=404
nonlinear wave eqn. model 5=398
octet enhancement, bootstrap theory 5=2412
octet—octet mixing, double, triple reson. prod. 5=2416
oscillator model giving unitary symmetry for strong interactions 5=413
$\wp \times S$—R_3 invariance formalism 5=5172
parastatistics 5=410
parity doublet and violation of U(4) symmetry 5=418
partial wave amplitudes at high energy and Regge poles 5=2490
pole models with unitary symmetry, forbidden transitions 5=10797
poles of single-vertex function and orthogonalization of one-particle states 5=5216
possible types 5=5299
pseudoscalar meson masses, ω-φ mixing formula 5=425
pseudoscalar meson masses in self-consistent model 5=5190
quarks, from 27.5 GeV/c protons search 5=5298
quarks SU(6) group equivalent formulations 5=14259
quasistationary states, lifetime, energy dependence 5=5196
Regge trajectories and unitary symmetry schemes, complementarity 5=10781
relativistic bipoint model 5=8219
relativistic-rotator model, P, C. T operators 5=8230
resonances of baryon and 2 mesons in unitary symmetry 5=440
resonances in broken SU$_3$ symmetry 5=14276
resonances near threshold, cross-section, branching ratio, SU$_3$ model calc. 5=417
resonances, phenom. analysis 5=8229
resonances, possible chain 5=10792
resonances by unitary symmetry 5=8228
review 5=5297
review 5=8363
review, symmetry schemes 5=5186
rotator theory, internal invariance and Dirac spin group 5=5173
S-matrix theory, lifetime and decay 5=2423
Sakata model reconciliation with "eightfold way" 5=418

Elementary particles—contd

scalar, gravitational self-energy, ladder-type diagrams, contrib. expansion 5=395
self-consistent, nondegenerate multiplets 5=10780
separation at high energies, review 5=8367
and space and time, lecture 5=2
spin $\frac{1}{2}$ particles, r.h. and l.h. coordinate systems 5=5169
spin 1, Eriksenlike transform. for relativistic limit 5=2406
spin 1 particles, Kemmer theory, conserved spin operators 5=406
spin S, 4-momentum description 5=10794
spin $^3/_2$, covariant theory, equivalence 5=405
spinless, covariant description,calc. 5=10831
spinor connection in Riemannian space and masses 5=402
spinor equations, two-compon ent, anomalous 5=5147
spontaneous breakdown solutions, stability 5=10800
stable and resonances, data survey 5=10971
static strong-coupling theory, symmetry breaking 5=1079
strong interactions, unitary symmetry and charge conservation origin 5=2463
strongly interacting, Cabibbo, leptonic decay calc., and expt. 5=455
strongly interacting, empirical mass relations 5=2562
strongly interacting, new nomenclature review 5=2556
structure relativistic invariance description 5=8214
structure and symmetry 5=10789
SU(3) classification of hypernuclei 5=5502
SU$_3$ Clebsch—Gordan coeffs. 5=5176-7
SU(3) and G parity 5=5184
SU$_3$ group, irreducible representations 5=5178
SU$_3$ group, reducible representation 5=8467
SU$_3$ group, reducible representation, ϕ—ω mixing 5=11102
SU$_3$ and harmonic oscillator 5=14228
SU$_3$ irreducible representation direct product reduction 5=5174
SU$_3$ multiplet spin from generalized Lorentz group 5=2427
SU(3) and peripheral interactions 5=14282
SU$_3$ with small symmetry breaking interaction 5=5187
SU$^{(3)}$ symmetry scheme, review 5=8221
SU$_3$ symmetry triplet models 5=10783
SU$_3$ tensor operators canonical classification 5=7723
SU (4) mass formula 5=10804
SU(4), representations and mass formulae 5=2420
SU(6) electromagnetic mass corrections 5=10805
SU(6) generalization with meson–baryon coupling 5=1426
SU(6) symmetry invariant derivation 5=14258
supercharged particles in high-energy processes 5=1100
supermultiplets in SU$_6$ and quark model 5=5182
as symmetrical top rot. levels 5=5170
symmetries, global and restricted 5=5185
symmetries, subgroup of O_8^+ 5=5181
symmetry breaking meson—baryon interaction, and masses 5=5211
symmetry groups, review 5=14253
symmetry groups in $\mathscr{H}$ $(R_3{}^*)$ isospace 5=14256
symmetry and internal structure, space-time 5=10790
symmetry spontaneous breakdown, theory, self-consistent mass eqn. 5=10803
~ 10^{12}eV interactions, secondaries composition 5=540
3-body production and decay processes, dispersion theory model 5=10829
$^3/_2{}^+$ octet and $Y_1{}^*$ 5=432
transverse momenta exponential damping in collisions, calc. 5=10837
triality number in SU$_3$ and U$_3$, and fractional charges 5=2410
triality type and generalization in unitary symmetry theories 5=412
2-body reactions, spherical spin tensor decompositions, Bohr's symmetry consequences 5=10811
2-particle disintegration, momentum ellipses 5=2559
U spin equalities and octet symmetry breaking 5=2415
U$_3$ symmetry, broken, composite model 5=419
unitary or octal symmetry? 5=10785
unitary symmetry composite Regge trajectories calc. 5=10883
unitary symmetry model, e. m. mass differences 5=426
unitary symmetry and Regge poles 5=8226
unitary symmetry review 5=8225

Elementary particles—contd
unitary symmetry tests in meson—baryon reactions 5=2417
unstable, reson. and inelastic threshold correls. 5=2441
V-particle in Lee model 5=10807
vector meson mass and broken symmetry 5=429
W_3 symmetry, relations and selection rules 5=420
and Z = O rule, field theory calc. 5=14251
zero mass fields with nonscalar phases 5=2408
interactions. See Field theory, quantum/interactions; Nuclear reactions. Entries on interactions involving named particles are listed under the particles concerned, e.g. Mesons, interactions; Cosmic rays/effects and interactions.

Elements
name of element 102 5=8779
origin
See also Cosmology; Thermonuclear reactions.
in universe, formation at prestellar stage 5=7546
Mo isotopes, rel. abundance, Stellar formation hypothesis 5=5814
relative abundances
and curves of growth due to 2 different multiplets, non-coincidence 5=4567
in meteorites, stony, U, Th 5=15855-6
solar atmospheric, Fe, Ti, Ca, model calc. 5=4671
He/H, high value reasons 5=10114
Li/Ca in C stars 5=4561
Mg, in atmospheres of O and B stars 5=4563
Ti in Sun, Ti I, II lines agreement 5=4670

Emissivity
cavities, thermal, analytical expressions 5=7866
liquids, i.r. 5=7868
measurement, heat pulse meas. 5=9399
metal oxides, solar furnace meas. 5=11938
metals, i. r. and electron collision lifetime meas. 5=1568
sapphire, crystal oriented, total meas. 5=13069
solids, solar furnace meas., > 2000°C 5=10350
Al_2O_3, and porosity and surface roughness 5=15537
Ge 5=155
HCl, i. r., just overlapping line approx. 5=951
H_2O vapour, up to 1000°K 5=14811
Hf, rel. to optical consts. 5=9925
Hf—Zr, temp. var., rel. to phase transitions 5=6291
Ni, ultra-pure, polycryst., effect of exposure to O_2 in hot state 5=1708
V, temp. var., no dissolved N effect 5=4824
Va, spectral, 1223-1973°K 5=1854
W, rel. to optical consts. 5=9925

Emulsions
See also Colloids.
dielectric props., freezing effect, 50 c/s-300 c/s 5=9168
dilute, acoustic wave attenuation 5=4805
droplets, 3-10μ, interfacial tension, meas. method 5=3291
stability and droplet coalescence, kinetic theory 5=9165

Emulsions, nuclear. See Nuclear track emulsions.
Emulsions, photographic. See Nuclear track emulsions; Photographic materials.
Endor. See Nuclear magnetic resonance; Paramagnetic resonance and relaxation.
Energy bands. See Crystal electron states; Metals/theory; Semiconducting materials; Semiconductors.
Energy levels. See Atoms/structure; Molecules; Nucleus/energy levels; Spectra.

Entropy
See also Thermodynamics.
condensation, in surfaces 5=3486
freezing of lamellar eutectics, minimum prod. rate 5=11933
Gibbs postulate in statistical mechanics, use 5=2054
ideal gases, rel. to temperature 5=11812
ions in solution, correspondence principle 5=9102
light beams, partially coherent 5=2146
liquid mixtures, monomer—dimer 5=6167
local potential production 5=2074
solutions, aqueous, ionic, calc. at high temp. 5=9103
properties of substances
acetonitrile 5=9171
aromatic hydrocarbon solns., entropy of photo-association 5=1196
dimethoxymethane 5=3395
Ag—O solid solns. 5=3703
Ar, solid, anharmonic and defect contribs. 5=12286

Entropy—contd
properties of substances—contd
Cu ferrite mixture with magnetite, of mixing, conc. depend. 5=6538
Fe—N solid solns. 5=3703
H^+ 5=10017
Ir oxides, gaseous, mass spectrometric study 5=13152
Li_2CO_3—K_2CO_3, entropy of fusion, calc. 5=3398
Mn, α and γ 5=15048
$MnCl_2$, in mag. field up to 100 kG, 0°-4.2°K 5=9383
$MnCl_2$, zero entropy reference 5=7185
O, chemisorption on Pt black, change, 15-300°K 5=7432
Na_2CO_3—K_2CO_3, entropy of fusion, calc. 5=3398
Rh, 10°-298°K 5=6555
U_3O_7 5=12288
ZnO—CO_2 system, molal, of adsorption 5=13162

Enthalpy. See Thermodynamic properties.
Epitaxy. See Crystals/faces; Crystals/growth; Films/solid.

Equations
See also Differential equations; Integral equations.
adiabatic invariance, multiple periods calc. 5=2019
celestial mechanics, new solution methods 5=4545
Klein—Gordon, class of solutions 5=2407
motion of hot radiating gas in low density atmos, calc. 5=9029

Equations of state
See also Thermodynamics.
fluid, stochastic, non-linear, for non-newtonian fluids, computer calc. 5=1133
fluids, radial distribution functions, approx. calc. methods 5=6056
hard spheres at high density 5=10289
matter at ultra-high pressures, 3 models 5=12284
pair distrib. function props. 5=93
quantum cell model, uniform potential approx. 5=2060
van der Waals behaviour, critical isobar dev. 5=1135
virial coeffs., calc. by various potential models 5=3079
gases
alkali metals, second virial coeffs. calc. 5=14813
corresponding states low, modified 5=6080
extrapolation up to 2 times critical density using compressibility 5=6082
high-pressure volume evacuation assuming convection with internal surface 5=148000
history of "Boyles" law 5=4702
imperfect gases, Mayer's theory modification 5=9037
by integration of $(\partial C_V/\partial V)_T = T(\partial^2 P/\partial T^2)_V$ 5=1151
Ising model, 1-dimensional 5=6079
Kirkwood superposition approximation 5=2067
master eqn 5=9051
plasma, hot inhomogeneous 5=1074
quantum virial expansion and Landau's transport eqn. 5=6081
3rd virial coeff., temp. var. calc. 5=3265
Van de Waals const. calc. from scattering 5=9039
virial coeff. calc. methods 5=1152
virial coeff., third, calc. for Sutherland potl. 5=9040
virial, coeff., fourth hard discs, calc. 5=9041
water vapour, rel. to association of molecules 5=11805
H, virial coeff. calc. methods 5=1152
liquids
corresponding states law, modified 5=6080
n-paraffins and mixtures, principle of corresponding states 5=1172
one-dimensional gas of hard lines 5=6143
polymer solutions, osmotic tnird virial coeff. calc. 5=11862
polymers, cell theory calc. 5=6149
polymers, and glasses, high press. 5=3310
review 5=6127
Tait equation parameters interpretation 5=1171
Xe, corresponding states theory 5=9094
solids
face-centred-cubic metals 5=3698
isothermal moderate-pressure case 5=12435
polymer glasses, and liquids, high press. 5=3310
K, exptl. equation, 20° to 320°K, up to 20 kbars 5=12287
Na, reanalysis 5=12287
NaCl, Mie—Grüneisen, rel. to high press. gauge use 5=6567

Erbium
magnetic internal hyperfine field, 4.2 to 40°K 5=9195
Er I, spectrum, isotope shift 5=11474

Erbium—contd
Er^{3+} in CaF_2, optical and paramag. reson. spectra 5=15545
Er^{3+} e. s. r. in CaO and SrO 5=7226
Er^{3+} e.s.r. in MgO, broadening by point defects 5=4239
Er^{3+} e.s.r. in ThO_2 5=7262
Er^{3+} in MgO, e. s. r., theory 5=12979
Er^{3+} in LaF_3, spectral line breadth and Orbach lattice relax. 5=9371
Er^{3+} in Y_2O_3, crystal field splitting 5=4328
in YCl_3, energy levels, spectra meas. method 5=13046

Erbium compounds
erbium gallium garnet, field at rare earth ion 5=9194
ethyl sulphate, mag. susceptibility anisotropy 5=4169
gallate garnet, Er^{3+} ion magnetization laws meas. 5=7162
$Er_3Ga_5O_{12}$, mag. susceptibility, 4° to 1500°K 5=4163

Ergodic theorem. See Statistical mechanics.
Errors. See Measurement/errors; Random processes.
Esaki diodes. See Semiconducting devices/tunnel diodes.
Esaki effect. See Semiconducting devices/junctions.
Etalons. See Interferometers.
Etching. See Crystals/etching.
Ether drift. See Relativity/special; Velocity/light.
Ettingshauser effect. See Magnetothermal effects.

Europium
compressibility and mag. ordering, transitions 5=15187
Eu^{2+} in $CaWO_4$, e.s.r., h.f.s. 5=9842
Eu^{2+} in $PbCl_2$, e.s.r. 5=7228
Eu^{2+} in SnO, e.s.r. anomalies due to strain 5=1802
Eu^{3+} intermolecular energy, transfer in soln. from luminescing organic cpds 5=9126
Eu^{3+} in intracomplex compounds with rare earths present, quenching of luminesc. 5=4347
Eu^{3+}, spectra and energy levels in Y_2O_3 5=4305
Eu^{3+} in YAl garnet, absorption spectrum and crystal field 5=1226
Eu^{3+} in YAl garnet, energy levels and crystal-field calc. 5=1225
Eu^{152}, isotope shift 5=8517
EuI, h.f.s. of states 5=11432
EuI levels, theoretical analysis 5=8756

Europium compounds
Mössbauer effect, 16 isomer shifts 5=14904
Eu benzoylacetonate, laser emission shift by inorganic ions 5=5024
Eu benzoylacetonate, Na activated, stimulated emission at 6111Å 5=10629
Eu benzoylacetonate soln., laser beam scatt. 5=6180
Eu chalcogenides, ferromag., anisotropic spin—wave thermal conductivity 5=6570
Eu chalcogenides, ferromagnetic cluster approx. with 1st and 2nd neighbour exchange 5=4178
Eu chalcogenides, mag. props., Eu partial replacement by lanthanides ions effect 5=1724
Eu chelates, intramol. energy transfer 5=11542
Eu chelates, laser action when dissolved in ethanol, Xe excited 5=5025
Eu dibenzoilmethide, laser, –145°C 5=284
Eu phosphate, Eu activated, fluorescent props. 5=9950
Eu salts, fluoresc. enhancement by deuterated solvents 5=11541
Eu(III) aqueous solns., absorption, fluorescence 5=3347
EuF_2, paramag., with mag. inclusions, props. 5=15431
EuFe garnet, absorpt. spectrum, 1900-5400cm^{-1} 5=9903
EuFe garnet, Eu^{153} 103 keV level mag. moment meas. 5=3428
EuO, optical absorpt., 0. 325 to 2. 5 μ range 5=7335
EuS films, epitaxy 5=12132
EuS, magnetization by pyromag. method 5=12914
EuS, optical absorpt., 0. 325 to 2. 5 μ range 5=7335
EuS, spin-wave thermal conductivity, 1. 5°-4°K 5=1431
EuSe, optical absorpt., 0. 325 to 2. 5 μ range 5=7335
Eu—Se solid soln., elec. and mag. props. review 5=1724
EuTe, lattice distortion at low temperatures 5=15015
EuTe, optical absorpt., 0. 325 to 2. 5 μ range 5=7335
Eu_2O_3, Eu^{153} 103 keV level mag. moment meas. 5=3428
Eu_2SiO_4, crystal structure 5=1371
$Eu_3Fe_{5-x}Ga_xO_{12}$, ferrimag., angular momentum compensation 5=7160

Evaporation
See also Vaporization.
book, coeffs., evaporation of crysts. 4=3408
butane drops from distilled and seawater, heat transfer characts. and coeff. 5=4828

Evaporation—contd
evaporator, Sb, low-temp. 5=6318
film meas. 5=1280
ice in vacuum 5=1216
liquids, primary surface supporting floating mass 5=3292
metal surfaces, field evaporation, rel. to texture 5=3484
metals, field, calc. at 0°K 5=12865
metals, in vacuo, by h.f. levitation heating 5=11948
pentane drops from distilled and seawater, heat transfer characts. and coeff. 5=4828
resistance heated source, rate control 5=11939
solid, by laser radiation 5=14887
solid in vacuum, temp. distrib. 5=1214
source, electron bombardment, for Ni—Fe films 5=10196
Ag, rate meas. 5=6224
Al_2O_3, by electron bombard., for film deposition 5=3499
Ba, mechanism 5=1708
CdS, c-faces, vacuum rate, rel. to light illumination and doping 5=3409
CdS cryst., orientation dependence of evaporation rate 5=3481
CdS, source 5=12042
for GaSb film prod. 5=12046
H, from dewar vessels, ortho/para conc. var. 5=11942
H_2, liq., stored in Dewar vessels 5=13999
H_2O, cetyl alcohol monolayer and waves effect 5=11943
MgO, by electron bombard., for film deposition 5=3499
MnF_2 5=6221
Pb—Bi, component diff. temp. var. 5=11952
Pb—Sb, component diff. temp. var. 5=11952
SiO_2, by electron bombard., for film deposition 5=3499
Th, from carburized thoriated W cathodes 5=11954
W, from cathodes 5=14886
Zn—Cd, component diff. temp. var. 5=11952
ZrC cathode, rate determ., 2300°—2500°K 5=3411

Evershed effect. See Sunspots.
Examination of materials. See Electron diffraction examination of materials; Electron microscope examination of materials; Neutron diffraction examination of materials; X-ray examination of materials.

Exchanges, chemical
See also Isotope exchanges.
acetylene and water, for equilib. const. at 25°C 5=4378
ion-exchange resins, ionic self-diffusion 5=4374
spin-echo studies, closed formulae 5=13139
spin-echo techniques, for rate const. meas. 5=13138

Excimers. See Molecules/excitation.
Excitation. See Atoms/excitation; Molecules/excitation; Nuclear excitation; Vibrations/excitation.
Excitons. See Crystal electron states/excitons.
Exoelectron emission. See Electron emission.
Exosphere. See Atmosphere, upper.
Expanding universe. See Cosmology.
Expansion, thermal. See Thermal expansion.
exp-6 potential. See Kinetic theory; Molecules/intermolecular mechanics.

Explosions
See also Detonation; Shock waves.
confined conductors, elec. props, emission spectra 5=14688
deep underwater, acoustic output var. 5=4793
electrode pulse in wet sand 5=7441
in ionosphere, shock wave propag., effect on upper atmos. 5=15718
metal alloys, resistance to fracture, meas. 5=6728
metal cylinder, radially confined, axial gas flow 5=14711
metal films 5=13929
metal films, for plasma acceleration 5=14773
metal foil, plasma generation and mag. fld compression 5=14712
metal wires, elec. resistance, temp. calc. 5=15266
metal wires, elec. resistance, vaporization effects 5=15267
rocks, fracture process eqn., strain energy factor determ. 5=114
seismic waves, in a liquid sphere, calc. 5=13196
thermal, time-depend., theory, critical condition 5=4791
vermiculite absorpt., expt. 5=4794
wire in air spark gap, rel. to supershort light flashes 5=2327
wires, arc spots comparison 5=14689
wires, direct vapour deposit recording 5=13931
wires, first picosec. 5=13923

Explosions—contd
wires, gas discharge mechanism 5=14687
wires, mag. field effect 5=13930
wires, rel. to small particle acceleration 5=13933
wires, 3rd conference, Boston (1964) 5=10449
wires, translational equibration 5=13924
wires, in vacuum, conducting mechanisms 5=14691
Al, resistance to fracture, meas. 5=6728
Cu, resistance to fracture, meas. 5=6728
Fe, resistance to fracture, meas. 5=6728
Pb, resistance to fracture, meas. 5=6728
nuclear
and atmosphere radioactive aerosols, sun radiation effects 5=7495
atmospheric, acoustic-gravity waves from explosive sources 5=13319
atmospheric radioactivity, autumn 1962, balloon obs. 5=13315
D-region ionization increase by neutron mechanism 5=13482
detection, long-range methods 5=13203
detection in space, from e. m. interaction with geomag. field 5=13666
in E-layer, rel. to geomagnetic field var. 5=13497
and e. m. wave propag. ionosphere 5=13471
and earth mag. field vars., high altitude, "Starfish" 5=4510
and earth mag. field vars., ionosphere sudden absorpt. and radioactivity 5=13614
fission products, anal. to determine origin 5=861
geomagnetic var., 1962 Johnston Island 5=15764
high altitude, neutron shadow analog calc. 5=13424
high altitude, persisting r. f. propag. effects 5=13311
high-altitude, 9/7/62, effects on radioastronomy 5=15895
neutron effects on ionosphere and radiation belts 5=13483
9 July 1962, long-lived effects in D-region 5=13485
radio emission, Kompaneets model 5=5598
seismic wave prod., earthquake comparison 5=13202
Starfish, geomagnetic effect 5=13615
thermo, Anacostia products 5=11387
Extensive air showers. See Cosmic rays/showers and bursts.
Extensometers. See Strain gauges; Thermal expansion.
Extra-terrestrial radiation. See Cosmic radiations, radio-frequency; Sun/radiation.
Eye
See also Vision.
apodization, Stiles—Crawford, calc. 5=5111
area—intensity function of fovea, wavelength var. 5=2359
electroretinographic and flicker frequencies, modification 5=8162
fish (Necturns), localization of retinal slow pot. responses 5=8187
horseshoe crab, lateral eye rel. to ocellus, spectral sensitivity 5=357
human, focus depth 5=8159
intensity—time relns., spectral stimuli 5=8163
light distribution on retina, calc. 5=14216
load, impedance change following illumination 5=8186
movements and tachistoscopic field meas. 5=8160
retina, physiological irrad 5=14215
ERG oscillatory potentials 5=8161

F-centres. See Colour centres.
F-layer. See Ionosphere/F-region.
Faculae. See Sun.
Fallout
See also Atmosphere/radioactivity; Nuclear reactions; Radioactivity.
over Calcutta, X-ray analysis 5=7497
chemical analysis of dust, by γ-spectra, and Ru^{103} missing 5=13185
fission product, elemental comp. 5=5701
γ-rays, field due to surface contamination 5=7498
model 5=10080
particles, fine, 1952-1962 5=13313
and precipitation, scavenging 5=7494
radon in water, and error in body radioactivity γ meas. 5=14487
rain, cloud contribution, and washing 5=10079
washout parameters 5=13314
Cs^{137} in Swedish milk 5=15687
T, processes 5=13317

Faraday effect. See Magneto-optical effects.
Fatigue. See Elastic fatigue.
Fermi gas. See Fermions.
Fermi level. See Crystal electron states/Fermi level.
Fermi surface. See Crystal electron states/Fermi surface.
Fermion systems. See Fermions.
Fermions
See also Elementary particles; Quantum theory/many-particle systems.
with boson fields, structure 5=2447
—boson system, pseudoscalar, λA^4 interaction necessity 5=437
with bosons, double time—temp. Green's functions 5=13886
collective vibrations 5=2072
Dirac density matrix 5=2073
electrodynamic propagators of e—μ combined fields 5=5167
electron structure in small mols., correlation method, interaction calc. 5=944
energy of interacting systems 5=86
extended random phase approx. 5=92
fields, strongly-coupled, relativistic functional method 5=14273
gas, relativistically degenerated, pressure, with scalar interaction 5=10294
hard sphere gas, ferromagnetism 5=1729
interacting, system one-dimensional, repulsive potential 5=13887
and Ising model, 2-dimensional 5=62
liquid system, thermodynamic functions, rel. to Landau theory 5=2059
many-particle system ground state Dirac density matrix 5=10292
many particle system, vertex effects 5=10293
mass, unified nonlinear theory 5=438
massless, in 2-dimensional electrodynamics 5=5199
as microns 5=5170
parafermions, electrodynamics 5=410
scalar, pseudoscalar 4-fermion interaction, bound states calc. 5=10833
scattering, polarization and invariance principle test 5=14298
scattering, polarized, matrix elements 5=5222
separable interactions, nonlocal, scatt. theory, exclusion principle influence 5=470
superconducting Fermi systems, condensate structure 5=1621
superfluidity, perturbation theory, zero temp. state 5=87
system energy spectrum, infinite no. limit soln. 5=2071
system, exact solution, and Boson field 5=10291
system, matrix elements in basis function correl. 5=7900
system, phonons 5=4860
system variational problem reduction 5=7800
systems, approximation methods validity test 5=7806
systems, with equally-spaced spectrum 5=7809
systems, hard sphere, with strong forces 5=7801
t-matrix singularities, removal, by non-vanishing total momentum 5=88
in SU_4 scheme with leptons and baryons for weak interactions 5=10840
V, N particles interaction with θ boson Lee model, LSZ formalism calc. 5=10836
Fermium
No entries
Ferrimagnetic resonance
See also Ferromagnetic resonance.
ellipsoids, calc. 5=9831
fast relaxing ion theory 5=7202
ferrimagnetic hexagonal oxides, rel. to anisotropy fields 5=4207
ferrites, microwave generation by mag. field var., calc. 5=1784
ferrites, quantum theory 5=7201
garnets, rare earth impurity effects 5=7203
general theory, review 5=4228
linewidth meas. of polycryst. materials, by i. f. substitution method 5=7200
two-magnon linewidth freq. var. 5=9830
$Ni(66^2/_3\%)$—$Zn(33^1/_3\%)$, imaginary part of susceptibility 5=9832
$Y_{3-x}A_xFe_5O_{12}$, A is rare earth metal 5=4229
YFe garnet, magnetostatic-mode relax., 2-magnon contrib. 5=4227
YFe garnet, Yb impurity effects 5=7203

Ferrimagnetism
See also Ferromagnetism.
amplifier, e. m., parametric with longit. pumping, C band 5=7996
book 5=12880
spin-wave theory, for isotropic cubic ferrimagnet 5=9811

Ferrites
See also Magnetic properties of substances.
conference, London (1963) 5=15459
cores, dynamical behaviour 5=14057
cores, dynamic behaviour 5=15461
Faraday rotation, microwave 5=9812
ferrimagnetic reson., quantum theory 5=7201
films, domain-struct. dynamics as funcn. of mag. field and temp. 5=7159
garnet, neutron-diffraction study 5=1764
garnet-type, Néel temp. and magnetization 5=15468
hexagonal cpds., oriented, for mm. wave freqs. 5=15463
hexagonal, cut-off freq. 5=12942
internal friction peaks 5=3854
magnetic susceptibility and reson. curve width near Suhl threshold 5=7157
magnetic wave amplification by elastic wave 5=15460
magnetoplumbite, mag. domain obs. 5=12949
magnetostrictive, effect of large amplitudes mag. induction and mech. stress 5=15462
measurement of permeability and permittivity by cavity 5=7156
microwave generation, mag. field var. at ferrimag. reson., calc. 5=1784
natural ferromag. reson. for large damping 5=1785
orthoferrite single crystals, ferromag. coercivity, ang. var. 5=7155
properties and applications 5=12940
rare earth gallate garnets, Gd^{3+}, Tb^{3+}, Dy^{3+}, Ho^{3+}, Er^{3+} and Yb^{3+} ions magnetization laws meas. 5=7162
rare-earth garnets, mag. props., energy levels, spin—wave spectrum 5=4212
rotation ellipses, prep. 5=4697
square hysteresis loop cores, reversible permeability investigations 5=12939
switching processes in high-speed large-amplitude fields 5=4208
testing for microwave application 5=1757
thickness, for bulk reflectivity and absorpt. coeff. 5=10701
$BaCo_{1.5}Fe_{16.5}O_{27}$, mag. anisotropy 5=12943
$BaFe_{12}O_{19}$, crystal orientation effect on ferrimag. reson. 5=1786
$BaFe_{18}O_{27}$, magnetostriction of hexagonal cryst. 5=7158
BaO—FeO—Fe_2O_3, phases, near $BaFe_{12}O_{19}$, 1300-1550°C 5=6279
Co_{1-x} Fe_{2+x} O_4, crystal structure, atomic, disorder, ion distrib. 5=12198
Co—Zn, mag. spectra 5=12945
Cu ferrite mixture with magnetite, thermodynamic funcn. conc. depend. 5=6539
Cu, thermal expansion obs. 5=12867
Dy, domains obs. 5=12952
β-$FeNaO_2$, mag. structure 5=7165
Fe—Ni, anisotropy 5=12946
Fe—Ni ferrites, anisotropy and resistivity, rel. to thermomag. treatment 5=15464
Fe_2O_4Zn. Fe_2O_4Mn. Fe_2O_4 Li_2, struct., permeab. change due to n-irrad. 5=3789
GdFe garnet, Bloch wall quenching n.m.r. meas. 5=9815
Li ferrite, magnetoelastic waves, parallel pumping 5=1787
Li ferrite, single cryst. grown in ordered state, mag. props. 5=4209
Li ferrite, sublattice magnetizations rel. to temp. 5=7170
Li-ferrite, sublattice mag. temp. var. biquadratic exchange effect 5=7169
Li galloferrites, cation distrib. 5=15465
Mg Mn, flux reversal, 2. 2° to 300°K meas. 5=12948
Mg–Mn–Fe, rect. hysteresis loop and defects 5=7171
$Mg_{0.52}Mn_{0.51}Fe_{1.97}O_{4.001}$, cation distrib. 5=9343
$Mg_{0.73}Mn_{0.57}Fe_{1.70}O_{3.986}$ cation distrib. 5=9343
Mg—Ni—Mn, magnetization reversal 5=12947
Mn ferrite, ferromag. curve width, rel. to temp. 5=15481
Mn ferrites, magnetic anisotropy 5=9816
Mn spinel, spontaneous moment meas., 2° -30°K 5=7173
Mn, thermal expansion obs. 5=12867
$Mn_{1.75}Co_{0.05}Fe_{1.2}O_4$, mag. anisotropy meas. mag. lossfield calc. 5=1758

Ferrites — contd
MnCu ferrite with rectangular hysteresis loop, induction time increase 5=7172
$Mn_{1.01}Fe_{1.99}O_{3.999}$, cation distrib. 5=9343
$Mn_{1.8}Fe_{1.2}O_4$, mag. anisotropy meas. mag. lossfield calc. 5=1758
Mn-Zn-ferrite, demag. method effect on initial permeability 5=4210
Mn–Zn sintering and permeability and Q 5=1760
Ni, ΔE effect and internal friction 5=15174
Ni ferrite, Bohr magneton number rel. to O deficiency 5=9818
Ni spinel, spontaneous moment meas., 2°-30°K 5=7173
Ni—Co, magnetostriction, composition effects 5=15466
Ni—Fe, single crystals, ferromag. reson., induced anisotropy effects 5=7196
$NiFe_2O_4$, saturation magnetization diagram 5=12115
$Ni_{0.4}Fe_{2.6}O_{4.45}$, rotation losses 5=12950
NiO. Fe_2O_3 susceptibility, paramag., temp. depend. 5=12941
NiZn, ΔE effect and internal friction 5=15174
Ni—Zn, high resistivity, elec. props. 5=7001
Ni—Zn, thermal expansion obs. 5=12867
Ni–Zn–Co ferrites, spontaneous magnetization and crystal energy consts. 5=7109
Ni—Zn—Co—Fe, anisotropy consts. 5=12951
Ni—Zn—Fe, crystal anisotropy 5=4211
Mn—Zn—Fe ferrites, magnetostriction 5=1761
Tb, domains obs. 5=12952
Tm, domains obs. 5=12952
Y ferrites, Fe^{2+} impurities effect on ferromag. reson. 5=1783
YFe garnet spheres, acoustic props., Mn^{3+}, Si impurity effects 5=12279
$YFeO_3$, absorption 5=15579

Ferroacoustic resonance. See Crystals/lattice mechanics; Ferromagnetic resonance.

Ferroelectric devices. See Dielectric devices.

Ferroelectric materials
ceramic VK-3, lattice structure, electric field strength effect 5=12237
crystal investig., using bipolar pulse generator 5=10443
dielectric and piezoelec. props. rel. to stress 5=15383
kind for actual ferroelectrics, and paraelectric phase transformations 5=1677
rare earth aluminates, const. and loss 5=15387
Rochelle salt, effect of press. 5=9714
Rochelle salt, Na^{23} mag. resonance study 5=4092
Rochelle salt, transitions, Na^{23} n. m. r. study 5=9715
triglycine sulphate crystals, polarization var. in 10^2–10^{-2} c/s fields 5=4094
triglycine sulphate crystals, spontaneous polarization effect on exoelectron yield 5=4127
triglycine sulphate, domains, etching obs. 5=9482
triglycine sulphate, pulse polarization reversal asymmetry 5=12805
ABO_3-type, dipole patterns in orthorhombic and trigonal phases 5=7015
$Ba_4R_2^{3+}Fe_2Nb_8O_{30}$, (R is Nd, Sm, Gd), crystal chemistry 5=9259
$BaTiO_3$ domain walls, 180°, velocity rel. to temp. 5=1679
$BaTiO_3$ single crystals, polarization directions, anomalous 5=4088
$Ba(Ti, Zr)O_3$, in phase transition region at high press. 5=1678
$Bi_4Ti_5O_{12}$, constant d. c. field effect on hysteresis loops 5=1682
$CeAlO_3$, hysteresis loop and reversible const. rel. to bias field 5=15386
KCl: $(\Theta H)^-$ solns 5=9136
KH_2PO_4, low-freq. H modes 5=9713
$Li(N_2H_5)SO_4$, elec. conductivity 5=4091
$LiTaO_3$, Curie temp. of edge luminesc. 5=1683
$Na_{0.5}Bi_{0.5}TiO_3$—$PbTiO_3$ ferroelec. phase transform. peculiarities 5=4093
$NaNO_2$, spontaneous polarization direction change by lateral a.c. field 5=7019
Ni—Cl boracites, dielec. const. temp. var., evidence 5=15385
Ni—Zn ferrites, elec. props. 5=7001
$Pb_{0.6}Ba_{0.4}Nb_2O_6$, effect of Gp III and IV additives 5=15388
$PbHfO_3$—$PbTiO_3$—$PbSnO_3$—$PbNb_2O_6$, ferroelec. phase transitions 5=7018
$Pb(Zr_{1-x}Hf_x)O_3$, ferroelec. phases, 440°-520°K 5=7017
SbSI, dark- and photo-conductivity, temp. var. 5=1697

Ferroelectric materials—contd
- $SrTiO_3$, elec. cond., time depend. meas. 5=15389

barium titanate
- absorption band for i.r. reson. freq. shift by elec. field 5=1825
- Curie point when grown from TiO_2-rich $BaO—TiO_2$ 5=6364
- Curie point and tetragonal-orthorhombic transition point, press. var. 5=1680
- doped, resistivity anomaly 5=4089
- etching and motion of 180° domains 5=12378
- films, capacitance, nonlinear, rel. to surface polarization 5=12802
- films, preparation and props. 5=9709
- laminar domain structure 5=15384
- losses associated, diff. thermal obs. 5=7016
- permittivity, double thermal hysteresis loop 5=9712
- semiconducting, prep. and props. 5=4012
- space charge rel. to cold conduction 5=12804
- surface layer and switching props. decay 5=12803
- switching current decay, due to a-domain formation 5=1681
- variation in auxiliary elec. field 5=7020
- Fe^{3+} e. s. r. study, above Curie point 5=7236

Ferroelectric phenomena
- absorption band for i.r. reson. freq. shift by elec. field 5=1825
- autostabilization rel. to temp. 5=12801
- crystals, optical activity change on polarization reversal 5=9886
- crystals, saturation const. determ. 5=9708
- rel. to dipole lattice internal field 5=6245
- domain structure, microphysical theory 5=9786
- hysteresis tracer, with compensation and sample grounding 5=189
- phase transitions, unsharp, composition fluctuation effect 5=12800
- pressure effects, review 5=6094
- spin wave spectrum, ferromag.—antiferromag. chain 5=9827
- $Na_{0.5}Bi_{0.5}TiO_3—PbTiO_3$ ferroelec. phase transform. peculiarities 5=4093

Ferromagnetic relaxation
- metals, and s—d exchange 5=12887
- spin-waves by parallel pumping 5=1779

Ferromagnetic resonance
- See also Ferrimagnetic resonance.
- calculation for spiral struct., two resonances 5=12895
- damping in dilute ferromag. alloys near Curie point 5=4224
- in e. s. r. of dielectrics containing ferromag. particles 5=15485
- in ferrites, device 5=15480
- ferrites, natural reson. for large damping 5=1785
- metals, condition 5=15479
- Permalloy films 5=7197
- Permalloy films, parallel spin—wave resonance 5=4226
- Permalloy films, spin—wave reson. 5=4225
- skin effect, anomalous, in strong mag. field 5=7195
- spin-wave excitation 5=1780
- $BaFe_{12}O_{19}$, crystal orientation effect 5=1786
- $CrCl_3$, antiferro. and ferro, sublattice magnetization, spin-wave analysis 5=7182
- Fe whisker crystals, obs. 5=1782
- Ga, in EuFe garnet, linewidth 5=12963
- Li ferrite, magnetoelastic waves, parallel pumping 5=1787
- Li ferrite, single cryst. grown in ordered state 5=4209
- Mn ferrite, curve width, rel. to temp. 5=15481
- Ni, distortion field, temp. independent relax. calc. 5=1781
- Ni particles, small linewidth 5=9828
- Ni—Fe ferrite single crystals, induced anisotropy effects 5=7196
- Y ferrites, Fe^{2+} impurities effect 5=1783
- YFe garnet, cavity wall effects 5=9829
- YFe garnet, microwave emission by mag. pulsing 5=7371
- YFe garnet, relaxation, surface dependence 5=7199
- YFe garnet, Co^{2+} and Ge^{4+} substitution for Fe^{3+} effects 5=12965
- YIG crystals, unsaturated 5=15482
- YIG, magnetostatic mode echo 5=12964
- YIG, spin—wave mode lifetimes, rare-earth impurity effects 5=7198

Ferromagnetics. See Magnetic properties of substances/ ferromagnetic.

Ferromagnetism
- See also Antiferromagnetism; Ferrimagnetism; Ferromagnetic relaxation; Ferromagnetic resonance; Magnetic properties/ferromagnetic; Magnetization process; Magnetization state.
- Barkhausen discontinuities in d.c. and mono alternating mag. fields 5=7110
- Bloch walls, structure, magnetostatic energy 5=15439
- book 5=12880
- cluster approximation with first and second neighbour exchange 5=4178
- Conference, USSR (1962) 5=12881
- correlation theory, self-consistent 5=9775
- coupling, long-range, through non-magnetic slab 5=9779
- critical isotherm 5=12885
- and crystal electron correlation in narrow s-band 5=12595
- cubic crystals, anisotropy const., spin wave calc. 5=7101
- decoupling in Green's function method 5=9776
- Dirac vector model, cluster expansion derivation 5=4155
- e. m. wave spectrum in strong electric field 5=15526
- exchange operator, generalization 5=7104
- fermion hard sphere gas 5=1729
- ferromagnet anisotropy consts. calc. 5=12892
- film Green's function theory 5=12898
- films, anisotropy increase with inhomogeneous drive fields 5=4187
- Green functions, approx. solutions by Pauli operators, statistical averages 5=7799
- Heisenberg ferromagnet, low-temp. props 5=7100
- Heisenberg ferromagnet, $S = \frac{1}{2}$ low-temp. magnetization 5=4175
- Heisenberg ferromagnet, thermodynamics at Curie pt., calc. 5=15438
- Heisenberg model, spin - 1/2, 3 dimensional, susceptibility, Pade' approximant bounds 5=4174
- Heisenberg spin-$\frac{1}{2}$ ferromagnet, 2-time Green's funct. applic. 5=7102
- helicoidal struc., neutron energy distrib. in scatt. by phonons, Green's fn. calc. 5=1725
- helicoidal struc., neutron energy distrib., scatt. by magnons, Green's fn. calc. 5=1726
- high frequency calc. for spiral struct., two resonances 5=12895
- impure ferromagnet, theory near Curie point 5=12893
- impurities, thermodynamic props., neutron scattering theory 5=9788
- indirect exchange interaction 5=7098
- inertial effect obs. 5=15434
- inertial effect of spin in ferromagnet 5=7957
- inhomogeneous magnetiz. motions, theory 5=13891
- Ising ferromagnet, 2 dimensional, spontaneous magnetization, Peierls' proof 5=1732
- Ising model with long-range interactions 5=12883
- Ising model low temp. expansion 5=12884
- layers, uniaxial, susceptibility, deviations due to anisotropy 5=4183
- magnon-drag effects, and transport coeffs. metals, 5=12882
- metallic films, theories review 5=7114
- metals, Hall effect, electron—phonon scattering role 5=15271
- metals, rel. to n. m. r., Knight shift, temp. var. calc. 5=4259
- metals, quantum field theory 5=4172
- metals, and s—d exchange 5=12887
- neutron investigation, review 5=7099
- neutron scattering near Curie temp. 5=15435
- neutron scatt. near spiral to collinear phase transition to collinear 5=9781
- neutron spin scatt. approx. 5=15436
- nuclear, with cond. electrons, use of perturb. theory 5=7103
- polarization, pressure effects, review 5=6094
- positron polarized annihilation 5=15255
- Priesach diagram, generalized, new method for construction 5=7108
- Procopiu effect, appl. to anisotropy of wires and thin films 5=1731
- spin coupling by conduction electrons 5=6829
- spin relaxation, statistical theory 5=2269
- spontaneous magnetization temp. depend., by Green-functions method 5=1734
- statistical theory of ferro- and antiferromagnetism 5=1728
- surface, Kerr magneto optical meas. 5=12894
- unpinned surface spins, evidence from parallel spin-wave resonances 5=4226

Ferromagnetism—contd
- weak, moderate field process, domain concept calc. 5=1742
- Yang long range order, superfluid analogy 5=1730

spin-wave theory
- anisotropic ferromagnet, spin-wave interactions, temp. depend. 5=4176
- conduction electron—spin wave interactions 5=12886
- cubic crystals, spectrum calc. 5=4177
- cubic ferromagnet, with 2 exchange-coupled sublattices 5=9777
- energy states of Bogolyubov and Tyablikov 5=9778
- films, Heisenberg model 5=15442
- phonon pumped instabilities 5=12896
- spin inertial effect in translation and rotation 5=15433
- spin system vibrations, solution rel. to impurity atoms 5=15437
- superconducting ferromagnets, interaction of conduction electrons with spin waves 5=15283

Ferromagnets. See Magnetic properties of substances/ ferromagnetic.

Feynman diagrams. See Field theory, quantum/interactions.

Fibre optics. See Optical systems.

Fibres
- colour prediction in blending 5=5040
- composite, inelastic behaviour, overall modulii, flow stress calc 5=1493
- composite, transversely isotropic phases, elastic modulii, no geometry effect 5=1492
- cotton, degradation due to u.v., sunlight and fungi 5=9217
- polyethylene terephthalate, mechanical and optical anisotropy due to extension 5=6748
- polymer, fatigue fracture 5=3873
- polymers elastic moduli 5=12534
- reflections absent or overlapping, least-squares anal. 5=12167
- synthetic, melting pt. determ. by double refraction 5=3399
- synthetic, polymer, density meas., rel. to heat and mech. treatment 5=3453
- synthetic, thermomechanical properties 5=4287
- CsCl II 5=14923
- Cu_6Sn_5, strength, size effect, and fracture 5=9547
- $NaPO_3$, possible crystallinity 5=3452
- SiO_2, cooling times 5=3451

Field emission. See Electron emission/field emission.

Field emission microscopes. See Electron microscopes; Ion microscopes.

Field theory, classical
- See also Electromagnetism; Gravitation; Relativity.
- calculating app., analogue, for nonhomogeneous media 5=7741
- conservation laws, two new classes, massless fields 5=2022
- with extended sources, conformal transformation 5=13823
- extension into lower half space method 5=13822
- moving point associated fields 5=13824
- phase trans. in multicomponent nonlinear field 5=2023
- potential field transform., numerical methods 5=25-6
- potential, two dim. fields continuation, numerical method extrapolation 5=7735
- radial distrib. function, inequalities 5=13821

Field theory, quantum
- See also Dispersion relations; Elementary particles; Physics fundamentals; Quantum theory.
- $A\to C+\phi$, $A\to C+\omega$ resonant state decay unitary symmetry 5=14425
- algebra of all local observables 5=2389
- angular momentum and algebra of U(6) 5=14252
- arbitrary system, anti-commutative quantization 5=2388
- asymptotic, singularities 5=5160
- atoms, Feynman diagram ang. integration 5=5737
- atoms, perturbation theory for two filled states in open shells 5=5738
- B and Δ supermultiplets, octet enhancement 5=10819
- baryon nonleptonic decays and 8-fold way 5=2436
- Bethe–Salpeter eqn., lightlike solutions 5=10827
- Bogolyubov's transformation, mass eqn. 5=385
- bootstrap model, interacting symmetry 5=11060
- Bose, Neuman algebra type 5=5164
- bound state and singular integral eqns. calc. 5=10834
- bound states of 3-body system, 2-body method calc. 5=10835
- broken-SU_3 predictions, simple derivation 5=10799
- broken unitary symmetry, coupling consts. 5=10798

Field theory, quantum—contd
- canonical form 5=5161
- causality and linear field eqns. 5=2044
- Clebsch–Gordan coeffs, SU_n symmetry 5=10763
- Clebsch–Gordan series for SU(3) 5=20
- complete unitarity and S-matrix theory 5=2390
- conservation laws, two new classes, massless fields 5=2022
- convergence, comparison theorems 5=2488
- coupling constants, in broken SU(3) symmetry, sum rules 5=415
- cut-off function, in Lee model, fractional power zeros 5=383
- derivative coupling in 4 dimensions between spinor and scalar field 5=14243
- Dirac bilinears algebra 5=2403
- Dirac density matrix 5=2073
- Dirac equation and inhomogeneous Lorentz group unitary representations 5=10778
- Dirac magnetic forbidden poles 5=8213
- e.m. potential measurability, self-field fluct. effects 5=5162
- e. m. wave statistics analogies 5=10533
- electromagnetic potentials, commutation relations 5=389
- elementary and composite particles, equivalence 5=10779
- energy–momentum tensor, commutation relations 5=388
- exchange current test by d dist. integration by γ or e 5=393
- $F_{5/2}$ resonances, as SU(3) members 5=14444
- fermion fields, strongly-coupled, relativistic functional method 5=14273
- Feynman amplitudes, parametrized, U function theorems 5=5163
- Feynman diagram poles 5=14241
- Feynman diagrams 5=8203
- Feynman diagrams, converging, high-energy asymptotic behaviour 5=380
- Feynman diagrams with crossed lines 5=8283
- Feynman graphs, combinatorics 5=10768
- Feynman graphs, topological props. 5=17
- Feynman integrals, with singular configurations, high-energy behaviour 5=381
- Feynman integrals with spin, asymptotes 5=2395
- Feynman integrals in 2-dimensional space–time, special class 5=10767
- Foldy–Wouthuysen rel. to Lorentz transformations 5=8210
- free massless with arbitary spin wave eqns, and little Lorentz group 5=10794
- fundamental axioms formulation 5=5165
- generalized singular functions analyticity and boundedness 5=14242
- Goldberger–Treiman relation in unitary symmetry model 5=11072
- Goldstone theorem, failure? 5=2391
- graphs, planar, complete high-energy behaviour 5=8206
- Green's functions 5=5158
- groups, combining inhomogeneous Lorentz and Lie 5=378
- groups, Lie, semi-simple, compact, irreducible representation 5=5175
- hadrons, 3-field model and SW_3 5=8222
- Hamiltonian formalism with linear supplementary condition 5=10276
- Hamiltonian matrix elements, invariance hypothesis and higher correlations 5=362
- helicity amplitude, kinematic singularities, integral spins 5=14269
- with high momentum cut-off, renormalization 5=10775
- higher-spin equations, covariant 5=8212
- higher symmetry schemes, charge operator 5=14257
- Hori treatment strong-coupled 5=14238-9
- infrared divergency removal 5=10776
- internal groups and Heisenberg theory 5=10782
- internal and space-time symmetries 5=8223
- Klein–Gordan eqn. with small non-linearity, generalized perturbation expansion 5=5145
- Landau curves, Plüekev characteristics 5=382
- lectures, Naples, First Internat. Spring School of Physics 5=10762
- Lie's eqns. for rotation group 5=2394
- Lippman–Schwinger eqn., singular potentials 5=8266
- local, i.r. singularities 5=14247
- localized states, Lorentz invariant 5=384
- localized states and particle concept, relativistic 5=8204

Field theory, quantum—contd
Lorentz group, inhomog., ang. momentum representation, various cases 5=403
Lorentz invariance and SU(6) theory interpretation 5=10786
Majorana, Dirac, perturbation, lecture, introductory 5=8276
mass and binding from direct interaction 5=8237
mass renormalization 5=401
N and D equation solutions as coupling const. explicit functions 5=10830
negative probabilities with coupled Lee oscillators 5=2393
neutral massive spin-z field, Lagrangian theory 5=404
nonlinear, analytic props. of amplitudes in second order 5=5234
nonlinear spinor theory difficulties 5=14248
with non-local interaction, convergence, causality and gauge invariance 5=14237
nonrenormalizable theories, nonlocalizability concept 5=376
octet dominance model, based on tadpole diagram 5=8220
one-particle exchange approx., versus Feynman graphs, calc. 5=10853
oscillator unitary symmetry and Talmi transform 5=8199
particle—field system, nonlinear wave eqn. 5=10766
particle mixing, renormalization calc. 5=411
peritization technique and singular log potentials 5=2387
perturbation-theoretical integral representation, asymptotic behaviour, subtraction problem 5=482
perturbation theory, vertex functions, asymptotic limit 5=8285
photon as symmetry-breaking solution 5=2399-400
quantum electrodynamic finite relativistic, with indefinite metric 5=10774
quasi-free polylocal, construction of infinite spin field 5=2396
quasistationary states, lifetime, energy dependence 5=5196
as random classical fields 5=10770
Regge trajectories and unitary symmetry schemes, complementarity 5=10781
renormalization constants rel. to bound state condition 5=14240
resonances in view of spin determination 5=2425-6
round table discussion 5=669
and scattering amplitude asymptotic rels., calc. 5=14296
Schroer two-dimensional model field representation 5=5159
self-consistent, analytical, relativistic 5=5726
self-consistent, nondegenerate multiplets 5=10780
space structure and relativistic quantum theory formalism 5=10773
space—time symmetries, internal and quantized, coupling 5=8205
spin operators, position and intrinsic 5=8209
spin $^3/_2$, covariant theory, equivalence 5=405
spin $^3/_2$, Stückelberg's formalism 5=10771
spinor fields in Finsler spaces 5=10219
spinor Green's functions, peratization 5=10769
spinor representations 5=10810
spontaneous breakdown solutions, stability 5=10800
static strong-coupling theory, symmetry breaking 5=10796
strict locality, general theories 5=387
symmetric group representation, fractional parentage coeffs. 5=2709
symmetry groups, and space–time 5=379
symmetry spontaneous breakdown, theory, self-consistent mass eqn. 5=10803
symmetrization postulate, review 5=414
$\Delta S = -\Delta Q$ and $\Delta S = 2$ decay amplitude ratios 5=8232
SU_3 Clebsch—Gordan coeffs. 5=5176-7
SU_3 and harmonic oscillator 5=14228
SU_3 invariance, in leptonic decays of strange particles 5=5195
SU_3 multiplet spin from generalized Lorentz group 5=2427
SU3 symmetry, relation between baryons and leptons 5=10817
SU_3 symmetry triplet models 5=10783,
SU_3 triplets, Z quantum number phys. interpretation 5=5180
SU(3) symmetry scheme, review 5=8221
SU(4) mass formula 5=10804

Field theory, quantum—contd
SU_6 Clebsch—Gordan coeffs., for reductions (35) ⊗ (35) to (35) and (56) ⊗ (35) to (56) 5=10795
SU(6) electromagnetic mass corrections 5=10805
Thirring models self-coupled through non-covariant current operator 5=2392
three-body systems, self-consistent two body method 5=445
3nj coefficient calc., digital 5=13816
time-reversal invariance 5=10812
total orbital angular-momentum operator, N-dimensional, polar coord. systems 5=377
triality type and generalization in unitary symmetry theories 5=412
triangle singularities, Peierls mechanism and resonance poles 5=8284
21-j coefficient 5=14277
two-dimensional models, coupling constant analyticity 5=5207
2 models, lepton scattering 5=14274
unitary or octal symmetry? 5=10785
unitary symmetry and Regge poles 5=8226
vertex functions, restrictions 5=10765
Wightman function mollifier role 5=386
Yang—Mills field on space-time curve 5=4736
Yang–Mills symmetry violation 5=10764
$Z_3 = 0$ and $\delta m^2 = 0$, consistency 5=10772
electromagnetic field. See Quantum electrodynamics.
interactions
See also Elementary particles; Nuclear reactions. Entries on interactions involving named particles are listed under the particles concerned.
amplitudes, inelastic, Lee model with crossing symmetries 5=8244
Bethe—Salpeter eqn. approx. soln. 5=5208
Bethe–Salpeter eqn, solution 5=8239
bootstraps, Balázs-type 5=8242
bound states, number, of given interaction 5=8241
broken symmetries, at high energy 5=430
charge exchange and simple parametrization of N scatt. 5=5334
classical statistical model 5=2445
complex angular momentum group properties 5=8247
compound particle virtual excitations 5=14281
effective interact., 2-body BGW correl. theory 5=8508
elementary interactions, gauge theory 5=450
Fermi, high energy 5=5210
fermion—boson fields structure 5=2447
Feynman diagrams for one- and two-particle Green functions 5=5214
final-state, in presence of absorption 5=8238
fixed source meson theory computer calc. 5=5393
form factors, in 3-particle interactions, asymptotic self-consistency 5=451
fusion of two Klein—Gordan particles and singular solns. 5=5205
gravitational field, with spin $^1/_2$ or $^3/_2$ waves 5=10248
gravitational, parity, charge conjugation and time reversal 5=2443
gravitons, prod. on spinor particles calc. 5=10838
high-energy, conference report 5=5250
high energy inelastic processes and Regge poles 5=10884
high-energy, large-momentum transfer processes 5=8251
high-energy peripheral, impact parameter K-matrix approach 5=2442
high-energy total cross-sect. behaviour 5=8263
hypercharge conservation, CP invariance and 0-mass, 0-spin field existence 5=10813
inelastic amplitudes, asymptotic expressions, singularities in ang. mom. plane 5=8275
isotropic gauge fields with photons 5=14292
Lee model, and Lehmann–Symanzik–Zimmermann formalism 5=10836
4-lepton vertex function in ladder approx. 5=5210
many-body K-matrix, with Yukawa potential 5=8245
many-particle processes, isospin cross matrices 5=14278
massless particles, coupling 5=8248
mesons, trilinear, in intrinsically broken U(6) symmetry scheme 5=14426
N/D equation strip approx., numerical soln. 5=5403
N/D equations in strip approx., soln. 5=5212
Ne'eman's fifth, experimental restrictions 5=5183

Field theory, quantum—contd
  interactions—contd
    nonrelativistic particles, interaction with quantized scalar field 5=448
    nucleons, and dispersion theory 5=8249
    peripheral, and SU(3) 5=14282
    with photons, virtual pairs, covariant method 5=5206
    Pomerantchuk theorem extension 5=2450
    propagators, in 3-particle interactions, asymptotic self-consistency 5=451
    quasi-spin in LS coupling, calc. 5=435
    Regge poles for two spin particle reactions 5=10878
    relation between operators in Heisenberg and interaction representations 5=2452
    relativistic three-body problem 5=5213
    resonances, phenom. analysis 5=8229
    scalar, pseudoscalar 4- fermion, bound states calc. 5=10833
    separation of variables 5=449
    spin 1 particles, Kemmer theory, conserved spin operators 5=406
    strip approx., more accurate treatment of low energy potential 5=5215
    symmetries, subgroup of O_8^+ 5=5181
    symmetry breaking meson—baryon, and masses 5=5211
    SU(3) invariant, meson-baryon scattering 5=5227
    SU(n), infinitesmal generators interpretation 5=2439
    three-particle amplitudes, ang. momentum and energy 5=5209
    three-particle amplitudes in non-relativistic case, integral eqns. 5=8243
    three particle, final state problem, calc. 5=10832
    threshold anomalies for unstable particles 5=2448
    2-body reactions, spherical spin tensor decompositions, Bohr's symmetry consequences 5=10811
    two particles, renormalisation of quasipot. eqn. 5=2444
    two and three particle states, relativistic 5=2446
    unitary symmetry model, e. m. mass differences 5=426
    unstable particle reson. and inelastic threshold correls. 5=2441
    variable number particle processes, amplitudes, asymptotic relations 5=2450
  interactions, strong
    analycity properties of helicity amplitudes 5=476
    axial vector mesons and form factors 5=11055
    baryon—baryon in octet unitary symmetry 5=2437
    bootstrap model symmetry 5=14290
    bootstraps 5=460
    boson—baryon, and Klein paradox 5=2438
    boson radiative corrections in vector potential fields, perturbation theory 5=459
    Branzam-Low symmetry 5=8230
    conference, Sicily 1963 5=2451
    consistency and partially conserved axial vector currents, calc. 5=10845
    crossing relations and symmetry prediction in soluble model 5=2411
    current-generated algebras 5=5204
    eightfold way, collection of papers 5=5179
    elastic-scattering amplitude, approx. detm. method 5=8278
    electric and dual charge rel. 5=2461
    elementary particle oscillator model giving unitary symmetry 5=413
    and elementary particles, calc. 5=14251
    embedded space—time, and symmetries 5=14254
    experimental data analysis, lectures review 5=8256
    internal symmetry and relativistic invariance 5=8260
    isospin multiplets, models 5=8217
    leptonic decays, axial-vector current, octet version of unitary symmetry, calc. 5=431
    low-energy equivalent-potential method calc. 5=10846
    ND^{-1} multichannel equations, artificial singularity 5=8259
    non-local effects 5=14289
    oddness, symmetry by 3rd rank Lie groups, calc. 5=10847
    particle masses relationship 5=423
    particles classification, eightfold way additions 5=8215
    particles, new nomenclature review 5=2556
    peripheral, influence of absorbtion due to competing processes 5=2462
    perturbations, S-matrix multichannel, group-theory calc. 5=10869

Field theory, quantum—contd
  interactions, strong—contd
    semileptonic, and SU(6) symmetry, calc. 5=10848
    shadow, and inelastic collisions, strongly interacting particles 5=8258
    symmetries, covariant theory 5=8257
    symmetry and 3rd rank Lie algebra, book 5=10849
    SU_3 invariant solns. to a reciprocal bootstrap model 5=5202
    SU_4 model predictions 5=8261
    SU(6) invariance consequences 5=2464
    SU(6) symmetry invariant derivation 5=14258
    time reversal, muon transverse polariz. test 5=8383
    U spin equalities and octet symmetry breaking 5=2415
    unitary model, e. m. props. of particles 5=408
    unitary symmetry and charge conservation origin 5=2463
    V-strap model of PS—PS scattering, self consistent schemes 5=14302
    at very high energy, methods review 5=2465
    W_3 symmetry, relations and selection rules 5=420
  interactions, weak
    analysis by Feinberg—Pais procedure 5=5220
    B-matter model 5=2455
    β-decay renormalization effect, axial vector coupling calc. 5=10839
    β and μ decay constants with intermediate W-mesons, renormalisation 5=2424
    with boson, intermediate 5=5219
    and broken symmetries 5=2456-7
    CP invariance introduction 5=8254
    CP violating, PT conserving scalar—pseudoscalar interaction possibility 5=14287
    CP and T violation, large, possibility 5=2460
    Cakilbo's theory of leptonic decay and Σ obs. 5=2686
    conference, Sicily 1963 5=2451
    conference, Univ. of Sussex (1964) 5=8288
    and cosmology, continuous creation 5=1961
    current—current, non leptonic, choice between primary and dynamical $|DT| = {}^1/_2$ rule in $K \rightarrow 3\pi$ decay 5=2666
    divergence of low order perturbation amplitudes 5=2454
    and higher symmetries, conference 5=14283
    and hyperon nonleptonic decay, spurion correction 5=11117
    and hyperon prod. by neutrinos, SU(3) model calc. 5=11118
    $\Delta I = {}^1/_2$ rule test in K°_8 3 body decay 5=629
    induced pseudoscalar coupling const. detection by μ capture in O^{16} 5=456
    intermediate boson, nonleptonic decays 5=14271
    intermediate boson super-weak coupling with neutrinos, calc. 5=10842
    intermediate boson theory 5=5218
    intermediate bosons problem 5=8255
    intermediate-vector bosons and hadrons, calc. 5=10843
    K^+ decay, neutral leptonic currents calc. 5=2672
    McGlinn theorem, Poincaré rel. to symmetry group 5=10828
    magnetic monopoles, rel. to angular momentum 5=10809
    mediated by 2 scalar bosons and with 2 new neutral leptons 5=14284
    model with CP violation 5=10844
    μ-mesons, decay theory, and μ–e symmetry 5=8444
    neutral vector boson existence test, resonance in e^+–e^- scatt. 5=457
    nonleptonic weak current 5=10816
    nonrenormalization for strangeness violating vector currents 5=2459
    and ν production in turbulent plasma, calc. 5=14400
    octuplet transform, props. 5=5217
    PC violation model 5=14288
    $\mathcal{P} \times W$–R_3 invariance formalism 5=5172
    parity-nonconserving reactions, formalism 5=14285-6
    reduction formula for Fourier transform 5=7720
    review 5=8252
    self-consistent theories, contradictions and compatibility 5=454
    strong interacting particles weak current algebras 5=5204
    strongly interacting particles, Cabibbo leptonic decay calc., and expt. 5=455
    synthesis with e. m. interactions in group structure 5=8253
    SU_3 group theory 5=2458
    SU_4 scheme for fermions, baryons and leptons 5=10840
    three-body leptonic decay of K-mesons and hyperons 5=2665
    triality number and whether leptons belong to unitary triplets 5=2410

- **Field theory, quantum**—contd
  - **interactions, weak**—contd
    - $2\Xi^-_- + \Lambda_- + \sqrt{3}\ \Sigma_0$, sum rule, dynamical basis nonleptonic decay, with SU(3) symmetry 5=642
    - vector boson, renormalization of β and μ-decay const. 5=458
    - vector boson theory, renormalizable 5=2453
    - weak leptonic currents time reversal non-invariance 5=10841
  - **meson field**
    - See also Mesons; Nuclear forces.
    - asymptotic properties and expanding singularities 5=447
    - β and μ decay constants with intermediate W-mesons, renormalisation 5=2424
    - charged vector mesons, renormalizable e. m. interactions 5=400
    - $d_{3/2}$ unitary multiplets, dynamics calc. 5=433
    - e—μ combined field electrodynamic propagators 5=5167
    - electromagnetic field, minimal coupling 5=5221
    - fixed source, computer calc. 5=5393
    - K → 2π, unitary, symmetry explanation 5=624
    - neutral vector theories, Green's functions 5=399
    - nonrelativistic nucleon interactions 5=448
    - S-wave virtual states in meson-baryon scatt. amplitudes 5=2483
    - scalar interactions, and singular integral eqns. in bound state calc. 5=10834
    - scalar mesons in fixed point field source, u.v. divergency removal 5=14268
    - scalar mesons, self "bootstrapping" 5=477
    - spin ½ particles spatial properties of system control of unobserved processes 5=5169
    - vector mesons, higher symmetries 5=416
    - vector octet mass splitting, pseudoscalar octet splitting effect 5=421
  - **quantization**
    - See also Quantum theory/quantization.
    - Dirac's spinor field without negative energy infinities 5=8211
- **Films**
  - coatings, nonreflective 5=8134
  - macromolecules, thickness meas. by stepped interference reflection 5=3089
  - methyl chlorophyllide, monomolecular, structure 5=3088
  - optical problem application 5=2339
  - superconducting, first- and second- kind, near crit. field behaviour 5=9658
  - superconducting, hysteresis in parallel field transition 5=12667
  - synthesis by sputtering in inverted magnetron 5=14083
  - **liquid**
    - See also Adsorbed layers; Contact angle; Helium/liquid; Superfluidity; Surface tension.
    - flow, dry patch stability, shear and form forces 5=11851
    - flow in pullout 5=11852
  - **solid**
    - See also Magnetic films; Optical films; Thickness measurement.
    - adhesive, effect of loading on plastic flow, rigidity 5=1494
    - alkali fluorides and alkaline earth fluorides, electron and ion penetration depth 5=1488
    - alkaline earth chalcogenides, crystal struct. 5=12041
    - alloy, elec. resistivity, effect of thermal ageing 5=1600
    - alloys, CuAu II-type, superlattice, electron diffr., satellite reflections 5=3616
    - anisotropy, from Procopiu effect 5=1731
    - anodic oxide on Al, medium cond. effect on electroluminesc. 5=7386
    - anodic oxide films, proton space charge 5=9701
    - carbon, penetration of Li ions 5=2234
    - celluloid, penetration of Li ions 5=2234
    - corrosion at 20°C in air—H_2S mixture 5=4393
    - diffusion coating formation by vac. condensation, mechanism characts. 5=3498
    - elastic moduli of almost incompress. films, meas. theory 5=15122
    - electron range, temp. var., seven substances 5=2222
    - ellipsometry in surface and thin film meas., symposium 5=3483
    - evaporated dielec., birefringence and optical activity 5=5095
    - evaporator for deposition 5=3495
    - evaporator, Sb, low-temp. 5=6318

- **Films**—contd
  - **solid**—contd
    - ferromagnetic, with antiferromag. oxide, spin wave spectrum 5=9827
    - ferromagnetic domain imaging, by electron diffraction 5=7106
    - formation, elliptically polarized light photoelectric obs. 5=3491
    - gelatin, swollen, rigidity modulus meas. 5=15122
    - glass substrates, rel. to magnetic film structure 5=1738
    - graphite supports, for nuclear sources and targets 5=14951
    - growth on metals, Drude—Troustad meas. method theory 5=3492
    - inert gases, solidified 5=9326
    - lattice constant decrease causes 5=1277
    - measurement during evaporation 5=1280
    - metal, absorption of polarized light 5=7303
    - metal, elec. cond., Hall coeff. Sondheimer oscills. calc. 5=1603
    - metal, electron diffraction contrast 5=3612
    - metal, exploding 5=13929
    - metal, field effect, mean free path and boundary influences 5=3963
    - metal foils, prep. for electron microscope exam., review 5=3496
    - metal, optical refl. intensity and phase rels. 5=9881
    - metal, range of 5-30 keV electrons 5=9505
    - metal, superconductivity in strong mag. field 5=12666
    - metal, thin, fission-fragment track formation 5=9503
    - metallic, thickness meas. by elec. and temp. var. 5=3505
    - metals, cubic epitaxy on alkali halides cleaved in vacuum 5=6392
    - metals, granular, elec. cond. rel. to bulk, freq. var. 5=6835
    - metals, single crystal foil prod., u. h. vacuum sorption system 5=6320
    - mica conductivity, electron-excited 5=12797
    - multiple evaporation sources for uniformity over large areas 5=6126
    - multi-layer, with periodic structure, props. 5=8109
    - optical consts. meas. 5=7296
    - optical props., inhomogeneous, calc. 5=2343
    - optical props., on transparent surfaces 5=7295
    - oxide layers on Al, thickness, low frequency capacitance meas. 5=9
    - oxide, metal film self-cleaning 5=9241
    - oxide on Si, rel. to elec. props. 5=4036
    - Permalloy, anisotropy and angular dispersion 5=1755
    - Permalloy, easy axis dispersion rel. to deposition parameters 5=1754
    - Permalloy, mag. anisotropy dispersion 5=7147
    - permalloy, mag. props. 5=4203
    - polybutadiene, from glow discharge, elec. cond. 5=4084
    - polycrystalline, electron transparency temp. depend. 5=6827
    - polyethylene, gas transport process 5=3720
    - polymers elastic moduli 5=12534
    - polymer, rupture under internal stresses 5=6688
    - polyvinyl alcohol, phase transforms. 5=12026
    - reflection of light for absorbing coat on metal surface 5=2344
    - reflectivity, and uncoated substrate, equal 5=9883
    - rutile, dislocations and twinning 5=3761
    - semiconducting on cond. substrates, cond. meas. 5=12696
    - semiconducting crystal electron band structure calc. 5=12598
    - semiconductor, elec. conductivity, probe method 5=4009
    - semiconductor, electron scatt. by acoustic vibrations 5=9586
    - semiconductor, Hall const. meas. by probe 5=4010
    - semiconductors, cond. meas. device 5=9664
    - semiconductors, growth conditions on non-single crystal substrates 5=3550
    - silica, structure 5=9352
    - silver evaporated, crystallite coalescence 5=1314
    - sputtering deposition 5=12039
    - stress determ. in films on Si substrates 5=6675
    - substrate and mask vertical-holder 5=3494
    - substrate rotator for deposition system 5=6319
    - superconductive, critical mag. field 5=15284
    - supercond., current vortices interacts., long range, calc. 5=1622
    - superconducting, current-carrying, tunnelling density of states 5=9641

Films—contd
solid—contd
superconducting, mag. props., Gor'kov eqn. 5=3988
surface, effect on ellipsometric determ. of optical consts. 5=4277
p-terphenyls, substituted, evaporated films, u.v. absorption spectrum 5=7380
thickness control, by quartz resonator 5=14948
thickness from elec. conductivity and isothermal Hall effect theoretical expressions 5=1610
thickness meas., by absorption of X-rays excited by T 5=12038
thickness meas. by (α, nγ) reaction 5=13807
thickness meas., Drude eqns. calc. 5=3489
thickness meas., Drude technique sensitivity 5=3490
thickness meas., from elliptically polarized light, historical review 5=3488
thickness meas. by interference fringes of equal chromatic order 5=9247
thickness meas. from mass per area 5=10208
thickness meas., photoelectronic method 5=14947
thickness meas., radioactive method 5=14946
thickness meas. by stepped interference reflection 5=3089
transducers, vapour deposited CdS or ZnS 5=13939
in vacuo, elliptically polarized light obs. 5=3493
vacuum condensates, possible formation mechanism 5=9243
vacuum-deposited. using ruby laser 5=9242
vapour deposition, at low supersaturation, nucleation of stable phase 5=1278
X-ray diffraction pattern small change detection by Au film standard 5=3497
Ag crystal imperfection, alignment, substrate effects 5=9446
Ag on Cu, epitaxial, boundary layer dislocations 5=6635
Ag electron diffraction study 5=9310
Ag by evap. in electron microscope 5=9246
Ag, magnetoresistance 5=12652
Ag, optical consts., far u. v. 5=15573
Ag, optical props., 3. 5-14 eV 5=7365
Ag, orientation on rocksalt substrate 5=14954
Ag, resistivity rel. to thickness, 4. 2°K, meas. 5=6848
Ag, single crystal foil, rel. to deformation-exam. 5=6320
Ag, sputtering epitaxial growth 5=12053
Ag, stacking faults by electron diffr. 5=3766
Ag, very thin, new elec. phenomena 5=15275
Al, effect of evap. press. on elec. resist. 5=1604
Al, electron beam, 50 kV, excitation $L_{II, III}$ levels 5=6828
Al, electron diffr. intensities 5=6404
Al, electrons, surface energy loss dispersion, 40 keV 5=15257
Al, inner potential, by electron interferometry 5=6400
Al oxide, tunneling current in Al—Al oxide—Al diode 5=4074
Al, resistance rel. to annealing 5=9622
Al_2O_3, deposition by electron bombard. evap., dielec. props. 5=3499
Al_2O_3 electron beam, 50 kV, excitation $L_{II, III}$ levels 5=6828
Al_2O_3, Mott's formation theory and electron tunneling 5=15316
Al_2O_3, photocurrents 5=12817
As chalcogenides, effects of stoichiometry on photoelec. props. 5=1696
Au aggregated, electrical conductivity 5=3972
Au, annealed, struct. changes by electron microscopy 5=3504
Au, elec. resist. and formation mechanism 5=15274
Au by evap. in electron microscope 5=9246
Au, sputtering epitaxial growth 5=12053
Au, structure, vac. deposition temp. effects, X-ray versus electron diffr. exam. 5=6322
Au, thickness from elec. conductivity and isothermal Hall effect theoretical expressions 5=1610
Au, transmission, light, var. at slow deposition rates 5=15553
Au, vectorial photoelec. effect 5=15421
Au, very thin, new elec. phenomena 5=15275
AuPd, superlattice struct, X-ray diffr. meas. 5=14952
B, amorphous, elec. conductivity 5=4015
$BaTiO_3$, capacitance, nonlinear, rel. to surface polarization 5=12802
$BaTiO_3$, preparation and props. 5=9709
Be, effects on cracking proneness 5=1512
Be, growth 5=1303

Films—contd
solid—contd
Bi_2Te_3 sputtered crystal growth and orientation 5=9274
C, crystal growth on heating 5=12043
C, transmission characts. in vac. u.v. 5=7332
CO_2, solid, absolute i. r. intensities and fundamental absorption bands 5=4302
Ca, optical props., effect of residual H_2O vapour 5=13038
Cd_3As_2, semicond. props. 5=1644
CdO, optical constants, temp. var. 5=7325
CdS evaporated layers, microstruct., annealing conditions effects 5=3587
CdS, evaporated, texture var. with substrate 5=14950
CdS on glass, crystal structure 5=12192
CdS, photocurrent spectra struct. 5=1698
CdSe evaporated layers, microstruct., annealing conditions effects 5=3587
CdTe, absorpt. and refl. spectra, 3-15 eV 5=4301
CdTe, epitaxial growth on GaAs by gas transport 5=14987
Co, β-phase increase, 200°-470°C 5=6321
Co. c. p. h. → f. c. c. phase transformation 5=1264
Co, Kerr magneto-optic effect 5=1839
Cr, preparation of isotope foils for nuclear research 5=12044
Cs_3Sb, semicond., band bending from photo-emission and-voltaic effects 5=3918
Cu, annealing and oxidation morphological changes, substrate effects 5=6344
Cu, inner potential, by electron interferometry 5=6400
Cu oxides, formation by cathode sputtering, rel. to initiating plasma 5=9244
Cu, photoconductivity, < 20 mμ thick 5=7035
Cu, porosity, crystal imperfections 5=3505
Cu, u.h. vac. meas. of optical consts. rel. to ageing 5=1840
Cu, vac.-deposited, grain size and microhardness 5=3500
Cu_2O, prep. and structure 5=12045
Fe, preparation of isotope foils for nuclear research 5=12044
Fe_2O_3, 260-4000 A thick, transmission spectra 5=7344
GaAs, crystal growth, epitaxial, vapour composition effects 5=6394
GaAs, spontaneous bending 5=3848
GaAs, sputtered, fibered and epitaxial growth 5=3501
GaP, epitaxial growth on GaAs by gas transport 5=14987
GaSb, prod. by evaporation 5=12046
GaSb, spontaneous bending 5=3848
Ge, crystal electron band structure calc. 5=12598
Ge, epitaxy on solid Ge 5=14953
Ge, growth and structure, review 5=3503
Ge, inner potential, by electron interferometry 5=6400
Ge, p-type, dislocations 5=15095
Ge, photovoltaic effect, unusual 5=9743
Ge preparation in vacuum, rel. to donor molecule dissociation 5=3502
Ge unsupported single-crystal films 5=1279
In, charge transport 5=1560
In galvanomagnetic size effects 5=9631
In, highly agglomerated, supercond. to 2.90°K 5=3994
In, meas. by zig—zag effect 5=6576
In, struct. and i. r. reflectivity meas. 5=9922
In, superconductivity 5=3993
In, superconductivity 5=15295
InAs, InSb, spontaneous bending 5=3848
InSb, crystal struct , elec. props. 5=12047
InSb, flash-evap., epitaxial, elec. props. 5=6932
In and In—Sn, supercond., non-linear reactance 5=6894
LaF_3, crystal struct. 5=12049
LaF_3 on silica, struct., substrate temp. effects 5=12048
LiF, electron irrad. damage 5=15118
LiI, infrared dispersion freqs. 5=15559
Mg, sintering after evaporation, Kr, C_2H_4 adsorption method meas. 5=12050
MgO, deposition by electron bombard. evap., dielec. props. 5=3499
MgO, preparation technique for electron microscopy 5=1324
N_2 struct., electron diffr. study 5=9326
N_2O absolute i.r. intensities and fundamental absorption bands 5=4302
Na on W, surface conc., work function reduction, anisotropy 5=12054

Films—contd
solid—contd
NaCl, conductivity, electron-excited 5=12797
NaCl, electron emission, secondary, field enhanced 5=12863
NaCl—$CaCl_2$, electron beam flashing thinning prep. 5=3760
Nb, critical temp. rel. to deposition conditions 5=9651
Nb_2O_5, crystal growth, electron mic. obs., anodic films 5=6385
Nb—Sn by codeposition, composition and struct. 5=3506
Ni, adsorption of H and H_2 5=3516
Ni, annealed, struct. changes by electron microscopy 5=3504
Ni, Ba adsorpt. effect on Hall effect 5=6847
Ni, impurity study by electron microscope 5=12366
Ni—Fe, electron bombardment evaporation source 5=10196
Ni—Fe, long term ageing 5=1747
Ni—Fe, orienting-field-deposited, characteristics 5=1746
Ni—Fe—Mo, electrodeposited, mag. props. 5=9803
$NiFe_2O_4$, 260-4000 Å thick, transmission spectra 5=7344
NiO, elec. switching props., 2-terminal device 5=1616
O_2 struct., electron diffr. study 5=9326
Pb, density, crystal imperfections 5=3505
Pb monolayers on Si (111) surfaces 5=3632
Pb, superconductivity 5=15295
PbS, photoconductivity 5=4114
PbS, photoconductivity mechanism 5=15407
PbTe, charge transfer to surface states from elec. cond. 5=1566
Pd, resistance and photoelec. yield rel. to H_2 and D_2 adsorption 5=9636
Pr fluoride, dielectric props. 5=15375
Rb—Cs, formation, effect of carrier props. 5=12746
Sb, measurement during evaporation 5=1280
Sb on Al_2O_3, elec. and optical props., 4-140μ 5=4295
SbS_3, effects of stoichiometry on photoelec. props. 5=1696
Se, epitaxial growth 5=12136
Se, impurity conc. and temp. treatment effect on surface struct. 5=3507
Si, crystal electron band structure calc. 5=12598
Si, epitaxial films, impurity distrib. meas. 5=12365
Si, epitaxial, impurity distrib. 5=15093
Si epitaxial wafers, film defects characterization 5=1465
Si, growth on alumina ceramic 5=9298
Si, growth and structure, review 5=3503
Si, impurity distrib. profile meas 5=1462
Si photovoltages, anomalously high 5=12834
Si, prep. for electron microscopy 5=14991
Si preparation in vacuum, rel. to donor molecule dissociation 5=3502
Si stacking fault obs., by phase contrast microscopy 5=9491
Si-substrates, heating in vacuum to > 800°C 5=4691
Si, thermally grown oxide layers 5=3724
β-SiC, stacking faults and disloc. etch pits orientation 5=1482
SiO, crystal growth on heating 5=12043
SiO, evaporation press. and temp. effects, rel. to optimum conditions 5=6754
SiO_2, deposition by electron bombard. evap., dielec. props. 5=3499
SiO_2, by electron bombardment of triphenylsilanol and oxidation 5=12051
SiO_2, prod. by chemical thermal transport 5=12052
SiO_2 on Si, refractive index by oil immersion method 5=1852
Sn monolayers on Si (111) surfaces 5=3632
Sn oxide, resistive, effect of ion migration in glass substrate 5=6946
Sn, struct. and i r. reflectivity meas. 5=9922
Sn superconducting, hysteresis at normal transition, struct. effect 5=6895
Sn, thin foil growth 5=9287
Sn and Sn—In, supercond., non-linear reactance 5=6894
SnIn, critical fields 5=15303
SnO_2, effect of free electron conc. on absorption edge 5=4329
SnO_2 elec. props. 5=15343
Ta, critical temp. rel. to deposition conditions 5=9651
Ta, deposited in Ar, props., bias d.c. versus asymmetric a.c. sputtering 5=6655
Ta_2O_5, crystal growth, electron mic. obs., anodic films 5=6385

Films—contd
solid—contd
Ta_2O_5, on Ta, heat treatment, elec. cond. distrib. 5=9706
Ta_2O_5, on Ta, optical props., ellipsometric meas. 5=9964
Te, photovoltaic effect 5=7042
TiO_2, production for semicond. devices by vapour, reaction 5=12055
α-U, cold-worked, recrystallized, microstructure 5=14994
UO_2 monocryst., interstitial distrib. of O atoms 5=15022
$UO_2(NO_3)_2$, electrocapillary preparation 5=12056
W on graphite, cracking 5=15189
Zn, vapour deposition on Pyrex, at low supersaturation 5=1278
ZnS, dielectric props, thickness var. 5=15378
ZnS, electroluminesc. and electron emission 5=9973
ZnS electroluminescent condensers 5=1888
ZnS: Cu, heat treatment effects on crystal struct., luminescence 5=12057
ZnS(Mn) with Cu-rich layer, d.c. electroluminesc. 5=9980
ZnSe, structure 5=12239
Filters
use in neutron diffraction 5=9305
Filters, electrical. See Circuits.
Filters, optical
See also Absorption/light; Optical films.
band interference, props. and transmission curves 5=5057
for counters, scintillation, background reduction 5=2504
dielectric multilayer coatings, refractive index meas. 5=2345
dispersion filters for temp. meas. 5=4848
infra-red, far, by frustrated total reflection in two polyethylene prisms 5=5055
interference filters, narrow-band, performance 5=8108
multilayer coating, absorpt. effect on transmission and reflection extrema 5=5074
multilayer interf. coatings, parameters computer calc. 5=8107
multilayer, resolving power, in nonparallel light 5=2325
for photocell matching 5=3870
polarization interf., with Wollaston polarizers 5=10672
spatial, synthesis 5=5056
spectral, optimum 5=5061
Zeeman 5=10671
for Cs optical pumping 5=915
GaAs, i.r. filter 5=10670
for Hg 1849A transmittance 5=312
Finlay—Freundlich red-shift hypothesis. See Astronomical spectra; Cosmology; Gravitation; Relativity.
Fission. See Nuclear fission.
Flames
curved and burning velocity 5=10374
electricity, direct convertor, m.h.d., temp. meas. i.r. 5=7934
electricity, direct convertor, m.h.d., temp. meas., spectral 5=7933
hydrocarbon flames, negative-ion formation 5=7430
methane-air, ionization, double probe obs. 5=7431
oxy-hydrogen, metal oxide crystal growth, conditions study 5=3548
potential between probes, with injected gases 5=4841
potential prod. between electrodes by electronegative gas injection 5=14743
"singing", by collision of 2 gas jets 5=2107
temperature meas., by double probe method 5=13986
in turbulent mixtures, propagation theory 5=7885
C_2N_2 + N_2O flame, spectroscopic source, CO, CN bands, spectral analysis 5=318
H—C_2H_2, light emission due to H_2O 5=1904
N on Cl_2S, spectrum 5=5851
Flares, solar. See Sun, flares.
Flash photolysis. See Photochemistry.
Floating zone refining. See Zone melting and refining.
Flicker noise. See Electron tubes; Fluctuations/electrical.
Flocculation. See Sedimentation.
Flow
See also Diffusion; Jets; Plastic flow; Turbulence; Viscosity.
anisotropic fluids, Couette flow stability 5=3248
anisotropic fluids, helical 5=6066

Flow—contd
  baroclinic fluid, viscous boundary layer 5=11774
  boundary layer waves, and turbulence, excited by wall flexure deformations 5=6061
  channel, 2-dim., randomly oscillating turbulent 5=11789
  convection over wedge, laminar boundary flow 5=10370
  Couette, between rotating cylinders, stability calc. 5=14786-7
  Couette and capillary, basis for rheometric measuring instruments 5=11784
  Couette, linearised near-free molecular, 5=9027
  Couette, plane-parallel, stability 5=11783
  Couette, stability, transverse pressure gradient effect 5=11782
  curved channel with oblique weirs for high Fronde numbers 5=6067
  Ekman layer, non-divergent, stability 5=11773
  elastico-viscous, helical, analysis 5=14784
  fluid, ideal, with elastic boundary, periodic motions 5=11791
  fluid, incompressible, past flat plate, boundary-layer eqns. 5=11779
  fluid surface perturbations 5=11787
  Hagen—Poiseuille stability 5=1137
  heat transfer, laminar boundary, similarity conditions 5=10369
  heat transfer, at m.h.d. stagnation-point 5=10361
  heated ducts, stability 5=11781
  hydrodynamic flow past non-conducting porous plate 5=233
  hypersonic past sphere, shock waves 5=10316
  impinging constrained jets, calculations 5=14782
  instability, in curved channel 5=14789
  instability between rotating coaxial cylinders, calc. 5=14785
  m. h. d., stability between cylinders, circular mag. field 5=14092
  magnetohydrodynamic flow angle indicator 5=235
  Navier—Stokes eqn., one-dimens. scalar analog. 5=18
  non-Newtonian fluid, rotating sphere, no suction or injection, calc. 5=3243
  Ostwald—De Waele fluid, in cylind. tube rel. to dispersion 5=11778
  photography, gas-liquid, two phase 5=6064
  Poiseuille, stability problems 5=1136
  in porous materials, random duct maze model 5=9028
  porous tubes, laminar entry problem 5=11785
  rotating sublimating body, and boundary layer calc. 5=14790
  rotating, with and without mag. interact., boundary-layer similarity solns. 5=1139
  separating boundary layers, singularities 5=11776
  shear, steady-state turbulence solns. 5=14791
  sphere, stationary in fluid, force 5=6060
  stability, non-parallel and time-dependent 5=1138
  stagnation point numerical calc. 5=9025
  tangential between cylinders, induced by rotation and external pumping, stability 5=11786
  Tricomi's transonic approximation evaluation 5=3250
  turbulent friction in ducts, vel. profile near wall 5=11788
  turbulent, oscillations 5=6072
  two incompressible fluids between parallel plates, unsteady 5=6062
  two-phase critical, mechanism 5=6063
  two-phase flow, Boltzmann eqn. appl. 5=6065
  unsteady, in porous medium, study apparatus 5=6068
  viscoelastic, rectilinear laminar between rigid surfaces, calc. 5=14783
  viscous fluid equations of motion 5=9026
  viscous fluid, large deformations, thermodynamics of irreversible process calc. 5=2037
  viscous hypersonic flow past slender cone, erratum 5=6069
  viscous incompressible fluids, log spiral and plane Couette 5=3247
  weakly divergent, stability analysis 5=14788
 gases
   See also Acoustic streaming; Aerodynamics; Anemometers; Supersonic flow.
  air, boundary layer of flat plate in tangential, acoustic field effect 5=3260
  air, and metal, alloy burning characs. 5=15620
  behind shock waves, velocity meas. 5=105
  capillaries, thermomol. press. drop 5=6076

Flow—contd
 gases—contd
  circular ducts, free-molecular, density field calc. 5=14797
  Couette, linear, singular integral equn. appl. 5=6074
  Couette, magnetohydrodynamics calc. 5=7993
  diffusing, relaxing, linearized analysis 5=9030
  dusty, quasi-inviscid, Kelvin—Helmholtz instability 5=14796
  gas-solid suspension, shock relaxation 5=10321-2
  hot, radiating, in low-density atmosphere 5=9029
  inflammable mixtures, velocity meas. 5=1145
  isothermal nonstationary motion 5=11817
  linearized kinetic theory, elementary solns. method 5=3274
  low-pressure, temp. effects 5=11797
  m.h.d. gas flow, one-dimen., with heat transfer 5=7987
  from metal cylinder, radially confined, exploded 5=14711
  multicomponent mixture, dissociated, catalytic or non-catalytic obstacle, boundary layer soln. 5=3261
  orifice, free molecule density, comments 5=9031
  plasma, charge on body, calc. 5=14702
  in plasma column, rel. to props. 5=3108
  in proportional counters, fractionation effects 5=487
  sliding velocity, on infinite smooth plate 5=6075
  with solid or liq. particles, nonsteady analysis 5=3259
  steam, measurement using T 5=9034
  with streamlines of different shapes 5=11798
  streamlines with known press. distrib. on rigid surface 5=11796
  through nozzle throat 5=11795
  transient, computation with shock waves 5=6073
  unsteady, one dimensional, spectra eqns. integral 5=9032
 liquids
   See also Acoustic streaming; Double refraction/flow; Hydrodynamics; Superfluidity.
  anisotropy induced, calc. using transport mechanism, mol. theory 5=6151
  boiling of supercooled liquids, boundary layer flow 5=11941
  in channels and pipes, variable viscosity effects 5=3287
  Couette, ion meas. methods 5=11838
  Couette, stability with radial thermal gradient 5=1164
  in curved pipe with line of symmetry 5=3286
  elastic tubes, linear telegraph eqn. 5=3285
  elasticoviscous, Couette flow, stability 5=6132
  elastico-viscous liq., steady flow 5=3284
  films, dry patch stability, shear and form forces 5=11851
  films, pullout 5=11852
  glasses, viscous, activation energy in transition state and bond energies 5=11868
  hydrocarbon displacement by water on oxide surfaces, heat 5=11841
  metering pump, continuous, with 1-55 ml hr^{-1} flow range 5=6135
  non-Newtonian, along inclined surfaces 5=6131
  normal stress effect in torsional flow 5=11839
  oil film, between Hg surface and glass disk 5=6130
  orifice, fundamental eqns. 5=11842
  polyisobutene solns., degradation in laminar flow 5=3317
  polymer solns., flexible-chains, in general velo. field 5=6128-9
  in porous material, immiscible liquids, n.m.r. obs. 5=9075
  salt water, turbulent, elec. cond., mean meas. 5=11900
  sea straits, theory 5=10045
  suspensions, through tubes, collisions of small uniform spheres 5=3380
  velocity meas., using heat pulse method 5=6134
  viscoelastic, in converging channel, calc. 5=9074
  viscous, between rotating liquids, Taylor vortex radial component, ion meas. 5=11836-8
  water, vel. meas. 5=6134
  CCl_4 in porous materials with heptane 5=9075
  HeII, stability down-inclined plane, analysis 5=4861
  Na, heat transfer under free and forced convection, with oxides deposited 5=6169
Flow birefringence. See Double refraction/flow.
Flowmeters
   See also Anemometers.
  gas, bubble meter method, photoelectric timer 5=11799
  gas, by continuous ionization 5=1146
  liquids and gases,review, 5=3251
  magnetohydrodynamic flow angle indicator 5=235

Flowmeters—contd
metering pump, continuous, with 1-55 ml hr^{-1} flow range 5=6135
orifice, fundamentals 5=11842
thermistor, 2-40 ml/min, and thermometer 5=3288
water, elec. monitor 5=11840
Fluctuations
See also Brownian movement; Random processes.
dynamical variables, treatment method 5=7785
electromagnetic cascades 5=8500
growth in unstable system 5=3687
light beams, rel. to coherence 5=2308
thermal radiation, spectral energy quantities 5=7865
He—Ne laser, spontaneous emission noise 5=5000
electrical
electron beam, crossed-field transmission-line sol. 5=7925
electron beams modulated transversely, interception noise calc. 5=4913
evaporation rate from resistance heated source, stabilizer 5=11939
induction machines, noise, theoretical calc. 5=2199
insulating layers, shot noise suppression by traps 5=2201
μsec i. r. detector signals, retrieval from noise 5=14019
Onsager relations for linear e.m. media 5=10475
photodetectors, non-ohmic i.r., signal calc. 5=2148
photoemission current noise 5=9749
photomultipliers, sensitivity limit theory 5=12849
photomultipliers, single-electron, statistics 5=12851
plasma noise generation 5=9002
polarization scanned digital optical systems, noise characts. 5=5049
radio noise level mag. recorder 5=10566
semiconductors, meas. instrument input stage 5=14017
thermistor-capacitor systems, relaxation oscillations 5=7926
transistors, field effect, l.f. generation noise 5=6984
CdS photocurrent noise investig. 5=12823
He—Ne laser discharge current noise correl. with light noise 5=2291
PbS layers, rel. to external elec. fld 5=12831
Fluid flow. See Flow.
Fluid mechanics. See Hydrodynamics.
Fluidized powders. See Flow; Fluids, Powders.
Fluids
See also Gases; Liquids.
acoustic propagation in elastic plate bounded half-space, initial freqs. calc. 5=14795
anisotropic, helical flow 5=6066
baroclinic, rotating, viscous boundary layer 5=11774
Brownian motions of collective coords., theory 5=13891
charged, coherent, wave properties 5=7984
classical, equilibrium theory 5=11769
compressible, hydromag. stability of vortex sheet 5=2235
convectivity instability in two-layer fluid on heating from above 5=2154
core saturation, determ. by γ-ray absorption instrument 5=11780
correlation function asymptote 5=9021
current-carrying jet from nozzle, instability, erratum 5=7991
diffusion, acoustic, layered fluid 5=9024
diffusion, nonstationary, theory 5=3257
distribution functions, integral eqns. 5=9022
dynamics, perturbation problems, book 5=14780
Ekman layer, non-divergent, stability 5=11773
flow stability, Hagen—Poiseuille 5=1137
flow, two-phase, Boltzmann eqn. appl. 5=6065
geostrophic equilibrium adjustment 5=10053
gravity waves of finite amplitude, interaction 5=3256
incompressible, flow plast flat plate, boundary-layer eqns. 5=11779
incompressible, simple, unsteady relative extension 5=6057
isentropic stagnation temperature 5=11770
Kolmogorov's hypotheses and Eulerian turbulence theory 5=3254
lattice gas, occupation probabilities 5=2051
Ostwald—De Waele, dispersion in laminar flow in cylind. tube 5=11778
pair distrib. function props. 5=93
quantum tunnel model for hard spheres 5=2066
Fluids—contd
radial distribution functions, approx. calc. methods 5=6056
relativity, general diffusion of rotational in incompressible viscous fluids 5=4741
rotating, in general relativity 5=13870
rotating, hydrostatic equilib. 5=1134
solution of spherical inclusions, diffusion controlled kinetics calc. 5=3245
stochastic equation, non-linear, for non-newtonian fluids, computer calc. 5=1133
thermodynamics of viscoelastic fluid 5=3241
transfer by progressive transverse waves 5=10192
Tricomi's transonic flow approximation evaluation 5=3250
turbulence theory, vorticity—transfer hypothesis 5=3255
viscoelasticity, linear, foundations, erratum 5=9023
visco-elastic, rectilinear laminar flow between rigid surfaces, calc. 5=14783
viscosity, statistical mechanical formula 5=6059
viscous flow, large deformations, thermodynamics of irreversible process calc. 5=2037
viscous incompressible, var. principle 5=3246
viscous, long waves, equation deviations 5=11792
Fluorescence. See Luminescence.
Fluorescent screens. See Luminescent devices.
Fluorine
atoms, mag. moment, ground states calc. 5=5758
molecules, analytic SCF wavefunctions 5=940
in polymers, irrad., dynamic polarization meas. 5=7279
X-ray absorpt. coeff. 5=9890
F$_2$ molecule, second-order properties, perturbed Hartree—Fock calc. 5=2955
F$_2$, nuclear interactions and rotational moment 5=11598
F^{19} n.m.r. spectrum of IF$_7$ 5=8886
F^{19} n. m. r. in NaF, line splitting 5=13002
F^{19}, shielding anisotropies in molecular crystals 5=7280
F^{19} spin—lattice relax., in CaF$_2$, low-temp. 5=7229
in KCoF$_3$, n. m. r. meas. 5=13003
Fluorine compounds
fluoron, γ—α reactions, α-particle tracks, spectra, photonuclear emulsions meas. 5=14521
n. m. r., F^{19}, heptavalent, pentavalent oxides 5=3060
Fe–C–Si, C effect on Si activity coeff 5=9092
Foams
See also Bubbles.
elastic consts, macroscopic, calc. 5=4729
Focused collision sequences. See Sputtering.
Focusons. See Crystals/lattice mechanics; Sputtering.
Fog
light scattering, and attenuation 5=15670
Fokker—Planck equation. See Transport processes.
Foldy—Wouthuysen transformation. See Field theory, quantum.
Force. See Dynamics.
Force constants. See Molecules/vibration.
Force measurement
transients, hydraulic piston indicator system 5=11
Fortran. See Calculating apparatus/digital computer programmes.
Fountain effect. See Helium/liquid; Superfluidity.
4-π counters. See Counters.
Fourier analysis
See also X-ray crystallography/calculation methods.
circuit 5=7740
distance between 2 points, general power, series expansion 5=13815
hybrid computer, description 5=2027
interferograms with small number of samples, transformation 5=14199
Parseval's theorem explained 5=10214
periodic functions, reduced to 1 dimension 5=13829
reduction formula 5=7720
spectral profile det. from correl. meas. 5=13812
spectrum of scans on photographic film 5=10729
Fourier series. See Series; Transformations, mathematical.
Fractionation. See Distillation.
Fracture
See also Mechanical strength.
borosilicate glass, fracture strength in vapours 5=9550
brittle fracture, of solids, by liquid and solid impact, and by shock 5=1505
calcite, secondary cleavage, study 5=1513
columbia resin, nonuniformly stressed 5=6689
and crystal dislocations 5=9528
ductile—brittle transition temperature 5=12467

Fracture—contd
- elastic solid, criterion, rel. to cracks 5=15137
- fibrous polymers, fatigue fracture 5=3873
- glass, elastic wave vel. obs., thermal fracture 5=12498
- glass, thermal effects 5=12500
- glass treated as elastic-plastic solid 5=1519
- graphite, tensile 5=15150
- metal alloys, pulse loads, resistance meas. 5=6728
- metals, low-temp. brittle, fatigue, creep and ductile fracture, review 5=1503
- nonuniformly stressed brittle materials, probabilities 5=6689
- polyaryls, strength time dependence 5=12533
- polycrystalline metals, microstruct. and fracture, mechanical strength, temp. var. 5=1534
- polymer films, due to internal stresses 5=6688
- polymeric amorphous solids 5=3871
- polymeric amorphous solids, reinforced 5=3872
- polymers, solid, brittle fracture mechanism 5=3821
- polymers, rel. to stress-cracking 5=1538
- poly-methyl-methacrylate, main and secondary fracture 5=1539
- polyvinyl chloride, ductile and brittle fracture 5=1539
- propagating tensile, const. shape, calc. 5=9527
- quartz discharge tubes, due to radiation induced shock waves 5=106
- repetitive in brittle solids, fragment size distrib. 5=15135
- representation of suitable physical processes, conditions 5=4732
- rocks, by explosions, process eqn., strain energy factor determ. 5=114
- steel, brittle, rel. to fine structure and susceptibility 5=12549
- steel, brittle, study by ultra high speed photography 5=6764
- steel with C and Mo, fatigue at high temps. 5=6761
- steel, transformer, ductile fracture, rel. to dislocation 5=6762
- thermoplastics, true breaking stress 5=1540
- Ag—steel filamentary composites, rel. to plastic deformation 5=12554
- Al, pulse loads, resistance meas. 5=6728
- Al_2O_3, crystal distortion, depth var., work calc. 5=15142
- BaF_2 single crystals 5=3834
- Be, 550°-650°C 5=6697
- Be, neutron effects 5=12486
- Cu, pulse loads, resistance meas. 5=6728
- Cu_6Sn_5 fibres 5=9547
- Fe, pulse loads, resistance meas. 5=6728
- Fe + Ni, microstruct. and fracture, mechanical strength temp. var. 5=1534
- Fe—Si, brittle fracture, effect of prestrain and strain ageing 5=3858
- Fe–Si(3%), crack growth 5=9562
- MgO, high temp. 5=3863
- MgO, stress and temp. effects on creep-rupture 5=6735
- Mo, notched sheet 5=12523
- Mo, –78° to 300°C 5=3865
- Ni, H-charged, intercrystalline 5=12525
- Ni, polycrystalline metals, microstruct. and fracture, mechanical strength, temp. var. 5=1534
- Ni—ThO_2, after creep, mechanism 5=12526
- Pb, pulse loads, resistance meas. 5=6728
- U ceramics, thermal shock rupture 5=6769
- WC—Co, strength, comp. and particle spacing var. 5=15190
- Zn, stress, orientation angle and crystal diameter var. 5=15195

Francium

Franck—Condon factors. See Spectra.

Frank—Read sources. See Crystal imperfections/dislocations.

Fraunhofer lines. See Astronomical spectra; Spectra; Sun/spectra.

Free radicals
- alcohol glasses, γ-irrad., e. s. r. obs. 5=7214
- alicyclic compounds conformations, e.p.r. 5=3075
- alkyl, internal rot., e. s. r. study 5=14673
- alkyl, ionization potentials 5=3133
- from alkylureas, X-irradiated, structure 5=4413
- in amorphous solids, e.s.r., computer prog., var. struct. tensors 5=7208
- aromatic, 25, e. s. r. 5=5915
- azulene ions, + and –, spin density calc. 5=1070
- t-butyl, e. s. r., in X irrad. piralic acid 5=9836

Free radicals—contd
- (coronene)$^-$ in soln., electron spin—lattice relax. time 5=3364
- in dextran, γ irrad., e. s. r. obs. 5=15498
- 3, 5-difluoronitrobenzene anion, pi-electron spin densities by e.s.r. 5=11606
- DPPH, e. s. r. p-azoxyanisole liquid crystal 5=3366
- DPPH, n. m. r. h. f. s. in soln. and coupling 5=14674
- DPPH recrystallized, e. s. r. absorpt. at 9. 5 kMc/s 5=15497
- in dimethylgloxime, X irrad., e. s. r. obs. 5=3077
- dissociation energy and ionization potentials 5=5911
- e.s.r., D subs. and temp. effects 5=11585
- e. s. r. obs. in paramag. salts 5=7213
- e. s. r. in polymers, saturation 5=14665
- e.s.r., review 5=8874
- formation by fluorescence quenching 5=8900
- for magnetic weak field meas. by dynamic polarization in soln. 5=7948
- galvinoxyl, n. m. r. h. f. s. in soln. and coupling 5=14674
- in meteorites, organic 5=15858
- n. m. r. h. f. s. in soln. and nuclear moments 5=14674
- nitrosobenzene, e. s. r. spectroscopy 5=11911
- in org. solids, production by H bombardment 5=11605
- organic oxy, e. s. r. 5=3052
- organic, proton relax., freq. dependence 5=11596
- PAC recrystallized, e. s. r. absorpt. at 9. 5 kMc/s 5=15497
- (phenanthrene)$^-$ in soln., electron spin—lattice relax. time 5=3364
- from phthalocyanines dark reduction by Na, e.s.r. 5=11604
- in polyethylene, e. s. r. spectrum, decay after heat treatment 5=3076
- polymeric, spin—lattice relaxation in solid 5=7210
- polymethylmetacrylate-derived e.s.r. 5=8880
- in solution, e. s. r. linewidths, theory 5=3050
- in solution, effect of press. and temp. on spin exchange 5=3367
- TCNE$^-$, e. s. r. in p-azoxyanisole liquid crystal 5=3366
- TCNE in soln., electron spin—lattice relax. time 5=3364
- tetracyanoethylene, n. m. r. h. f. s. in soln. and coupling 5=14674
- CH_2 group p spin densities, var. H—C—H angle 5=8899
- CH_2, low-lying electronic states, energy, HCH angle depend. 5=980
- CH_2, spin—orbit interactions, effect on zero-field splitting 5=5889
- CNO, NCN, CN_2, identification in flash photolysis 5=11603
- F-containing cpds., γ-irradiated, e.s.r. 5=5914
- HCO, i. r. spectrum 5=3003
- NF_2, in Ar and Kr matrices, e.s.r. spectrum, 4. 2°K 5=999
- $NH^*(^1\Pi)$ and $(^3\Pi)$, kinetic processes 5=3070
- NO_2 in γ-irrad. $NaNO_2$, polarization of absorption spectrum 5=3434
- NO_2 in irradiated $NaNO_3$, e. s. r., 77°K 5=15504
- in Na formate, irrad. prod., e.s.r. obs. 5=8881
- OH in nightglow, rotational temp., latitude var. 5=13375
- OH radicals in shock waves, recombination in H_2—O_2 mixtures 5=1895
- OH, OD, infrared absorpt., low-temp. 5=8823
- $PH^*(^3\Pi)$, kinetic processes 5=3070
- SeO_2^-, e. s. r. 5=3051
- $SiCl_3$, e. s. r. and Cl^{35} hyperfine coupling 5=9838

Freezing

See also Melting; Supercooling.
- atomic exchange across liquid—solid interface 5=6215
- binary compound curves, thermodynamics 5=9177
- binary eutectics, directional 5=9176
- convection obs. during horizontal freezing of metals and alloys 5=9178
- emulsions, and dielec. props., 50 c/s-300 c/s 5=9168
- ice, in supercooled water films on hydrophobic surface 5=3402
- lamellar eutectics, minimum entropy prod. rate 5=11933
- molecular mechanism 5=3547
- nuclei into undercooled melt, tension field 5=11936
- one-dimensional Stéfan prob. 5=6214
- stability calc., Mullins-Sekerka criterion 5=6354
- super cooling of liquids, expts. 5=11934
- temperature distribution on moving heat sink, Helmholtz eqn. soln. 5=9175
- Al—Cu in mag. fields, separation due to diffusion, thermodynamics calc. 5=3400

Freezing—contd
- Bi—Sb in mag. fields, separation due to diffusion, thermodynamics calc. 5=3400
- Cu, solidification point meas. 5=3401
- Cu—Au—Zn alloys solidus 5=9172
- H_2NNH_2—H_2O, supercooling and stabilization to glass 5=11935
- H_2O, electric field effects with supercooling 5=9179
- H_2O, electrification, expt. 5=10068
- H_2O, supercooled, "activated", shock-induced freezing 5=6216
- H_2O supercooling in glass capillaries, volume var. 5=11937
- He^3—He^4 mixtures, quadruple point 5=2179
- InAs–InSb alloys, prep. using slow directional freezing 5=6376
- K, u.v. contrast obs. 5=9173

Frenkel defects. See Crystal imperfections/interstitials.

Frequency. See Time measurement.

Friction. See Internal friction.
- Bose gas, superfluid—normal, mutual 5=2176
- constant force prod. 5=7744
- contact, influence on energy criteria of cycling resistance and elastic fatigue limit 5=3823
- dry, rel. to vibration induction 5=10310
- fluid, viscous, incompressible, Stokes' law 5=11771
- fluids, turbulent in ducts, vel. profile near wall 5=11788
- gas turbulent boundary layer, rel. to dissociation 5=1149
- ice, charge separation, air bubbles effect 5=9703
- measurement of coeff. during plastic deformation of metals 5=1508
- measurement, teaching 5=10203
- metals, review 5=6691
- skin, local, in laminar and turbulent hypersonic flows 5=11800
- Fe, press. var., and dislocations 5=9571
- In, on In and Cu, contact area, wedges formation calc. 5=12506
- In—metal surfaces, rel. to plastic deformation 5=15165
- NaCl, press. var., and dislocations 5=9571

Frictional electricity. See Electric charge; Electrostatics.

Fuel cells. See Electricity/direct conversion.

Fugacity. See Diffusion in gases; Kinetic theory/gases.

Functions
- associated Legendre function, first kind, integral eqn. 5=21
- classical polynomial zeros and eigenvalue density for random matrices 5=7721
- eigenvalue lower bound calcs. 5=7725
- generating, numerical exact expansion 5=7736
- Green's, decoupling, for ferromagnetic 5=9776
- Jost, complete, calc. 5=10215
- nonrelativistic Coulomb Green's function in momentum space 5=16
- plasma system of different particle component temps, correlation 5=14704
- random, multiple-valued 5=61
- spectral profile det. from correl. meas. 5=13812
- spinor Green's, peratization 5=10769

Fundamental concepts. See Physics fundamentals.

Fundamental constants. See Constants.

Fundamental particles. See Elementary particles.

Furnaces. See Heating.

Furry theorem. See Quantum electrodynamics.

Fusion. See Heat of fusion; Melting; Nuclear fusion.

Gadolinium
- e.s.r. in $La_{1-x}Th_xRu_2$ and n.m.r. of La^{139} 5=9857
- Hall effect, temp. depend., 4.2°-370°K 5=1607
- magnetic double reson. of Gd^{3+}, in cubic crystal fields 5=7271
- magnetic props., anisotropy meas. near curie point 5=7125
- magnetoelectric effects, temp. and mag. field depend. 5=1608
- in sulphate, borate glasses, e.s.r. absorption line g-values meas. 5=15494
- vapour pressure and sublimation props. 5=14888
- Gd^{2+} e.s.r. in SnO, anomalies due to strain 5=1802
- Gd^{3+} e.s.r. in BaF_2 5=7231
- Gd^{3+} e.s.r. in CdF_2 line width and shape 5=4240
- Gd^{3+} e.s.r. in $PbMoO_4$ 5=12982

Gadolinium compounds
- Gd alloys, s-state ion e.s.r., 60°-400°K 5=12981
- Gd borate, Eu activated, fluorescent props. 5=9950
- Gd gallate garnet, Gd^{3+} magnetization laws meas. 5=7162
- Gd phosphate, Eu activated, fluorescent props. 5=9950
- Gd—Ce alloys, mag. props. rel. to temp. and crystal structure 5=4164
- Gd—Ce, paramag. reson. absorpt. 5=15499
- $GdCl_3$, resonance radiation self-trapping 5=13113
- $GdCl_3$ solns. specific heat, partial molal 5=9106
- Gd—Er alloys, mag. props. 5=4166
- Gd—Fe garnets, Bloch wall quenching n.m.r. meas. 5=9815
- Gd–Fe garnets, mag. crystal struct. and props., Gd^{3+} and Fe^{3+} substitution effects 5=7161
- Gd—Lu alloys, mag. susceptibility 5=9771
- GdN, mag. props. 5=12915
- $Gd(NO_3)_3$ solns., paramag. relax., effect of field dir. and strength, conc. and temp. var. 5=3368
- Gd_2O_3, conductivity, ionic and semicond., temp. and O_2 press. var. 5=9670
- Gd_2O_3:Eu, fluorescent props. 5=9950
- Gd_2O_3:Eu, fluorescence props. 5=13112
- Gd—Sc alloys, mag. props. 5=4165
- Gd—Se solid soln., elec. and mag. props. review 5=1724
- Gd—Tb alloys, mag. props. 5=4166
- Gd—Y alloy, elec. resist., 77°-380°K, 4.2°K 5=1609
- GdYFe garnet, i.r. refr. index meas. 5=15580

Galaxies

See also Nebulae.
- angular dia. use in cosmological calcs. 5=7547
- cluster distrib., discretized structure 5=7610
- cluster stability and cosmical const. 5=7609
- clusters, area of sky covered 5=15815
- colour—magnitude diagram, field and Virgo 5=4597
- compact, search results 5=7613
- dwarf, review 5=4599
- 11 quasi-stellar radio sources, optical identification 5=15823
- evolution, conference report 5=7608
- evolution diagram for radio output 5=15821
- exploding, as source of cosmic rays 5=7611
- Fornax dwarf, clusters, integrated photometry 5=15808
- galactic radn., and electronic component of cosmic rays, review 5=7624
- extended radio sources 5=15822
- interconnected, groups and clusters, spectra and other characteristics 5=1973
- intergalactic cloud, obscurations 5=4611
- intergalactic gas as possible radio noise absorber 5=13731
- luminosity classifications and appls. 5=4598
- luminosity function for cluster round NGC 541 5=13727
- Magellan large cloud, semipop. review 5=4608
- Magellanic cloud, large, 21cm H-line survey 5=10156
- magnetic field effects 5=4600
- M82, velocity field rel. to explosive phenomena 5=4607
- non-thermal radiosources, spectra 5=4604
- quasi-stellar, galaxy nucleus explosions model 5=15820
- quasistellar radio sources, semipopular review 5=1972
- radio obs., l.f., by rockets and satellites 5=7618
- radio, particle jets nature, discussion 5=4606
- radio source 3C273, 6100-3300 Å spectrophotometry 5=13729
- radioastronomy, review 5=10151
- red shifts and spectra 5=10152
- Rossby waves 5=4601
- spherical, deviations from static metric, radial discretization 5=1962
- spiral structure circulation theory 5=15817
- star collision calc. 5=10155
- star clusters, auto-gravitating systems approx. 5=15810
- star orbits centre distance—longitude reln. 5=15818
- structure and distance, lectures 5=4618
- ultraviolet emission 5=13728
- **the Galaxy**
  - centre region, microwave obs. 5 Gc/s 5=15814
  - confusion, computations 5=15811
  - cosmic radiations r.f. spectra < 20 Mc/s, var. directions 5=15812
  - cosmic ray daily vars. and interplanetary plasma and mag. field 5=4648
  - cosmic ray electrons, low energy, by collisions of primaries with interstellar gas 5=10115

Galaxies—contd
- the Galaxy—contd
  - globular cluster orbits and third integral 5=13724
  - magnetic field direction near Sun 5=1971
  - radio emission, polarized, large-scale distrib. pattern 5=4596
  - radio emission spectrum 5=15813
  - radio obs., 1.5-5 Mc/s, by Alouette satellite 5=7604
  - radio noise, 0.7 and 2.2 Mc/s, high-altitude rocket meas. 5=7603
  - radio sources, review 5=10135
  - radio sources, thermal 5=7606
  - radioastronomy, review 5=10151
  - rotation, from radio emission data 5=7605
  - Sagittarius, 5 Gc/s obs. 5=15814
  - star formation rates and two colour diagram 5=10150
  - structure from radio obs. 5=7607
  - OH distrib. and motion near centre 5=4615

Gallium
- crystal structure, effect of high press. 5=6454
- density, solid γ, II and I phases 5=12496
- diffusion in Si, surface imperfection effects 5=3722
- electron mean free path and magnetomorphic effects 5=9628
- Fermi surface, from anisotropy of magnetoacoustic oscillations 5=1580
- liquid, 270 Mc/s absorpt. at 30°-80°C 5=6177
- liquid, on Zn, tensile strength var. 5=6770
- physical and chemical props. 5=1219
- solid, metastable phase formation 5=1266
- solubility, in InSb, effect on phys. props. 5=3445
- vapour pressure and heat of sublimation 5=6226
- X-ray absorpt., K edge, fine struct. meas. 5=13048
- X-ray absorpt., polarized and unpolarized 5=7336
- in EuFe garnet, mag. reson. linewidth 5=12963

Gallium compounds
- physical and chemical props. 5=1219
- GaAs lasers, injection, high power operation at 77°K 5=15550
- GaC_2-type structures, Madelung energy calc. 5=14894
- $Ga_{2-x}Fe_xO_3$, magnetoelectricity obs. 5=4189
- GaI, oscillator strengths of spectral lines 5=11433
- $(Ga_xIn_{1-x})As$, single crystal growth by vapour phase reaction 5=1306
- GaN, supercond. possibility 5=3991
- β-Ga_2O_3, crystal growth, Verneuil technique 5=6370
- β-Ga_2O_3, optical and microwave props. of Cr^{3+} 5=9905
- GaP, abrasion, anisotropy of scratching, dislocation prod. 5=12497
- GaP diode, rel. to photomultiplier transit-time meas. 5=4143
- GaP diodes, electroluminescence quantum efficiency, rel. γ-irrad. 5=4351
- GaP, eptixial growth on GaAs by gas transport 5=14987
- GaP, luminescence, rel. to exciting light intensity 5=13114
- GaP, luminescence pair band temp var. calc. 5=15597
- GaP morphology 5=12110
- GaP, n.m.r. lines, chemical shift 5=13004
- GaP, n-type, semiconducting properties, 80-295°K 5=12731
- GaP p—n juncn., reverse-biased, electro-optic effect rel. to light modulation 5=7338
- GaP, photocond. by contactless method 5=7036
- GaP, photoluminesc. pair spectra 5=9949
- GaP, Raman spectra, 1st and 2nd order 5=9906
- GaP single crystals, vapour-grown on GaAs substrate, optical and elec. props. 5=1564
- GaSb film prod. by evaporation 5=12046
- GaSb, free-carrier i.r. absorpt. 5=9885
- GaSb (111)A, electron energy distrib. rel. to oxygenation 5=3930
- GaSb, localized vibrations of P and Al 5=4306
- GaSb, n.m.r. lines, chemical shift 5=13004
- GaSb, optical and elec. studies 5=15320
- GaSb, p-type, containing Li, ion-pairing 5=9671
- GaSb, plastic micro-indentation 5=6719
- GaSb, undoped, elec. cond. and facet effect 5=1645
- GaSb, (110) surfaces, photoelec. emission threshold, yield, energy distrib., work funct. 5=7057
- GaSb—GaAs sytem, lattice parameters and solubility 5=11987
- GaSb—InAs, interface alloying, inversion of diatomic layers 5=3558
- $GaSe_xS_{1-x}$ layer structures, optical absorpt. edge 5=7339

Gallium compounds—contd
- **gallium arsenide**
  - band structure 5=9598
  - capacitance-voltage characteristic of p-n junction 5=12761
  - chemical polishing by NaOCl 5=12031
  - crystal electron state tail and recombination radiation 5=12602
  - crystal growth in closed tube process 5=14974
  - current-voltage characteristic of p-n junction 5=12760
  - deposition on Te-doped substrates, elec. props. 5=6393
  - diffusion of Mn 5=12321
  - diffusion and solubility of Au 5=3714
  - diffusion and solubility of Tm 5=3441
  - diffusion of Zn and Cd from gaseous phase 5=6585
  - diode laser, lifetime of stimulated and spontaneous emission 5=8061
  - divacancy reaction during diffusion 5=15088
  - edge dislocations, etch pits 5=12401
  - edge emission and Mn impurities, 4.2°K 5=15595
  - electroluminescent junctions, diffused, injection mechanisms 5=13115
  - epitaxial growth, closed tube, defects obs. 5=6395
  - epitaxial growth, vapour composition effects 5=6394
  - etching by HNO_3 soln., As_2O_3 surface precip. 5=1298
  - evaporated, i.r. filter 5=10670
  - films, sputtered, fibered and epitaxial growth 5=3501
  - filter, Raman spectra excited by GaAs laser pulses 5=2969
  - fluorescence under intense electron excitation 5=4349
  - injection lasers, c.w. operation 5=10633
  - injection lasers, closely coupled, interactions 5=14163
  - ionicity search by X-ray reflections 5=11960
  - kinks as decomposition nucleation sites 5=7416
  - laser, effect of temperature 5=8059
  - laser, intensity fluctuations, meas. 5=14161
  - laser, mode spectra, shift with current 5=14162
  - laser, multimode behaviour, temp. depend. 5=10630
  - laser, self-heating 5=8058
  - laser, self induced oscillations 5=10632
  - laser, threshold current 5=8060
  - luminescence, laser excited, var. intensity and donor conc. 5=7391
  - n.m.r. lines, chemical shift 5=13004
  - orientation, grown epitaxially on Ge 5=9262
  - penetration depth of Kr^{85} ion, 80 keV 5=6658
  - photodiode, PIN, heterojunction 5=15411
  - photomagnetic effect and photoconductivity 5=12827
  - radiative recombination excited by electron beams 5=15598
  - radiative recomb. mechanism 5=9947
  - reflectivity increase, electron—hole plasma formation 5=15551
  - shallow acceptor level resulting from Cu diffusion 5=6800
  - supersaturated by Cu^{64}, divacancy reaction 5=15071
  - system with GaP, cond. band minimum 5=15232
  - thermal conductivity 5=12310
  - thermal expansion, X-ray meas. 5=6560
  - thin films, forbidden band width, variations 5=7337
  - thin (111) crystals, spontaneous bending 5=3848
  - transistors, electroluminescence, temp. var. 5=15596
  - tunnel diodes, permanent degradation 5=1668
  - (110) surfaces, photoelec. emission threshold, yield, energy distrib., work funct. 5=7057
  - GaAs—GaP alloy electroluminesc. diode, efficiency improvement 5=13137
  - GaAs—GaP, homogen. solid solns., epitaxial growth 5=9296
  - GaAs—Ge tunnel diodes, prep. and props. 5=12778
  - $Ga(As_{(1-x)}P_x)$electroluminesc. diode, press. depend. of emission 5=9948
  - $GaAs_xP_{1-x}$, electroluminescence and lasing action 5=13116
  - $GaAs_{1-x}P_x$, epitaxial growth, transport 5=12135
  - $GaAs_{1-x}P_x$, laser semiconductors 5=12310

Galvanomagnetic effects. See Magnetoelectric effects.

Gamma ray sources. See Gamma rays.

Gamma-ray spectra
- See also Nuclear decay theory.
- analysis, by least-squares method 5=2572
- atoms, μ mesic, fine struct. 5=5817
- calculating apparatus for analysis, bibliography 5=8381
- calculating apparatus, digital program 5=8380
- Fayetteville meteorite 5=15854
- neutron react. prod., 13 elements, 3.5-8.5 MeV 5=5644
- from Peace River meteorite 5=15861

Gamma-ray spectra—contd
radioactive precipitations, and time variation 5=11204
rare earth elements, Li-drift, p—i—n spectrometer meas. 5=2577
resolution, super, using Fourier transforms 5=5312
thick targets, 8-13 MeV proton bombarded 5=5622
unscrambling calc. technique 5=7730
Ac K 5=8567
Ag^{108} decay to Pd^{108}, new peak at 1010 keV 5=2777
Ag^{109m} decay 5=11266
Ag^{115} 5=759
Al^{26} 5=11215
Au^{195}–Pt^{195} 5=5590
Au^{197} from Pt^{197} β^- decay 5=2755
B^{9}(Li^{7}, γ) 5=853
B^{10}, 6.89 MeV level 5=11215
B^{10,11}(Li^{6}, γ) 5=853
B^{11} and spin and parity of ground state 5=2737
Be^{7} decay 5=5632
Bi^{214}—Po^{214} transitions, meas. from sum spectrum 5=5262
Br^{82} 4=719
C^{12}(He^{3}, nγ)O^{14}, and O^{15} levels 5=5686
C^{12}(n, n$'\gamma$) 5=5647
C^{12}(Li$^{6}\gamma$) 5=853
C^{12}(Li^{7}, γ) 5=853
C^{15} β-decay and spin and parity 5=2720
Ca^{48}(p, nγ)Sc^{48} reaction, 1.2-2.5 MeV proton range, meas. 5=14478
Ca^{50} decay 5=5531
Ce^{135} decay 5=5583
Ce^{137m}, oriented 5=730
Ce^{143} decay 5=2783
Cl + n, capture, and levels 5=5657
Cl^{36}, bremsstrahlung spectra from electron capture 5=14497
Cl^{39} 5=8651
Co^{57}, decay, Mössbauer spectrum 5=14899
Co + n, capture, and levels 5=5657
Cs^{133} 5=728
Cs^{133}(p, xnγ), 27-55 MeV 5=5638
Cu, due to 24 MeV electrons, meas., photoneutron yield calc. 5=2593
Cu(n, γ) 5=11344
Dy^{161m} in Dy^{161}, recoilless, absorpt. 5=14903
Dy^{165}, transitions rel. to decay scheme 5=5552
Eu^{150} (5 yr), investigation 5=14503
F^{18}, low-lying levels 5=11220
Ge^{78} decay 5=11263
H_2O, due to 24 MeV electrons, meas., photoneutron yield calc. 5=2593
Hf^{179m}, E1 transition probabilities 5=8556
Hg^{190} decay 5=5592
Hg^{197m,197} rel. to Au^{197} level struct. 5=8562
Ho^{165} 5=5549
Ho^{166} decay 5=11273
I isotopes 5=2782
I^{130} decay 5=11268
Ir^{191m} in Fe, rel. to nuclear orientation 5=1231
Ir^{192} decay 5=8601
Ir^{194} decay 5=8602
La, neutron deficient, half-life ~ 5 hours 5=2748
La^{135} decay 5=8598
Lu^{174i} decay 5=8600
Lu^{177}, using Li counters 5=8557
Mg^{24}(n, n$'\gamma$) 5=5647
Mn(n, γ) 5=11344
Mn + n, capture, and levels 5=5657
N^{14}, Ml transitions calc. 5=710
Na^{23}(p, γ)Mg^{24}, 860 to 1470 keV, γ-yields, decay modes, rel. intensities, meas. 5=804
Na^{23}(p, p$_1$, γ)Na^{23}, 860 to 1470 keV, γ-yields, decay modes, rel. intensities, meas. 5=804
Nd^{136,139} 5=5587
Nd^{147} decay, coincidence spectrometer meas. 5=5586
Ni(n, γ) 5=11344
O^{16}(α, $\alpha'\gamma_{6.13}$), 5=8676
O^{16}(p, γ) rel. to F^{17} 3.10 MeV state 5=5630
Os^{188,190} $2^+ \to 2^+$, E0 strength parameters 5=8560
Os^{194} 5=8561
Pb, due to 24 MeV electrons, meas., photoneutron yield calc. 5=2593
Pb, Ni, Pd resonant scattering 5=5607
Pm^{149} 5=8552

Gamma-ray spectra—contd
Pr^{138} decay 5=5584
Pr^{143} 5=5549
Pt^{197m} 5=736
Rb^{83} decay 5=757
Re^{188}, energy levels calc. 5=734
S^{32} excited state decay 5=11225
Se^{77} (n, γ) 5=819
Si^{28}(α, $\alpha'\gamma_{1.77}$) 5=8676
Sm^{149} decay 5=8552
Sm^{149}(n, γ)Sm^{150} 5=11345
Ta^{181}(p, xnγ), 55 MeV 5=5638
Tb^{153m} 5=5559
Tb^{158} decay 5=11272
Te isotopes 5=2782
Te^{115} 5=8597
Te^{121,121m} 5=724
Tl^{160} decay, coincidence spectrometer meas. 5=5586
Tl^{201m} 5=5559
Tm^{169} 5=8555
Tm^{169} de-excitation 5=8554
Tm^{170}, γ—β correl., and nuclear matrix element
V + n, capture, and levels 5=5657
W^{182}, 100 keV 2^+ and 1290 keV 2^- states decay 5=5556
W^{182,183}, following Ta^{182,183} decay 5=11277
Xe isotopes 5=2782
Xe^{137,138} 5=5547
Y^{86} decay 5=11265
Y^{93} decay 5=5580
Yb^{172}, 1174 keV state, dipole—octupole mixture obs. 5=5553
Yb^{177m}, E1 transition probabilities 5=8556

Gamma-ray spectrometers
See also Beta-ray spectrometers; X-ray spectrometers.
β-γ coincidence, total absorption 5=494
Compton, Lee—Whiting design 5=14392
Compton, for n capture γ's 5=14391
Compton, summing 5=8378
internal conversion coeff. meas, using semiconductor detectors 5=14473
low-energy using X-ray escape gated proportional counter 5=14485
magnetic lens, rel. to electron—electron and electron—gamma correl. meas. 5=14489
pulse height distributions, complex peaks, analysis 5=5311
scintillation, calibration for absolute meas. 5=10991
scintillation, one-crystal, image function calc. 5=10983
semiconductor Li-ion drift diodes, as high-resolution pair spectrometers 5=5308
separation of line under annihilation peak 5=10987
shower, main characts. calc. from branching processes theory 5=5310
stabilization by variable reactance gain control 5=14395
sum, Hoogenboom type 5=5721
two-crystal coincidence, with solid-state detector 5=10985
two-crystal, Compton scatt. in organic crystal 5=10989
X-ray dosimetry cell 5=8319
Li-drifted Ge detector, pulse-shape discrimination 5=546

Gamma-rays
See also Cosmic rays/photons.
attenuation of streaming in ducts 5=5302
background reduction in (n, γ) expts. at VVR-S reactor 5=880
circular polarization, from nuclei after β-decay, review 5=2735
circularly polarized, from (d, xγ) reaction, correl. function, spin-orbit coupling effects 5=833
crystal emission, spontaneous, rel. to nuclear exciton appearance 5=11972
production by 18.7 GeV protons in emulsion 5=5339
production by B^{11}(p, γ), target prep. 5=8370
reduction in β-detectors, absorber method 5=5324
source, high energy, from e$^+$, e$^-$ annihilation 5=8369
sources, international comparison of standards 5=739
triple angular correl. in aligned nuclei producing cascades 5=5600

absorption
See also Mössbauer effect.
fluid saturation in cores, determ., instrument 5=11780
from electron pair annihilation, in cylindrical scintillators calc. 5=11015
metals, rel. to temp. 5=8373

- **Gamma-rays**—contd
  - **absorption**—contd
    - quartz single crystal filters, attenuation in reactor beams 5=8435
    - scattering cross-sections, expt. and theoretical 5=8374
    - variable coeff. determ., representation by line integrals 5=543
    - Al, attenuation cross-sections 5=8774
    - Au, attenuation cross-sections 5=8774
    - Be, Al, Cu, Sn, Pb, attenuation coeffs. 5=8372
    - Bi single crystal filters, attenuation in reactor beams 5=8435
  - **angular distribution**
    - correlation, circularly polarized γ's, with β's, asymmetry, 9 nuclides 5=5577
    - in (d, pγ), and direct reaction differentiation 5=14547
    - electron bremsstrahlung, polarization, cross-section, energy distrib., meas. 5=550
    - on nuclear excitation, Coulomb 5=11200
    - $Al^{27}(p, \gamma_0)$, calc. 5=14535
    - Be^7, polarized, e capture, internal bremsstrahlung 5=5572
    - $C^{12}(p, p'\gamma)C^{12*}$, 40 MeV, correl. with p 5=5629
    - Ce^{137m}, oriented 5=730
    - Cs^{131}, γ—γ ang. correl. 5=729
    - F^{19}, 197 keV perturbations, in gaseous and metallic media 5=14476
    - Ir^{194} 5=8602
    - $Li^7(p, \gamma)Be^8$, 200-1700 keV, interference effects 5=801
    - $O^{16}(\alpha, \alpha'\gamma_{6\cdot13})$, γ–α correl. 5=8676
    - Pu^{239}, fission by thermal neutrons 5=5696
    - Rb^{86}, β—γ, source thickness effect 5=14499
    - Si^{28} $(\alpha, \alpha'\gamma_{1\cdot77})$, γ—α correl. 5=8676
    - $U^{233,235}$, fission by thermal neutrons 5=5696
    - Yb^{172} decay, cascade ang. correl. 5=5553
  - **detection, measurement**
    - See also Dosimetry; Gamma-ray spectrometers; Particle detectors; Radioactivity measurement.
    - collimator design for radioactive isotopes 5=8574
    - counter, Geiger, spherical 5=544
    - counter, scintillation, for resonance γ's 5=10902
    - counter, scintillation, sample changing mechanism 5=8377
    - counter with selection for recoilless γ from Sn^{119} 5=5497
    - counter with selection for recoilless γ from Sn^{119} 5=14480
    - dose, residual calc. for particle accelerator for meson prod. 5=14386
    - dosimeter calibration with collimated beam, errors 5=8376
    - dosimetry, ground effects for distrib. Cs^{137} sources 5=5441
    - dosimetry, nuclear power station meas. 5=10984
    - dosimetry, by perspex, 1 mm clear 5=5309
    - dosimetry, scintillation, 30-130 keV 5=11000
    - by electron emission, photo 5=14470
    - excited state decay, precision meas. with scintillator 5=5537
    - 4π ionization chamber for γ-sources 5=547
    - internal conversion coeff. meas., using semiconductor detectors 5=14473
    - ionization chamber, 1383Å, calibration factors for 16 nuclides 5=488
    - ionization chamber standardization for megavoltages 5=2501
    - megavoltage, cavity ionization chambers 5=2502
    - neutron capture cross-section, efficient detector 5=14539
    - (n, γ) reactions, liquid scintillation detector 5=10986
    - p—n junction photovoltaic detector 5=2573
    - photomultipliers sensitivity 5=12855
    - roentgenometer, 10 μr/h to 10^4 r/h 5=10988
    - scintillation counter, automatic 5=14488
    - spark chamber 5=2576
    - telescope 5=5259
    - CdS radiation detectors, response time reduction with biassing radiation 5=2574
    - Li-drifted Ge 5=10990
    - NaI:Te, high energy loss in crystal 5=14393
    - NaI:Tl, calibration by photon monochromator 5=14394
    - NaI: Tl, efficiency calc., var. size, γ energy 5=545
    - NaI:Tl, var. with energy, 10 keV-3 MeV 5=8375
    - Si junction dosimetry, use of direct current props. 5=2575
    - Si, Li drifted counter, construction characs. 5=14330
  - **effects**
    - See also Nuclear reactions/photons.
    - alcohol glasses, e. s. r., radicals 5=7214
    - alcohols, e. s. r., 77°K 5=9835

- **Gamma-rays**—contd
  - **effects**—contd
    - alkylbenzenes, intermolecular and intramolecular energy transfer 5=10031
    - atmosphere, field due to surface contamination 5=7498
    - in β-detectors, absorber method for reduction 5=5324
    - crystal lattice expansion, diffuse X-ray scatt. 5=3798
    - cyclohexane, ethylene prod., additive effects 5=1917
    - dextran, e. s. r. obs. of radicals 5=15498
    - ice, alkaline, colour centre prod. 5=9494
    - methyl bromide, radiolysis at 77°K 5=13176
    - 3-methylpentane glass, luminescence 5=1884
    - plastic scintillators 5=9997
    - polypropylene, mol. wt. 5=3875
    - polytetrafluorethylene, mechanical studies 5=12538
    - quartz, rotary power 5=7359
    - rectifier, 4-layer, controlled 5=9695
    - ruby, colour centres, e. s. r., luminescence 5=9495
    - ruby laser, energy output var. 5=14169
    - glass, multi-colour production 5=15109
    - AgBr with chalcogen ions and divalent cations, photochem. absorption band shift 5=7366
    - Al, stage III defect annealing obs. 5=12469
    - Au, stage III defect annealing, obs. 5=12469
    - CaO, doped, thermoluminescence 5=13106
    - Cu defect—dislocation interaction 5=15155
    - GaP diodes, electroluminescence quantum efficiency 5=4351
    - Ge, n-type, defects, annealing, high temp. 5=12353
    - Ge, n-type, high energy 5=15325
    - Ge, recoil, elastic versus inelastic energy loss 5=3791
    - KCl crystal growth, density 5=1312
    - KCl, hardening and coloration 5=12542
    - KNO_3, e. s. r. of NO_3 5=7245
    - Na salicylate solns., luminescence 5=9133
    - $NaNO_2$, NO_2 prod., absorption, e. s. r. spectrum meas. 5=3434
    - $Na_2S_2O_3 . 5H_2O$, e.s.r. 5=7254
    - Si, n-type, defect form. at low temps. 5=6944
    - Si p—i—n junctions, radiation damage 5=4052
    - Si, recoil, elastic versus inelastic energy loss 5=3791
    - Si surface barrier diode, inductive effect 5=4059
    - SiC p—n juncn., I—V characts. 5=4055
    - SiO_2 vitreous, E' defect paramag. relax. temp. var. 5=7250
    - ZrO_2, effect on elec. conductivity 5=12756
  - **internal conversion**
    - See also Beta-ray spectra/conversion electrons.
    - anomalous L subshell ratios in mixed M1-E2 transition, meas. 5=5515
    - Ag^{108m}, 30. 2 keV transition, K/L ratio 5=8594
    - Ag^{109m} 5=11267
    - Ag^{110m}, 116 keV transition, M4 character 5=8594-5
    - Au^{195}–Pt^{195} 5=5590
    - Au^{197}, after α-excitation 5=750
    - Au^{197}, 191 keV, K, and 268 keV level spin and parity 5=2755
    - Bo^{59} + n, capture, γ—γ cascades 5=5533
    - Cd^{110}, γ—γ cascades, directional correl. 5=2778
    - Ce^{135} 5=5583
    - Ce^{137m}, oriented, ang. distrib. of conversion electrons 5=730
    - Cs^{133} 5=728
    - E0 probability, effect of surface layer and deformation of nucleus 5=2731
    - $Er^{158,159,161}$ 5=11236
    - Fe^{56} + n, capture, γ—γ cascades 5=5533
    - $Gd^{158,156}$, 79. 51, 88. 97 keV, ratios meas. 5=557
    - Hg^{198}, 412 keV, coefft. meas. 5=5589
    - Hg^{199} + n, capture, γ—γ cascades 5=5533
    - $Ho^{158,160,162}$ 5=11236
    - Ho^{165}, K meas. 5=11234
    - In^{114m}, double, 2 quantum decay 5=5581
    - La^{135} decay 5=8598
    - Lu^{176m} 5=2787
    - Mn^{55} + n, capture, γ—γ cascades 5=5533
    - N^{14}, 3. 95 → 0, quadrupole—dipole mixture 5=8541
    - $Nd^{138,139}$, γ—γ coincidences 5=5587
    - Ni^{56}, and Co^{56} levels 5=2775
    - Pb, 1. 12 MeV, ang. var. 5=8620
    - Pb^{202m}, e—γ coincidence meas. 5=737
    - Pb^{203}, K coeff. of 0-400 MeV transition 5=8566
    - $Pd^{107m\cdot109m}$, K-conversion coeff. 5=2747
    - Pr^{138} decay 5=5584

Gamma-rays—contd
  internal conversion—contd
    Pt, 1.12 MeV, ang. var. 5=8620
    Ta, 1.12 MeV, ang. var. 5=8620
    Ta^{181}, K meas. 5=11234
    Tl^{203}, 279 keV, K, L, penetration effects 5=2757
    Tm^{169}, K meas. 5=11234
    V^{52}, β-decay 5=2774
    Yb^{170}, K meas. 5=11234
  scattering
    See also Compton effect.
    bremsstrahlung effects on large angle meas. 5=10982
    Compton, polarization effects 5=5307
    by nuclei in solid, perturbation effects 5=6249
    polarization, linear 5=14520
    Rayleigh, Z dependence 5=2800
    resonance, from energy levels, γ capture, Doppler approx. validity 5=775
    water, Cs$^{137}\gamma$, interpolations 5=542
    Ag, interatomic pot. 5=2922
    Au, interatomic pot. 5=2922
    Cu, absolute coherent cross-sections, 0.28, 0.66, 1.17 and 1.33 MeV 5=777
    Cu, interatomic pot. 5=2922
    Er, 8-28 MeV 5=698
    Eu^{153}, 98 keV, and level lifetime, deform. 5=2752
    Ho, 8-28 MeV 5=698
    In^{115}, isomeric states, by electrons 5=11305
    Ir^{191}, reson., rel. to transitions 5=11241
    Pb, absolute coherent cross-sections, 0.28, 0.66, 1.17 and 1.33 MeV 5=777
    Pb, 662 keV, elastic, linear polarization 5=11294
    Pb, Ni, Pd resonant 5=5607
    Rh^{103}, isomeric states, by electrons 5=11305
    Sn, absolute coherent cross-sections, 0.28, 0.66, 1.17 and 1.33 MeV 5=777
    Sn, 1.12 MeV, ang. var. 5=8620
Gamow—Teller transitions. See Beta-decay theory; Nucleus/energy levels.
Garnets
    See also Ferrites.
  ferrimagnetic resonance, rare earth impurity effects 5=7203
  ferrites, Néel temp. and magnetization 5=15468
  ferrites, neutron-diffraction study 5=1764
  grossularite, garnet structr. determ. 5=9324
  growth of laser crystals 5=14973
  magnetic susceptibility and reson. curve width near Suhl threshold 5=7157
  rare-earth, mag. props., energy levels, spin—wave spectrum 5=4212
  rare-earth Fe garnets, magnetic study 5=9814
  Ca$_3$Fe$_w$Ga$_x$Ge$_y$V$_z$O$_{12}$, $(w + x + y + z = 5)$ 5=12944
  Dy$_3$Al$_5$O$_{12}$, antiferromag. struct., low temp. 5=15476
  EuFe, mag. reson. of Ga, linewidth 5=12963
  Y-ceric earth mixed, cryst. and mag. props 5=7175
  YFe garnet, face morphology 5=6345
  YFe garnet, ferromag. reson., magnetostatic mode echo 5=12964
  YFe garnet, mag. and crystallog. data rel. to divalent Co substitution 5=4213
  YFe garnet, square hysteresis loops 5=1763
  YFe garnet, thermal expansion, contribution of Fe^{2+} ions 5=6566
  YFe, Ti^{4+}, Cr^{3+} and Ru^{4+} substitution 5=12953
  Y$_3$Fe$_5$O$_{12}$, growth from polytungstate flux 5=12126
  YIG, secondary parametric magnons, excitation 5=15469
Gas analysis. See Chemical analysis.
Gas-discharge tubes
    See also Counters; Ion sources.
  discharge suppressor 5=6123
  for high voltage condensed discharges 5=3101
  hollow cathode, use of Ftoroplast for insulation 5=14690
  voltage stabilizer 5=10436
  Hg pool cathode, breakdown mechanism 5=11648
  Xe flash lamps, series triggering 5=11651
  Xe—Ar, for laser pumping, operation in liquid 5=2296
Gas flow. See Flow/gases.
Gases
    See also Kinetic theory, gases.
  adsorption analyzer description 5=15636
  Bose, slightly imperfect, second sound 5=14809
  damped standing-waves analysis, secular behaviour 5=1150

Gases—contd
  electron energy distrib., from increase of rare gas radioluminesc. in elec. field 5=5965
  electron scatt. from radioluminesc. increase in rare gases in elec. field 5=5803
  electron scatt., small angles, compared to Lenz's theory 5=5792-3
  electronegative, effect on electron emission detection by GM counter 5=9746
  electronic partition functions, at high temp. 5=11803
  flow with solid or liq. particles, nonsteady ananlysis 5=3259
  forced sand wave propag., kinetic theory 5=11802
  heat conduction, mixtures, nonpolar polyatomic 5=14807
  ideal linear-mol., effects on acoustic wave propag. 5=6087
  ideal, thermodynamic functions rel. to temp. 5=11812
  imperfect, magnetic susceptibility, statistical theory 5=3272
  inert and diatomic, 0.6-20 keV electrons, ionization cross-sects. 5=8946
  isothermal nonstationary motion 5=11817
  lattice gas, dependence of props. on mesh size 5=2052
  monatomic, u.s. absorpt. and dispersion 5=6088
  n.m.r., pure and mixed, density, composition effects 5=8883
  neutron thermalization, Hilbert space theory 5=579
  optical scatt., resonance, in mag. field 5=6092
  pair correlation function for 12-6 Lennard—Jones interaction 5=6078
  polytropic and isothermal cylinders, equilibrium 5=4542
  Puck theory, expt. verification 5=11794
  quantum cell model, uniform potential approx. 5=2060
  quantum, reduced density matrices 5=10282-3
  rarefied, sound propag. and reflection 5=11813-4
  separation, charcoal trap with rapid thermal response 5=1144
  shock waves, detachment distance, high temp. 5=4787
  specific heat, vibrational, from Stepanov's eqn. 5=2939
  temperature profiles by i.r. emission changes 5=11808
  thermal radiation emission, spherically-shaped 5=10349
  3rd virial coeff., temp. var. calc. 5=3265
  transport collision integrals, automatic calc. 5=3275
  transport processes, conference 5=9052
  turbulence intensification by chem. ht. release 5=3262
  turbulent boundary layer, dissociation rel. to friction and heat exchange 5=1149
Gegenschein. See Zodiacal light.
g-factor. See Elementary particles; Nucleus; Spectra.
Geiger counters. See Counters, Geiger.
Gelatin
  swollen, film, rigidity modulus meas. 5=15122
Gels
  cellulose, regenerated, light scattering 5=3385
  diffusion specificity of H-bonding solutes 5=6164
  polyethylene, gel formation on irradiation 5=3797
  Si hydrogels, yield values, sedimentation ageing effects 5=11922
  SiO$_2$, dielec. props., 1 c/s-20 Gc/s, var. water, and relax. 5=9167
  SiO$_2$, dried, OH groups, surface and bulk 5=6317
  SiO$_2$ as medium for crystal growth 5=14968
Geochemistry. See Earth/composition.
Geochronology. See Earth/age; Radioactive dating.
Geodesy
    See also Gravity.
  earth's surface, calc. from rotating fluid hydrostatic equilib. 5=1134
  field obs. smoothing 5=15754
  longitude secular var. 5=15639
  Molodensky eqn. soln. 5=13188
  results from space research 5=10081
Geoelectricity. See Earth/electricity.
Geomagnetism. See Earth/magnetic field.
Geometrical optics. See Optics/geometrical.
Geometry
  curved space, elementary particles 5=14249
  embedded space-time, generalized covariance 5=14250
  embedded space—time, and particle symmetries 5=14254
  embedding, relativistic Riemann spaces in Euclidean spaces 5=13860
  embedding, Riemann manifolds into Euclidian spaces, review 5=13859
  Riemann, embedding problem, conference 5=13819

Geons. See Gravitation.
Geophysical prospecting
for quartz, piezoelec. method 5=1923
Geophysics
See also Atmosphere; Earth; Oceanography; Seismology.
earth's mantle laminar flow and gravity 5=13190
geothermal flux and neutrinos 5=13192
high pressure research appls. 5=13213
International Years of the Quiet Sun programme 5=7651
statistical analysis 5=15637
volcanic materials, photometric obs. and moon surface 5=13741
Germanium
See also Semiconducting devices; Semiconducting materials/germanium.
beta rays effects, length, cond. change, at liquid He and 4.5 MeV 5=9510
breakdown, 4.2°K, potential distrib. 5=9677
carrier capture, n-type, plastic deformation effects 5=12583
carriers, minority lifetime, stress effects 5=12582
conductivity, thermal, neutron effects, fast, and defect clusters 5=6574
crystal effective hole mass, degenerate 5=12596
crystal electron band struct. calc. in films 5=12598
crystal growth and I_2 doping in closed tube process 5=14974
crystallization, from supercooled droplets 5=12134
cyclotron resonance, In doped 5=3955
cyclotron resonance line-broadening 5=1593
defect levels by n-irrad. 5=15084
deformation, disloc. theory of initial stage 5=6713
dendrite growth 5=12129
dendrite growth 5=14984-5
diffusion of rare earths, tracer meas. 5=9411
diffusion, surface, on W 5=15079
diode, conductivity and Hall effect, turn-over mechanism 5=6970
dislocation damping 5=3757
dislocation formation by Ar ion bomb. 5=12387
dislocation structure in heavily doped crystals 5=12402
e.s.r. rel. to O-doping and electron irrad. 5=12988
elastic const., directional var., calc. 5=6752
elastic const., third order C_{456}, doping effect 5=9549
elastic moduli, third-order 5=3849
elastically strained, internal strain 5=1518
electrical resistivity and mobility, at low temps. 5=4024
electron—phonon interaction 5=15212
emissivity 5=155
epitaxial films, growth, in iodide process 5=12133
Esaki diodes 5=12776
etching of p-type by HCl and $GeCl_4$ in H_2, i.r. spectrum of product gases, for epitaxy 5=1299
excitation spectrum of group III impurity 5=15552
exciton spectrum, strain effect 5=9605
field emission energy distribution 5=4129
films, epitaxy on solid Ge 5=14953
film growth conditions on W substrate 5=3550
films, growth and structure, review 5=3503
films, inner potential, by electron interferometry 5=6400
films, p-type, dislocations 5=15095
films, single-crystal, unsupported 5=1279
growth, epitaxial in Ge—Br system 5=9294
growth, vapour, Ge, by H reduction of GeI_4 5=12111
growth, vapour—solvent, diffusion versus surface limitations 5=9277
hot carriers, energy distrib. functions and energy-loss mechanisms, in p-type 5=3903
hot carriers in microplasmas and their radiation 5=1591
inhomogeneous deformation, by disloc. density meas. 5=6712
i.r. lattice bands, meas. and multiphonon theory 5=6510
layer preparation in vacuum, rel. to donor molecule dissociation 5=3502
layer on W, field emission and surface migration 5=12840
luminescence yield rel. to dislocations 5=13118
magnetic susceptibility, near m.pt. and as liquid 5=14865
magnetic susceptibility var., Fe-doped precipitates 5=1721
microwave phonon amplification 5=3669
minority current carriers, lifetime meas. 5=15221
(111) cleaved surfaces, photoelectric emission and work function 5=4137
{111} faces, indentation rel. to dislocation etching 5=6640
Germanium—contd
(111) surface, atomic arrangements, electron diffraction prediction 5=3538
optical rotation, high field Faraday, n type 5=13052
phase transforms, to 200 kbar, 1000°C 5=3392
photocond. by trapping process and interimpurity recomb. 5=7038
photoconductive i.r. characteristics in B-doped Ge 5=1703
photoconductivity kinetics rel. to plastic deformation 5=703
photoconductivity, 77°K rel. to n-irrad. 5=12828
photoemission from cleaned Ge, effect of O_2 5=7056
photomechanical effect, temp. region 5=15161
piezoresistance and electron mobility, Sb-doped 5=12584
points of field emission microscope desorption purification 5=7967
precipitation of Li, electron mic. obs. 5=6619
radiation damage by ion bombard. 5=3788
recoil of atoms on γ- and neutron-irrad. 5=3791
semiconducting p-n junctions, stress effects 5=15353
specific heat, temp. var. 5=6549
sputtering, atom ejection patterns, 0-500°C, by 100-800eV inert gas ions 5=3792
stacking fault energy 5=1481
surfaces, chemical polishing by NaOCl 5=12031
surfaces, (111) and (100), clean, annealed, possible structures 5=3626
thermal conductivity, 16°-100°K, neutron effect 5=6573
thermal expansion, negative 5=12302
thermal expansion, X-ray meas. 5=6560
tunnel diode junctions, effect of uniaxial stress 5=12777
X-ray absolute scattering factors 5=13071
X-ray examination, scanning method of topography 5=3582
X-ray total reflection off dendrite 5=5131
$Au^{2-[-]}$ hot electron capture, 20°K 5=9613
Ge—electrolyte interface, fast surface states, origin 5=4403
Germanium compounds
germanates, mol. struct., from i.r. spectra 5=2998
Ge—GaAs tunnel diodes, prep. and props. 5=12778
GeH_3CN, structure 5=5858
GeH_4 and GeD_4, fundamental vibr., i.r. intensities 5=11531
GeI_4, H reduction in Ge deposition 5=12111
$GeNi_2O_4$, mag. structure and props. 5=7184
GeO_2, alkaline solutions, Raman spectra 5=9115
GeS_2—As_2S_3, vitreous struct. 5=6335
Ge_2S—Sb_2S_3 system, vitreous and crystal structs. 5=6335
Ge—Si alloys, phonon scatt., by electrons 5=6509
Ge—Si alloys, phonon spectra 5=3670
Ge—Si alloys, thermal and elec. props. rel. to impurity conc. 5=1649
Ge—Si, specific heat, temp. var. 5=6549
Ge—Si, thermal cond., high temp. 5=15060
GeTe, elec. props. and valence band struct. 5=4028
GeTe, sp. ht. (0.1°-1.1°K) rel. to supercond. 5=3992
GeTe—PbTe alloys phase transitions 5=9228
Getters. See Adsorption; Electron tubes; Vacuum technique.
Giant pulsations. See Earth/magnetic field; Magnetic storms.
Gibbs function. See Thermodynamic properties.
Ginzberg—Landau theory. See Superconductivity.
Glaciers
No entries
Glass
See also Optical materials; Vitreous state.
adsorption time of DOP oil on borosilicate glass 5=14956
alcohol, e.s.r., γ-ray effects, radicals 5=7214
alkali—TiO_2 systems, structure and props. 5=3527
aluminosilicate vacuum app., meas. of press. obt. 5=6115
borate, e.s.r. of Cu^{2+} and Ti^{3+} 5=9841
borosilicate, fracture strength in vapours 5=9550
borosilicate, phase separation at temp. > transition 5=6336
birefringence meas. by scatt. light technique with laser source 5=7342
borate, Gd^{3+}—Tb^{3+} nonradiative exchange 5=13111
brittle fracture, by solid and liquid impact, and by shock 5=1505
brittle fracture, stress fatigue, Griffith method revised 5=15162
chalcogenide, semiconducting, photoelec., optical props. 5=13051
critical surface tension 5=3487

lass—contd
crystallization, e. s. r. study 5=14971-2
damage threshold by laser 5=1490
dating by fission fragment tracks 5=13221
devitrification, diffusion process 5=3528
diamagnetic, Faraday rotation 5=1842
diffusion of He 5=12319
dispersed in In, steady-state, temp. var. 5=15168
elastic props, pulse-echo meas. 5=15163
electrical conductance when immersed in molten salts 5=12323
electron emission, secondary, statistics 5=4148
e. s. r., triplet mols. 5=7212
elastic, Youngs mod., neutron effects, and alkali content 5=6717
Faraday effect in three types 5=4307
fibres, high strength and structure 5=6716
flow, fracture, treated as elastic—plastic solid 5=1519
fracture, thermal, elastic wave velo. obs 5=12498
heat treatment in molten metal, hardening 5=6714
impregnation of metals 5=1999
ion migration in substrates, effect on Sn oxide resistive films 5=6946
liquid viscous flow activation energy in transition state and bond energies 5=11868
multi-colour production by γ-irrad. 5=15109
optical, high temp. 5=5060
paramagnetic susceptibility when containing Mn, Co and Ni 5=7093
phosphate, structural and thermodynamic aspects 5=9257
in porcelain bodies, quantitative obs 5=12513
Pyrex, Zn vapour deposition, at low super-saturation 5=1278
semiconducting impurity cond., energy band struct., spectrum, review 5=12693
semiconducting and photoconducting props., rel. to expts. on semicond. props. of proteins 5=6951
sheet, strength and the scale factor 5=6715
shock wave effects, P—V curve 5=12499
soda—lime—aluminosilicate, Na diffusion, 200°-700°C 5=6595
solution of gases 5=10195
strengthening by ion-exchange 5=3850
substrates, rel. to magnetic film structure 5=1738
sulphate, borate, + Cr^{3+} and Gd^{3+}, e. s. r. absorption line g-values meas. 5=15494
surface corrosion by acids, microstructure obs 5=12032
thermoelasticity 5=12500
3-methylpentane, γ-irrad., luminescence 5=1884
triply-activated, luminescence 5=15600
u.s. waves, surface and spatial, damping 5=6256
vapour pressure in transformation region 5=6228
various, polished surface refr. index by ellipsometry 5=7341
vibrations of monatomic and alternating diatomic chains, calc. 5=1409
viscosity, soda-lime-silica standard 5=3318
X-ray examination, small-angle camera 5=14959
$AsSe_xGe_y$-type, X-ray investig. of crystallization 5=3554
As—Te, dielectric props., cond. 5=15373
Au-and Mn-irradiation induced colouration, heat treatment effects 5=6650
Ba-glass, Nd activated, optical and luminescence props. 5=7352
and Ba stearate plating 5=12029
Bi_2O_3—TeO_2, dielectric props. and infrared spectrum 5=12791
C, glassy, density, elec. and thermal cond., elastic moduli rel. to heat treatment 5=9625
C, "glassy", model for struct. 5=12073
CaO—MgO—SiO_2, metastable amorphous liquid phase separation 5=3526
H_2NNH_2—H_2O, supercooling and stabilization 5=11935
Na aluminosilicate, colour centres, opt. and e.s.r. study 5=12427
Na borosilicate, phase separation 5=6337
Na ions, stress-induced migration and partial molar volume 5=1441
Na_2O—$3SiO_2$, colour centres, X-ray prod. 5=6646
Na_2O. $xSiO_2$, i. r. absorption, 4 to 30 μ 5=13076
Nd-doped glass fibre laser 5=286
Nd, laser, giant pulse generation 5=8063

Glass—contd
Pb- , Faraday effect, He—Ne laser source, fields up to 400 kOe, meas. method 5=15558
Pb silicate, colour centres, prod. by γ-rays and opt. absorption 5=12426
Tl borate, X-ray study 5=12074
Glass—metal seals
Mo(80%)-Mn(20%)-Al_2O_3 adhesion mechanism 5=6741
Glow discharges. See Discharges, electric/glow.
Goks. See Hypernuclei.
Gold
atom, Au^{197}, K—LL Auger spectrum 5=2914
atom condensation on Au(100) crystal plane, rel. to temp. 5=3576
creep, tertiary and grain boundary voids 5=12501
crystal nucleation onto MgO cleavage face, 209°-381°C 5=3559
crystal stacking fault tetrahedra removal by α-rays 5=9488
cyclotron resonance, Azbel'—Kaner 5=3956
Debye temperature, temp. depend. 5=6556
Debye—Waller factors, de Launay's method calc. 5=3668
desorption energy on W 5=12072
desorption from W, calc. 5=14958
diffusion in InSb, 140°-510°C by radioactive tracer 5=3716
diffusion, into Si crysts. 5=12332
diffusion, in Si, effect on host resistivity 5=9686
diffusion and solubility, in n-type GaAs 5=3714
dislocations, in quenched and deformed metal 5=12359
epitaxial growth on rocksalt 5=3575
film growth by evap. in electron microscope 5=9246
film thickness from elec. conductivity and isothermal Hall effect theoretical expressions 5=1610
films, aggregated, electrical conductivity 5=3972
films, annealed, struct. changes by electron microscopy 5=3504
films, electrical props., and defect struct., temp. effects 5=15272
films, elec. resist. and formation mechanism 5=15274
films, electron penetration meas. 5=14067
films, sputtering epitaxial growth 5=12053
films, structure, vac. deposition temp. effect, X-ray versus electron diffr. exam. 5=6322
films, vectorial photoelec. effect 5=15421
films, very thin, new elec. phenomena 5=15275
fluorescence, M-shell yields 5=13101
γ—α reactions, α-particle tracks, spectra, photonuclear emulsions meas. 5=14521
γ-ray attenuation cross-sections 5=8774
glide, specimen dimensions effect 5=3851
Hall effect, effect of Fermi surface shape 5=1843
heat treatment, after γ irrad at 77°K, stage III defect annealing 5=12469
i. r. reflectance and emittance in ultra-high vacuum 5=13072
lattice images improved 2. 0 A resolution 5=3614
length change on α-ray bomb. at −20 to +90°C 5=12433
optical constants, 1-12 μ, effect of Fermi surface shape 5=1843
point defects by plastic straining, −195°C 5=12502
recovery of quenched metal, rel. to vacancy migration 5=12356
resistance, elec., and melting 5=14879
self-diffusion, pressure effect 5=6587
sols in glass and water, optical props., erratum 5=3383
specific heat, Kreb's model 5=12291
sputtering yields, low-energy, by reson. absorpt. and emission spectroscopy 5=3793
stacking fault—cold working energies, rel. 5=15101
stacking fault tetrahedra, growth and annealing 5=12408
stress—strain curves, surface condition effects 5=3832
thermal expansion, below 100°K 5=12296
thermoelectric size effect 5=4104
thin targets, K-shell ionization cross-sect. for relativistic electrons 5=2917
transmission, light, films, var. at slow deposition rates 5=15553
vacancies, annealing in quenched and deformed metal 5=12358-9
vacancy formation energy, high press., resist. method meas. 5=15089
vacancy zone distrib. in elongation cascades 5=15087
vaporization from ceramic crucibles by electron bombard. heating 5=1994

Gold—contd
X-ray charact. emission intensity calc. 5=9916
Ar adsorption, accommodation coeff. var. 5=12062
Au^{2-} centres in Ge, n-type, hot electrons and negative resistance, at 20°K 5=9673
Au^{-} and Au^{2-} centres in Ge, n-type, thermal electron capture at 20°K 5=9672
in Fe, polarization and internal mag. field 5=6248
Xe^{133} ion penetration, 40 keV, in <100> direction 5=6660

Gold compounds
superconductors, new, intermetallic 5=15293
thermocouples, versus Cu 5=9739
Au alloys, dilute in Cu, Ag, Ni, Pd, Pt, Mössbauer shift and resid. resistivity 5=9630
Au—Ag alloy self-diffusion, hydrostatic press. effect 5=3715
Au—Ag, point defects by plastic straining, —195°C 5=12502
Au—Ag, quenched resistance 5=9629
Au—Bi—Te system, phase diagram 5=14874
Au—Cd, β-phase, vacancies, conc., formation energy, vibr. entropy, quenching temp., calc.
Au$_3$Cd, lattice modulation 5=9309
Au(CN)$_4^-$, vibrational spectrum and force constants 5=2999
Au—Cu, point defects by plastic straining, —195°C 5=12502
AuCuII, crystal struct., atomic, long period 5=6455
AuCu alloy, long-range ordering temp. var. 5=3463
Au—Fe alloy mag. props. 5=9824
Au—(0.2-8%)Fe, specific heat, 1.2-2.4°K 5=12292
Au$_{92}$Fe$_8$, discontinuities in magnetization below 1°K 5=15472
AuGa, de Haas—van Alphen effect at 4°K 5=9761
Au—In, equilib. diagram, detailed exam. 5=1267
Au,Mn,, ordered phase in Au—Mn system 5=1247
AuPb$_2$ and AuPb$_3$, superconducting props. 5=15292
Au—Pd alloys, lattice spacing rel. to composition 5=9334
AuPd films, superlattice struct, X-ray diffr. meas. 5=14952
Au—Pd, thermal expansion, lattice parameter meas. 5=9395
Au—Sn alloy, dislocation nodes 5=9458
AuSn, de Haas—van Alphen effect at 4°K 5=9761
Au—Sn, quenched resistance 5=9629
Au—Th alloys, eutectics, melting and struct. 5=14877
Au—Zn, β-phase, point defects, quenched-in 5=12354
β′-AuZn, de Haas—van Alphen effect at 4°K 5=9761
Au—Zn, vacancies, conc., formation energy, vibr. entropy, quenching temp., calc. 5=1454

Grain boundaries. See Crystal imperfections; Crystal structure/microstructure.
Gramophones. See Sound reproduction.
Granato—Lücke theory. See Crystal imperfections/dislocations.

Granular structure
boundary mobility rel. to inert gas bubbles 5=9300
coarse, in thin film, growth conditions 5=3550
electrocorundum abrasive grains, thermal charges 5=12150
heat transfer theory 5=7882
metals and alloys, radioisotope study 5=3580
two-phase systems, grain growth restrictions 5=1321
Al—Cu, grain boundary sliding, 500°F 5=3833
BeO, sintered, effect on creep, strength, expansion and elastic moduli 5=6698
C, contact resistance, mech. ageing, prod. process effects 5=6842
Cd, growth, exponential w. r. t. time 5=3448
Cu—P alloy, strained, grain orientation 5=6407
MgO, fully dense, grain growth 5=3449

Graphite
Alfvén wave propag. 5=9609
anisotropy comparison with U rel. to Cottrell creep 5=3852
capture cross-section det. by pile oscillator method 5=815
colloidal sols., optical, mag. props., anisotropy, particle effects 5=15556
conductivity thermal, anisotropy 5=9401
crystal imperfections on n irrad., n scatt. 5=9432
crystal vacancy, formalism energy calc. 5=9431
dendrites, growth twinning 5=12083
diffusion of B 5=9412
diffusion of gases, effect of back-press. 5=15070
dislocations, screw, evidence for 5=12403

Graphite—contd
elastic consts., neutron effects 5=9553
electrical cond. along trigonal axis, temp. var. 5=12585
electron beam reflection coeff., energy var. 5=9512
exfoliated, adsorpt. of Kr 5=14955
films, for nuclear sources and targets 5=14951
fracture, tensile, mechanism 5=15150
graphite—bromine cpds., cryst. struct. 5=3627
graphitization of carbon, effect of gas phase 5=6290
ionization, surface, of In, K, Rb, Cs, CsCl, RbCl, KCl 5=5963
irradiated and annealed, c-axis charges and anomalous stored energy 5=6659
irradiated, mech. strength and elastic modulus, by u. s. pulse method 5=6718
mechanical props., n effects 5=9552
mechanical strength, tensile, elastic limit, to 2750°C 5=12503
mechanical strength tensile, prestrain effects, and microstructure 5=9554
meteoritic and artificially shocked, electron microscopy 5=6412
Moiré patterns, shift of fringes 5=15548
neutron scattering law, calc. 5=2794
optical props. 5=15547
optical props, 1100 to 3000 Ă 5=7343
oxidation and non-basal dislocations 5=12388
oxidation in CO$_2$ in reactors, inhibitors 5=15619
phonon spectrum 5=6512
plasma prod. by laser, electron temp. meas. 5=5975
pyrolytic, etching 5=9271
pyrolytic, structure-property relations 5=3589
pyrolytic, thermal conductivity, 1.7 to 300°K, turbostratic structures 5=1432
pyrolytic, transport props. and simple 2-band model 5=1563
reactor, stress and annealing, effect on Young's modulus 5=15152
reactor, Vigner energy and safe operating conditions 5=869
scattering of light from small spheres 5=2348
strength, compressive, effect of oxidation 5=15151
surface areas 5=1275
surface study by low-energy electron diffr. 5=3482
thermal expansion 5=12298
thermomagnetic effects meas. 60°-300°K 5=15276
thermomagnetic figure of merit, dimensionless, at 4.2°K 5=15277
vacancy loops in irrad. and annealed material 5=12360
vapour lubrication mechanism 5=1520
vibrational amplitude of C atoms 5=6511
W coatings, cracking 5=15189

Graphs
See also Nomograms.
No entries

Gratings. See Diffraction gratings; X-ray diffraction.
Gravimeters. See Gravity.

Gravitation
See also Relativity.
charge and spin translations, calc. 5=13850
collapse and elec. charge 5=10117
collapse, Schwarzschild singularity 5=13688
collapse, symposium, Dallas, 1963 5=4537
collapsing star, optical brightness, in general relativity theory 5=7570
conservation laws, two new classes 5=2022
constancy of e^2/ħc 5=43
convection conditions for atmosphere with gravitational separation 5=4540
cosmological singular solutions 5=10246
direct particle interaction contribution 5=44
Einstein's theory, rel. motion of two rotating bodies 5=56
energy in Euclidean theory exptl. verifications 5=13852
energy, gravitational, for field of isolated mass 5=4733
energy-momentum tensor of static gravitational field 5=48
equations for homogeneous anisotropic model 5=7765
equivalence, principle 5=2046
Euclidean theories, expt. proofs 5=13862
Euclidian theory, Lagrangian and Euleriar metrical tensor method 5=4734
fields due to symmetrical systems 5=7761
fluid layer stability rel. to Coriolis force and mag. fld. 5=13691

Gravitation—contd
graviton, as spin-2 particle, linearized field 5=42
gravitons, prod. on spinor particles calc. 5=10838
homogeneous matter motion, Newtonian and Einsteinian 5=2040
Hoyle—Narlikar theory 5=45
interaction with wave of spin $^1/_2$ or $^3/_2$ 5=10248
Kepler problem in parabolic coordinates 5=13832
linear euclidian theory 5=7759
local orthogonal frame theory 5=10245
local theory Hamiltonian formalism 5=13851
magnetic stars, collapse 5=4539
in Minkowski space 5=7762
Minkowski space—time, potential deriv. 5=13866
Mossbauer meas. of red shift by Fe^{57} 5=10254
neutrino fluxes, production by focusing action 5=4534
Newtonian theory, as limiting case of general relativity 5=7758
particle motion in external field, analogy to e.m. 5=2041
plasma, collective motions, mass density and m.h.d. waves, coupled eqn. 5=1082
plasma layer in gravitational field, stability conditions calc. 5=3220
Poynting vector for gravitational radiation 5=4735
quantization 5=50
quantization programme 5=7779
quasars, free gravitational collapse theory 5=7616
quasi-stellar collapse with non-zero pressure 5=1963
radiation Riemann tensor 5=13864
radiation from two-point masses 5=2042
relativistic theory, quantization 5=13873
Riemann principal directions, asymptotic behaviour 5=7760
and scalar—gravitational field construction 5=10244
scalar particle, self-energy, ladder-type diagrams, contrib. expansion 5=395
scalar theory giving perihelion correction 5=10243
Schwarzschild metric, Vaidya's radiating 5=13689
Schwarzschild metric and the Whitehead theory 5=2049
spherical collapse with neutrino escape, eqns. 5=13687
spherically symmetric fields, Schwarzschild solution 5=7781
spin of virtual gravitons in linear theory 5=10247
thermodynamic equilibrium 5=10273
total energy of spherical distribution 5=10241
zero rest mass field asymptotes 5=10242
Gravitational red shift. See Relativity/general.
Gravitons. See Gravitation.
Gravity
See also Geophysical prospecting.
coordinates of masses determ. from field, elec. analogue 5=7747
at earth's surface, calc. from rotating fluid hydrostatic equilib. 5=1134
and laminar flow of earths mantle 5=13190
optical integrator for reducing data 5=7457
satellite gradient torques 5=4517
satellite stabilization using gradient 5=4515
surface of earth, harmonics, satellite obs. 5=4428
tidal, recording with Heiland gravity meter 5=13189
waves, in atmosphere 5=15691
waves, in atmosphere, damping 5=15690
waves of finite amplitude, interaction 5=3256
Group theory
characters of irreducible representations of simple groups 5=15
Clebsch—Gordan coeffs. of D_2', D_2', D_6' groups 5=5153
Clebsch-Gordon series for SU(3) 5=20
combining inhomogeneous Lorentz with Lie 5=378
complex angular momentum, high-energy 5=8247
complex Lorentz group with real metric 5=2409
irreducible representations of classical groups 5=4713
Lie, fundamental representation 5=10218
Lie, semi-simple, compact, irreducible representation 5=5175
Lie, 3rd rank, and strong interaction symmetry 5=10849
Lie, 3rd rank, and strong interaction symmetry, oddness, calc. 5=10847
operators for raising or lowering irreducible vector spaces 5=5139
rotational system in Lie algebra, scalar invariants 5=7718
simple Lie group invariant construction 5=4715

Group theory—contd
and strong interaction perturbations, S-matrix multichannel calc. 5=10869
symmetry groups in physics, review 5=14253
symmetry groups, and space—time 5=379
Wigner's little, irreducible unitary representations 5=2368
S theorem in finitesimal proof 5=7724
SU(6), and semileptonic strong interaction symmetry 5=10848
SU_n explicit conjugation operation 5=7722
SU_3 Clebsch—Gordan coeffs. 5=5176-7
SU_3 group appl. to theory of weak interactions 5=2458
SU_3 group, irreducible representations 5=5178
SU_3, irreducible representation direct product reduction 5=5174
SU_3 tensor operators canonical classification 5=7723
Grüneisen coefficient. See Specific heat; Thermal expansion.
Guinier—Preston zones. See Crystal structure/microstructure.
Gyromagnetic effect
electric-gyromagnetic media, tensor Greens function calc. 5=2240
molecular 5=2925
Gyromagnetic ratio
ferric ions, g = 4.27, theory 5=901
CF_4 5=2991
C_2H_2 5=2991
CO_2 5=2991
CS_2 5=2991
$Fe(CO)_5$ 5=2991
$Ni(CO)_4$ 5=2991
OCS 5=2991
W^{182}, 100 keV level 5=2754
W^{184}, 111 keV 2^+ level 5=5557
Zn, in Fermi surface "needles" 5=3925
Gyroscopes
for satellite stabilization 5=4516

Hadrons. See Elementary particles.
Hafnium
deformation modes, slip planes identification 5=12504
diffusion of O_2 5=9413
Hall effect and paramag. susceptibility 5=6843
nuclear quadrupole moment interaction with elec. field gradient 5=9206
optical constants from emissivity 5=9925
Van Arkel process for production 5=5713
Hafnium compounds
nuclear quadrupole moment interaction with elec. field gradient 5=9206
HfC, thermal expansion to 200°C 5=9396
Hf—Zr, elec. resistivity, emissivity, temp. var., rel. to phase transitions 5=6291
Half-lives. See Radioactivity/decay periods.
Hall effect
See also Semiconducting materials; Semiconductors.
analogue, multiplier, freq. var. of accuracy 5=4721
applications, in a.c. gaussmeters, 180-12 000G 5=205
electricity, direct convertor, m.h.d., losses 5=10455
expansion, and transport processes 5=4902
ferromagnetic metals and alloys, theory 5=1613
ferromagnetic metals, anomalous 5=3965
ferromagnetic metals, anomalous, low-temp., theory 5=6838
ferromagnetic metals, electron—phonon scattering role 5=15271
ferromagnets, electron scatt. 5=12641
films, and elec. conductivity theoretical expressions for film thickness 5=1610
galvanomagnetic paradox 5=3970
on gravitational instability of cond. medium 5=10118
meas., new double-frequency method 5=9620
metal thin films, Sondheimer oscills. calc. 5=1603
metals, disc with radial a.c. voltage 5=6839
metals, high-field, review 5=6837
multiplier for pulsed operation 5=2192
plasma, rel. to alternating magnetic field penetration 5=14726
pyrocarbons, 80°-296°K 5=1605
semiconductor films, meas. by probe 5=4010
semiconductors with charged impurities 5=15309
transition metal alloys with Pd base, meas. 5=7081
Wigner representation of quantum operators 5=4755

Hall effect—contd
AgBr, hole conductivity, 177-415°C 5=12591
Al, Sondheimer oscillations 5=9621
As—Te—I glasses, Hall effect—Seebeck effect sign anomaly 5=1642
Au, effect of Fermi surface shape 5=1843
Au films, and elec. conductivity theoretical expressions for film thickness 5=1610
Bi, and carrier density, mobility calc. 5=12580
Bi, single crystal and polycrystalline, Hall coeff. and mobility 5=6920
Cd_3P_2, 200° to 650°K, meas. 5=12105
CdS crystals, meas., application of ohmic contacts 5=6916
CdS films, mobility meas., resistivity, temp. effect 5=4017
CdS photoelectrons 5=9669
CdSb, effect of In impurity 5=12723
Cu, rel. to mobility 5=6839
Fe alloyed with Ni, Mo and Al 5=1613
GaAs, high-temp. 5=9598
GaP, n-type, 80-295°K 5=12731
GaSb, electron bombarded, meas. 5=15320
Gd, temp. depend., 4. 2°-370°K 5=1607
Ge, anisotropy of Hall coeff., room temp. and 77°K 5=6925
Ge, mobility, depend. on impurity conc. and temp. 5=15208
Ge, n-type, irrad., coeff. and mobility 5=15325
Ge, n-type, planar effect, influence of impurity scatt. 5=12735
Ge, neutron irrad. at 77°K 5=6926
Ge, p-type 5=6924
Ge, rel. to radiation and annealing 5=9675
Hf, 4. 2°—293°K 5=6843
Hg—In liquid 5=9150
HgTe, 2-300°K 5=12744
InSb, electron irrad. effect 5=9679
InSb films, flash-evap., epitaxial 5=6932
InSb, intrinsic-conduction region 5=12741
InSb, low-resistance, use in magnetic field meas. 5=14049
InSb, n-type, in pulsed elec. fields, anomalous 5=1650
InSb, rel. to temp. and mag. fld 5=12829
Li m-liquid NH_3, -80° to-40°, conc. var 5=9152
Mg_2Sn, mobilities, 77°-196°K 5=6938
$Mn_{0.88}Cr_{0.12}Sb$, temp. depend., rel. to ferromag—antiferromag. transition 5=6846
MnSb 5=1598
Na m-liquid NH_3, —80° to —40°, conc. var. 5=9152
Ni films, Ba adsorpt. effect 5=6847
Ni—Mo alloys, rel. to temp. 5=1615
Ni—Mo, temp. depend. 5=12648
Ni and Ni—Cu alloys 5=3974
Ni—Si, temp. depend. 5=12648
Ni—Zn ferrites 5=7001
PbS, 100° to 500°K 5=9682
Pu, α and β 5=12649
Sb deposits, and carrier mean free paths 5=12579
Si, n-type, anisotropy 5=12748
Si, n-type, γ-irrad., meas. 5=6944
Si transistors, field effect, meas. 5=15367
SiC, n-type, 1. 5°-290°K 5=15333
SnO_2, single cryst. grown from vapour 5=14980
Te 5=7367
p-TlSe, anisotropy 5=6945
V oxide bronzes 5=9637
ZnSe—ZnTe, mobility 5=6950
Hall generators. See Electricity/direct conversion; Semiconducting devices.
Hall mobility. See Semiconducting materials; Semiconductors.
Halogens
compounds, molecular config. of dihalides, by mol. beam elec. deflection 5=5837
halate ions in soln., electronic spectra 5=1189
Hard-sphere gases. See Quantum theory/many-particle systems; Statistical mechanics.
Hardness
See also Abrasion; Work hardening.
alkali halides, micro 5=12483
glasses, increase by heat treatment in molten metal 5=6714
grain boundary and free surface, in alloys, mechanism 5=6757
"Hartstoffen", hard transition metal nitrides, carbides, borides, silicides, constitution and properties 5=3645
kaolin—quartz—felspar, softening under load 5=12513

Hardness—contd
metals, hexagonal, close-packed, microhardness intenter, rel. to twins 5=3828
polymers, amorphous, softening 5=12539
polystyrene, dilatometer study of hardening 5=3479
polyvinyl acetate, dilatometer study of hardening 5=3479
steel, ferritic matrix, rel. to impact strength 5=12549
steels, under spherical indentation 5=1546
strain hardening in metals and kinetics of creep 5=15129
and thermal cond., calc. 5=12304
Al, polycrystalline, Cottrell—Stokes ratios, temp. var. 5=12478
Al—Ag alloys, age hardening, up to 200°C 5=6273
Al—Ag alloys, G—P zone and second phase precipitation effect, plastic deformation study 5=6692
Bi, hardening during twinning 5=3763
Cr—As alloys, rel. to composition 5=12000
Cu alloy, under spherical indentation 5=1546
Cu films, microhardness, electron microscope study 5=3500
Cu, n irrad., heat treatment 5=9543
Cu, neutron induced, disloc. breakaway stress var. 5=670
Fe, commercial grade, microhardness, during deformation temp. and stress cycling 5=1523
Fe-Ni-Ti, γ-α-γ transform. and ageing effects 5=6727
GaSb, rel. to plastic micro-indentation 5=6719
Ge, photomech. effect temp. region 5=15161
InSb, micro-, photomechanical effect anisotropy 5=6720
InSb, rel. to plastic micro-indentation 5=6719
KCl, rel. to γ and electron irrad 5=12542
KCl microhardness and dislocation distrib., rel. to p-irrad 5=1469
LiF microhardness and dislocation distrib., rel. to p-irrad 5=1469
Mg—Fe—O alloy, solid soln. and preap. hardening 5=3861
Mo, micro, on neutron irrad., and imperfections 5=9437
Mo, B addition effects 5=3467
$MoSi_2$—$ReSi_2$ system 5=3439
NaCl microhardness and dislocation distrib., rel. to p-irrad 5=1469
Nb, alloying effects 5=6746
Ni alloy, under spherical indentation 5=1546
Ni, microhardness after recryallization, rel. to annealing time 5=3866
NiPt alloy, changes during ordering 5=14931
Sb, hardening during twinning 5=3763
Sb, micro-, photomechanical effect anisotropy 5=6720
Sb, photomech. effect temp. region 5=15161
Sb_2S_3—Sb_2Se_3, micro-, meas. 5=14927
Sb_2Se_3—Sb_2Te_3, micro-, meas. 5=14927
SiC, crystal orientation effect 5=6753
Ta, effect of recrystallization annealing 5=3590
Ta—W, effect of recrystallization annealing 5=3590
Ti alloys, texture strengthening 5=12556
Zn, hardening during twinning 5=3763
Zn, programmed, rel. to creep 5=12561
Harmonic analysis. See Acoustic analysis; Calculating apparatu Fourier analysis.
Harmonic generation, optical. See Lasers; Optics.
Harmonic oscillators. See Quantum theory.
Hartree—Fock method. See Atoms/structure; Solids/structure.
Hearing
See also Ear; Speech.
acoustic impedance of human ears 5=10342
acoustic reflex dynamics, phenomenological aspects 5=2142
auditory fatigue, mental factor effect 5=7863
auditory memory, short-term, and Ohm's acoustical law 5=4815
Békésy audiometry, 0. 2-6 kc/s 5=146
binaural interactions of three clicks 5=7862
binaural lateralization of cophasic and antiphasic clicks 5=2143
binaural masking differences from masking noise 5=138
binaural signal detect., noise crosscorrel. effect 5=134
central periodicity pitch 5=7861
consonants in noise, identification consistency 5=4817
fish, lateral line as vibration reception 5=4823
frequency analysis by the ear 5=140
frequency threshold estimation, influences 5=143
human, threshold dependence on interaural phase rel. 5=2140

earing—contd
- individual loudness functions 5=19343
- interaural time and intensity difference detectable change for clicks 5=4818
- lateralization judgments and acoustic wages 5=10346
- lateralization of sound 5=10347
- levels in conference telephony, noise effect 5=4819
- loss trend waves and damage risk calc. 5=13972
- loudness funcn. of 1000 c/s tone, with masking noise 5=139
- loudness of repeated noise pulses 5=7859
- loudness, rise time effect 5=137
- loudness of transients, repetition rate effects 5=10344
- Markovian signal sequence detection 5=4814
- masking, backward, for tones in narrow-band noise 5=2144
- monkeys, thresholds 5=7864
- negative afterimage 5=4821
- noise effects on turbine 5=4820
- noise, subjective evaluation 5=151
- phase-response characteristic, distortion necessary for audibility 5=152
- pitch of freq. -modulated signals 5=141
- pitch shifts, due to noise bands 5=13970
- quiet thresholds rel. to stimulus duration 5=150
- rat, auditory masking 5=13974
- relative pitch judgement circularity 5=4816
- signal detection, feedback effect 5=13971
- speech-discrimination score prediction 5=149
- speech interference contours rel. to articulation-index contours 5=142
- switches, transient-free tone-burst, for expts. 5=2191
- talker-recognition procedure based on variance analysis 5=2141
- temporal integration, var. with freq. 5=144
- temporary threshold shift, impulse-noise generator study 5=10345
- timbre recognition for wind-instruments 5=145
- tonal funcn. time requirements 5=148
- tone deafness study 5=136
- variability hypothesis in category scaling 5=147
- verbal information reception during auditory shadowing 5=135
- vowel recognition, probabalistic analysis 5=7860

Heat
- See also Radiation/heat; Thermodynamics.
- generator, thermoelec., PbTe prep. and props. 5=4033

Heat capacity. See Specific heat.

Heat conduction
- See also Conductivity, thermal.
- air, heated, stationary, conduction/radiation proportion 5=1153
- asymmetric, zonal calc. method 5=166
- atmosphere, turbulent, and moisture exchange 5=1932
- biological systems, computer analysis 5=7897
- boundary value problem 5=7876
- calculation, strip method approx. 5=4831
- conference, Teddington, 1964 5=169
- cylinder, local transfer, influence of sound 5=4829
- differential eqns. for hollow cylinder under boundary conditions 5=168
- Fermi gas in quantizing mag. field 5=3699
- ferromagnets, anisotropic spin—wave cond. 5=6570
- flux on composite wall, divergent series soln. 5=10357
- gas mixtures, nonpolar polyatomic, theory 5=14807
- gas of rigid sphere molecules 5=10367
- gas with rotational states 5=3267
- gases, ionized, monatomic, stagnation-point heating 5=4838
- hollow cylinder under boundary conditions 5=168
- initial conditions non-uniform, approx. temp. profiles 5=10364
- liquids, high pressure effects, review 5=6154
- in magnetic field, quantum theory 5=6784
- with moving boundary, integral transform. soln. 5=165
- nonstationary eqn. with time dependent ambient temp. 5=4832
- nonstationary, in hollow cylinders 5=13983
- nuclear reactor neutron reflector analogue 5=11395
- parallel plane layer, steady state 5=167
- paramagnetic salts, thermal resistivities 5=6571
- solids in contact, transient flow 5=10366
- solution of equn., quasi-analytic 5=13984
- sphere to surrounding medium of different thermal props. 5=7879
- stability calculation, boundary approx. method effect 5=7878

Heat conduction—contd
- superconductors, intermediate state, $l \gg a$ 5=6863
- thermokinetic analysis 5=10365
- time reversal 5=13982
- transient energy transfer, and radiation 5=10358
- for variation of thermal props. with time and coordinate 5=7877
- wedge shaped bodies, non-stationary 5=171
- Eu chalcogenides, anisotropic spin—wave cond. 5=6570

Heat exchange. See Heat transfer.

Heat flow. See Convection; Heat conduction; Heat transfer.

Heat losses. See Heat transfer.

Heat measurement. See Calorimeters; Calorimetry.

Heat of adsorption
- alcohols (C_8-C_{12}), soluble monolayers, and pressure at water—octane interface 5=11882
- and hydrocarbon heat of displacement by water on oxide surfaces 5=11841
- hydrocarbons on C 5=9249
- liquid molecules on solid surf., isotherms, rel. to heat of immersion 5=3511
- monolayers, localized-unlocalized mixture model 5=13159
- n-butane, n-pentane, n-hexane on graphitized C black 5=1285
- Al_2O_3—water system, rel. to particle size 5=12063
- O_2 on RuO_2, 100° to 385° 5=13163
- Th oxide—water system, heats of immersion 5=12070
- ZnO—CO_2 system, 473° to 588°K 5=13162

Heat of combustion
- Al_4C_3 5=4842

Heat of crystallization. See Crystallization.

Heat of dissociation
- B_2H_6, mass spectrometer obs. 5=1010
- H_2O_4, heat of decomposition 5=10014
- $Sb_4 \rightleftarrows 2Sb_2$, mass-spectrometer meas. 5=6208

Heat of formation
- α-brass 5=9226
- rel. to atomic charge, effective 5=10007
- calculation for nonconjugated mols. 5=5832
- Al_4C_3 5=4842
- AlOCl (gas) 5=1900
- BP, H(298°K) = -19.9 ± 3 kcal 5=13148
- B_6P, H(298°K) = -31 ± 25 kcal 5=13148
- Be_2O(g), by mass spectrometry 5=4388
- Bi_2Te_3—Bi_2Se_3 solid solutions 5=3460
- CdTe(c), congruently subliming, Gibbs free energy of formation 5=6225
- $CoFe_2O_4$ from CoO and Fe_2O_3, calc. 5=12198
- Cr_2Ta 5=6287
- Fe alloys, martensitic transformation 5=12008
- S_2O, -22.7 kcal/mole 5=13150
- γ-UO_3 5=10013

Heat of fusion
- measurement, by differential thermal analysis 5=2165
- acetonitrile 5=9171
- dimethoxymethane 5=3395
- hexafluorobenzene, meas. 5=11926
- Cs, calc. from specific heat temp. var. 5=9384
- Li_2CO_3—K_2CO_3, calc. 5=3398
- Na_2CO_3—K_2CO_3, calc. 5=3398
- Rb, calc. from specific heat temp. var. 5=9384
- Sb_4, mass-spectrometer meas. 5=6208

Heat of mixing. See Heat of solution.

Heat of reaction
- alkyl radicals, secondary, decomp. rates 5=13141
- Ag_2SO_4 solution 5=11858
- $BCl_3 + (3/2)\, H_2 + (1/4)\, P_4 \rightleftharpoons BP + 3HCl$ 5=13148
- $Ca(OH)_2$ solution 5=11857
- Cu ferrite mixture with magnetite, of mixing, conc. depend. 5=6539
- HCl, conversion into vibration 5=13155
- Ir oxidation, mass spectrometric study 5=13152
- $KClO_3$, decomposition, bomb calorimeter 5=15610
- N, N-dimethylformanide salt solns., activation 5=13173
- $NaClO_3$, decomposition, bomb calorimeter 5=15610

Heat of solution
- alkane binary mixtures, heats of mixing 5=9107-8
- fused salts, charge-unsymmetrical, heats of mixing, theory 5=1178
- fused salts, heats of mixing 5=11883-4
- gas in water, scaled particle theory 5=11860
- inert gas hydration and solvation, by mass spectrometry 5=15611

Heat of solution—contd
  metal in molten chloride, 34 system correl. 5=11877
  mixing of aqueous solns. of electrolytes 5=1179
  Ag_2SO_4, and chemical reactions 5=11858
  Al_2O_3 in Pb—Cd—borate, and heats of transform. 5=6275
  Ar in D_2O and H_2O, calc. 5=11880
  $Ca(OH)_2$ and chemical reactions 5=11857
  Gd, entropy of sublimation 5=14888
  H in Fe—O, Fe—Co and Fe—Cr 5=11856
  HCl and KCl solns. mixing 5=11879
  KCl in aqueous HF 5=13991
  Ni—Pd system, solid 5=6541
Heat of sublimation
  BaF_2 sublimation pressures 5=1217
  Dy, heat and entropy of sublimation 5=14888
  Ga 5=6226
  MgF_2 sublimation pressures 5=1217
  SrF_2 sublimation pressures 5=1217
  TiS 5=9188
  U, from thermochemical data of U cpds 5=9189
Heat of transformation
  Al_2O_3, from soln. in Pb—Cd—borate 5=6275
Heat of vaporization
  acetonitrile 5=9171
  dimethoxymethane 5=3395
  hexafluorobenzene, meas. 5=11926
  methane, from methane + propane mixture 5=11881
  nonpolar liquids, density reln. 5=14883
  rare-earth metals 5=1218
  transition metals, surface tension reln. 5=14845
  PuO_2 in air, Ar, O, 1450-1775°C 5=11947
  Sb_4, liquid and solid, mass-spectrometer meas. 5=6208
Heat of wetting. See Wetting.
Heat radiation. See Radiation, heat.
Heat transfer
    See also Convection; Heat conduction; Radiative transfer; Radiation/heat.
  air, heated, stationary, conduction/radiation proportion 5=1153
  anemometers, hot-wire, var. with flow direction 5=6077
  anisotropic bodies, heat and mass transfer 5=160
  bibliography 5=10360
  bibliography, Japanese work 5=161
  bibliography, Russian works 5=10359
  boiling, saturated nucleate, latent heat, transfer importance in H_2O 5=1213
  boiling water, saturation press. var. 5=10362
  and bubble growth in propane chamber, calc. 5=14357
  butane drops evaporating in distilled and seawater, characts. and coeff. 5=4828
  convectional, between rigid boundaries 5=13985
  cylinder to air jet, coeff. meas., jet-height effect 5=4827
  divergent series solns. 5=10357
  film boiling round sphere, rel. to nuclear reactors, calc. 5=13981
  frozen region round line heat sink under incompress. fluid stream 5=4830
  gas turbulent boundary layer, rel. to dissociation 5=1149
  gauge, thin-film radiative heat transfer 5=10356
  granular systems, theory 5=7882
  heat exchange, coil—pipe counterflow, calc. 5=2152
  heat exchangers, efficiency, calc. 5=2153
  high-pressure volume evacuation assuming convection with internal surface 5=14800
  into ground, calc. 5=15642
  isothermal plate to air stream, turbulence and press. gradient effects 5=4826
  kinetic correlation function approach with non-interacting particles 5=2150
  kinetic rel. to correlation-function method 5=2151
  laminar boundary flow, similarity conditions 5=10369
  laminar compressible boundary layer with sudden wall temperature change 5=13980
  liquid-metal heat-transfer materials, conductivity meas. 5=172
  m.h.d. gas flow in flat duct 5=7986
  m.h.d. gas flow, in one dimen. 5=7987
  in magnetohydrodynamic stagnation-point flow 5=10361
  mechanism, appl. to atm. 5=7819
  Mollier "1—x diagram" improvement 5=159
  moon interior to surface, meas. 5=4625
  multiparticle systems, with mass 5=7874

Heat transfer—contd
  in nuclear reactors 5=870
  pentane drops evaporating in distilled and seawater, characts. and coeff. 5=4828
  radiative, mechanism, appl. to atm. 5=7819
  radiative, in medium louded by reflector 5=7873
  rotating sublimating body, and boundary layer calc. 5=14790
  sea—air heat exchange, mm radiometer 5=10037
  semiconductors, drift velo. calc. method 5=9661
  solid, cylindrical, heat flow, appl. to thermal cond. determ. 5=6568
  star degenerate cores 5=15793
  transient energy, by radiation and cond. 5=10358
  turbulent liquid metals, temp. pulsations 5=4850
  turbulent water, temp. pulsations 5=4850
  ultrasonic corrective cooling techniques 5=4839
  vapourization, complex region stability and heat exchange fins 5=9183
  Ar, electric arc, meas. 5=5950
  Ar and Xe gas, ionized, stagnation-point transfer 5=11807
  Na, under free and forced convection, with oxides deposited 5=6169
  Na, metallic, 175°-300°C meas., flow in tube 5=1180
Heat treatment
  alkali halides, and crystal dislocations 5=6626
  cetyl palmitate rel. to dielec. absorption 5=7003
  crystal imperfection size meas. by exciton absorpt. spectra 5=6645
  dodecyl myristate rel. to dielec. absorption 5=7008
  glass, in molten metal, hardening 5=6714
  graphite, annealed, reverse stored energy and c-axis expts. 5=6659
  graphite, reactor, annealing, effect on Young's modulus 5=15152
  kapron, unoriented, oriented, density meas., rel. to crystallinity 5=3453
  metal rods, polymorphic transformations by thermal cycling 5=6665
  mica and fission track density 5=13220
  polyethylene, free radical e.s.r. spectrum decay, rel. to mech. relax. 5=3076
  polyethylene terphthalate, unoriented, oriented, density meas., rel. to crystallinity 5=3453
  polymers, amorphous, annealing 5=12539
  polystyrene, annealing rel. to birefringence 5=13088
  ruby, 1400°-1700°C, deform. kinetics 5=3876
  solids, effect on thermoplastic and structural stresses 5=6674
  steel, stainless, annealing textures 5=12124
  Al, annealed, residual strains in polycryst. grains, X-ray meas. 5=6693
  Al, crystal imperfection loop rotation on quenching 5=9442
  Al, crystal imperfections prod., and internal friction peaks 5=12475
  Al, after γ irrad. at 77°K, stage III defect annealing 5=1246
  Al, rel. to deformation critical degree effect 5=1509
  Al, energy release during annealing 5=15139
  Al, films, resistance rel. to annealing 5=9622
  Al, for low dislocations 5=9464
  Al, after plastic deformation, point interaction with dislocations 5=12470
  Al, rel. to recrystallization and polyganzation 5=9219
  Al—Al_2O_3, effect on microstruct. and mech. props. 5=3584
  Au, and creep 5=12501
  Au films, annealed, struct. changes by electron microscopy 5=3504
  Au, after γ irrad. at 77°K, stage III defect annealing 5=124
  Au, vacancy annealing in quenched and deformed metal 5=12358-9
  $BaTiO_3$, films 5=9709
  Be alloys, thermal etching 5=15097
  Be—(10%) Al—(3%) Si, rel. to ductility and intergranular failure 5=3835
  BeO, annealing behaviour of lattice streaking 5=15146
  Bi_2Te_3—Sb_2Te_3 [Bi_2Se_3] thermoelement branches 5=9215
  C fibres from polyacrylonitrile, elec. cond., magnetoresist. thermoelec. power, var. 5=1606
  C, glassy, rel. to density, elec. and thermal cond., elastic moduli 5=9625
  CaF_2, annealing in crystal growth 5=12106
  Cd, technical-grade, impurities redistrib. on quenching rel. to pore form. 5=1460

Heat treatment—contd
CdS in CdSo$_4$ luminescence props., heating in N$_2$ effects 5=7387
24Co–14Ni–8Al–3Cu–Fe, precipitate orientation in mag. fld 5=7131
Cu, cold-rolled, recovery, –40° to 250°C, elec. resist. meas. 5=6704
Cu, and crystal point defects, in H, He 5=9424
Cu, d-irradiated, stored energy release 5=9508-9
Cu, electron irrad., annealing 5=12349
Cu films, morphological changes, substrate effects 5=6344
Cu wire rel. to elec. cond. 5=9627
αCu–Al, Ga, Ge alloys, n. irrad., yield stress 5=9544
Fe, cold-rolled, recrystallization 5=6372
Fe, commercial grade, microhardness, deformation, stress cycling 5=1523
Fe, and internal friction 5=9558
FeO$_{1.066-1.127}$ and crystal struct., atomic 5=1375
Ge, rel. to Hall coeff. and resistivity 5=9675
Ge {111} faces, rel. to indentation dislocation etch pits 5=6640
Ge, n-type, γ defects, annealing, high temp. 5=12353
Ge, n-type, effect on mobility 5=12581
Ge, n-type, irrad., annealing 5=15325
KBr, crystal imperfect. recombination at low temps. 5=9433
LiF, dielectric obs. of dipole defects 5=7000
LiF, neutron-irrad., annealing 5=3859
Mo, redistrib. of dislocations during annealing 5=15094
Mo, vacancies, quenching prod. 5=6610
NaCl, effect on absorption and dielec. losses 5=1853
NaCl, and mechanical strength, single crystals 5=6760
Nb, cold-rolled, annealed, superconductivity 5=12680
Nb, superconducting, annealing 5=12679
Ni, effect of annealing on coercive force 5=7143
Ni films, annealed, struct. changes by electron microscopy 5=3504
Ni, rel. to mag. props. 5=7144
Pt, annealing, dislocation motion, Wollaston wire samples 5=3755
α-Pu, damaged, resistivity, effect of annealing 5=12651
Pu and phase transform. $\alpha \rightleftarrows \beta$ 5=12013
Se films, effect on surface struct. 5=3507
Si, absorpt. spectra, dislocation effects 5=7363
Si transistors, annealing radiation damage 5=6985
SnO film, elec. conduct., tempering effects 5=12754
Ta, (110) face stability 5=3647
Ta, recrystallization annealing rel. to structure and props. 5=3590
Ta$_2$O$_5$, films, on Ta, elec. cond. distrib. 5=9706
Ta–W, recrystallization annealing rel. to structure and props. 5=3590
U ceramics, thermal shock rupture 5=6769
UO$_2$, calcination kinetics rel. to microstruct. 5=14996
UO$_2$Fe^{57} Mössbauer effect var. 5=14901
W, dislocation rearrangement and recrystallization 5=9478
Zn, thermal cycling, rel. to creep 5=12561
ZnO, lattice restoration after grinding 5=6773
ZnO powder, yellow colour, rel. to absorption, luminescence spectra, free Zn effects 5=15581
ZnS: Cu films, and luminescence, crystal struct. 5=12057
Zr wire, annealed, recovery 5=12563
alloys
quenching, nonequilib. atom distrib., mag. dilute alloys 5=1248
steel, cold rolls, low temp. annealing 5=15186
AgMg, in O$_2$ atmos., grain boundary hardness 5=6757
Cu–Al, sintered, effect on mech. props. 5=15157
ζCu–Ge, and elastic limit 5=9545
Cu–Ni alloys, and internal friction temp. var. damping peaks 5=9546
Cu–Ni–Fe and cold work, remanent mag. prop. after 5=7123
Fe–Mn, internal friction damping peaks for martensitic transforms. var. 5=6726
Fe–Si, effect of quenching temp. on internal friction 5=15167
NiAl, in O$_2$ atmos., grain boundary hardness 5=6757
Ni–Au, phase 5=9230
Ni–Cr alloys, long-range order 5=14916
NiGa, in O$_2$ atmos., grain boundary hardness 5=6757
U–Mo, γ phase transformations 5=14964
Heating
arc, with two cooled electrodes 5=1042

Heating — contd
asymmetric, of infinite plate, zonal calc. method 5=166
chromosphere, by accel. magneto-acoustic waves 5=7674
and elastic–plastic waves in bar 5=4783
furnace, for Philips X-ray diffractometer, operation up to 2100°C 5=1353
for metal evaporation in vacuo, by h.f. levitation 5=11948
paraelectric, with OH$^-$ dipoles in alkali halides 5=13995
use of plasma gun 5=3240
plasma, ohmic, and elec. cond., in strong fields 5=5923
rock, induction, plus applied stress 5=1926
Cd films on W, flash, vapourization 5=9187
Si-substrates in vacuum to > 800°C 5=4691
Heaviside layer. See Ionosphere.
Height measurement. See Length measurement.
Heisenberg model. See Ferromagnetism; Statistical mechanics.
Helicity. See Elementary particles; Field theory, quantum.
Helicons. See Crystal electron states.
Helions. See Alpha particles; Alpha rays.
Helium
afterglow continuum, molecular structure, expt. 5=8923
afterglow, intensity distrib. 5=1029
atom, approximate Hartree-Fock wavefunction 5=892
atom, autoionization levels 5=11424
atom, electron scatt., cross-sections 5=14619
atom, finite mass, 2^1 P state 5=893
atomic spectrum, polarisation, mag. field depend. 5=5748
atoms, collisions and energy transfer 5=14612
atoms, decay rates and laser enhancements in afterglow period 5=2902
atoms, electron excited, crossing of levels 5=11452
atoms, electron movement 5=14593
atoms, excitation and ionization calc. 5=5929
atoms, excited by He$^+$ impact 5=14613
atoms, metastable in plasma, 2-body collisions 5=8951
atoms, phase mechanical calc. 5=5746
atoms, range of electron correlation 5=5747
atoms, 2^{3}S excitation cross-section meas. 5=917
bubbles in BeO, irrad. by neutrons, contrib. to expansion 5=6657
corona discharge meas. 5=1037
cosmic abundance, high value reasons 5=10114
density matrix, first-order, for ground and ^{3}S state 5=2900
desorption from mica, rel. to temp. 5=12065
diffusion and precipitation in Zr 5=15082
discharge, rel. to Ag photoemission 5=9750
discharge, elec., pulse decay in microwave cavity and pressure wave 5=1023
discharge, linear pinch, light and current distrib. 5=11734
discharge, positive column, phase displacement 5=11638
discharge, pulsed, excited atom concentration 5=8915
discharge, pulsed, spectroscopic investigation 5=1030
discharges, negative glow 5=11633
and electron m. f. p., back diffusion method meas. 5=10491
electron scatt., resonances 5=11461
electrons, low energy, production and effects 5=2221
excitation, oscillator strength, cross-section for 15 keV electrons 5=14611
gas, electron average energy, vel. and m. f. p. 5=6095
glow discharge, hollow cathode, props. 5=1028
glow, negative, atomic and molec. emission 5=8922
ion distrib. in upper atmosphere 5=13331
ionization, by electron impact 5=11666
ions, He$^+$, stopping cross-section in C, Al, Cr 5=12432
ions, He^{2+} excited states, mixed basis-set calcs 5=8938
ions, He$_2$$^+$ and He$^+$, potl. curves, electron recombination rates 5=3129
ions, He$^+$ mobilities and reaction rates in gas 5=8950
ions, inducing fission in Pb^{206} and Bi^{209}, fragment anistropy 5=859
ions, recombination, empirical regularities 5=14693
magnetic susceptibility value from quantum mechanics 5=11425
microwave discharge cavity, at 2450 Mc/s 5=11629
photoionization absorpt., 23.6-250Å 5=8743
photoionization cross-section 5=1066
photoionization cross-sect., 100-250Å region 5=8948
photoionization at peak of intense shock wave 5=1046
plasma, conductivity 5=1080
plasma, cryogenic, electron interactions 5=14710
plasma density profile, microwave interferometry meas. 5=14709

Helium—contd
  plasma shock waves, collisionless 5=1089
  positron annihilation 5=2601
  refractive index, isoelectronic sequence, shielding approximation 5=2903
  refractive index, > 600 Å 5=9047
  spectrum, atomic, n'P—1'S calc. 5=5743
  spectrum, quadrupole-allowed $1^1S \rightarrow 3^1S$ transition 5=2901
  in stars, He flash 5=4587
  sun flares, D_3 absorption line 5=7684
  with H^+, electron capture 5=11667
  He^+ charge exchange with O and N 5=8961
  He^+ ions, production cross-sects of ions in gases, 0.133-1.0 MeV 5=1061
  He^+ loss, reactions with N_2 and O_2, ionosphere appl. 5=7525
  He^+, resonant electron scatt. 5=5799
  He^+—H collisions, electron capture meas. 5=1060
  He^+(1s), electron. scatt., phase shift, reson., excitation cross-section calc. 5=922
  He in C-stellator, perpendicular temp., diamag. coil method 5=14770
  He I excited state, lifetime meas. 5=918
  HeI lines, press. broadening, intrinsic 5=14595
  He I, population densities, in nonthermal plasma 5=14707
  He I 584Å and He II 304Å day airglow 5=15702
  He to Ne, ground state energies, calc. 5=14580
  He—H_2 liquid—vapour phase equilibrium 5=3404
  He_2, elastic scatt. potentials, Coriolis shifts 5=3082
  He_2, quantum mechanical potential energy curves 5=14638
  He_2, 3pσ and 2s band systems 5=8816
  He_2^+ form., mechanism, under electron impact 5=3126
  He^{2+} yield from cyclotron source, impurity effects 5=10505
  He^3 adsorbed on NaCl, pyrex and teflon, nuclear mag. relax-times meas. 5=8029
  He^3 atom, optical pumping, and nuclear polarization 5=916
  He^3 nuclear Zeeman laser 5=275
  He^3, He^4 and mixtures, gaseous, thermal cond. 0.5° to 3°K, meas. 5=6086
  He^3—He^4 mixtures, quadruple point 5=2179
  He^4 and He^3 stimulated emission 5=14594
  He—Ne discharges, pulsed, optical gain 5=8056
  He—Ne laser, a.m. and stability characts. 5=14152
  He-Ne laser, constant power at single freq. 5=8052
  He—Ne laser, mode selection by methane mol. absorpt. 5=14154
  He—Ne laser, modulation by KDP, internal 5=14153
  He—Ne laser, oscillation modes 5=8051
  He—Ne laser, simplified construction 5=14151
  He—Ne laser, stabilization on atomic line centre 5=10615
  He—Ne mixture, emission bands at 4238 Å 5=5749
  He—Ne resonator, transient and lens effects 5=8053
  1^1S - n^1D transitions, quadrupole strengths 5=11428
  2^3 P state 5=11426
  2^3P and 3^3P states, fine structure 5=11427
 gas
  diffusion in Ar and in Xe 5=6110
  discharge, elec. Paschen curve calc. 5=5929
  gas press. meas. by electron beam scattering 5=14818
 liquid
   See also Quantum theory/many-particle systems; Superfluidity.
  α/β ratio determ. 5=14001
  Bose—Einstein condensation, in narrow channels 5=14005
  conference, 9th, Columbus (1964) 5=10397
  critical velocities and vortices 5=2175
  level indicator, capacitor, using transistor 5=14000
  molecular excitations 5=7902
  use for pressurizing small systems 5=7697
  thermodynamics of $He^{3,4}$ solns., nonideality parameter 5=10405
  transfer system for 4.2°K liq. He to below-λ region 5=186
  vortex rings, quantized 5=2177
  HeII, boson field theory 5=183
  HeII, flow stability down-inclined plane, analysis 5=4861
  HeII, ion critical velocity, heat flush detection 5=185
  HeII, ion drift velocity, periodic discontinuities 5=184
  He II, ion—quantized vortex interaction 5=10407
  He II, ionization, negative, calc. of self-trapped electrons 5=10406
  HeII, rotating 5=182
  He II, rotating, quantized vortices, oscillations 5=2174

Helium—contd
 liquid—contd
  He II, turbulence growth 5=10408
  He II, vortex ring, quantized, behaviour near wall 5=7901
  He II, vorticity growth, channel geometry effect 5=14003
  He^3, ground and low-excited states, basis functions 5=7900
  He^3 Scale of Temperature (1962) 5=2173
  He^3, superfluidity destruction in magnetic field 5=14004
  He^3 and He^4 mixtures, equilib. props. review 5=2172
  He^4, boson system, sum rule applic. 5=7805
  He^4, bosons, interacting, unified theory 5=4859
  He^4 correlation function asymptote 5=9021
  He^4, phonon low states calc. 5=4860
 liquid, sound propagation
  critical point vanishing of velocity 5=4862
  films, third sound 5=4864
  superfluid, phonon specular reflection at 0.33°K 5=4863
  wave-mode modification 5=10412
  He II, 4th velo. meas. 5=10411
  He II, second sound, in square and cubic cavities 5=2178
  He II vortex, scattering 5=3253
  He^3, acoustic impedance 5=7903
  He^3, acoustic impedance 5=7904
  He^3, acoustic impedance calc. 5=14002
  He^3 sound impedance 5=7903-4
  He^3 zero sound possibility, calc. 5=14002
 solid
  isotopic impurity effect on lattic distortion and heat of mixing 5=2180
  motion of charges 5=7906
  He^3, crystal pair correl. 5=2181
  He^3 and He^4 mixtures, equilib. props. review 5=2172
  He^4, bosons, interacting, unified theory 5=4859
Helium compounds
  He—air, laser oscillations, 27 Mc/s 5=279
  He—CO_2, laser oscillations, 27 Mc/s 5=279
  HeH_2^+ detection 5=14614
  He—Ne laser amplifier 5=10614
  He—Ne laser, freq. spectra 5=10613
  He—Ne laser, gain and maximum output 5=10612
  He—Ne laser, length measurement, with interferometer 5=10207
  He—Ne laser, Michelson interferometry 5=10713
  He—Ne laser, moving striations 5=2293
  He—Ne, optimum composition in laser 5=10611
  He—Ne, resonant energy transfer meas. 5=11630
  He–O_2 mixtures attachment coeffs, meas. 5=8945
High-pressure phenomena and effects
  anthracene–trinitrobenzene complex, absorption spectrum 5=7375
  belt-type apparatus, container for low b.p. liqs. 5=7698
  clamp for He^3 temps. 5=13800
  combustion bomb 5=10199
  compressibility of alkali halide cryst. 5=3813
  crystal holder, for high press. investigations 5=15900
  current cable seal, high press., shock resistant 5=10200
  dielectric props. of solid mixtures 5=6995
  distribution meas., of microsections in fixed-anvil high-press. cells 5=7699
  electro-optical Kerr const. meas. for liquids and gases 5=9113
  ferrocene, resistance 5=9707
  geophysics appls. 5=13213
  glycerol, viscosity and dielec. relaxation 5=1173
  liquids, transport props., effects, review 5=6154
  low temp. vessel for elec. meas. 5=13799
  magnetic reson. effects 5=4974
  meas., differential, low temp. probe 5=12
  microwave cavity for mag. resonance 5=256
  optical dispersion, of benzene, CCl_4, water 5=3337
  phase transformations X-ray structure exam. 5=6268
  pressurizing small systems with pure He 5=7697
  piezo-Faraday effect at 25 kbar 5=337
  polymer equation of state, liquids and glasses 5=3310
  press, tetrahedral-anvil, efficiency 5=2000
  production in condensed media using shock waves, review 5=4784
  production and meas., review 5=7700
  rare-earth sesquioxide polymorphs, B-type 5=12202
  review of research 5=13797
  solids 5=6232
  solids, equation of state and moderate pressures 5=12435

High-pressure phenomena and effects—contd
solids, high-pressure spectroscopy 5=9880
tetrahedral anvil apparatus, improved test material 5=15133
13 aromatic complexes, electrical conductivity 5=12798
vapour press. meas. of corrosive solids 5=11949
water, effects on props. 5=6150
Ag, diffusion, self and In^{114}, Sb^{124} 5=9416
Al, internal friction var. 5=12476
Au, vacancy formation energy, resist. method meas. 5=15089
Bi, elec. conductivity 5=6918
Bi, metal–semiconductor transition under pressure 5=12719
Bi_2Se_3, semiconductor–metal transition under pressure 5=12721
Cd, on elec. resistance and lattice param. 5=9624
CdTe, absorption edge, press., temp. var. 5=15543
Dy and Tb, rel. to magnetization 5=15477
Fe, spin charge density 5=7283
Ge, phase transforms, to 200 kbar, 1000°C 5=3392
InSb, phase transitions up to 300 kbar 5=14938
InTe, metallic form crystal struct. 5=12203
$MgSiO_3$, melting, polymorphism, high press var. 5=11930
NaCl, eqns. of state, rel. to use as gauge 5=6567
Nb_3Bi and Nb_3In, phase diagrams 5=3469
PbS, optical transmission var. 5=15557
Pt–Si thermo-compression bonding 5=9192
Pu, $\beta \rightarrow \alpha$ phase trans., coarse-grain structure prod. 5=6419
S melting 5=9174
Se melting 5=9174
Se, melting point 5=11931
Si, phase transforms, to 200 kbar, 1000°C 5=3392
Sn, phase transitions up to 300 kbar 5=14938
Sr olivine, phase transform. 5=3475
Te melting 5=9174
Te, phase transformations, resistance meas. 5=15339
W carbides, Co-bonded, hydrostatic press. effect on elastic props. 5=1550
YFe garnet, Curie temp. and hyperfine coupling 5=7283
Zn, on elec. resistance and lattice parameters 5=9624
ZrO_2 phase transforms, and high temp., elec. cond. obs. 5=12022
ZrP_2O_7, polymorph prod. 5=6315

High-speed photography. See Cinematography; Photography/high-speed.

High temperature production and effects
furnace, electric 5=10395
furnace, electron beam, advanced 5=10393
furnace, lab., with graphite heater 5=10394
furnace for m.p. determ. 5=2162
furnace for molten salt meas. on spectrophotometer 5=8125
furnace, non-magnetic, for rock magnetism research 5=13617
furnace, solar, construction 5=13989
furnace, solar, temp. meas. 5=10378
furnace, tubular, for laboratory 5=4855
laboratory tube furnaces, heating coil requirements, materials review 5=4854
plasma furnace, h.f. 5=178
solar furnace, target temp. meas 5=7887
sun simulator for solar heating problems 5=10396
vapour press. meas. of corrosive solids 5=11949
viewing port in furnace, insulating 5=4856
Cu wire protection by Al paint in high-temp. air 5=1998
ZrO_2 phase transforms, and high press. elec. cond., obs. 5=12022

High voltage production
conveyor field strength meas. by s.c. current 5=10448
for neutron d-t generator 5=572
pulse generator, 150 kV, 1 μ sec 5=4885

History
equation of state, gases, "Boyles" law 5=4702
film thickness meas. from elliptically polarized light 5=3488
m.h.d. experiments history 5=10509
molecular size, Young's 1816 estimate 5=11493
Newton's "Principia" in teaching 5=2011
Rayleigh and the National Physical Laboratory 5=6
Rayleigh notebooks 5=7
Rayleigh (R. J. Strutt), work on optics 5=293

History—contd
Rayleigh's collaboration with E. M. Sidgwick 5=5
Rayleigh's work 5=3
statistical mechanics 5=64

Hodoscopes. See Cosmic rays/apparatus; Particle detectors.

Hole theory of liquids. See Liquids/theory.

Holes. See Crystal electron states; Semiconducting materials; Semiconductors.

Holmium
ion in ethyl sulphate, paramag. relax. meas. using Faraday effect 5=1800
magnetoelastic props., ferromag.–antiferromag. transition temp., stress depend. 5=1766
s–f exchange interaction, i.r. absorpt. band 5=6802

Holmium compounds
ethyl sulphate, mag. susceptibility anisotropy 5=4169
gallate garnet, Ho^{3+} ion magnetization laws meas. 5=7162
HoD_3, crystal structure 5=6456
$HoIr_2$, mag. structure 5=7154

Hot-atom chemistry. See Chemical analysis/radioactive; Nuclear reactions/chemical effects; Radiochemistry.

Hugoniot diagrams. See Equations of state.

Humidity
See also Atmosphere/humidity; Hygrometers; Moisture.
No entries

Hydrodynamics
See also Flow/liquids; Jets; Liquid oscillations; Liquid waves; Magnetohydrodynamics; Viscosity/liquids.
boundary layer between streams, stability at large Reynolds nos. 5=3249
Boussinesq approx. rel. to internal wave theory 5=11772
conference, Monterrey (1964) 5=4701
discontinuity in relativistic fluid, behaviour 5=14781
drag nose, minimum 5=3242
fluid, ideal, with elastic boundary, periodic motions 5=11791
gas slab oscillations and solar atmosphere 5=14799
gases, isothermal nonstationary motion 5=11817
hydraulic resistance in coil–pipe counterflow heat exchangers, calc. 5=2152
interface instability under variable normal acceleration 5=11790
kinetic theory 5=6058
perturbation problems book 5=14780
polymer solns., flexible-chains, in general velo. field 5=6128-9
solid–liquid interface, interaction with particles 5=1212
sphere rotating in infinite viscous incompressible fluid, rel. to ang. vel. and temp. distrib. 5=3244
sphere, stationary in fluid, force 5=6060
stability of Couette flow, anisotropic fluids 5=3248
stability problems, number of unstable modes 5=11775
stability of superposed viscous incompressible fluids 5=14779
sun, corona, slow solns.? 5=13772-3
viscous fluid of variable density, instability, in mag. fld. 5=14088
viscous, incompressible fluid, fluctuations and Stokes' law friction 5=11771

Hydrogen
See also Deuterium; Protons and antiprotons; Tritium.
adsorbed on metal films, surface potentials, negative and positive 5=3517
adsorption on C, n.m.r. study 5=6329
adsorption on Pd, activation 5=12066
atmospheric, interplanetary, meas. from Sun Lyman α absorpt. 5=13769
bonding with a solvent, interact. of complexes 5=8855
chemisorption detector 5=7456
chemisorption on ZnO 5=15623
charge exchange of type $H^+ + H(n_1l_1m_1) \rightarrow H(n_2l_2m_2) + H^+$ 5=8952
chemisorption on diamond-like crystals, model 5=13168
diffusion in metals 5=6581
diffusion in thermosphere, Monte Carlo method 5=13233
discharge, Townsend, U.V. emission 5=11631
elec. cond., transport cross section, wand stabilized arc, meas. 5=1157
electric discharge, positive column striations spectral analysis, dissociation energy meas. 5=5931
electrochemical evolution reaction 5=4397
electron density rel. to halfwidth of lines 5=8740
electron diffusion at high fields, meas. and theory 5=6096

Hydrogen—contd
- electron swarms in, location by far u.v. signals 5=1058
- evaporation from dewar vessels, ortho/para conc. var. 5=11942
- impurities in Nb, mechanical twinning var. 5=15178
- intergalactic, free-free emission 5=4612
- ion beams, equilib. fractions in gases 5=7981
- liquefier, improvement 5=10400
- liquefiers, heat exchanger efficiency 5=10399
- liquid, cell-model calc. of thermodynamic props. 5=1176
- liquid, lattice model 5=9083
- liquid, stored, evaporability 5=13999
- maser, freq. comparison with Swiss Cs atomic beam standard 5=10616
- maser, spin exchange and surface relax. 5=10586
- neutron absorption, thermal, harmonic free meas., pulsed source method 5=5365
- plasma density profile, microwave interferometry meas. 5=14709
- plasma, highly ionized, electron temps. and density from spectral meas. 5=14722
- plasma, partial, thermodynamics calc. and partition function cut off 5=14706
- ring discharge, first stage starting mechanism 5=11628
- solid, ordering 5=14928
- solid, regular model for h.c.p. lattice 5=6457
- solid, shear strength, press. var., versus In standard 5=15145
- solubility in Fe—O, Fe—Co and Fe—Cr, thermodynamics 5=11856
- spectrum, plasma level shift and width 5=2896
- spectrum in shock-heated plasma 5=5990
- stars, evolution, to red giant state 5=7575
- in steel, effect on stacking fault energy 5=6643
- sun, and Venus upper atmosphere, clouds prod. 5=7642
- virial coeff. calc. methods 5=1152
- Z-pinch afterglow, e-density, He—Ne laser meas. 5=14686
- in Zr, solubility, terminal, effect of O 5=14919
- in α-Zr, solubility, terminal 5=14918
- Hα 21cm survey large magellanic cloud 5=10156
- H + H_2 reaction, potential energy surface 5=3000-1
- H_2—He, liquid—vapour phase equilibrium 5=3404
- neutral atoms
  - adsorption on Ni films 5=3516
  - association, in atmosphere 5=7422
  - beam, electron bombarded, narrow Balmer line prod. 5=890
  - beams, free radical production by org. solid bombardment 5=11605
  - charge exchange proton capture cross-sects., n = 1 to 15 5=8953
  - chemisorption on W 5=7433
  - collisional diffusion among excited levels, effect of radiative transitions 5=2899
  - collisions, inelastic, with Mg^{2+} and Be^{2+}, cross-section rel. to pot. energy 5=928
  - e^- scattering, reactance matrix 5=8777
  - electron excitation cross-sections for $3 \leqslant n \leqslant 30$, calc. 5=2897
  - electron scatt., resonance 5=11462
  - excitation, 1s—2p, second Born approx., with virtual transitions 5=5779
  - excited states, by electron collision 5=14614
  - Gaussian wavefunctions 5=11420
  - ground state determ. 5=11419
  - h.f.s., radiative corrs. 5=891
  - highly excited, formed by charge exchange of protons in gases 5=2911
  - highly excited, by $H^+ + H(1s) \rightarrow H^* + H^+$ 5=5782
  - highly excited, transition probabilities 5=11421
  - inelastic collisions with H^+ 5=2921
  - ionization, photo, tables 5=5961
  - ionization by traversal through O_2, N_2, NO, CO 5=14694
  - 1s Gaussian wavefunctions 5=11507
  - laser, relax. rates 5=11471
  - lifetimes for excited states 5=11422
  - Lyman α line, asymmetric profile 5=8741
  - mass 5=8780
  - μ-mesonic, nucleon polarization 5=11476
  - metastable, production in p-inert-gas collisions 5=8949
  - n = 2 level crossing 5=14591
  - neutron scattering, rel. to location in substances alongside heavy atoms, book 5=6438
  - optical line splitting rel. to microwave radiation 5=8742
  - in phosphates, g-factor 5=1240
  - in plasma, spectra dissolution calc. 5=8971
  - quantum radial eqn. factorization, for teaching 5=5744
  - recombination on surfaces 5=4392
  - Schrödinger eqn., generalization 5=14589
  - spectral line broadening by electron collisions 5=14590
  - spectrum, atomic, Lyman α absorpt., perturbation in solid Ar 5=14592
  - spectrum, collision narrowing obs. of quadrupole lines 5=5745
  - sun flares, spectrum 5=7684
  - 2s state, production and extinction, expts. 5=2898
  - viscosity and thermal conductivity, 1 to 400°K 5=11818
  - wave functions, sum rules, rel. to charge exchange and ionization 5=889
  - H + O_2 reaction in shock waves, kinetics 5=1897
  - with HCl and Cl_2, reaction rates 5=13145
  - H_2O and N_2O frozen solns. of NaOH, KOH, H_2SO_4, irrad., e.s.r. obs. 5=4417
  - in SrF_2 and BaF_2, e.s.r. 5=4242
- neutral molecules
  - adsorbed on Pd films, rel. to resistance and photoelectricity 5=9636
  - adsorption on Ni films 5=3516
  - atomic orbital with angularly depend. $Z_{eff.}$ study 5=5842
  - Born—Oppenheimer approximation 5=2959
  - $c^3\pi_u$ state, metastable, fine structure consts. 5=8809
  - chemisorbed on Pd, mutual exchange with D_2 5=9250
  - cluster injection plasma production 5=8963
  - cool stars, spectral lines 5=13716
  - discharge striking 5=5941
  - dissociation, thermal, proton scatt. meas. 5=3072
  - electron scatt., 25 keV 5=2960
  - electronic band absorpt. cross-sections, 2000°-12 000°K 5=8804
  - excited states, by electron collision 5=14614
  - formation in irrad. water, H/D effect 5=10024
  - Gaussian wavefunctions 5=11420
  - ground state energies, accurate adiabatic treatment 5=2956
  - laser, pulsed, excited by 35 kV discharge 5=8055
  - Lorentz—Lorenz fn., liquid and gaseous refractive index meas., 0°C 5=3270
  - magnetic and elec. props., variational calc. 5=2958
  - metastable $C^3 \pi_\mu$ state, fine structure consts. 5=950
  - microwave discharge cavity, at 2450 Mc/s 5=11629
  - motion in Frost—Musulin field 5=948
  - movement, solid and liquid ortho, o—p conversion effects 5=8810
  - nuclear spin coupling between geminal atoms 5=11588
  - p + H_2 = H + H_2^+ calc. 5=8811
  - para conversion, H_2—D_2 exchange, Ni and Cu + Ni catalysts, chemisorbed gases effect 5=4396
  - Raman spectra, laser stimulated 5=11506
  - rotation, excitation by slow electrons, peak, DWBA calc. 5=5843
  - spectral bands, vacuum u.v., B′—X, B″—X, D—X, D′—X bands 5=949
  - spectrochemical analysis of H_2 in N_2 gas 5=10032
  - U.V. bands, vibrational overlap integrals 5=5841
  - vapour pressure eqns. 5=11927
  - vibrational relax. 5=8821
  - vibronic energy computation and expectation values 5=2957
  - wave functions calc. 5=2961
  - H_2, optical rotation Verdet const. calc. 5=14637
  - H_2, quantum mechanical potential energy curves 5=14638
  - $H_{3,2}$ correlation effects, configuration interaction method calc. 5=14645
  - H_3, potential energy surface 5=3000-1
- ions
  - afterglow, electron density 5=5998
  - atoms, ionization by electron impact 5=5797
  - atomic ionization, electron impact, allowance for exchange, methods 5=5798
  - atomic, ionization, two-photon 5=11668
  - atomic, recombination, tables 5=5961
  - effect of bomb. on elec. conductivity of Ge 5=12732
  - growth consts., temporal 5=11669

Hydrogen—contd
ions—contd
interstellar, radio waves absorpt. 5=7620
ionization and diffusion by electrons in oscillatory and unidirectional fields 5=1057
ionization by electron impact, near threshold 5=14698
ionization in pulsed discharge, role of reabsorption of spectral lines 5=14696
molecular, 1s Guassian wavefunctions 5=11507
plasma, decay, spectroscopic study 5=11699
plasma, highly compressed, and thermonuclear reactions 5=862
plasma, interaction with inhomogeneous mag field 5=11694
plasma, ion–electron reson., obs. 5=6035
polarized source, construct. and testing 5=4927
positive, drift vel. 5=1056
recombination, empirical regularities 5=14693
upper atmosphere distribution 5=13331
H^- decay relation in cyclotron from Lorentz forces 5=8354
H^-, radius in alkali halides 5=6237
H^+ electron capture, in He gas 5=11667
H^+, stopping cross-section in C 5=12432
H^+, thermoelectric powers and entropies 5=10017
H^+—H collisions, electron capture probability 5=5808
H^+—He collisions, electron capture meas. 5=1060
H_2, field ionization 5=3120
H_2, ionization, Franck—Condon factors 5=5960
H_2 and D_2 first Townsend ionization coeff. 5=1055
HD, ionization, Franck—Condon factors 5=5960
H_2^+, autoionization 5=14697
H_2^+, dissociation, elec. field required 5=1059
H_2^+, elastic scatt. potentials, Coriolis shifts 5=3082
H_2^+ excitation, by electron impact 5=11508
H_2^+ spectrum, surrounding He lattice effect calc. 5=3083
H_2^+, vibrationally excited, dissociation by elec. field 5=1009
H_2^+ wave functions calc. 5=2961
H_2^+ wavefunction calc., by spherical harmonics 5=5844
H_2^+ wave functions and electronic terms 5=8812
H_2^+, Weinstein calc. 5=2962
H_2^+—Ar reaction, 12 to 135 eV 5=11664
H_2^+ and D_2^+—inert-gas collisions, Lyman α emission cross-section 5=3128
H_2^+, H_3^+, p, in He, Ne, at 10-30 keV, H excitation, multiple collision effects 5=930
H_3^+, ground state, "one electron bond" wave function 5=968
H_3^+, vibrationally excited, prod in r.f. ion source 5=7980
H_3^+, H_2D^+, HD_2^+, D_3^+, vibrational frequencies calc. 5=5860
p-μ-p^+ quantum calc. 5=5922
Hydrogen compounds
See also Ice; Steam; Water.
halides, simplified SCF calc. 5=2964
hydrosulphide ion, optical props. in KCl and KBr 5=13053
AH_n, geometrical structure calc. 5=5861
DBF_2 i. r. spectra and vibration 5=14646
DCl in Ar matrix, spectra interpretation 5=2965
DT—H_2, thermal diffusion 5=3277
D_2O, vapour stimulated emission in discharge 5=8054
$HBBr_2$ and $DBBr_2$, i. r. spectra 5=2997
HBF_2, i. r. spectra and vibration 5=14646
HBF_2, proton and fluorine n. m. r. 5=1004
HBr, i.r. emission spectrum 5=11509
HBr, photochem. addition to 2-butene in gas phase 5=4410
HBr, submillimeter-wave spectrum 5=2966
HBr^+, spectrum 5=8814
H—C_2H_2 flame light emission due to H_2O 5=1904
HCl, emissivity, i. r., just overlapping line approx. 5=951
HCl soln, specific heat, partial molal. calc. 5=9101
HCl—Ar collisions, $\mu_1 q_1 \alpha_2$ importance 5=11610
HCN, adsorbed on glass, i. r. spectrum and surface polymerization 5=1282
HCN, molecular anharmonic potential consts. calc. 5=2937
HCO, i. r. spectrum 5=3003
H_2CO, force const. adjustment 5=5827
HCl catalysis of CH_4 and C_2H_6 reaction with active N 5=1899
HCl, heat of reaction to vibration, conversion 5=13155
HCl, submillimeter-wave spectrum 5=2966
HCl in Ar matrix, spectra interpretation 5=2965
HCl + X mixtures, i.r. spectra, theory 5=8813
HCl^+, spectrum 5=8814

Hydrogen compounds—contd
HCl and DCl, molecular motion and quadrupole coupling in solid phase 5=4274
HCl + D_2 and DCl + H_2, gases, u. v. induced isotope exchanges 5=4412
H + Cl_2 → HCl + Cl, distrib. bet. vibr. excited HCl states, i. r. emission obs. 5=1901
H + Cl_2 → HCl + Cl, vibr. HCl ground state amount, i. r. self-absorpt. obs. 5=1902
$HClO_3$, monhydrate, i.r. spectrum 5=1845
$HClO_4$, dissociation in aq. soln. 5=6148
HF, polarizability and mag. props., from Hartree—Fock calcs., perturbed 5=8815
HF spectrum, line shape and shift determination 5=313
HF_2^- ion, strong H bonds 5=8830
H_2F_3 in KH_2F_3 and NaH_2F_3, n.m.r. spectra, calc. 5=7281
H_2—HD and D_2—HD, solid phase, stratification 5=11988
HI, molecular vib.—rot. consts. from ν_{0-2} and ν_{0-4} bands 5=5845
HI, polymorphism 5=12004
HI spectrum, 2-O, 4-O bonds 5=2967
H_2NNH_2—H_2O, supercooling and stabilization to glass 5=11935
HNO_3, monohydrate, i.r. spectrum 5=1845
H_2O, electric quadrupole and octupole, moments 5=11533
H_2O_2, in metallographic and ceramographic preps. 5=12143
H_2O_4, heat of decomposition 5=10014
H_3O^+(g), thermodynamic functions 5=8844
H_4O^{2+}, electronic structure 5=3002
$HReO_4$ solns, specific heat, partial molal at infinite dilution 5=9100
H_2S—air mixture, corrosion at 20°C of films 5=4393
H_2S molecule, united-atom approximation 5=3004
H_2S, neutron scatt. 5=11520
H_2Se, near i. r. spectrum 5=5862
H_2Se^{80}, vibr. analysis and isotope effects 5=11534
H_2SO_4, frozen, double resonance, packet-shifting 5=1809
H_2SO_4, monohydrate, i.r. spectrum 5=1845
H_2Te, ν_2 analysis 5=5864
H—X valence vibrations, effect of soln. 5=8843
Hydrogen ion concentration. See Electrochemistry.
Hydromagnetics. See Magnetohydrodynamics.
Hydrometry. See Flowmeters.
Hydrophones. See Acoustic transducers; Oceanography.
Hydrostatics
dielectric liquid column, e.s. stability 5=7924
rotating fluids, equilibrium 5=1134
supported mass floating on primary evaporating surface 5=3292
Au—Ag alloy self-diffusion, hydrostatic press. effect 5=3715
Fe—C alloys, disloc. generation by hydrostatic press. 5=6632
Hygiene. See Medical science.
Hygrometers
calibration method 5=7481
dew point, below 0°C, using radioactive α source 5=13244
optical, H_2O vapour band absorpt. 5=7480
Hypochromism. See Absorption/light; Polymers.
Hyperfine structure. See Paramagnetic resonance and relaxation; Spectra.
Hyperfragments. See Hypernuclei.
Hypernuclei
binding energy and Λ—N forces 5=690
binding energy, and Λ–N interaction 5=8483
decay, K^- prod. at 1.4 GeV/c in emulsion 5=5499
emulsion nuclei under 3.5 GeV/c pions, mass distrib. and decay types 5=14543
Λ particle binding energy, hard core potential calc. 5=692
p shell, and Λ—N interaction 5=14460
production and characteristics, by K^-—nucleus interactions, 3 GeV/c 5=2722
production by K^- capt. at rest in emulsion 5=2825
production by 1.4 GeV/c K^- in emulsion 5=2826
short-range, mesonic and nonmesonic decays 5=689
short-range prod. by 3.5 GeV/c K^- in emulsions 5=14461
spectroscopy, unitary symmetry and possible analog states 5=11199
SU(3) classification 5=5502
$_{\Lambda}Be^9$, α—α—Λ system theory 5=445
$_{\Lambda}H^3$, disintegration in Coulomb field 5=5500
p-He^3 resonance in Λ He^4 decay 5=8521

Hypernuclei—contd
- ${}_{\Lambda}He^{3,4,5}$ lifetimes, prod. by 2.4 BeV/c K^- in emulsion 5=5501
- ${}_{\Lambda}He^4$ decay, π^+ emission mechanisms calc. 5=5498
- ${}_{\Lambda}He^4$, π^+ emission and $\Sigma^+ \rightarrow n + \pi^+$ decay 5=691
- He^8, from K^- absorpt. at rest in emulsion 5=693

Hyperons
- See also Mesons.
- Ω^-, discovery, popular account 5=5452
- **absorption**
  - No entries
- **capture**
  - Λ, from ${}_{\Lambda}H^3$ disintegration, pick-up by heavy nuclei 5=5500
  - Σ^- interpretation 5=8477-8
- **decay**
  - hypernuclei due to 3.5 GeV/c π, nonmesonic/π^--mesonic decay ratio 5=14543
  - leptonic, in intermediate-boson theory 5=2679
  - non-leptonic, dynamic model, baryon, K-meson contrib., calc. 5=11116
  - nonleptonic, pole approx. and unitary symmetry 5=633
  - nonleptonic, spurion corrections 5=11117
  - non-leptonic, theory 5=8476
  - nonleptonic, and unitary symmetry 5=5442
  - $\Delta T = 1/2$ nonleptonic 5=8227
  - three-body leptonic decay 5=2665
  - Λ 5=634, 5444
  - Λ, β-decay, form of interaction calc. 5=11122
  - $\Lambda \rightarrow (\rho + e^- + \nu)$, branching ratio, interaction form calc. 5=11120
  - Ω, leptonic, calcs. 5=8487
  - Ω^-, leptonic calc. 5=11128
  - $\Omega^- \rightarrow \Xi^\circ + e + \bar{\nu}$, polarized Ω^-, calc. 5=8486
  - $2\Xi_-^- + \Lambda_- + \sqrt{3}\,\Sigma_\circ$, sum rule, dynamical basis non leptonic decay, with SU(3) symmetry 5=642
  - Σ 5=634, 5444
  - $\Sigma^\circ \rightarrow \Lambda^\circ + e^- + e^+$ and Σ°—Λ° parity 5=2688
  - $\Sigma^+ \rightarrow n\pi^+$ vanishing, theory 5=8476
  - $\Sigma^+ \rightarrow n + \pi^+$ and ${}_{\Lambda}He^4$ π^+ emission 5=691
  - Ξ^* (1820), from K^-—p collision 5=11127
- **decay observations**
  - $\Lambda \rightarrow p + \mu^- + \bar{\nu}$, branching ratio 5=638
  - Λ^-, non-leptonic, weak R invariance 5=8481
  - Λ° lifetime 5=2681
  - Λ^0, by 1.47 GeV/c K^- beam in freon bubble chamber 5=5447
  - Λ° β-decay, e—$\bar{\nu}$ ang. and transverse correl., $\bar{\nu}$ energy spectrum meas. 5=11121
  - $\Omega^- \rightarrow \Lambda^\circ + K^-$ 5=2689
  - $\Omega^- \rightarrow \Xi^\circ + \bar{\nu} + 1^-$, energy spectrum 5=11002
  - Σ, leptonic 5=2686
  - $\Sigma^{+,-}$, leptonic, and $\Delta S = \Delta Q$ rule 5=5450
  - $\Sigma^\pm$, β 5=8484
  - $\Sigma^\circ \rightarrow \Lambda^\circ + e^+ + e^-$, and Σ—Λ rel. parity calc. 5=11125
  - Σ^+ two-body radiative decay 5=5451
  - $\Sigma^+ \rightarrow p + \gamma$ obs. in 1617 $\Sigma^+ \rightarrow p + \pi^0$ events 5=5451
  - $\Sigma^+ \rightarrow \pi^+ + N$ evidence 5=14447
  - Ξ^-, non-leptonic, weak R invariance 5=8481
- **detection, measurement**
  - Ω, discovery 5=8485
- **effects**
  - No entries
- **interactions**
  - See also Hypernuclei.
  - Λ optical potential in nuclear matter 5=11349
  - Λ-Λ, calc., low energy 5=2684
  - Λ—Λ with repulsive core 5=639
  - Λ—Λ and Λ—N potentials, single particle exchange model 5=14445
  - Λ—N, Brueckner—Watson calc. allowing for Σ 5=2685
  - Λ-N, calc., low energy 5=2684
  - Λ—N and, hypernuclei binding energy 5=690, 8483
  - Λ—N and p-shell hypernuclei 5=14460
  - Λ—N, Λ—Λ, long range parts., 2π exchange, vel. π—N, π—Λ scatt. 5=5445
  - Λ^0, 1.47 GeV/c K^- beam in freon bubble chamber 5=5447
- **magnetic moment**
  - Λ 5=2682
  - Λ, and $\gamma + p \rightarrow K^+ + \Lambda$, Λ polarization calcs. 5=5446
  - Σ^+ by $\gamma + p \rightarrow K^\circ + \Sigma^+$, near threshold 5=641
- **mass**
  - Λ, effective 5=692
  - $\Sigma^{-,0}$, range of stopping method 5=2687

Hyperons—contd
- **production**
  - in jets, by p—p colls., 25 GeV/c 5=5337
  - by neutrinos, SU(3) weak interaction model calc. 5=11118
  - $\gamma + p$ interactions, 0.5-4.8 BeV 5=10981
  - Λ, in $\gamma + p \rightarrow K^+ + \Lambda$, polarization calcs. and third πN reson. 5=5446
  - Λ°, by π^-p at 10 GeV/c 5=2680
  - Λ from K^-—d, and pion momentum spectrum calc. 5=11123
  - Λ, in π-p, via isobars theory, 7-8 BeV 5=8482
  - ΛK, photo, in unitary symmetry 5=2683
  - Ω from $K^- + p$ 5=2689
  - $\Sigma^{+,-}$, by π^-p at 10 GeV/c 5=2680
  - Σ^+ by $\gamma + p \rightarrow K^\circ + \Sigma^+$, near threshold, and mag. moment 5=641
  - $\Sigma^+ + K^+$, by $\pi^+ + p$, K^* resonance model calc. 5=11126
  - $\Xi^{-,\circ}$ in $K^- + p$ reactions, Dalitz plot, calc. 5=643
  - $Y\bar{Y}$, by antiprotons in 2-, 3-, and 4-body final states in H, calc. 5=11119
- **resonances**
  - decuplets decay, into baryon + π, decay width relations, in broken unitary symmetry 5=635
  - $F_{5/2}$, $N^*_{1/2}$ (1688) and Y^*_0 (1815), decays 5=14444
  - KΛ, photoprod., in unitary symmetry 5=2683
  - $\Sigma\pi$ with T = 2 in $K^- + n(c) \rightarrow \Sigma^- + \pi^- + \pi^+$ + recoils 5=614
  - Ξ^* in $K^- + p$ reactions, Dalitz plot, calc. 5=643
  - Ξ^* (1820) from K^-—p collision, and decay calc. 5=11127
  - and YY prod., by antiprotons in 2-, 3-, and 4-body final states in H, calc. 5=11119
  - Y_0^{4*} (2120) 5=8479-80
  - Y_0^*, from K^-—p reaction, meas. and width 5=11112
  - Y_1^* and $3/2^+$ octet 5=432
  - Y_1^*(1385) formation and neutral strange-particle prod. in p—p collision 5=5443
  - Y_1^* (1385), Y_0^* (1405) production in $\pi^- + p$, 3 BeV 5=8451
  - Y_1^* and $\bar{K}$—N scattering, T=1 state as Regge pole 5=11113
  - Y_1^* and p-wave Λ—π phase shifts calc. 5=11124
- **scattering**
  - Λ—Λ potential, single particle exchange model 5=14445
  - Λ—Λ, 2-pion exchange, and $N^*_{3,3}$, Y_1^* 5=11021
  - Λ—N, at intermed. energies, from 2 body hard core potl. 5=692
  - ΛN, S-wave calc. 5=5448
  - Λ°—nucleon, elastic, cross-section 5=5447
  - Λ—p, 120-400 MeV 5=640
  - Λ—p, 120-320 MeV/c 5=5449
  - Λ—p, one-meson-exchange contrib. by one-pole approx. 5=14446
  - Λ-π, $P_{3/2}$ low-energy and coupling const. 5=8460
  - p-wave Λ—π phase shifts, calc. 5=11124
- **spin and parity**
  - Ω^-, from $p + \bar{p} \rightarrow \Omega^- + \bar{\Omega}^+$ ang. distribs. 5=8488
  - Σ°—Λ° parity, and $\Sigma^\circ \rightarrow \Lambda^\circ + e^- + e^+$ decay 5=2688

Hypersonics. See Ultrasonics.

Hysteresis
- See also Dielectric phenomena; Dielectric properties of substances; Ferroelectric phenomena; Magnetization process.
- elasto-hereditary systems, equilib. conditions, integral operator determ. 5=7754
- ferroelectric crystal, autostabilization rel. to temp. 5=12801
- measurement, automatic 5=4892
- mechanical loss determ. at points of discrete contact 5=1543
- porous materials, capillarity 5=11849
- $Bi_4Ti_5O_{12}$, constant d.c. effect on loops 5=1682
- Ni films, rotational 5=15453
- Mn—Mg—Zn ferrites, thermomag. hysteresis, —200° to 250°C 5=1759

Ice
- See also Glaciers; Snow.
- colour centre prod. by γ rays, alkaline ice 5=9494
- cover effect on shallow-water ambient sea noise 5=1929
- crystal structure, proton exchange, n.m.r. obs. 5=9867
- crystallization from supercooled water 5=9278
- dielectric const. and configurational statistics 5=4090
- dielectric crystal imperfects., thermodynamics 5=6999
- dislocation structure in dendritic ice 5=12389

Ice—contd
elastic constants 5=15164
electrets 5=9716
electrification in freezing, expt. 5=10068
evaporation in vacuum 5=1216
frictional charge separation, air bubbles effect 5=9703
ice II, proton-ordered form, structure 5=1372
intermolecular temp. var. calc. 5=9372
interstellar, search in spectra of μ Cephei, α Orionis 5=10158
on moon, and atmosphere history 5=13737
n. m. r., O^{17} resonance 5=3375
nucleation, AgI photolytic activation 5=9279
nucleation and growth in supercooled water films on hydrophobic surface 5=3402
nucleation by photolyzed AgI 5=9297
plastic yielding in single crystals 5=1521
prism, minimum deviation method for refractive index 5=9907
radar backscattering cross-section of ice-water mixtures 5=7486
role in summer rain-showers 5=10071
sea, young, acoustic backscatt. strength, 0. 4-25. 6 kc/s 5=7475
self-charging in melting, expt. 5=10064
self diffusion, no dir. anisotropy, radio-tracer method 5=1442
vapour press. meas., 0° to –38°C, H_2O—D_2O mixtures 5=6229
D_2O, n. m. r. 5=4267
H_2O—D_2O mixtures, vapour press. meas., 0°to 38°C 5=6229

Illumination
See also Brightness.
circle cross-source, control by conics with a circle focus 5=5042
incandescent lamps, spectrophotometry data anal. 5=14182
spectral tristimulus values for C. I. E. uniform spacing system 5=346

Image convertors and amplifiers
electron-optical, objective for spectral time scans 5=10492
gas spark discharge, of light 5=14077
intensifier for microscopic obs. with polarized light 5=5050
intensifier system, for nuclear events obs. 5=5284
for spectrometer aperture ratio increase 5=14192

Image orthicons. See Electron tubes.

Impact
See also Ballistics.
of liquids, on solids, brittle fracture 5=1505
polystyrene, impact strength on rubber addition 5=1539
projectile from compressed gas gun, impact time meas. 5=13810
of solids, on solids, brittle fracture 5=1505
steel, impact strength rel. to degree of hardening 5=12549
steel, metal transfer 5=6707
Cu, metal transfer 5=6707

Imperfections in solids. See Alloys; Crystal imperfections; Solids/structure.

Impurities. See Crystal imperfections; Crystals/growth; Semiconducting materials.

Independent particle model. See Nucleus, model.

Indeterminacy
hidden variables theory 5=5140
relativistic, weaker causality 5=2370

Indium
atoms in Si, hole capture coeffs. 5=15332
crystal structure, effect of high press. 5=6454
diffusion in Ag, high press. var. 5=9416
diffusion, electrical, in Ge, anomalies 5=6586
dispersed with glass, steady state, temp. var. 5=15168
electrical contacts, semitransparent 5=13794
electron emission, secondary, spectrum, no change on melting 5=12864
electron induced light radn., and energy loss calc. 5=13035
Fermi surface 5=12612
Fermi surface, 2nd and 3rd zones, de Haas—van Alphen meas. 5=4160
films, charge transport 5=1560
films, galvanomagnetic size effects 5=9631
films, highly agglomerated, supercond. to 2. 90°K 5=3994
films, i. r. reflectivity methods 5=9922

Indium — contd
films, supercond. non-linear reactance 5=6894
films, thermal cond., meas. by zig-zag effect 5=6576
friction on In and Cu, contact area, wedges formation calc. 5=12506
helicon waves 5=9608
lattice defects, current-induced motion 5=9632
liquid, vapour press., 1102°—1422°K 5=3405
mechanical strength, tensile, high temp., increase by Pt sheathing 5=9555
optical consts., 0. 15 - 4. 0 eV meas. 5=7322
oxidation, high temp., increase by Pt sheathing 5=9555
photoelectric emission potential meas. in mag. fields 5=7055
reactions on Si (111) surfaces 5=4395
resistivity, Kohler's rule divergence 5=1611
solubility in solid Ge, alloy diode characs. method, temp. var. 5=14914
specific heat, low temp., normal and supercond., lattice terms 5=9382
spiral trajectories in inclined r.f. mag. field, size effect 5=6806
stress relaxation time var. 5=15148
superconducting, magnetic flux penetration 5=3995
superconduction 5=15294
superconductivity in films 5=3993
superconductivity, thin films 5=15295
I^{127} n.q.r., relax. time, temp. var. 5=7293
In—metal surfaces, friction — plastic deformation 5=15165
In^{115} in InSb, n.m.r. freq. shift 5=7282

Indium compounds
helicon induced by d.c. voltage 5=15330
phase transitions up to 300 kbar 5=14938
radioactive Hg diffusion, temp.var. 5=15073
superconducting alloys, critical temp., effect of impurities 5=4003
In alloys, lattice spacing and electron structure 5=1377
In Heusler alloys, n. m. r. 5=4266
InAs, adiabatic elastic moduli, 4. 2°K-room temp. 5=1522
InAs, cond. band. struct., and electron scatt. mechanism 5=1565
InAs, interface alloying, inversion of diatomic layers 5=3558
InAs, laser effect by electron bombard. 5=14164
InAs, n. m. r. lines, chemical shift 5=13004
InAs, p—n junction, recombination radiation 5=15554
InAs, (110) surfaces, photoelec. emission threshold, yield, energy distrib., work function 5=7057
InAs, (110) surfaces, threshold, yield, energy distrib., rel. to (111) Si and Ge 5=7057
InAs, p-type, i. r. spectrum 5=9908
InAs sputtering, atom ejection patterns, 0°-500°C, by 100-800 eV inert gas ions 5=3792
InAs thin (111) crystals, spontaneous bending 5=3848
InAs, Fe^{57} e. s. r. 5=4244
InAs-InSb alloys, i. r. energy gap 5=4310
InAs–InSb alloys, prep. 5=6376
In-Bi eutectice melt, atomic distrib. 5=14832
In—(1. 9%)Bi superconducting, specific heat 5=3996
In_2Bi, supercond. energy gap, u. s. det. 5=3997
In_2O_3 single crystals, growth and elec. conductivity 5=1307
In_2O_3 single crystals,magnetoresist. 5=4029
InP, electrical cond. in impurity zone, n-type 5=6936
InP, exciton absorption and emission 5=4311
InP, n. m. r. lines, chemical shift 5=13004
InP, thermo-e. m. f. 5=12811
In_2Se, optical props. and double refraction 5=13055
InTe, crystal struct , atomic, high press. metallic form 5=12203
In—Te phases, NaCl-type, superconductivity 5=6872
In—Te, superconductivity 5=12675
In—(30%)Tl, superconductor, surface currents, dissipative 5=3998

indium antimonide
See also Semiconducting materials/indium antimonide.
crystal growth high perfection 5=9280
crystal struct., atomic, high press. 5=3629
defect generation by X-ray irradiation 5=12369
diffusion of Au, 140°-510°C by radioactive tracer 5=3716
diffusion of Cd 5=9414
diffusion of Co^{60} 5=15074
diffusion of Zn 5=3717

Indium compounds—contd
  indium antimonide—contd
    diffusion of Zn^{65}, 400°-500°C 5=6588
    e.m. microwave emission in mag. and elec. fields 5=15601
    e.m. wave radiation, $\geqslant$ 6 kMc/s 5=6928
    electron—phonon coupling evidence 5=15217
    expansion, thermal, X-ray meas. 5=6560
    films, crystal struct., elec. props. 5=12047
    hole mobility and magnetoresistance 5=12586
    impurity, acoustic and optical phonon scattering 5=6934-5
    luminescence, injection, and coherent emission 5=1871
    n. m. r. lines, chemical shift 5=13004
    n. m. r., melting effects 5=11919
    Nernst coeff., Righi—Leduc temp. difference, elec. cond. temp. var. 5=6933
    p-n junctions, alloy, prep. technique 5=12763
    p—n junctions, quantum yield rel. to photon energy 5=12830
    photoconductivity in long wavelength region 5=12829
    photomechanical effect anisotropy 5=6720
    physical properties, effect of Ga, Hg and Bi, solubilities 5=3445
    plastic micro-indentation 5=6719
    polarizer, circular, for far-infrared 5=336
    polarizer, i. r. 5=4309
    reflectivity increase, electron—hole plasma formation 5=15551
    spectrum, doping effects and electron states tail 5=13054
    sputtering, atom ejection patterns, 0°-500°C, by 100-800 eV inert gas ions 5=3792
    stacking fault energy 5=1481
    surface strain 5=12033
    (110) surfaces, photoelec. emission threshold, yield, energy distrib., work funct. 5=7057
    thin (111) crystals, spontaneous bending 5=3848
    n-In Sb, Faraday rotation calc 5=7997
    InSb—βSn, superconductivity 5=12674
Inductance
    spherical coil computer controlled prod. 5=13790
Inert gases
    See also the individual gases.
    alloys, vac. u.v. spectra and trapped excitons 5=7317
    atom collisions with Gaussian wavefunctions, 3-body 5=11465
    atoms, electron scattering, elastic cross-section resons. 5=921
    atoms, energy losses of Li atoms (80 keV) on collision 5=5804
    atoms, long-range interaction forces 5=5809
    breakdown by intense light beam, kinetic theory 5=5940
    breakdown by intense light beam, theory 5=5940
    constricted discharges 5=11625-6
    crystals, heat conduction theory 5=6577
    diffusion in tubes, decay product deposition 5=9057
    diffusion in UO$_2$ 5=12340
    discharge, positive column, radial props. and contraction 5=11642
    discharges, "weak" and "strong", emission spectra 5=3102
    emitted from UO$_2$, irrad. 5=12341
    excited states, long-lived, by electron collision 5=14614
    field ionization 5=3120
    interatomic potentials 5=8778
    intermolecular potentials and 2nd virial coeff. calc. 5=3085
    ion—atom collision, reson. charge exchange 5=11673
    ion-atom collisions, excitation 5=8770
    ion sputtering of semiconducting materials, atom ejection patterns 5=3792
    ionization cross-sects., 0. 6-20 keV electrons 5=8946
    ionization, multiphoton, theory 5=11647
    ions, diffusion and mobility 5=11660
    ions, molecular ionization, dissociative, by impact 5=11672
    laser action, u. v. 5=14156
    molecular ions, electronic states, noncrossing rule, electron recomb. 5=3129
    multicomponent mixtures, Kr^{85} diffusion 5=3278
    radiation from explosive driven shocks 5=7834
    radioluminesc. increase in elec. field rel. to electron energy distrib. 5=5965
    radioluminescence increase in elec. field, rel. to electron scatt. 5=5803
Inert gases—contd
    Renazzo chondrite, isotopic composition 5=15857
    singly, doubly charged ions, secondary electron coeff. meas. 5=1715
    slow electron momentum-transfer cross-sections from transport coeffs. 5=2916
    solid, alkali-metal-doped, absorption spectra 5=7318
    solid films, struct., electron diffr. study 5=9326
    solid-state props. 5=1386
    solids, u. v. absorption spectrum 5=4289
    spectra, continuous, atomic and autoionized, bibliographic review 5=14585
    spectra, far u.v. absorpt., line profiles 5=11445
    stimulated i.r. transitions 5=5783
Inflammability. See Combustion.
Information theory
    See also Entropy; Random processes; Statistical analysis/applications.
    correlation between time series, errors 5=13820
    optical capacity 5=8070
    random matrices exponential ensemble and level density 5=10267
    relativity clock paradox 5=10252
    and thermodynamics 5=13888
Infrared detectors. See Bolometers; Radiation detectors.
Infrared sources. See Light sources; Radiation/heat.
Infrared spectra. See Spectra.
Instruments
    See also Laboratory apparatus and technique; Measurement; Recording; and under specific subjects, e.g. Astronomical instruments. Some specific instruments are listed separately, e.g. Spectrometers; Thermometers. Where no separate headings exist, entries describing instruments may be found included under the headings of the appropriate quantities or subjects.
    respirable dust sampler, for mines 5=4687
Insulating materials, acoustic. See Noise abatement.
Insulating materials, electrical. See Dielectric properties of substances.
Insulating materials, thermal. See Conductivity, thermal.
Integral equations
    for associated Legendre function 5=21
    Fredholm, determinantal soln. 5=14
    N/D equation, iterative soln. 5=22
    phase-space, in high-energy collisions 5=14279
    in scattering theory, solution 5=19
    H function, solution from auxiliary 5=15261
    Mo, internal friction rel. to strain amplitude, meas. at 86 kc/s 5=6739
Integrals
    See also Calculus.
    atomic, containing functions of r$_{12}$ and r$_{13}$ 5=2881
    Feynman, in 2-dimensional space—time, special class 5=10767
    joint Rayleigh probability density, reduction to tabulated functions 5=24
    metal thin films, elec. cond., Hall coeff. Sondheimer oscills. calc. 5=1603
    molecule struct., diatomic, methods for digital computers 5=5834
    in semiconductor theory, nondegenerate, transport props. 5=7739
    H$_2$, u.v. bands, vibrational overlap 5=5841
Intensity measurement
    No entries
  acoustics
    u. s. absolute power, radiation press. balance 5=2123
Interface tension. See Surface tension.
Interference
    in laser beam scatt., by ideal gases 5=10722
  acoustic waves
    with electromagnetic waves, analogue 5=10541
    Kundt's tube, dust figures fixing 5=13944
    liquids, cavitation generated, different frequencies, radiator voltage effect 5=3332
    in sea, reverberation correl. charact., envelope fluctuations, meas. 5=4440
    two beams, non-linear interaction 5=7850
  electromagnetic waves
    with acoustic waves, analogue 5=10541
    negative energy waves in dispersive medium 5=4943
    phase measuring system 5=10543

Interference—contd
light
See also Optical films.
biprism fringes, and electron microscope resolution meas. 5=14073
conference, Sydney, Australia (1964) 5=5080
demodulation analysis method, appl. to two-beam interferometry 5=5083
dielectric/metal boundaries, films, energy balance 5=10707
diffractometers, intensity, absorpt. and displacement factors 5=10715
in forward scattering, by multiparticle system 5=15671
graphite, Moiré patterns, shift of fringes 5=15548
laser beams in crystals, semipopular review 5=2274
laser, ruby, for phase shift detection 5=10721
microscopy, fringe obs. 5=326
moiré fringe reading head, constant gap 5=10712
moiré fringes for determ. diffraction gradients in stratified substances 5=5086
optical problem application 5=2339
photon theory 5=14198
scattering by thin transparent plate 5=8135
Interferometers
Fabry—Perot, as laser resonator, phys. formulation 5=2279
Michelson, using He–Ne laser 5=10713
microwave, for fields near dielectric objects 5=14120
schlieren, rel. to air temp. distrib. meas. 5=10051
Ge infrared, organic liquids dispersion curves 5=8137
acoustic waves
No entries
electromagnetic waves
Fabry—Perot plasma diagnostics in microwave region 5=11721
micro-radio wave, for plasma density meas. 5=11719
microwave, and permittivity meas. 5=4952
microwave, phase shift meas. for pulse plasma 5=10544
planar and spherical resonators for microwaves, obs. 5=244
for radiometer, sub mm 5=10351
for spectroscopy, mm 5=10575
light
atomic spectra, hyperfine struct., Fabry—Perot adaptation 5=8120
comparator for spectroscopy 5=10685
Fabry—Perot, analogy with iris beam waveguide 5=325
Fabry—Perot etalons, spacers 5=10710
Fabry—Perot, with microscope 5=14181
Fabry—Perot, multi-mirror, eigenfreqs. and Q's 5=8141
Fabry—Perot, for plasma density meas. 5=11719
Fabry—Perot, reflectors 5=10709
filter, for Cs optical pumping 5=915
fringe shifts, small and rapid changes, photoelec. meas. 5=323
interference focometer 5=8105
laser, gas, long distance, He–Ne 5=10714
laser, Michelson and simple lens, giving image on screen 5=321
laser, rad. field geometry 5=10599
Möbius-band, insensitive to mirror tilt 5=5082
oscillating spherical mirror, rel. to optical loss meas. 5=2342
phase grating 5=322
polarization eigenstates 5=8142
polarization, rel. to sedimentation in ultra-centrifuge study 5=3387
polarization, small displacement meas. 5=4707
radial shear, for microscope objective testing 5=8140
scanning spherical mirror, rel. to laser radiation analysis 5=8136
series, fringe irradiance distrib. 5=8139
transformation of light-source image as screw motion 5=5081
vibrating laser mirror stripe display for plasma density meas. 5=5084
wave plates, achromatic 5=324
He—Ne laser, for plasma density meas. 5=8138
Interferometry
devices for laser beam modulation 5=5032
interferograms, refractive deviation errors 5=14200
laser, long distance, fringe counter, high speed 5=10713
length measurement, with He—Ne laser 5=10207
for temperature meas., Mach—Zehnder 5=2157

Interferometry—contd
acoustic waves
liquid, u. s. vel. meas. 1 to 12 Mc/s 5=2126
u. s. vel., liquid metals, alloys, meas. 5=2127
u. s. waves, 1 to 12 Mc/s, ratio of wavelength to diam. of source and reflector effect 5=2126
electromagnetic waves
microwave, for H, He plasma density profile meas. 5=14709
for plasma meas., mag. field effects 5=6002
light
fringe obs. by microscope 5=5085
interferograms with small number of samples, Fourier transformation 5=14199
Intergalactic matter. See Galaxies.
Intermetallic compounds. See Alloys; Semiconducting materials; and under the compounds of the individual metals.
Intermolecular forces. See Molecules/intermolecular mechanics.
Internal conversion. See Gamma-rays/internal conversion.
Internal friction
apparatus for simultaneous deformation and internal friction meas. 5=6669
Bordoni peaks, rel. to motion of dislocation kinks 5=3811
brass, temp. depend. to near m.p. 5=3842
crystals, temp. gradient effects 5=6671
damping factor, freq. and temp. depend. 5=3807
dispersion, two-phase mixtures with impurities 5=6525
duraluminum, temp. depend. to near m.p. 5=3842
ferrite, alloyed, friction peaks 5=3854
ferromagnetics, in alternating mag. field 5=3805
ferromagnetics, in alternating mag. field, review 5=6670
high temperature, activation energy 5=9516
measurement, by torsion pendulum f. m. 5=9517
measurement, torsion pendulum method 5=12446
metals, effect of dislocation splitting 5=12447
quartz, crystalline, doped with alkali ions, anelastic effects 5=1542
quartz, 4°to 100°K, rel. to u. s. attenuation, resonance method meas. 5=6530
rubber, 0.1-1000 c/s, cross-link spacing effects 5=6750
torsion pendulum meas., const. amplitude from servo-derived mag. impulses 5=1496
in vacuum, 25°to 1200°C, meas. apparatus 5=6667
Ag-based solid solutions, relaxation effects 5=15181
Ag crystal, Bordoni peak, from 10-50 Mc/s u. s. absorpt. 5=15182
Ag–Cd solid soln., rel. to relaxation effect 5=6755
AgCl, recovery 5=15184
Al, high press. var 5=12476
Al, temp. depend. to near m.p. 5=3842
Al, temp. var. peaks 5=12475
Cd, temp. var. peaks 5=12475
Cr, near Neél temp. 5=9536
Cu, deformed single crystals and wires, imperfections effects 5=6706
Cu, rel. to deformation amplitude, on γ-irrad. 5=15155
Cu, rel. to dislocation breakaway stress neutron effects 5=6703
Cu, temp. depend. to near m.p. 5=3842
Cu, very pure, variation, oscillations amplitude meas. method 5=3840
Cu whiskers 5=9556
Cu—Be, phase transitions 5=15158
Cu—In, phase transitions 5=15158
Cu–Ni alloys, temp. var. damping peaks and quenching 5=9546
Fe, and heat treatment 5=9558
Fe whiskers 5=9556
Fe–Al, in vacuum, 25°to 1200°C, meas. apparatus 5=6667
Fe–0.01%C, n irrad., peaks, 65°-500°K 5=9559
Fe–Mn, damping peaks for direct, inverse martensitic transform. temp. var. 5=6726
Fe—Si alloys, effect of quenching temp. 5=15167
Fe–Si, in vacuum, 25°to 1200°C, meas. apparatus 5=6667
LiF, amplitude-dependent, disloc. pinning effect 5=3860
Mg, temp. depend. to near m.p. 5=3842
Mo, and dislocations, ageing and temp. effects 5=9471
Mo, due to dislocations, meas. at 86 kc/s 5=6739
Nb, caused by O and N 5=12528
Nb, peaks caused by deformation 5=1547
Nb, relax. peaks, strain-ageing effects 5=15176
Nb—Ti(4.8%), peaks due to O, N at 0.6 Mc/s 5=15179
Ni, B addition effects, temp. var. 5=6744

Internal friction—contd
- Ni, in vacuum, 25° to 1200°C, meas. apparatus 5=6667
- Ni ferrites, rel. to ΔE effect 5=15174
- Ta, peaks caused by deformation 5=1547
- W, 300°- 400°C 5=12557
- Zn, rel. to temp 5=12562

liquids. See Liquids; Viscosity/liquids.

Internal stresses. See Stresses, internal.

Interplanetary magnetic fields
- and cosmic rays, Galactic, daily var. 5=4648
- and cosmic rays, primary galactic, scattering 5=13675
- forbidden coronal lines, orientation effect 5=7680
- model 5=4646
- Satellite Imp 1 meas. 5=15866
- solar origin 5=7648
- solar wind, effect on 5=15878
- and solar wind, theory 5=15864
- and sun proton events, storage model 5=15882
- space vehicle obs. 5=13568

Interplanetary matter
- alpha particles from solar flare, storage 5=15884
- charged particles, scatt. by mag. irregularities 5=14062
- cosmic ray prod. in plasma motion 5=13677
- and cosmic rays, Galactic, daily var. 5=4648
- earth—moon interspace, total electron content, meas. 5=4647
- earth's dust cloud, optical props. 5=7649
- electrons, E>50 keV at 17.7 earth radii 5=15867
- electrons of > 30 keV in shock transition region 15 – 20 × 10^3 km beyond magnetosphere 5=4477
- m.h.d. shock in plasma, 1962 Mariner II meas. 5=13754
- radio emission from shock waves in interplanetary gas 5=10082
- and radio scintillations of small diameter sources 5=10157
- study by metal vapour release in upper atmos. 5=15868
- thermal radiation and solar aureole brightness 5=15865
- X-ray prod. in interplanetary space 5=15869
- and zodiacal light, brightness, polarization plane 5=7650
- and zodiacal light polarization 5=4650
- H, meas. from sun Lyman α absorpt. 5=13769

Interstellar matter
- accretion by blue stars, correction 5=13706
- accretion by massive objects 5=1967
- collapse of gas clouds, cooling 5=4613
- eight reddening law var. causes 5=4614
- gamma-ray flux 5=7621
- gas, cooling by H spin-flip collisions with C and Si ions 5=1974
- gravitational interactions, 1- and 2-dimensions 5=7553
- ice, search in spectra of μ Cephei, α Orionis 5=10158
- intergalactic H, free-free emission 5=4612
- lectures 5=4618
- Magellanic cloud, large, 21cm H-line survey 5=10156
- metal enrichment and star formation rates 5=10150
- plasma turbulence prod. by cosmic rays and gravitational instabilities 5=13734
- review 5=13732
- reviews, 2 lectures 5=4617
- scatt. of light from small graphite spheres, calc. 5=2348
- CH, $^2\Delta$—$^2\Pi$ transition meas., possibility 5=11557
- H, radio wave absorpt. 5=7620
- Na—D line obs.,with very high resolution 5=1975
- OH, distrib. and motion near galactic centre 5=4615
- OH lines, microwave spectrum and intensities 5=4616
- OH and other mol. lines in radio spectrum 5=7619
- and U, B, V reddening lines slope, galactic long. var. 5=13733

Interstitials. See Crystal imperfections/interstitials.

Iodine
- in carbontetrachloride, Raman spectrum, laser pulsed i.r. excitation 5=2969
- crystal growth, constitutional supercooling of vapour 5=9281
- diffusion in CCl_4, atomic, by photochemical space intermittency 5=6163
- electron emission, secondary, mol. crystal theory calc. 5=12861
- fluorescence, energy transfer 5=2968
- glow discharge, handling technique 5=3106

Iodine—contd
- isotopes, autoclyne for obs. n. q. r. 5=14670
- molecules, spectra and vibrational assignment 5=5847
- molecules, vibrational numbering of $B^3\Pi_{0+\mu}$ state 5=5848
- I^{127} Mössbauer effect, $ZnTe^{127m}$ source, 59 keV 5=14905
- I, photodissociation lasers 5=10617
- I_2, excited by Hg 5461 radiation, fluorescence amplification, effect of pump intensity 5=5846
- I^- centre, excited, in KCl, lifetime 5=15603
- I^-, photodetachment curves 5=11665
- I II, h. f. s. 5=900

Iodine compounds
- complex with polystyrene, absorpt. spectra and fluorescence 5=11614
- iodates, aqueous solutions, u. v. absorption 5=6187
- I complexes, n. m. r. 5=1005
- I—inert gas (Kr, Ar, Xe) laser transitions 5=14155
- I_2 + Br^- spectrum in soln. 5=5865
- ICl, molecular beam, interacting with K atomic beam, mag. analysis of scatt. 5=3087
- IF_7, F^{19} n.m.r. spectrum 5=8886
- IO_3, vibr., mean square amplitudes 5=11524

Ion beams
- See also Ion optics; Mass spectrometers; Particle accelerators; Range of particles; Sputtering.
- accelerator, high intensity, e.s. lense with compensating mag. quadrupoles 5=14368
- average energy, Cherenkov radn. diffr., polarization plane rotation methods meas. 5=10487
- charge changing, by water vapour jet target 5=14081
- current, integrator, voltage–freq. convertor and Faraday cup 5=4932
- deflector, electrostatic, for classical cyclotron 5=14376
- energy analyser, e.s. 3 grid 5=4931
- energy meas. in cyclotrons 5=10956
- extraction and formation from plasma source, review 5=10504
- extraction, from gas discharge plasma 5=4930
- focusing lenses of machining device 5=14085
- "hose" instability, in modulated beam, dispersion relation 5=217
- ion–electron, neutral, magnetic barrier penetration 5=8992
- isotope separation, small quantities, review 5=5728
- in particle accelerator, cyclotron, injection from external source 5=14385
- Penning-source emitted, energy spectrum 5=14082
- positive, formation of neutral atoms, scattering 5=2232
- propulsion, nonexistence of quiescent plasma states 5=1049
- pulsed negative, injector for accelerator 5=8353
- scanner, rotating half ellipse for 2 dimensions 5=10508
- thermal velocity effects in thick steady beams 5=4905
- Ar^+ penetration depth in alkali fluorides and alkaline earth fluorides, thin films 5=1488
- H ions, equilib. fractions in gases 5=7981
- H^+, He^+, penetration depth in alkali fluorides and alkaline earth fluorides, thin films 5=1488
- Kr 85 ions, range distrib. in Cu single crystals 5=1489
- N, charge exchange cross-sect. rel. to metastable long-lived states 5=3131
- N ions, emission lines and ionization in C foil 5=5811
- Ne^+ penetration depth in alkali fluorides and alkaline earth fluorides, thin films 5=1488
- O, charge exchange cross-sect. rel. to metastable long-lived states 5=3131
- O, equilibrium fractions in 17 gases, 15-50keV 5=10507

effects
- crystal sputtering, imperfections effect on atomic ang. distrib. 5=6656
- graphite, pyrolytic, etching 5=9271
- metal cryst., velocity of ejected particles 5=9506
- metal surface topography 5=3484
- nuclear track emulsion width calc. 5=5286
- in plasma, transmission and oscills. generation 5=4933
- semiconducting materials sputtering by inert gas ions, atom ejection patterns 5=3792
- Al, stopping cross-sections at low energies 5=12431
- B, 500 keV and 100 keV implantation doping in Si, for junction counters 5=2521
- C, stopping cross-sections at low energies 5=12431
- CdSe, rel. to surface contact pot. light change 5=12819

Ion beams—contd
effects—contd
Cu, dislocation formation by Ar ion bombard. 5=12387
Cu, Ar ion-irrad., dislocation step form. and grain size increase 5=3788
Ge, dislocation formation by Ar ion bombard. 5=12387
Ge, Ar ion-irrad., dislocation step form. and grain size increase 5=3788
H_2^+, H_3^+, in He, Ne, at 10-30 keV, H excitation, multiple collision effects 5=930
Kr, on Cu impregnated with Kr^{85}, surface layer removal investigation 5=3785
Kr^{85} ions, 80 keV, in GaAs crysts., penetration depth 5=6658
Mo secondary electron kinetic ejection by Cs ions 5=7064
Na^+ and Cs^+ bombard., on Si p–n junctions form. 5=4054
Nb (111) surfaces, Ar bombardment 5=4124
Ni (111) face, electron Auger ejection 5=7068
Ta, (110) face stability 5=3647
Ion counters. See Counters.
Ion emission
filament, oxide coated, in electron microscope, meas. 5=4152
laser-generated microplasmas, time-resolved spectroscopy 5=1071
metal foils, laser prod. 5=12846
metal surfaces, field evaporation, rel. to texture 5=3484
metals, field evaporation, calc. at 0°K 5=12865
K from adsorbed atoms in Pt 5=4151
Ta, laser prod., var. background gas press. 5=12845
Ti and Ti–D surfaces, laser induced 5=7053
Zn, laser prod., var. background gas press. 5=12845
secondary
No entries
thermionic
thermionic converter 5=7939
Fe filaments, defect effects 5=4153
Li^+ source, triode gun, high intensity 5=7977
Ion exchange. See Exchanges, chemical; Ions, electrolytic.
Ion microscopes
field, with Ne as imaging gas, operation 5=231
field-emission, use of refrigerator 5=7983
Ion mobility. See Ion velocity.
Ion optics
See also Alpha-ray spectrometers; Ion microscopes; Mass spectrometers; Particle optics.
accelerator, high intensity, e. s. lens with compensating mag. quadrupoles 5=14368
calculating apparatus, digital, program 5=8294
electrostatic analyser, with linear pot. distrib. on deflecting electrodes 5=230
electrostatic energy analyser, 3-grid 5=4931
focusing lenses of beam machining device 5=14085
magnetic lenses, testing method 5=7982
mass spectrometer 5=14084
Ion pumps. See Vacuum pumps.
Ion sources
See also Ion emission/thermionic.
alkali, triode 5=4929
burst generation, bunching and chopping system 5=7973
cyclotron pulse, multicharge prod. 5=10506
gas admission, pulsed, device 5=14771
hooded-arc, small 5=7975
for mass spectrometer 5=14568
mass spectrometer, vibrator, vacuum, piezoelec. 5=14567
metal ion source, high-efficiency 5=7978
negative, high-intensity, design consid. 5=14079
Penning, for mass spectrometers 5=7979
plasma, extraction and beam formation, review 5=10504
plasma power absorpt., meas. 5=7976
polarized, H or D, construct. and testing 5=4927
polarized protons, deutrons prod., ang. distrib., T(d, n)He^4 meas. 5=14417
positive, functioning for r.f. coil and mag. field 5=7974
pulsed, multiply charged 5=10503
slide gate, fast vacuum 5=14080
sputtering, rel. to mass analysis of solid surfaces, comment 5=4928
H_3^+, vibrationally excited, r.f. source 5=7980
He^{2+} from cyclotron, impurity effects 5=10505
Li negative ions, 10^{-8} Å, using Penning source 5=4926
Li^+, triode gun, ~100% efficiency 5=7977

Ion velocity
drift velocities of electrons and positive ions in gases 5=8940
drift velocities in gases 5=8930
hydrogen positive ion drift vel. 5=1056
in liq. HeII, drift, periodic discontinuities 5=184
in plasma at high temp., analyser 5=8983
in spark fields, light intensity method calc. 5=5957
thermal velocity effects in thick steady beams 5=4905
transport through ion-exchange membrane 5=6601
Ar^+, $Ar_2^+Ne^+$ in Ar and N_2 5=8956
H afterglow 5=5998
He^+ in gas 5=8950
HeII, critical, heat flush detection 5=185
N^+, N_2^+, N_3^+ 5=8939
N_4^+ 5=8960
NaS_2, 200°-800°C 5=15628
O^+, O_2^+ in Ar and N_2 5=8956
O_2^+ 5=8960
electrolytic
See also Conductivity, electrical/liquids, electrolytic; Electrophoresis.
KCl–LiCl, Li^+/K^+, composition var. 5=7437
Ionization
See also Dissociation; Electrons/ionization.
appearance potential, polyatomic molecules, critical slope method calc. 5=3122
aromatic molecules, π structure effects 5=3015
atoms, by electrons, cross-section formula 5=14610
azulene, electron impact 5=3134
cascade growth, by strong light flash 5=11658
free radicals, and dissociation energy 5=5911
molecular fragmentation by protons and electrons, validity of Born approx. 5=1045
naphthalene, electron impact 5=3134
nuclear track emulsions, by relativistic particles 5=5285
photoionization, correlation rel. to correl. of e. m. field of nearly coherent source 5=211
photoionization, high-energy cross-section, nonrelativistic 5=3121
rare earth atomic beams on W surface 5=8947
secondary processes, in linear, pulsed time-of-flight mass spectrometer 5=5956
stellar atmospheres equilib. strength 5=13711
by strong e. m. wave field 5=5955
tetracene $^{-3}$, e. s. r. 5=14667
Ar^{2+}–Ar one and two-electron capture meas. 5=1052
CH_3CHO, fragment ions from electron impact 5=5967
$(CH_3)_2CO$, fragment ions from electron impact 5=5967
CO_2, C^+ ion prod. by electron bombardment, isotope effect var. with meas. method 5=5959
CO^{2+}–N_2 one and two-electron capture meas. 5=1052
H atoms, by electron impact 5=5797
H, electron impact, allowance for exchange, methods 5=5798
Hg discharge, ionization rate, microwave method 5=3130
K-shell cross-sect. for relativistic electrons 5=2917
Kr^{2+}–Kr one and two-electron capture meas. 5=1052
Kr^{4+}–Ne one and two-electron capture meas. 5=1052
N ion beam in C foil, from emission lines 5=5811
Ne^{2+}–Ne one and two-electron capture meas. 5=1052
Xe^{2+}–Xe one and two-electron capture meas. 5=1052
gases
See also Plasma.
afterglows, technique for studying electrons 5=14692
air attachment coeffs, meas. 5=8945
air, Boag's const. 5=5256
air, and laser absorpt. 5=9046
air, in spark chambers, of various geometries 5=2503
alkali metals, abs. electron cross-sect. 5=8954
alkali metals, charge exchange calc. 5=14813
alkali metals and halides, by electron reson. capture 5=3124
atmospheric, in afterglow, negative ions, mass spectra, impurity effects 5=8920
attachment and ionization coeffs., pre-breakdown current meas. 5=11656
n-butane, metastable, ~100μ sec., mass spectrum study 5=5966
charge exchange proton capture cross-sects., n = 1 to 15 5=8953

Ionization—contd
gases—contd
charge exchange of type $H^+ + H(n_1l_1m_1) \rightarrow H(n_2l_2m_2) + H^+$ 5=8952
deuteromethanes, metastable, and mass spectra 5=5813
diazirine, appearance potentials and mass spectra 5=3135
diazomethane, appearance potentials and mass spectra 5=3135
electron impact, drift velocities 5=8930
field ionization, energy distrib. meas. 5=3120
flowmeter 5=1146
n-hexane, metastable, $\sim 100\mu$ sec., mass spectrum study 5=5966
hydrocarbons, sensitivity of hydrogen singing-flame detector 5=5968
inert and diatomic, 0.6-20 keV electrons, cross-sects. 5=8946
inert-gas–p colls, metastable H prodn. 5=8949
inert gases, conc. of atoms at metastable and reson. levels 5=5936
inert gases, field ionization 5=3120
inert gases, multiphoton, theory 5=11647
ions, negative, photoionization cross-sections 5=11416
by laser beams, pulsed, theory 5=11657
by light pulse, cascade mechanism 5=1047
methane–air flame, double probe obs. 5=7431
methane, photoionization absorpt., 23.6-250Å 5=8743
methylal, photoionization absorpt., 23.6-250Å, 5=8743
molecules, efficiency curves from electron impact, competitive decomp. process influence 5=3119
NV, optical electron photoionization 5=1064
neutral atoms, highly excited, prod. by charge-exchange 5=5782
O VI, optical electron photoionization 5=1064
$p + H_2 \rightarrow H^- + 2p$, cross-section calc. 5=5962
n-pentane, metastable, $\sim 100\mu$ sec., mass spectrum study 5=5966
photon cascade mechanism 5=1047
plasma, energy lowering 5=11659
plasma, ionizing wave propag. 5=3236
polyatomic, appearance pot., critical slope method calc. 5=3122
pressure ioniz., > 30 atm. 5=11803
probability curves, electronic space charge effects 5=3118
propane, by electron beam, mass spectrum and energies 5=14700
propane, ion–molecule reactions 5=3136
proton charge exchange, formation of highly excited H atoms 5=2911
solar corona, time-dependent 5=4672
statistical fluct. in current, rel. to breakdown pot. 5=5937
torch discharge, below atm. pressure 5=1038
wave propag. in partly ionized gas, expansion solns. 5=14757
Ar with α-parts. 5=8943
Ar, photoionization cross-section 5=1066
Ar, photoionization at peak of intense shock wave 5=1046
Ar supersonic jets, and charge exchange chamber vacuum improvement 5=8941
AsH_3, negative ion prod. by electron reson. capture 5=1067
C_2H_2, by rare-gas ion impact 5=11672
C_2H_4, by rare-gas ion impact 5=11672
CO attachment coeffs, meas. 5=8945
CO_2, attachment coeffs, meas. 5=8945
CO_2 supersonic jets, and charge exchange chamber vacuum improvement 5=8941
Cd vapour, photoionization cross-section meas. 5=5790
Cs arc thermionic convertor, mechanism 5=3115
Cs in W capillaries 5=8944
D, first Townsend ionization coeff. meas. 5=1054
D_2, Franck–Condon factors 5=5960
D_2, by rare-gas ion impact 5=11672
by H atom traversal through O_2, N_2, NO, CO 5=14694
H atom, wave function sum rule in cross-sect, calc. 5=889
H, atomic, by electron impact, theory 5=3127
H, atomic, two-photon 5=11668
H atoms, photo, tables 5=5961
H, electron swarms, location by far u.v. signals 5=1058
H, growth consts., temporal 5=11669
H, oscillatory and unidirectional fields mixed, electron diffusion, meas. 5=1057
H, in pulse discharge, role of reabsorption of spectral lines 5=14696
H, thermodynamics calc. and partition function cut off 5=14706
H^+–He, He^+–H, electron capture meas. 5=1060
H_2 and D_2, first Townsend coeff. 5=1055
H_2, electron impact, near threshold 5=14698
H_2, field ionization 5=3120
H_2, Franck–Condon factors 5=5960
H_2, by inelastic electron scatt. at 25 KeV 5=2960
H_2^+, autoionization 5=14697
H_2^+ and D_2^+–inert-gas collisions, Lyman α emission cross-section 5=3128
HD, Franck–Condon factors 5=5960
He atoms, metastable in plasma, 2-body collisions 5=8951
He, calc., and discharge Paschen curve calc. 5=5929
He, neutral, by electron impact 5=11666
He, photo-, 100-250Å cross-sect. 5=8948
He, photoionization absorpt., 23.6-250Å 5=8743
He, photoionization cross-section 5=1066
He, photoionization at peak of intense shock wave 5=1046
He^- ions, electron capture, cross-section calc. 5=1063
by He^+ ions, 0.133-1.0 MeV, cross-sections 5=1061
He_2^+ form., mechanism, under electron impact 5=3126
He–O_2 mixtures attachment coeffs, meas. 5=8945
Hg by alkali positive ions 5=8955
Kr, photoionization absorpt., 23.6-250Å 5=8743
Li, by n collision, calc. 5=14699
N, long lived excitons, collisions, prod. cross-section calc. 5=3131
N_2, 830-1000 Å 5=7510
N_2, photoionization, 734 to 805 Å 5=11671
N_2 photoionization and total cross-sect. at intense solar lines 5=13426
N_2^+, N_4^+ ions, and metastable atoms recombination, in afterglows 5=8957
NO, electron affinities, magnetron meas. 5=8958
N_2O, by rare-gas ion impact 5=11672
Ne, photoionization cross-section 5=1066
O, long lived excitons, collisions, prod. cross-section calc. 5=3131
O^- growth and decay, rel. to delayed electrons in avalanches 5=8959
O_2, 830-1000 Å 5=7510
O_2, electron and photon impact 5=8962
O_2 photoionization and total cross-sect. at intense solar lines 5=13426
PH_3, negative ion prod. by electron reson. capture 5=1067
SiH_4, negative ion prod. by electron reson. capture 5=1067
Xe, photoionization absorpt., 23.6-250Å 5=8743
Xe, shock ionized, equilib. props. 5=3132
liquids
He II, negative, calc. of self-trapped electrons 5=10406
solids
semiconductors and dielectrics, rel. to current fluctuations 5=15313
Al, displaced levels population, autoionization effect 5=8745
InSb p–n junctions photon impact 5=12830
InSb, shallow impurities, rel. to mag. fld 5=12829
Ionization, atmosphere
See also Atmosphere/radioactivity; Ionosphere.
in afterglow, negative ions, mass spectra, impurity effects 5=8920
and aurora absorpt., due to 1-250 keV electrons, height, satellite obs. 5=4488
aurora bremsstrahlung X-rays 5=4482
E-region, sunspot effect 5=15731
electron content, diurnal variation, from Doppler slopes of simult. satellite data 5=7516
electron downward flux 5=10088
equatorial ionosphere 5=7529
exosphere, nighttime, positive ion density meas. 5=13342
F-region, anomaly above Central Europe 5=7531

Ionization, atmosphere—contd
ionosphere, E-layer, ionization—neutralization balance, eqns. 5=4498
ionosphere, F-region, night-time, positive ion density meas. 5=10092
l. f. and v. l. f. propag. in abnormally ionized atmosphere 5=13310
by meteors, calc. 5=7646
in meteor trails, distrib., radio signal decay method 5=4643
radar obs., 300 Mc/s 5=15739
upper, by solar extreme u. v. 5=13475
N_2 ionization by geomagnetically trapped electrons 5=13329
Ionization, surface
See also Electron emission/thermionic; Ion emission/thermionic; Work function.
graphite, electro, of In, K, Rb, Cs, CsCl, RbCl, KCl 5=5963
and Ni, cathode sputtering var., K ion bombard. 5=9507
Ionization chambers
calibration 5=5253
calibration factors for 16 nuclides for 1383A β—γ 5=488
cavity, studies for megavoltage X-rays 5=2502
electric field distortion 5=10898
electric field distortion due to guard ring—collector p. d. 5=2500
electrometer, for semiconductor chambers 5=490
4π, for γ-sources 5=547
free-air, saturation currents meas., extrapolation methods 5=2498
guarded-field cavity chamber, construction and use 5=2497
liquid hexane-filled, charac. curve, rel. to incident radiation specific ionization 5=489
and nuclear charge integrator meas. 5=14319
plane-parallel, space-charge distortion of elec. field 5=2499
pulse recorder 5=10899
saturation characteristics, Boag's equation 5=5256
saturation, parallel plate, theory 5=5254
standardization for megavolt X-rays 5=2501
track recognition, using analogue computer 5=5255
NBS P2-4 and Wilson's quantameter, for X-ray intensity meas. 5=5316
Ionization gauges. See Vacuum gauges.
Ionization potential
alkanes 5=1069
alkyl free radicals 5=3133
alkyl halides 5=987
alkyl halides 5=1069
appearance potential of molecular fragment ions 5=8937
benzene 5=3133
diazirine, appearance potentials and mass spectra 5=3135
diazomethane, appearance potentials and mass spectra 5=3135
ethylene, rel. to valence-state data 5=3033
naphthalene, rel. to valence-state data 5=3033
pyridine, rel. to valence-state data 5=3033
saturated hydrocarbons, positive ions 5=987
toluene 5=3133
trans-butadiene, rel. to valence-state data 5=3033
triethylamine 5=3133
CF_3I fragment ions 5=1053
CH_3CHO, fragment ions from electron impact 5=5967
$(CH_3)_2CO$, fragment ions from electron impact 5=5967
LiH, mixed basis set calc. 5=2972
U, oxygen covered 5=1276
Ionosondes. See Ionosphere measuring apparatus.
Ionosphere
See also Electromagnetic wave propagation/ionosphere.
absorption, freq. var. 5=13428
absorption meas. 5=13430
absorption meas., total 5=13429
auroral activity, obs. 5=13385
chemical reaction rates, O + N ion—molecule 5=15616
collision freq. var. with solar activity 5=4493
conference, progress from 1960, Tokyo (1963) 5=15715
constituents by laser beam scatt. 5=13464
depression effect on v.l.f. e.m. wave propag. 5=10569
dipole impedance meas. and electron density and collisions 5=10086

Ionosphere—contd
disturbances, accompanying non-crochet and crochet associated flares 5=7521
disturbances as acoustic-gravity waves 5=13451
disturbances by oblique standard freq. transmissions 5=15744
drift records, fading analysis 5=13453
dynamo action and magnetospheric plasma motions 5=7524
e. m. dipole impedance meas. 5=13473
e. m. partial reflection, for electron density and collision obs. 5=13477
earth—ionosphere cavity reson. calc. 5=13444
earth—ionosphere cavity resonance, diurnal variation 5=7520
effects of nuclear explosion 5=13472
electric current, Mar. 10/12 1964 proton magnetometer meas. 5=7518
electric field distrib. rel. to geomag. disturbances 5=15716
electrojet, equatorial 5=15765
electron content determ., total, 1962 Hyderabad transmission data 5=1946
electron content, diurnal variation, from Doppler slopes of simult. satellite data 5=7516
electron content during magnetic storms 5=7519
electron content, radar-lunar meas. 5=13438
electron density meas. by plasma probe in satellite 5=13439
electron density ~1000km, Alouette topside study 5=13341
electron downward flux 5=10088
electron energy distrib. functions 5=13437
electrons, 0. 1 to 500 keV, atmospheric penetration 5=1948
electrostatic oscillations, resonance effects 5=13450
equivalent lightning channel, angle of inclination, reflected e. m. waveform calc. 5=4474
exospheric electron and ion distrib. 5=13340
explosion effect, shock wave propag. 5=15718
Faraday rot., rel. to decametric radio emissions from Jupiter 5=4631
fishbone echoes obs. on ionograms 5=13443
fluctuations in absorpt. at conjugate stations 5=1947
focussing, in presence of Earth's mag. field 5=13517
IQSY, 1964/65 programme 5=7651
Internat. Years of Quiet Sun, review 5=15721
ion cluster distribution 5=13442
ion traps obs. by satellite 5=13466
irregularities by correlation analysis methods 5=13470
irregularities, diurnal, seasonal, latitudinal height var. 5=13468
lower, turbulent eddy motion and frozen-in field 5=15720
magnetohydrodynamic waves, attenuation 5=15719
motion identification by backscatter 5=13454-8
oscillations following nuclear explosion 5=13461
particle flux, energy spectrum and r. f. absorpt. during polar cap event 5=13432
perturbation prod. by burning rocket, Faraday rot. meas. 5=13462
plasma, cyclotron spikes, excitation 5=13434
plasma dipole resonances 5=8998
plasma perturbations 5=13463
propagation index and Wolf number 5=13474
radar backscatter rel. to study 5=7522
radio receiver obs., satellite UK2 5=13467
radio wave fading, errors 5=13433
radio waves, in magnetoionic theory 5=14103
reflections, phase integral calcs. 5=13446
refractive index calc. 5=13435
rocket obs. using Doppler technique 5=15717
scintillation producing irregularities height 5=13508
scintillations in satellite signals 5=13469
screening effect and storm sudden commencement 5=13447
solar cosmic ray absorption in Antarctica, riometer meas. 5=15732
solar eclipse effect, h. f. backscatt. study 5=13436
and space vehicle radio tracking errors 5=13634
and sun X-ray and extreme u. v. radiation 5=15873
temperature of electrons near dawn 5=15730
temperature and ionic comp. determ. 5=13441
temperature meas. from fluorescence of molecules 5=7517
temperature meas. from shock wave speed 5=13440
temp. at 177 km meas., by fluorescence of AlO from Na/Al released by a rocket 5=1945

- **Ionosphere**—contd
  - topside, electron density distrib., mag. fld. aligned strata, explosion and corpusc. radn. effects 5=1952-3
  - topside sounder record analysis 5=13543
  - transequatorial reception, of v. l. f. transmission 5=13445
  - transverse plane waves, transmission 5=13460
  - travelling disturbances, incoherent scatt. meas. 5=13452
  - upper and lower at middle latitudes, irregularities 5=10089
  - v. l. f. emissions triggered by transmitted whistlers 5=13449
  - wind patterns at night 5=13459
  - H and He ion distrib. 5=13331
  - He$^+$ loss, reactions with N$_2$ and O$_2$, expt. 5=7525
  - O$_2$, N$_2$ photoionization and total cross-sect. at intense solar lines 5=13426
  - **D-region**
    - attachment process, exptl. information 5=1949
    - breakdown alteration of electron density calc. 5=15734
    - cosmic noise absorpt. during solar eclipse 5=13493
    - dissociative recomb. coeff. from nuclear explosion 5=13484
    - dynamic processes 5=13480
    - e. m. v. l. f. obs., and solar flares 5=15737
    - electron densities and collision freqs., l.f. obs. 5=7526
    - electron densities, due to solar cosmic rays 5=15738
    - electron density meas. by capacitive rocket probe 5=13487
    - electron density profile, trial method determ. 5=1950
    - electron density, radio obs. theory 5=4496
    - electron density, from radiowave absorption data, auroral dawn breakup 5=15736
    - electron profiles during aurora 5=13488
    - ion conc. by Gerdien rocket probe 5=13492
    - ionization from decay of neutrons from high nuclear explosions 5=13483
    - long-lived effects after nuclear explosion 5=13485
    - minor event, probe and Geiger counter meas. 5=13491
    - nuclear burst, ionization increase by neutron mechanism 5=13482
    - quiet, 70-85 km profiles, rocket experiment results 5=13490
    - radio wave phase interaction 5=13476
    - recombination coeff., night-time, from r. f. and auroral electron meas. 5=4483
    - seasonal var., radio wave field intensity 5=15733
    - shock waves, weak 5=13481
    - solar X-ray spectrum role 5=13489
    - sudden disturbances, rel. to 3000 Mc/s solar flux 5=15893
    - sun Lyman α absorpt. effects 5=13769
    - v.l.f. radio wave reflection height, solar flares effect 5=15735
    - wind meas. 5=13479
    - O$_2^-$ photodetachment rate, effect of albedo radiation 5=13486
  - **E-region**
    - airglow emission, correl. with low-altitude meas. 5=13360
    - drift speeds, height gradient latitude variation 5=15740
    - dynamic processes 5=13480
    - E—F intermediate night-time layer, electron density meas. 5=13509
    - E$_s$ wave strength from f$_o$E$_s$ 5=13498
    - E$_s$, wind-shear theory, generalization and critique 5=13502
    - electron density, normal vars. 5=4500
    - electron density and sun Zenith angle 5=4499
    - gyro interaction, oblique incidence calc. 5=15742
    - high latitude, radio study 5=13507
    - ion recombination, radio obs. 5=7527
    - ionization—neutralization balance, eqns. 5=4498
    - ionization, sunspot effect 5=15731
    - irregularities, cylindrical, theory 5=15741
    - movements and structure, radio obs., 1. 85 Mc/s pulses, Es 5=7528
    - night E-layer, connection with aurora 5=15709
    - nocturnal var. in temperate latit. with geomag. disturbances 5=4501
    - nuclear explosion effects rel. to geomagnetic field var. 5=13497
    - radar noise level 5=15739
    - recombination coeff. calc. 5=13506
    - recombination at eclipse 5=1951
- **Ionosphere**—contd
  - **E-region**—contd
    - sporadic-E, ionization of equatorial ionosphere 5=7529
    - sporadic-E layer form. 5=13500
    - sporadic E-layers, midlatitude, formation 5=13501
    - sporadic-E layers over Waltair 5=13499
    - sporadic E, wind-shear theory 5=13503-5
    - sporadic, equatorial crit. field and geomag. electrojet 5=10090
    - sporadic, and winds, rocket obs. 5=7530
    - swept freq. signal amplitude var. 5=15743
    - variations, non-diurnal, at Washington 5=13495
    - wind meas. 5=13479
    - winds, evolution in time 5=13496
  - **F-region**
    - airglow, 6300Å, correl. with ionospheric parameters 5=15700
    - analysis, with overlays 5=13516
    - Antarctic enhancements 5=13537
    - backscatter obs. 5=4503
    - diffusion, ambipolar 5=13512
    - diffusion, ambipolar, in F2-region 5=13538
    - diffusion and drift effects together, F2 5=1956
    - diffusion and geomagnetic anomaly 5=13511
    - drift, anisotropy patterns, meas. 5=1954
    - drift meas. at night, effect of ionosph. disturbs. 5=15746
    - effective equator location 5=13529
    - electrodynamic lifting 5=13522-4
    - electron density, geomagnetic control 5=13519
    - electron density and height var., in equatorial regions 5=13518
    - electron density osc. at fixed heights 5=4502
    - electron density profile analysis, for topside sounder ionograms 5=13542
    - electron profiles, night var. 5=13525
    - equatorial anomaly 5=13546
    - equatorial, daytime 5=13514
    - equatorial F2-layer, electrodynamic drift 5=13540
    - Explorer I obs., fixed-freq. topside sounder 5=4495
    - F 1½-layer phenomenon 5=13536
    - F$_2$, equatorial, diffusion and e. m. drift 5=13539
    - F$_2$, irregularities rel. to high multiple reflections 5=10094
    - F$_2$-layer, photoelectron distrib. and geomag. anomaly 5=13520
    - foF$_2$ post sunset rise and geomag. activity 5=13528
    - geomagnetic anomaly, zone effect 5=15749
    - h. f. propagation times, precise determ. 5=13532
    - high latitude, radio study 5=13507
    - incoherent backscatter, height, ionization density, radar meas. 5=13531
    - inhomogeneities and Cassiopia A fading 5=13530
    - ionization, anomaly above Central Europe 5=7531
    - ionization diffusion along mag. lines 5=13521
    - and magnetic storm pre-SC, foF2 5=13593
    - moon tide oscs. in f$_o$F$_2$ 5=13591
    - night glow observation 5=10093
    - night-time, maintenance 5=4504
    - night-time, positive ion density meas. 5=10092
    - origin problems 5=13510
    - oscillations due to lunar tides 5=15747
    - perturbation of model F2-region 5=13541
    - polar cap, middle-latitude drift? 5=7532
    - recombination, ionospheric, and polar warming 5=13533
    - satellite signals, fluctuations 5=13664
    - scintillation of satellite radio signals 5=13513
    - spread-F, equatorial, and solar activity 5=13534
    - spread-F index, var. 5=13535
    - spread-F obs. by Alouette topside sounder satellite 5=13545
    - sun flare ionization enhancement, radio obs. 5=13526
    - and sunspots, large, noon f$_o$F2, N—S asymmetry 5=13616
    - swept freq. signal amplitude var. 5=15743
    - temperature var., during sunspot cycle 5=13515
    - temperatures, during NASA rocket launch 5=13527
    - time varying model 5=15748
    - topside electron densities, by rocket and satellite 5=13548
    - topside mean daily var. at mid-latitudes 5=13547
    - upper, ion composition 5=1955
- **Ionosphere measuring apparatus**
  - capacitive probe, rocket borne, impedance calc. 5=13465

Ions
- See also Atoms; Ion emission/thermionic; Molecules; Plasma.
- alkali halide collisions with Gaussian wavefunctions, 3-body 5=11465
- alkali-halide crystals, polarizability dispersion 5=13031
- in alkali halide crystals, 3-body exchange interaction, crystal stability 5=3417
- azulene radicals, + and —, spin density calc. 5=1070
- carbonate and bicarbonate in aqueous solution, u. v. absorption 5=1186
- collision with atoms, interchange, from mass analysed ion beam mobility peaks in drift tube 5=8956
- composition, produced by fast H atom traversal through molec. gases 5=14694
- counting, scintillation, heavy slow ions 5=10907
- in crystal, paramagnetic, quadrupole moments 5=14906
- diffusion in upper atmosphere, geomagnetic control 5=13511
- Dirac—Slater self-consistent-field wave eqns. 5=5735
- dissociating in double-focusing mass spectrometer, analysis 5=8731
- dissociation in drift tube of time-of-flight mass spectrometer 5=1051
- electrical transport in mag. field 5=3352
- electron coupling, subject to strong ligand field, new calc. method 5=4766
- electron scattering matrix theory 5=8776
- energy spectrum in crystal, calc. 5=14907
- entropy in solution, correspondence principle 5=9102
- ferric, high spin, g = 4.27, theory 5=901
- flow, quasineutral, in plasma 5=11692
- formation of negative ions in hydrocarbon flames 5=7430
- fragments, kinetic-energy distrib., from electron impact in mass spectrometer 5=3125
- in inert gases, diffusion and mobility 5=11660
- inert gases, ion—atom reson. charge exchange 5=11673
- ionosphere, cluster distribution 5=13442
- ions, inducing fission in Pb^{206} and Bi^{209}, fragment anisotropy 5=859
- lanthanides, hypersensitive pseudoquadrupole transitions 5=903
- mass spectrometer identification, ideal 5=6119
- in metals, charge, dynamic (effective) 5=15203
- migration in glass substrates, effect on Sn oxide resistive films 5=6946
- mobility in atmosphere, New Mexico meas. 5=13282
- molecular, rotational excitation by electrons 5=5823
- motion in solid He 5=7906
- negative, decay and polarization, in elec. field 5=1050
- in plasma, width of spectral lines 5=11701
- polarizability calc. for complete shells 5=5742
- range in ion monolayer adsorbed on metal 5=12061
- rare gases, potl. curves, recomb. rates 5=3129
- specific heat in solution, calc. up to 200° 5=9104
- transition metal with triply-orb-degen. ground terms, distortions and mag. resonances 5=5875
- X-ray scatt., and atoms, 208, calc. tables 5=6425
- Al, in Na Al Si_3 O_8 and K Al Si_3 O_8, elec. field grad. 5=1229
- BH_4^-, isotopic, anharmonicity correction and pot. consts. 5=8824
- $B_{20}H_{18}^{2-}$, structure 5=3059
- Be II, electron scattering matrix theory 5=8776
- Br^-, photodetachment curves 5=11665
- CN rotation in KCN 5=11982
- CO_2^-, e. s. r. spectrum, in calcite 5=998
- Cl^-, photodetachment curves 5=11665
- Cr^{3+}, in MgO, e. s. r. absorption spectrum, isotopic shift 5=4235
- Cr^{3+}, in $MgWO_4$ and $ZnWO_4$, spin—lattice relax. 5=1794
- H, distrib. in upper atmosphere 5=13331
- H^+ electron capture, in He gas 5=11667
- H_3^+, ground state, "one electron bond" wave function 5=968
- He, distrib. in upper atmosphere 5=13331
- $He^+(1s)$, electron. scatt., phase shift, reson., excitation cross-section calc. 5=922
- He_2^{2+} excited states, mixed basis-set calcs. 5=8938
- HeH_2^+ detection 5=14614
- I^-, photodetachment curves 5=11665

Ions — contd
- Li, 80 keV, energy loss on collision with inert gas atoms 5=5804
- Li, passage through solid films 5=2234
- N, slow-electron absorption and bremsstrahlung cross-sects. 5=907
- N^+, N_2^+, N_3^+ conversion 5=8939
- Na in glass, stress-induced migration and partial molar volume 5=1441
- Na, in Na Al Si_3 O_8, elec. field grad. 5=1229
- in NaCl-type crystals, mean charge 5=3675
- Ni^{2+} in $NiCl_2$ in org. solvents, absorption 5=2981
- O—O^+ and O—H^+ charge transfer 5=11675
- O^{2-}, polarizibility, in Na Al Si_3 O_8 and K Al Si_3 O_8 5=1229
- O^{16}, charge equilibrium 5=5964
- Pr^{141}, hyperfine structure, rel. to nuclear magnetic moment 5=11196
- $Pt(CN)_4^{2-}$, in alkaline earth crystals, displacement and splitting 5=1829
- $TlCl_2^-$, luminescence, in TlCl-NaCl aq. soln. 5=1194
- recombination
  - air in laboratory 5=5958
  - air, recombination mean free path 5=14695
  - chambers, parallel plate, theory, saturation 5=5254
  - inhomogeneous distrib., 5=11661
  - ionosphere, E, at eclipse 5=1951
  - ionosphere, E, radio obs. 5=7527
  - positive ions and electrons in dense neutral gas 5=8942
  - propulsion, nonexistence of quiescent plasma states 5=1049
  - Ar, empirical regularities 5=14693
  - H, tables 5=5961
  - H^- decay relation in cyclotron from Lorentz forces 5=8354
  - H_2, empirical regularities 5=14693
  - He, empirical regularities 5=14693
  - He^+ loss, reactions with N_2 and O_2, ionosphere appl. 5=7525
  - $He^+ + 2e$, recomb. rates, potl. curves 5=3129
  - $He_2^+ + e$, recomb. rates, potl. curves 5=3129
  - Kr, empirical regularities 5=14693
  - N_2, empirical regularities 5=14693
  - NO^+ with electrons in shock-heated air, coeff. meas. 5=1065
  - Ne, empirical regularities 5=14693
  - Ne plasma, var. electron energy 5=5985
  - Xe, empirical regularities 5=14693
- scattering
  - dust particles in a gas, theory 5=1048
  - positive, during neutral atom formation 5=2232
  - He^+, resonant electron scatt. 5=5799

Ions, electrolytic
- See also Conductivity, electrical/liquids, electrolytic; Dissociation/electrolytic.
- ionic solution theory, integral equations 5=10019
- perchlorate solns., hydration numbers det. by n. m. r. 5=3374
- K-NH_3 solns., anion diffusion 5=7438

Irasers. See Lasers.

Iridium
- crystal electron states, Fermi surface density 5=7354
- surfaces, field-evaporated, thermal rearrangement 5=3539
- solubility in Mo, temp. var. 5=14930
- X-ray spectra, emission isochromat obs. 5=7354
- Ir^{191m} orientation in Fe 5=1231

Iridium compounds
- chalcogenides, crystal structure and elec. props. 5=9335
- oxides, gaseous, mass spectrometric study 5=13152

Iron
- after-effect, magnetization contribution 5=12916
- α-phase, nitrogen and carbon in, energy and migration characteristics 5=1463
- arc, spectral line broadening and displacement 5=8936
- Armco, thermal diffusivity, flash technique meas. 5=4837
- Armco, twins by etch-pits 5=3536
- atomic spectra, relative oscillator, strengths 5=902
- atoms, arc lines, absolute oscillator strengths meas. 5=8757
- b. c. c., magnetoresistance, up to 100 kOe 5=1612
- brittleness, cold working effect, dislocation 5=1528
- commercial iron, microhardness, during deformation, temp. and stress cycling 5=1523
- cracks in foils, growth 5=9557
- creep strength and twinning 5=6721

Iron—contd
- crystal dislocations on deform. 5=9467
- crystal dislocation loops and fatigue 5=9468
- crystal struct. atomic, charge distrib., X- ray scatt. obs. 5=12205
- diffusion in Co of Fe^{59}, in grain boundaries, porous and solid 5=6584
- diffusion of Mo and Cr, 1200°-1250°C, mechanism 5=3518
- diffusion, radioactive, in Al, effect of Si 5=1438
- dislocation loops in Fe^{+}-irrad. foil 5=12390
- dislocations, prismatic 5=15096
- dislocations produced during cyclic loading 5=1468
- domains, magneto-optical effects 5=7129
- e. s. r. of Fe^{3+} in KAlSi$_3$O$_8$(feldspar), ^{6}S state Hamiltonian 5=7238
- elastic fatigue and limit, no limit for ultrapure b.c.c. 5=12505
- elastic limit, H effects, review 5=6723
- elastic limit, increase by adding Ni, Pt, temp. var 5=12511
- elastic limit, and twinning, 4-300°K 5=12509
- ferromag. reson. in whisker crystals, obs. 5=1782
- ferromagnetic, atomic nuclei, mag. fields 5=12920
- ferromagnetism, spin wave theory applicability 5=12919
- filaments, defect effects on positive ion emission 5=4153
- films, vac. evap., saturation magnetization rel. to thickness 5=9793
- friction, press. var., and dislocations 5=9571
- grain boundary self diffusion γ versus α 5=15072
- hyperfine fields in lattice, at impurity nuclei 5=14895
- internal friction and heat treatment 5=9558
- internal friction in whiskers 5=9556
- isotopes, foil preparation 5=12044
- isotopes, targets for nuclear investigations, production 5=2708
- liquid, viscosity 5=11864
- mag. films with stripe domains, relax. phenomena 5=9801
- mag. process in weak and moderate fields, domain calc. 5=1742
- magnetic after-effects after neutron irrad. 5=12917
- magnetic domains in films 5=15451
- magnetic film, amorphous—crystalline phase transition 5=9792
- magnetic history of local regions 5=4190
- magnetic reversals in films, study using Faraday effect 5=4191
- magnetoresistance of whiskers 5=12645
- magneto-striction, forced, anisotropy 5=15452
- magnetostriction, forced, temp. var. 5=12921
- mechanical props., Sn effects 5=6724
- mechanical strength, tensile, improvement by pre-torsion 5=12507
- meteorites, isotopic composition and conc. of Mo 5=15862
- Mössbauer expts, line positions and quadrupole coupling 5=11976
- n-irrad., pulsed, low temp. annealing mag. props. recovery 5=4192
- neutron irrad., atomic displacement anisotropy 5=6615
- n. m. r. at high-pressure 5=13005
- n.m.r. and Mössbauer effect, high press. effects 5=7283
- oscillator strengths 5=11434
- oxidation in AgCl and AgBr crystals 5=6257
- oxidation rate, initial, and effect of Curie temp. 5=10012
- p-irrad., mag. props. recovery, review 5=4192
- passive layer, characteristics meas. 5=13172
- phase diagram, to 200 k bar, 900°C 5=12006
- phase transform., whiskers, $\alpha \to \gamma$ 5=6293
- phases existing under h. p., crystal lattice determ. 5=1374
- photoelectric emission potential meas. in mag. fields 5=7055
- plastic deform.,fine struc.,surface active medium effect 5=1527
- plastic deformation, stresses, internal, temp. var 5=12508
- polarized positron annihilation 5=9611
- proton effects, thick target radionuclide buildup, 1, 3 GeV 5=12434
- pulse loads, resistance to fracture, meas. 5=6728
- recrystallization, cold rolled, on heat treatment 5=6372
- self-diffusion, effect of B, rel. to grain bndry energies 5=1437

Iron—contd
- shock compression waves in, structure 5=112
- slip, microyield 5=12512
- soft, plastically stretched, lattice deform. 5=1526
- spectra, atoms, laboratory prod. in vacuum u.v. in Scylla plasma 5=7658
- spectra, vacuum u. v., solar rel. to laboratory 5=1981
- surface tension, 1550°C, meas. 5=14844
- thermal expansion, electronic part, 1. 5°-4. 2°K 5=6561
- twin formation and growth, 78°K 5=6373
- under tensile stress and alternating torsion 5=3855
- thermal conductivity, meas., liq. air to room temp. 5=1428
- work function, electronegative gases effect 5=4123
- work hardening, plasticity boundary stabilization 5=12477
- zone-melted, Co effect on recrystallization 5=6374
- CO photodesorption 5=9251
- α-Fe, crystal growth 5=12112
- α-Fe thermal expansion, below 100°K 5=12296
- γ-Fe, lattice diffusion 5=12324
- Fe XIII spectrum theory for corona conditions 5=13781
- Fe–0. 01%C, internal friction peaks, 65°-500°K n irrad. 5=9559
- in Fe—Co [Ni] alloys, mag. interact. ranges calc., n.m.r. versus Mössbauer effect 5=1816
- Fe^{57} in UO$_2$, Mössbauer effect, quenching effects 5=14901
- Fe^{2+} in Ag halides, absorpt. spectra 5=9909
- Fe^{3+} e. s. r. in amethyst and citrine quartz 5=7235
- Fe^{3+}, e. s. r. in ZnAl$_2$O$_4$ spinel, synthetic 5=15492
- Fe^{3+} in II-VI cubic crystals, g-value 5=7237
- Fe^{3+} in AlCl$_3$6H$_2$O, zero field reson. and spin Hamiltonian parameters 5=4243
- Fe^{3+} ions in Al$_2$SiO$_5$, e. s. r. spectra, sites calc. rel. to zero mag. field maser use 5=7234
- Fe^{3+} in MgO, e. s. r. higher order transitions calc. 5=15500
- Ir^{191m} orientation 5=1231
- W and Ru dissolved atoms, internal magnetic field 5=11966

Iron alloys
- See also Iron compounds; Steel.
- alloys with Th, eutectics, melting and struct. 5=14877
- Alnico (5%Ti) (34%Co), phases, structure, mag. props. 5=6262
- conduction electron spin-density oscillations 5=4193
- Ferroxplana in Co$_y$Cu$_{2-y}$W$_{Sr}$ anisotropy and permeability, temp. var. 5=7124
- Ferroxplana in Co$_y$Ni$_{2-y}$W$_{Ba}$, anisotropy and permeability, temp. var 5=7124
- Ferroxplana in Co$_y$Ni$_{2-y}$W$_{Sr}$ anisotropy and permeability, temp. var. 5=7124
- high strength, review 5=1545
- martensitic transformation, elastic moduli, supercooling and heat evolved correl. 5=12008
- Permalloy films, ferromagnetic reson. 5=7197
- Permalloy films, mag. reversals in field normal to easy magnetization axis 5=15457
- Cr-Fe, dilute, superparamagnetism and super-antiferromagnetism 5=12959
- α-Fe alloys with dispersed phase, strain hardening and stress depend. of disloc. vel. 5=6722
- Fe Al, conduction electron spin susceptibility 5=4194
- Fe—Al, Hall effect 5=1613
- Fe—Al, sintered, structure and props. 5=1252
- Fe—Al superlattices, near Fe$_3$Al, elec. resistivity 5=9633
- Fe—Al, texture and magnetostriction 5=14993
- Fe–Al, Young's dynamic modulus and internal friction in vacuum, 25 to 1200°C, apparatus 5=6667
- Fe—Al (20-40 at. %), phase transforms. and long range order var. 5=14929
- Fe—Al—C, ϵ-phase, X-ray study 5=1253
- Fe-base austenitic alloy on creep 5=3856
- Fe—C, ageing, martensitic transform., mag. saturation method meas. 5=6294
- Fe—C, disloc. generation by hydrostatic press. 5=6632
- Fe—C, ferrite sideplates, formation, thermionic emission study 5=1317
- Fe—C, viscosity 5=11864
- Fe—C—S, surface tension, 1550°C. meas. 5=14844
- Fe—Co, elec. conduc. and Va addition 5=6844
- Fe—Co, electronic specific heat and saturation magnetization 5=6546
- Fe—Co magnetostriction, forced, temp. var. 5=12921

Iron alloys—contd
Fe—Co^{59} n. m. r., dilute 5=9862
Fe–Co, plastic flow stress and atomic order 5=9560
Fe—Co—Ni ternary alloys, Curie temp. prediction 5=4195
Fe(49%)—Co(49%)—V(2%), mechanical props. temp. var. and order transforms 5=12510
Fe—Cr, α → γ martensitic phase transformation 5=6299
Fe–Cr, ageing and precipitation, Mössbauer effect meas. method 5=6725
Fe—Cr, coexistence of ferro and antiferro phases 5=9795
Fe—Cr δ ferrite, phase transformations rel. to hardening and Cr content 5=6298
Fe—Cr, chemical analysis, X-ray fluorescence effects 5=7452
Fe—Cr, fission gas release 5=12325
Fe—Cr (≤ 21%), viscosity, 1500-1800°C 5=11865
Fe—Cr—Ni, martensitic 5=6300
Fe—Cr—S—O system, subliquidus phase relations, 900°–1490°C 5=11989
Fe—Cu, mag. loop reptation, Cu separation, meas. versus theory 5=7133
Fe—Cu, surface tension, 1550°C. meas. 5=14844
Fe—Ge system, B8$_2$ phase and variant type diagram 5=9229
Fe–Mn, damping peaks for direct, inverse martensitic transform. temp. var. 5=6726
Fe—Mn, liq., density and surface tension isotherms 5=3313
Fe—Mn, twins by etch-pits 5=3536
Fe—Mn (≤ 15%), viscosity, 1500-1800°C 5=11865
Fe—Mo, diffusion of Mo and Cr, 1200°-1250°C, mechanism 5=3718
Fe—Mo, Hall effect 5=1613
Fe—Mo—B, factors affecting mech. strength 5=3857
Fe—N system, Austenite—ferrite transform. 5=12007
Fe—N solid solns., entropy 5=3703
Fe—Ni, austenite and martensite, elastic moduli 5=1524
Fe—Ni, deformed, elec. cond., temp. depend. 5=15278
Fe–Ni, elastic fatigue limit, crystal struct. effects 5=9561
Fe—Ni, free energy, 1113°—1783°K 5=6540
Fe—Ni, Hall effect 5=1613
Fe—Ni, internal twinning in martensite plates 5=1296
Fe—Ni magnetostriction, forced, temp. var. 5=12921
Fe—Ni spherules in tektites, mag. props. 5=12933
Fe + Ni, microstruct. and fracture, mechanical strength, temp. var. 5=1534
Fe^{57}—Ni, Mössbauer spectra of irrad. and unirrad. specimens 5=6252
Fe—Ni surface, electron transfer direction 5=3937
Fe (50 at %)—Ni (25 at %) —Al (25 at %), diffuse X-ray scatt. calc 5=12204
Fe—Ni—Cr, dislocation motion, thermally-activated rel. to stress and impurities 5=6627
Fe–Ni–Mn alloys, cavitational erosion by molten Pb 5=6745
Fe–Ni–Ti, hardness, γ–α–γ transform. effects 5=6727
Fe—P (≤ 6.7%), viscosity, 1500-1800°C 5=11865
Fe—P liq. alloys, viscosity and elec. resistivity 5=3320
Fe—P, surface tension, 1550°C meas. 5=14844
Fe—S liq. alloys, viscosity and elec. resistivity 5=3320
Fe—S surface tension, 1550°C. meas. 5=14844
Fe—Si, brittle fracture, effect of prestrain and strain ageing 5=3858
Fe–Si, chevron-shaped Weiss domains 5=7127
Fe—Si, domain examination 5=12925
Fe—Si, edge dislocation mobility 5=12395
Fe—Si(3%), fracture crack growth 5=9562
Fe—Si, internal friction, effect of quenching temp. 5=15167
Fe—Si, liq., density and surface tension isotherms 5=3314
Fe—Si, mag. process in weak and moderate fields, domain calc. 5=1742
Fe—Si, magnetostriction curve rel. to domain structure changes 5=4201
Fe—4.2% Si, plastic deform. temp. effect on disloc struct 5=3751
Fe—Si, slip bands, formation in pre-yield microstrain region 5=1525
Fe—Si(3%) slip, microyield and grain size 5=12512

Iron alloys—contd
Fe–Si strip, secondary recrystallization by impurity inhibition 5=6375
Fe—Si system, γ loop extension by h.p. 5=6296
Fe—Si, twins, three-dimensional shape 5=14963
Fe—Si, vol. magnetostriction, crystal effect anisotropy 5=4200
Fe–Si, Young's dynamic modulus and internal friction in vacuum, 25 to 1200°C, apparatus 5=6667
Fe—Sn liquid-miscibility gap 5=3308
Fe—Sn, surface tension, 1550°C. meas. 5=14844
σ (Fe—V), order—disorder at ~670°C 5=6297
Fe—V (≤ 2.2%), viscosity, 1500-1800°C 5=11865
Fe—W, diffusion of Mo and Cr, 1200°-1250°C, mechanism 5=3718
Fe—W, X-ray scatt., size effect, meas. versus calc. 5=1244
Fe—Zn, electrodeposited structr. and phase transformations 5=9337
Hg–Fe, highly dilute, superparamag. field, temp. var. 5=7094

Iron compounds
See also Ferrites; Iron alloys; Steel.
austenite, recrystallization during high-temp. thermo-mechanical treatment 5=3560
chromite–periclase, microstruct. at 1650°-2310°C 5=6408
columax, domain structure 5=12912
electronic interactions in ionic cpds. 5=3432
ferrocene, magnetic anisotropy 5=12871
hematite, identification by mag. low temp. remanence 5=12926
magnetite, identification by mag. low temp. remanence 5=12926
magnetite, magnetic domain struct. study 5=7136
magnetite mixture with Cu ferrite, thermodynamic funcn. conc. depend. 5=6539
magnetite, single cryst., domain struct. 5=1743
marcasite, space group 5=6467
pyrrhotite, magnetocrystalline anisotropy 5=1762
wüstite, reduction in mixtures 5=12326
Fe carbide, pseudo-hexagonal, crystal structure 5=1373
Fe-group cyanides, molec. orbital anal. 5=6254
Fe hexacyano-ferrate ions, force constant ratio rel. to freq. ratio 5=5828
Fe^{57} Laves phase cpds., Mössbauer effect and hyperfine mag. interaction 5=3430
Fe martensite, strenthening by C-rich regions, model 5=15166
γ-Fe oxide particles, Preisach funcn. stability 5=12923
Fe^{2+} Tutton salts, mag. anisotropy and susceptibility, Ligand field theory 5=7083
FeAl$_6$ crystal structr. 5=9336
Fe$_3$Al, co-operative phenomena, theory 5=9794
Fe$_3$Al, ordering by 1st order transformation 5=6295
FeAl, Al^{27} n. m. r. 5=7273
FeAlO$_3$, crystal struct., atomic 5=12206
FeAl$_2$O$_4$, mag. props. 5=7178
Fe$_2$^{57}B, Mossbauer effect and internal mag. field 5=9202
Fe$_2$B and FeB, bonds, Mössbauer study 5=8831
Fe$_x$C in steel tempered at low temps., mosaic block size and microdefects 5=3769
Fe(CO)$_5$, rotational mag. moments 5=2991
FeCl$_4^-$, e. s. r. in organic solvents 5=11912
FeCl$_2$, Cl n. m. r. 5=12999
FeCl$_2$, Fe^{57} Mössbauer study, 1.5°-530°K 5=6251
FeCl$_2$.2H$_2$O crystal structure, 298°K 5=9344
FeCl$_2$ 4H$_2$O, antiferromagnetic susceptibility, 0.35 to 4.2°K 5=1771
FeCl$_2$.4H$_2$O antiferromagnetism 5=1772
FeCo powder, permeability, initial 5=7128
Fe$_x$Co$_{1-x}$Si, resistivity and thermoelec. power, 20 to 600°C temp var., calc. 5=7026
Fe$_3$Cr, structural and mag. transforms. 5=12922
FeCr$_2$O$_4$, magnetic structure 5=7164
FeCr$_2$S$_4$ spinel, magnetic and crystal structure 5=6458
FeGe$_2$, antiferromag., Mössbauer effect 5=14902
FeGe$_2$, antiferromag. structure and hyperfine field 5=9823
Fe$_{1.76}$Ge, magnetic structure, neutron diffract. exam. 5=4196
(Fe^{2+}, Mg)$_3$Al$_2$(SiO$_4$)$_3$, Al^{27} n. m. r. 5=15516
β–FeNaO$_2$, mag. structure and atomic position refinement 5=7165

Iron compounds—contd
Fe—Ni ferrites, anisotropy 5=12946
Fe—Ni ferrites, anisotropy and resistivity, rel. to thermomag. treatment 5=15464
$FeO_{1.066-1.127}$, crystal. struct., atomic, heat treatment effects 5=1375
FeO, mag. susceptibility, 100-400°K, up to 300 kOe 5=1774
Fe—O, Fe—Co and Fe—Cr, solubility of H, thermodynamics 5=11856
FeO—Fe_2O_3 liquid, activity and defect models 5=10018
FeO—Fe_2O_3—Al_2O_3 system, phase equilibria in spinel region 5=3465
FeO—Fe_2O_3—Fe_2SiO_4 liquid, activity and defect models 5=10018
α-Fe_2O_3, antiferromag. reson., orientation and freq. depend. 5=4231
α-Fe_2O_3, antiferromag. reson., 12-37 Gc/s, 230-290°K 5=1788
Fe_2O_3, antiferromag resonance spontaneous striction effect 5=7205
α-Fe_2O_3 colloidal sols., optical, mag. props., anisotropy, particle effects 5=15556
Fe_2O_3, effect on 120°C phase transition of $BaTiO_3$ 5=1261
Fe_2O_3 films, 260-4000 Å thick, transmission spectra 5=7344
Fe_2O_3, γ—α phase transformation by squeezing, mag. props. var. 5=6302
Fe_2O_3, (haematite), Morin transition, study by Mössbauer effect 5=3906
α-Fe_2O_3, hematite, 180° antiferromag. domain walls, polarized-neutron study 5=4198
α-Fe_2O_3, magnetization anomalous temp. dependence 4=1744
α-Fe_2O_3, memory effect on powdering single crystals, due to disloc. 5=1745
$xFe_2O_3 + (1-x)MeTiO_3$ (Me = Cu, Ni, Mn, Co), ferrimag, dielec. props 5=7168
α-Fe_2O_3, moment, spin density component 5=7135
$Fe_2^{57}O_3$, Mossbauer effect and particle size 5=9202
α-$Fe_2^{57}O_3$ particles, ultra fine, mag. props., Mossbauer effect 5=7134
α-Fe_2O_3, S-state cation aspherical spin density 5=4197
α-Fe_2O_3 sorption, spectrum obs., i. r. absorpt. 5=13056
α-Fe_2O_3, thermal expansion obs. of high temp. phase transforms 5=12867
α Fe_2O_3—NiO, phase diagram 5=3464
α Fe_2O_3—NiO—La_2O_3, phase diagram 5=3464
Fe_2O_4Zn. Fe_2O_4Mn. $Fe_2O_4Li_2$, struct., permeab. change due to n irrad. 5=3789
Fe_3O_4, cond., elec., < 119°K, crystal imperfect. mechanism 5=6830
Fe_3O_4, crystal growth in oxy-hydrogen flame, O—H ratio effect 5=3548
Fe_3O_4 dispersed powders magnetic props. 5=9798
Fe_3O_4, ferromag. props. calc., Curie temp. 5=4199
Fe_3O_4, remanent mag., self-reversal and recovery 5=9796
Fe^{57} OOH, α, β, γ, Mossbauer effect and mag. transitions 5=9202
FePd, mag. props. of ordered phase 5=12924
Fe_7S_8, mag. ordering and phase transitions 5=9797
$Fe_{1-\delta}S$, magnon scatt. of slow neutrons 5=7166
$Fe_{0.902}S$, neutron diffraction studies 5=7122
Fe_7S_8, semiconducting props., var. cuts, 77°-450°K 5=9681
$Fe_{1-\delta}S$, spin fluctuation scatt. of neutrons, rel. to temp. 5=7167
$Fe^{57}SO_4 . 7H_2O$, Mossbauer effect, quad. effect and isomer shift 5=9202
Fe_3Si, chemical. bonds, nature 5=11959
Fe_3Si, superstructure, up to 1200°C 5=12005
Fe_2SiO_4, mag. transition and crystal structure 5=9332
Fe_2Te_3, semiconducting props. 5=6937
$FeTiO_3$, magnetic exchange interactions 5=1775
$FeVO_4$, high-pressure form, structure 5=1376
$H_4Fe(CN)_6$, prep., lattice parameters, twinning, and refractive indices 5=6453

Irradiation effects. See Biological effects of radiations; Chemical effects of radiations; Physical effects of radiations.

Ising lattice. See Statistical mechanics.

Ising model. See Alloys; Ferromagnetism.

Isomerism
See also Nuclear isomerism.
2-butene, cis-trans isomerization by photochem. addition of HBr 5=4410
cyclopentane derivatives, "rotational" isomers 5=3030
D_{11} cyclohexane, conformational isomerization, n. m. r. study 5=1007
ethyl formate liquid, and u. s. relax. 5=11887
isopropyl formate solns., and u. s relaxation 5=11889
methyl formate liquid, and u. s. relax. 5=11887
stilbene in various solvents 5=3046

Isomerization. See Isomerism.

Isotope effects
molecular bond vibrs. 5=11487
molecular vibr., and mass spectra 5=5822
6. 9 MeV protons, in elastic scatt. from Ni nuclei 5=5619
Ar, isotopic analysis, with omegatron 5=11473
C^{13} and O^{18} isotope effects in quinoldic acid decarboxylation 5=7419
$Ca^{40,44}$ mesic atoms, X-ray spectra 5=932
Cd u. v. lines, shifts and hyperfine struct. 5=14622
Er I, spectrum, isotope shift 5=11474
Eu^{152}, isotope shift 5=8517
H—D, kinetic effect, pot. energy surface 5=3084
H_2Se^{80} 5=11534
He, solid, effect on lattice distortion and heat of mixing 5=2180
Hg 195, 195m, 194, 193, 193m, 192, spectra shifts 5=5491
I_2, vibrational displacements 5=5848
N_2O_3 chemical reactions, exchange calc. 5=4377
O_2^{16} and O_2^{18}, Schumann-Runge system 5=5852
Se, in fluorine n. m. r. 5=1003
U, spectrum shifts 5=5774

Isotope exchanges
CO chemisorbed on W, isotopic mixing, kinetic study 5=10001
D and H, in quantum statistical weight charges 5=13140
HCl $+D_2$, and DCl + H_2, gases, u. v. induced 5=4412
O^{18} labelled O_2, for diffusion meas. in rutile crystals 5=9417
O_2, in ZnO chemisorption reactions 5=13167

Isotope separation
See also Radiochemistry.
beam stabilization, ion optical effects 5=14623
column packing 5=8783
by diffusion in gas phase 5=14624
electrolytic counter-column theory 5=5816
e.m. isotope separator 5=11475
mass spectroscopy, small quantities, review 5=5728
I.K.O. separator, laboratory 5=8782
CO, mass 28 and 29, thermal diffusion column transport coeffs. 5=8781

Isotope shifts. See Isotope effects; Spectra.

Isotopes
four-neutron "isotope", existence 5=2736
104 production by Pu^{242} $(Ne^{22}, 4n)104^{260}$ 5=8685
Cr, foil preparation 5=12044
Fe, foil preparation 5=12044
H^4, energy levels, lifetime and decay 5=2736
H^5, energy levels, lifetime and decay 5=2736
Hg^{193} production and spectra 5=11195

detection
See also Mass spectra; Radioactivity.
of mass number 104, synthesis and identification 5=5812
Cm^{247}, natural, search 5=13218

relative abundances
See also Elements/relative abundances.
in meteorites at Bruderheim and Peace River, S^{32}/S^{34} ratio meas. 5=15860
rare gases in Renazzo chondrite 5=15857
stars, and neutron capture 5=15791
B, origin by spallation in prototerrestial bodies 5=931
Be, origin by spallation in prototerrestial bodies 5=931
C^{12}/C^{13}, in comet 5=4640
Li, origin by spallation in prototerrestrial bodies 5=931
Mo, stellar formation hypothesis 5=5814
Pu^{241} neutron fission, heavy fragments mass—yield curve, versus U^{235} and Pu^{239} 5=2859
U, analysis with Hypeac and automatic electronic integrator 5=5815

Jahn—Teller effect. See Molecules.
Jet stream. See Atmosphere/movements.
Jets
See also Sprays.
acoustic wave generation collision in "singing" flame 5=2107
air, heat transfer from cylinder, height effect on coeff. 5=4827
constrained, impinging calculations 5=14782
fluid, current-carrying, issuing from nozzle, instability, erratum 5=7991
fluid, incompress. pseudoplastic, axisymmetrical free laminar 5=11777
free turbulent jets, acoustic power and noise 5=13963
gas, cond., elec., meas. by circuit Q var. 5=1158
gas, liquid drops breakdown and vibr. 5=6140
gas, supersonic, and charge exchange chamber vacuum improvement 5=8941
jet engines, noise, flight velocity effect 5=13964
m. h. d., grazing wall 5=10517
plane free turbulent, in transverse mag. field 5=7985
round, laminar, thermal distrib. 5=11793
salt water, elec. cond., mean meas. 5=11900
for surface tension meas., vibr. 5=1166
water jets, dispersion into air 5=6137
waves, transverse, for viscous liquid 5=11848
Jets, cosmic-ray. See Cosmic rays/showers and bursts.
Joule—Thomson effect
plasma, Debye length importance 5=3142
Jogs. See Crystal imperfections/dislocations.
Johnsen—Rahbek effect. See Adhesion; Electrostatics.
Johnson noise. See Fluctuations/electrical.
Joshi effect. See Discharges, electric/glows.
Jupiter. See Planets.

K-capture. See Radioactivity/electron capture.
Kaons. See Mesons.
KDP. See Potassium compounds.
Kerr effect. See Electro-optical effects; Magneto-optical effects.
Kicksorters. See Counting circuits.
Kikuchi lines. See Electrons/scattering.
Kinematics
No entries
Kinetic theory
adsorption and condensation 5=6324
atoms in irradiated medium, energy distribution 5=11983
dense fluids, bulk viscosity 5=3315
electron gas in positive background, nonequilibrium theory 5=91
flow, Couette, linearised 5=9027
hydrodynamical equations 5=6058
pair distrib. function props. 5=93
radiation in plasma 5=5996
thermal transport coeffs., kinetic rel. to correlation-function method 5=2151
gases
See also Association/gases; Brownian movement; Collision processes; Diffusion in gases; Equations of state/gases; Joule—Thomson effect; Molecules/intermolecular mechanics.
alkali metals, transport collision integrals calc. 5=14813
beams, detection, and velocity dispersion, calc. 5=5917
binary mixtures with Morse potential 5=14801
binary mixture with r^{-5} interaction, model eqns. 5=14803
Boltzmann collision operator, bilinear structure 5=14675
Boltzmann collision operator, eigenfunctions 5=3264
Boltzmann eqn. for dense gases 5=6100
Boltzmann—Krook eqn. soln. for shear flow problem 5=1147
collision integrals for 9-6 and 28-7 potentials 5=9054
collision model of Bhatnagar appl. to two species 5=14802
dense, Enskog eqn., generalized 5=9038
dilute, with short-range forces 5=11804
equilibrium approach, master eqn. preferable to H 5=6099
flow in capillaries, thermomol. press. drop 5=6076
halometnanes, accommodation coefficient for Pt 5=14808
heat conduction 5=10367
inert gases, 2nd virial coeff. calc. 5=3085
Ising model, 1-dimensional 5=6079

Kinetic theory—contd
gases—contd
linearized, time-dependent problems, elementary solutions 5=3274
master eqn 5=9051
molecules with degenerate internal states 5=3263
plasma, pair correl. function integral operator 5=5972
quantum Boltzmann equation, perturbation var. methods 5=3263
quantum, with 12-6 potential, transport collision integrals 5=9053
relaxation problem, completeness property of solns. 5=14804
second virial coeffs., rel. to intermolec. potential energy functions 5=11806
shock wave formation 5=7830
sliding velocity, on infinite smooth plate 5=6075
with spherical molecules, transport cross-sects 5=9050
Sutherland-Warsiljewa coeffs. derivation 5=6105
transport coeffs. for moderately dense gases 5=6101
transport coeffs., Sonine polynomial expansion 5=6103
transport collision integrals for 9-6 and 28-7 potentials 5=9054
transport processes in dense gases, theories comparison 5=6104
vibrational de-excitation, dependence on interaction potentials 5=8901
weakly coupled gas 5=79
liquids. See Liquids/theory.
Kirkendall effect. See Diffusion in solids; Precipitation.
Klystrons. See Electron tubes.
Knight shift. See Nuclear magnetic resonance and relaxation.
Knudsen number. See Flow; Hydrodynamics.
Kohn effect. See Crystal electron states; Crystals/lattice mechanics.
Kramers—Kronig relations. See Dielectric phenomena; Optical properties of substances.
Krypton
adsorption on exfoliated graphite 5=14955
adsorption on Mg evaporated films, microstruct. meas. method 5=12050
80 keV ion penetration depth, in GaAs crysts. 5=6648
electronic conduction, anomalous 5=3271
intermolecular potentials 5=14676
ion beam transmission in plasma 5=4933
ions, Kr^{2+}—Kr one and two-electron capture meas. 5=1052
ions, recombination, empirical regularities 5=14693
in meteorites, isotopic composition 5=15859
in ocean deeps, and supersaturation 5=13227
photoionization absorpt., 23.6-250Å 5=8743
plasma in mag. field, probe, negative I—V characts. 5=3182
positron annihilation 5=2601
radial distribution functions 5=3297
shock hugoniots 5=13922
solid, shear strength, press. var., versus In standard 5=15145
vapour press., 77-180°K, review 5=9181
Kr IX and X, resonance lines 5=8748
Kr I lines, transition probabilities 5=11440
Kr I lines in vac. u.v. 5=11439
Kr^{85} diffusion in multicomponent inert gas mixtures 5=3278
Kr^{85} impregnated surface layer on Cu, removal by Kr ion beam 5=3785
Krypton compounds
KrF_2, crystal lattice structure 5=6460
KrF_2^{19}, n. m. r. shift in HF, and preparation 5=14867
KrF_2, vapour, i.r. and Raman spectra 5=11535
Kurie plots. See Beta-decay theory; Beta-ray spectra.

LCAO calculations. See Molecules/electronic structure; Orbital calculation methods.
Laboratories
See also Acoustical laboratories.
air ion recombination rate 5=5958
Kansas State University. physics—maths. building 5=4703
nuclear physics, Mexico 5=5248
Laboratory apparatus and technique
acceleration of flat plates to high vel. 5=1996

Laboratory apparatus and technique—contd
air pressure control valve, silenced 5=7693
alloys, casting, pressure, arc melted 5=13793
combustion bomb 5=10199
drilling by electron and laser beams, comparison 5=4698
electrical lead bonding to Ge 5=10194
evaporation source, electron bombardment, for Ni—Fe films 5=10196
evaporator for thin film deposition 5=3495
evaporator, Sb, low-temp. 5=6318
film substrate rotator for deposition system 5=6319
fluid level adjustment device in cutting trough 5=4700
gas microdoser 5=1993
gas pipette, all-metal, for sensitivity calibration of mass spectrometer 5=8729
glass blowing, radioactive, toxic materials, protection 5=4699
heating Si-substrates in vacuum to > 800°C 5=4691
high press. clamp for He^3 temps. 5=13800
high pressure bomb at low temps. 5=13798
high-pressure belt-type apparatus, container for low b.p. liqs. 5=7698
ion beam machining 5=14085
isolation trap for adsorption studies on evaporated films 5=6328
katharometer leak detector 5=15899
line pattern prod. for photographic reprod. 5=7694
magnetic materials, spheres of specified diameter prod. 5=7695
metal foils, prep. for electron microscope exam., review 5=3496
metal impregnation into porous glass 5=1999
metal powder sample prep. for n. m. r. study 5=12995
metal tube bending, frozen benzene as filler 5=1995
metals, nondestructive testing, appl. of u. s. imaging 5=2132
microelectronics, electron beam processes, conference 5=7691
microspheres, crush strength, meas. apparatus 5=3820
particulate materials, prep. for electron microscope examination 5=3447
polytetrafluoroethylene value, reliable, pneumatically operated, for crystal growth 5=6398
press, tetrahedral-anvil, efficiency 5=2000
rare earth β-spectroscopy sources, electro-deposition techniques 5=8571
resistors, micro-element, fabrication by electron beam 5=2184
semicond. whiskers, mounting and electroding 5=7692
semiconductor slices, dicing method 5=15898
silica windows for shock tubes, mounting methods 5=4790
snow, moving, dynamic effect study apparatus 5=10034
solder flux, non-sputtering, using polyethylene glycol 5=7696
solids, u. s. pulse propag. problems 5=6527
Soxhlet syphonings, recording and controlling 5=1992
spherical coil computer controlled prod. 5=13790
syringe 5=13792
tetrahedral anvil apparatus, improved test material 5=15133
washing plastic carbon replicas 5=13791
Cr(100) crystal, cleaning methods 5=3515
Cu wire protection by Al paint in high-temp. air 5=1998
In elec. contacts, semitransparent 5=13794
UH_3, preparation for spectral researches 5=10198
Lamb shift. See Spectra/atoms.
Lambda (λ) point. See Helium/liquid; Phase transformations.
Lamps. See Light sources.
Landé splitting factor. See Spectra; Zeeman effect.
Langmuir probes. See Discharges/electric; Plasma/measurement technique; Space vehicles/instrumentation.
Lanthanous. See Rare earth metals.
Lanthanum
nuclear quadrupole relaxation, Knight shift, in f. c. c. lattice, 295-825°K 5=4270
self-diffusion, and n. q. r., 295-825°K 5=4270
superconductivity 5=6874
superconductivity and microstruct. when quenched with Rh 5=3999
La^{139} in h.c.p. polycryst. La, quadrupole coupling and Knight shift anistropy 5=1817
Lanthanum compounds
L_{III} X-ray spectra 5=7345
La borate, Eu activated, fluorescent props. 5=9950

Lanthanum compounds—contd
La fluoride and nitrate, Nd^{3+} spin—lattice relax. rel. to mag. fld. 5=4248
La nitride La^{139} nuclear quadrupole coupling spin temp. polarization expts. 5=1232
La tetra- and hexa-borides, X-ray absorpt. spectrum of La 5=4312
La AlO_3, crystal struct., atomic 5=12207-8
$LaCl_3$: Pr^{3+}, Nd^{3+}, Sm^{2+}, fluorescence decay, 4.2° to 77°K 5=13121
LaF_3 films, crystal struct. 5=12049
LaF_3 films on silica, struct., substrate temp. effects 5=12048
LaF_3:Er^{3+}, crystal lattice relax., Orbach, and spectral line breadth 5=9371
La—Gd, superconductivity 5=6874
$La_2Mg_3(NO_3)_{12}$, neutron transmission and polarization 5=5356
$La_2Mg_3(NO_3)_{12}.24H_2O$, Ce, Nd, Sm e.s.r. linewidths 5=7215
La_2NiO_4, magnetic interaction 5=9810
La_2O_3—BeO system, phase diagram, crystal struct. atomic. refractive index. 1200-2600°C 5=6278
La_2O_3—Gd_2O_3—Y_2O_3, Eu^{3+} luminescence 5=13110
La_2O_3:Nd^{3+}, luminescence 5=13119
La_2O_3—NiO, phase diagram 5=3464
$La_{0.5}Sr_{1.5}MnO_4$, magnetic interaction 5=9810
$La^{139}{}_{1-x}Th_xRu_2$, La^{139} n. m. r. and e. s. r. of Gd 5=9857
La—Se solid soln., elec. and mag. props. review 5=1724
La—Te, thermoelec. and elec. meas. 5=12646
Lasers
See also Light/coherence.
absorption of radiation, effects 5=14146
absorption saturation at high intensities 5=14195
alkali metal vapour arc, nuclear-heat excited, calc. 5=14148
absorption spectra, gases, absolute meas. 5=6090
air breakdown 5=8926
applications conference review 5=4995
atmospheric radar echoes 5=4473
beam, irrad. of crystal, harmonic, sum and difference freq. generation 5=2312
beam scattering in Eu benzoylacetonate soln. 5=6180
beam self-trapping 5=10601
benzene—acetone, toluene or fluorobenzene, Raman 5=290
book 5=14143
Brillouin scattering, stimulated in liquids 5=3340
cavities, single and multiple elliptical, efficiency 5=10592
cavities terminated by diffr. grating 5=10593
cavity with reflectors, modes 5=8048
closed ring system using hemicylinders 5=10657
coherence, theory 5=8071
coherent radn., < 1 mm wavelength, generation, detection, properties 5=10574
conference, on physics and applications, Berne (1964) 5=14144
coupled-mode, oscillation 5=270
crystal phonon absorpt. and low temp. prod. 5=13993
deflection with conjugate resonator 5=8044
dilute atomic system, in dielec. medium, Einstein relations 5=2890
drilling, compared to electron beams, review 5=4698
dual-polarization, freq. splitting and mode competition 5=4999
eigenvalues for integral eqns. 5=10590
electromagnetic wave scattering, by free electrons, in high intensity field 5=4960
for electron—photon scatt. detection 5=2596
emission fluctuations under pulse conditions 5=10608
evaporation of solid by laser radiation 5=14887
f.m., rel. to single freq. light generation 5=10678
flamelasers, feasibility 5=4997
focused beam, generation of microplasmas 5=1071
frequency modulation theory 5=4990
frequency translation by electro-optic control 5=10600
Gaussian beam chart, dual forms 5=10589
giant pulse peak power, optimum conditions 5=8045
giant pulses, org. dye solutions as optical switches 5=2314
high-intensity propagation through absorptive and amplifying media 5=320
interference at high field strengths 5=10603

Lasers—contd
interference and second harmonic generation in solid, semipop. review 5=2274
interferometer, rad. field geometry 5=10599
interferometry, fringe counter, high speed 5=10713
internal modulation 5=10594
ionization of gases, theory 5=11657
length measurement 5=10206
light from gas discharge, ang. distrib., model 5=11622
light modulation, at extreme frequencies 5=298
light source phase charge meas. in visible and near i.r. 5=8111
linewidth, generalized multimode equn 5=8040
liquid, elliptical head for studies 5=8069
mode locking by external doppler cell 5=10602
optical aspects 5=10680
optical switch for high brightness pulse control 5=10605
materials 5=10588
materials, rel. to luminescence, conference Hull, (1964) 5=7381
mode transformation by weak coupled passive resonator 5=4992
modulation of beams by interferometric devices 5=5032
modulation, internal, (coupling-type), small signal analysis 5=271
multi-photon processes, theor. calculation 5=8039
navigational appl. 5=269
nearly coherent source, e. m. field meas. theory by photoionization 5=211
nitrobenzene, Raman, laser stimulated, 90° Stokes radiation 5=2305
noise and coherence, nonlinear theory 5=272
noise and coherence, nonlinear theory 5=8047
optical problem application 5=2339
optical second harmonic generation in org. crystals 5=7377
optical switches for giant laser pulses, dye solns. 5=2314
oscillation characteristics, effect of spontaneous emission 5=8050
oscillators, multimode, internal modulation 5=10595
phase-modulated beam demodulation by autocorrel. technique 5=5033
photoelastic materials, hypersonic wave excitation by coupling 5=9374
for plasma density meas. by osc. excitation 5=1101
for plasma meas. of electron density in fast θ-pinch by excitation of coupled i. r. resonators 5=3194
polarization eigenstates 5=8142
polarizer of plane parallel plates for increased power 5=2281
potentials in communications 5=10591
prism reflectors, mode-selecting 5=2282
production and props. of speckle patterns 5=10679
properties by statistical analysis 5=2277
Q-switched, transient effects 5=8046
quantum theory review 5=8038
radiation dynamics with variable losses 5=10607
radiation energy meas. by calorimetry 5=14147
radiation spectral analysis, mirror interferometer 5=8136
Raman, benzene—acetone, toluene or fluorobenzene lasers 5=290
Raman medium, Stokes and anti-Stokes waves 5=14145
Raman, multimode effects 5=8042
Raman oscillator-amplifier, props, 5=8041
Raman, phonon mechanism 5=4993
rate equations and spike patterns, mech. analogy 5=2276
regenerative amplifier 5=2280
resonator, conjugate—concentric 5=10598
resonator, Fabry—Perot interferometer, phys. formulation 5=2279
resonator, microwave model 5=10596
resonator modes, Schmidt expansion 5=10597
resonator, parametric frequency conversion by KDP electro-optic effect 5=4991
resonators, multimode, with small Fresnel number 5=10609
resonators, passive, spontaneous oscill. stimulation 5=2275
review 5=267
review, semipopular 5=268

Lasers—contd
scattering calculation, Rayleigh and Mie particles, for mesosphere 5=13373
scattering freq. shift on laser prod. plasma 5=3173
scattering, by ideal gases 5=10722
spark prod., radiative detonation model 5=5946
spectral line, limiting width of signal 5=4986
stability of output, theory 5=4996
stationary radiation instability 5=10606
stimulated radiation, complex modes 5=8049
transmission line formulation 5=2278
traveling wave stability 5=10604
in upper atmosphere meas. 5=15693
for velocity meas., light, constancy for var. source velo. 5=8075
Cs arc, nuclear-heat excited, calc. 5=14148
CS_2 off-axis resonator, stimulated Brillouin scattering 5=14149-50
Cs_3Sb double photon photoelec. emission after laser beam irrad. 5=4134
Eu benzoyltrifluoro acetonate soln., room temp. 5=5026
Eu-chelates dissolved in acetonitrile 5=10610
Eu chelates dissolved in ethanol, Xe-excited 5=5025
H, atomic, relax. rates 5=11471
H_2O, laser stimulated Brillouin scattering 5=9111
Xe arc, nuclear-heat excited, calc. 5=14148

gaseous
communication in atmosphere, methane absorpt. 5=8864
diffraction-loss and beam size, for spherical 5=273
freq. mod. by u.s. diffraction grating in quartz 5=2292
inert, and mixtures, u. v. 5=14156
infrared transitions, new, by dominance removal 5=2284
interferometer, vibrating mirror stripe display for plasma density meas. 5=5084
for interferometry, long distance, He—Ne 5=10714
interferometry of small windows, giving image on screen 5=321
mode selection by molecular absorption 5=14154
new stimulated i.r. transitions in inert gases 5=5783
for plasma, meas. of electron density 5=6017
stabilization of frequency, atomic transition profile reference 5=274
three-mirror system, off-axis feedback modes 5=2283
travelling wave ring, unidirectional oscillation 5=2285
Ar$^+$ laser level relaxation 5=4998
CO, ionized, visible laser transitions 5=10621
CO, oscillations on $X^1\Sigma^+$ vib.—rot. transition 5=2286
CO pulsed, excitation mechanisms of population inversion 5=2288
CO, recovery time dependence on pressure and tube bore 5=2287
CO_2, 3p-3s, in high current pulsed discharges 5=276
CO_2, vibrational—rotational transitions, laser action 5=2992
D_2O vapour, stimulated emission in discharge 5=8054
H, 35 kV discharge excitation, pulsed 5=8055
H_2O, far i. r. 5=5004
H_2O vapour, stimulated emission in discharge 5=8054
He^3, nuclear Zeeman 5=275
He—air, oscillations, 27 Mc/s 5=279
He—CO_2, oscillations, 27 Mc/s 5=279
He—Ne, a. m. and stability chars. 5=14152
He-Ne, ang-oscill. modes, difference freq. spectrum 5=8051
He—Ne, appl. to internal stresses determ. 5=6677
He—Ne, beam broadening due to falling snow at 6300 A 5=2349
He—Ne, communication system transmitter 5=5002
He—Ne, design for constant power at single freq. 5=8052
He—Ne, dual-polarization, freq. splitting and mode competition 5=4999
He—Ne, e-density of aterglow of Z pinch in H, meas. 5=14686
He—Ne, excited Raman spectra, external recording 5=2337
He—Ne, with external concave mirrors, freq. spectra 5=10613
He—Ne, f. m. by KDP 5=5001
He—Ne, freq. mod. by u. s. diffraction grating in quartz 5=2292
He—Ne, frequency stabilization by inversion density 5=2290

Lasers—contd
gaseous—contd
He—Ne, gain and maximum output 5=10612
He—Ne, Hanle effect 5=2289
He—Ne, interferometer for plasma density meas. 5=8138
He—Ne laser amplifier 5=10614
He—Ne laser beam, use of spectrometer 5=5067
He—Ne, length measurement, with interferometer 5=10207
He—Ne, light noise correl. with discharge current noise 5=2291
He—Ne, for low absorpt. meas. by thermal lens effect 5=2341
He—Ne, mode selection by methane mol. absorpt. 5=14154
He—Ne, modulation by KDP, internal 5=14153
He—Ne, moving striations 5=2293
He—Ne, use in optical resonator 5=8043
He—Ne, optimum composition 5=10611
He—Ne, pulsed discharge, optical gain 5=8056
He—Ne, Raman scatt. by benzene, ang. depend. 5=11554
He—Ne, rel. to reflective densitometer technique for spectrographic meas. 5=2332
He—Ne resonator, transient and less effects 5=8053
He—Ne, simplified construction 5=14151
He—Ne, spontaneous emission noise 5=5000
He—Ne, stabilization on atomic line centre 5=10615
Hg—rare gas, pulsed, simultaneous action, visible and u. v. 5=5003
Hg^{2+} 5=277
I—inert gas (Kr, Ar, Xe) transitions 5=14155
I, photodissociation lasers 5=10617
N$_2$, ionized, visible laser transitions 5=10621
N$_2$ pulsed, excitation mechanisms of population inversion 5=2288
N$_2$—CO$_2$, vibr. energy transfer 5=10619
N$_2$O (N$_2$—N$_2$O system), c.w. laser action 5=10620
NH$_3$, 3p-3s, in high current pulsed discharges 5=276
Ne—air, oscillations, 27 Mc/s 5=279
Ne, i. r., bibliography 5=278
Ne pulsed discharge, 6143 and 5944A° 5=14157
Ne, pulsed discharges, optical gain 5=8056
Ne, 2s—2p, 3p—2s transitions, 10m long 5=2294
Ne, yellow and orange transitions 5=10618
Ne—CO$_2$, oscillations, 27 Mc/s 5=279
Ne—N$_2$, oscillations, 27 Mc/s 5=279
NO, B'-C(4, 1) band 5=2295
O, 3p-3s, in high current pulsed discharges 5=276
O$_2$, ionized, visible laser transitions 5=10621
O$_2$ laser aging characteristics 5=10622
Xe, c. w., orange through blue-green transitions 5=5006
Xe, ionized, laser radiations in visible region 5=5005
solid
damage threshold to glasses 5=1490
e. m. p., feasibility 5=14158
gating by u. s. in rod 5=282
glass fibre, amplification 5=286
injection, four- or three-level laser? 5=10623
injection pump for Nd^{3+} doped hosts 5=10631
many element 5=283
optically pumped, multiple-quantum transitions and line splitting 5=280
photon echo obs. 5=10625
plasma prod. on graphite, electron temp. meas. 5=5975
pumping in liquid N$_2$, Xe—Ar flash lamp 5=2296
pumping, by plasma theta pinch 5=5007
ruby bidirectional electrically switched laser 5=10635
ruby, Brillouin scatt. by CCl$_4$ and n-hexane 5=3339
ruby, characteristics 5=10639
ruby, construction 5=5022
ruby, continuous operation with degenerate resonator 5=288
ruby, continuous operation, room temp. 5=14166
ruby, damage to transparent dielectrics 5=3781
ruby, energy density in cavity 5=8065
ruby, excitation of modes and generation kinetics 5=10637
ruby, filamentary modes due to crystal imperfections, theory 5=5020
ruby, flaws, streak-type, in laser crystals 5=12419
ruby, freq. shifts, power-depend., at 77°K 5=10643
ruby, γ-radiation effects on output 5=14169

Lasers—contd
solid—contd
ruby, giant-pulse, electron emission from metals 5=7052
ruby, giant pulse props. 5=2301
ruby, giant pulse, semiconductor reflectivity switching 5=4292
ruby, h. f. ringing output by immersion in highly refracting liquid 5=287
ruby, higher order mixing in dielectric media 5=15535
ruby, interference expts., for phase shift detection 5=10721
ruby laser amplifier 5=10636
ruby laser beam, focussing, "sparks" in air investigation 5=10634
ruby, laser oscillators, cooled, uncoated, props. 5=10645
ruby, light scattering by plasma 5=3174
ruby, luminesc at high excitation 5=8067
ruby, optical props. and laser thresholds 5=10642
ruby, polarization of light output 5=5019
ruby, pulsed Q-switched 5=8068
ruby, Q-switched operation, use of dielectric étalon as reflector 5=5023
ruby, Q-variable, spike behaviour 5=14167
ruby, R$_1$ lines, Stoke's shift search 5=10644
ruby, resonator change 5=10638
ruby rod, pump energy absorbed in elliptical cylinder 5=10641
ruby, second harmonic generation efficiency ZnS versus ZnS:Fe^{3+} 5=4330
ruby, spectrum, with external spherical mirrors 5=5021
ruby, stimulated emission, time depend. 5=10640
ruby, temp. meas. by optical polarization and filtering 5=14170
ruby, time between oscill. pulses, temp. var. 5=2302
ruby toroid, discrete mode selection 5=14168
ruby, vacuum film deposition 5=9242
ruby, Zeeman effect and polarization 5=5018
sapphire crystal growth by Czochralski method 5=6383
semiconductor anode of discharge diode, stimulated recombination 5=10624
semiconductor radiative recombination, conference, Paris (1964) 5=7382
stimulated emission, quantum-mechanical effects 5=280
ADP second harmonic light generation 5=9893
CaF$_2$:Dy^{2+}, hot-pressed 5=5008
CaF$_2$: Sm^{2+}, emission spectrum, var. with pumping energy 5=289
CaF$_2$:Sm^{2+}, light amplification 5=10628
CaF$_2$ U doped, threshold conditions calc. 5=13039
CaWO$_4$, Nd-doped, mode patterns 5=10627
CdS, fast electron excited 5=8057
Eu benzoylacetonate, laser emission shift by inorganic ions 5=5024
Eu benzoylacetonate, Na activated, stimulated emission at 6111Å 5=10629
Eu chelates, capabilities 5=13084
Eu dibenzoilmethide, −145°C 5=284
GaAs, construction, operation 5=14160
GaAs diode, lifetime of stimulated and spontaneous emission 5=8061
GaAs, effect of temperature 5=8059
GaAs, electron-beam-pumped 5=2297
GaAs, f. m. by electron injection refraction var. in second diode 5=5011
GaAs, high-order transverse modes 5=285
GaAs, injection, high power operation at 77°K 5=15550
GaAs injection lasers, c. w. operation 5=10633
GaAs injection lasers, closely coupled, interactions 5=14163
GaAs, injection, operation at current densities 10 times above threshold 5=5010
GaAs, injection and mode control, switching 5=13049
GaAs, intensity fluctuations, meas. 5=14161
GaAs laser diode fabrication 5=6968
GaAs linewidth meas. by heterodyne detection 5=2298
GaAs, mode spectra, shift with current 5=14162
GaAs, multimode behaviour, temp. depend. 5=10630
GaAs, p—n junction injection lasers, effect of temp. 5=5009
GaAs, pulse generator for driving at room temp 5=8062
GaAs, pulsed i.r. excitation of Raman spectra of I in carbontetrachloride, GaAs filter 5=2969

Lasers—contd
solid—contd
GaAs, self-heating 5=8058
GaAs, stimulated light emission, self induced oscillations 5=10632
GaAs, threshold current, effect of effective coating and temp 5=8060
GaAs, threshold current, temp. and doping var. 5=5012
GaAs, triangular on Te, construction 5=14159
$GaAs_xP_{1-x}$ 5=13116
GaSb, on electron bombardment 5=2299
InAs, laser effect by electron bombard. 5=14164
KDP crystal, amplitude modulation of laser-generated 2nd harmonic by elec. field 5=4317
La series ions, spectroscopic props. meas. 5=281
Nd activated Ba-glass applications 5=7352
Nd borate glass, giant pulse and width narrowing 5=5015
Nd, frequency multiplication in KH_2PO_4 5=8064
Nd glass, giant pulse generation 5=8063
Nd glass, spike analysis 5=5016
Nd^{3+}:$CaMoO_4$, continuous room temp. laser 5=10626
Nd^{3+}:$CaWO_4$, axial mode operation 5=5017
Nd^{3+}, Cr^{3+}: YAl garnet, cross-pumped 5=5014
Pb semiconductor cpds., band struct. superiority 5=5013
PbSe diode laser 5=14165
PbTe diode 5=2300
PbTe diode 5=5013
Sm in fluorite, resonator characteristics, variation 5=2303
Tb thenoyltrifluoracetonate in polymethylmethacrylate, probable emission 5=2304
WO_4Ca single crystal prod. methods and props. 5=6387
ZnS: Fe^{3+}, second harmonic generation 5=4330

Latent heat
See also Heat of adsorption, etc.; Thermodynamic properties
boiling, saturated nucleate, transfer importance in H_2O 5=1213

Latent image. See Photographic process.
Lattice constants. See Crystal structure, atomic
Lattice dynamics. See Crystals/lattice mechanics.
Lattice gas. See Statistical mechanics.
Laves phases. See Alloys; Phase transformations/solid-state
Lawrencium
No entries

Lead
atoms, K-ionization by negatons and positons, absolute cross-sections, 240-1440 keV 5=1068
creep in beam during bending 5=6680
elastic fatigue life, freq. and corrosion var. 5=9563
electron emission, knock on from fast μ, ang. var. 5=12862
films, density, crystal imperfections 5=3505
fluorescence, M-shell yields 5=13101
γ-ray spectra, due to 24 MeV electrons meas., photoneutron yield calc. 5=2593
grain boundary migration 5=12414
liquid, cavitational erosion of other solids 5=6745
liquid, electrodiffusion of Ag 5=3323
magnetic susceptibility meas. 5=4161
mechanical hysteresis losses at points of discrete contact 5=1543
melting and crystallization of small particles 5=14876
monolayers on Si (111) surfaces, structure 5=3632
n. m. r. in $Pb^{207}MoO_4$ and mag. shielding 5=9869
photoelectric cross-section, 662 keV γ-rays, meas. 5=787
photon attenuation coeffs. 5=8372
pulse loads, resistance to fracture, meas. 5=6728
self-diffusion at 300°C by absorpt. tracer technique 5=1443
solid, near melting temp., pair correlations 5=3437
specific heat, 0.4 to 4.2°K 5=6551
stress relaxation time var. 5=15148
superconducting, 50 c/s losses, meas. 5=12676
superconducting ring, persistent current decay rel. to α-irrad. 5=9649
superconducting, surface 5=6875
superconductivity, thin films 5=15295

Lead compounds
crystal lattice parameter increase on heating due to O vacancies 5=12209
Pb alkyls, vibrational spectra 5=8863

Lead compounds—contd
Pb alloys, solute Knight shifts 5=9868
Pb alloys, specific heat, 0.4 to 4.2°K 5=6551
Pb cyanamide, crystal growth and structure 5=1368-9
Pb liq. alloys, Cd activity coeff, meas. calc. comparison 5=9093
Pb-Ag, elastic studies 5=6729
Pb—Al supercond. tunnelling above crit. field 5=4000
$PbB_{2-x}B'_xO_{6+x}$, B is Ti, Zr or Sn, B′ is hexavalent W, crystal struct. of pyrochlore type 5=3640
$Pb_{0.6}Ba_{0.4}Nb_2O_6$, dielec. and piezoelec. props., effect of Gp III and IV additives 5=15388
Pb—Bi, condensation and evaporation, temp. var. 5=11952
Pb—Bi eutectic, superconducting, flux instabilities 5=12678
Pb—Bi, superconducting, Abrikosov vortices motion and mag. flux, calc. 5=12682
Pb—Bi, superconducting, magnetization curves 5=12677
Pb—Bi, type II, diamagnetism of surface supercond. 5=7084
Pb—Cd alloys, natural aging mechanism 5=14915
$PbCO_3$. PBO. $2H_2O$, crystal structure 5=1378
$PbCl_2$, e. s. r. of Eu^{2+} 5=7228
$PbCl_2$, non-stoichiometric, u.v. absorpt. 5=7346
PbCl, visible emission bands, rot. analysis 5=952
Pb_2CoWO_6, struct. changes and elec. props. var. due to phase transition 5=3466
PbF_2, elastic consts., 10 Mc/s meas 5=12516
$PbHfO_3$—$PbTiO_3$—$PbSnO_3$—$PbNb_2O_6$, ferroelec. phase transitions 5=7018
PbI, photodecomposition, photoconductivity and exciton prod. 5=13175
PbI, photographic applications, film prod. and props. 5=5098
Pb—In alloys, He temp. strain effect on supercond. transition 5=1630
Pb—In, supercond., cond. transitions 5=4001
$PbMoO_4$, containing Nd^{3+}, luminescence 5=15602
$Pb^{207}MoO_4$ n. m. r. and mag. shielding 5=9869
$PbMoO_4$, Gd^{3+} e. s. r. 5=12982
$PbMoO_4$, Nd^{3+} e. s. r. 5=12987
$Pb(NO_3)_2$, e. s. r. of X-irrad. cryst. 5=4251
PbO, rot. spectrum, microwave 5=11510
$[Pb(PO_3)_2]_x$, crystal struct., atomic 5=3630
PbS carrier energy spectrum 5=9593
PbS, diffusion of S 5=12327
PbS films, photoconductivity 5=4114
PbS films, photoconductivity mechanism 5=15407
PbS layers, photocond. and noise rel. to external elec. field 5=12831
PbS, optical consts. in fundamenetal absorpt. edge 5=7347
PbS, optical transmission, press. var. 5=15557
PbS oxidation, surface 5=4389
PbS photoresistor, intercrystallite layer elec. processes 5=15408
PbS semiconductor properties 5=9682
PbS single crystal, energy gap rel. to pressure 5=1574
PbS vapour at 700°C, microwave rot. 5=2970
Pb—Sb alloys, superconducting critical props. rel. to precipitation 5=15296
Pb—Sb, condensation and evaporation, temp. var. 5=11952
Pb–Sb, elastic studies 5=6729
PbSe carrier energy spectrum 5=9593
PbSe diode laser 5=14165
PbSe, magnetic suscept., non-parabolic dispersion 5=12873
PbSe, thermoelec. and thermomag. props., 100-420°K 5=12812
Pb–Sn, elastic studies 5=6729
Pb–Sn–Sb, Young's and rigidity moduli 5=6730
PbTe carrier energy spectrum 5=9593
PbTe chemical polish 5=13795
PbTe, crystal carrier mass, conc. var. from i.r. reflect. 5=6799
PbTe, cyclotron absorption analysis 5=6824
PbTe, deformation potentials calc. 5=12517
PbTe, diffusion of impurities 5=9420
PbTe diode laser 5=2300
PbTe, energy bands 5=9600
PbTe films, charge transfer to surface states from elec. cond. 5=1566
PbTe, permittivity 5=12742-3

Lead compounds—contd
  $PbTe$ prep. and props. rel. to thermoelec. generator use 5=4033
  $PbTiO_3$—$BiFeO_3$, phase diagram 5=1268
  $PbTiO_3$—$CaSn[Zr]O_3$, structure and dielec. props. 5=9338
  $PbTiO_3$—$La_{2/3}TiO_3$, semiconducting props. 5=9683
  $PbTiZrO_3$, new ceramic transducer 5=6198
  $PbTiZrO_3$ solid solns., single crysts. 5=12078
  $Pb(Ti, Zr)O_3$ solid solns., sintering 5=14921
  $PbTiZrO_3$, Nb-modified, ZrO_2 precipitation 5=1271
  $Pb_{0.95}Tl_{0.05}$ superconductor, surface transport current 5=9650
  Pb–Zn, elastic studies 5=6729
  $Pb(Zr_{1-x}Hf_x)O_3$, ferroelec. phases, 440°-520°K 5=7017
  $PbZrO_3$, phase transform., double, dielec. obs. 5=6303
Leak detection
  for above atmospheric pressure 5=15899
  katharometer, general-purpose, portable 5=11832
Leather. See Materials.
Lee model. See Field theory, quantum.
Length measurement
  See also Curvature measurement; Micrometry; Strain gauges; Thickness measurement.
  dilatometer 5=9393
  dimensional changes induced by irradiation in metals 5=12429
  displacements, using polarization interferometer 5=4707
  electronic-optical system for displacements 5=10668
  lasers, wavelength changes appl. 5=10206
  measuring marks, photoelec. registering 5=4709
  red shift implies round trip distance increase 5=4743
  surface proximity, elliptically polarized light meas. calc. 5=2013
  X-ray conversion constant X to Å 5=10205
  X-unit, from Al lines 5=14223
  by He–Ne laser and interferometer 5=10207
Length standards. See Standards.
Lennard-Jones and Devonshire theory. See Liquids/theory.
Lennard-Jones potential. See Kinetic theory; Molecules/intermolecular mechanics.
Lenses
  See also Electron lenses.
  alternating gradient focusing theory 5=2319
  glass, inhomogeneous, performance 5=8080
  for reflection, limitations 5=10655
  varying refractive index with cylinder or sphere symmetry 5=5045
 aspherical
  cemented doublet, spherical abberation and coma calc. method 5=5047
  fish eye, new design 5=305
  four- and five-element, designed by computer 5=8081
  gas, tubular, for light in waveguide 5=2320
  Irtran doublet objective, design, transmittance calc. 5=14177
  thermal gas, CO_2 or air, power rel. to flow rates and temp. 5=5043-4
  thin lens triplet, achromaticism and Hartmann const. 5=14178
 photographic
  contrast transfer functions 5=2355
  resolution 5=2356
  zoom compensated, 3 and 5 components, focal lengths 5=14213
Leptons
  See also Electrons; Mesons; Neutrinos and antineutrinos.
  baryon–lepton symmetry 5=10816
  baryon–leptonic decay, and vector meson models, calc. 5=14266
  decay coupling constants in broken SU_3 symmetry, renormalization effects 5=10815
  decays of strongly interacting particles, axial-vector interaction 5=431
  decays, and unitary symmetry 5=8233
  detection from neutrino scatt. 5=14403
  electrodynamic propagators of e—μ combined fields 5=5167
  4-lepton vertex function in ladder approx. 5=5210
  interactions, discussion 5=14275
  masses, and weak leptonic currents time reversal non-invariance 5=10841
  neutrino scattering on, spin and angular correlations 5=553
  pairs, neutrino production, through point 4-fermion interaction 5=439
Leptons—contd
  polarization in neutrino—matter interactions 5=5322
  production, $\nu_l + n \rightarrow l^- + \gamma + p$, cross-section calc. 5=14401
  SU_3 invariance, rel. to leptonic decay of strange particles 5=5195
  SU_3 symmetry, relation between baryons and leptons 5=10817
  in SU_4 scheme with fermions and baryons for weak interactions 5=10840
  scattering amplitudes in 2 model field theories 5=14274
  scattering, weak, multi-channel model 5=5229
  symmetry properties, in 0-mass limit 5=10814
  three-body decay of K-mesons and hyperons 5=2665
  in unitary triplets in weak interactions, and triality number 5=2410
Ligands. See Bonds; Molecules.
Light
  See also Diffraction; Interference, etc.; Doppler effect; Radiation.
  amplifier operation improvements 5=2231
  beam interaction, rel. to acoustic induction and amplification 5=118
  dual nature, interference, theory 5=14198
  frequency modulation, at high freq. with u.s. grating 5=10650
  frequency translation by quadratic electro-optic effect 5=2353
  in gravitational inhomogeneity, red shift prod. 5=10112
  high-power flux, bunching of wave packets 5=5058
  inert gases, breakdown by intense light beam, theory 5=5940
  modulated at 900 Mc/s, detection by photomultiplier with freq. changer stage 5=5034
  modulated sinusoidally, polarization method 5=2310
  modulation and deflection by electro-optical grating 5=5031
  modulation by electromechanical shutter, l. f. 5=14172
  modulation by electro-optic effect in reverse-biased GaP p–n juncns. 5=7338
  modulation, at extreme frequencies 5=298
  modulation by linear electro-optic Pockels effect 5=8072
  modulation, polarization 5=296
  modulation, single sideband, microwave 5=2311
  modulation, using u.s. cell 5=8073
  neutrino theory 5=10975
  photon degeneracy, from blackbody 5=297
  propagation, in nonhomog. flat universe 5=7549
  red shift implies round trip distance increase 5=4743
  Ritz emission theory criticisms 5=5028
  statistical props., determ. from photoelec. meas. 5=10647
  turbulent atmosphere, stellar shadow-bands, theory 5=10077
  transformation, nonlinear, by matter, theory 5=1820
  wave guidance, directional control for communication 5=2323
 coherence.
  See also Lasers.
  in beams, rel. to fluctuations 5=2308
  beams, rel. to u. s. production 5=10325
  communication system transmitter 5=5002
  conference, Sydney, Australia (1964) 5=5080
  and correlation, student advanced expts. 5=2309
  frequency conversion by KDP electro-optic effect in laser resonator 5=4991
  harmonic generation, in plane-parallel plate 5=2313
  laser high-intensity propagation through absorptive and amplifying media 5=320
  laser, theory 5=8071
  modulation of laser beam by interferometric devices 5=5032
  mutual, function rel. to imaging through random medium 5=306
  non-linear emission, correlation function appl. 5=5030
  partial, thermodynamic entropy of beams 5=2146
  partially entropy 5=2146
  photon counting, normally ordered operator with 1 mode incorrect, no order 5=2307
  and quantum frequency converter, three level operation 5=8035
  quantum operator significance 5=2306
  scanning coherent beams, and dispersive systems 5=14171
  second harmonic generation at inhomogeneities in intense field 5=299

- **ight**—contd
  - **coherence**—contd
    - second harmonic generation in solids, semipop. review 5=2274
    - two frequencies, falling on photoconductor, optical beating 5=4106
    - ultrasonic generation, by coherent beam superposition 5=10326
    - ultrasonic generation by light beam superposition 5=13938
  - **electromagnetic theory**
    - No entries
  - **quantum theory**. See Photons; Quantum electrodynamics; Quantum theory.
  - **velocity**. See Velocity, light.
- **Light guides.** See Optical instruments.
- **Light modulation.** See Light; Optics.
- **Light sources**
  - See also Lasers; Monochromators; Photometry/light sources; Spectroscopy/light sources.
  - high-power flux, bunching of wave packets 5=5058
  - hollow anode Li lamp 5=2326
  - incandescent lamps, spectrophotometry data anal. 5=14182
  - laser, phase change meas. in visible and near i.r. 5=8111
  - Lyman flashtube, large aperture, far u. v. 5=5059
  - plasma nonlinear fluctuations 5=1090
  - pulse generator, for photomultiplier time behaviour 5=9754
  - semiconductor, comparison with W lamps 5=8110
  - single-freq. generation by f.m. laser 5=10678
  - stroboscope lamps, pulse operated, supply system 5=14183
  - supershort flashes, by electrically exploding wires in air gap 5=2327
  - GaAs infrared sources, high-speed 5=4373
  - Hg lamp, luminous characts 5=10677
  - NaI arcs with Hg or Ar, characts. 5=3116
  - TlI arcs with Hg or Ar, characts. 5=3116
  - Xe arc, double cathode 5=3117
  - Xe arcs, output stability 5=8934
  - Xe—Ar flash lamp, in liquid N_2 for laser 5=2296
- **Lighting.** See Illumination.
- **Lightning**
  - atmospherics spectra, 6 kc/s-450 Mc/s 5=13297
  - ball, review 5=13289
  - ball, toroidal mag. field model 5=13288
  - conductivity, 24 000°K, calc. 5=13287
  - counting and location, new method 5=13252
  - current frequency curves 5=15673
  - diameter 5=13290-1
  - e. m. wave radiation, 420, 850 Mc/s, e. s. field charge, 10-30km away 5=13296
  - electric field intensity, distance depend. 5=15674
  - electric field variation, distance depend. 5=15674
  - electron density meas. from Hα Stark-broadening 5=13294
  - intracloud, mechanism 5=13293
  - ionospheric reflected waveforms, equivalent channels 5=4474
  - mass, density, pressure, electron density, near peak temp. 5=13295
  - orientation, and atmospherics polarization at 500 kc/s 5=13301
  - rain and hail gushes after lightning 5=10072
  - and sparks, recovering 5=5945
  - spectra at v. l. f. 5=13292
- **Linear accelerators.** See Particle accelerators/linear.
- **Linewidths.** See Spectral line breadth.
- **Liouville equation.** See Statistical mechanics.
- **Liquefaction, gases**
  - See also Low-temperature production.
  - constant level, maintenance 5=10401
  - heat exchange, coil—pipe counterflow, heat transfer hydraulic resistance, calc. 5=2152
  - machines, heat exchanger efficiency, calc. 5=2153
  - progressive condensation 5=9185
  - H_2 liquefiers, heat exchanger efficiency 5=10399
  - H_2 liquefiers, improvement 5=10400
  - H_2 liquefiers, with heat exchangers 5=13996
  - He, Joule—Thomson cascade liquefier cryostat 5=13997
  - Ne, on laboratory scale 5=13992
- **Liquid crystals**
  - anisal-p-aminoazobenzene, dielectric props, elec., mag. field effects, 6, 24 kMc/s 5=9137
  - p-azoxyanisole, e. s. r. of DPPH, TCNE 5=3366
  - p-azoxyanisole, neutron scatt. 5=9090
  - p-azoxyanisole, positron annihilation 5=11854
  - cholesteryl benzonate, stearate and myristate, positron annihilation 5=11854
  - cholesteryl caprate, ultrasonic absorption 5=3334
  - n.m.r. and solute mol. orientation 5=9155
  - review, semipopular 5=3303
  - D, magnetic resonance, quadrupolar splitting by substitution 5=3304
- **Liquid-drop model.** See Nucleus/models.
- **Liquid flow.** See Flow/liquids.
- **Liquid helium.** See Helium/liquid.
- **Liquid oscillations**
  - coupled, with free surface, in tank with flexible bottom 5=11846-7
  - liquid—air interface, turbulent fluctuations, statistical meas. 5=6137
  - manometers, response to forced oscill., meas. 5=2015
  - sloshing in cylindrical tank, hydroelastic soln. 5=3290
  - He II, rotating, in quantized vortices 5=2174
- **Liquid waves**
  - See also Acoustic waves.
  - head, from transition layer, calc. 5=11845
  - on jet of viscous liquid, transverse 5=11848
  - layer, surface tension effect 5=1165
  - m. h. d. wave excitation 5=2244
  - scattering by air-filled flexurally excited cylinders 5=11843
  - sea, internal, tidal origin, calc. 5=15651
  - stress wave propag. 5=9077
  - tension, cavitation onset obs. 5=9076
  - viscous liq., of finite depth, small ampl. stream funct. approx. 5=6138
  - H_2O evaporation with cetyl alcohol monolayer, wave effects 5=11943
  - **surface**
    - See also Oceanography.
    - diffraction by a jetty 5=6139
    - generated by travelling pressure point 5=3289
    - sea, tidal equations on rotating sphere 5=10038
    - vertical oscillation excited, calc. 5=14826
    - water, standing gravity wave period, expt. 5=11844
- **Liquids**
  - See also Association/liquids; Diffusion in liquids; Solutions.
  - absorbed radiation dose, meas. by calorimeter 5=14484
  - atomization in u. s. fountain 5=14824
  - Brillouin light scattering, laser stimulated 5=3340
  - dipolar, passage of e. m. waves 5=14860
  - electric-field gradients det. by deuteron quadrupole relax. 5=6203
  - fused salts, heats of mixing 5=11883-4
  - infrared emissivity 5=7868
  - light scattering, isotropic 5=1185
  - mixtures, monomer—dimer, entropy 5=6167
  - nonpolar, vaporization energy and density 5=14883
  - nuclear mag. acoustic resonance in non-viscous liquids 5=1209
  - nuclear polarization meas., from relaxation dispersion 5=14870
  - neutron scattering by, coherent, convolution
  - organic mixtures, Raman spectrum and mol. vibr. interactions 5=11555
  - Overhauser polarization, var. freq., correl spectrum viscous liquids 5=9158
  - proton spin—lattice relaxation 5=6200
  - pure and mixtures, anisotropic light scattering 5=6178
  - thermal conductivity meas. near m. pt. 5=15058
  - u. s. vel. meas., interferometer, 1 to 12 Mc/s 5=2126
  - **structure**
    - acetone in chloroform, Rayleigh light scatt. rel. to mol. struct. 5=9088
    - alkali halides, site equilibria 5=3298
    - alkali metal—NH_3 solns., wavefunction calc. 5=3295
    - aromatic ethers, intramolec. relaxations 5=9140
    - p-azoxyanisole, neutron scatt. 5=9090
    - bentanite solns, by light scatt. in elec. fld. 5=9112
    - benzene, and derivs., molec. motion correl. times from nuclear spin—lattice relax. 5=6201

Liquids—contd
  structure—contd
    borogermanate melts 5=3299
    borosilicate melts 5=3299
    diphenylamine eutectics, light scatt. study 5=9089
    diphenylmethane eutectics, light scatt. study 5=9089
    electronic screening and crystal structure of metals 5=14891
    electronic, theory 5=6142
    ethyl ether in chloroform, Rayleigh light scatt. rel. to mol. struct, 5=9088
    fused salts, charge-unsymmetrical, heats of mixing theory 5=1178
    liquid crystals, semipopular review 5=3303
    menthol eutectics, light scatt. study 5=9089
    metals, ion—ion oscill. potentials 5=1169
    metal—NH_3 solns., ion pairing 5=11853
    naphthalene eutectics, light scatt. study 5=9089
    ortho-nitrophenol eutectics, light scatt. study 5=9089
    and relaxation, elastic, dielectric, n. m. r. 5=9134
    supercooling, expts. 5=11934
    X-ray diffraction apparatus 5=14829
    X-ray exam., fundamental eqn. 5=14830
    Ar, rigid sphere model, melting 5=11929
    CCl_4, C_6H_{12} mixtures, and thermodynamic props 5=9087
    FeO—Fe_2O_3, defect models and activity 5=10018
    FeO—Fe_2O_3—Fe_3SiO_4, defect models 5=10018
    H_2, lattice model 5=9083
    H_2O and D_2O, and soln. of Ar 5=11880
    In-Bi eutectic, atomic distrib. 5=14832
    Li, electronic, and Pauli susceptibility, e.s.r. obs. 5=9085
    Mg aluminosilicates from viscosity, density 5=9086
    MgO—$MgAl_2O_4$, defect models 5=10018
    NbF_5 solutions, Nb^{93} n. m. r. obs., chemical 5=11914
    Ni—Cu, electron struct. from C solubility, 1500°C 5=3307
    Ni—Sn, electron struct. from C solubility, 1500°C 5=3307
    SbF_5 solutions, $Sb^{121,123}$ n. m. r. obs., chemical 5=11914
    Sn, at 250° and 750°C, according to different methods 5=3300
    TaF_5 solutions, Ta^{181} n. m. r. obs., chemical 5=11914
    VF_5 solutions, V^{51} n. m. r. obs. 5=11914
  theory
      See also Dielectric phenomena; Equations of state/liquids.
    Bose liquid, thermodynamic functions, rel. to Landau theory 5=2069
    cell model for quantum fluids, appl. to liq. H_2 5=1176
    dense fluid kinetic theory, ideal ionic melt 5=6144
    electrical conductivity of insulators, model 5=11899
    electronic structure 5=6142
    Fermi liquids, thermodynamic functions, rel. to Landau theory 5=2059
    fluorescein in glycerin, luminesc. depolarization and mol. rot. 5=6192
    forces on spheriodal particles, Van de Waals—Lifshitz 5=9081
    ionic self-diffusion const., in particle elec. fields, calc. 5=3322
    ionic solution integral equations 5=10019
    jump diffusion model and nuclear spin—lattice relax. 5=9084
    lattice model, one-dimensional gas of hard lines 5=6143
    many body problems, conference, Manchester (1964) 5=7793
    metal-ammonia solns., electronic processes 5=3358-9
    metals, electron band struct. 5=9082
    metals, electron—ion gas, phonon damping 5=3197
    methane + propane mixture, quasi-lattice theory 5=11881
    methane, slow-neutron inelastic scatt. 5=6098
    n. m. r., surface relaxation effects 5=11915
    pair correlation function for 12-6 Lennard-Jones interaction 5=6078
    pair correlations 5=6141
    polyelectrolytes, fuzzy sphere model 5=3296
    pre-breakdown elec. phenomena, photographed in bubble-chamber 5=6198
    pressure effect on viscosity and dielec. relaxation 5=1173
    quantum many particle one-electron calc. 5=10280
    solutions, luminesc. depolarization and mol. rot. 5=6192
    surface profile, rotating as solid, differential eqns. calc. 5=1167
    transport processes 5=6152

Liquids—contd
  theory—contd
    Ar, atomic motion correlations, computer simulation 5=1168
    Ar, correl. functions, by slow neutron scatt. 5=6145
    H_2O, high pressure and temp. effects 5=6150
    o—H, molecular motion, o—p conversion effects, neutron scatt. meas. 5=8810
    Kr, radial distribution functions 5=3297
Lithium
    atomic absorpt. cross-section 5=11435
    atoms, excitation 2p-level by electron impact 5=5784
    atoms, calc. by Hartree—Fock method 5=904
    atoms, ground state energy, calc. 5=5760
    atoms, hyperfine structure, calc. 5=5759
    atoms, 80 keV, energy loss on collision with inert gas atoms 5=5804
    crystal growth, from film on W, use of elec. field 5=14975
    cylinder, radially confined, exploded, axial gas flow 5=14711
    density matrix, first-order, for ground state 5=2900
    diffusion in Na 5=15078
    diffusion in TiO_2, interstitial, 80-360°C, optical obs. 5=1447
    diffusion, ultra-slow translational, by mag. resonance 5=6589
    dispersion curves, freq. spectra, lattice sp. ht. 5=15027
    e. s. r. in finely dispersed sample 5=12986
    effect on recomb. in electron irrad. Si 5=15220
    electron—atom elastic scatt., total cross-section calc. 5=5800
    Hall effect in liquid NH_3, -80° to-40°, conc. var. 5=9152
    ion—atom charge transfer 5=11468
    ionization, atoms, by n collision, calc. 5=14699
    ions, penetration of solid films 5=2234
    pairing energy in Si with B 5=15572
    Pauli susceptibility liquid and solid, e.s.r. obs 5=9085
    precipitation from Ge and Si, electron mic. obs. 5=6619
    P—V relations, shock wave meas. method 5=15147
    relative abundance, origin by spallation in proto-terrestrial bodies 5=931
    solubility in Al, 150°-550°C 5=14912
    spectrum, atomic, shell model calc. 5=14596
    in CrO_3, and Cr^{3+} e.s.r. fine struct. var. 5=15491
    in GaSb, p-type, ion-pairing with residual acceptors 5=9671
    Ge drifting, for γ-ray detectors 5=10990
    Li^-, from Penning source 10^{-8} Å 5=4926
    Li^+ source, triode gun, high intensity 5=7977
Lithium compounds
    Li alloys, equi-atomic, mag. susceptibility 5=7085
    Li ferrite, magnetoelastic waves, parallel pumping 5=1787
    Li ferrite, single cryst. grown in ordered state, mag. props. 5=4209
    Li ferrite, sublattice magnetizations rel. to temp. 5=7170
    Li ferrite, sublattice mag. temp. var., biquadratic exchange effect 5=7169
    Li galloferrites, cation distrib. 5=15465
    Li orthoniobates and orthotantalates, crystallog. study 5=6461
    $LiAl_5O_8$, phase transforms., intermediate, H_2O stabilization? 5=12009-10
    $Li_6BeF_4ZrF_8$, crystal structure 5=3631
    LiBr, r.f. and microwave spectra by molec. beam resonance method 5=2971
    $LiBrO_3$ radiolysis by Li^6 particles 5=7446
    LiCl, F-centres, excited states 5=12424
    LiCl, M centre, triplet states 5=15111
    LiCl, self-diffusion coeffs. 5=6162
    LiCl—KCl liquid eutectic, spectrum absorpt. band 5=1190
    Li_2Co_3—K_2CO_3, heat content, fusion properties 5=3398
    $LiGaO_2$, crystal struct., atomic 5=12210
    $LiGaO_2$, Czochralski flux growth 5=3561
    $Li_{15}Ge_4$, crystal structure 5=9339
    Li_4GeO_4, thermal expansion, 25°-400°C 5=6562
    LiH, ionization potential 5=2972
    LiI films, infrared dispersion freqs. 5=15559
    Li^6I^{127}, r.f. and microwave spectra 5=11511
    Li_2MoO_4, elec. cond. temp. var., 704-950°C 5=11906
    $Li(N_2H_5)SO_4$, elec. conductivity 5=4091
    $LiNH_4SiF_6$, crystal data 5=9341
    $LiNbO_3$, second harmonic generation 5=13058

Lithium compounds—contd
LiNbO$_3$, electro-optical props. 5=1844
Li$_x$Ni$_{1-x}$O, conductivity, elec., temp. var., and hopping model 5=9684
Li$_2$O, films, i. r. transmission and lattice vibrations, 10-42μ 5=4297
Li$_2$O.Al$_2$O$_3$.2SiO$_2$—Li$_2$O.Al$_2$O$_3$.2GeO$_2$ system, crystal struct., atomic, thermal exp. 5=9342
Li$_2$O—GeO$_2$ system, phase equilibria, eutectic relations 5=6211
Li$_{22}$Pb$_5$-type, structure alloys, new examples 5=9340
Li$_2$SO$_4$, cubic, in Pt thermocell, thermoelec. power and diffusion study 5=1689
Li$_2$SO$_4$.H$_2$O, dielectric props 5=4078
Li$_4$SiO$_4$, thermal expansion, 25°-400°C 5=6562
LiTaO$_3$, Curie temp. of edge luminesc. 5=1683
lithium fluoride
adsorption of H$_2$, phase change, dielec. obs. 5=6332
colour centres, F prod. by divalent impurities 5=9500
colour centre prod., on strong e or X irradiation, 5000Å 5=15116
crystal dislocations, n-irradiated, orientation kinetics 5=9469
Debye temp., Debye—Waller factor, calc. versus expt. 5=1420
dielectric obs. of dipole defects on heat treatment 5=7000
dislocation pinning effect on amplitude-dependent internal friction 5=3860
elastic consts., pressure derivatives 5=6732
electron energy loss spectrum, 50 keV 5=15258
electron plasma oscillations, calc. 5=12632
e. s. r., n-irrad., temp. var., three dose ranges 5=9843
fast moving dislocations, frictional force, acoustic attenuation 5=1529
films, elec. breakdown field meas. 5=15376
films, electron irrad. damage 5=15118
imperfections, linear, associated with dielectric breakdown 5=1471
inhibited dissolution of {100} surfaces 5=6350
lamellar defects due to n-irrad., effect on X-ray diffr. results 5=1449
M centre, triplet states 5=15111
mechanical strength, tensile, var. impurity and temp. 5=12514
microhardness and dislocation distrib., rel. to p-irrad. 5=1469
n. m. r., one photon -2, 3 spins processes 5=7284
neutron-irrad., annealing 5=3859
neutron irrad., lattice defects 5=15090
neutron irrad., mag. susceptibility, diamagnetic and paramagnetic 5=7086
phase transformations, none at high press. 5=9234
plastic deformation near yield, stress—dislocation rel., var. temp., deform rate 5=12515
radiation-damaged, mag. props. 5=9763-4
solubility, reduction by ferric ion contaminants 5=11855
strengthening by Mg diffused surface regions 5=6731
surface (100), electron diffraction study, low-energy 5=3542
thermoluminescence dosimetry 5=2529
ultraviolet transmission, vacuum, temp. var. 5=7348
whiskers, disloc. struc. by etching 5=1470
Mn-doped, Li^7 n.m.r. linewidth 5=15510
Lithosphere. See Earth.
Lorentz-Lorenz relation. See Dielectric phenomena.
Lorentz transformation. See relativity/special.
Lorenz number. See Conductivity, electrical/solids; Conductivity, thermal/solids
Loschmidt number (= **Avogadro number**). See Constants.
Loudness. See Hearing; Intensity measurement, acoustics.
Loudspeakers. See Acoustic radiators.
Love waves. See Elastic waves; Seismic waves.
Low-temperature phenomena
See also Helium/liquid; Helium/solid; Joule-Thomson effect; Superconducting materials and devices; Superconductivity; Superfluidity.
conference, 9th, Columbus (1964) 5=10397
diamond, pure and impure, thermal cond. to 3°K 5=3700
metals and semiconductors, press. effect on resistivity to 4°K 5=9616
plexiglass phosphors in liq. air, phosphoresc. 5=9996

Low-temperature phenomena—contd
p-dichlorobenzene, n. q. r. freqs. to 4. 2°K 5=15522
rare earth, low-temp. mag. transitions 5=12913
semiconductors at cryogenic temps., review 5=9660
Cd, u.s. obs. at 1. 2°K of de Haas-van Alphen effect 5=7080
CoCl$_2$, mag. field dependent spin-wave effects at 2. 1°K 5=1769
CuCl luminescence 5=9946
D$_2$, solid, λ-anomaly obs. by n. m. r. 5=3462
EuTe, mag. field dependent spin-wave effects at 2. 1°K 5=1769
Gd—Y alloy, elec. resist., 4. 2°K 5=1609
Hf, Hall effect and paramag. susceptibility 5=6843
Ho ethylsulphate, paramag. relax., 1. 1°-4. 2°K 5=7232
InAs, adiabatic elastic moduli, 4. 2°K-room temp. 5=1522
MnCl$_2$, entropy, specific heat, in mag. field up to 100 kG, 0-4. 2°K 5=9383
MnCl$_2$, magnetothermodynamic props. and zero entropy reference 5=7185
Ni fluosilicate, absorpt. spectrum to 4°K 5=9912
Np^{237} in NpO$_2$, Mössbauer effect, 59. 6 keV γ-rays, 4. 2°K meas 5=1237
Os^{188}, Mössbauer effect, 137 and 155 keV, liquid He temps., exptl. set-up 5=1238
Pb—In alloys, He temp. strain effect on supercond. transition 5=1630
Si, compensated, paramag. relax. time at 2°K, meas. 5=1805
Si, donor e. s. r., 2°-20°K 5=7248
Si, pure and impure, thermal cond. to 3°K 5=3700
SiC, n-type, galvanomag. effects, 1. 5°-290°K 5=15333
SiC, pure and impure, thermal cond. to 3°K 5=3700
V corundum, Zeeman effect on near i. r. absorption spectrum, 1. 2° and 4. 2°K 5=1855
ZnS electroluminescence at liq. He temps. 5=9979
Low-temperature production
See also Joule—Thomson effect; Liquefaction/gases; Magnetic cooling.
by crystal phonon laser adsorption 5=13993
by magnetic fields ~ 10^2 kG, rel. to nuclear spin studies 5=2212
solid-state magnetothermoelec. devices 5=6908
tissue local cooling device, for surgery 5=15897
thermoelectric coolers, prep. of materials 5=6358
H$_2$ liquefiers, heat exchanger efficiency 5=10399
H$_2$ liquefiers, improvement 5=10400
Low-temperature technique
crystals, growth for Raman studies 5=7307
Dewar system for −140° to 550°C in n. m. r. probe 5=262
electron microscopy, liq. He cooled goniometer stage 5=14990
extensometer for tensile testing 5=9514
glycerol glass as heat exchange medium, 1. 5 to 4°K 5=6550
graphite resistance thermometer below 1°K 5=10385
high pressure bomb 5=13798
high pressure clamp for He^3 temps. 5=13800
high pressure meas., differential, probe 5=12
high pressure vessel for elec. meas. 5=13799
liquid N$_2$ circulation system 5=2167
manostat, mech., for He cryostat 5=2168
metal creep meas. device 4. 2°-300°C 5=15131
phosphor mounting in plexiglass 5=1889
radiation shield, temp. distrib. 5=10402
specimen holder for cryogenic studies, two degrees of freedom 5=128
temperature meas. < 1°K by n.m.r. 5=10403
thermocouple for level determination of cryogenic liquids 5=2171
thermocouples, material design 5=10390
thermometer, ultrasonic for low temps. 5=10383
thermometers, C resistors, calibration formulae 5=7891
transfer system for 4. 2°K liq. He to below-λ region 5=186
trap, "upside down" liq. N$_2$ type 5=181
vacuum epoxy resin seals to Cu and nylon 5=10404
vacuum prod. review 5=11823
valve, thermally operated, for automatic liq. N$_2$ refill system 5=7898
L S coupling. See Atoms; Spectra/atoms.
Lubrication
See also Friction.
graphite, vapour lubrication mechanism 5=1520

Lubrication — contd
  metals, effect on wire drawing 5=12463
Ludwig-Soret effect. See Diffusion in solids.
Luminescence
  See also Electroluminescence; Luminescent devices; Thermoluminescence.
  anthracene, excimer, exciton and charge reson. states interact. 5=2947
  aromatic hydrocarbon solns., chemi in a. c. cell 5=11893
  aromatic mols., fluorescence quenching and free radical formation 5=8900
  and atmospheric O_3, chemiluminescence method meas. 5=13234
  azulene, phosphorescence, triplet energy 5=11553
  bioluminescence, P. 829 light amplifier study, photographic results 5=2231
  carbonyls, phosphorescence ($\pi^* \to n$), intramolec. heavy-atom effects 5=2989
  chelates, metal, substituent group effects 5=3026
  chemiluminescent reactions, study using photomultiplier 5=7062
  concentration dependence 5=13091
  conference, Hull, (1964) 5=7381
  conference, Torun, 1963 5=9048
  decay, effect of resonance transfer, erratum 5=8789
  decay times in nsec region, electronic sampling method 5=9928
  excimer processes, mechanism 5=2946
  fluorescence analysis with radionuclide γ-sources and scintillation spectrometer 5=15632
  fluorescence decay-time meas., ordinary and deuterated cpds. 5=2508
  laboratory work at Rennes 5=9929
  light-scattering media, excitation spectra 5=4281
  use of luminescent marks for automatic sorting 5=4711
  measurement, apparatus for decay time 5=1882
  measurement, photoelectric fluorometer 5=14855
  modulation from interference of coherently excited non-degenerate states 5=1866
  mounting phosphors in plexiglass for low temp. work 5=1889
  naphthacene, phosphorescence, triplet energy 5=11553
  naphthacene vapour, fluorescence, self-quenching 5=11551
  naphthalene, excimer, exciton and charge reson. states interact. 5=2947
  perylene, excimer, exciton and charge reson. states interact. 5=2947
  phenanthrene, deuterium effect and radiationless transitions 5=14662
  phenanthrene vapour, fluorescence, self-quenching 5=11551
  phosphors, e. s. r. study 5=1693
  phosphors, obs. light yield meas. 5=13093
  piezo, intensity and pressure reln. 5=13097
  polyacenes, excimer, exciton and charge reson. states interaction 5=2947
  polystyrene complexes, fluorescence 5=11614
  porphyrin, polarized, metal atom or 2 H atoms addition effects 5=14660
  pyrene, excimer, exciton and charge reson. states interaction 5=2947
  radiationless intermolec. energy transfer, phosphorescence efficiencies 5=4338
  radiationless intermolec. energy transfer, singlet → singlet 5=4336
  radiationless intermolec. energy transfer, singlet → triplet 5=4340
  radiationless intermolec. energy transfer, triplet → singlet 5=4337
  radiationless intermolec. energy transfer, triplet-triplet annihilation 5=4339
  taumeter 5=15586
  temp. var. for surface meas. 5=176
  triphenylene, deuterium effect and raditionless transitions 5=14662
  tris (5-nitro-1-naphthalene) Eu sulphanate 5=13090
  X-ray fluorescence analysis, and selective excitation calc. 5=15633
  Mn_+ amine complexes 5=9129
 gases
  naphthacene, fluorescence 5=8869
  plasmas in T-tubes 5=3163
  rare gases, radioluminesc increase in elec. field rel. to electron energy distrib. 5=5965

Luminescence — contd
 gases — contd
  rare gases, radioluminesc. increase in elec. field, rel. to electron scatt. 5=5803
  rare gases, scintillation by α particles, depend. on elec. field 5=6097
  and scattering, light and mol. consts. 5=11481
  and spectra, absorpt., excited molecules 5=11482
  CO, excited by active N, i. r. 5=5840
  CO_2, i. r., excited by active N 5=965
  CO_2, N-activated, i.r. 5=11525
  Cl, atom recombination 5=1903
  $H—C_2H_2$ flame, due to H_2O 5=1904
  $H + Cl_2 \to HCl + Cl$, distrib. between vibr. excited HCl states i. r. emission obs. 5=1901
  Hg, resonance radiation transfer, 2537 Å 5=5763
  Hg, spectrum, after glow 5=5762
  I_2, excited by Hg 5461 radiation, fluorescence amplification, effect of pump intensity 5=5846
  I_2, excited by sodium D lines, energy transfer 5=2968
  I_2, radiative lifetimes 5=5847
  N_2, electron beam prod., in He, collisions 5=11609
  N_2 and $N_2 + O_2$ mixtures, collisional deactivation 5=6093
  NO $C^2\,\pi$ (V = O) chemiluminescence 5=7424
  N_2O, i. r., excited by active N 5=965
  Na vapour reson. fluoresc., modulation with Larmor freq. 5=5770
  O + NO, chemi, press. var., upper atmosphere conditions 5=7426
 liquids and solutions
  acridine orange hydrochloride, p-type delayed fluorescence 5=8872
  aromatic hydrocarbons, p-type delayed fluorescence 5=887
  aromatic hydrocarbon solns., photoassociation 5=1196
  benzene, excimer fluorescence 5=9127
  benzophenone in polymethyl methacrylate 5=5879
  chlorophyll solns 5=9128
  cis-stilbene in isopentane—methylcyclohexane, polarisation meas. 5=3348
  coronene in polymethyl methacrylate 5=5879
  decay times in X-irrad. solns. 5=3349
  4, 4′-dimethoxybenzophenone, and energy transfer to Eu ions 5=3346
  diphenyl oxide, solns. with fluorent impurities, phosphorescence spectra 5=3345
  fluorescein in glycerin, depolarization, mol. rot. 5=6192
  fluorescein in water, KI-quenched, and polarization 5=3344
  fluorescein, KI quenching 5=14854
  frequency var. thermodynamics 5=9121
  hydrocarbons, aromatic, excimer fluoresc. 5=9995
  hydrocarbons, polynuclear in viscous soln., phosphorescence lifetime 5=6190
  lanthanide chelates in Lewis bases, fluorescence enhancement 5=6193
  mesitylene, excimer fluorescence 5=9127
  Michler's ketone in polymethyl methacrylate 5=5879
  migration of exciting energy effects 5=9123
  mixed solvent systems, minimum, theory 5=1198
  naphthalene and derivatives, excimer fluorescence 5=14853
  naphthalene scintillators, decay times 5=9130
  naphthalene solns triplet quenching and diffusion 5=9099
  oils, volatile, in ethyl alcohol, phosphorescence 5=6191
  organic, conc. var., energy transfer 5=9125
  organic cpds intermolecular energy transfer to Tb^{3+}, Eu^{3+} 5=9126
  organic scintillators, fluorescence and energy transfer 5=1195
  p-dichlorobenzene, fluorescence versus emission u. v. spectra 5=1197
  p-xylene, excimer fluorescence 5=9127
  polarization and mol. motion 5=9122
  polyene solns., substituted 5=9131
  proflavine hydrochloride, p-type delayed fluorescence 5=8872
  pyrene solns., excimer f 5=9132
  quenching of dyes by neutral salts 5=9119
  quenching, Samson's theory criticisms 5=3341-3
  scintillators, efficiency and transparency 5=3350
  self-depolarization of solns 5=9124
  solutions, depolarization and mol. rot. 5=6192
  and spectra, absorpt. 5=6184
  toluene, excimer fluorescence 5=9127

Luminescence—contd
- **liquids and solutions**—contd
  - transfer of electronic excitation energy, interaction sphere 5=1193
  - typaflavine in glycerol, self-depolarization 5=9124
  - uranine in glycerol, self-depolarization 5=9124
  - water, by acoustic waves, oscillograms 5=9120
  - Eu β-diketone chelates, photoluminesc. enhancement 5=5885
  - Eu dibenzoylmethide solns. 5=7410
  - Eu(III) aqueous solns. 5=3347
  - Eu salts, deuterated solvents, fluorescence 5=11541
  - Eu^{3+} intermolecular energy transfer from organic
  - Na salicylate, by γ-ray Cherenkov 5=9133
  - O_2 in soln., chemiluminescence spectrum, rotational structure 5=8820
  - Tb salts, deuterated solvents, fluorescence 5=11541
  - Tb^{3+} in aqueous soln., radiationless transition probability 5=14852
  - Tb^{3+} intermolecular energy transfer from organic cpds. 5=9126
  - Te dibenzoylmethide solns. 5=7410
- **solids, inorganic**
  - alkali-halide cpds., electro-X-ray 5=15589
  - alkali halide crystals, impurity activated, scintillation process 5=4344
  - alkali-halide phosphors, X-ray, effect of F-bard illum. 5=15590
  - alkali halides, low-temp. recomb. luminescence 5=4355
  - alkali halides, S centres 5=15591
  - alkali halides, triboluminescence mechanisms 5=13098
  - alkaline earth borates Tb and Gd activated 5=9938
  - anthracene, cryst., exciton spectrum at 20.4° and 4.2°K 5=15606
  - anthracene and deuteroanthracene, frozen solution, fluorescence 5=3016
  - anthracene fluoresc., double-photon excitation 5=4370
  - anthracene scintillation pulse shape discrim. 5=7409
  - anthracene, scintillation slow component, temp. depend. 5=2510
  - aromatic hydrocarbons in polymers, phosphoresc. 5=9994
  - benzyl radical in methylcyclohexane, fluores. 5=7411
  - borate glass, Gd^{3+}—Tb^{3+} nonradiative exchange 5=13111
  - crystals, anisotropy and polarization 5=13092
  - crystals, polarized, theory 5=15585
  - dibenzyl tetracene, decay at electron, α excitation 5=9998
  - diamond, excited by irrad. in fundamental absorpt. edge 5=7389
  - excitation mechanisms, for surface recomb. of atoms 5=9930
  - fluorescein—Al_2O_3 films, polarised photoluminesc., calc. 5=13133
  - fluorescence and phosphorescence survey 5=9932
  - fluorescence and phosphorescence, survey 5=15587
  - glasses, metaphosphate, u. v. induced radio-photoluminesc. 5=9951
  - glasses, triply-activated 5=15600
  - ionic crystals, fluoresc. regularities 5=9931
  - isoquinoline in durent, and e. s. r. under u. v. at 77°C 5=9847
  - moon, explanation 5=13738
  - moon, due to solar activity 5=7627
  - phosphorescence, exciting light stimulating action 5=9933
  - phosphors., standards, fluorescence props. 5=7383
  - phoswich system, discrimination depend. on integrating time constant 5=5261
  - plexiglass phosphors in liq. air, phosphoresc. 5=9996
  - quartz, X-ray luminesc. 5=4359
  - rare earth chelates, triplet–triplet energy transfer calc. 5=15609
  - rare earth ions in fluorite-type crystals, review 5=13123
  - ruby, delayed, after irrad. by powerful light pulses 5=1873
  - ruby, fluorescence, phonon-assisted, polarization 5=13124
  - ruby, at high excitation and in laser action 5=8067
  - ruby, output versus exciting light wavelength 5=9959
  - ruby, R line absorption and emission rels. 5=9960
  - ruby, R-line "pseudo-Stark" splitting 5=15567
  - ruby with Cr^{3+}, fluoresc. lifetimes at 77°, 297°K 5=4361
  - ruby, X-ray induced fluoresc. 5=7398
  - ruby: Cr_2O_3, Co^{60} γ ray effects 5=9495
  - semiconductors, radiative recombination rel. to lasers, conference, Paris (1964) 5=7382
  - Soviet researches 5=15584
  - stilbene, scintillation slow component, temp. var. 5=2510

Luminescence—contd
- **solids, inorganic**—contd
  - zircons, u. v. excited fluoresc. 5=9992
  - II—VI cpds, defect—exciton complex photoluminescence 5=15588
  - II—VI cpds, fluorescent emission 5=13105
  - AgBr 5=7400
  - Al, shock-induced 5=13100
  - $AlLaO_3:Pr^{3+}$, $^3Po \to {}^3H_4$ transition 5=7358
  - AlN, luminesc. and cathodoluminesc. 5=9939
  - $Al_2O_3:Nd^{3+}$, Cr^{3+}, test for Nd–Cr coupling 5=7397
  - Au, M-shell fluorescence yields 5=13101
  - B—U phosphors, phosphorescence 5=13102
  - Ba-glass, Nd activated rel. to laser use 5=7352
  - $BaF_2:Dy^{2+}$ 5=13108
  - Ba—Ti—phosphate, extinction by heating 5=9940
  - Bi, M-shell fluorescence yields 5=13101
  - $Ca_{1-x}Sr_xF_2$, fluorescence 5=9211
  - $CaF_2:Dy^{2+}$ 5=13108
  - $CaF_2:Dy^{2+}$, $^5I_7$—$^5I_8$ transition, Zeeman effect 5=13109
  - $CaF_2:Nd^{3+}$, 300° to 15°K 5=15594
  - CaI_2 and CaI_2 (Eu) scintillation crystals, performance rel. to NaI(Tl) 5=2507
  - (Ca Mg)SiO_3–Ti, fluorescence props. 5=7383
  - CaO excitation mechanisms, for surface recomb. of atoms 5=9930
  - CaO: Pr, doubly-activated 5=13107
  - CaO: Sb 5=9945
  - CaO: Sb: Cl, depend. on O and N atom densities 5=9944
  - Ca_2PO_4Cl, Mn^{5+} doped, fluorescence 5=7331
  - CdS, cathodoluminesc., elec. field effect 5=9942
  - CdS, conductivity glow curves 5=1562
  - CdS, edge 5=12821
  - CdS, edge emission and neutral acceptor impurities 5=1869
  - CdS, edge emission mechanism, calc. 5=15593
  - CdS, exciton recomb. radiation, ambient atmos. influence 5=4345
  - CdS, as funcn. of incident electron energy 5=7388
  - CdS green fluoresc. at 20°K 5=9941
  - CdS in $CdSO_4$, heating in N_2 effect, props. meas. 5=7387
  - CdS, 1.3-2.3μ, energy level structure 5=15592
  - CdS, phonon emission, probability var. 5=1868
  - CdS, review 5=7404
  - CdS, temp. dependence rel. to fund. absorption edge 5=13103
  - CdTe, electron pulse excited, spectrum, temp. var. 5=13037
  - Cr^{3+} in β-Ga_2O_3 5=9905
  - CsI (Tl), fluorescent decay excited by charged particles 5=4346
  - CuCl, to low temps. 5=9946
  - Er^{3+} in CaF_2, absorpt. 5=15545
  - Er^{3+} in YCl_3, fluorescence rel. to energy levels, meas. 5=13046
  - Eu-activated phosphors, red-emitting, fluoresc. props. 5=13112
  - Eu phosphate, Eu activated 5=9950
  - Eu^{3+} in intracomplex compounds with rare earths present, quenching 5=4347
  - Eu^{3+} and Tb^{3+} terpyridyl complexes 5=15607
  - Eu^{3+} in Y_2O_3 single cryst. 5=4305
  - GaAs, under intense electron excitation 5=4349
  - GaAs, laser excited, var. intensity and donor conc. 5=7391
  - GaAs, p–n juncn., fluorescence peak rel. to acceptor concentration 5=7393
  - GaAs, p—n juncns. injection, by hole—electron recombination 5=7394
  - GaAs, recombination radn. light source 5=13047
  - $GaAs_{1-x}P_x$ semiconds., recomb., by electron beam irrad. 5=4350
  - GaAs, radiative recomb. mechanism 5=9947
  - GaAs with Mn impurities, edge emission, 4.2°K 5=15595
  - GaP, rel. to exciting light intensity 5=13114
  - GaP, pair band temp. var. calc. 5=15597
  - GaP, photoluminesc. pair spectra 5=9949
  - Gd borate, Eu activated 5=9950
  - Gd oxide, Eu activated 5=9950
  - Gd phosphate, Eu activated 5=9950
  - $GdCl_3$, resonance radiation self-trapping 5=13113
  - Ge, at dislocations 5=15599
  - Ge p—n—p struct., injection 5=4352
  - Ge, recombination radiation, wavelength, i.r. effects 5=7392
  - Ge, yield rel. to dislocations 5=13118
  - $HgGa_2S_4$, fluorescence 5=7396
  - InAs, p—n junction, recombination radiation 5=15554

- **Luminescence**—contd
  - **solids, inorganic**—contd
    - InP, exciton emission 5=4311
    - InSb, injection, and coherent emission 5=1871
    - InSb, p—n—n^+ structure, recombination rad. spectra 5=4353
    - K halides, Tl-activated, temp. depend. 5=13099
    - KBr:Tl, decay 5=1872
    - KCl, F-band excited M-luminesc. 5=9955
    - KCl and KBr, X-ray induced 5=9954
    - KCl, I^- centre, excited, fluoresc. yield 5=15603
    - KCl:Pb inner-centre fluoresc. kinetics 5=9956
    - KCl:Tl, decay 5=1872
    - KCl:Tl, electron transfer transitions 5=4356
    - KI:Tl, 2500-4500A, 12°K 5=4358
    - KI, recombination, from V_K centres 5=9957
    - KI:Tl, decay 5=1872
    - KI:Tl, effect of thermal stresses on i. r. stimulability 5=4357
    - KI:Tl, kinetics 5=9958
    - La borate, Eu activated 5=9950
    - La ions in laser materials, spectra meas. 5=281
    - $LaCl_3$:Pr^{3+}, Nd^{3+}, Sm^{2+}, fluorescence decay, 4. 2° to 77°K 5=13121
    - La_2O_3—Gd_2O_3—Y_2O_3, Eu^{3+} 5=13110
    - La_2O_3:Nd^{3+} 5=13119
    - $LiTaO_3$, Curie temp. of edge luminesc. 5=1683
    - Ln_2O_3/V_2O_5 systems 5=9952
    - MgO:V^{2+}, thermal effects 5=13120
    - $MnBr_2$-amine complexes, spectra calc. 5=15608
    - MnF_2, fluorescence rel. to mag. ordering 5=4354
    - NaCl: rare earth ions 5=13122
    - NaCl, X-ray prod. 5=7401
    - NaCl, Cu doped, X-irrad. effect 5=9962
    - NaF 5=9963
    - NaI(Tl), electron response, comparison with anthracene and Pilot B 5=4364
    - NaI and NaI(Tl), scintillation mechanism 5=4363
    - Na_2O. 2MnO. $2SiO_2$ 5=14979
    - Os, M-shell fluorescence yields 5=13101
    - Pb, M-shell fluorescence yields 5=13101
    - $PbMoO_4$:Nd^{3+} near i.r. 5=15602
    - Pr^{3+} eigenstates in $LaCl_3$, using Zeeman effect 5=6256
    - Si, oxidation, anodic 5=7399
    - SiC, diffused Al p—n juncn., recomb. radiation 5=1874
    - SiC, p–n junctions 5=13126
    - SiC, B doped, photoluminesc. and polytypism 5=9961
    - SiC(4H) 5=13125
    - SrF_2:Dy^{2+} 5=13108
    - Tb^{3+} fluorescence in CaF_2, energy levels 5=13128
    - in Y_2O_3, Tm and Er, crystal field splitting 5=4328
    - YVO_4: Eu, rel. to colour TV 5=4365
    - Zn, Mn and Cu activated, and pressure pulses, shapes meas. 5=7403
    - ZnCdS—Mn—In, X-irrad., i.r. effect 5=9990
    - ZnCdS, trap depths 5=9991
    - $Zn_4O(BO_2)_6$:Ga, In, Tl 5=9965
    - ZnO powder, heat treated, rel. to centres models and free Zn 5=15581
    - ZnP:Pb and:Sn activated, long-wavelength emission 5=1876
    - α—$Zn_3(PO_4)_2Mn^{2+}$, structure and Mn^{2+} emission 5=12243
    - ZnS 5=9924
    - ZnS, constitution of Cu luminogene centres 5=9966
    - ZnS, dielectric and photodiel. props. of phosphors 5=12755
    - ZnS, elementary processes 5=9968
    - ZnS, fast neutron effects 5=9976
    - ZnS, 1. 3-2. 3μ, energy level structure 5=15592
    - ZnS phosphors, e. p. r. 5=15509
    - ZnS, precipitated 5=9970
    - ZnS, review 5=7404
    - ZnS, self-activated centre 5=9972
    - ZnS single crystals, effect of elec. fields 5=7405
    - ZnS, temp. depend. of emission band 5=9975
    - ZnS, unfired, after-treatment effect 5=9971
    - ZnS: Ag, Cu, Au, orange centres 5=4368
    - ZnS:Ag centre 5=9425
    - ZnS–CdS, colour centre 5=9496
    - ZnS—CdS:Cu, luminesc. centres; reversible transforms. 5=9989
    - ZnS:Cl, blue centre, self-activated 5=1875
    - ZnS:Cu, photoluminescence quenching 5=15605
    - ZnS:Cu, quenched 5=9977
    - ZnS:Fe^{57} 5=9969
    - ZnS-s, unfired 5=9967
    - ZnS_xSe_{1-x}, nearest-neighbour splitting 5=9988
    - ZnS:Tb^{3+} as fluorescence recombination centre 5=1878
    - ZnS and ZnSe, in diffused defect centres 5=6598
    - ZnSe, unactivated 5=15604
  - **solids, organic**
    - anthracene, excited with Xe flash 5=4369
    - anthracene, laser-generated fluorescence 5=7408
    - anthracene, triplet–triplet annihilation 5=6813
    - aromatic hydrocarbons in solid solns., temp. effect 5=1882
    - aromatic, width and Stokes losses from fluorescent and phosphorescent levels 5=1880
    - benzacridines, luminescence rel. to π-electron absorpt. band co-ord. 5=3023
    - benzene, PDB, PCB, polarization 5=3021
    - benzidine azomethane and 2, 2′ and 3, 3′ dichlorosubstituted derivs, fluorescence 5=13083
    - benzophenone donor quenching by naphthalene acceptor 5=1883
    - borazene and borazole, for slow in counting 5=580
    - cane sugar, triboluminescence mechanisms 5=13098
    - dibenzyl, decay at electron and α excitation 5=9998
    - dyes, phosphorescence efficiency det. 5=4338
    - hydrocarbons, aromatic, excimer fluoresc. 5=9995
    - lanthanide complexes, trivalent 5=5888
    - 3-methylpentane glass, γ-irrad. 5=1884
    - naphthalene deutero-derivatives, spectra at 20°K, comparison 5=4333
    - naphthalene, excited with Xe flash 5=4369
    - naphthalene, 3-photon absorpt. by laser absorpt. 5=1885
    - naphthalene and 2 derivatives in methyl methacrylate polymer, S^1—T^0 fluorescence 5=13131
    - organo-phosphor materials, discussion 5=13094
    - perylene, quenching 5=4340
    - phenanthrene in glasses, delayed, triplet–triplet mechanisms 5=7412
    - phenanthrene in methyl methacrylate polymer, S^1–T^0 fluorescence 5=13131
    - phenanthrene, quenching 5=4339
    - phenanthrene-d_{10} 5=4337
    - plastic scintillator, pulse height distrib. of incident electrons 5=5264
    - plastic scintillators, X-ray effect 5=9997
    - polystyrene-based plastic scintillators, radioluminesc. α, β ratio 5=7413
    - polyvinyl alcohol Coumarin derivatives, fluorescence, phosphorescence meas. 5=13132
    - pyrene, decay at electron and α excitation 5=9998
    - quinoline, and e. s. r. under u. v. at 77°C 5=9847
    - scintillators, emission spectra and time constants 5=13096
    - stilbene in tolane, spectra, investigation at 20. 4° and 4. 2°K 5=7379
    - p-terphenyl in polystyrene, transfer efficiency, residual polystyrene effect 5=4371
    - tetrachlorophthalic anhide complexes, phosphorescence heavy atom effect, 5=13135
    - 1, 1, 4, 4-tetraphenylbutadine in polystyrene, transfer efficiency, residual polystyrene effect 5=4371
    - triphenylene soln. at 77°K, quasi-linear 5=9999
    - $C_6H_5CH_2$, $C_6H_5CD_2$ and $C_6D_5CD_2$ in solid soln., fluoresc. 5=9993
    - Eu dibenzoylmethides 5=7410
    - MnBr amine hydrobromide complexes, characs. meas. 5=13134
    - $MnCl_2$-amine chlorohydrate complexes, review 5=7404
    - Na salicylate, absolute quantum yield 5=1886
    - Na salicylate, fluoresc. stability 5=1887
    - Te dibenzoylmethides 5=7410
- **Luminescence chambers**
  - image intensifier systen. 5=5284
- **Luminescent devices**
  - See also Counters/scintillation.
  - dosimeters, review 5=2526
  - electro-, R and D trends, review 5=13136
  - electroluminescent cells, elec. cond. 5=7414
  - panels, electroluminesc., oscillographic study of instantaneous intensity 5=4372
  - GaAs electroluminescent junctions, diffused, injection mechanisms 5=13115
  - Ga(As, P) alloy diode, efficiency improvement 5=13137

Luminescent devices — contd
- $Ga(As_{(1-x)}P_x)$ electroluminesc. diode, press. depend. of emission 5=9948
- LiF thermoluminescence dosimetry 5=2529
- ZnS electroluminescent film condensers 5=1888

Lutetium
- Lu^{176m} hyperfine struct., by atomic beams method 5=14602

Lutetium compounds

Mach number. See Aerodynamics; Shock waves; Supersonic flow.
M-centres. See Colour centres.

Macromolecules
- See also Molecules/configuration and dimensions; Polymers; Proteins.
- centrifuge study, Archibald, review 5=14680
- DNA, cooperative transconformation, heat meas. 5=5919
- DNA, mag. props., 80-300°K 5=1723
- DNA periodic models, band calcs. 5=12601
- dextran, γ irrad., e. s. r. obs. of radicals 5=15498
- double refraction in solns in periodic field, and viscoelasticity 5=9110
- electron correl. generaliz. of Bose second quantiz. 5=14679
- flow of solns. of flexible-chains in general velo. field 5=6128-9
- intramolecular disordering, microcalorimetry 5=5919
- magnetic relax. and reabsorption currents 5=997
- nucleic acids, Mn^{2+} binding 5=5918
- observation by film thickness meas. 5=3089
- procollagen, cooperative transconformation, heat meas. 5=5919
- RNA and DNA, VO^{2+} ion presence, e. s. r. meas. 5=7261
- scrambling reactions, molec. distrib. at equilib. 5=4375-6
- solutions, n. m. r., thermal relax. time, viscosity var. 5=11917
- spectra, vibr., polyatomic chain 5=1017
- thread-like, X-ray scatt. 5=8907-8
- viscosity, liquid, non-Newtonian, and coil density var. 5=3316

Madelung constant. See Solids/structure.
Maggi–Righi–Leduc effect. See Magnetothermal effects.

Magnesium
- atom, $^1P_1$, first excited state, lifetime 5=905
- atoms, Mg II line strengths 5=8758
- electron gas, collective and individual behaviour 5=6818
- evaporated films, microstruct., Kr, C_2H_4 adsorption meas. method 5=12050
- internal friction, temp. depend. to near m.p. 5=3842
- nuclear specific heat, effective mag. fields on nuclei 5=1773
- plastic deformation glide, orientation var. 5=9564
- solid, electronic structure and atomic props., theory and calc. 5=3435
- spectrum, Mg I, near u.v. 5=5765
- twin boundaries, incoherent, formation, behaviour 5=1295
- work hardening parameters, temp. var., rel. to melting temp. and stacking fault energy 5=6733
- X-ray absorption, 7-17A range 5=1833
- X-ray emission plasmon satellite bands intensity theory 5=1830
- X-ray spectrum, K. valence and coordination effects 5=4313
- K α, β satellites, classification 5=5764
- Mg I, spectrum, 26393-2025 Å 5=14603
- Mg^{2+}, collision, inelastic, with H, cross-section rel. to pot. energy 5=928

Magnesium compounds
- magnesia in epoxide resin as test material for anvil apparatus 5=15133
- magnesio-wüstite and -ferrite two-phase systems, grain growth restrictions 5=1321
- Magnox AL80, stress relax., high temp. 5=15169
- periclase–chromite, microstruct. at 1650°-2310°C 5=6408
- sklodowskite, structure 5=3634
- Mg alloys, dilute binary, Mathiessen's rule, lattice scattering influence 5=1614
- Mg alloys, mechanical strength,var. rel. to rolling direction 5=12519
- Mg alloys, plastic width/thickness strain ratio anisotropy 5=12518
- Mg aluminiosilicates liquid struct., from viscosity, density 5=9086

Magnesium compounds—contd
- Mg spinel, Cr-doped, spin—lattice relax., phonon heating effects 5=4236
- MgAg, bending, surface effects and slip 5=12521
- MgAl spinel, Ni^{2+} distrib., spectrophotometric analysis 5=15561
- Mg—Al—Be—Si, ductility props. and creep 5=1530
- Mg—Al—Mn alloys (fixed Mn), mag. props., magnetoresistance 5=12874
- $MgAl_2O_4$, cation distrib. using neutron diffr. 5=6462
- $MgAl_2O_4$, Cr^{3+} optical spectrum, meas. versus theory 5=13043
- Mg_3Cd, domain growth kinetics 5=7137
- Mg—Ce, Mg—rich phase crystal struct. 5=3633
- $MgCl_2$—H_2O solns., spin—lattice relax. time, conc. var. 5=11918
- MgF_2, optic modes, transverse, longitudinal 5=4314
- MgF_2, sublimation pressures, 1241° to 1492°K 5=1217
- MgF_2, vapour press., 1413°-1614°K 5=6227
- Mg—Fe—O alloy, solid soln. and preap. hardening 5=3861
- Mg_2Ge, photoconductivity 5=4115
- Mg—K metaphosphate, system, liquid—solid equil. 5=14875
- Mg Mn ferrite, flux reversal, 2. 2° to 300°K 5=12948
- Mg—Mn—Fe ferrite, rectangular hysteresis loop and defects 5=7171
- $Mg_{0.52}Mn_{0.51}Fe_{1.97}O_{4.001}$, cation distrib. 5=9343
- $Mg_{0.73}Mn_{0.57}Fe_{1.70}O_{3.986}$, cation distrib. 5=9343
- $Mg(NH_4)_2(SO_4)_2 . 6H_2O$, crystal structure 5=1380
- Mg—Nd, Mg—rich phase crystal struct. 5=3633
- $Mg_{1-x}Ni_xAl_2O_4$, absorption spectra, and Ni^{2+} energy level diagram 5=15562
- Mg—Ni—Mn ferrite, magnetization reversal 5=12947
- $Mg_{1-x}Ni_xO$, spectral props. in crystal-field region calc. 5=15562
- MgO bicrystals, creep-rupture behaviour 5=6735
- MgO, bulk versus surface conductivity 5=9615
- MgO cleavage faces, Au crystal nucleation, 209°-381°C 5=3559
- MgO, crack nucleation 5=9566
- MgO, crystal dislocations 5=9470
- MgO, crystal hyperfine fields of $Mn^{2+,4+}$ 5=3420
- MgO crystal lattice bend zones 5=9443
- MgO, doped with Fe^{2+}, u. s. phase vel. var. 5=6524
- MgO, e. s. r. of Er^{3+}, broadening by point defects 5=4239
- MgO, elastic consts.,single crystal versus polycrystalline, comments 5=1532
- MgO, elastic consts., single and polycryst. 5=3862
- MgO, Fe^{3+} e. s. r. higher order transitions calc. 5=15500
- MgO, films, deposition by electron bombard. evap., dielec. props. 5=3499
- MgO, films, i. r. transmission and lattice vibrations, 10-42μ 5=4297
- MgO, fully dense, grain growth 5=3449
- MgO, high O, Ar—O atmos., 20 to 2000°C meas. 5=1427
- MgO, high temp. mech. props. 5=3863
- MgO, mechanical props., dispersed W effects 5=9567
- MgO, mechanical strength, elasticity, var. grain size, temp. 5=12520
- MgO, mechanical strength, surface flaw effects 5=6734
- $Mg^{24}O$, molar volume, isotopic effect, 78° and 300°K 5=1421
- $Mg^{26}O$, molar volume, isotopic effect, 78° and 300°K 5=1421
- MgO, molecular dissoc. energy, mass spectrometer obs. 5=5913
- MgO:Ni^{2+}, Fe^{2+}, u. s. absorpt. and dispersion, 9375 Mc/s, and e. s. r. 5=15042
- MgO, Ni^{3+} reson. relax. 5=15502
- MgO, optical consts., 1080-2225°K, from reflectivity 5=15560
- MgO, paramag. spin—lattice relax. and trans. relax. of Mn^{2+} 5=7243
- MgO reflecting coating, production technique 5=4694
- MgO, slip and dislocation bands 5=9565
- MgO, spectrum, reflection, heat treatment effects, Kramers–Kronig analysis 5=7349
- MgO, strain hardening 5=15170
- MgO thin foil preparation technique for electron microscopy 5=1324
- MgO, vacancies, shock wave prod., e. s. r. study 5=6609
- MgO, yield drops, during high temp. bending 5=1531
- MgO, Cr R lines, isotope shift, 4.2°C 5=1848
- MgO:Cr^{3+}, e. s. r. absorption spectrum, isotopic shift 5=4235

Magnesium compounds—contd
MgO–$MgAl_2O_4$ liquid, activity and defect models 5=10018
MgO–$MgFe_2O_4$ solid solutions, thermal cond., effect of vacancies 5=15061
MgO–MnO, fabrication and plastic behaviour 5=6736
MgO–NiO, fabrication and plastic behaviour 5=6736
$Mg(OH)_2$, Nd^{142} nuclear quadrupole coupling, spin temp., polarization expts 5=1232
MgO:V^{2+}, fluorescence lifetime and spectrum, thermal effects 5=13120
Mg–Pr system Mg rich cpds., crystal struct., atomic 5=12221
MgS, films, i. r. transmission and lattice vibrations, 10-42μ 5=4297
Mg_2Si, elastic consts. and lattice vibr. freqs. 5=9373
Mg_2Si, photoconductivity 5=4115
$MgSiO_3$, melting, poly morphism, high press. var. 5=11930
Mg_2Sn, galvanomagnetic effects, 77°-196°K 5=6938
$MgSO_4$, sea water, acoustic and u. s. absorption, temp. var. 5=3330
$MgSO_4 \cdot 3Na_2SO_4$, crystal lattice structure 5=6464
$MgSO_4 \cdot 7H_2O$, crystal structure 5=1379
$MgWO_4$:Cr^{3+}, spin-lattice relax. 5=1794
Mg–Zn liquid alloys, thermodynamics 5=11878
SrF_2, sublimation pressures, 1241° to 1492°K 5=1217
Magnetic amplifiers. See Amplifiers; Magnetic devices.
Magnetic bays. See Earth/magnetic field, variations; Magnetic storms.
Magnetic bottles. See Magnetic fields; Plasma/confinement.
Magnetic cooling
adiabatic demagnetization apparatus for nuclear orientation expts. 5=8518
paramagnetic crysts., by hyperfine struct. coupling 5=13994
Magnetic devices
alternating field meas., induction method 5=10460
balance, for absolute susceptibility meas. 5=204
coils, for z-pinches, current distrib. study 5=11734
diffusion cell stirrer 5=11875
e. s. r. magnet system 5=4978
ferrite cores, dynamical behaviour 5=14057
memory, for data multidim. analyzer 5=14333
memory, mag. surface recording 5=10470
recording, without erasing head, characts. 5=2121
solenoid, shielded, highly homogeneous field 5=7953
suspension, for triple rotor 5=7954
tape data recording, review 5=10891
α-Fe_2O_3, memory effect on powdering single crystals, due to disloc. 5=1745
Magnetic domains. See Magnetization state/domains.
Magnetic field measurement
alternating, induction method 5=10460
currents flowing on toroidal surface 5=2247
earth, automatic obs. 5=13572
earth, rapid var., use of opposing solenoid 5=13582
earth, rocket p magnetometer and data equipt. 5=13635
field indices 5=10462
free precession signal, amplitude, in earth's field, 5=8033
by free radicals in soln dynamic polarization, weak fields 5=7948
gaussmeter, diamagnetic 5=7947
gaussmeter, induction, with piezoelectric drive 5=10459
gaussmeter nuc. resonance, mag. field-tracking 5=14050
Gaussmeter, Rawson, type, 727, 10^{-5}Oe field 5=2208
Hall effect gaussmeter, a. c., 180-12 000G 5=205
helical, perturbation effect 5=2213
magnetometer frequency char. compensation 5=4705
magnetometer, low-field n.m.r. -type 5=7944
magnetometer, photoelectric visual accuracy increase 5=7946
magnetometer with saturation probe 5=4893
magnetometer, universal 5=10458
MURA electron accelerator fields, methods 5=524
MURA electron accelerator fields, equipment and procedures 5=525
n. m. r., for inhomogeneous fields 5=2209
n. m. r. freq. of protons, in H_2O 5=14591
n.m.r. probe, for field mapping 5=7945
by n. m. r., sensitivity and admissible field inhomogeneity 5=14048
proton resonance method for meas. and control 5=14046-7
rocks, spinner magnetometer 5=13624
by search coil, finite removal time error 5=10461
solar surface, magnitude and dir. near sunspots 5=4664
Magnetic field measurement—contd
superconducting electromagnets, by InSb Hall effect 5=14049
10^{-5}Oe with Rawson-type 727 Gaussmeter 5=2208
Magnetic fields
See also Earth/magnetic field; Electromagnetic fields; Interplanetary magnetic fields.
compression by metal foil explosion 5=14712
configurations, multiply periodic, with m. h. d. stability 5=10513
of current-carrying cylinder, of infinite elec. cond. 5=1112
diffusion associated with ionizing shock wave with e. m. fld interaction 5=14087
diffusion, in θ pinch 5=14746
ellipsoid, homogeneous, in uniform mag. field, calc. of field inside 5=207
flux-compression generation, limits 5=14052
flux trapping and compression in superconducting Nb–Sn tubes 5=1633
generation by Nb–Zn supercond. wires, annealing effects 5=15300
interaction with H plasma 5=11694
MAFCO code for current elements in three dimensions 5=2211
MURA electron accelerator, field correction 5=524
of non-cylindrical coils, calc. 5=10464
0.9×10^6 Oe, short duration, generation 5=14053
production, ~ hundreds of kG, rel. to low temp. 5=2212
pulsed, exploding Hg coil prod. 5=10463
pulsed, long-duration, generation 5=14055
pulses in finite magnet, prod. 5=10467
remanent mag. and dispersion of anisotropy dirn 5=15444
self-excitation, during motion of highly cond. liquid 5=236
static, noninteraction with electric field 5=14006
steady, of prescribed shape, prod. 5=14054
strong quasi-stationary, generation 5=208
sweep device for n. m. r. 5=261
sweep generator 5=7949
in superconductive films, critical 5=15284
synchrophasotron, exponent meas. 5=10959
in synchrotrons, meas. 5=10957
variation in magnet with stepped gap, analysis 5=7950
> 200 kOe, generation, reviews 5=14051
> 300kG in large vols., prod. by capacitor discharge through coils 5=4895
Zeeman effect of time-variable line emission, for mag. field meas. 5=206
Ni–Fe thin films, external field 5=4205
effects
anisal-p-aminoazobenzene liquid crystals, dielectric props. 6, 24 KMc/s 5=9137
bremsstrahlung from electron–ion encounters 5=548
carnauba wax, electret prod. 5=7022
charged particle motion, and rotating elec. field, relativistic soln. 5=4903
e. m. wave radiation from plasma-covered slot 5=14115
electron beam broadening due to relaxation, calc. 5=4915
electron beam compression 5=4910
electron beam losses in microtrons, compensation 5=1096
ferrites, switching processes in high-speed large-amplitude fields 5=4208
ferromagnetics, atomic nuclei 5=12920
forces on body, free energy depend. 5=2210
galaxies 5=4600
heat transfer, in m.h.d. stagnation-point flow 5=10361
magnetic susceptibility in strong mag. fields 5=7076
metal films, superconductivity 5=12666
n.q.r., relaxation time var. 5=7289
nonmagnetic conductors levitation in a.c. mag. fields, calc 5=7955
plasma column, cylindrical, in transverse field 5=3153
plasma conductivity 5=11685
plasma, penetration, in presence of Hall effect 5=14726
plasma rot. and instability due to transverse fields, in θ-pinch 5=1110
plasma secondary spectrum var. 5=6011
plasma stability, longitudinal, variable field 5=6053
plasma stream–dipole interaction obs, and solar wind–earth 5=13560
plasma, transient processes 5=8967
plate, infinite, torsional oscillation in fluid 5=4777
radiative transfer 5=13895
satellite torque appls. 5=4519

Magnetic fields — contd
effects — contd
satellites, torque control of Tiros I, II 5=4520
semiconductors, conduction kinetics in a.c. field 5=12574
solar, sound-wave generation 5=4681
superconducting filaments, critical current var. 5=12665
superconductors, small size 5=12670
temperatures near 0°K prod., rel. to nuclear spin studies 5=2212
thermomagnetic waves in metals 5=6538
transistor, junction, current amplification factor 5=15365
Al—Cu systems, diffusion 5=3712
CaF$_2$, Sm^{2+} spectrum, absorpt. prod. 5=7328
CdS, on exciton absorpt. spectrum 5=7327
24Co–14Ni–8Al–3Cu–Fe, precipitate orientation in mag. fld 5=7131
Cu, p.e. emission potential 5=7055
Fe, p.e. emission potential 5=7055
In films, thermal cond., meas. by zig—zag effect 5=6576
In, p.e. emission potential 5=7055
InSb, impure n-type, effect on warm-carrier resist. 5=4030
Nb$_3$Sn, flux-jumping var. 5=9653
Sm^{2+} spectrum in CaF$_2$, SrF$_2$, absorpt. prod. 5=7328
SrF$_2$, Sm^{2+} spectrum, absorpt. prod. 5=7328
YFe garnet, resonating, microwave emission by pulsing 5=7371
Magnetic films
anisotropy constant, uniaxial, determ. 5=7113
anisotropy increase with inhomogeneous drive fields 5=4187
domain shape during magnetization reversal 5=4185
domain structure, stress effects 5=15448
ferrite, domain-struct. dynamics as funcn. of mag-field and temp. 5=7159
ferromagnetic, anisotropy dispersion meas. 5=4188
ferromagnetic, domain propag. 5=12902
ferromagnetic, mag. ripple calc. 5=12899-900-1
ferromagnetic, magnetization, spontaneous 5=15443
ferromagnetic, magnetization var., Bethe—Peirls—Weiss approximation 5=15445
ferromagnetic, spin waves 5=15442
ferromagnetic theories, review 5=7114
ferromagnetic, with uniaxial anisotropy, biaxial anisotropy regions 5=4186
glass substrates and film mag. parameters 5=1738
Green's function theory for ferromagnetism 5=12898
hysteresis rel. to ang. anisotropy dispersion 5=15446
hysteresis loop recording, magneto-optical method 5=15447
hysteresis loop tracer, in vacuo 5=12904
magnetoelastic oscillations 5=7111
magnetometer, electrostatic automatic torque 5=2206
mechanical analogue for uniaxial anisotropy 5=12889
for memory elements, printed circuit applications 5=10471
Neél walls, shape and energy 5=4184
Permalloy, angular dispersion 5=1751
Permalloy, anisotropy and angular dispersion 5=1755
permalloy, domain coercive force meas. 5=15456
Permalloy, dynamical props. rel. to anisotropy dispersion 5=9805
Permalloy, easy axis dispersion rel. to deposition parameters 5=1754
Permalloy, easy axis factors 5=9806
Permalloy, ferromag. spin—wave resonance 5=4225
Permalloy, ferromagnetic reson. 5=7197
Permalloy, mag. reversals in field normal to easy magnetization axis 5=15457
Permalloy, magnetization fluctuations and blocking 5=9804
Permalloy, magnetization reversal rate rel. to transverse mag. fld. 5=1753
Permalloy, magneto-electric effect 5=15280
Permalloy, spin mode spectra 5=12936
Permalloy, uniaxial anisotropy, dispersion meas. by ΔR effect 5=7150
Permalloy on wires, skew, dispersion and creep meas. 5=1752
Permalloy, with stripe domain structure, mag. props. 5=7149
properties and storage technology technique 5=9790
with rectang. hysteresis loops magnetization reversal, differential eqn. solution method 5=2020
with stripe domains, relax. phenomena 5=9801
uniaxial, fine structure and ripple hysteresis 5=4182
Magnetic films—contd
wall struct. 5=12903
Co domain edge flux closure rel. to electron microscope images 5=9784
β-Co, magnetic anisotropy 5=7118
Co, non-coherent magnetization reversal 5=12910
Co—P, uniaxial anisotropy, prod., props. 5=12911
Fe, amorphous—crystalline phase transition 5=9792
Fe, evap., saturation magnetization rel. to thickness 5=9793
Fe, mag. reversals, study using Faraday's effect 5=4191
Ni, domains 5=15451
Ni, rotateable anisotropy 5=15453
Ni and Cu multilayers on Al, H$_c$ var., Ni thickness effect 5=7142
Ni—Fe, associated mag. fields 5=4205
Ni–Fe, domain wall creep–Bloch line rel. 5=7152
Ni—Fe, domains 5=15451
Ni–Fe, fast flux reversal 5=7151
Ni–Fe films, magnetization 5=12934
Ni–Fe films, spin—orbit interact. effect 5=12932
Ni—Fe, long term aging 5=1747
Ni—Fe and Ni—Fe—Mo, hysteresis rel. to ang. anisotropy dispersion 5=15446
Ni—Fe, orienting-field-deposited, characteristics 5=1746
Ni—Fe separated by SiO, mag. perturbation walls 5=4204
Ni–Fe single crystal, biaxial mag. switching props. 5=7148
Ni—Fe stripe domains 5=9802
(80%)Ni—(20%)Fe in strip line matrices, magneto-dynamics 5=1748
βUF$_5$, 78-723°K 5=12879
Magnetic hysteresis. See Magnetization process.
Magnetic measurement
See also Magnetic field measurement. Entries describing measurement methods for specific magnetic quantities and effects may also be found listed under the various headings for the subjects concerned.
balance, for absolute susceptibility 5=204
Curie points, a. c. bridge method 5=15432
Faraday susceptibility apparatus, high sensitivity 4=203
ferrites, by cavity 5=7156
hysteresis, automatic 5=4892
magnetometer, electrostatic automatic torque, for thin films 5=2206
moment of spinning rotor from hunting in rotating field 5=2207
probe, responses using transistorized circuit 5=11728
susceptibility, instrument 5=10456
susceptibility, self-compensating balance 5=10457
Magnetic memories. See Calculating apparatus; Magnetic devices.
Magnetic mirrors. See Magnetic fields; Plasma/confinement.
Magnetic properties of substances
See also Magnetic films.
anthracene negative ion, nuclear polarization, dynamic 5=3362
arsenopyrite, calc. 5=12715
Bloch electron, zero-field susceptibility 5=1719
crystal, mag. and chem. unit cells non-identical, mag. struct. determination 5=7072
cyclohexane—CCl$_4$, diphenyl ether, nitrobenze and cyclohexanol 5=9153
DNA, 80-300°K 5=1723
formaldehyde, molecular suscepts. from Zeeman effect 5=11568
fluorescein in boric acid glass, in phosphorescent state 5=12872
graphite colloidal sols., anisotropy, and optical props., particle effects 5=15556
marcasite, calc. 5=12715
materials, book, papers digest (1964) 5=15427
metals, moments, localized, interactions, angular dependence 5=7075
neutron irradiation effects, review 5=3782
pyridine N-oxide—CuCl$_2$, susceptibility 5=9768
pyrite, calc. 5=12715
rare earth ethyl sulphates, suceptibility anisotropy 5=4169
rare earth, low-temp. mag. transitions 5=12913
rare-earth metals, heavy, crystal structures 5=4168
ruby with Cr$_2$O$_3$, susceptibility at 4. 2°K 5=12878

Magnetic properties of substances—contd

- semiconductors susceptibility in crossed elec. and mag. fields 5=1718
- superconducting filaments, magnetization, model 5=12664
- superconducting films, Gor'kov eqn. 5=3988
- transition ion impurities, in noble metals 5=3692
- transition metal cpds., and transport props., conference 5=15262
- Au—Fe alloy 5=9824
- Bi, self-magnetic field, rel. to magnetoelectric effects 5=9623
- $CoSiF_6 \cdot 6H_2O$, anisotropy rel. to reversible phase change 5=6284
- Eu, ordering, transitions and high press. 5=15187
- Eu—Se solid solns. and electric props., review 5=1724
- Fe^{57} Laves phase cpds., hyperfine interaction and Mössbauer effect 5=3430
- Fe^{2+} Tutton salts, anisotropy and susceptibility, Ligand field theory 5=7083
- Fe—C, ageing, martensitic transform., mag. saturation method meas. 5=6294
- $Fe(HCOO)_2 \cdot 2H_2O$, susceptibility calc. 5=7087
- Gd—Se solid solns. and electric props., review 5=1724
- Ge n-type, anisotropy const., rel. to magnetoresist., temp. var. 5=1648
- Ge, Fe-doped, precipitates, susceptibility var. 5=1721
- Ir chalcogenides, susceptibilities 5=9335
- La—Se solid solns. and electric props., review 5=1724
- Li alloys, equi-atomic, mag. susceptibility 5=7085
- LiF, radiation-damaged 5=9763
- LiF, radiation-damaged, phenomenological interpretation 5=9764
- Mg—Al—Mn alloys (fixed Mn) 5=12874
- Mn—transition metal alloys, susceptibility 5=9346
- $Mn(HCOO)_2 \cdot 2H_2O$, susceptibility calc. 5=7087
- Mn–Zn alloys mag. structure, neutron diffraction studies 5=7088
- Nb crystals, rel. to superconductivity 5=1632
- Nb—Zr superconducting wire 5=1722
- Ni cobaltite, permeability 5=6377
- PbSe, suscept., non-parabolic dispersion 5=12873
- Pd, 1.4-300°K 5=4271
- PdTe, $PdTe_2$ 5=12011
- Pr oxides 5=4222
- Pt metal alloys, conference 5=9765
- Rh chalcogenides, susceptibilities 5=9335
- Si, ordering, transitions and high press. 5=15187
- Ti–V–Cr, susceptibility rel. to n.m.r. behaviour 5=1819
- UF_3, susceptibility, prep., temp. var. 5=7089
- $YMnO_3$-type crystals, ordered mag. structs. 5=15429
- III—V compounds, review (book) 5=4011
- **antiferromagnetic**
  - See also Antiferromagnetism.
  - chromium chrysoberyl 5=4216
  - dibenzene chromium iodide 5=7183
  - ground states 5=12954
  - h. f. non reson. susceptibility 5=15471
  - lanthamide-Ag cpds 5=4219
  - lanthanide—Cu compounds 5=9772
  - magnetoelastic waves, coupled 5=3688
  - perturbation treatment of ground state 5=12955
  - rare-earth metals 5=7153
  - spinels, with A—A interaction 5=7178
  - steel, stainless, austenitic, 0.05° to 77°K 5=12961
  - transition metal and alloy 5=12906
  - transition metals and alloys 5=15458
  - transition metal tungstates, molybdates, and titanates 5=7189
  - weakly ferromag. antiferromag., slow neutron scatt. 5=1727
  - AlDy garnet structure 5=9819
  - Au—Fe alloy 5=9824
  - $Au_{92}Fe_8$, discontinuites in magnetization below 1°K 5=15472
  - $CoAl_2O_4$ 5=7178
  - $CoBr_2 \cdot 2H_2O$, magnetization process, transition temp. 5=15474
  - $CoBr_2 \cdot 2H_2O$, metamag. model 5=7179
  - $CoCl_2$, field dependent spin-wave effects at 2.1°K 5=1769
  - $CoCl_2 \cdot 2H_2O$, magnetization process, transition temp. 5=15474
  - $CoCl_2 \cdot 2H_2O$, metamag. model 5=7179

Magnetic properties of substances—contd

- **antiferromagnetic**—contd
  - $CoCl_22H_2O$, structure 5=1768
  - CoF_2 5=9822
  - CoO, anisotropy 5=7180
  - CoO, domain struct., fringe pattern of electron microscopy 5=4218
  - α-Co SO_4, canted 5=1770
  - $CoTiO_3$, exchange interactions 5=1775
  - Cr, mag. scatt. of neutrons 5=15473
  - Cr, Néel temp., pressure effect 5=7181
  - Cr, transition temp., effect of press. 5=12958
  - $CrCl_3$, sublattice magnetization, spin-wave analysis 5=7182
  - $Cr_{88}Fe_{15}$, discontinuities in magnetization below 1°K 5=15472
  - Cr—Mn alloys, mean mag. moments 5=9820
  - Cr—Mn, susceptibility, elec. cond., order, neutron diffr. meas. 5=4217
  - Cr—1%V, neutron diffraction study 5=9821
  - Cr_2O_2, effect of elec. and mag. fields on mag. props. 5=12728
  - $Cr_2^{53}O_3$, n. m. r. and coupling consts. 5=13000
  - CrS, and ferromag. props., neutron diffraction studies 5=7121
  - Cs_2MnCl_4, mag. interaction 5=9810
  - $CsMnF_3$ 5=7192
  - Cu propionate, isotropic exchange integral 5=12957
  - $CuCl_2 \cdot 2H_2O$ antiferromagnet 5=12956
  - $CuSO_4$, anhydrous, struct. 5=15475
  - $CuSO_4 \cdot 5H_2O$, proton reson., and mag. moment correl. 5=7277
  - Dy, anisotropy and exchange magnetostriction effects, meas. 5=1766
  - $Dy_3Al_5O_{12}$, struct., low temp. 5=15476
  - Eu chalcogenides, optical absorpt. rel. to Curie point 5=7335
  - EuTe, field dependent spin-wave effects at 2.1°K 5=1769
  - $FeAl_2O_4$ 5=7178
  - $FeCl_2 \cdot 4H_2O$ 5=1772
  - $FeCl_2$ $4H_2O$, susceptibility, 0.35 to 4.2°K 5=1771
  - Fe—Cr alloy, coexistence with ferro 5=9795
  - Fe-Cr alloys, superparamagnetism and super-antiferromagnetism 5=12959
  - $FeGe_2$, Mössbauer effect 5=14902
  - $FeGe_2$, structure and hyperfine field 5=9823
  - β-$FeNaO_2$, mag. structure 5=7165
  - FeO, 100-400°K, up to 300 kOe 5=1774
  - α-Fe_2O_3 colloidal sols., anisotropy, and optical props., particle effects 5=15556
  - α-Fe_2O_3, hematite, 180° domain walls, polarized neutron study 5=4198
  - α-Fe_2O_3, thermal expansion, high temp. phase transforms. 5=12867
  - $Fe_{1-\delta}S$, magnon scatt. of slow neutrons 5=7166
  - $Fe_{1-\delta}S$, spin fluctuation scatt. of neutrons, rel. to temp. 5=7167
  - Fe_7S_8, neutron diffraction study 5=9797
  - $FeTiO_3$, exchange interactions 5=1775
  - $GeNi_2O_4$ and mag. structure 5=7184
  - Ho, anisotropy and exchange magnetostriction effects, meas. 5=1766
  - Ho, s–f exchange interaction, i.r. absorpt. band 5=6802
  - K, spin-density wave 5=4221
  - K_2NiF_4, mag. interaction 5=9810
  - K_2NiF_4, rel. to stacking faults 5=6642
  - La_2NiO_4, mag. interaction 5=9810
  - $La_{0.5}Sr_{1.5}MnO_4$, mag. interaction 5=9810
  - MO series (M = Mn, Fe, Co, Ni), exchange interactions 5=12960
  - γ—Mn, hyperfine field, calorimetric determ. 5=1419
  - $MnAl_2O_4$ 5=7178
  - $MnCl_2$, magnetothermodynamic props., 1.3-4.4°K, mag. moment 5=7185
  - $MnCl_2$, susceptibility and mag. moment, 1.3-4.4°K 5=7186
  - $MnCO_3$-type, coupled magneto-elastic waves 5=7177
  - $Mn[Co]SiF_6 \cdot 6H_2O$ structure, below 1°K 5=9825
  - MnF_2, fluorescence, charges at Néel point 5=4354
  - MnHg, mag. structure 5=7187
  - MnO, Ising lattice ordering, Monte Carlo method 5=4220

Magnetic properties of substances—contd
  antiferromagnetic—contd
    MnO, 100-400°K, up to 300 kOe 5=1774
    $MnSO_4 \cdot H_2O$, 100-400°K, up to 300 kOe 5=1774
    $MnSe_2$, antiferromag. reflections rel. to temp. 5=7146
    $MnSn_2$, ordering, transitions and high press. 5=15187
    $MnTiO_3$, exchange interactions 5=1775
    $MnYO_3$, and ferromagnetic props. 5=7140
    $NaMnF_3$ 5=7192
    NH_4MnF_3 5=7192
    NiO, domain obs. 5=7190
    $NiTiO_3$, exchange interactions 5=1775
    Pd—Fe—rare earth alloys, alignment of rare-earth moments 5=7191
    PrO_2 5=4222
    $RbMnF_3$ 5=7192
    UO_2, and acoustic attenuation, temp. var. 5=12280
    V_2O_3, spin ordering and energy gap, n. m. r. exam. 5=13011
  diamagnetic
      See also de Haas-van Alphen effect; Diamagnetism.
    alkali halides, suceptibility, additivity deviation 5=4157
    aromatic molecules, anisotropy 5=3063
    cyclic polyenes, calc. methods 5=8910
    elements, atomic nuclei, mag. fields 5=12920
    molecules, cyclic, MO calc. 5=11562
    Al binary alloys 5=9762
    As, α and γ, susceptibility rel. to temp. 5=9325
    Cd_3As_2, Shubnikov–de Haas effect, 4.2°K 5=7079
    CdS, 77-700°K and with In and Cu 5=12870
    $CuCr_2S_4$, spinels, Cu^+ on tetrahedral sites 5=15450
    $CuCr_2Se_4$ spinels, Cu^+ on tetrahedral sites 5=15450
    GaSb, Shubnikov—de Haas effect, amplitude 5=6923
    HF, from Hartree—Fock calcs., perturbed 5=8815
    LiF, neutron irrad., susceptibility 5=7086
    NbAs, $NbAs_2$ 5=1383
    $NbSb_2$ 5=1383
    Pb, susceptibility meas. 5=4161
    Pb–Bi, type II, of surface superconductivity 5=7084
    $RaBr_2$, susceptibility 5=9766
    $RaCl_2$, susceptibility 5=9766
  ferrimagnetic
      See also Ferrimagnetism.
    critical fields in ferrimagnets with 3 mag. sublattices 5=1756
    garnets, Y-free 5=12944
    magnetic space group graphical representation 5=12938
    rel. to microwave applications 5=1757
    pyrrhotite, magnetocrystalline anisotropy 5=1762
    rare-earth garnets, and spin—wave spectrum 5=4212
    $CoAl_2O_4$ 5=7178
    $CoCr_2O_4$, spiral configurations 5=9813
    $Eu_3Fe_{5-x}Ga_xO_{12}$, angular momentum compensation 5=7160
    $FeAl_2O_4$ 5=7178
    $FeCr_2O_4$, magnetic structure 5=7164
    β-$FeNaO_2$, mag. structure 5=7165
    $xFe_2O_3 + (1-x)MeTiO_3$ (Me = Cu, Ni, Mn, Co) 5=7168
    $Fe_{1-\delta}S$, magnon scatt. of slow neutrons 5=7166
    $Fe_{1-\delta}S$, spin fluctuation scatt. of neutrons, rel. to temp. 5=7167
    GdFe garnet, Block wall quenching n.m.r. meas 5=9815
    Gd–Fe garnets, Fe^{3+} and Gd^{3+} substitution effects 5=7161
    $MnAl_2O_4$ 5=7178
    Mn—Mg—Zn ferrites, thermomag. hysteresis, —200° to 250°C 5=1759
    Mn_2TiO_4 5=6463
    Ni—Zn—Fe ferrites, crystal anisotropy 5=4211
    Sm cpds., Sm^{149} hyperfine interacts. 5=6247
    Y-ceric earth mixed garnets 5=7175
    YFe garnet, rel. to divalent Co substitution 5=4213
    YFe garnet, Ti^{4+}, Cr^{3+} and Ru^{4+} substitution 5=12953
  ferromagnetic
      See also Ferromagnetic relaxation; Ferromagnetic resonance; Ferromagnetism; Magnetization process; Magnetization state.
    alloys, conduction electron spin-density oscillations 5=4193
    Alnico/Alcomax III, miner loops 5=12907
    Alnico (5%Ti)(34%Co), structure and treatment 5=6262

Magnetic properties of substances—contd
  ferromagnetic—contd
    crystals, s—d electron exchange interaction, distortion orbital mixing 5=1781
    dust, susceptibility meas. 5=12905
    ferromagnetic dielecs., n. m. r. theory 5=4260
    Ferroxplana in $Co_yNi_{2-y}W_{Sr}$ anisotropy and permeability, temp. var 5=7124
    Ferroxplana in $Co_yCu_{2-y}W_{Sr}$ anisotropy and permeability, temp. var 5=7124
    Ferroxplana in $Co_yCu_{2-y}W_{Ba}$, anisotropy and permeability, temp. var 5=7124
    films, anisotropy dispersion meas. 5=4188
    films, mag. ripple calc. 5=12899-900-1
    hematite, low temp. remanence, for identification 5=12926
    granulates and rock magnetism 5=7115
    Hall effect, anomalous, low-temp. theory 5=6838
    internal friction in alternating mag. field, review 5=6670
    magnetite, domain struct. by thermomechanical etching 5=7136
    magnetite, low temp. remanence, for identification 5=12926
    magnon scattering of neutrons 5=9782
    metals, elec. cond., complex tensor at optical freqs. anomalous elec. props., calc. 5=3965
    moment and anisotropy, rel. to chemisorption 5=3964
    n. m. r., skin effect influence 5=15511
    nuclear mag. resonance, domains and boundaries 5=7105
    orthoferrite single crystals, coercivity ang. var. 5=7155
    particle irrad., props. recovery, review 5=4192
    permalloy films 5=4203
    Permalloy films, anisotropy dispersion 5=7147
    permalloy films, domain coercive force meas. 5=15456
    Permalloy films, dynamical props. rel. to anisotropy dispersion 5=9805
    Permalloy films, with stripe domain structure 5=7149
    rare-earth alloys, disorder resistivity 5=3977
    rare-earth metals 5=7153
    spinels with A—A interactions 5=7178
    steel, transformer, mag. induction 5=3474
    transition metal and alloy 5=12906
    transition metals and alloys 5=15458
    transition metal alloys, mag. moments 5=7126
    weakly ferromag. antiferromag., slow neutron scatt. 5=1727
    $BaFe_{19}O_{27}$, magnetostriction of hexagonal cryst. 5=7158
    CeAg 5=4219
    $CeCl_3$, field-sensitive peaks, <2.2°K 5=7141
    CeF_2 5=1739
    Co, atomic nuclei, mag. fields 5=12920
    Co, hexagonal, spin rotation 5=7116
    Co^{2+} in $CoCs_3Cl_5$, susceptibility and anisotropy 5=15449
    CoPt, magnetic structure 5=7120
    $CrBr_3$, anisotropy 5=1740
    $CrCl_3$, sublattice magnetization, spin-wave analysis 5=7182
    Cr—Rh [Ru, Re, Os], b. c. c., susceptibilities 5=9791
    CrS, and antiferromag. props, neutron diffraction studies 5=7121
    Cs_2MnCl_4, mag. interaction 5=9810
    $CuCr_2S_4$, spinels, coupled Cr ions on octahedral sites 5=15450
    $CuCr_2Se_4$, spinels, coupled Cr ions on octahedral sites 5=15450
    Cu–Ni–Fe remanent props. after heat treatment and cold work 5=7123
    Dy, magnetostriction 5=15052
    Eu chalcogenides, optical absorpt. rel. to Curie point 5=7335
    EuF_2, paramag., T_N = 19.5°K 5=15431
    Fe, after-effect, magnetization contribution 5=12916
    Fe, after-effects after neutron irrad. 5=12917
    Fe, atomic nuclei, mag. fields 5=12920
    Fe, mag. history of local regions 5=4190
    Fe, n-irrad., pulsed, recovery by annealing at low temp. 5=4192
    Fe, neutron scatt. on spin waves 5=12918
    γ-Fe oxide particles, Preisach funcn. stability 5=12923
    Fe, p-irrad., props. recovery, state-of-the-art review 5=4192
    Fe, polarized positron annihilation 5=9611
    Fe, spin wave theory applicability 5=12919
    Fe Al, conduction electron spin susceptibility 5=4194

Magnetic properties of substances—contd
  ferromagnetic—contd
    Fe_3Al, co-operative phenomena, theory 5=9794
    FeCo powder, permeability, initial 5=7128
    Fe—Co—Ni ternary alloys, Curi temp. prediction 5=4195
    Fe—Cr alloy, coexistence with antiferro. 5=9795
    Fe-Cr alloys, superparamagnetism 5=12959
    Fe_3Cr, transforms. 5=12922
    $Fe_{1.76}Ge$, magnetic structure, neutron diffract. exam. 5=4196
    α-Fe_2O_3, memory effect on powdering single crystals, due to disloc. 5=1745
    α-Fe_2O_3, moment, spin density component 5=7135
    α-Fe_2O_3 particles, ultra fine 5=7134
    Fe_2O_3, γ—α phase transformation by squeezing, props. var. 5=6302
    Fe_3O_4, calc., Curie temp. 5=4199
    Fe_3O_4 dispersed powders 5=9798
    α-Fe_2O_3, S-state cation aspherical spin density 5=4197
    FePd ordered phase 5=12924
    $Fe_{0.902}S$, neutron diffraction studies 5=7122
    Fe_7S_8, neutron diffraction study 5=9797
    Fe—Si, vol. magnetostriction, crystal effect anisotropy 5=4200
    $Ga_{2-x}Fe_xO_3$, magnetoelectricity obs. 5=4189
    Gd, anisotropy meas. near Curie point 5=7125
    $\{GdCa_2\}[Zr_2](Fe_3)O_{12}$, weak magnetization due to Ca and Zn substitution 5=7161
    GdN 5=12915
    K_2NiF_4, mag. interaction 5=9810
    La_2NiO_4, mag. interaction 5=9810
    $La_{0.5}Sr_{1.5}MnO_4$, mag. interaction 5=9810
    Mn_5Ge_3, hyperfine mag. fields at Mn nucleus 5=6246
    Mn_5Ge_3, magneto-crystalline anisotropy 5=12927
    MnSb, rel. to Hall effect 5=1598
    $MnYO_3$, and antiferromagnetic props. 5=7140
    5-79 Mo Permalloy, p-irrad., props. recovery, state-of-the-art review 5=4192
    $NdCl_3$, field-sensitive peaks, <2.2°K 5=7141
    Ni, 5=12919
    Ni, atomic nuclei, mag. fields 5=12920
    Ni, coercive force, recovery 5=7143
    Ni, detailed behaviour near Curie point 5=4202
    Ni, exchange splitting, strong interaction model, electron correlation effect, calc. 5=1750
    Ni, Kerr effect, band structure 5=15455
    Ni, mag. after-effects after low-temp. neutron irrad. 5=12930
    Ni, neutron irradiated, ferromag. after-effect 5=3796
    Ni, polarized positron annihilation 5=9611
    Ni, and strain hardening meas. method 5=15173
    Ni—Co alloys, magneto-elastic props. 5=7145
    $Ni[Cu]SiF_6 . 6H_2O$ below 1°K 5=9807
    Ni—Fe single crystal films, biaxial mag. switching props. 5=7148
    Ni—Fe spherules in tebtites 5=12933
    NiFe sputtered films grown in d.c. discharge 5=1749
    Ni—Fe—Mo films, electrodeposited, composition var. 5=9803
    Ni—Mn alloys, atomic mag. moments 5=4206
    Ni—Zn—Co ferrite, mag. anisotropy constant temp. depend. 5=15467
    Ni, rel. to S content 5=12931
    Pd with Co, Fe impurities 5=9809
    Pd—Fe alloys, rare earth moments, alignment 5=7191
    Pd—Gd alloys 5=9808
    PrAg 5=4219
    Tb, ordering, transitions and high press. 5=15187
  paramagnetic
    See also Paramagnetic resonance and relaxation; Paramagnetism.
    alloys on Cr base, susceptibility meas. 5=4162
    conduction electrons, energy-dependent relaxation time effect 5=9769
    crystal cooling, by hyperfine struct. coupling 5=13994
    glasses, susceptibility when containing Mn, Co and Ni 5=7093
    lanthanide—Cu compounds 5=9772
    transition metal alloys with Pd base, susceptibility meas. 5=7081
    As, α, cryst., susceptibility rel. to temp. 5=9325

Magnetic properties of substances—contd
  paramagnetic—contd
    Bi, quantum oscillations of mag. susceptibility 5=7078
    C, temp. var., e.s.r. obs. 5=7217
    Co, temp. var., just above Curie temp. 5=12876
    CrH, susceptibility var. with temp., 80° to 400°K 5=7091
    CrO_3, Li doped, susceptibility meas. 5=15491
    Cu acetate, at low temps. 5=9774
    Cu halide 4-substituted pyridine N-oxide complexes, mag. props calc. 5=7097
    Cu—Be alloy, susceptibility meas. 5=4161
    $CuCr_2S_4$, susceptibility and magnetization meas. 5=15450
    $CuCr_2Se_4$, susceptibility and magnetization meas. 5=15450
    $Cu Cs_2 Cl_4$, susceptibility and anisotropy meas. 5=7092
    $CuK_2(SO_4)_2 . 6H_2O$, g-values and orientation of $Cu_2^{2+} . 6H_2O$ complex, e.s.r. meas. 5=7222
    $Cu(NH_4SO_4)_2 . 6H_2O$, g-values and orientation of $Cu_2^{2+} . 6H_2O$ mag complex, e.s.r. meas. 5=7222
    $CuSO_4 . 5H_2O$, effect of e.s.r. on static susceptibility 5=7223
    Cs_2CuCl_4, MO orbital calc., temp. var. 5=12875
    Dy, magnetostriction 5=15052
    Dy_2O_3, h.f.s. 5=11975
    $Er_3Ga_5O_{12}$, susceptibility, 4° to 1500°K 5=4163
    Eu chalcogenides, Eu partial replacement by lanthanides ions effect 5=1724
    EuF_2, with mag. ordered inclusion, meas. 5=15431
    Ge, susceptibility, near m. pt and as liquid 5=14865
    Gd—Ce alloys, susceptibility rel. to temp., and rel. to crystal structure 5=4164
    Gd—Er alloys 5=4166
    Gd—Lu alloys, susceptibility 5=9771
    Gd—Sc alloys 5=4165
    Gd—Tb alloys 5=4166
    Hf, susceptibility 5=6843
    Hg—Fe, highly dilute, super, field, temp. var 5=7094
    K_2AB_6, A = Tc or Re, B = halogen, Weiss const., susceptibility, moment meas. 5=4167
    K_2CoF_4, anisotropy due to Co^{2+} 5=9770
    L-cystine dihydrochloride, paramag. absorpt. of X-rays at low temp. 5=4171
    LiF, neutron irrad., susceptibility 5=7086
    Mn_5Ge_3, amplitude form factor 3d electron distrib. calc. from neutron diffr. 5=7095
    Nb_3Sb, Nb_5Sb_4 5=1383
    Ni—V, susceptibility temp. var., rel. to other group Va solutes 5=7096
    Si, susceptibility, near m. pt and as liquid 5=14865
    ReO_2, orthorhombic, monoclinic 5=12877
    Rh and alloys, susceptibility temp. var., density of states, curves calc. 5=4170
    UF_3, 78-723°K 5=12879
    UO_2, and acoustic attenuation, temp. var. 5=12280
    $V_2{}^{51}O_3$, 175-575°K, shift contribs. 5=9879
    ZnS-type compounds, suscept., near m. pt. and as liquids 5=14865
    Zr and alloys, susceptibility, temp. var., density of state, curves calc. 5=4170
  transitions
    antiferromagnets, Heisenberg type, spin-flop and flop-para phase transitions 5=4214
    Curi point meas. 5=9780
    Curie point measurement, a.c. bridge method 5=15432
    Curie point meas. by single coil, high pressure 5=9789
    ferromagnet critical isotherm 5=12885
    ferromagnetic spiral to collinear, neutron scatt. 5=9781
    garnet ferrites, Néel temp. 5=15468
    general approach to first and second order 5=7074
    Ising and Heisenberg models 5=4173
    near H and T axes, supercond. 5=7073
    neutron scatt. 5=7071
    rare-earth metals 5=7153
    rare earth metals, order—disorder, and thermoelec. 5=9725
    $Bi_2O_3 . 2Fe_2O_3$, para—antiferro 5=9328
    $CeCl_3$, field-sensitive peaks, <2.2°K 5=7141
    Co, ferro → para, rel. to $\alpha \rightarrow \beta$ transform. 5=1265
    $CoCl_2 . 2H_2O$, antiferro—paramagnetic, rel. to specific heat anomaly 5=1418
    $CoCl_2 . 2H_2O$, between 7-120°K 5=1417
    Co—Pt alloys, Curie pts. rel. to composition 5=1741
    Cr, and internal friction 5=9536
    Cr, Néel temp., pressure effect 5=7181

Magnetic properties of substances—contd
transitions—contd
Dy, ferromag.-antiferromag. temp., stress depend. 5=1766
Fe-Cr dilute alloys 5=7082
Fe, Curie temp., effect of oxidation 5=10012
α-Fe_2O_3, antiferro—ferro., rel. to magnetization temp. dependence 5=1744
Fe^{57} OOH, α, β, γ, Neel temps. from Mossbauer effect 5=9202
Fe_7S_8 5=9797
Fe_2SiO_4 5=9332
Gd—Lu alloys, Curie temp. 5=9771
Gd—Sc alloys 5=4165
Ho, ferromag.-antiferromag. temp., stress depend. 5=1766
HoCu 5=9772
$MnCO_3$, spectrum and antiferromag. ordering 5=13060
$Mn_{0.88}Cr_{0.12}Sb$, ferro—antiferromag., rel. to magnetoelec. effects 5=6846
$Mn_{2-x}Cr_xSb$, ferrimagnetic-to-antiferromagnetic 5=9817
$Mn(HCOO)_2.2H_2O$, rel. to proton n. m. r. line shift, temp. var. 5=4268
$MnSn_2$, antiferromagnetic transition 5=7146
$NdCl_3$, field-sensitive peaks, $<2.2°K$ 5=7141
Ni catalyst, paramagnetic, Curie temp. rel. to grain size 5=9773
NiS, paramag.-antiferromag. transition 5=7121
Tb, 5° to 300°K, study by thermal cond. and elec. resistance meas. 5=1435
TbCu 5=9772
UO_2, para—antiferromag., and acoustic attenuation, temp. var. 5=12280

Magnetic resonance and relaxation
See also Antiferromagnetic resonance; Ferrimagnetic resonance; Ferromagnetic relaxation; Ferromagnetic resonance; Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation.
adiabatic fast passage, in rotating coord. system, spin temp. 5=4223
benzene, dynamic polarization study using paramag porous coal and double reson. 5=9157
Bloch—Biegot effect for large fields 5=4983
combined resonance bands, width 5=15252
combined resonance in cryst. in inhomogeneous mag. fields 5=7194
concepts review, rel. to polarization of nuclei 5=4262
coupled spin systems 5=1777
cross-relaxation shape calc. by moments 5=250
double, and electronic spins struct. 5=8024
exchange—lattice relax. correls. 5=9826
free precession signal, amplitude, in earth's field 5=8033
Greens function theory 5=15478
high press. effects 5=4974
liquid crystals, D, quadrupolar splitting by substitution 5=3304
liquids, dynamic polarization study using paramag. porous surfaces and double reson 5=9157
liquids viscous Overhauser polarization, var. freq., correl spectrum 5=9158
macromolecules, relax. and reabsorption currents 5=997
magneto-acoustic, in toroidal system 5=14744
metals and electron polarization 5=7070
microwave cavity, high pressure 5=256
multipole, spin systems, quantum mechanical dynamics 5=1778
nuclear polarization, by interaction with electrons, entropy production 5=8025
n-paraffin series, proton spin—lattice relax. 5=5898
phase sensitive E—I recorder 5=252
polarization effect review 5=8017
rare earth Fe garnets, spin—magnon relax. 5=1806
relaxation, discussion 5=7193
resource letter NMR-EPR-1 5=12962
spin relaxation theory 5=249
spin—spin temp. var. consequences 5=1776
Ag perchlorate—benzene complex, benzene freq., p. m. r. obs. 5=994
Ag perchlorate—benzene complex, benzene motion obs., versus X-ray diffr. 5=993
Cd, metastable atoms of 5085 A(5^3P_2—6^3S_4) line, absorpt. var. 5=5753
Cd, Cd^+ and spectrum, h.f.s. 5=5754

Magnetic resonance and relaxation—contd
F, p dynamic polarization meas. in irradiated polymers 5=7279
Fe^{3+} in $AlCl_36H_2O$, zero field reson. 5=4243
Ge, deformed p-type, combined reson. 5=1592
Gd^{3+} in cubic crystal fields, ENDOR obs. 5=7271
Hg atoms, 6 $^3P_3$ level, alignment 5=5785
InSb-type crystals, comb. reson. at acceptor centres 5=3953
Li, diffusion, ultra-slow translational, obs. 5=6589
Lu^{176m} hyperfine struct., by atomic beams method 5=14602
$MnCr_2O_4$ 5=1777
N_2 5=3048
Na^{23} in Rochelle salt, ferroelectric transition study 5=4092
Si, deformed p-type, combined reson. 5=1592
SiC, double 5=7274
Tb^{4+} in cubic crystal fields, ENDOR obs. 5=7271

Magnetic storms
activity indices, 3 stations, (Nov. 63-Mar. 64) 5=13581
auroral substorm rel. to ring current belt 5=4491
and electrojet, SC 5=13592
and hydromagnetic emission enhancement 5=13605
current systems, rel. to ionospheric electric fields 5=15716
ionosphere electron content variation 5=7519
and ionosphere f_0F2 variation, pre-SC 5=13593
and ionosphere, sporadic E, equatorial crit. field and electrojet 5=10090
July 25-Dec. 17 1962 5=13594
lunar influences 5=13600
and lunar phase dependence 5=13602
m.h.d. shock wave model 5=4934
main phase, longit. asymmetry 5=4508
model, qualitative, for storm with sudden commencement 5=10098
rel. to moon phase? 5=13603
polar, simultaneous current patterns during IGY 5=10097
radiation belt, outer, var. during storm 5=4492
recovery phase decay rate and ring current dissipation 5=15763
satellite obs. of geomag. field 5=13598
and solar wind, Parker theory, for M region storms 5=15762
space vehicle and satellite obs. 5=13568
sub-e.l.f. emissions 5=13599
sudden commencement interpretation 5=13596-7
sudden commencement, and ionospheric screening effect 5=13447
and sun latitude, residual effect 5=4509
and sun, (9-12/2/1958) 5=13590
and sun radiations, transit time, for SSC 5=4662
and sun relativistic proton flares 5=13583
and sun, repeating storms and type IV centres 5=13595
and sun wind, SC and first phase theory 5=13601

Magnetic traps. See Plasma/confinement.

Magnetic wells. See Plasma/confinement.

Magnetism
See also Antiferromagnetism; Diamagnetism; Earth/magnetic field; Ferrimagnetism; Ferromagnetism; Gyromagnetic effect; Magnetohydrodynamics; Paramagnetism; Stars/magnetism; Sun/magnetism.
in alloys, dilute Ising system, nonequilib. atom distrib. 5=1248
conference, Nottingham, (1964) 5=7943
Dirac poles, forbidden in S-matrix theory 5=8213
energy and excitation quasi-momentum for threshold phenomena 5=12866
imperfect gas, susceptibility, statistical theory 5=3272
magnetic unipole search 5=10970
materials, book, papers digest (1964) 5=15427
metals, electron polarization, mag. reson. obs. 5=7070
metals with mag. impurities, Sd interaction 5=12869
monopole nuclear track emulsion width calc. 5=5286
monopoles rel. to angular momentum 5=10809
monopoles, semipopular review 5=202
nearest-neighbour spin correlation, magnetization for Heisenberg Hamiltonian 5=77
strong field susceptibility 5=7076
superconductor, hard, irreversible, and critical current 5=12868
susceptibility of interacting electrons in solid, high-temp. 5=4154

Magnetism—contd
susceptibility meas., by modified shape factor n. m. r. method 5=1720
susceptibility in strong mag. fields 5=7076
thermal expansion obs. 5=12867
Magnetization process
See also Ferromagnetic relaxation.
adiabatic demagnetization, in rotating coord. system, spin temp. 5=4223
arbitrary spin case, low-temp. 5=9787
coercivity theories, temp. dependent factors 5=1733
demagnetization factors and saturation mag., cylindrical and quadratic samples, calc. 5=1736
discontinuities below 1°K 5=15472
ferrites, switching processes in high-speed large-amplitude fields 5=4208
ferromagnetic films, spontaneous 5=15443
ferromagnetics, spontaneous magnetization, determ. from parallel field pumping expts. 5=7109
ferromagnetics, temp.-depend., by Green-function method 5=1734
films, anisotropy increase with inhomogeneous drive fields 5=4187
films, domain formation, dispersion of anisotropy directions 5=15444
films, domain shape during magnetization reversal 5=4185
films, hysteresis rel. to ang. anisotropy dispersion 5=15446
films, magnetization, spontaneous 5=15443
film, magnetization var., Bethe—Peierls—Weiss approximation 5=15445
films, ripple eqn. and hysteresis 5=4182
films with stripe domains, relax. phenomena 5=9801
garnet ferrites 5=15468
Heisenberg ferromagnet, $S = \frac{1}{2}$ low-temp. magnetization 5=4175
hysteresis creep, asymmetrical 5=4181
hysteresis loop recording, magneto-optical method 5=15447
impure ferromagnet, theory near Curie point 5=12893
magnetization vector, non-planar rotation 5=7107
magnetomechanical process at absolute zero 5=7185
metals, by light wave mag. fld. 5=1735
neutron diffraction investigation, review 5=7099
permalloy films, domain coercive force meas. 5=15456
Permalloy films, easy axis factors 5=9806
Permalloy films, fluctuations and blocking 5=9804
Permalloy films, reversal rate rel. to transverse mag. fld 5=1753
Permalloy films, reversals in field normal to easy magnetization axis 5=15457
phase transitions, first-order, spherical model, modified 5=11924
plane dipole lattice, spontaneous 5=15440
superconductors, anchored filament model 5=12664
transition metal alloys with Pd base, meas. 5=7081
uniaxial crystals, coercive force angular dependence 5=15441
Au—Fe alloy, remanence 5=9824
$BiFeO_3$—$LaAlO_3$ system, rel. to phase diagram 5=11997
Co, magnetization rel. to field and press. 5=7117
Co—Pt alloys sat. magnetization rel. to composition 5=1741
$CrBr_3$, anisotropy 5=1740
$CoBr_2 . 2H_2O$, susceptibility meas., temp. var. 5=15474
$CoCl_2 . 2H_2O$, susceptibility meas., temp. var. 5=15474
$CrCl_3$, antiferro. and ferro. sublattice, spin wave analysis 5=7182
Cr—Fe saturation 5=6546
Cr—Ni—Mo—V steel, H_c variation with plastic deformation 5=7132
Cu-Ni—Fe alloys, amhysteretic susceptibility 5=4180
Cu-Ni—Fe, remanent props. after heat treatment and cold work 5=7123
Dy and Tb, rel. to compression 5=15477
Eu chalcogenides, magnetization curve meas. 5=7335
EuS, by pyromag. method 5=12914
Fe films, mag. reversals, study using Faraday's effect 5=4191
Fe, in weak and moderate fields, domain calc. 5=1742
Fe—Co, saturation 5=6546
Fe—Cu, separation, Cu separation, meas. versus theory 5=7133
α-Fe_2O_3, anomalous temp. dependence 5=1744
Fe_3O_4 dispersed powders 5=9798

Magnetization process—contd
Fe_3O_4, remanent mag., self-reversal and recovery 5=9796
Fe—Si in weak and moderate fields, domain calc. 5=174
Li ferrite, single cryst. grown in ordered state 5=4209
Li ferrite, sublattice magnetizations rel. to temp. 5=71
Mg—Ni—Mn ferrite, reversal 5=12947
MnCu ferrite with rectangular hysteresis loop, induction time increase 5=7172
Mn-Zn-ferrite, demag. method effect on initial permeability 5=4210
$Mo_{0\cdot8}Nb_{0\cdot2}$—(0. 2—2. 3%)Fe 5=6845
Nb_3Sn films, magnetization in transverse fields 5=6892
Nb—Zr superconducting wire 5=1722
Nb—25% Zr wire, superconducting 5=1634
Ni, coercive force, recovery 5=7143
Ni, initial suscept. meas. 5=9799
Ni, rel. to stress, rolling, annealing 5=7144
Ni–Fe films, fast flux reversal 5=7151
Ni—Fe and Ni—Fe—Mo films, hysteresis rel. to ang. anisotropy dispersion 5=15446
$NiFe_2O_4$, saturation diagram 5=12115
$NiO. Fe_2O_3$ ferrite, susceptibility, paramag. 5=12941
Ni–Zn–Co ferrites 5=7109
YFe garnets, square hysteresis loops 5=1763
Magnetization state
anisotropy constant, uniaxial, in films, determ. 5=7113
Bloch walls, structure, magnetostatic energy 5=15439
crystals, ground state struct. theory 5=4156
cubic crystals, antiferromag. and weakly ferromag. 5=4177
domains, structure and boundary energy 5=4179
ferrimagnetic hexagonal oxides, anisotropy fields by ferrimag. reson. 5=4207
ferrite, domain-struct. dynamics as funcn. of mag. field and temp. 5=7159
ferrocene anisotropy 5=12871
ferromagnet anisotropy consts. calc. 5=12892
ferromagnetic film, var., Bethe—Peierls—Weiss approximation 5=15445
ferromagnetic films, with uniaxial anisotropy, biaxial anisotropy regions 5=4186
ferromagnetic, surface, Kerr meas. 5=12894
films, with rectang. hysteresis loops, reversal, differentia equation soln. method 5=2020
films, stress effect on domain structure 5=15448
neutron diffr., polarized mag. scatt. amplitudes correctio polarization calc. 5=7069
Permalloy films, domain structures 5=7149
Permalloy films, magnetization 5=12935
Permalloy films, uniaxial anisotropy, dispersion meas. by ΔR effect 5=7150
rare-earth metals, helicoidal mag. structure, theory 5=7153
β-Co films, magnetic anisotropy 5=7118
Co films, non-coherent reversal 5=12910
Co, hexagonal, spin rotation 5=7116
Co, magnetocrystalline anisotropy, effect of press. 5=71
24Co–14Ni–8Al–3Cu–Fe, precipitate orientation in mag. fld 5=7131
Cr_2O_3, magnetic structure 5=7146
Cr_3X_4(X = S, Se, Te), magnetic structures 5=7122
$CsMnF_3$, mag. structure 5=7192
$CuSO_4$, magnetic structure 5=9332
Fe, evap. films, saturation rel. to thickness 5=9793
$FeCr_2S_4$ spinel, mag. structure 5=6458
β-$FeNaO_2$, mag. structure 5=7165
Fe—Si, domain structure changes rel. to magnetostriction curve 5=4201
$HoIr_2$, mag. structure 5=7154
Mn–Cr, magnetic structure 5=6440
Mn_2FeO_4, magnetic structure by neutron diffraction 5=7163
MnOOH, mag. structure at 4. 2°K 5=7139
MnTe, magnetic structure 5=7188
Mn–Zn alloys, structure 5=7088
NH_4MnF_3, mag. structure 5=7192
$NaMnF_3$, mag. structure 5=7192
Ni films, rotateable anisotropy 5=15453
Ni, magnetocryst. anisotropy const. K_2 5=9800
Ni_5Er, ferromag. structure 5=7146
Ni—Fe films 5=12934

gnetization state—contd
- Ni–Fe films, stress effect on domain structure 5=15448
- Ni–Mn, Mn conc. effect on atomic mag. mom. 5=12937
- Pt–Gd alloy, mag. ordering 5=15049
- RbMnF$_3$, mag. structure 5=7192
- TbIr$_2$, mag. structure 5=7154

domains
- axial ferromagnetic theory, and walls 5=12888
- Bragg electron reflection effect 5=9783
- columax 5=12912
- domain struct. during magnetization 5=12928
- ferromagnetic films, propag. 5=12902
- ferromagnets, boundary widths 5=12909
- ferromagnets, n. m. r. in walls, skin effect influence 5=15512
- films, imaging, by electron diffraction 5=7106
- films, wall struct. 5=12903
- magnetite, single cryst., struct. 5=1743
- microphysical theory 5=9786
- Néel walls in very thin films 5=4184
- powder figure obs. at any distance from surface 5=9785
- review 5=12890
- wall width and mag. coupling 5=12891
- BaFe$_{12}$O$_{19}$, remanent structures 5=12908
- Co films, edge flux closure rel. to images 5=9784
- Co, specific features 5=7119
- CoO, antiferromagnetic 5=4218
- Dy ferrite 5=12952
- Fe films 5=15451
- Fe thin layers, magneto-optical observation 5=7129
- Fe–Si, chevron-shaped Weiss domains 5=7127
- Fe–Si, prep. for examination 5=12925
- Mg$_3$Cd, growth kinetics 5=7137
- MnBi, magneto-optic Kerr obs. 5=7138
- Ni films 5=15451
- Ni, stress irreversible effects at low loads 5=12929
- Ni–Fe films 5=15451
- Ni–Fe films, stripe 5=9802
- Ni–Fe films, wall creep–Bloch line rel. 5=7152
- NiO, antiferromagnetic, observation 5=7190
- Tb ferrite 5=12952
- Tm ferrite 5=12952

agnetoacoustic effects
- antiferromagnetics, coupled magnetoelastic wave 5=3688
- Cherenkov radiation from extended sources 5=14094
- in chromosphere, heating of active and inactive regions 5=7674
- ferrites, magnetic wave amplification by elastic wave 5=15460
- giant quantum oscills. in attenuation, collision effects 5=9381
- metals, e. m.–acoustic waves, quantum theory 5=15044
- metals, ultrasonic absorption and dispersion in magnetic field 5=6535
- metals, ultrasonics, polarization plane rot. and circular mag. dichroism in mag. fields 5=3681
- piezoelectric semiconductors, elec. field prod. 5=4006
- plasma ionization, turbulent field meas. 5=5992
- plasma waves and anomalous diffusion 5=1081
- plasma waves, finite amplitude, along mag. field 5=1079
- ruby, paramag. acoustic reson., 10^{10} c/s 5=6537
- wave excitation in plasma 5=11744
- Bi, attenuation, giant oscillations 5=6536
- Ga, oscillation anisotropy, up to 500 Oe, Fermi surface 5=1580
- GaSb, electric field prod., Fermi level, electron conc. calc. 5=4006
- MgO:Ni^{2+}, Fe^{2+}, acoustic paramagnetic resonance 5=15042
- Nb–25% Zr, absorpt. in strong fields 5=15040
- Sb, parallel field oscillations 5=15043
- Y–Fe garnets, magnetoelastic pulses prod. 5=7174

agnetocaloric effects. See Magnetothermal effects.

agnetoelastic effects. See Magnetomechanical effects.

agnetoelectric effects
- See also Hall effect; Magnetoresistance.
- electrolytic solutions, partially protonic conductivity 5=1205
- ferromagnetic wire with a.c., induced e. m. f. 5=12638
- graphites, pyrolytic, rel. to electron states 5=1563
- hot electron in strong mag. field for semicond. and semimetal 5=15198
- magnetothermoelectricity, popular account 5=6908

Magnetoelectric effects—contd
- in metals, Galvanomag. effects 5=15270
- metals, high-field props., Fermi surface calc. 5=1599
- metals, polycrystalline, boundary problems, in high mag. fields 5=9619
- metals, review 5=6837
- Permalloy films 5=15280
- rare-earth metals 5=7153
- semiconductors, galvanomagnetic effects of warm electrons, connections 5=12695
- semiconductors, negative differential cond. and escaping electrons 5=12701
- semiconductors and semimetals, nonlinear under strong mutual electron–phonon drag 5=15311
- Bi, rel. to self-magnetic field 5=9623
- Bi$_2$Te$_{2\cdot3}$Se$_{0\cdot7}$, doping effects 5=15206
- Bi$_2$(Te, Se)$_3$, and charge carriers per doping Cu, CuBr and BiI$_3$ molecule 5=15205
- Cr$_2$O$_3$, annealing 5=9702
- Ga$_{2-x}$Fe$_x$O$_3$, ferromagnetic 5=4189
- Gd, temp. and mag. field depend. 5=1608
- Ge n-type, magnetoresist., Hall voltage, Sb-conc., temp. var. 5=1648
- Ge, n-type, piezomagnetoelec. effect, theory 5=9678
- In films, size effects 5=9631
- InSb, microwave emission in mag. and elec. fields 5=15601
- InSb, Shubnikov–de Haas effect, spin splitting of Landau level 5=6929
- Mn$_{0\cdot88}$Cr$_{0\cdot12}$Sb, temp. depend., rel. to ferromag.–antiferromag. transition 5=6846
- Te, anisotropy at low temp. 5=15338
- III–V compounds, review (book) 5=4011

Magnetogasdynamics. See Magnetohydrodynamics.

Magnetohydrodynamics
- See also Plasma/magnetohydrodynamics.
- charged powder in gas 5=7995
- comets, review 5=7645
- compressible fluid, charged, relativistic variational principle 5=14089
- conducting gas flow in channels 5=7989
- conduction anisotropy, global current-lim., in isotropic media with cond. fluctuations 5=232
- convection, fluid in long rectangular cavity 5=10511
- convection, free, between walls 5=7994
- Couette flow calc. 5=7992
- Couette flow, effect of wall conductance 5=7993
- current-carrying fluid jet from nozzle, instability, erratum 5=7991
- currents flowing on toroidal surface, mag. fld. determ. 5=2247
- dielectric fluid rotation in e. m. field 5=10518
- dynamo theory of infinite plane liq. layer 5=7929
- electricity, direct conversion, electron temp. formulae 5=10454
- electricity, direct convertor, combustion 5=7935
- electricity, direct convertor, electron density increase by thermionic emission from powder 5=7932
- electricity direct convertor emitters, transition metal borides 5=7937
- electricity, direct convertor, flame temp.,
- electricity, direct convertor, flame temp., spectral meas 5=7933
- electricity, direct convertor, graphite electrode–fluid current exchange 5=7931
- electricity, direct convertor, Hall effect losses 5=19455
- electricity, direct convertor, 1000 KW combustion duct design 5=7936
- elliptical polarization, three weak waves 5=2245
- experiments, history 5=10509
- field equivalence theorem for linear magnetoionic media 5=2239
- flow angle indicator 5=235
- flow in channel, conductivity optimization 5=10521
- flow in flat duct, heat transfer 5=7986
- flow of power-law fluid in divergent channel 5=2241
- flow, stability between cylinders, circular mag. field 5=14092
- flow to sustain torsionally oscillating plate in viscous fluid 5=4936
- flow through porous-walled channels 5=4939
- flow, unsteady boundary layer similarity conditions 5=10522

- **Magnetohydrodynamics**—contd
  - flow, unsteady, viscous fluid in annular channel with radial field 5=10515
  - flow of viscous fluid due to rotating disc, suction effects 5=10516
  - fluid, charged, coherent, wave properties 5=7984
  - fluid, dynamic and heat transfer processes 5=4941
  - fluid layer gravitating, stability rel. to Coriolis force and mag. fld. 5=13691
  - fluids, compressible, vortex sheet stability 5=2235
  - free surface boundary conditions 5=14091
  - gas flow, one-dimen., with heat transfer 5=7987
  - gas interaction coil, Lorentz force meas. 5=10514
  - generator meas. in Ar and He plasmas 5=1080
  - gravitational instability, Hall current effects in cond. medium 5=10118
  - gyroelectromagnetic media, tensor Greens function calc. 5=2240
  - heat transfer, in stagnation-point flow 5=10361
  - high temp. materials 5=7938
  - instability calc. of stationary fluid between coaxial cylinders 5=14090
  - Jeffery–Hanel problem, generalized 5=2238
  - jet grazing wall 5=10517
  - jet, plane free turbulent, in transverse field 5=7985
  - laminar boundary layer flow past non-conducting porous plate 5=233
  - lift calc. 5=10512
  - liquid, m. h. d. wave excitation 5=2244
  - mag. fld. diffusion associated with ionizing shock wave with e. m. fld. interaction 5=14087
  - magnetic annular shock tube, current speed 5=2101
  - magnetic field, self-excitation, during motion of highly cond. liquid 5=236
  - magnetohydraulic jump 5=4935
  - magnetoionic theory, radio waves 5=14103
  - meteoric shock waves 5=7647
  - plate, infinite, torsional oscillation in conducting fluid 5=4777
  - polytropic atmosphere with uniform mag. fld., convection theory 5=13692
  - Rayleigh problem, operational calculus soln. 5=10510
  - rotating flow, boundary-layer similarity solns 5=1139
  - shock wave structure in ionized gas with anisotropic viscosity 5=10317
  - shock waves in inhomogeneous field 5=4934
  - shock waves in mag. field, v × B—e.m.f. meas. 5=2242
  - shock waves, oblique, with medium velocity parallel to magnetic field 5=2248
  - solar wind and geomagnetic field interaction, model 5=7539
  - stability of heterogeneous dissipative liquid between non-rotating cylinders 5=4938
  - stability of heterogeneous non-dissipating liquid between rotating cylinders 5=4937
  - stability, toroidal systems with rotational transform 5=14765
  - stability of toroidal system near mag. axis 5=4940
  - stars, with mag. dipole moment, gravitational collapse 5=4539
  - turbulence, stationary, validity for incompressible elec. conducting medium 5=2236
  - turbulent convection, spectral equations 5=2237
  - two-pass helical field, magnetic surfaces, rel. to toroidalicity and corrugation 5=3189
  - viscoelastic flow past porous plate in mag. field 5=10519
  - viscous conducting fluid, steady flow in pipes with transverse fields 5=2246
  - viscous fluid of variable density, instability, in mag. fld. 5=14088
  - vortex dissipative flow stability 5=10520
  - vortex point discontinuity lines calc. 5=234
  - waves, fundamental concepts, astrophys. appls. 5=14086
  - waves, in ionosphere, attenuation 5=15719
  - waves, small amplitude, incompressible medium with Hall effect 5=2243
  - Hg cylindrical flow, instability onset study 5=7990
- Magnetohydrodynamic generators. See Electricity/direct conversion; Magnetohydrodynamics.
- Magnetohydrodynamic waves. See Magnetohydrodynamics; Plasma/magnetohydrodynamics; Plasma/oscillations.
- Magnetomechanical effects
  - See also Gyromagnetic effect; Magnetostriction.
  - coupled eqns. for magnetically saturated insulators 5=1737
  - coupled magneto-elastic waves in antiferromagnetics 5=7177
  - elastic body in mag. field with heat sources, calc. 5=39
  - ferromagnetic spin-wave instabilities, phonon pumped 5=12896
  - instabilities, elastic, transverse pump theory 5=12897
  - magnetoelastic oscillations in mag. film 5=7111
  - Ge, n-type, piezomagnetoelec. effect, theory 5=9678
  - Li ferrite, magnetoelastic waves, parallel pumping 5=1
  - Ni, in longit. and circ. mag. fld, circular Barkhausen effect 5=7144
  - Ni–Co alloys, magneto-elastic props. 5=7145
  - Ni ferrites, ΔE effect and internal friction 5=15174
  - YFe garnet, elastic waves, polarization reversal at rod end 5=9579
  - Y–Fe garnets, magnetoelastic pulses prod. 5=7174
- Magnetometers. See Magnetic field measurement.
- Magneto-optical effects
  - See also Optical constants; Zeeman effect.
  - alkali halide F-band spin–orbit effects, theory 5=7320
  - alkali halide F-centres, Faraday rotation 5=7319
  - dichroism and rotary dispersion 5=10728
  - Faraday effect in cubic solids 5=7314
  - Faraday magneto-rotary effect, demonstration 5=1072
  - ferric polysaccharides, at 25 kbar 5=337
  - ferrites, microwave Faraday rotation 5=9812
  - ferromagnetic metals, Kerr effect, new meas. method 5=1735
  - and ferromagnetism, surface meas. 5=12894
  - films, Faraday effect characts. 5=7312
  - gases, resonance scatt. in mag. field 5=6092
  - glasses, diamag., Faraday rotation, 0. 334 μ to 1. 9 μ 5=1842
  - glasses, Faraday effect 5=4307
  - hysteresis loop recording, Kerr effect 5=15447
  - infrared absorpt. by antiferromag. crystals, spin dependent 5=7304
  - lucite, Faraday effect, He–Ne laser source, fields to 400 kOe, meas. method 5=15558
  - measurement of photomag. by torsion balance 5=12872
  - metals, e. m. wave propag. in mag. fld 5=15583
  - for paramagnetic centres study 5=7090
  - paramagnetics, microwave reflection and polar Kerr effect in reflecto-polarimeter 5=4975
  - piezo-Faraday effect at 25 kbar 5=337
  - plasma, Faraday rotation of i. r. maser beam 5=335
  - polymethane, Faraday effect, He–Ni laser source, fields 400 kOe, meas. method 5=15558
  - quartz, fused, Faraday effect, He–Ne laser source, fields to 400 kOe, meas. method 5=15558
  - rare-earth Al garnets, Verdet consts. 5=1847
  - ruby, Faraday effect, He–Ne laser source, fields to 400 kOe, meas. method 5=15558
  - semiconductors, anisotropic Voigt effect, i.r. 5=7310
  - semiconductors, in crossed elec. and mag. fields, edge shift 5=1827
  - semiconductors, cubic, Faraday free-carrier rotation, non-linear anisotropic terms 5=7313
  - semiconductors, free carrier calc. 5=3954
  - solids, far-i. r. circular polarizers 5=336
  - superconductors, intermediate state, mag. props., Farada effect photographic meas., review 5=6870
  - transition-metal complexes, Faraday rotations 5=13080
  - wurtzite, due to energy terms linear in wave vector 5=
  - AgBr, doped, e. s. r. due to illumination 5=9848
  - $Al(C_2H_5)Cl_2$ and addition products, specific rot. meas. 5=
  - BCl_3 with addition cpds., benzene, toluene solns. 5=6183
  - BF_3 with addition cpds., liquids, and benzene, toluene solns. 5=6183
  - $(CH_3)_2CO$, Faraday effect, He–Ne laser source, fields to 400 kOe, meas. method 5=15558
  - $C_6H_5CH_3$, Faraday effect, He–Ne laser source, fields to 400 kOe, meas. method 5=15558
  - C_6H_6, Faraday effect, He–Ne laser source, fields to 400 k meas. method 5=15558
  - CS_2 liquid, Faraday effect, He–Ne laser source, fields to 400 kOe, meas. method 5=15558

- **agneto-optical effects — contd**
  - Co salts, rotary dispersion 5=7311
  - Co thin films, Kerr effect 5=1839
  - Dy ion in ethyl sulphate, Faraday effect, use for spin–lattice relax. time meas. 5=1800
  - Dy^{3+} in soln., rotary mag. dispersion fine struct. 5=14849
  - Fe layers 5=7129
  - Ge, absorpt. in valence band 5=1841
  - H_2O, Faraday effect, He—Ne laser source, fields to 400 kOe, meas. method 5=15558
  - He spectrum, polarisation, mag. field depend. 5=5748
  - HgTe, and crystal electron effective mass 5=12604
  - Ho ion in ethyl sulphate, Faraday effect, use for spin–lattice relax. time meas. 5=1800
  - InSb, microwave Faraday effect in n-type, meas. 5=15555
  - KCr alum, double refract., X-band, and e.s.r. 5=7357
  - K Cr alum, Faraday X-band, and e.s.r. 5=7356
  - $K_3Fe(CN)_6$, rotary dispersion 5=7311
  - KI, Faraday paramag. effect of F-band excited state, fine struct. meas. 5=3777
  - MnBi, mag. domains obs. 5=7138
  - Na, oriented 5=8766
  - Nd^{3+} in soln., rotary mag. dispersion fine struct. 5=14849
  - Ni and crystal electron Fermi surface interband transitions 5=12605
  - Ni, ferromagnetic Kerr effect, band structure 5=15455
  - Pb glass, Faraday effect, He—Ne laser source, fields to 400 kOe, meas. method 5=15558
  - Pr^{3+} in soln., rotary mag. dispersion fine struct. 5=14849
  - RbBr, Faraday paramag. effect of F-band excited state, fine struct. meas. 5=3777
  - RbCl, Faraday paramag. effect of F-band excited state, fine struct. meas. 5=3777
  - Sb, optical de Haas—Shubnikov effect 5=15540
  - Sb, reflection var. and interband transitions 5=15539
  - Te, Faraday effect, free carrier 5=7367
- **agnetoresistance**
  - alloys, dilute, magnetic, rel. to anomalous electron scattering 5=9618
  - graphite, pyrolytic, at 4.2°K meas. 5=15277
  - graphite, pyrolytic, 60°-300°K meas. 5=15276
  - longitudinal 5=3967
  - metals, review 5=6837
  - noble metals, effect of small addition of transition metals 5=3897
  - pyrocarbons, 80°-296°K 5=1605
  - rare earth single crystals 5=15428
  - rel. to skin effect 5=6836
  - rotation diagram symmetry about n-fold axis 5=15263
  - semiconductors, inhomogeneous, high field, plasma theory 5=6906-7
  - solids, and hopping process, calc. 5=9614
  - wave analyser circuit, semiconductor 5=14024
  - Ag 5=6850
  - Ag films 5=12652
  - Al, longitudinal 5=3967
  - Bi, Shubnikov–de Haas effect 5=12720
  - Bi, in strong mag. fields 5=12643
  - Bi, transverse, rel. to magnetic field 5=6919
  - C fibres from polyacrylonitrile, meas., versus other C-types, heat treatment effect 5=1606
  - CdAs, 1.6° to 300°K 5=12724
  - Cr foils, transverse 5=9626
  - Cu, longitudinal 5=3967
  - Fe, b. c. c., up to 100 kOe 5=1612
  - Fe whiskers 5=12645
  - Ga, field dependence rel. to specimen size 5=9628
  - Ge, depend. on impurity conc. and temp. 5=15208
  - Ge, n-type, heavily doped, in weak mag. fields 5=1647
  - Ge n-type, temp. var. 5=1648
  - HgTe, 2-300°K 5=12744
  - In films, thermal changes, meas. by zig—zag effect 5=6576
  - InAs, n-type, longitudinal oscillations 5=12739
  - In_2O_3 single crystals 5=4029
  - InP, conductivity in impurity zone, n-type 5=6936
  - InSb, electron irrad. effect 5=9679
  - InSb, electron—phonon coupling evidence 5=15217
  - InSb, and hole mobility 5=12586
  - InSb, intrinsic-conduction region 5=12741
  - InSb, longitudinal, magneto-phonon oscills. 5=12740
  - n-InSb, longitudinal, new type of oscillation 5=6931
- **Magnetoresistance—contd**
  - InSb, non-degenerate, oscillation obs. 5=4031
  - InSb, p-type, in fields up to 180 k Oe 5=15329
  - Mg—Al—Mn alloys (fixed Mn) 5=12874
  - Mg_2Sn, 77°-196°K 5=6938
  - $Mn_{0.88}Cr_{0.12}Sb$, temp. depend., rel. to ferromag—antiferromag. transition 5=6846
  - Mo, temp. var. 14-27°K, induction flow density 5=3973
  - $Mo_{0.8}Nb_{0.2}$—(0.2—2.3%)Fe 5=6845
  - Ni, spin—orbit interact. effect 5=12932
  - Ni—Fe films, spin—orbit interact. effect 5=12932
  - Ni—Zn ferrites 5=7001
  - Sb, anisotropy, and positive Hall voltage calc. 5=12716
  - SiC, n-type, 1.5°-290°K 5=15333
  - W, 14-27°K, induction flow density 5=3973
- **Magnetosphere.** See Atmosphere/upper; Earth/magnetic field.
- **Magnetostriction**
  - acoustic generator, flexural vibrator, parametric, u. s. 5=117
  - Barkhausen discontinuities in d.c. and mono alternating mag. fields 5=7110
  - ferrites, large amplitude mag. induction and mech. stress 5=15462
  - helical spin struct. antiferromag., anisotropy and exchange effects, calc. 5=1766
  - steel, magneto striction, internal stresses and shape depend. 5=7130,
  - and thermal expansion 5=12867
  - $BaFe_{18}O_{27}$, hexagonal cryst. 5=7158
  - Dy, temp. and field depend. 5=15052
  - Fe, forced magnetostriction, anisotropy 5=15452
  - Fe, forced, temp. var. 5=12921
  - Fe—Al alloys, rel. to texture 5=14993
  - Fe—Co, forced, temp. var. 5=12921
  - Fe—Ni, forced, temp. var. 5=12921
  - Fe_2O_3, antiferromag. resonance, spontaneous striction effect 5=7205
  - Fe—Si, curve shape rel. to domain structure changes 5=4201
  - Fe—Si, of paraprocess, crystal effect anisotropy 5=4200
  - Mn—Zn—Fe ferrites 5=1761
  - Ni, forced magnetostriction 5=15454
  - Ni, forced, temp. var. 5=12921
  - Ni—Co, forced, temp. var. 5=12921
  - Ni—Co ferrites, composition effects 5=15466
- **Magnetothermal effects**
  - coercivity theories 5=1733
  - Fermi gas in quantizing mag. field, Nernst coeffs. 5=3699
  - graphite, pyrolytic, dimensionless figure of merit at 4.2°K 5=15277
  - graphite, pyrolytic, Nernst coeff. 60°-300°K meas. 5=15276
  - graphites, pyrolytic, rel. to electron states 5=1563
  - magnetothermoelectricity, popular account 5=6908
  - measurement of small temp. changes 5=174
  - metals, ferromagnetic, spontaneous Nernst—Ettingshausen, theory 5=6833
  - metals and semiconductors, quantum theory 5=1716
  - metals and semiconductors, quantum theory 5=3968
  - metals and semiconds., quantum theory calc. 5=15268
  - metals and semiconductors, in strong mag. fields, theory 5=1717
  - metals, in strong field, theory 5=12640
  - noble metals, 1st and 2nd Ettingshausen—Nernst coeffs. var. 5=6834
  - semiconductors, cubic, assymmetric energy bands, calc. 5=15310
  - spin—phonon interaction, effect on thermal cond. near mag. transition 5=9397
  - thermogalvanomagnetic, quantum theory, metals and semiconductors 5=3969
  - plasma waves in weak ionization 5=1086
  - Stoner–Rhodes and Teale–Rowlands theories reviewed 5=7112
  - sulphide ore from Noranda, thermomag. props. meas. 5=10099
  - temp. changes ~ 10^{-3} °C, sensitive meas 5=7888
  - EuS, spin-wave thermal conductivity, 1.5°-4°K 5=1431
  - Fe—Ni ferrites, thermomag. treatment rel. to anisotropy and resistivity 5=15464
  - InSb, Nernst coeff., Righi—Leduc temp. difference meas., temp. var. 5=6933

Magnetothermal effects—contd
- $MnCl_2$, entropy, specific heat, in mag. field up to 100 kG, 0-4. 2°K 5=9383
- Nb and Nb—30% Zr superconducting, type II 5=9652
- Ni and Ni—Cu, Righi—Leduc, 0-15 kOe, 50°-300°C 5=3974
- PbSe, 100°-420°K 5=12812
- p—$ZnSnAs_2$, transverse Nernst—Ettingshausen effect 5=12814

Magnetrons. See Electron tubes.

Magnets
- Alnico (5% Ti) (34% Co), structure and treatment 5=6262
- d c., KGU-MP 230 5=14056
- deflecting magnetic systems for particle optics 5=218
- electro-, liquid N_2 force-cooled 5=10468
- electromagnet for mass spectrometer, current stabilizer supply 5=14575
- electromagnet, 20kG × 25mm × 10cm 5=10465
- electromagnets, high-field, design 5=7951
- electromagnets for particle accelerator, 3. 5 MeV, 90° deflector and ± 45° selector 5=5296
- electro-, variable gap for e. s. r. and n. m. r. spectrometers, 5=10466
- finite, field pulse prodn. 5=10467
- MURA 50 MeV electron accelerator magnets and support structure 5=521
- power supplies for magnets of MURA electron accelerator 5=522
- properties rel. to atom beam focussing into H generator, calc. 5=10488
- pulsed, 11kV, 280kG, insulation 5=209
- pulsed fields > 300kG prod., capacitor discharge through coils 5=4895
- quadrupole triplet, use as momentum spectrometer 5=5275
- single loop conductor for well prod. 5=1114
- spherical coil computer controlled prod. 5=13790
- superconducting and conventional, relative economics 5=4896
- superconducting electromagnets, field meas. by InSb Hall effect 5=14049
- superconducting, for electron microscopes 5=4921
- superconducting, exam. of materials 5=2214
- superconducting, review 5=10469
- superconducting, for thermonuclear devices 5=4897
- superconducting Nb-Ti, protected, props, design calc 5=7952
- superconducting Nb—Zr, current degradation causes 5=6901
- Nb_3Sn, flux-jumping, mag. field effects, 4°K 5=9653
- Nb_3Sn ribbon wound on solenoid, electromagnetic performance 5=4898
- Nb_3Sn superconductive solenoid, degradation effects analysis 5=4899

Magnons. See Ferromagnetism.

Magnus effect. See Aerodynamics.

Majorana effect. See Magneto-optical effects.

Malter effect. See Electron emission/secondary; Photomultipliers.

Mandelstam representation. See Scattering, particles.

Manganese
- α and γ, atomic heat, 10°—273°K 5=15048
- diffusion in GaAs 5=12321
- e.s.r. of Mn^{2+} in NaCl, 350-750°C 5=8023
- impurities in GaAs, edge emission, 4. 2°K 5=15595
- liquid, surface tension 5=3321
- molecular dissociation energy 5=3074
- γ—Mn, hyperfine and electronic heat capacities 5=1419
- Mn II ion, e.s.r. in zeolites 5=1803
- Mn^{2+} in cubic CdTe, superhyperfine structure in e. s. r. and ENDOR 5=7259
- Mn^{2+} e.s.r. in apatite and smithsonite, allowed and forbidden transitions 5=9844
- Mn^{2+}, e. s. r. in apatite, 10-50 Gc/s 5=7242
- Mn^{2+} e.s.r. in chabasite crystal exchange field 5=7241
- Mn^{2+} e. s. r. in CdS 5=15501
- Mn^{2+}, e.s.r. in SrF_2, BaF_2 and CaF_2, spin-Hamiltonian constants 5=1801
- Mn^{2+} emission in α—$Zn_3(PO_4)_2$ 5=12243
- Mn^{2+} ion binding to nucleic acids 5=5918
- Mn^{2+} in MgO paramag. spin—lattice relax. and trans. relax. 5=7243
- Mn^{2+} in SnO, e.s.r. anomalies due to strain 5=1802

Manganese —contd
- $Mn^{2+,4+}$ crystal hyperfine fields in MgO 5=3420
- Mn^{3+} ions in Mg-Mn-Fe ferrite, and rect. hysteresis loop 5=7171
- Mn^{55} in $KMnF_3$ and $CsMnF_3$, coupled nuclear antiferromag. reson. modes, excitation 5=4232
- in YFe garnet spheres, acoustic props. var. 5=12279

Manganese compounds
- barysilite, $MnPb_8 \cdot 3(Si_2O_7)$, crystal struct., atomic 5=12211
- compressibility and mag. ordering, transitions 5=15187
- ion solutions, D_2O effects on p.m.r. 5=9161
- Mn ferrite, spontaneous moment meas., 2°-30°K 5=7173
- Mn ferrite, ferromag. curve width, rel. to temp. 5=15481
- Mn ferrite, thermal expansion obs. 5=12867
- Mn ferrites, magnetic anisotropy 5=9816
- Mn silicides, higher, thermoelec. props. 5=9727
- Mn—transition metal alloys, tetrag. phase 5=9346
- Mn_+ amine complexes luminescence 5=9129
- $MnAl_2O_4$, mag. props. 5=7178
- MnBi, magnetization domains, magneto-optic Kerr obs. 5=7138
- $MnCO_3$, spectrum temp. var. and antiferromag. ordering 5=13060
- (Mn, Ca, Zn)Te_2O_5, denningite, crystal structure 5=1381
- $MnCl_2$, entropy, specific heat, in mag. field up to 100 kG, 0-4. 2°K 5=9383
- $MnCl_2$ in methyl alcohol, proton relax. due to interaction with Mn 5=14868
- $MnCl_2$, magnetothermodynamic props., 1. 3-4. 4°K, mag. moment 5=7185
- $MnCl_2$, susceptibility and mag. moment, 1. 3-4. 4°K 5=718
- $MnCl_2 \cdot 2H_2O$, crystal structure, 298°K 5=9344
- $MnCl_2 \cdot 4H_2O$, antiferromag. reson., 0. 32-1. 62°K 5=4233
- Mn—Cr, magnetic structure 5=6440
- $Mn_{2-x}Cr_xSb$, ferrimagnetic-to-antiferromagnetic transitions 5=9817
- $Mn_{0.88}Cr_{0.12}Sb$, magnetoelec. effects, rel. to ferro—antiferr mag. transition 5=6846
- MnCu ferrite with rectangular hysteresis loop, induction time increase 5=7172
- MnF_2, antiferromag. cryst., Zeeman effect 5=7350
- MnF_2, fluorescence rel. to mag. ordering 5=4354
- MnF_2, sublimation and dissociation 5=6221
- $(MnF_6)^{4-}$, unpaired spin in 2p orbits on ligand 5=5867
- Mn—Fe ferrites, mag. anisotropy meas. mag. lossfield calc. 5=1758
- $Mn_{1.01}Fe_{1.99}O_{3.999}$, cation distrib. 5=9343
- Mn_2FeO_4, magnetic structure by neutron diffraction 5=7163
- Mn_5Ge_3, ferromag. hyperfine mag. fields at Mn, meas. 5=6246
- Mn_5Ge_3, magneto-crystalline anisotropy 5=12927
- Mn_5Ge_3, paramag. amplitude form factor, 3d electron distrib. calc., from neutron diffr. 5=7095
- Mn_2GeS_4 in GeS_2—MnS struct. meas. 5=12077
- MnHg antiferromagnetic structure 5=7187
- Mn—Mg—Zn ferrites, thermomag. hysteresis, —200° to 250°C 5=1759
- $Mn(NO_3)_2$, decomposition in different atmospheres 5=742
- MnNiSb, n. m. r. of $Sb^{121,123}$, temp. var. 5=15518
- MnO, antiferromagnetic ordering, Ising lattice, Monte Carlo method 5=4220
- MnO, lattice distortion at low temperatures 5=15015
- MnO, mag. susceptibility, 100-400°K, up to 300 kOe 5=1774
- MnO, Mn_3O_4, crystal growth in oxy-hydrogen flame, O—H ratio effect 5=3548
- MnOOH, mag. structure at 4. 2°K 5=7139
- $MnSiF_6 \cdot 6H_2O$ antiferromag. structure, below 1°K 5=9825
- $MnSO_4$ aqueous soln., u. s. wave vel., 1 to 12 Mc/s radiator diam. correction 5=3331
- $MnSO_4$ soln., velo., acoustic waves, 1-8 Mc/s 5=6171
- $MnSO_4 \cdot H_2O$, mag. susceptibility, 100-400°K, up to 300 kOe 5=1774
- MnSb, Hall effect 5=1598
- $MnSe_2$, antiferromag. reflections rel. to temp. 5=7146
- Mn—Si alloys, phase relationships 5=6305
- $Mn_5(Si_{1-x}Ge_x)_3$, crystal struct., atomic 5=15014
- Mn_2SiS_4 in SiS_2—MnS struct. meas 5=12077
- $MnSn_2$, antiferromagnetic transition 5=7146
- $MnSn_2$ compressibility and mag. ordering, transitions 5=1

Manganese compounds—contd
- MnTe, effect of spin—phonon interact. 5=12311
- MnTe, magnetic structure 5=7188
- $MnTiO_3$ magnetic exchange interactions 5=1775
- Mn_2TiO_4, cryst. struct. and mag. props. 5=6463
- $MnYO_3$, mag. props. and mag. order 5=7140
- Mn–Zn alloys, magnetic and superlattice structures, neutron diffraction studies 5=7088
- Mn-Zn-ferrite, demag. method effect on initial permeability 5=4210
- Mn—Zn ferrites, sintering and permeability and Q 5=1760

Manometers
- See also Vacuum gauges.
- diaphragm with semiconductor strain gauge, for remote use 5=7712
- differential interferometric, damping 5=10213
- divided-flow technique 5=4710
- Pirani type with C resistor, as sensing element 5=14817
- response to forced oscill., meas. 5=2015
- simple, for 1-400 μm Hg 5=11829
- standard membrane-capacitance 5=11830

Many-particle systems. See Quantum theory/many-particle systems.

Markov processes. See Statistical analysis.

Mars. See Planets.

Masers
- coherent e.m. fields theory, review 5=2217
- dielectric susceptibility of resonance medium 5=4985
- double-cavity, molec. radiation in detuned cavity 5=4987
- excitation of non-axial beams 5=14138
- frequency converters, 3-level 5=8035
- mechanical model of stimulated emission 5=2273
- molecular beam possibility 5=4989
- phonon, acoustic amplification picture 5=12282
- polarized i.r. beam analyser 5=335
- population in version in gaseous medium 5=8034
- quantum generators 5=4984
- for radioastronomy 5=10191
- ruby, with Cr_2O_3, mag. susceptibility at 4.2°K 5=12878
- self-cross-relax. performance calc. 5=265
- solid state, for satellite communication 5=14141
- in strong pumping field, theory 5=4988
- three-level r.f., transition phenomena 5=8037
- travelling-wave, difference-frequency signal 5=14139
- travelling-wave, 8mm, and maser—radiometer system 5=14140
- travelling-wave 3cm solid-state 5=10584
- Al_2SiO_5 with Fe^{3+} ions, zero mag. field appl. 5=7234
- CH_2O, with Fabry-Perot reson., 4mm 5=8036
- H, freq. comparison with Swiss Cs atomic beam standard 5=10616
- H, spin exchange and surface relax. 5=10586
- NH_3 for e.s.r. S/N improvement at K band 5=8022
- Rb^{87}, effects of buffer gases, pumping 5=266
- Rb^{87}, field independent, 6835 Mc/s 5=14142
- Rb regenerative oscillator 5=10587
- **optical.** See Lasers; Optical pumping.

Mass spectra
- See also Chemical analysis/by mass spectrometry.
- azulene 5=3134
- n-butane metastable ions, ~100 μsec 5=5966
- deuteromethanes, metastable ion prod. 5=5813
- diazirine 5=3135
- diazomethane 5=3135
- 8,8-dicyanoheptafulvene, from electron impact, and struct. 5=14655
- n-hexane, metastable ions, ~100μsec 5=5966
- hydrocarbons, appearance potentials 5=8937
- methoxy-dicyanoheptafulvenes, from electron impact, and struct. 5=14655
- and molecular vibr. isotope effects 5=5822
- naphthalene 5=3134
- omegatron 5=5730
- n-pentane metastable ions, ~100 μsec 5=5966
- propane ions, from electron impact 5=14700
- propane, secondary ions 5=15615
- residual gas in vacuum system 5=14819
- S_2F_2, 2 isomers 5=5872

Mass spectrometers
- See also Ion optics.
- counting times and background 5=8730
- design and construction 5=5731
- double-focusing dissociated ions analysis 5=8731

Mass spectrometers — contd
- electron multiplier with mag. focussing, with time of flight 5=12859
- fragment ions kinetic-energy distrib., from electron impact 5=3125
- ion cyclotron resonance spectrometer 5=14570
- ion optics 5=14084
- large dispersion, double magnet system 5=882
- large dispersion, electrostatic prisms and double magnets, theory 5=883
- magnetic double focussing curves calc. 5=14572
- omegatron for high-vacuum 5=11408
- omegatron, mass spectrum reconstruction 5=5730
- panoramic rapid scanning, for arc quenching studies 5=1041
- quadrupole mass filter, operation at optimum conditions 5=2876
- quadrupole mass-analyser, and appl. to chemical and isotopic analysis 5=11410
- rocket-borne, for O dissociation in upper atm. 5=13328
- rocket-borne, spin modulation effects 5=13636
- for solids 5=11407
- spectrograph, mag., dispersion and stigmatism 5=14573
- time-of-flight, sensitivity increase by source and multiplier mods. 5=8727
- use of prisms, 2000 resolution 5=14571
- **accessories**
  - See also Ion sources.
  - corrector circuits, for 1.3 GeV spectrometer 5=14576
  - filament mount, improved 5=11411
  - gas pipette, all-metal, for sensitivity calibration 5=8729
  - ion collector assembly 5=14569
  - ion source assembly 5=14568
  - ion source, Penning type 5=7979
  - ion source, temp. effect 5=2877
  - magnet current stabilizer supply 5=14575
  - r.f., transistorized emission stabilizer 5=3280
  - recording of time-resolved spectra, display system 5=2878
  - separator, optical system 5=11409
  - sweep, automatic, for mag. field of type MI-1305 5=14574
  - time-resolved spectra recording on stationary film 5=14577
  - time-resolved, stationary film recording 5=8732
  - vibrator, vacuum, peizoelec., as ion source 5=14567
- **applications**
  - See also Chemical analysis/by mass spectrometry.
  - alkaline earth monofluorides, dissociation, high-temp. 5=3073
  - for chemical analysis of ions, ideal 5=6119
  - ion source for mass analysis of solid surfaces, comment 5=4928
  - isotope separation, small quantities, review 5=5728
  - kinetics of ion dissociation 5=1051
  - for molecular config. obs. by beam deflection 5=5837
  - nuclear reaction products of n or p irrad. 5=5729
  - secondary processes, in linear, pulsed time-of-flight spectrometer 5=5956
  - sublimation pressure meas, 1207° to 1563°K 5=1217
  - for Ar analysis at ultra-high vac. 5=8728
  - Ar, N_2 diffusive separation in atmosphere 5=13324
  - $Be_2O(g)$, heat of formation 5=4388
  - Ir oxides, gaseous, study 5=13152

Mass standards. See Standards.

Mass transfer. See Transport processes.

Master equation. See Transport processes.

Materials
- See also Ruby.
- cotton fibres, degradation due to radiation and fungi 5=9217
- epoxide resin filled with magnesia as test mat. for anvil apparatus 5=15133
- laboratory tube furnaces, up to 1300°C, review 5=4854
- low temp. thermocouples, design 5=10390
- range suspensions, light absorption calc. 5=14871
- refractory, props. survey 5=4695
- strain gauges, suitability 5=10212
- for windows of gas discharge chambers, high press. 5=11619
- wool, particle size, low angle X-ray diffr. exam. 5=9166

Materials testing. See Mechanical strength.

Mathematics
- accelerated convergence, divergence, iteration, extrapolation, and curve fitting 5=13
- causal transforms zeros 5=10221
- conference, Mouterrey (1964) 5=4701
- dimensional analysis and scale factors 5=7733
- Feynman graphs, topological props. 5=17
- function representation by its line integrals, with some radiological applications 5=543
- hermiticity and Gaussian quadrature 5=2377
- H function, applic. to electron focusing in metals 5=15261
- Hilbert spaces, type S 5=7717
- Lagrangian formalism extension to convolution products 5=7716
- physical systems 5=7714
- rotation operators, finite, explicit polynomial expressions 5=4714
- and science, teaching program 5=2005
- spectral profile det. from correl. meas. 5=13812
- spectral representation of self-adjoint operators 5=10216
- variational methods in elasticity, review 5=10228
- 3nj coefficient calc., digital 5=13816
- 9j coefficient phase relations for mirror reflection 5=13818
- 9j coefficients calc. from Clebsch—Gordan products 5=13817

Matrices
- complex, quaternion and real, statistical ensembles 5=13813
- crystal internal field standard operators 5=11967
- eigenvalue density for random matrices and classical polynomial zeros 5=7721
- Hermitian, in nuclear scatt., contradictory props. 5=2384
- Hermitian, parametrization 5=23
- K, soln. 5=2063
- off-diagonal elements, variational principle 5=4712
- optics, Gaussian, representation 5=2318
- rotational system in Lie algebra, scalar invariants 5=7718
- unitary, construction with elements of given moduli 5=2021

Matteucci effect. See Magnetoelectric effects.

Maxwell effect. See Double refraction/flow.

Maxwell equations. See Electromagnetism.

Maxwell—Boltzmann distribution. See Kinetic theory; Statistical mechanics.

Measurement
- See also Instruments; Recording; Standards; Units; Acoustical measurement; Dielectric measurement; Electrical measurement; Magnetic measurement; Mechanical measurement; Radioactivity measurement; Thermal measurement; X-ray measurement. Some specific quantities are listed separately, e.g. Calorimetry; Density measurement. Where no separate heading exists, measurement methods and instruments are included among the other entries under the heading of the appropriate quantity or subject.
- effect on knowledge 5=7704
- frequency char. compensation 5=4705
- indirect sensing, numerical filtering 5=13806
- low-pressure fundamental problems, conference 5=11821
- in quantum mechanical systems, nonrelativistic 5=363
- stochastic space-time 5=60
- errors
  - See also Statistical analysis.
  - half-lives of radioactive mixtures 5=745
  - optimized smoothing 5=4719

Mechanical measurement
- Individual quantities and instruments are listed separately e.g., Length measurement.
- automatic sorting by luminescent marks 5=4711
- impedance, contact area effect 5=35
- measuring marks, photoelec. registering 5=4709
- torsion balance, 2 × 10^{-8} dyne detection, robust 5=10210

Mechanical properties of substances
- See also individual properties, e.g. Abrasion; Elastic deformation; Mechanical strength; Plastic deformation; Slip; Wear; etc.
- effect on u. s. processing performance and specific work 5=4696
- elongation and thermal cond., calc. 5=12304
- fibre composite, inelastic behaviour, overall modulii, flow stress, calc 5=1493

Mechanical properties of substances—contd
- fibre composites, transversely isotropic phases, elastic behaviour, geometry effect, calc. 5=1492
- glasses, elastic props, pulse-echo meas. 5=15163
- graphite, n effects 5=9552
- measurement, sample compressor for microscope 5=12455
- metal, elastic fibre reinforced, model 5=12458
- polyethylene terephthalate fibres, anisotropy due to extension 5=6748
- polymers 5=1539
- polymers, and molecular internal mechanics 5=9573
- polymers, solid, rupture 5=3822
- polypropylene, γ, e effects 5=3875
- polystyrene artificial crystallization nuclei effect 5=9284
- pyrolytic graphite, rel. to structure 5=3589
- resonances and acoustic waves 5=6522
- semiconducting alloys, ternary, u. s. effects during preparation 5=9526
- steel, Sn effects 5=6724
- strain gauges, suitability 5=10212
- surface-sensitive props 5=3824
- III—V compounds, review (book) 5=4011
- AgClO$_3$ 5=6758
- Al alloys, corrosion penetration, ageing and temp.var. 5=12480
- Al, anisotropy, effect of rolling temp. 5=3532
- Al crystals, resonances and acoustic waves 5=6522
- Al, recrystallization and polyganzation 5=9219
- Al—Al$_2$O$_3$ alloys, ht. treatment effect 5=3584
- Al$_2$O$_3$, pure, dense, rel. to temp. and grain size 5=6695
- Be, pure single crystals, deform. and restoration 5=6696
- CsBr, single and polycryst. 5=3837
- Cu, n-irrad. yield region parameters, slip prevention, activation energy temp. var. 5=3787
- Cu—Al sintered alloys, cold worked, effect of annealing 5=15157
- Fe, Sn effects 5=6724
- Fe(49%)—Co(49%)—V(2%), temp. var and order transforms 5=12510
- Fe—Cr, ageing and precipitation, Mössbauer effect meas. method 5=6725
- Ge, photomechanical effect 5=15161
- MgO, dispersed W effects 5=9567
- MgO, high temp. 5=3863
- Mo, ageing dislocations and internal friction, effects 5=9471
- NaBrO$_3$ 5=6758
- NaClO$_3$ 5=6758
- Nb, stage III recovery from cold-work, resist. method meas. 5=15177
- Nb, strain-ageing effects 5=15176
- Ni, neutron irradiated, mech. after-effect 5=3796
- Ni, strain hardening and flow stress, mag. and mechanical meas. 5=15173
- Sb, photomechanical effect 5=15161
- α-U, swelling due to n-irrad., fission gas bubbles, grain boundary tearing, and burn-up 5=15120
- W—Ta—Mo—Cb system, for structural application 5=3883
- ZnTe—HgTe solid solutions 5=3443
- Zr carbide, hot-pressed, tested to 2600°C 5=3886

Mechanical strength
- See also Elasticity; Hardness.
- borosilicate glass, fracture strength in vapours 5=9550
- glass, brittle fracture, Griffith method revised 5=15162
- glass ceramics and microstruct. 5=9551
- glass sheet, and the scale factor 5=6715
- glass, strengthening by ion exchange 5=3850
- glass treated as elastic-plastic solid 5=1519
- graphite, irradiated, at room temp. 5=6718
- melamino-formaldehyde, duration of stress and temp, effects 5=6737
- metal alloys, pulse loads, meas. 5=6728
- metal lifetime, when subjected to torsion 5=15134
- metals, dispersion-strengthening 5=1502
- metals, weakening by adsorption of liquid metals 5=6684
- naphthalene, rel. to plastic flow 5=12524
- polyaryls, time-dependence during brittle fracture 5=12533
- polyether, duration of stress and temp. effects 5=6737

Mechanical strength—contd
- polymers, effects of irradiation at λ <400nm, photoelec. meas. 5=3870
- polymers, methods to increase toughness 5=1538
- polyoxymethylene acicular crystals, rel. to struct. 5=1289
- polystyrene, impact strength on rubber addition 5=1539
- polytetrafluorethylene, irrad. effects, mechanical studies 5=12538
- quartz, synthetic, anomalous weakness, rel. to temp. 5=12543
- steel, rel. to brittle fracture 5=12549
- strength–porosity relation, rel. to pore geometry and orientation 5=6687
- surface dislocation effects 5=3824
- talc block, temp. effect 5=3882
- Al, pulse loads, meas. 5=6728
- Al_2O_3, porosity and grain size effects, 25°, 1200°C bending, 5=15141
- Cu, pulse loads, meas. 5=6728
- Cu—Al, deformed, and disloc. struct. 5=15156
- Cu_6Sn_5 fibres, size effect 5=9547
- Fe alloys, high strength, review 5=1545
- Fe, pulse loads, meas. 5=6728
- Fe martensite, strengthening by C-rich regions, model 5=15166
- Fe—Mo—B alloys, affecting factors 5=3857
- LiF, strengthening by Mg diffused surface regions 5=6731
- Mg alloys, var. rel. to rolling direction 5=12519
- MgO, surface flaw effects 5=6734
- MgO, var. grain size, temp., transverse bends 5=12520
- NaCl, heat treatment effects, single crystals 5=6760
- Nb, alloying and temp. var. 5=6746
- Ni, B addition effects, 600°C 5=6744
- Ni_2Cr-type crystals, strengthening by dislocs 5=1477
- Pb, pulse loads, meas. 5=6728
- Ti alloys, texture strengthening 5=12556
- W, needle-shaped crystals 5=1549
- WC—Co, comp. and particle spacing var. 5=15190
- W—Ta—Mo—Cb system, for structural application 5=3883
- Zr—H alloys, with O impurity, precipitation strengthening 5=3887
- compressive
  - graphite, effect of oxidation 5=15151
  - microspheres, crush strength, meas. apparatus 5=3820
  - tetrahedral anvil apparatus, improved test material 5=15133
- shear
  - adhesive joints in torsion, joint design effect, review 5=6685
  - Ar, solid pressure var., versus In standard 5=15145
  - H, solid pressure var., versus In standard 5=15145
  - In, standard, press. var. 5=15145
  - Kr, solid pressure var., versus In standard 5=15145
  - Mo, critical stress, −160° to 300°C 5=12522
  - W—Cu composites, rel. to infiltrant properties 5=15191
- tensile
  - brass 5=12507
  - glass fibres 5=6716
  - graphite H4LM to 2750°C 5=12503
  - graphite, prestrain effects, and microstructure 5=9554
  - powders, consolidated, meas. apparatus 5=3819
  - rock, determ. technique 5=12544
  - solid with < limiting stress, crack prod., limiting load calc. 5=6686
  - steel, improvement by pre-torsion 5=12507
  - thermoplastics, true breaking stress 5=1540
  - Al alloys, reversion during cycling 5=15140
  - Al—Si—Mg—Ni, and time to rupture, creep rates var. with stress 5=12482
  - Cu, improvement by pre-torsion 5=12507
  - Fe, improvement by pre-torsion 5=12507
  - In, high temp., increase by Pt sheathing 5=9555
  - LiF, var. impurity and temp., clamp technique 5=12514
  - Mo, metallurgical struct. effect 5=3864
  - Mo—Ti, metallurgical struct effect 5=3864
  - Ni, ThO_2 strengthened, from microstruct. study 5=6415
  - Si_3N_4 whiskers 5=3574
  - W—Cu composites, rel. to infiltrant properties 5=15191
  - Zn, contact liquid Hg or Ga, effects 5=6770

Mechanics
- See also Dynamics.
- annular plates deflection, computation 5=13841
- classical, philosophical foundations, resource letter 5=2029
- classical, variational action principle, calc. 5=2030
- equilibrium stability for system with infinite no. of degrees of freedom 5=4723
- gauge-independent theory of symmetry 5=7743
- generalized classical 5=10230
- impedance meas., contact area effect 5=35
- implicit representation by projection tensors 5=10232
- laminated spring with shackle, deflection calc. 5=13830
- mixed states 5=10231
- motion of body with fluid-filled cavities in Newtonian field of forces 5=2034
- nonlinear polywave integro-differential equations 5=10233
- potential energy—work equivalence, demonstration 5=2028
- relativistic, energy conservation basis 5=4737
- relativity appl. to non-inertial systems 5=46
- resonance, experimental demonstration 5=2081
- tubes, constant normal thickness, torsional rigidity 5=2033

Medical science
- See also Physiology; Radiation protection.
- tissue local cooling device, for surgery 5=15897

Meissner effect. See Superconductivity.

Melting
- See also Zone melting and refining.
- alkali nitrates and halides, and u. v. absorpt. 5=3336
- calculation, volume heat source and material removal 5=6220
- ice, self-charging, expt. 5=10064
- inert gases 5=1386
- use of plasma gun 5=3240
- pressure effects, one component systems 5=11923
- Ag, X-ray diffraction meas. 5=1391
- Al—Al_2O_3, fusion, controlled 5=14878
- Ar, rigid sphere model 5=11929
- Au, expt. curve 5=14879
- Ba ferrite 5=6279
- $CoBr_2$, absorption spectra var. 5=15549
- $CoCl_2$, absorption spectra var. 5=15549
- Cu, density change meas. 5=14841
- Cu—Au—Zn alloys solidus 5=9172
- Ge, to 200 kbar, 1000°C 5=3392
- In, and electron emission, secondary spectrum 5=12864
- InSb, n. m. r. change 5=11919
- K, u.v. contrast obs. 5=9173
- KNO_3 under press., props. 5=3396
- Li_2CO_3—K_2CO_3, enthalpy, entropy of fusion 5=3398
- Li_2O—GeO_2 system, five cpds., eutectic relations 5=6211
- $MgSiO_3$, 5-46kB 5=11930
- Na_2CO_3—K_2CO_3, enthalpy, entropy of fusion 5=3398
- Ni—C eutectic, var. with press. 5=3393
- Pb, pair correlations near m. p. 5=3437
- S, up to 45 kbar 5=9174
- Se, up to 45 kbar 5=9174
- Si, to 200 kbar, 1000°C 5=3392
- Sn, and electron emission, secondary spectrum, no change 5=12864
- Te, up to 45 kbar 5=9174
- Th rich eutectics, struct. correl. 5=14877
- UCo_2—UAl_2, quasibinary system, phase equilibria 5=6210
- UO_2—Mo system, microstructure 5=14939
- UO_2—PuO_2 system, vapour pressure ratios 5=11932

Melting point
- dimethoxymethane 5=3395
- "Hartstoffen", transition metal nitrides, carbides, borides, silicides 5=3645
- hexafluorobenzene, meas. 5=11926
- light transmission changes for meas. 5=11928
- metal oxides, solar furnace meas. 5=11938
- pressure effects, one component systems 5=11923
- synthetic fibres, determ. by double refraction 5=3399
- transition metals, surface tension reln. 5=14845
- Ag, depression in high-pressure O_2 5=14880
- Be—(10%) Al—(3%) Si 5=3835
- Bi, 2.5 × 10^{-6} cm particles 5=14876
- Cs, calc. from specific heat temp. var. 5=9384
- La_2O_3—BeO system, 1200-2600°C 5=6278
- $N_2H_4 \cdot 4H_2O$ 5=6292
- Pb, 2.5 × 10^{-6} cm particles 5=14876
- Pu—Si system, eutectics 5=14934

Melting point—contd
Rb, calc. from specific heat temp. var. 5=9384
α-S, calc. 5=3397
Sb, 2.5 $\times 10^{-6}$ cm particles 5=14876
Se, 9 to 40 kbar 5=11931
TeO_2—V_2O_5 5=3390
$XeFe_6$, pure, 47.7 ± 0.2°C 5=6213
Membranes
polythene and styrene, ion exchange membranes prodn. by craft copolymerization 5=4415
resin, ionic permeability 5=6601
vibrations, finite, of free rotating anisotropic membrane 5=2091
Memory devices. See Calculating apparatus; Magnetic devices; Superconducting materials and devices.
Mendelevium
No entries
Mercury. See Planets.
air, discharge striking, non-uniform fields and low press. 5=5942
arc rectifier, anode surface current density distrib. 5=5949
arc rectifier, auxiliary arc extinction 5=5947
arc rectifier, h. v., vapour density dynamic changes 5=5948
atom, electron polarization, 100-2000 eV 5=11463
atom, electron scatt., 200-4000 eV 5=11464
atoms, Mott electron scatt., polarization degree depend. on scatt. angle 5=5802
atoms (6^3P_0) deactivation 5=8772
atoms, 6^3P_1 reson. radiation imprisonment, Ar—Hg discharge 5=3103
atoms, $6\ ^3P_2$ metastable level, alignment by optical pumping 5=5785
cylindrical flow, instability onset study 5=7990
discharge, d.c., relations of various parameters 5=8917
electric discharge, in Hg—rare gas mixture, positive column power meas. 5=1031
electron scatt. and polarization 5=5801
gas, resonance radiation transfer, 2537 A 5=5763
ion beam transmission in plasma 5=4933
ionization by alkali positive ions 5=8955
ionization rate, and electron temp., in discharge microwave method 5=3130
lamp, luminous characts 5=10677
liquid, on Zn, tensile strength var. 5=6770
plasma in mag. field, probe, negative I—V charcts. 5=3182
radioactive, diffusion in InSb, temp. var. 5=15073
resonance line, temp. effect on press. broadening 5=5761
shock waves, gas dynamic processes, Rozhdestvensko's method 5=2103
solubility, in InSb, effect on phys. props. 5=3445
spectrum, atomic, 2537 A displacement in He, temp. var. 5=14604
spectrum, afterglow 5=5762
vapour, discharge striking, non-uniform fields and low press. 5=5942
vapour, fluoresc., cross-section 5=11470
vapour press. meas., by discharge technique 5=6217
viscosity, liquid and gas, <900°K, and critical value 5=6158
Hg-electrolyte interface, adsorption of org. mols., potential effect on props. 5=6160
Hg—noble gases positive column discharge, electron energy distrib. 5=11641
Hg—rare gas laser, visible and u. v. region 5=5003
Hg^I, 7^3S_1 level, mag. resonance 5=11436
Hg^{193} isotope production and spectra 5=11195
$Hg^{193*,195,195*}$ hyperfine structure by Zeeman level crossings 5=8759
Hg^{201} n. m. r. 5=8516
Mercury compounds
amalgams, liquid, elec. resistivity theory 5=11901
Hg halides, dipole moments and configuration 5=5866
Hg (II) monohalide complexes, Raman spectra 5=11512
Hg(II) - thiocyanate, unit cell dimensions 5=12213
Hg—Ar discharge, oscills. near anode, analysis and meas. 5=3105
Hg—Ar gas discharge, anode oscillations 5=11620
Hg—Ar low press. discharge, temp. effect on striation movement 5=3104
HgAr Van der Waals molecule 5=8817
Hg—Cd alloys, surface supercond. and supercooling 5=1631
$Hg_{1-x}Cd_xTe$, optical props., photoelec., photomag. 5=13061
Hg_2Cl_2 electrode third law potential calc. 5=9101

Mercury compounds—contd
$HgGa_2S_4$, fluorescence 5=7396
Hg—In liquid, conductivity elec., Hall effect, thermoelec 5=9150
$HgNO_2$, i. r. absorpt. spectrum 5=4325
HgO_2, vibration amplitudes and Bastiansen—Morino shrinkage effect 5=5859
Hg_3OCl_4, crystal structure, neutron and X-ray determ. 5=15012-13
HgS, cubic cryst. prop and stabilization 5=14976
HgSe, cleavage and interatomic bonds 5=3543
HgSe, conduction band structure, electron scatt. 5=12587
HgSe, growth from gas phase 5=12113
HgTe, band structure 5=15234
HgTe, cleavage and interatomic bonds 5=3543
HgTe, crystal electron effective mass, magneto-reflection obs. 5=12604
HgTe, elastic consts. 5=15171
HgTe, electric and magnetoelectric props. 5=12744
HgTe, elec. and thermoelec. props, intrinsic cond. region meas. 5=6940
HgTe, growth from gas phase 5=12113
HgTe, preparation and electrical properties 5=12745
HgTe, restrahlen reflection 5=15563
Hg—Te, two-liquid growth 5=12114
HgTe—CdTe alloys, band structure 5=15234
Mesic atoms. See Atoms, mesic.
Mesic molecules. See Molecules, mesic.
Mesomorphic state. See Liquid crystals.
Meson field theory. See Field theory, quantum/meson field.
Mesons
See also Atoms, mesic; Cosmic rays/mesons; Hyperons; Molecules, mesic; Pions.
axial vector meson coupling, and β-decay renormalization effect calc. 5=10839
composite with baryons, unitary symmetry model 5=8226
hyperstrange, mass 640-940 MeV, search 5=5372
intermediate vector, removal of gauge invariance for non-zero mass 5=14424
octuplet scalar, and baryon e.m. mass differences 5=1082
paraquark model, spin and unitary-spin independence 5=8218
pseudoscalar meson—baryon amplitudes, Yukawa coupling consts. 5=10798
pseudoscalar (p) and vector (v) octets, bootstrap models 5=10801
quantum number and selection rules 5=11057
scalar, classification, eightfold way additions 5=8215
scalar mesons, self "bootstrapping" 5=477
scalar, rel. to nuclear spin—orbit coupling 5=11183
supermultiplet, and possibility of SU(6) bootstrap 5=10825
system with baryons, broken U(4) symmetry 5=10788
vector, axial, exchange and form factors 5=11055
vector, and baryon—leptonic decay, models calc. 5=14266
vector, in e.m. field, S-matrix relativistic covariance 5=10875
vector, higher symmetries 5=416
vector mesons, mass sum rules, with broken SU(3) symmetry 5=424
vector, ultra relativistic theory limit 5=11056
η, four π model 5=11098
K, and hyperon nonleptonic decay contrib., dynamical model calc. 5=11116
K°, properties review 5=2663
$K^0\overline{K}^0$ pairs, effect of medium on props. 5=5431
κ, possible non-resonant character 5=2652
μ, in liquid H, radiative, poss. second class axial coupling 5=2626
μ polarization in neutrino induced interactions, time reversal test 5=8383
$\mu^+\mu^-$, intermediate bound state for resonance γ—γ scatt. 5=5303
ω-mesons, with broken SU(3) symmetry 5=424
φ-mesons, with broken SU(3) symmetry 5=424
ϕ—ω mixers, and SU_3 group, reducible representation 5=8
ρ and B, reciprocal bootstrap model 5=11099
ρ, bootstrap model including 2π exchange 5=2661
ρ, calc. from $\pi\pi$—$K\overline{K}$ 5=5428
ρ exchange, in $\pi + N \rightarrow N^* + \omega$ 5=599
ρ trajectory in π—N charge exchange 5=11088
$\rho \rightarrow N\overline{N}$ vertex, strip approx., S matrix theory 5=5427
ρ, from $\pi\ \pi$ scatt. 5=5413
X°, four π model 5=11098

Mesons — contd

absorption

μ, ultrarelativistic, dE/dx calc. 5=11069

μ, ultrarelativistic, range in Pb 5=11070

capture

See also Nuclear reactions due to mesons.

K^-, by heavy nuclei 5=8657

K^- in He, non-mesic calc. 5=5440

K^-, hypernuclei prod., at rest in emulsion 5=2825

μ, by complex nuclei, theory, errata 5=8658

μ, G-parity nonconservation possible 5=2627

μ, radiative, by nucleus, axial current charge symmetry 5=2824

μ, radiative, from nuclei 5=11351

μ in Ca, angular distrib. of neutrons, for various energy thresholds 5=5666

μ^- in Ca^{40}, radiative capture by bound p 5=8660

$Cu + \mu^- \rightarrow Ni + \nu + \gamma$ 5=8661

$\mu^- + p \rightarrow n + \nu + \gamma$, in Ca^{40}, and induced pseudoscalar coupling const. 5=2830

μ in He^3, total meas. 5=8446

$\mu^- + He^3 \rightarrow H^3 + \nu$ calc., from e—He^3, H^3 scatt. 5=5379

μ by He^4, C^{12}, O^{16}, Ca^{40}, calc., giant dipole reson. effects 5=2827

μ in O^{16} as induced pseudoscalar coupling constant detector 5=456

p-μ-p^+ quantum calc. 5=5922

decay

$\Delta T = {}^1\!/_2$ nonleptonic 5=8227

resonances, multi, cascades, interference 5=2659

vector, radiative 5=5373

B, inconsistances on 1^- assignment 5=2657

B, f°, unitary symmetry system 5=14425

$\eta \rightarrow 3\pi$ boson pole model 5=5432

$\eta^\circ \rightarrow 3\pi$, ρ final state interaction and branching ratio asymmetries 5=2660

$\eta\pi\pi$ resonance at 960 MeV, partial e. m., into $\pi^+\pi^-\pi^\circ$, $\pi^+\pi^-\gamma$, 2γ and $w\gamma$, estimates 5=618

K, isotopic spin changes 5=5433

K, three-body leptonic decay 5=2665

K, and e polarization, radiative corr. 5=8447

$K \rightarrow 2\pi$, unitary, symmetry explanation 5=624

$K \rightarrow 3\pi$, choice between primary and dynamical $|DT| = {}^1\!/_2$ rule 5=2666

$K \rightarrow 3\pi$, CP violation possibility 5=14442

$K \rightarrow 3\pi$ or $2\pi + \gamma$, boson pole model 5=5432

K_{e4} ang. correls. and π—π low energy phase shifts 5=8461

K_{e4}, $\rightarrow \pi + \pi + 4 + \nu$, and π—π interaction 5=11103

K_{14}, form factors 5=11108

K_{l4}, $\rightarrow \pi + \pi + l + \nu$, form factors 5=11109

$K_{\mu 4}$, $K^+ \rightarrow \pi^+ + \pi^- + \mu^+ + \nu_\mu$, emulsion obs. 5=11104

K_0 and CP violating, PT conserving scalar–pseudoscalar interaction possibility 5=14287

K°, violation of CP invariance 5=11106

K^0, $\Delta I = 3/2$, CP violation 5=5436

K°, β 3 body, as $\Delta I = {}^1\!/_2$ rule test 5=629

K° and $\overline{K}°$, violation of CP invariance 5=11105

K_2^0, Mach's principle and CP invariance breakdown 5=5437

K_2°, 2π mode, CP invariance 5=2667

$K_2^0 \rightarrow 2\pi$ decay, CP nonconservation 5=8469

$K_2^\circ \rightarrow 2\pi$, PC violation model 5=14288

$K_2^\circ \rightarrow 2\pi$, rel. to new vector boson, CP violation 5=2668

$K_2^\circ \rightarrow \pi^+ + \pi^-$ 5=14441

$K_2^\circ \rightarrow 2\pi$, vector field explanation? 5=625

K_2°, 3π mode 5=2674

$K_2^\circ \rightarrow 3\pi^\circ$ 5=626

K_2°, K^+, nonleptonic, and SU(3) 5=2664

K^+, neutral leptonic currents calc. 5=2672

K^+, three-body leptonic modes 5=2669

$K^+ \rightarrow 2\pi$, octet dominance model 5=8220

μ, bound, decay rate, calc. 5=5377

μ constant, renormalization, weak vector boson interaction 5=458

μ, weak-interaction theory, and μ–e symmetry 5=8444

$\mu \rightarrow e + \gamma + \bar{\nu} + \nu$, W, e. m. moment effects 5=2624

$\mu \rightarrow e + \nu + \bar{\nu} + \gamma$, weak vector W boson effects 5=11066

ω-mesons, with broken SU(3) symmetry 5=424

φ, with broken SU(3) symmetry 5=424

$\omega \rightarrow 2\pi$, octet dominance model 5=8220

ϕ, ϕ—ω mixing 5=11102

$\varphi \rightarrow \rho + \pi$, and oddness, symmetry by 3rd rank Lie groups calc. 5=10847

ρ° and π—π phase shift 5=2648

$\rho^0 \rightarrow 2\pi$, asymmetry calcs. 5=5429

Mesons — contd

decay — contd

W, leptonic, ang. distrib. after π prod. 5=2430

decay observations

resonances prod. by π^+—d at 1.23 BeV/c 5=622

η, photon decay 5=5339

$\eta \rightarrow \gamma + \gamma$ 5=8468

$\eta\, 2\pi$, decay modes and quantum numbers 5=5426

η° lifetime meas. by $e^+ + e^- \rightarrow \eta^\circ + \gamma$ or $n^\circ + \pi^+ + \pi^-$ 5=623

K_1° lifetime 5=2681

K_2^0 spectra 5=5438

K_2°, 2π, evidence 5=5435

K^+, branching ratios 5=2670

$K^+ \rightarrow e^+ + \pi^\circ + \nu$ 5–2673

$K^+ \rightarrow \mu^+ + \pi^0 + \nu_\mu$, low energy μ spectrum 5=5434

$K^+ \rightarrow \pi^+\pi^+\pi^-$, τ^+ mode 5=2671

$K^+ \rightarrow \pi^+ + \pi^\circ + \gamma$, stopped K^+, branching ratio 5=628

$K^+ \rightarrow \pi^+ + \pi^\circ + \pi^\circ$, π^+ energy spectrum 5=11107

$K_{\mu 3}^+$, μ polarization 5=8470

$\mu \rightarrow e + \gamma$ and $\mu \rightarrow 3e$, spark chamber for obs. 5=10942

$\mu^- + Cu \rightarrow Cu + e^-$ or $Cu + e^- + \gamma$ search 5=11067

$\omega^0 \rightarrow e^+ + e^-$, upper limit, 2.8×10^{-3} 5=5425

τ', τ, branching ratio, σ resonance 5=11107

$\tau^+ \rightarrow \pi^+\pi^\circ\pi^\circ$, π^+ spectrum 5=627

detection, measurement

μ separation from π, use of Cherenkov counter 5=14428

effects

three-pion-exchange, on d—e scatt. 5=2692

f° on p—p scatt., rel. to phase shifts < 300 MeV 5=5342

f^0 on π—N scattering 5=5406

interactions

See also Nuclear reactions due to mesons.

baryon, in broken SU_3 symmetry 5=14276

baryon, in $U_3 \otimes U_3$ symmetry 5=14261

baryon–meson coupling in SU(6) generalization 5=14260

with baryons, unitary symmetry tests 5=2417

meson–baryon couplings in static model 5=10787

meson–nucleon, static model, rel. to SU(6) baryon bootstrap model 5=10824

with mesons, peaks 5=8442

pseudoscalar meson + baryon → vector meson + baryon, peripheral calc. 5=11064

reactions and A-parity conservation 5=5376

scalar, and singular integral eqns. in bound state calc. 5=10834

trilinear, in intrinsically broken U(6) symmetry scheme 5=14426

η—N coupling consts. in Heisenberg's non-linear theory 5=14431

K—K, expt. evidence, review 5=5388

$K\overline{K} \rightarrow \varphi$, Schrödinger bootstrap calc. 5=5439

$\overline{K}$—N, erratum 5=11111

$\overline{K} + N \rightarrow \Sigma\,[\Xi] + n$, forbidden by selection rules in W_3 symmetry 5=420

K^-, at rest, in emulsion, He^8 prod. 5=693

$\bar{K} + p \rightarrow \Lambda^0$ + pions, 960 MeV η^* state obs. 5=5420

K^-—nucleus, 3 GeV/c, rel. to hyperfragment production 5=2722

K^-—d, Λ prod., pion momentum spectrum calc. 5=11123

$K^- + n(c) \rightarrow \Sigma^- + \pi^- + \pi^+$ + recoils, $\Sigma\pi$ reson. with $T = 2$ 5=614

$K^- + p$, evidence for N* resonance at 1425 MeV 5=14438

K^-—p, six reactions < 300 MeV/c, Y_0^* resonance 5=11112

K^-—p, 1150 MeV/c, final state ang. correls. erratum 5=8475

K^-p, 2.45 to 2.70 BeV/c, Dalitz plots, $s = -2$ system study 5=643

K^-—p, K—$\overline{K}$ resonance production 5=8466

K^-—p, K* resonance prod. at 3.5 GeV/c 5=14439

$K^-p \rightarrow K^*N$ and KN^*, cross-section, ang. distrib. K* density matrix calc. 5=8474

$K^- + p \rightarrow K^\circ + n$, 2 GeV, cross-section, ang. distrib. meas. 5=630

K^-—p, Ξ^* (1820) prod. and decay calc. 5=11127

$K^- + p \rightarrow \Lambda + X^\circ$ 5=2654

$K^+ + N \rightarrow \pi^+ + \pi^- + \pi^+ + N$, 900 MeV/c 5=11110

$K^+ + n \rightarrow K^+ + \pi^- + p$, 900 MeV/c 5=11110

K^+-p, multiple particle prod., statistical theory 5=8472

K^+p, at 3 GeV/c, evidence for K(725) 5=8473

$K^+ + p \rightarrow K^+ + \pi^+ + n$, 900 MeV/c 5=11110

$K^+ + p \rightarrow N_{33}^{*++} + K^\circ$ at 354 BeV/c, ρ-meson exchange, ang. correl. meas. 5=600

μ—N, Gamow—Teller consts, from $Li^6(\mu^-, \nu)He^6$ reaction 5=2828

Mesons —contd
- **interactions** —contd
  - μ, pair production loss 5=14427
  - μ^- star prod. in emulsion, for π contamination meas. 5=824
  - with N, spin $\frac{1}{2}$, high energy 5=2395
  - ω—φ mixing, mass—mixing angle rel.,calc. 5=2416
  - $\rho - 2\pi$ bootstrap with composite π 5=5380
- **magnetic moment**
  - W, e. m. moment effects on $\mu \to e + \gamma + \bar{\nu} + \nu$ 5=2624
- **mass**
  - e. m. differences in unitary symmetry 5=2419
  - formula, empirical 5=588
  - linear "statistical" mass formula list of known mesons 5=2622
  - pseudoscalar, differences in self-consistent model 5=5190
  - pseudoscalar, unitary covariant equations, with baryons 5=2418
  - and PS_8—PS_8—V_8 coupling consts. 5=11059
  - resonances 5=441
  - resonances, and baryon isobars 5=423
  - resonances, vector representation, SP(6), calc. 5=409
  - and strangeness 5=11062
  - systematics and principle quantum number 5=11058
  - vector, and broken symmetry 5=429
  - vector octet mass splitting, pseudoscalar octet splitting effect 5=421
  - vector—pseudoscalar relns. 5=427
  - $K_1^\circ K_2^\circ$ difference and s-wave $\pi\pi$ interaction 5=2674
  - K_1°—K_2° mass difference 5=2675
  - K_2^0, K_1^0, difference, octet dominance model 5=8220
  - K_1—K_2, and π—π phase shift and σ meson 5=2648
  - K_1°—K_2° and SU(3) 5=2664
  - K^+—K° calc. 5=11061
  - N—boson system, and sum rules 5=2428
  - ω-φ mixing formula for pseudoscalar mesons 5=425
  - ω—φ mixing, mass—mixing angle rel.,calc. 5=2416
  - $\pi\pi(T = O, 1 = O)$ antibound state reson., bootstrap calc. 5=619
  - ρ, from π—π reson. 5=11100
- **production**
  - in particle accelerator, residual γ dose calc. 5=14386
  - photo, unitary symmetry amplitude relns. 5=11063
  - in e-e collisions, vector 5=2623
  - η in $\gamma + p \to \eta + p$ 5=8468
  - η, from $\pi + N \to N + \eta$, ang. distrib., calc. 5=14433
  - $\gamma + p$ interactions, 0. 5-4. 8 BeV 5=10981
  - K, in jets by p—p colls.,25 GeV/c 5=5337
  - K, single, peripheral prod by neutrinos 5=14402
  - $K\bar{K}$, in e^+, e^- beam collisions, and ϕ reson. 5=8471
  - $K\Lambda$, photo, in unitary symmetry 5=2683
  - $K^{+/} + \Sigma^\circ$, from $\gamma + p$, phenomenological model 5=14443
  - μ pair, by γ, asymmetric, calc. 5=2625
  - μ pairs, by γ and quantum electrodynamics breakdown 5=8445
  - μ pairs, by muon ν, four-fermion calc. 5=589
  - N*, by p + p, mass spectrum at 7. 1 GeV/c 5=11026
  - N_{33}^*, ρ° in $\gamma + p \to p + \pi^+ + \pi^-$ 5=11019
  - N^*_{1238} reson. in $\gamma + p \to N^*_{1238} + \pi$, Drell effect 5=8465
  - φ-mesons, with broken SU(3) symmetry 5=424
  - ω-mesons, with broken SU(3) symmetry 5=424
  - $\pi + N \to \rho + N$, momentum transfer and ρ mass 5=11101
  - π° by polarized X-rays, 235-435 MeV 5=592
  - ρ^0, by $\gamma + p \to \rho + p$, 1275 MeV γ's 5=5430
  - ρ°, N_{33}^* in $\gamma + p \to p + \pi^+ + \pi^-$ 5=11019
  - W, by π, leptonic decay ang. distrib. 5=2430
  - ρ, by π on nuclei, Coulomb and coherent 5=2662
  - ρ^-, in $\pi^- + p \to \rho^- + p$, 4 GeV/c, absorption effects 5=5399
  - W, in $N\bar{N}$ annihalation, theory 5=5375
  - W^+, by $p + p \to d + W^+$, calc. 5=5336
- **resonances**
  - baryon and 2 mesons, in unitary symmetry 5=440
  - bootstrap mechanism 5=11060
  - data survey 5=10971
  - decay cascades for multimesons, interference 5=2659
  - electron pair model for μ, π, π resonances 5=11054
  - inelastic channel effect on width 5=11092
  - linear "statistical" mass formula list of known mesons 5=2622
  - low energy, self-consistent theory, position determination 5=11095
  - mass relations, empirical 5=2562
  - masses 5=441
  - masses, and baryon isobars 5=423

Mesons—contd
- **resonances**—contd
  - mesons-baryon resonance by unitary symmetry 5=8228
  - new, and vector-meson octets 5=11094
  - octet—octet mixing, double, triple reson. prod. 5=2416
  - possible chain 5=10792
  - production by π^+—d at 1. 23 BeV/c, decay 5=622
  - production by π^+—p interaction, 8 GeV/c 5=5400
  - production, single, in N—N interactions 5=5332
  - quantum number and selection rules 5=11057
  - spectrum, theory, strong interactions calc. 5=428
  - vector pseudoscalar, $1^+(1)$ level 5=11097
  - vector representation, SP(6), mass calc. 5=409
  - 960 MeV 5=2654
  - 960 MeV η^* state, in $\bar{K} + p \to \Lambda^0 +$ pions 5=5420
  - A, two-pion structure 5=5401
  - A_1, from π^-—nucleus reacts, 16 GeV/c 5=2655
  - B, 1^- assignment decay inconsistancies 5=2657
  - B, C, D, f° octet assignments 5=2653
  - $\eta\pi\pi$ at 960 MeV, decay, partial e. m., into $\pi^+\pi^-\pi^\circ$, $\pi^+\pi^-\gamma$, 2γ and $w\gamma$, estimates 5=618
  - $\eta\pi\pi$, 960 MeV, in SU(3) symplectic extension 5=5419
  - δ, 959 MeV, as bootstrapped $\eta + \sigma$ reson. 5=5418
  - K^0, $K^\pm\pi^\pm(1410)$, m_{k**} prediction and TJ^{PG} assignment 5=5417
  - K*, prod. by K^-—p at 3. 5 GeV/c 5=14439
  - K* production in $\pi^- + p$, 3 BeV 5=8451
  - K—$\bar{K}$, 102 BeV, obs. and theory 5=8466
  - $K\Lambda$, photoprod., in unitary symmetry 5=2683
  - $\bar{K}N$, bootstrap calc. of Y_1^*, Y_0^* masses 5=617
  - K—π scalar resonances. $I = {}^1/_2$ and ${}^3/_2$. model 5=14440
  - $K(\pi\pi)$with $T_Z = \pm 3/2$ at 1270 MeV, evidence 5=5421
  - κ, possible non-resonant character 5=2652
  - κ, search in K^+ reactions on nuclei 5=11110
  - N—boson system sum rules, mass 5=2428
  - N isobar excitation, 1510, 1690 MeV, by p-p, peripheral mechanism 5=565
  - N^*_{1238} prod. in $\gamma + p \to N^*_{1238} + \pi$, Drell effect 5=8465
  - N*, evidence at 1425 MeV 5=14438
  - N*, prod. by p + p, mass spectrum at 7. 1 GeV/c 5=11026
  - N_{33}^*, ρ° prod. in $\gamma + p \to p + \pi^+ + \pi^-$ 5=11019
  - N_3^{*++} from π^-—p interaction 5=11081
  - $N^*_{3/2}$, effect in reactions, calc. 5=5423
  - $N^*_{3/2}$, projection operators 5=5422
  - N—N_{33}^* reciprocal boot strap generalization to G_2 symmetry scheme 5=5200
  - N_{33} from π—p interaction, decay to $\pi + N$ 5=11087
  - ϕ and $K\bar{K}$ prod. in e^+, e^- beam collisions 5=8471
  - π, review 5=8463
  - π in $\pi^+ + d$, 4. 5 GeV/c 5=603
  - π—N, empirical relationship 5=615
  - πN, higher 5=2656
  - π—N, P_{11} mechanism 5=5424
  - and π—N scatt. 5=605
  - in π—N scatt., N/D calc. of inelastic effects of N* and ρ 5=2641
  - $\pi + N \to N^* + \pi$, 2-pion exchange model 5=621
  - $\pi\ \omega$ (1220), m_{k**} prediction and TJ^{PG} assignment 5=5417
  - π—ω, and ρ, reciprocal bootstrap model 5=11099
  - π—p interaction, cross-section shape 5=11085
  - π—p interaction, total cross-section, 2. 5-5. 5 BeV/c 5=11086
  - and π—p scatt. p polarization near 600 MeV 5=610
  - in $\pi^+ + p \to \Sigma^+ + K^+$, K* resonance model calc. 5=11126
  - $\pi\pi(T + O, 1 + O)$ antibound state, mass, bootstrap calc. 5=619
  - π—π masses, empirical relations 5=620
  - 3π interpretation as φ 5=616
  - $\pi^+\pi^+p$, static-model calc. 5=11096
  - $\pi\rho$, dynamical considerations, 975 MeV 5=11097
  - $\pi\rho$ (1310), spin, from $\rho\pi$, $K\bar{K}$ decay ang. distribs. 5=8464
  - $\pi\rho$, 1310 MeV, as 2^+ octet member 5=5416
  - $\pi\ \Sigma$ with T = 2 in $K^- + n(c) \to \Sigma^- + \pi^- + \pi^+ +$ recoils 5=614
  - ρ, calc. from $\pi\pi$—$K\bar{K}$ 5=5428
  - ρ—$\pi \sim 1.2$ GeV from $\pi^+ + p$ scatt. and $\pi^+ +$ nucleus diffr. dissoc. 5=539
  - ρ° mass spectra in π^-—p, 2. 75 GeV/c 5=11074
  - ρ° from π^-—p interaction 5=11081
  - ρ°, N_{33}^* prod. in $\gamma + p \to p + \pi^+ + \pi^-$ 5=11019
  - σ, in τ' decay 5=11107
  - $\Sigma\pi$ production by K^- in complex nuclei 5=11350
  - X^0, decay modes and properties 5=2658

Mesons — contd
- **scattering**
  - meson—baryon, model 5=5228
  - meson—baryon exact bootstraps 5=8272
  - meson—baryon, N/D static model solution 5=2434
  - meson—baryon, pseudoscalar, dynamical model 5=433
  - meson—baryon, with SU(3) invariant interactions 5=5227
  - muons, negative, single scatt. in nuclear emulsion 5=5378
  - S-wave virtual states in meson-baryon scatt. amplitudes 5=2483
  - V-strap model self consistent schemes 5=14302
  - K mesons, on nucleons, s-wave calc., N/D method 5=2676
  - $K\bar{K}$, exact bootstrap soln. 5=11115
  - K—N, parametrization, and charge exchange reactions 5=5334
  - KN, secondary peaks, small spin-flip explanation 5=5407
  - $\bar{K}$—N, and Y_1^* as Regge pole, T=1 state 5=11113
  - $K^{\pm}$—p, elastic, amplitude real part >100 BeV 5=2677
  - K^-—d, exact multiple calc. 5=11114
  - K^-—p, 400 MeV/c, ang. distrib. 5=632
  - K^+—p, calc., < 450 MeV 5=631
  - K^+—p, low-energy elastic, analysis 5=2678
  - K^+-p, 7-17 GeV/c, 1-Regge pole contrib. 5=8456
  - μ—e, knock on, energy spectra 5=11068
  - ω—π, resonance with nonunique ang. momentum, dynamic model 5=14262
  - Cu, μ, knock electrons, ang. var. 5=12862
  - Pb, μ, knock electrons, ang. var. 5=12862
- **spin and parity**
  - parity measurement, from photoproduction 5=5374
  - $\pi\rho$ (1310) reson., from $\rho\pi$, $K\bar{K}$ decay ang. distribs. 5=8464

Mesosphere. See Atmosphere.

Metallo-organic compounds. See Organic compounds.

Metallurgy
- See also Zone melting and refining.
- metallographic prep. of materials, using H_2O_2 5=12143
- rod, changes during polymorphic transformations, by thermal cycling 5=6665
- Be, prep. for high purity 5=1997
- Ni—Fe films, long term aging 5=1747

Metals
- See also Alloys; Semiconductors.
- absorption, light, sphere extinction calc. 5=14196
- absorption, u. s., resonant, electron spin, calc. 5=9376
- acoustic absorpt., quantum oscillations 5=15039
- alloys, pulse loads, resistance to fracture, meas. 5=6728
- burning in airflow characs. 5=15620
- compressibility, var. with melting point, pressure 5=1498
- coupled e. m.—acoustic waves, quantum theory 5=15044
- creep meas. device, 4.2°-300°C 5=15131
- creep, metals, measurement at low temp. 5=12460
- crystal dislocations, slip edge, and twinning 5=9460
- crystal electron collision lifetime meas., by i. r. emissivity temp. var. 5=1568
- crystal electron s—d exchange 5=12887
- crystal electron states and magnetism with mag. impurities. Sd interaction 5=12869
- crystal orientation distrib. in deformed areas, meas. method 5=6340
- crystallization, u. s. min. power to affect grain size 5=1302
- cubic, epitaxy on alkali halides cleaved in vacuum 5=6392
- cylinder, radially confined, exploded, axial gas flow 5=14711
- description calc. for atoms and ions, in vapour 5=12060
- dielectric screening, non-local 5=9197
- diffusion of H 5=6581
- diffusion of homovalent impurities 5=9405
- diffusion of O, meas. by O^{18}(p, n) 5=9406
- diffusion, radiation enhanced 5=3707
- dispersion-strengthening, review 5=1502
- elastic waves, instantaneous surface velocity recording 5=13811
- electrical conductivity, ferromagnetic moment and anisotropy, rel. to chemisorption 5=3964
- electrical zero-charge potential meas. 5=6832
- electron beam reflection coeff., energy var. 5=9512
- electron—electron interact., and Fermi surface, props. var. 5=12628
- electron emission by giant-pulse laser beam 5=7052
- electron gas, collective and individual behaviour calc. 5=6818
- electron and ion emission, laser prod. 5=12846

Metals—contd
- electron—phonon interaction, mag. field effect, calc. 5=15201
- electrophoresis, dielectric particles 5=9164
- elementary excitations 5=76
- e.m. excitation in cyclotron reson. vicinity 5=6823
- e. m. wave propag., Fermi fluid interaction 5=15269
- e. m. wave propag. in mag. fld 5=15583
- e. m. wave propagation, quantum theory 5=12637
- evaporation, field, calc. at 0°K 5=12865
- evaporation, in vacuo, by h.f. levitation heating 5=11948
- exploding wire, elec. resist., temp. calc. 5=15266
- exploding wires, elec. resist., vaporization effects 5=15267
- f. c. c., divacancy diffusion 5=3705
- f. c. c., edge dislocation, energy and atomic configuration 5=6621
- f. c. c. lattices, Cottrell atmospheres 5=3764
- f.c.c., point defect prod. by dislocation jogs 5=12346
- f. c. c., point defects study 5=3796
- fatigue life and cyclic strain range 5=12466
- Fermi surface, semipopular review 5=1578
- ferromagnetic, elec. cond., complex tensor at optical freqs., anomalous elec. props., calc 5=3965
- ferromagnetic, e. m. wave spectrum in strong electric field 5=15526
- ferromagnetic, Hall effect 5=1613
- ferromagnetic, Kerr effect, new meas. method 5=1735
- ferromagnetic resonance condition 5=15479
- films, adsorbed H_2, surface potentials, negative and positive 5=3517
- films, thickness meas. and elec. cond. 5=3505
- fissile, irrad., atomic displacement and impurity effects 5=3737
- fission damage, model and atomic interact, theory 5=3780
- foils, cold-worked electron diffraction pattern radial streaking 5=9301
- foils with precipitates, defects and struct., electron diffr. exam. 5=6401
- foils, prep. for electron microscope exam., review 5=3496
- fracture, review 5=1503
- freezing, horizontal, convection 5=9178
- friction, review 5=6691
- galvanomagnetic effects, nonlinear under strong mutual electron—phonon drag 5=15311
- galvanomag. props, Hall effect, magnetoresistance, Fermi surface meas., review 5=6837
- γ-ray attenuation rel. to temp. 5=8373
- granular films, elec. cond. rel. to bulk, freq. var. 5=6835
- Hall effect meas. 5=6839
- harmonic analysis in fine structure studies 5=3602
- heat of solution in molten chloride, 34 system correl. 5=11877
- heat transfer theory in strong mag. fields 5=12306
- hexagonal, close-packed, twin distrib. round microhardness indenter 5=3828
- impregnation into porous glass 5=1999
- impurities and vacancies, interactions 5=12364
- internal friction, effect of dislocation splitting 5=12447
- interstitial sites and diffusion, Snoek's model corrected, b.c.c. 5=6613
- irradiation-induced dimensional changes, meas. method 5=12429
- lattice sum evaluation, using Morse potentials 5=3433
- lifetime, when subjected to torsion 5=15134
- liquid, electron band struct. 5=9082
- liquid self diffusion, atom displacements 5=11873
- liquid, turbulent, temp. pulsations 5=4850
- liquid, u.s. phonon damping, relax. time, m.f.p. calc. 5=3197
- liquid, vel. of u. s. waves, interferometer meas. 5=2127
- magnetic moments, localized, interactions, angular dependence 5=7075
- magnetism, electron polarization, mag. reson. obs. 5=7070
- magnetoelectric effects, boundary problems, in high mag. fields 5=9619
- magnetoelectric high-field props., Fermi surface, cyclotron orbits calc. 5=1599
- magnetothermal phenomena, quantum theory 5=1716
- magneto thermal phenomena in strong field, theory 5=12640
- mechanical weakening by adsorption of liquid metals 5=6684
- metal—CO systems, mol. π-electronic structure 5=14647

Metals—contd
microstructure features from spark etching 5=3579
model, two dimensional, u. s. attenuation and mag. breakdown 5=3683
n. m. r. group 111b, and with hydrogen, Knight shift and relax. times 5=9874
n. m. r., rel. to ferromag., Knight shift, temp. var. calc. 5=4259
n.m.r. review 5=1808
noble, anomalous electron transport props., effect of small addition of transition metals 5=3897
noble, 1st and 2nd Ettingshausen—Nernst coeffs. var. 5=6834
nondestructive testing, appl. of u.s. imaging 5=2132
non magnetic, levitation in a.c. mag. fields calc 5=7955
nuclear spin and Knight shift relax. time oscillations 5=7264
optical const. meas., review 5=4276
oxide layer growths, grain boundary effects 5=9245
oxides, freezing point and emissivity meas. 5=11938
particles, plasma reson. absorpt. bands 5=3951
particle size and strain magnitude 5=12450
Peltier coeff. and thermal cond., meas. apparatus 5=4099
phase transformation, stresses and plastic deformation 5=6678
plastic deform., refractory, b. c. c., X-ray diffr. obs. 5=9570
positron annihilation rel. to polarization effects 5=3958
positron annihilation, temp. effects 5=3957
powder sample prep. for n. m. r. study 5=12995
proton slowing down, theory 5=12430
recovery of quenched metal, rel. to vacancy migration 5=12356
resistance changes rel. to irradiation-displaced atomic cascades 5=1602
resistivity, elec., press. effect, review 5=9616
rods, changes during polymorphic transformations, by thermal cycling 5=6665
—salt interface, diffuse, capacitance and struc. calc. 5=1910
single crystal foil prod., u.h. vacuum sorption system 5=6320
60 phases, lattice constants 5=1358
skin effect at low temperatures 5=9617
stresses around dislocation groups and secondary slip 5=9519
stretching, triaxial, X-ray meas. 5=12452
structure and phase transform. kinetics, by radio-isotopes 5=3580
sublimation energy, det. by pulse method 5=14890
superconductivity, elastic constants, temp. depend. 5=12445
superconductivity, thermodynamic principles, Fröhlich model calc. 5=1623
surface desorption, rel. to atomic migration 5=3512
surface energy meas. 5=12028
surface self-cleaning from oxide films 5=9241
surfaces, field-evaporated, topography, rel. to polarization, field stress, gas impact 5=3484
surfaces, reflected light beam harmonics 5=7299
thermal conductivity, meas., liq. air to room temp. 5=1428
thermo-e. m. f. in quantizing mag. field 5=4100
thermomagnetic waves 5=6538
thin film survival in space 5=15775
thin films, elec. cond., Hall coeff. Sondheimer oscills. calc. 5=1603
thin films, electron diffraction contrast 5=3612
transport coeffs., lattice defect influence 5=12636
ultrasonic absorption and dispersion in magnetic field 5=6535
ultrasonics, polarization plane rot. and circular mag. dichroism 5=3681
vapour deposition, at supersaturation, nucleation of stable phase 5=1278
whisker growth methods, props. and theory 5=6389
wire drawing, effect of lubricant 5=12463
X-ray diffr., pure profile prod. from deformed sample 5=6405
X-ray emission spectra, band structure determ. 5=4279
Bi, metal—semicond. transition under press. 5=12719
Bi_2Se_3, semicond.—metal transition under press. 5=12721
NH_3 solns., ion pairing 5=11853
theory
See also Crystals; Electron gas; Plasma.
alloys, one-dimensional, random, electronic struct. 5=6801
crystal lattice vibrations, review 5=6500

Metals—contd
theory—contd
dispersion curves and lattice freq. distrib. 5=15027
effect of paramag. impurities on low temp. elec. props. 5=3962
effective potential perturbation model 5=1569
elec, field penetration 5=1601
electrical conductivity at low temp. 5=3961
electron gas, effect of small periodic potential 5=1587
electron gas, ground state energy 5=15248
electron interaction by virtual phonon exchange 5=6862
electronic props. of very small particles 5=6206
equation of state for f. c. c. metals 5=3698
f. c. c., resistivity and plastic deform. 5=15126
ferromagnetic, Hall effect, anomalous, low-temp., theory 5=6838
ferromagnetic, magnon-drag effects, and transport coeffs. 5=12882
ferromagnetic, Nernst—Ettingshausen effect, spontaneous, theory 5=6833
films, field effect, mean free path and boundary influences 5=3963
Galvanomagnetic effects, theory 5=15270
helicon-wave dispersion 5=15249
impurity effects, electron states, use of Green's functions 5=3915
ionic charge, dynamic (effective) 5=15203
ion core lattice in electron gas model 5=6503
liquid alloys, elec. resistivity theory 5=11901
liquids, ion—ion oscill. potentials 5=1169
Lorenz number of monovalent metals 5=6808
magnetothermal phenomena in strong mag. fields 5=1717
phonon drag, in supersonic electron drift 5=1554
surface energy 5=9207
thermogalvanomagnetic effects, quantum theory 5=3969
thermomagnetic phenomena, quantum theory 5=3968
thermogalvanomagnetic effects, quantum theory calc. 5=15268
transition metals, neutron scatt. data bearing on Pauling theories 5=6792
ultrasonic attenuation, fluid dynamic approx. 5=3682
X-ray absorption, interelectron interaction, model 5=7305
X-ray scattering by crystals 5=6424
Na, ionic exchange overlap pot. 5=6519
Na, positron annihilation and fixed charge shielding calc. 5=15256
Meteorites
See also Meteors.
Bruderheim and Peace River, S^{32}/S^{34} ratio meas. 5=15860
chondrites and chondrules, rel. to solar system origin, review 5=1980
cosmic ray tracks, etching obs. 5=10116
Fayetteville, γ-activity 5=15854
Mighei and Nogoya, organic free radicals 5=15858
origin 5=10179
Peace River, γ-ray emission 5=15861
Renazzo chondrite, rare gas content 5=15857
review of origin theories 5=15863
sputtering by He^+, Ne^+, Ar^+ ions 5=15853
stony, U, Th abundances 5=15855-6
tektites as impact fragments from moon, review 5=4645
Fe, isotopic composition and conc. of Mo 5=15862
Kr isotopic composition 5=15859
Meteoroids. See Meteorites.
Meteorological instruments
See also Anemometers; Hygrometers; Ionosphere measuring apparatus.
anemometer, automatic signalling 5=15655
radiosondes, refrigeration system 5=15654
radiosonde reliability meas. using pairs 5=4450
satellites, Tiros II, III, IV, VII, radiation data 5=7487
thermometer, electronic, for remote indicating windspeed indicator 5=4448
Meteorology
See also Weather.
and earth rotation abrupt change in 1963 5=15640
factors affecting radiocommunication, 40-1000 Mc/s 5=10078
IQSY, 1964/65 programme 5=7651
noise, "red", power spectrum 5=1931
by satellites, artificial, Tiros 5=13639
short-range forecasting model 5=4449
and sun corona max. 5=4447
synoptic, conditions, and O_3 vertical distrib. 5=13235

- **Meteors**
  - See also Meteorites.
  - density and structure, review 5=4644
  - flux fields about attractive body from unidirectional stream 5=15849-50
  - ionization efficiency calc. 5=7646
  - and lunar phase dependence 5=15851
  - meteoroids, distrib. synthesis from monoenergetic monodirectional kernels 5=15848
  - radar counts, anomalous increase in 1963 5=13752-3
  - radar obs., sporadic, 17 Mc/s 5=10178
  - radar statistics, Ottawa (1958-62) 5=4642
  - shock waves, magnetic effect 5=7647
  - trails, characteristics, 300 Mc/s 5=15852
  - trails, ionization distrib., radio signal decay method 5=4643
  - trails in upper atmos.,altitude distrib., theory versus expt. 5=1944
  - trails, thermal radiation, in upper atm. 5=13425
  - Vela—Pappis shower activity 5=10177
- **Metrology**. See Measurement; Mechanical measurement.
- **Mica**
  - crystal structure 5=1385
  - crystal structure. synthetic Fe mica 5=1384
  - films conductivity, electron-excited 5=12797
  - free energy calc. 5=3701
  - radioactive dating from fission track density, and annealing 5=13220
  - refractive index and dispersion, Abbe refractometer meas. method 5=7351
  - substitution isomorph distrib. 5=6466
  - synthetic production in laboratory for optical applic. 5=3562
  - thin film survival in space 5=15775
  - vermiculite, shock waves, absorpt., expt. 5=4794
  - He and $C^{14}O_2$ desorption, rel. to temp. 5=12065
- **Microanalysis**. See Chemical analysis.
- **Microhardness**. See Hardness.
- **Micrometeorites**. See Meteorites.
- **Micrometry**
  - See also Interferometry; Strain gauges; Thickness measurement.
  - capacitance for displacement meas. up to 650°C 5=4706
  - optical micrometer for use at high speed 5=4708
- **Microphones**
  - See also Acoustic transducers.
  - calibration, press., H retention 5=4799
  - feedback minimization 5=7842
  - free field correction for condensers 5=13942
  - probe-tube type 5=2124
- **Microphotometers**. See Densitometry.
- **Microprobe analysis**. See Chemical analysis/X-ray.
- **Micropulsations**. See Earth/magnetic field; Magnetic storms.
- **Microscopes**
  - See also Electron microscopes; Ion microscopes.
  - Gonio, for small surface normal meas. 5=14988
  - with interferometer, Fabry—Perot 5=14181
  - magnification meas. 5=8098
  - objective, testing using radial shear interferometer 5=8140
  - objectives, high-power, numerical aperture meas. 5=8100
  - phosphorescence 5=8099
  - polarization filter and compensator as substitute for colour filter 5=8101
  - scanning microscope densitometer 5=8158
- **Microscopy**
  - See also Electron microscopy.
  - biophysical 5=13787
  - for crystal stacking fault obs. by phase contrast 5=9491
  - image intensifier system evaluation 5=5050
  - interference fringe obs. 5=326
  - interference fringe obs. 5=5085
  - photographic image quality 5=8153
  - phase shift in object, multiple image planes 5=8086
  - sample compressor for microscope stage 5=12455
  - Zr, preparation 5=6420
- **Microstructure of crystals**. See Crystal structure/microstructure; X-ray examination of materials/microstructure.
- **Microtomes**. See Biological technique and instruments; Laboratory apparatus and technique; Microscopy.
- **Microtrons**. See Particle accelerators/orbital.
- **Microwave spectra**. See Spectra.
- **Microwave spectrometers**. See Spectrometers, radiofrequency.
- **Milky Way**. See Galaxies; the Galaxy.
- **Mineralogy**. See Minerals.
- **Minerals**
  - aquamarine diffusion of He 5=12319
  - amethyst, e. s. r. of Fe^{3+} 5=7235
  - apatite, e. s. r. of Mn^{2+}, allowed and forbidden transitions 5=9844
  - apatite, e. s. r. of Mn^{2+}, 10-50 Gc/s 5=7242
  - barysilite, $MnPb_8.3(Si_2O_7)$, crystal struct., atomic 5=12211
  - beryl, diffusion of He 5=12319
  - boehmite, i. r. absorpt. spectrum interpretation 5=9895
  - chabasite, e. s. r. of Mn^{2+} in crystal exchange field 5=7241
  - chalcopyrites, crystal electron, energy band symmetry props. group theory 5=1572
  - denningite. crystal structure 5=1381
  - diopside, e. s. r. of Mn^{2+}, 10 and 36 Gc/s 5=7240
  - grossularite, garnet struct. determ. 5=9324
  - hematite, identification by mag. low temp. remanence 5=12926
  - magnetite, identification by mag. low temp. remanence 5=12926
  - mechanical hysteresis losses at points of discrete contact 5=1543
  - montmorillomite, elec. forces between platelets 5=1227
  - plagioclase, elastic properties 5=12530
  - pronstite, n. q. r. 5=15523
  - pyragyrite, n. q. r. 5=15523
  - rock, induction heating, plus applied stress 5=1926
  - rock, mechanical strength determ. technique 5=12544
  - rocks, r.f. waves penetration in mine-tunnels 5=4436
  - smithsonite, e. s. r. of Mn^{2+}, allowed and forbidden transitions 5=9844
  - spinels, crystal lattice const. calc. from cationic distrib. and O parameter 5=12212
  - Stilbellite, $CeBo[SiO_4]$ crystal struct, atomic 5=12196
  - sulphide ore from Noranda, thermomag. props. meas. 5=10099
  - talc block, temp. effect on mech. props. 5=3882
  - tridymite. polymorphism 5=1274
  - turquois, crystal structure 5=6451
  - uklonskovite, crystal structure 5=1393
  - uraninite crystal structure crystallite size 5=9358
  - wurtzite, magneto-optical effects 5=7372
  - wüstite, crystal, struct., atomic $FeO_{1\cdot066-1\cdot127}$ 5=1375
  - zeolites, dielec. props., 1 c/s-25 Gc/s, var. water, relax. activation energy 5=7007
  - Fe—Ni spherules in tektites, mag. props. 5=12933
- **Minor planets**. See Planets.
- **Mirages**. See Atmospheric optics.
- **Mirrors**
  - See also Telescopes/astronomical.
  - conical, uses, and optical props. 5=10653
  - reflection coeff. meas. 5=304
  - resonator modes, Schmidt expansion 5=10597
  - resonators, circular, hyperspheroidal solns. 5=10675
  - MgO reflecting coating, production technique 5=4694
- **Mixing**. See Heat of solution; Solubility; Solutions.
- **Moderation**. See Neutrons and antineutrons/moderation.
- **Moderators**. See Nuclear reactors, fission/materials.
- **Moiré fringes**. See Interference/light.
- **Moisture**
  - See also Atmosphere/humidity; Humidity; Permeability, mechanical.
  - adsorption in porous materials, humidity and temp. var. 5=1283
  - effect on elec. cond. of cellulose acetate 5=4082
- **Molecular beams**
  - See also Particle velocity, analysis.
  - for chemical reaction obs., (crossed beams), review 5=7420
  - collision cross-section meas. for rotational transitions 5=8904
  - configuration obs. by elec. deflection and mass spectrometer detection 5=5837
  - crossed, energy of reaction products 5=13154
  - detection, and velocity dispersion, calc. 5=5917
  - detector, Kingdon cage, space-charge 5=1016
  - glass collimators 5=14678
  - intensity measurement 5=5916
  - maser possibility 5=4989
  - multiple 5=8903
  - use for neutral beam injectors 5=8905

Molecular beams — contd
scattering, rainbows, supernumerary, rel. to higher order diffrac. pattern max. 5=3086
symmetric-top mols., focusing and orientation 5=8902
ultrasonic, formation theory 5=11612
Br_2, interacting with K atomic beam, mag. analysis of scatt. 5=3087
CH_3I, interacting with K atomic beam, mag. analysis of scatt. 5=3087
ICl, interacting with K atomic beam, mag. analysis of scatt. 5=3087
N_2, 1.2 eV, scattering meas. downstream of collimator 5=14677
NaF, microwave spectrum by elec. resonance 5=2985
O-D_2, rotational de-excitation, due to collisions with K atomic beam 5=2954
Molecular orbitals. See Molecules/electronic structure; Orbital calculation methods.
Molecular relaxation. See Molecules/relaxation.
Molecular spectra. See Spectra/inorganic molecules; Spectra/organic molecules and substances.
Molecular structure. See Molecules/configuration and dimensions.
Molecular weight
polyisoprene solns., viscosity depend. 5=14681
polypropylene, γ, e effects 5=3875
polystyrenes, and viscoelasticity 5=9574
Molecular weight determination
polymers, by centrifugation methods comparison 5=3379
Molecules
See also Kinetic theory; Spectra.
asymmetrical double pot. well, eigen values and quantum transitions 5=8802
chloromethane, props. and ionic character 5=11571
electromagnetic Maxwell equations 5=10474
error estimates for molecular quantities 5=11405
ethyl formate, mass spectrum metastable peaks 5=14656
gyromagnetism 5=2925
ionization efficiency curves from electron impact, competitive decomp. process influence 5=3119
light scattering on, in presence of laser beam 5=8148
linked-cluster theorem and unitarity 5=2872
many-body problem 5=76
methane, props. and ionic character 5=11571
methanes, substituted, wave numbers, thermodynamic props., and rot. consts. 5=8866
n.m.r. spectra analysis, for symm. mols. 5=5908
n.m.r. spectra, effect of relax. on symmetry 5=5909
neutron scatt., Krieger—Nelkin approximation 5=14626
organic, neutron scatt. 5=5881
pseudo-AX systems, double resonance expts. 5=11593
sinusoidal field—matter interaction, general theory 5=11477
spin-Hamiltonian parameters, origin 5=11587
symmetry groups, intermediate, degeneracies of states 5=934
o-, p- and m-xylene, proton freq. spectrum determ. by neutron scatt. 5=5897
zero-field splitting, one-and two-centre Coulomb type integrals, erratum 5=2942
CD_4, slow neutron scatt. 5=3036
CO_2, with electron swarm, Townsend energy factor 5=8826
H_2, electron scatt., 25 KeV 5=2960
H_2O and similar, disproportionation consts. close to 4 at 25°C 5=4378
H_2S, gaseous, neutron scatt. 5=11520
NH_3, gaseous, neutron scatt. 5=11520
NH($^3\Sigma^-{}_\sigma$), splitting parameter, zero field 5=11516
P Cl_5, 50 to 2000°K, thermodynamic fns., calc. 5=970
SiH_3CN and SiD_3CN, thermodynamic props. 5=5873
configuration and dimensions
See also Chemical structure; Crystal structure, atomic.
dihalides, by mol. beam elec. deflection 5=5837
electron diffr. exam., planetary electron corrs. 5=5838
internuc. equilib. distance rel. to dissoc. energies 5=8897
by molecular beam dec. deflection and mass spectrometer detection 5=5837
shrinkage of internuclear distance by vibr. 5=11490
size, Young's 1816 estimate 5=11493
structure determ. by isotopic substition in mols. 5=8805
structure, gas electron diffr. data, analysis 5=11500

Molecules—contd
configuration and dimensions, inorganic
carbocyclic, valence and structural angles 5=3011
heterocyclic, valence and structural angles 5=3011
AH_n, geometrical structure calc. 5=5861
MF_6, (M = Mo, Tc, Re, Ru, Rh), interatomic distances, force const. calc. 5=11536
B_2H_6 and B_2D_6, molecular structures, electron diffr. study 5=11522
B_2O_3, molecular structure 5=8825
C_8F_{12} 5=12195
CF_3PCl_4 5=2988
$Co_4(CO)_{12}$, struct., D_{2d} symmetry 5=11530
GeH_3CN, structure 5=5858
H_2, quantum mechanical potential energy curves 5=14638
$HBBr_2$ and $DBBr_2$ 5=2997
H_3O^+(g), calc. 5=8844
He_2, quantum mechanical potential energy curves 5=14638
Hg halides, configuration 5=5866
β-P_4S_7 5=9345
S_2F_2, 2 isomers, dipole 5=5872
SeO_3, monomer and tetramer, electron diffr. study 5=11543
configuration and dimensions, organic
alicyclic compounds, free radical conformation by e.p.r. 5=3075
alkaloid jamine ($C_{21}H_{35}N_3$) 5=1400
bicyclo [1.1.0] butane 5=979
branched polymers, unperturbed dimension 5=1020
cyclopropane, -d_6, C—C internuclear distance, Raman spectra calc. 5=3029
deuteroethane, structure, electron diffraction ~~study~~ 5=8858
ethane, structure, electron diffraction study 5=8858
methyl bromide, C—halogen distances, calc. 5=14659
methyl chloride, C—halogen distances, calc. 5=14659
perylene, vapour sector electron diffr. obs. 5=11575
polymer chains, calc., struct. symmetry consideration 5=8911
polymers, review 5=3090
polymethylene chains and rings advanced lattice 5=14663
tributylbore isomers, structure rel. to u.v. and i.r. absorpt. spectra 5=14664
tristriphenylphosphine Rh carbonyl hydride, rel. to Rh—H bond and distance, calc. 5=12261
K acetyl phosphate 5=13089
configuration and dimensions, macromolecules
No entries
dissociation
See also Heat of dissociation.
comet C atmosphere, photo, and radiation 5=1978
diatomic, in fast collisions 5=14671
dipole dimerization in soln., from dielectric probs. 5=5912
in electrolytes, and viscosity 5=6157
fragmentation by proton and electron impact, validity of Born approx. 5=1045
in intense light field 5=14672
ions, in drift tube of time-of-flight mass spectrometer 5=1051
kinetics, and recombination of diatomic mols. 5=10003
neutron induced, theory 5=3071
polyacenes, excimer luminescence, exciton and charge reson. states interaction 5=2947
H_2, thermal, proton scatt. meas. 5=3072
H_2^+, vibrationally excited, dissociation by elec. field 5=1009
H_2O chemisorbed on Ni, decomposition products 5=10015
N_2 thermal dissociation, shock-tube study 5=8898
N_2^{15} pre-dissociation of $C^3\pi_\mu$ state, from rot. spectrum 5=954
NH_3 in fluorescence tubes irrad. by Kr and Xe lamps 5=3070
NH_3, formation of NH by shock heating 5=3069
N_2H_4 in fluorescence tubes irrad. by Kr and Xe lamps 5=3070
O_3, O_2, atmospheric, by solar radiation, height and freq. var. calc. 5=13236
PH_3 in fluorescence tubes irrad. by Kr and Xe lamps 5=3070
SeO_3, monomer and tetramer, electron diffr. study 5=11543

Molecules—contd
dissociation energies
alkaline earth monofluorides, high-temp. 5=3073
and ionization potentials, free radicals 5=5911
molecular constants correl., Sutherland's potential function calc. 5=8897
saturated hydrocarbons, positive ions 5=987
CaO, mass spectrometer obs. 5=5913
Co_2 5=3074
Cr_2 5=3074
MgO, mass spectrometer obs. 5=5913
Mn_2 5=3074
SrO, mass spectrometer obs. 5=5913
Sr_2O, mass spectrometer obs. 5=5913
Ti_2 5=3074
electronic structure
See also Bonds.
binary correlations in n-electron systems 5=2875
calculation of charge distrib. for nonconjugated mols. 5=5832
coupling, assigned to degenerate orbital 5=4766
electronic band system, population inversion 5=8803
electronic correlation energy, Z-expansion perturbation theory, review 5=5733
ligand field theory, gyromagnetic factors and spin—orbit coupling 5=2941
magnetic double reson-obs. 5=8024
many body problems, conference, Manchester (1964) 5=7793
many-electron theory 5=896
matrix elements of electronic transions in γ and β systems 5=2976
polyatomic, electronic transitions 5=8788
polyatomic molecules, binding regions, electron density distrib. 5=5833
quantum transition probabilities for double pot. well 5=8802
r centroid, monotonic reln. to band freq. 5=5818
radicals in amorphous solids, and e. s. r., computer prog. 5=7208
SCF-LCGO- O procedure 5=14634
small, correlation method, interaction calc. 5=944
spin—spin interaction integrals, calc. 5=5835
spin splittings and rotational struct. of nonlinear mols. in multiplet states 5=2945
theory of d-ions in ligand fields 5=5836
3-level systems, quantum transition and Raman action 5=11406
triplet state study, by flash photolysis 5=11478
wave function study, using positron—positronium reaction in gases 5=5327
Fe_2 analytic SCF wavefunctions 5=940
electronic structure, inorganic
borazines, LCAO—MO—SCF calcs. 5=14644
calculation, diatomic, vib.—rot. interaction effects 5=2934
diatomic homonuclear mols., analytic SCF wave-functions and computed props. 5=940
diatomic, mag. and elec. props., variational calc. 5=2958
diatomic, rotation interaction in Rydberg states 5=2935
diatomic, transition oscillator strength determ. 5=2948
diatomic, two-centre integrals methods for digital computers 5=5834
germanates, from i. r. spectra 5=2998
hydrogen mol. ion, 1s Gaussian wavefunctions 5=11507
metal—CO systems, atom—bond populations 5=14647
nitronium ion, π, LCAO SCF methods 5=11537
rare-earth chelates, intramol. energy transfer 5=11542
σ-bonded systems, simplified SCF calc. 5=2964
transition metal complexes with nitrosyl ligand 5=3431
B_2Cl_4, gas, study 5=2987
$B_{20}H_{18}^{2-}$ 5=3059
$(CoF_6)^{4-}$, unpaired spin in 2p orbits on ligand 5=5867
Fe-group cyanides, MO anal. 5=6254
H halides, simplified SCF calc. 5=2964
H_2, Born-Oppenheimer approximation 5=2959
H_2, mag. and elec. props., variational calc. 5=2958
H_2, metastable $c^3\pi_u$ state, fine structure consts. 5=950
H_2^+ 5=8812
H_2^+, H_2 wave functions calc. 5=2961
H_2^+ wavefunction calc., by spherical harmonics 5=5844
H_2^+, Weinstein calc. 5=2962

Molecules—contd
electronic structure, inorganic—contd
H_3, potential energy surface 5=3000-1
H_3^+, ground state, "one electron bond" wave function 5=968
$HCO_2^{+,0,-}$, πenergies calc. 5=11567
HF, polarizability, from Hartree—Fock calcs., perturbed 5=8815
H_2O, quantum mech. calc. 5=5876
H_4O^{2+}, wave functions and total energy 5=3002
H_2S, united-atom approximation 5=3004
He_2, afterglow continuum, expt. 5=8923
Hg halides, dipole moments and configuration 5=5866
HgAr Van der Waals molecule 5=8817
LiH^+, binding energy, mixed basis set calc. 5=2972
Mn^{2+} in CdTe, superhyperfine structure in e.s.r. 5=7259
$(MnF_6)^{4-}$, unpaired spin in 2p orbits on ligand 5=5867
N_2, lifetime of $(C^3\pi u)$ and $(B^2\Sigma \overset{+}{u})$ states 5=14641
N_2^+, $B^2\Sigma_u^+$ state, Schrödinger's eqn., soln. 5=11515
NH, lifetimes of $(A^3\pi)$ and $(c^1\pi)$ states 5=14641
NO, β and γ bands, dipole moment 5=14640
$Na^{23}F^9$, hyperfine, Zeeman and Stark effects 5=11545
NaK, internuclear distance, equilib. 5=2986
$(NiF_6)^{4-}$, unpaired spin in 2p orbits on ligand 5=5867
O_2, spin dipole—dipole interaction 5=8822
OH^- calcs. 5=14642
PH, lifetime of $(^3\pi)$ state 5=14641
PO in $(P_4 + O)$ reaction, spectra obs. 5=960
Re hexahalides, absorpt. spectra 5=11548
SCN, from Raman spectra of alkali metal cpds. 5=5874
$S(CN)_2$ and rotation spectrum 5=11546
SF_4, force field, including lone pair 5=11547
SF_6, d orbits of S, errata 5=3008
SO_4^{2-}, d orbits of S, errata 5=3008
Si Cl, calc. 5=2984
Tc hexahalides, absorpt. spectra 5=11548
V^{4+} in SnO_2, superhyperfine structure 5=7258
electronic structure, organic
acridine, mol. wave-functions, calc. by Parisier—Parr method 5=3018
anthracene–trinitrobenzene complex, charge transfer 5=7375
aromatic, use of C SCF atomic orbitals 5=11552
aromatic hydrocarbons, zero-field splitting of lowest triplet state 5=3017
aromatic, and ionization 5=3015
aromatic nitrenes, theory of zero-field splitting 5=5894
azobenzene, spectra meas. 5=8848
azomethane, spectra meas. 5=8848
benzanthracene, rel. to mag. and opt. characts. 5=14652
benzene, π orbital system calc. 5=978
benzene, PDB, PCB, by photoselection 5=3021
benzene systems, model, dimeric, excimer behaviour 5=11499
biopolymers, π-electron systems, Hückel approximation 5=1019
biphenyl, calc. 5=3024
butadiene and linear polyenes, conjugation 5=14653
m-chlorophenol, u. v. emission spectrum 5=14654
cyclic polyenes, diamagnetism calc. 5=8910
8, 8-dicyanoheptafulvene, from electron impact mass spectrum 5=14655
dielectric loss and atomic polarization 5=9141
dihedral metal complexes, optical rotatory dispersion 5=943
electric-field gradients at H site 5=6203
ethyl alcohol, and microwave spectrum 5=8873
ethylene, lowest singlet transition energies 5=3033
ethylene, SCF calc. 5=11564
guanine-cytosine, N—H. . . N bonding 5=3034
hydrocarbons, conjugated and aromatic, oscillator strengths 5=8861
hydrocarbons, even alternant, self-consistent Hückel treatment 5=8860
isoquinoline, mol. wave-functions, calc. by Parisier—Parr method 5=3018
macromolecules, electron correl., general theory 5=14679
metallo-pyrromethanes, spin delocalization 5=3066
methoxy-dicyanoheptafulvenes, from electron impact mass spectrum 5=14655
methyl chlorophyllide, monomolec. films, structure 5=3088

Molecules—contd
electronic structure, organic—contd
N-methylenemethylamine, equilib. conformation, from microwave data 5=3038
naphthalene, lowest singlet transition energies 5=3033
nitrobenzene, Parisier—Parr—Pople—Brown—Heffernan method 5=5892
nitrosomethane from flash photolysers 5=5893
paraffinic chains, n.m.r. meas. 5=3043
polymers and monomers, and spectra, review 5=3090
polystyrene, isotactic, excited states 5=1022
polyvinylnaphthalene, isotactic, excited states 5=1022
pyridine, lowest singlet transition energies 5=3033
pyridine, mol. wave-functions, calc. by Parisier—Parr method 5=3018
quinoline, mol. wave-functions, calc. by Parisier—Parr method 5=3018
saturated hydrocarbons, positive ions 5=987
Scheibe's rule and SCF theory, for aromatic mols. 5=2943
stilbene anion radical, e.s.r. spectra, over −60° to +40°C range 5=5900
substituted benzenes, π-electron densities 5=1006
trans-butadiene, lowest singlet transition energies 5=3033
trimethylenemethyl and ions, AMO calcs. for π electrons 5=11583
tropone Fe tricarbonyl 5=9363
CH$_2$ group p spin densities, var. H—C—H angle in free radicals 5=8899
CH$_2$, low-lying states, energy, HCH angle depend. 5=980
CH$_2$ radical, spin—orbit interactions, effect on zero-field splitting 5=5889
CH$_3$NH$_2$ versus CH$_3$ND$_2$, radial distrib. from var. 5=14658
C$_6$O$_6$, LCAO-MO-SCF calculations 5=966
Cu complexes in solvents, e. s. r. method 5=3365
Fe(III) porphyrin, spin delocalization 5=3066
excitation
air (N$_2$), by electrons, 50 keV, spectrum 5=2975
aromatic hydrocarbons, triplet state reactions 5=4379
azulene, phosphorescence, triplet energy 5=11553
benzene, electron impact into 3 lowest singlet excited states, Born approx. 5=5880
benzene, stimulated emission of Raman radiation, onset threshold 5=3022
carbon disulphide, stimulated emission of Raman radiation, onset threshold 5=3022
in crystals, excited states, multipole method calc., errors study 5=1581
diatomic, 2-level, var. strength and freq., calc. 5=936
diphenylpicrylhydrosil, multiquantum absorption 5=5727
excimer formation, Hückel treatment 5=11499
excimer luminescence, mechanism 5=2946
gases, resonance optical scatt. in mag. field 5=6092
and gettering in discharge tubes 5=9069
hydrocarbons, by electrons 5=8865
in intense light field 5=14672
many-electron theory 5=895-6
3-methyl buta-1, 3-dione, stimulated emission of Raman radiation, onset threshold 5=3022
molec. ions, rotational, by electrons 5=5823
multiquantum absorption in 2-level system 5=5727
naphthacene, phosphorescence, triplet energy 5=11553
naphthacene vapour, fluorescence, self-quenching 5=11551
1, 3-pentadiene, stimulated emission of Raman radiation, onset threshold 5=3022
phenanthrene vapour, fluorescence, self-quenching 5=11551
radiation in detuned cavity, rel. to double-cavity maser 5=4987
rare-earth chelates, intramol. energy transfer 5=11542
resonance energy transfer, between two mols., in empty space 5=5826
rotation, by slow electrons 5=5843
$^1\Sigma$ and $^3\Sigma$ lowest states for 1 and 2 electron mols. 5=2963
spectra, absorpt., meas. methods 5=11482
stilbene, trans- and cis-in various solvents, lowest states, transition energies calc. 5=3046
styrene, stimulated emission of Raman radiation, onset threshold 5=3022

Molecules—contd
excitation—contd
p-terphenyl in polystyrene, transfer efficiency, residual polystyrene effect 5=4371
1, 1, 4, 4-tetraphenylbutadine in polystyrene, transfer efficiency, residual polystyrene effect 5=4371
in vapour, Stepanov's eqn. validity 5=2939
vibration, by thermal energy transfer from free electrons 5=2931
CH, $^2\Delta$—$^2\Pi$ transition meas., interstellar possibility 5=11557
CN, microwave transitions between excited states 5=2951
CN, B $^2\Sigma^+$ state, hyperfine structure 5=2952
CO$_2$ in He gas mixtures, vibr. relax. 5=2994
CO$_2$, N-activated, i.r. luminescence 5=11525
Co, by active N 5=5840
D$_2$, ionization Franck—Condon transition probabilities 5=5960
H + Cl$_2$ → HCl + Cl, distrib. bet. vibr. excited HCl states, i. r. emission obs. 5=1901
H$_2$ 5=14614
H$_2$, ionization Franck—Condon transition probabilities 5=5960
H$_2$ rotation, by slow electrons, peak, DWBA calc. 5=5843
H$_2^+$, by electron impact 5=11508
N$_2^+$, first negative band, electron beam meas. 5=955
H$_2^+$, vibrational, rel. to autoionization 5=14697
He$_2$, electronic states, noncrossing rule and electron recomb. 5=3129
I$_2$, by sodium D lines 5=2968
La series in solid state laser materials, energy levels calc. 5=281
N$_2$, A.$^3\Sigma_u^+$ state, lifetime 5=11513
N$_2$, by electrons, 50 keV, spectrum 5=2975
N$_2$ in N$_2$ + O$_2$ mixtures, by X-rays, collisional deactivation 5=6093
N$_2^+$, N$_2$, in plasma, spectrum 5=953
NH, in shock-heated NH$_3$ 5=3069
NH$_3$, 3—3 inversion bands, nuclear coupling coeff. meas. 5=14648
NO, in plasma, spectrum 5=953
NO, visible and i. r. emission, excited states and Rydberg series 5=958
NO$_2$ rel. to absorption spectrum in γ-irrad. NaNO$_2$ 5=3434
O-D$_2$, rotational de-excitation by collisions with K atoms 5=2954
O$_2$(A$^3\Sigma_u^+$), and formation, spectrum 5=7427
O$_2$ with H$_2$O, HDO and D$_2$O, thermal relax. conc. effects 5=14810
intermolecular mechanics
See also Association; Collision processes; Kinetic theory/gases; Liquids/structure; Liquids/theory; Solids/theory.
adsorbed monolayers, collision frequency 5=13160
aliphatic and aromatic amines and amides, and intramol. interact., n. m. r. meas. 5=5910
Boltzmann collision operator, bilinear structure 5=14675
beam scattering, rainbows, supernumerary, rel. to higher order diffrac. pattern max. 5=3086
benzophenone donor luminescence quenching by naphthalene acceptor 5=1883
collision cross-sections for rotational transitions of diatomic mols. 5=8904
collision model of Bhatnagar appl. to two species 5=14802
in crystals, excited states, multipole method calc., errors study 5=1581
with degenerate internal states 5=3263
excited by active N 5=5840
Gaussian, binary mixture, critical solution behaviour 5=3305
ice, temp. var. calc. vibr. 5=9372
inelastic collisions with Lennard-Jones (12-6) interaction energy 5=1013
inert gas atoms, potentials 5=3085
London energies, iteration calc. 5=1012
in luminescence in liquids 5=1193
and luminescence polarization in liquids 5=9122
and microwave spectra, effect on line shape, impact approx. 5=935

Molecules — contd
intermolecular mechanics — contd
migration of exciting energy and liquid luminescence 5=9123
organic cpds in soln, luminescing, energy transfer to Tb^{3+}, Eu^{3+} 5=9126
perfluorotributylamine-isopentane, pair potential 5=3382
phenols, with solvents, and OH bond vibr. band splitting 5=11576
polyethylene crystal, molecular motion, n.m.r. obs. 5=14960
polyisoprene, entanglement coupling spacings 5=14681
polymers, solid, dielectric meas. 5=7013
potential curves for collisions 5=5805
potential energy functions rel. to gas virial coeffs. 5=11806
potential-energy surface, H—D kinetic isotope effect 5=3084
quantum gas, obeying 12-6 potential, transport collision integrals 5=9053
quartic oscillator, energy levels calc. for anharmonic oscillator 5=372
radiationless energy transfer, phosphorescence efficiencies 5=4338
radiationless energy transfer, singlet → singlet 5=4336
radiationless energy transfer, singlet → triplet 5=4340
radiationless energy transfer, triplet → singlet 5=4337
radiationless energy transfer, triplet-triplet annihilation 5=4339
scattering phase shifts, JWKB and semiclassical approxs. 5=3080
in small orbital overlap region 5=11608
spherical, transport cross-sects. 5=9050
stopping-power for "test" particle, computer simulation 5=3081
transport collision integrals, automatic calc. 5=3275
vibrational de-excitation, dependence on interaction potentials 5=8901
weakly inelastic collisions, vibr. and rot., semi-classical analysis 5=11607
Eu^{3+} in soln, energy transfer from luminescing organic cpds. 5=9126
H_2^+, elastic scatt. potentials, Coriolis shifts 5=3082
o—H, molecular motion, o—p conversion effects, neutron scatt. meas. 5=8810
$H + Cl_2 \rightarrow HCl + Cl$, distrib. bet. vibr. excited HCl states, i. r. emission obs. 5=1901
He_2, elastic scatt. potentials, Coriolis shifts 5=3082
I_2 and gases, energy transfer in fluorescence 5=2968
Kr, intermolecular potentials 5=14676
N_2 in $N_2 + O_2$ mixtures, luminescence collisional deactivation 5=6093
$SF_6 + CHClF_2$, vibrational energy transfer, u. s. dispersion meas. 5=1015
Tb^{3+} in soln, energy transfer from luminescing organic cpds 5=9126
internal mechanics
aromatic methyl ethers, and dielectric loss 5=9139
Born-Oppenheimer approximation 5=2959
butyl halides, tertiary, potential energy consts. 5=8852
carbonyls, phosphorescence ($\pi^* \rightarrow n$), heavy-atom effects 5=2989
conformational energy from nonbonded-atom—group interacts. 5=8845
Coriolis coupling coeffs. in planar symmetrical XY_3 mols. 5=5824
Coriolis coupling coeffs. in trigonal bipyramidal XY_3Z_2 mols. 5=5825
Coriolis coupling in polyatomic mols. 5=8794
dimethylacetylene, group-theoretical calc. 5=3031
ethane-like, nuclear repulsion and hindered rotation 5=972
4, 4′-dimethoxybenzophenone energy transfer to Eu ions in soln., Tb effect 5=3346
force consts. calc., nonbonded 5=11491
forces, triangle well, comparison with square well and Lennard-Jones 5=3079
Franck-Condon factors, interpolation 5=8795
Franck-London factors for polyatomic mols. 5=2936
Hammett σ consts., orbital treatment 5=14633
Hellmann-Feynman integral theorem 5=941

Molecules — contd
internal mechanics — contd
isostructural complex ions, force constant ratio rel. to freq. ratio 5=5828
macromolecular coils, and non-Newtonian liquid viscosity 5=3316
molec. system evolution and electronic and nuclear motion separation 5=933
naphthalene, neutral, ionic, absorption spectra oscillator strengths, calc. 5=990
polymers, conformational chain energy calc. 5=3092
polymers, and molecular internal mechanics 5=9573
potential curve for diatomic mols. 5=8796
potential determ. from force consts. zero order approx. 5=939
potential function, new 5=1014
potential function for plane $Z(XY)_2$ type 5=11492
rare-earth chelates, intramol. energy transfer 5=11542
Schrödinger eqn. decomposition 5=14632
spherical-top mols, Coriolis zeta sums 5=2926
transition metal ions, with triply orb. degenerate ground terms distortions 5=5875
unordered claims, freq. spectrum 5=14629
Urey—Bradley "nonbonded" forces 5=2938
wave functions by momenta method 5=2944
Ag perchlorate—benzene complex, benzene motion obs., X-ray diffr. versus p. m. r. 5=993
$Au(CN)_4^-$, force constants 5=2999
CO^+, electron partition functions calc. 5=959
CO_2 solid lattice l. f. vibrs. calc. 5=3667
CO_2, vibr. excitation in He 5=2994
Co^{59}—NH_3 complexes, reorientation rates, n. m. r. obs. 5=9863
F_2, molecule, second-order properties, perturbed Hartree—Fock calc. 5=2955
Fe hexacyano-ferrate ions, force constant ratio rel. to freq. ratio 5=5828
H_2, $c^3\pi_u$ state, metastable, fine structure consts. 5=8809
H_2 correlation effects, configuration interaction method calc. 5=14645
H_2, electron capture by protons 5=8811
H_2, ground state energies, accurate adiabatic treatment 5=2956
H_2, motion in Frost—Musulin field 5=948
H_2^+ spectrum, surrounding He lattice effect calc. 5=3083
H_3 correlation effects, configuration interaction method calc. 5=14645
MoF_6, valence force consts. 5=8832
N_2^+, electron partition functions calc. 5=959
N_2F_4, and spectrum, i. r. 5=3005
NO^+, electron partition functions calc. 5=959
Ni^{2+} complexes, tetrahedrally-co-ordinated, ligand field, orbital theory 5=3040
OH, and infrared absorpt., low-temp. 5=8823
$OsCl_6^{2-}$, force consts. 5=8836
$P\,Cl_5$, potential cons., Wilsons group calc. 5=970
$ReBr_6^{2-}$, force consts. 5=8836
$ReCl_6^{2-}$, force consts. 5=8836
ReF_6, valence force consts. 5=8832
SCF_2, force consts. 5=8837
SF_4, force field, including lone electron pair 5=11547
Se compounds, potential energy consts. 5=8839
SiH_3CN and SiD_3CN, force consts. and centrifugal distortion consts. 5=5873
TcF_6, valence force consts. 5=8832
moments
4-amino phthalimide, excited dipole, from spectrum polar solvent effects 5=975
azobenzene-2-sulphenyl halides, dipole 5=977
dipole, det. from microwave spectra by rate-of growth technique 5=5829
dipole moments, induced, calc. by electrostatic method 5=8801
formaldehyde, from Zeeman effect 5=11568
methyl thionylamine 5=5890
CF_4, rotational mag. moment 5=2991
C_2H_2, rotational mag. moment 5=2991
CO_2, rotational mag. moment 5=2991
CS_2, rotational mag. moment 5=2991
F_2, rotational mag. moment 5=2955
$Fe(CO)_5$, rotational mag. moment 5=2991

Molecules—contd
moments—contd
H_2O, electric quadrupole and octupole, calc. 5=11533
Hg halides, dipole moments 5=5866
NO, β and γ bands, dipole moment 5=14640
2 $NO_2 \rightleftharpoons N_2O_4$, dielec. constants meas. 5=969
$Na^{23}F^9$, electric and mag. dipoles 5=11545
$Ni(CO)_4$, rotational mag. moment 5=2991
OCS, quadrupole, meas. 5=3006
OCS, rotational mag. moment 5=2991
$S(CN)_2$, magnetic dipole 5=11546
S_2F_2, 2 isomers, dipole 5=5872
nuclear coupling
d, quadrupole, from n.m.r. in liquids 5=9156
density matrix description of coupled spin systems 5=1002
ethyl derivatives, proton—proton spin coupling consts. 5=8894
2-fluorobenzotrifluorides, temp. dependence of J_{FF} 5=5904
gyromagnetic effect 5=2925
hydrocarbons, spin—spin, long range, ang. var. calc. 5=3057
indene oxide, nucl. spin coupling consts. 5=8890
methyl bromide, quadrupole constants calc. 5=14659
methyl chloride, quadrupole constants calc. 5=14659
n.m.r. in intramol. reactions, spectra calc 5=11592
rel. to n. m. r. spectra analysis, perturbation methods 5=5908
nuclear—electronic motion interaction 5=933
propylene oxide, nucl. spin coupling consts. 5=8890
quadrupole, perturbations by elec. field 5=7290
quadrupole, in polyatomic mols. 5=8896
spin—spin coupling consts., correl. with atomic number 5=8891-3
spin—spin, modulation information transmission in double resonance 5=11591
$X(CH_3)_m$, m = 2, 3, 4, nuc. spin-spin 5=11589
XH_4, (X = C, Si, Ge, Sn, Pb), indirect nuc. spin 5=11590
$B^{11}F_4^{19-}$, spin—spin, solvent effects 5=5907
C^{13}—p, ring size, heteroatom. effects 5=5906
F_2 5=11598
H_2, nuc. spin, between geminal atoms 5=11588
H^{15}—H in N-methylformamide-N^{15} and formamide—N^{15} 5=11600
N^{15}—H, and N^{15}—C^{13}, coupling consts. 5=8882
NH_3, from 3—3 inversion bands meas. 5=14648
NO, spin-orbit coupling 5=956
Se^{77}-F^{19} 5=1003
Si^{29}—H^1 and Si^{29}—F^{19} coupling consts., signs 5=8895
relaxation
See also Acoustic wave propagation; Dielectric phenomena; Liquids/theory; Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation.
aromatic ethers, intramolec. 5=9140
gases, density, impurity effects 5=8883
intra- and intermolec. contrib. to proton spin—lattice relax. in liquids 5=6200
phenanthrene, triphenylene, rel. to fluorescence 5=14662
triphenylene, rel. to fluorescence 5=14662
CO, vibrational by ortho- and para-hydrogen 5=946
CO_2, vibr. relax. 5=5857
H_2, D_2, vibrational 5=8821
O_2, vibrational 5=8821
rotation
alkyl radicals, internal rot., e. s. r. study 5=14673
p-azoxyanisole, in liq. and solid phases 5=9090
benzene, electron impact into 3 lowest singlet excited states, Born approx. 5=5880
carbonyl group, optically active transition, strength 5=11505
1, 3, 5-cycloheptatriene, microwave spectrum, ground state constants 5=11560
1, 3-cyclohexadiene, and microwave spectrum 5=11561
d_{11} cyclohexane, rotational barrier, n. m. r. study 5=1007
cyclohexanol, rotational—non-rotational phase transform. kinetics, dielec. props meas. method 5=14941
cyclopentane derivatives, isomers 5=3030
cyclopropane, -d_6, const., Raman spectra calc. 5=3029
diatomic, electronic interaction in Rydberg states 5=2935
diatomic, vibr.-rot. levels, energy eigenvalues 5=8793

Molecules—contd
rotation—contd
difluorosilane 5=967
ethane-like, hindered, and nuclear repulsion 5=972
ethyl formate liquid, about C-O, and u. s. relax. 5=11887
excitation by slow electrons 5=5843
fine structure of electronic states of nonlinear mols. 5=2945
fluorescein in glycerin, luminesc. depolarization 5=6192
fluoroform, CHF_3, CDF_3, spectrum, anomalies in $\nu_6 = 1$ vibr. state 5=11566
formaldehyde, in excited state, rot. consts. 5=984
gases, rel. to neutron scatt. 5=14639
in hexamethylene tetramine solid, from nuclear quad. relax. 5=13013
hexamethylbenzene, by slow neutron cross-sections 5=986
hindered, correlation functions 5=8792
isostructural complex ions, freq. ratio rel. to force constant ratio 5=5828
liquid solns., luminesc. depolarization 5=6192
methane, trapped in solid Kr, Raman spectrum 5=11570
methanes, substituted 5=8866
methyl bromide, constants calc. 5=14659
methyl chloride, constants calc. 5=14659
methyl formate liquid, about C-O, and u. s. relax. 5=11887
methyl thionylamine, barrier to rotation 5=5890
molec. ions, rot. excitation by electrons 5=5823
monofluoroacetic acid, microwave spectra, Stark effect 5=3039
p-nitrosodimethylaniline, internal rotation 5=8870
polypeptides, helical, side-chain 5=5920
polypeptides, from 3 u.v. pleochroism bands 5=11613
r centroid, monotonic reln. to band freq. 5=5818
rot.—vib. energy level sums, for free int. rot. 5=5819
rotation—vibration interaction effects for diatomic mols. 5=2934
and spectra, anomalous, and axis switching 5=11485
stilbene anion radical, barrier to internal rot. 5=5900
triatomic, quantum mech. 3 body problem 5=14630
β-trideuteroethyl alcohol, and microwave spectrum 5=8873
vibrational-rotational band systems, temp. dependence of integrated intensity 5=5821
water and hydroxyl groups in beryl, n-scatt. study 5=11984-5
water vapour, $2_{+2} \rightarrow 3_{-2}$ transition 5=8842
Ag perchlorate—benzene complex, benzene freq., p. m. r. obs. 5=994
Ag perchlorate—benzene complex, benzene, hindered, X-ray diffr. versus p. m. r. obs. 5=993
$Al(C_2H_5)Cl_2$ and addition products 5=7373
$Al(C_2H_5)_2Cl$ and addition products 5=7373
BaS, rot. struct. 5=2949
C_{4v} symmetry group molecules, frequencies 5=937
CN bands, 1-5μ, from $C_2N + N_2O$ spectroscopic source, meas. 5=318
CN, B $^2\Sigma^+$ state, hyperfine structure 5=2952
CO bands, 1-5μ, from $C_2N + N_2O$ spectroscopic source, meas. 5=318
CO_2, rot. relax. 5=2990
CO_2, vibrational—rotational transitions, laser action 5=2992
CO_2 in He gas mixtures, and vibr. relax. 5=2994
CO, $X^1\Sigma^+$ vib.—rot. transition laser oscills. 5=2286
F_2 5=11598
F_2, magnetic moment 5=2955
Fe hexacyano-ferrate ions, freq. ratio rel. to force constant ratio 5=5828
H_2, excitation by slow electrons, peak, DWBA calc. 5=5843
HCN, vib.—rot. anharmonic pot. consts. calc. 5=2937
HI, from ν_{0-2} and ν_{0-4} bands 5=5845
HNO_3, isotopic molecules, barrier to rotation 5=5868
H_2Se^{80}, rot—vibr. bands 5=11534
NH_4ClO_4, by slow neutron cross-sections 5=986
NO 5=956
N_2O, rot. relax. 5=2990
$N^{14}O$, $B_e = 1.70509 \pm 0.00013$ cm^{-1}, $D_e = (5.5 \pm 0.2) \times 10^{-6}$ cm^{-1} 5=957
O_3, $(\nu_1 + \nu_3)$ combination band 5=5869
OCS, vib.—rot. anharmonic potential consts. calc. 5=2937

olecules—contd
rotation—contd
O-D_2, rotational de-excitation by collisions with K atoms 5=2954
OF_2, spin—rot. interaction of F^{19} nuclei 5=11538
PF, spectrum fine struct., constants calc. 5=2983
PO in (P_4 + O) reaction, spectra obs. 5=960
PbCl, visible emission bands, analysis 5=952
PbO, microwave spectrum 5=11510
PtH, violet and green bands 5=14643
SCF_2, rot. distortion consts. 5=8837
$S(CN)_2$, absorption spectrum, 8-37 Gc/s 5=11546
SO_2, ν_2 = 1 state, and centrifugal distortion, calc. 5=3009
SO_2, rotational levels, from 7-10 mm spectral data 5=971
ScF ground states, absorption triplet 5=962
Si Cl, high resolution photography 5=2984
SiH_3CN and SiD_3CN, distortion consts. 5=8840
YF ground state, absorption singlet 5=962
vibration
acetonitrile, and Raman spectrum 5=11549
acetylene, C^{13} C^{12} H_2, $C_2{}^{13}$ H_2, unperturbed vibr. freqs. 5=973
acetylene hydrocarbons, CH freq., rel. to H-bond proton n. m. r. study 5=3012
N-alkylanilines, NH bond, solvent effects 5=3014
aminopyridines, and N—H stretching vibr., and basicities 5=11550
anthracene and deuteroanthracene, calc. and interpretation 5=3016
benzacridines, ^1L_b band fluorescence structr. 5=3023
benzene derivatives, hexa-halogenated, fundamental frequencies assignment 5=4332
benzene, distortions and resonance interactions 5=5820
benzene, electron impact into 3 lowest singlet excited states, Born approx. 5=5880
benzene—heptane, Raman spectrum, and interactions 5=11555
benzene—nitrobenzene, Raman spectrum, and interactions 5=11555
p-benzoquinones, deuterated 5=11582
p-benzoquinones, deuterated quadratic potential calc. 5=11581
bicyclo [1. 1. 0] butane 5=979
bonds, secondary isotope effects 5=11487
bromoalkanes, i.r. spectra, c—halogen stretching 5=11559
1, 3-butadiene-d_6 5=3025
butadiene and linear polyenes, spectra 5=14653
carbonyl cpds., and $^1A_2(n, \pi^*) \leftarrow {}^1A_1$ band, intensifica-
chloroalkanes, i.r. spectra, c-halogen stretching 5=11559
chloroform, anharmonicity 5=3027
chloroform, vibrational transitions 5=8853
deuteriochloroform, anharmonicity 5=3027
diatomic, vibr.-rot. levels, energy eigenvalues 5=8793
diatomic, vibr. wave functions, calc. 5=14631
p-dichlorobenzene, structure calc. 5=1197
difluorosilane 5=967
dimers, vibronic coupling spectra 5=2933
ethane, relaxation 5=3044
excitation and de-excitation by electron impact, erratum 5=2940
excitation by thermal energy transfer from free electrons 5=2931
fluoroform, force const. calc. 5=983
force constants, adjustment calc. method 5=5827
formaldehyde, and $^1A_2(n, \pi^*) \leftarrow {}^1A_1$ band, intensification 5=11558
formaldehyde, anharmonicity correction 5=5886
glass-like struc., monatomic and alternating diatomic chains, calc. 5=1409
hydrides, tetrahedral, deutero- and tritio-substituted, fundamental frequencies 5=3035
interactions in Pariser-Parr-Pople theory, ground-and excited state force fields 5=5820
iodoalkanes, i.r. spectra, c—halogen stretching 5=11559
isostructural complex ions, freq. ratio rel. to force constant ratio 5=5828
isotactic polypropylene and deutero derivatives 5=11615
isotope effects and mass spectra 5=5822
isotope effects on transition probabilities 5=5852
MF_6, (M = Mo, Tc, Re, Ru, Rh), mean-square amplitude calc. 5=11536
methane, anharmonicity correction 5=5887

Molecules—contd
vibration—contd
methylamines, amino wagging and inversion 5=989
Morse pot., effect on vibr. energy transfer 5=2930
nitro groups, solvent and H bonding effects 5=991
effect on optical rotation 5=2932
frequencies, theoretical calc. for polyatomic mols. 5=5860
organic, C=O, and elec. d. c cond. activation energy 5=1206
organic fatty acids, H bond, from Raman spectra 5=985
organic liquids, activation energy and i. r. vibr. 5=11910
n-paraffin series 5=5898
pentahalides, trigonal bipyramidal, mean amplitudes, 0. 298°K, matrix calc. 5=3007
pentanes, methyl subs., l. f., from Raman spectra 5=992
phenol, shift $\Delta\nu$ in O—H vibr. 5=3019-20
polyatomic, use of symmetry coeffts. in calc. 5=938
polyethylene oxide 5=1021
polymers, selection rules for chains, interaction calc., review 5=3090
polypeptides, charge transfer theory, electron—vibration interactions 5=5921
propane, relaxation 5=3044
propylene, relaxation 5=3044
pyrimidine-h_4, -d_4 vapours, freqs. meas. 5=3045
r centroid, monotonic reln. to band freq. 5=5818
and Raman spectra, symmetry effects 5=11489
rot.-vib. energy level sums, for free int. rot. 5=5819
and shrinkage of internuclear distances 5=11490
torsional long chain, and absorpt. spectrum 5=11479
triatomic, quantum mech. 3 body problem 5=14630
trifluorethane, torsional, from Stark effect at r. f. 5=995
vibration—rotation interaction effects for diatomic mols. 5=2934
vibrational-rotational band systems, temp. dependence of integrated intensity 5=5821
vibronic coupling, adiabatic potentials and functions 5=11486
wave functions, for diatomic mols. 5=14631
$AgNO_2$, rel. to i. r. absorpt. spectrum 5=4325
AlF_2, mean vibr. amplitudes 5=5856
$Au(CN)_4$ 5=2999
B heterocyclic cpds 5=8851
BF_2, mean vibr. amplitudes 5=5856
$BH_4{}^-$ isotopic ions, anharmonicity correction and pot. consts. 5=8824
$Be_4O(CH_3CO_2)_6$ 5=6241
BrO_3, mean square amplitudes 5=11524
C in Si, freq., 2nd harmonics, absorption spectra meas. method 5=13041
CF_2, mean vibr. amplitudes 5=5856
CF_3PCl_4 5=2988
CH in saturated hydrocarbons, high specificity 5=988
CH_2Cl, adjustment of force consts. 5=5827
CO, relaxation, by ortho- and para-hydrogen 5=946
CO_2, vibr. relax. 5=5857
CO_2, vibrational—rotational transitions, laser action 5=2992
CO_2 in He gas mixtures, excitation and relax 5=2994
CO_2, N-activated, i.r. luminescence 5=11525
CO, $X^1\Sigma^+$ vib.—rot. transition laser oscills. 5=2286
CS_2, vibrational transitions 5=8853
ClF_3, mean amplitude, 300°K 5=11544
Cl_2O 5=11529
Cl—O—Cl group 5=3010
D_2, energy computation and expectation values 5=2957
D_2, relaxation 5=8821
DBF_2 5=14646
Fe hexacyano-ferrate ions, freq. ratio rel. to force constant ratio 5=5828
GeH_4 and GeD_4, fundamental vibr., i.r. intensities 5=11531
H bond, from ice intermol. temp. var. calc. 5=9372
H bridge, stretching and bending frequs. 5=11488
H_2, energy computation and expectation values 5=2957
$H_2{}^+$, excitation, rel. to autoionization 5=14697
H_2, relaxation 5=8821
o—H, solid and liquid, o—p conversion effects, neutron scatt. meas. 5=8810

Molecules—contd
vibration—contd
H_2, u. v. band overlap integrals 5=5841
$HBBr_2$ and $DBBr_2$ 5=2997
HBF_2 5=14646
HCN, vib.—rot. anharmonic potential consts. calc. 5=2937
HCO 5=3003
H_2CO, adjustment of force consts. 5=5827
HCl, rate consts. for vibr. levels 5=13155
H + Cl_2 → HCl + Cl, distrib. bet. vibr. excited HCl states, i. r. emission obs. 5=1901
H_3^+, H_2D^+, HD_2^+ and D_3^+, frequencies calc. 5=5860
$H_3O^+(g)$, calc. 5=8844
HI, from ν_{0-2} and ν_{0-4} bands 5=5845
HNO_3, isotopic molecules 5=5868
H_2O, adjustment of force consts. 5=5827
H_2Se^{80}, analysis 5=11534
H_2Te, ν_2 analysis 5=5864
H—X valence vibrations, effect of soln. 5=8843
HgO_2, mean amplitudes 5=5859
I_2, energy transfer 5=2968
I_2, isotopic det. of vibrational numbering of B $^3\Pi_{0+u}$ state 5=5848
I_2, B $^3\Pi_{0u}^+$ state 5=5847
IO_3, mean square amplitudes 5=11524
N_2, by energy transfer from free electrons 5=2931
N_2 and shock Na excitation, line reversal obs. 5=5807
N_2^{15} spectrum pre-dissociation of $C^3\pi_u$ state 5=954
NF_2, mean vibr. amplitudes 5=5856
NH 5=1913
NO 5=956
NO band systems, Franck—Condon factors to higher vibr. quantum numbers 5=2978
$N^{14}O$ and $N^{15}O$, vibr. consts. 5=957
NaK, constant 5=2986
$NbCl_5$ 5=3007
$NbCl_5$, analysis, force consts. 5=11539
NbO_2, mean amplitudes 5=5859
O_2, relaxation in O_2—D_2 mixtures 5=8821
OCS, vib.—rot. anharmonic potential consts. calc. 5=2937
OH, stretching, rel. integrated intensity, Si and org. cpds. 5=5831
O_2, shock-heated expansion past diaphram, Na-line reversal temp. meas. 5=109
O_2—H_2O vapour, relaxation and acoustic absorption 5=11888
P_2 5=5854
PCl_5, analysis, force consts. 5=11539
PCl_5, mean amplitudes, 0. 298° K, matrix calc. 5=3007
P Cl_5, O and 298°K, mean amplitudes, calc. 5=970
PF_2, mean vibr. amplitudes 5=5856
PO in (P_4 + O) reaction, spectra obs. 5=960
P—O—P group 5=3010
Pt (II) Cl_4^{2-} 5=5871
Re hexahalides, absorpt. spectra 5=11548
SF_6 + $CHClF_2$, energy transfer, u.s. dispersion meas. 5=1015
S—O—S group 5=3010
$SbCl_5$ 5=3007
$SbCl_5$, analysis, force consts. 5=11539
Se compounds, pot. energy and thermodynamic props. 5=8839
SeO_3, mean amplitude, 300°K 5=11544
$SiBr_3$, mean square amplitudes 5=11524
Si Cl, high resolution, photography 5=2984
SiH_3CN and SiD_3CN, potential consts. 5=8840
Si—O—Si group 5=3010
T_2, energy computation and expectation values 5=2957
$TaCl_5$, analysis, force consts. 5=11539
TaO_2, mean amplitudes 5=5859
Tc hexahalides, absorpt. spectra 5=11548
VO_2, mean amplitudes 5=5859
ZrF_2, mean vibr. amplitudes 5=5856
Molecules, mesic
p-μ-p^+ quantum calc. 5=5922
Mollier diagrams. See Thermodynamic properties.
Molybdenum
crystal dislocation prismatic loop obs on precipitation 5=9473
crystal dislocation slip, on deformation 5=9472
crystal imperfections, on neutron irrad. 5=9437
crystal interstitial n irrad. loops 5=9436
Molybdenum—contd
diffusion in Fe, Fe—Mo, Fe—W, 1200°-1250°C mechanism 5=3718
diffusion mechanism for Ni activated sintering 5=12328
dislocations and internal friction 5=9471
dislocations, redistrib. during annealing 5=15094
electron emission, secondary and sputtering, by Ar, ang. var. 5=7066
fracture, —78° to 300°C 5=3865
holes, thermal equilib. shape and size 5=9307
internal friction, due to dislocations, meas. at 86 kc/s 5=6739
irradiated, properties var. and recovery 5=3794
isotopic composition and conc in Fe meteorites 5=15862
isotopes, rel. abundance, Stellar formation hypothesis 5=5814
lattice dyanmics 5=15034
magnetoresistance 14 to 27°K, induction flow density 5=3973
neutron irradiated, defects 5=3795
notched sheet, initial yielding and fracture 5=12523
nuclear isotopes, spectroscopy 5=11228
plastically deformed, X-ray reflection changes 5=13062
polygonization, rel. to recrystallization and mech. props. 5=1269
resistivity, elec., temp. depend. 5=12647
secondary electron kinetic ejection by Cs ions 5=7064
self-diffusion 5=3719
single crystals, dislocs. and loops by etching 5=3753
solubility in Ir, temp. var. 5=14930
stress, critical shear, —160° to 300°C 5=12522
stress relaxation, time var. 5=15172
surface atomic migration activation energy, field emission obs. 5=12034
tensile and notch-tensile props., metallurgical struct. effect 5=3864
thermal expansion up to 2000°C 5=6564
vacancies, quenching prod. 5=6610
vacancy form., by specific ht. meas., 1300° -2500°K 5=1456
yield point 5=6740
yield point, stress relaxation 5=1536
yielding and flow, strain-rate depend. 5=6738
Mo^{5+} e. s. r. in $CaWO_4$ 5=7244
$Mo^{95,97}$ in K_2MoO_4 aqueous soln., n. m. r. line width meas., rel. to quadrupole moment 5=6202
Mo^+ and Mo^*, ground states, self-consistent field calc. 5=11437
Mo^{5+} in TiO_2, e. s. r. 5=4246
MoI, spectral lines, transition probabilities 5=8754
Molybdenum compounds
ferrite, alloyed, internal friction peaks 5=3854
5-79 Mo Permalloy, p-irrad., mag. props. recovery, review 5=4192
pentahalo molybdenyl anions, crystal spectra 5=4308
Mo alloys, polygonization, rel. to recrystallization and mech. props. 5=1269
Mo_3Al_2C superconductivity 5=15298
Mo—B, phase diagram, Mo rich end 5=3467
MoC, superconducting transition temp., Bilz method calc. 5=15297
MoF_6, valence force consts. 5=8832
Mo—Fe—Mn, crystal struct., atomic ordering 5=6465
Mo—Ir, oonstitution diagrams, phases, solubility 5=14930
Mo(80%)–Mn(20%)–Al_2O_3 seal adhesion mechanism 5=6741
$Mo_{0.8}Nb_{0.2}$—(0. 2-2. 3%)Fe, elec. and mag. props. 5=6845
Mo—Ni—Cr, crystal struct., atomic ordering 5=6465
MoO_3, thermal expansion, 25-500°C, X-ray powder obs. 5=15056
$[MoOCl_5]^{2-}$, bonding, e.s.r. study 5=8841
MoOs, MoIr, crystal struct., atomic ordering 5=3635
Mo—Re alloy, dislocation pinning 5=12391
MoS_2 5=13063
MoS_2, dislocation formation and interactions 5=6633
$MoSe_2$, Ta substituted, semiconducting props. 5=1655
$MoSi_2$—Mo, growth kinetics of intermediate silicides 5=6304
$MoSi_2$—$ReSi_2$ system, structure and physical props. 5=3439
Mo_3Sn, crystal growth and superconductivity 5=9282
$MoTe_2$, Ta substituted, semiconducting props. 5=1655
Mo—Ti, tensile and notch-tensile props., metallurgical struct. effect 5=3864

Monitoring. See Radiation monitoring.

Monochromators
  See also Filters, optical; Light sources; X-ray monochromators.
- double-diffr., Rowland ghosts 5=5069
- double-grating, exp. 5=317
- duochromator, for spectral line displacement meas. 5=10695
- Ebert and Ebert—Fastie, focal surfaces and slit curvature 5=5065
- grazing vacuum-type 5=10694
- mirror-type 5=10693
- Perkin—Elmer 98-G, micrometer attachment 5=316
- plane-grating, props. 5=8130
- slit optical conditions, receiver sensitivity var. 5=8129

Monolayers. See Adsorbed layers.

Monomers. See Molecules.

Monomolecular layers. See Adsorbed layers.

Monte Carlo method. See Statistical analysis.

Moon
- atmosphere history and ice and organic cpds. on surface 5=13737
- atmosphere, var. with strength of solar wind 5=15832
- chemical analysis, X-ray, soft-landing equipment 5=4629
- colour, differential, 36 areas 5=10162
- colour variations over surface 5=10161
- conductivity, elec. 5=15645
- constituent of lunar lowlands 5=7629
- crater formation by impact, and evolution, modern theories 5=13740
- dust layer, depth 5=15831
- e. m. wave communication over surface 5=2268
- and earth magnetic field vars., high value days 5=13576
- and earth magnetic field vars. and ionosphere f_oF_2, tide oscs. 5=13591
- with earth, motion calc., past and future 5=15835
- eclipse, 3 colour photometry 5=10164
- eclipse, 24-25 June, 1964 5=15826
- effective temperature, aerial directivity correction 5=13742
- geomagnetic activity variations 5=13586
- heat flow from interior meas. 5=4625
- influence on magnetic storms 5=13600
- luminescence, due to solar activity 5=7627
- luminescence explanation 5=13738
- and meteor rate dependence 5=15851
- occultation of X-ray emission from Crab Nebula 5=7601
- oscillations, calc. and possible moon surface seismic obs. 5=13736
- phase, rel. to geomagnetic activities 5=13577
- phase and geomag. storms dependence 5=13602
- photography resolution from earth 5=7628
- polarization and brightness over surface, luminescence 5=10163
- radar echo analysis 5=15829
- radar obs. at 8. 6 mm wavelength 5=15827
- radar reflection, wavelength var. 5=15828
- radar return, theory 5=14100
- radar returns and backscatt., calc. 5=10550
- radar returns, effects of structure size 5=15830
- radio temp., 70 cm 5=4630
- rainfall variations in month 5=15663
- Ranger 7 photographs, interpretation 5=4622
- rel. to magnetic storms? 5=13603
- relative elevations, visual and photographic 5=15825
- size and thermal history 5=7631
- spectrum, infrared, balloon obs. 5=13715
- stellar magnitude 5=4651
- and sun wind flow, interaction with lunar atmosphere 5=4628
- surface erosion by Brownian motion 5=4627
- surface features, albedo values, meas. 5=4626
- surface features, mid.-i. r. spectral obs. 5=4623
- surface layer nature, discussion 5=4624
- surface similarity to volcanic materials, photometric obs. 5=13741
- tail in solar wind 5=15834
- tektites as impact fragments from moon, review 5=4645
- temperature, and emission spectra error 5=15833
- thermal radio radiation 5=7630
- tidal dissipation of earth calc., and orbital evolution 5=13228
- and tidal effect in ionosphere F-region 5=15747

Moon—contd
- tidal oscillations in solar daily range of H 5=13551
- time scale, geological, by stratigraphy 5=13739
- water, in past, evidence 5=10165

Morse potential. See Kinetic theory; Molecules/intermolecular mechanics.

Mosaic structure. See Crystal structure/microstructure.

Mössbauer effect
  See also Gamma-rays/absorption; nuclear excitation.
- book, principles and appls. 5=7701
- counter, scintillation, for γ-ray detection 5=10902
- crystal with impurities, intensity calc. 5=12270
- crystal resonance nuclear scattering, inelastic channel suppression 5=11981
- drive and waveform generator using multichannel analyser 5=8520
- external perturbation, effects 5=6249
- ferrocene, electric field gradient 5=11969
- for gravitational red shift meas., Fe^{57} 5=10254
- impurity crystals, band shape peculiarities 5=1822
- lattice vibrations, surface effects 5=3663
- nuclear and in crystals 5=5496
- nuclear polarizability, dispersion and reflection coeff., near Mössbauer line 5=14900
- nuclear spin meas. 5=5494
- at phase transition points 5=1235
- pressure dependence 5=1234
- recoilless fraction determination 5=8519
- for relativity, meas. of time dilation on rotor 5=10253
- spectrometer, drift-free 5=11978
- thermal broadening of lines 5=6506
- and thermal vibr. effects, temp. var. 5=12268
- transition metal complexes with nitrosyl ligand, electronic structure 5=3431
- velocity drive 5=1233
- Au impurity in Cu, Ag, Ni, Pd, Pt, isomer shift rel. to residual resistivity 5=9630
- Be, Fe impurity atom displacement meas 5=1459
- Co^{57}, dynamically oriented, detection 5=14899
- Cu, Fe impurity atom displacement meas 5=1459
- Dy^{160} h. f. s. in various materials 5=11975
- Dy^{161}, in Dy, DyFe$_2$ and DyAl$_2$ 5=14903
- EuFe garnet, Eu^{153} 103 keV level mag. moment meas. 5=3428
- Eu$_2$O$_3$, Eu^{153} 103 keV level mag. moment meas. 5=3428
- Eu^{151} cpds, 16 isomer shifts 5=14904
- Fe alloys internal field meas. at Fe^{57} sites 5=4193
- Fe, isomer shift, high press. effects 5=7283
- Fe lattice, impurity nuclei, hyperfine fields 5=14895
- Fe, line positions and quadrupole coupling 5=11976
- Fe^{57} h. f. s. in corundum 5=9203
- Fe^{57} Laves phase cpds., and hyperfine mag. interaction 5=3430
- Fe^{57}, nuclear reson., unequal linewidths and recoilless fractions, meas. 5=6250
- Fe$_2$B and FeB, bonds, study 5=8831
- Fe–Cr, ageing meas. 5=6725
- Fe^{57} h. f. s. in corundum 5=9203
- Fe^{57} in FeCl$_2$, 1. 5°-530°K 5=6251
- Fe^{57} in Fe–Co [Ni] alloys, mag. interac. ranges calc., versus n.m.r. 5=1816
- FeGe$_2$, antiferromag., splitting below 12°C 5=14902
- Fe^{57}—Ni, spectra of irrad. and unirrad. specimens 5=6252
- Fe$_2^{57}$B and internal mag. field 5=9202
- Fe$_2$O$_3$, (haematite), study of Morin transition 5=3906
- Fe$_2^{57}$O$_3$, particle size effects 5=9202
- α-Fe$_2^{57}$O$_3$ particles, ultra fine 5=7134
- Fe^{57}OOH, α, β, γ and mag. transitions 5=9202
- Fe^{57}SO$_4$. 7H$_2$O, quadrupole effect and isomer shift 5=9202
- I^{127} first excited state quadrupole moment in KICl$_4$. H$_2$O 5=11974
- I^{127}, ZnTe^{127m} source, 59 keV 5=14905
- Ir^{192}, polarization in Fe 5=14506
- Na$_2$ SnO$_3$ 3H$_2$O, quadrupole splitting and isomer shift, rel. to Mg$_2$ Sn^{119m} source 5=1236
- Np^{237} in Np O$_2$ 59. 6 KeV γ-rays, 4. 2, 77°K 5=1237
- Os^{188}, 137 and 155 keV, liquid He temp., exptl. set-up 5=1238
- Pd—Sn alloys, isomer shifts 5=11980
- Pt^{195} and Debye—Waller factor temp. var. 5=9391
- Sm^{149} hyperfine interactions in Sm cpds. 5=6247
- Sm^{149}, 22. 5 keV, obs. 5=5493

Mössbauer effect—contd
Sn organic cpds, doublet asymmetry 5=11979
Sn, quadrupole splitting and isomer shift, rel. to Mg_2 Sn^{119m} source 5=1236
Sn-resin, quadrupole splitting and isomer shift, rel. to Mg_2 Sn^{119m} source 5=1236
Sn^{119} 23.8 keV recoilless, γ-detector, by conversion electron meas. 5=5497
Sn^{119} in Ag binary alloys, meas. rel. to electronic structure 5=6253
SnC_2O_4, quadrupole splitting and isomer shift, rel. to Mg_2Sn^{119m} source 5=1236
$SrFeO_{2\cdot5-3\cdot0}$ 5=3429
Ta^{181} in TaC and $KTaO_3$, exptl. set-up 5=1239
UO_2, Fe^{57} from reduction of $Co^{57}Cl_2$, quenching effects 5=14901
Yb^{171} in Yb_2O_3 5=11977
ZnS phosphors, Fe^{57} nuclear reson. absorpt. 5=9969
Multiple stars. See Stars.
Muonium
chemical reactions with, rate const. and other parameters 5=1898
fine structure constant, expt. determination 5=11071
Muons. See Mesons.
Music. See Acoustics/musical.
Musical instruments
bells, partials and decay, var. striking 5=123
identification and timbre cues 5=2120
organ pipes, open, eigenfrequencies 5=13960
violin, improvement of tone timbre 5=10336
wind, power output versus input, calc. 5=13959
wind, timbre recognition 5=145
woodwind, wall material effect on tone quality 5=124

Navier–Stokes equations. See Flow; Hydrodynamics.
Nebulae
See also Galaxies.
barred spiral arm formation by explosion 5=13726
Crab, infrared radiation flux meas., freq. var. 5=4595
Crab Nebula, lunar occultation of X-ray emission 5=7601
Crab, X-ray emission by electron bremsstrahlung in mag. fields 5=10159
gravitational instability, isothermal stratifield, calc. 5=13690
electron density meas. in gaseous neb., by O II 3726/3729 ratio 5=4593
planetary, central stars, distances and temps. 5=1970
planetary, distance meas. review 5=10146
planetary, low surf. brightness, central stars 5=13720
planetary, NGC 7009, radio obs. 5=4594
planetary, problems 5=15809
planetary, spectra, H, HeII intensity ratios 5=10147
planetary, with Wolf–Rayet nucleus 5=10148
Rosette, radio obs., 1430 Mc/s, 2315 Mc/s, contours, spectra, model 5=10149
IC 443 supernovae remnant, radio structure 5=4588
Néel temperature. See Magnetic properties of substances/transitions.
Negatons. See Electrons.
Negatrons. See Electrons.
Nematic phase. See Liquid crystals.
Neodymium
e.s.r. linewidth in $La_2Mg_3(NO_3)_{12}\cdot 24H_2O$ 5=7215
glass laser, giant pulse generation 5=8063
laser, frequency multiplication in KH_2 PO_4 5=8064
Nd^{3+} ion, mag. moment 5=7175
Nd^{3+} in Ba-glass, optical and luminescence props., rel. to laser application 5=7352
Nd^{3+} e.s.r. in $PbMoO_4$ 5=12987
Nd^{3+}:$CaMoO_4$, continuous room temp. laser 5=10626
Nd^{3+} in $PbMoO_4$, luminescence 5=15602
Nd^{3+} in soln., rotary mag. dispersion fine struct. 5=14849
Nd^{3+} in Y Al garnet, energy levels and crystal-field calc. 5=1228
Neodymium compounds
ethyl sulphate, mag. susceptibility, anisotropy 5=4169
Nd ethyl sulphate, nondipolar interactions between Nd ions 5=4247
$NdCl_3$, magnetic transitions, $<2.2°K$ 5=7141
$NdCo_5$, crystal growth 5=14981
Neon
atom—ion charge transfer, scatt. effects 5=14621
atoms, neutral and ionized, line strengths 5=906
atomic Compton effect calc. 5=5766
atomic excitation by He addition 5=5786
atoms, struct., calc. of electron densities and energies 5=5732
Auger spectrum, KLL 5=5791
breakdown, elec., influence of metastable mols. at low press. 5=3112
breakdown potential below Paschen minimum 5=5939
crystalline, optical spectrum and ion-pair exciton states 5=1585
deactivation of metastables by hydrogenic impurities 5=11438
diffusion, thermal, and with CH_4 5=9058
discharge, elec., low press., striation meas. 5=1025
discharge, elec., pulse decay in microwave cavity and pressure wave 5=1023
discharge, electron density and temp. distrib. 5=11642
discharge, positive column, phase displacement 5=11638
discharges, pulsed, optical gain 5=8056
electron scatt., small angles, compared to Lenz's theory 5=5792
excitation, in positive column of discharge, at medium press. 5=5936
gas press. meas. by electron beam scattering 5=14818
glow discharge, hollow cathode, props. 5=1028
ions, Ne^{2+}—Ne one and two-electron capture meas. 5=1052
ions, recombination, empirical regularities 5=14693
laser action in pulsed discharge, 6143, 5944A° 5=14157
laser action, u. v. 5=14156
laser transitions, yellow and orange 5=10618
liquid, obtaining and use 5=13992
photoionization cross-section 5=1066
plasma boundaries, investigation with e. m. surface waves 5=1098
plasma, diffusion and recomb. var. electron energy 5=5985
plasma, electron density distrib., radial, meas. 5=11716
plasma, electron temp. meas. 5=11718
plasma in mag. field, probe, negative I—V characts. 5=3182
probe meas., through double layer, in discharge 5=11724
solid, anharmonic forces and vapour pressure 5=1215
solid, vibr. props, intermol. potential parameters calc. 5=12272
spectra, u.v., of multiply ionized Ne 5=8760
2s—2p, 3p—2s transitions, in laser 10m long 5=2294
thermodynamic props., density effects, 0°—150°C 5=14806
He—Ne laser, simplified construction 5=14151
Ne^+ excited states, Hartree—Fock results 5=11443
NeI lines, transition probabilities 5=11440
NeI lines in vac. u.v. 5=11439
Ne^{4+}_{20} from cyclotron pulse source 5=10506
Neon compounds
Ne—air, laser oscillations, 27 Mc/s 5=279
Ne—Ar binary system, liquid—vapour equilib. 5=9180
Ne—CO_2, laser oscillations, 27 Mc/s 5=279
Ne—Hg glow discharge, striations 5=11635
Ne—N, liquid—vapour equilibrium 5=14882
Ne—N_2, laser oscillations, 27 Mc/s 5=279
Neptunium
resistivity, due to radioactive self-damage 5=12650
Neptunium compounds
NpO_2, Np^{237} Mössbauer effect, 59.6 keV γ-rays, 4.2, 77°K 5=1237
Nernst effect. See Magnetothermal effects.
Nernst–Ettingshauser effect. See Magnetothermal effects.
Neumann algebra. See Algebra; Elementary particles; Field theory, quantum.
Neutrettos. See Neutrinos and antineutrinos.
Neutrinos and antineutrinos
See also Nuclear reactions/neutrinos
antineutrino reaction detection, by 620 gallon liq. scintillator 5=2588
atmospheric, intermediate boson search 5=10973
bremsstrahlung from scattering on nuclei 5=2579
in cosmic rays, intense fluxes, due to gravitational focusing 5=4534
emission from stellar plasma 5=4556
e.m. form factor calcs. diffs. and W meson contrib. 5=5319

Neutrinos and antineutrinos—contd
equation of motion, Lorenz-invariance 5=2580
excited nuclear emission in cosmology 5=4555
flux upper limit 5=8400
gas, degenerate, Fermi level 5=552
and hyperon prod., SU(3) weak interaction model calc. 5=11118
interaction with matter, lepton polarization 5=5322
interactions and decay prod., 1963-4 CERN spark chamber results 5=5320
interactions, 459, in CERN heavy liquid bubble chamber 5=5321
in Λ° β-decay, e—$\bar{\nu}$ ang. and transverse correl., $\bar{\nu}$ energy spectrum meas. 5=11121
lepton pair production, through point 4-fermion interaction 5=439
light theory, model with photon props. 5=10975
mass, neutretto, meas. methods 5=2581
mass, reduced uncertainty in value 5=552
masses, and weak leptonic currents time reversal non-invariance 5=10841
$+ N \rightarrow \mu^- (\mu^+) +$ meson + baryon, and SU_3 5=8382
neutrino degeneracy in Universe, experimental limits 5=13686
neutrino high-energy interactions, intermediate boson prod. 5=8441
neutrinos and geothermal flux 5=13192
μ pair prod., four-fermion calc. 5=589
μ polarization in neutrino induced interactions, time reversal test 5=8383
ν astronomy, observational 5=15776
ν production in turbulent plasma, calc. 5=14400
ν—e scattering, in 4 component theory, with Heitler damping 5=2585
ν—N interactions, ν opacity of matter 5=2587
$\nu_l + n \rightarrow l^- + \gamma + p$, cross-section calc. 5=14401
$\bar{\nu} + p \rightarrow N^* + \mu^+$, direct interaction Hamiltonian 5=11002
$\nu + p \rightarrow \nu + p = N^* + \mu$, direct interaction Hamiltonian 5=11002
ν_μ—p scattering, elastic, cross-section meas. 5=2584
$\nu_\mu + Pb \rightarrow Pb + \pi^\circ + \pi^+ + \mu$, cross-section 5=11003
opacity by lepton scatt. 5=2586
photon theory 5=10976
scattering by deuterons, inelastic 5=5323
scattering, on leptons, spin and angular correlations 5=553
scattering, and photon struct. 5=14403
space and momentum distrib. from target irrad. by nucleons or nuclei 5=2582-3
spectroscopy, neutrino, of solar interior 5=15876
star radiation in pairs due to nuclear dexcitation 5=4557
from sun detection methods with B^{11}, Li^7 inverse β decay 5=10180
supercharged particles in high-energy processes 5=11004
super-weak coupling with intermediate bosons, calc. 5=10842

Neutron diffraction
conference, Grenoble (1963) 5=6437

Neutron diffraction crystallography
See also Crystal structure, atomic.
book 5=6438
conference, Grenoble (1963) 5=6437
diffraction data collection, problems and procedures 5=6442
diffractometer, Oak Ridge automatic three-circle 5=6443
diffractometer, programming and automatic data collection 5=6444
mosaic single crystal reflectivity 5=12185
program and automatic data collection 5=9322
programming and automatic data collecting system 5=6444
reflectivity and secondary extinction, resolution effect 5=12183
spectrometer, triple-axis, resolution and luminosity 5=15006
structure investigation using pulsed reactor 5=12186
$BaNiO_2$ 5=9332
$CaWO_4$ 5=9332
CdI_2, anomalous dispersion 5=6441
$Fe_{1.76}Ge$, magnetic structure 5=4196
Fe_2SiO_4 5=9332
UF_4 5=6440

Neutron diffraction examination of materials
ferromagnetic spin scatt. approx. 5=15436

Neutron diffraction examination of materials—contd
ferromagnetic spiral scatt. near phase transition to collinear 5=9781
ferromagnet, scattering near Curie temp. 5=15435
ferromagnets, impure, at low temps., theory 5=9788
ferromagnet s, review 5=7099
filter, use of 5=9305
mag. scatt. amplitudes corrections, polarization calc. 5=7069
magnetic samples 5=7071
magnon inelastic scatt. calc. 5=9782
powdered crystal struct., time-of-flight method 5=3619
radiography 5=12145
rare-earth metals, mag. structure 5=7153
solid solutions, disordered, incoherent scatt. 5=12184
rel. to spherically symmetrical form factors 5=12169
superconductors, group II, quantized mag. flux lines 5=6866
weakly ferromag. antiferromag., slow neutron scatt. 5=1727
Be oxide, defect cluster density meas. 5=12400
CrS, magnetic props. 5=7121
$CuSO_4$, anhydrous, mag. struct. 5=15475
$CuSO_4$ magnetic structure determ. 5=9332
$Fe_{0.902}S$, magnetic props. 5=7121
$Fe_{1-\delta}S$ 5=7166
Fe_7S_8, mag. ordering and phase transitions 5=9797
Mn-Cr, magnetic structure 5=6440
Mn_2FeO_4, magnetic structure 5=7163
Mn_5Ge_3, paramag. amplitude form factor, 3d electron distrib. calc. 5=7095
MnTe, magnetic structure 5=7188
NiS, magnetic props. 5=7122
Sn, molten and crystalline, intensity curves, expt. and theory 5=3301
TiH_{2-x} 5=6440

Neutron spectra
analysis by $Li^6(n, t)He^4$ reaction 5=586
measurement by Cd filter of temp and cut-off 5=8439
measurement, time var., by random sampling 5=8438
in moderator assemblies, expt. and theory 5=14560
(p, n) reaction, Be^9 to Nb^{93} targets, ang. distrib., cross-section, meas. 5=793
photoneutron spectra, from magic nuclei, effect of threshold levels 5=780
photoneutrons, from electron secondary γ-quanta in H_2O, Cu, Pb 5=2593
photonuc. reacts, delayed yields, calc. 5=8624
thick targets, proton bombarded, 8-13 MeV 5=5622
$B^{11}(p, n_0)C^{11}$, 7.1 to 8.2 MeV 5=11316
$Be^9(p, n_0)B^9$, 3.5 to 10.9 MeV 5=11316
$Ce^{140}(O^{16}, xn)Dy^{156-x}$, range distrib. 5=2848
$Fe^{56}(\alpha, n)Ni^{56}(\alpha, n)Ni^{59}$, $E_\alpha = 14$, 17 and 20 MeV, evaporation spectra 5=848
$Mn^{55}(\alpha, n)Co^{58}$, $E_\alpha = 14$, 17 and 20 MeV, evaporation spectra 5=848
$Nd^{146}(B^{11}, 8n)Tb^{149g}$, range distrib. 5=2848
$Nd^{144}(C^{12}, xn)Dy^{156-x}$, range distrib. 5=2848
$Pr^{141}(C^{12}, 4n)Tb^{149g}$, range distrib. 4=2848
Ra—Be source, up to 12 MeV 5=14418
$U^{238}(\gamma, n)$ 5=5613
U^{238} and C mixture, near resonances 5=8705
(p, n), V^{51}, Fe^{56}, Co^{59}, Cu^{65}, Nb^{93}, Rh^{103}, 23^6 5=796

Neutron spectrometers
backgrounds determ., for time-of-flight type 5=5368
flight-time, using recoil α-particles alpha 5=2620
LiI, for fast n 5=11049
multiple digital control system 5=8437
nuclear probe methods, MeV range, review 5=2621
p recoil telescope for 3 to 14 MeV 5=11044
proton recoil, with solid-state detectors 5=587
scintillator, B—H, for fast n, calc. 5=11048
thermalization, time dependent, sequential routing delay 5=5366
three crystal, suitable crystals 5=5367
time-of-flight chopper, design and testing 5=5720
time of flight module 5=14420
time-of-flight, with many-layer tray of counters, resolution improvement 5=8436

Neutrons and antineutrons
See also Cosmic rays, neutrons; Nucleons and antinucleons.
charge form factor, π exchange current in e—d scatt. 5=14404

Neutrons and antineutrons—contd
computer calculation by adjoint problem 5=578
flux distrib. in reactor fuel element 5=867
form factors, from e–d, e–H scatt. 5=8387
generator tubes, sealed-off, ion extraction principle 5=4930
n^4, n^6 search in Ca^{48} + C^{12}, 72 MeV or + He^3, 39 MeV 5=670
precession, on passing through polarized target 5=575
star mass limits 5=4553
stars, X-ray emission calc. 5=7572
transport theory, eigenfuncn. expansion method 5=2619
transport theory, 1-speed, eigenfunction orthogonality 5=8432

absorption
See also Nuclear excitation; Nuclear reactions/neutrons.
dispersed alloys, for reactor control rods 5=5718
neutron absorption chain member yield calc. program 5=5567
probes 5=8433
quartz, single-crystal filters, attenuation in reactor beams 5=8435
shell effects on optical model near A = 208, obs. 5=812
Au foils, resonant, review 5=822
Bi, single-crystal filters, attenuation in reactor beams 5=8435
Fe^{56}, 1148 eV resonance, transmission meas. 5=11328
Ho^{165}, thermal, spin independence 5=2823
H_2, thermal neutrons, harmonic free meas., pulsed source method 5=5365
Na^{23} capture ang. momenta from Na^{23}(d, p)Na^{24}, ang. distribs. 5=5678
Th^{232}, calc. 5=8654
U^{238}, calc. 5=8654

angular distribution
from μ-capture in Ca, for various energy thresholds 5=5666
(p, n), quasielastic, meas. 5=8355
(p, n) reaction, Be^9 to Nb^{93} targets, meas. 5=793
B^{11}(p, n_0)C^{11}, 7.1 to 8.2 MeV 5=11316
Be^9(p, n_0)B^9, 3.5 to 10.9 MeV 5=11316

capture. See Nuclear reactions/neutrons.

detection, measurement
See also Dosimetry; Neutron spectrometers.
borazene and borazole scintillation slow in counting 5=580
boron-loaded detector with low γ-sensitivity 5=14423
calculating apparatus, digital store, for time of flight expts. 5=8292
calculating apparatus, digital, for time-of-flight 5=8345
chopper with rotating collimator 5=11052
chopper, rotor and collimator effects on segregation function 5=11400
chopper, two rotor, flash and transmission function calc. 5=11051
counter, proportional, BF_3, rem, calibration 5=584
dosimetry, thermal, Co monitor 5=582
dosimetry, use of Li^6(n, α)H^3 in LiF, melting 5=653
energy distrib., threshold, Pu–Be source 5=2613
fast, without threshold, search 5=5371
intermediate and fast, direct methods 5=585
monitors, IGY and IQSY, spectral sensitivity 5=11138
neutron flux monitoring, (n, γ) reactions in circulating liquid 5=5722
in nuclear reactors by foils, automatic data acquisition 5=8722
proportional counters with He^3–Ne–CH_4 mixtures 5=581
rem counter 5=5370
scintillation counters and spherical moderators, new methods 5=14421
scintillation, for scatt. n's, time-of-flight meas. 5=11046
scintillation, for slow n, ZnS(Ag) + B_2O_3 5=11047
spectra, thermal, by Cd filters, temp and cut-off 5=8439
thermal spectrum monitors, Cd, Sm, Gd, Lu cross-sect. meas. 5=5723
time-of-flight 5=11045
time of flight analyser for C. B. N. M. electron linear accel. 5=8348
$B^{10}F_3$ multiwire with overload-free pre-amplifier 5=14422
C, neutron transmission meas. rel. to backgrounds meas. 5=5368
Co^{60} counting standards 5=583

Neutrons and antineutrons—contd
detection, measurement—contd
Co, neutron transmission meas. rel. to backgrounds meas. 5=5368
H_2O, neutron transmission meas. rel. to backgrounds meas. 5=5368
NM-64 monitor meas. 5=5369

diffusion
boundary conditions of asymptotic theory 5=8431
eigenfuncn. expansion method 5=2619
first-collision, systematic approx. 5=11389
flux in flat slabs, calc. 5=8704
flux synthesis soln. of two-dimensional problem 5=11391
graphite, transient spectra 5=11041
infinite slab with non-isotropic internal scattering 5=5358
initial value transport in slab, mono-energetic 5=2618
Kahn–Rideau–Roussopoulos method generalization 5=5361
kinetic eqn. soln. 5=8427
kinetic eqn., transient, soln. by Fourier transform 5=576
Milne problem for $^1/_2$ plane, double-interval spherical harmonic soln. 5=11053
multigroup theory, non-coupled eqns. 5=11388
nuclear reactor calcs., modified Kantorowitsch method 5=8702-3
number of collisions in large lethargy interval 5=5355
one speed adjacent half-space interface current 5=5362
spectrum, new approx. methods, independent reson. width 5=8429
and transport equation 5=8426
transport problems, generalized p–n approx. 5=8428
transport theory, vac. boundary conditions for spherical harmonics method 5=5363
wave propagation in dissipative media 5=577
H_2O calc. 5=8430
Na, > 0.5 MeV 5=5364
UC, for nuclear reactor 5=5706

effects
See also Nuclear reactions/neutrons.
crystal imperfection size meas. by exciton absorpt. spectra 5=6645
crystal imperfects., X-ray obs. 5=3730
diamond polishing, crack prod. 5=9548
glasses, elastic Young's mod., and alkali content 5=6717
graphite, dimensional expansion rel. to defect vol. charge 5=6659
graphite elastic consts. 5=9553
graphite, imperfection prod. and n scatt. 5=9432
magnetic materials, review 5=3782
molecular dissociation 5=3071
plasma prod. in inert gas–He^3 mixture for fusion m. h. d. appl. 5=3137
polyethylene, i. r. spectra meas. 5=4334
quartz and cristobalite, transitions, displacive, rel. to n-irrad. 5=9233
quartz, rotary power 5=7359
quartz, scattering cross-section change, wavelength var. 5=3799
semiconducting rectifier, 4-layer, controlled 5=9695
Al, energy release on annealing after irradiation 5=15139
Al–Sn, point defect–Sn atom interaction 5=12348
Al–10% Zn alloy, precipitation 5=14925
Al–10% Zn, pre-precipitation rate 5=9220
Be and plastic deformation and fracture 5=12486
Be, polycrystalline, scattering cross-section change, wavelength var. 5=3799
BeO, annealing behaviour of lattice streaking 5=15146
BeO, expansion, contrib. of He bubbles 5=6657
BeO, irrad., primary damage state 5=15086
Cu, dislocation breakaway stress var. 5=6703
Cu, irrad., atomic displacement anisotropy 5=6615
Cu single cryst., work hardening and slip 5=3844
Cu, stress/strain rels. heat treatment 5=9543
Cu, yield region parameters, slip prevention, activation energy temp. var. 5=3787
αCu–Al, Ga, Ge alloys, yield stress heat treatment 5=9544
Cu–Sn, crystal vacancy and disloc. prod., and yield 5=9430
Fe, irrad., atomic displacement anisotropy 5=6615
Fe, pulsed, mag. props. recovery, annealing at low temps. 5=4192
Fe–0.01% C, internal friction, peaks, 65-500°K 5=9559

Neutrons and antineutrons—contd
effects—contd
Fe_2O_4Zn. Fe_2O_4Mn. $Fe_2O_4Li_2$ finite, struct., permeab. change 5=3789
Ge, conductivity, thermal, fast n, defect clusters 5=6574
Ge defect levels 5=15084
Ge, irrad. at 77°K, elec. props. 5=6926
Ge, n-type, photocond. 5=4113
Ge n-type, surface recomb. vel., no var. 5=3902
Ge photoconductivity, 77°K 5=12828
Ge point-contact diodes, surface current investig. 5=6972
Ge, recoil, elastic versus inelastic energy loss 5=3791
Ge, rel. to Hall coeff. and resistivity 5=9675
Ge thermal conductivity, 16°-100°K 5=6573
Li ionization calc. 5=14699
LiF, annealing 5=3859
LiF, crystal dislocation orientation kinetics 5=9469
LiF, defects, Frenkel and Schottky 5=15090
LiF e. s. r., temp. var., three dose ranges 5=9843
LiF, lamellar defects, effect on X-ray diffr. results 5=1449
LiF, mag. susceptibility 5=7086
Mo, and crystal imperfections 5=9437
Mo, crystal interstitial loops 5=9436
Mo, defects and macroscopic props. 5=3795
Nb_3Sn, defects induced, effect on current-carrying behaviour 5=6887
Nb_3Sn, superconducting transition shift 5=6882
in Ni, ferromag. after-effect rel. to point defects 5=3796
S, e. s. r. 5=9849
Si, and A-centres generation rate, $a\mu$ absorption method meas. 5=15114
Si impurity compensation by P^{31} prod. 5=6962
Si, transistors, npn planar, degradation effect 5=12785
Si with B impurity, elec. resistance improvements 5=4693
Si, p—n junctions, prod. of P dopent and junction 5=12764
Si, recoil, elastic versus inelastic energy loss 5=3791
SiC p—n juncn., I—V characts. 5=4055
α-U, anomalous swelling, and burn-up rel. calc. 5=15120
U, electrical resistivity 5=12656-7
U single crystal elongation 5=3800
UO_2, effect on elec. props. 5=4040
W, defects and macroscopic props. 5=3795
W, irrad., atomic displacement anisotropy 5=6615
Zn, on deform. in presence of surface-active metal melts 5=1552
ZnS luminescence 5=9976
interactions
capture, on deuterons, at thermal energies 5=649
with charged particles, total cross-sect. meas. and analysis 5=11281
d, capture and 3-nucleon wave-function 5=650
D(n, p)2n, ang. distrib. 5=5453
D-region ionization increase after nuclear bursts 5=13482
n—n and charge independence 5=573
n—p nuclear residual, shell model calc. 5=5474
n—p, and Schwinger's variational principle 5=14514
$n + p \to p + n$, single particle exchange model 5=11084
n—n, in S-state 5=5352
n—p, velocity dependence 5=5351
n^4 5=5459
$\nu_l + n \to l^- + \gamma + p$, cross-section calc. 5=14401
p—n, secondary particle distrib. at 19.8 GeV/c 5=5338
$K^+ + n \to K^+ + \pi^- + p$, K^+ initially 900 MeV/c 5=11110
moderation
In foil transmission, rel. to time-of-flight chopper spectrometer testing 5=5720
gas thermal relaxation eigenvalues 5=10284
graphite, capture cross-section by pile oscillator method 5=815
methane, liquid, 0.009-0.17 eV 5=8434
moderation process in reactor, spherical harmonics method calc. 5=2867
mixtures, calc. for general scatt. and capture 5=11043
pulse relaxation in heavy medium 5=5360
random functional approach 5=2568
space independent 5=14419
spectrum, time dependent, sequential routing delay 5=5366
thermalization, in infinite monatomic gas, Hilbert space theory 5=579
water cylinder, thermalization of injected burst 5=5365

Neutrons and antineutrons—contd
moderation—contd
Au foil transmission, rel. to time-of-flight chopper spectrometer testing 5=5720
C, decrement meas. by time-of-flight 5=11042
Cu, decrement meas. by time-of-flight 5=11042
Fe, decrement meas. by time-of-flight 5=11042
Pd probe transmission, rel. to time-of-flight chopper spectrometer testing 5=5720
p, H_2, liquid, 0.009-0.17 eV 5=8434
polarization
α scatt., 23 MeV 5=5354
from d, t, He scatt. obs. 5=11040
by e.m. small-angle scatt. near s-wave reson., calc. 5=808
elastic scatt. on spherical nuclei, 0.38-0.98 MeV 5=5641
electric and magnetic, survey 5=5495
neutron beams, e.m. focusing and polarization 5=5357
in scattering, calc., spin—orbit inclusion 5=5642
scattering by U, and electric polarizability 5=8646
$B^{11}(p, n_0)C^{11}$, 7.1 to 8.2 MeV 5=11316
$Be^9(p, n_0)B^9$, 3.5 to 10.9 MeV 5=11316
$Li^{6,7}$ scatt., 0.2-2.0 MeV 5=5645
by $La_2Mg_3(NO_3)_{12}$ and polarized proton targets 5=5356
N^{14} (d, N_0) O^{15}, 1.32 MeV, meas. versus calc. 5=816
T(d, n)He^4 5=5354
production
Cockroft—Walton 250 kV voltage multipler, with small Se rectifiers and h. f. power input 5=14039
collimation, from D(d, n)He^3 5=2614
d-t generator h. t. unit 5=572
generator output stabilization by d ion beam positron modulation by magnet 5=2612
nuclear bombardment target cooling 5=11037
in plasma pulsed discharge 5=5994
from pulsed powerful discharges, calc. 5=14685
source, pulse, IGN-200, by d + t 5=8419
Am Be (α, n) source, Mn bath calibration 5=11038
Be (α, n) Ra, Am sources, Mn bath calibration 5=11038
Bi, by 17.5 MeV bremsstrahlung, ang. distrib. 5=786
Pb, by 17.5 MeV bremsstrahlung, ang. distrib. 5=786
Pu—Be source, energy distrib. meas. 5=2613
Ra Be (α, n) source, Mn bath calibration 5=11038
Ra—Be source, spectrum up to 12 MeV 5=14418
reflection
Ozemre's method 5=5711
by Co layers, total reflection 5=5359
scattering
α, 23 MeV, n polariz. 5=5354
adsorbed water vapour on γ-alumina and silica, inelastic, study 5=3513
benzene, incoherent inelastic scatt. of slow neutrons 5=2818
beryl, inelastic, rel. to water mol. binding 5=11984-5
by bound nuclei, incoherent inelastic scatt. of slow neutrons 5=2818
calculating apparatus, digital program 5=8640
conference, Grenoble (1963) 5=6437
corrections using Monte Carlo programme MAGGIE 5=8422
by crystals, phonon coherent scatt., shallow electron impurity centres 5=15026
crystals with point defects 5=3666
crystals, phonon freq. spectrum meas. 5=6507
cubic lattice, cross-section tail, temp. var. 5=12271
d—n, doublet, calc. 5=2615
d—n, low energy calc. 5=8425
in disordered crystals 5=3665
elastic, 4 MeV, 12 nuclei, rel. to spin—orbital interact. 5=5646
ferromag. helicoidal struc., by magnons, energy distrib., Green's fn. calc. 5=1726
ferromag. helicoidal struc., by phonons energy distrib. Green's fn. calc. 5=1725
ferromagnet, near Curie temp. 5=15435
ferromagnetic crystal with impurity atoms 5=15437
gamma ray spectra, 13 elements, 3.5-8.5 MeV 5=5644
gases, mol. rot. contrib. 5=14639
graphite, by crystal imperfections on n irrad. 5=9432
graphite, law calc. 5=2794
hexamethylbenzene, molecular rotation det. 5=986
liquids, coherent scatt. of slow neutrons, convolution approx. 5=3302
magnetic samples 5=7071
magnons, inelastic, calc. 5=9782

Neutrons and antineutrons—contd
  scattering—contd
    methane, slow-neutron inelastic scatt. 5=6098
    methane, solid, liquid and gas 5=6098
    molecules, Krieger—Nelkin approximation 5=14626
    n–d, 5-120 MeV total cross-sect. 5=8424
    n–n, 5-120 MeV total cross-sect. 5=8424
    on neutrons, low energies 5=574
    nuclear boundary blow-up effect 5=11284
    on nuclei, optical model, s-wave transmission coeff., at 1 keV neutron energy 5=678
    o- and p-xylene, incoherent inelastic scatt. of slow neutrons 5=2818
    o-, p-, and m-xylene, proton freq. spectrum determ. 5=5897
    1.44 eV total cross-sections for elements, isotopes, compounds 5=8638
    organic molecules 5=5881
    p-azoxyanisole, liq. and solid, molec. motions 5=9090
    polarization calc., spin—orbit inclusion 5=5642
    polarized at 3.3 MeV, asymmetry and optical model 5=8645
    polyatomic liquid element, coherent inelastic scattering 5=2616
    resonance parameter statistical analysis 5=5640
    resonances, transmission, calculation, digital 5=8639
    scatt. length rel. to radiative capture cross-section 5=809
    shell effects on optical model near A = 208 obs. 5=812
    slow, from macroscopic systems, quasiclassical theory 5=8421
    slow neutron scattering function, statistical mechanical evaluation 5=8420
    slow, on nuclei, resonance density 5=11282
    slow, in weakly ferromag. antiferromag. materials 5=1727
    spectra and evaporation mode, 6 MeV 5=810
    spherical nuclei, elastic, 0.38-0.98 MeV, polarization 5=5641
    toluene, incoherent inelastic scatt. of slow neutrons 5=2818
    total cross., Nb, Mo, Rh, Ag, Cd, 11-101 keV, optical model interps. 5=5660
    transition metal hydrides, rel. to H atom vibrations 5=3680
    transition metals, rel. to Pauling theories 5=6792
    tunnelling in coulomb field calc. 5=8641
    23 nuclei, Zr to U, Fermi gas model analysis 5=5643
    Ag, rel. to levels 5=8547
    Al, differential cross., polarization, 0.2-2.2MeV 5=11322
    Al, 2 to 14 MeV, anisotropic elastic scatt., calc. 5=5649
    Al, Si, P, S, Zn, elastic, 3.5 to 4.8MeV 5=11323
    Ar, liquid, slow, inelastic, rel. to liq. correl. functions 5=6145
    Ar, liquid state 5=3302
    As^{75}, total cross-section, 0.05-40 eV 5=2822
    Au, 0.3 to 1.5 MeV 5=11331
    Au^{197}, and 268 keV level spin 5=14482
    Ba^{138} first 2 excited states, inelastic, 0-300 keV 5=11327
    Be, law calc. 5=2794
    Be powder 5=2617
    BeO, law calc. 5=2794
    Br_2 liquid, coherent inelastic scattering 5=2616
    C, polarized, asymmetries, 2.8-4.7 MeV 5=5648
    C and 6 heavy nuclei, ang. var., 6 MeV 5=8642
    $C^{12}(n, n'\gamma)$ 5=5647
    CD_4, in gaseous and liquid state 5=3036
    Ca^{40}, 14.1 MeV, from ground and excited levels 5=11326
    CdI_2, anomalous scatt. 5=6441
    Ce^{140} first 3 excited states, inelastic, 0-300 keV 5=11327
    Co^{59}, resonance parameters, > 30 keV 5=11329
    Cr, magnetic 5=15473
    Cs, rel. to levels 5=8547
    Cu cylinders, multiple, and theory 5=11039
    Cu, dislocations, small angle 5=3749
    Cu^{63}, first 2 excited states, inelastic 0-300 keV 5=11327
    Dy^{163}, slow, resonances, spins 5=11330
    F, differential cross., polarization, 0.2-2.2MeV 5=11322
    Fe, on spin waves 5=12918
    Fe, 2 to 14 MeV, anisotropic elastic scatt., calc. 5=5649
    Fe^{56}, first 2 excited states, inelastic, 0-300 keV 5=11327
    Fe^{56}, 1 to 4 MeV 5=11325
    Fe^{56}, 1148 eV resonance, transmission meas. 5=11328
    $Fe_{1-\delta}S$, magnon scatt. 5=7166
    He—n, from He—p near 147 MeV 5=11028
    He, polarized from d, t 5=11040
    Hf^{177}, slow, resonances, spins 5=11330

Neutrons and antineutrons—contd
  scattering—contd
    Hg, coherent length, meas. with gravity–refractometer 5=11332
    Hg, 0.3 to 1.5 MeV 5=11331
    Ho^{165}, thermal, spin independence 5=2823
    I, rel. to levels 5=8547
    Na, differential cross., polarization, 0.2-2.2MeV 5=11322
    Nb, rel. to levels 5=8547
    NH_3, double differential, calcs. 5=963
    NH_4ClO_4, molecular rotation det. 5=986
    from NH_3 and H_2S, gaseous 5=11520
    Ni, by phonons 5=6514
    $Li^{6,7}$, 0.2-2.0 MeV 5=5645
    $Mg^{24}(n, n'\gamma)$ 5=5647
    O^{16}, differential cross-section, 2.9-4.1 MeV 5=2819
    O^{16}, total cross-sect., 0.14 to 2.47 MeV 5=11336
    O^{18}, total cross-sect., 2.45 to 19 MeV 5=11337
    P, differential cross., polarization, 0.2-2.2 MeV 5=11322
    Pb, 2 to 14 MeV, anisotropic elastic scatt., calc. 5=5649
    Pb^{206-8}, 3.5 MeV 5=2621
    Pu^{239}, 1 keV—15 MeV, total and partial cross-sects 5=11319
    Pu^{240}, 1 keV to 15 MeV, cross-sections 5=11320
    Pu^{241}, 1 keV to 15 MeV, cross-sections 5=11321
    Pu^{241}, total cross., 0.025-1000 eV 5=5662
    S, ang. var., 14.6 MeV 5=8644
    S, 135°, 13.8-14.7 MeV 5=811
    $Si^{28,32}$, 14.1 MeV 5=8643
    Si, 500-1200 keV 5=11324
    Sn, 135°, 13.8-14.7 MeV 5=811
    Th^{232}, calc. 5=8654
    Tl, 0.3 to 1.5 MeV 5=11331
    Ti, with reactions, 0.001 eV—18 MeV 5=5658
    $TiH_{2\ -}$, rel. to H-conc. and temp. 5=6440
    Tm^{169}, slow, resonances, spins 5=11330
    by U, and electric polarizability 5=8646
    U^{233}, with reactions and fission, 4-15 MeV 5=8653
    U^{235}, elastic, 0.3 to 1.5 MeV 5=11333
    U^{238}, calc. 5=8654
    U^{238} and C mixture, spectra near resonances 5=8705
    V cylinders, multiple, and theory 5=11039
    Zn, Se, Sr, Y, Ag, polarized at 3.3 MeV, asymmetry and optical model 5=8645
    Zr^{90} first excited state, inelastic, 0-300 keV 5=11327
    Zr, 2 to 14 MeV, anisotropic elastic scatt., calc. 5=5649
  scattering, proton—neutron
    and d non-elementary 5=8489
    damping, absorptive, in n—p charge-exchange 5=5353
    Ohmura method of potential deduction 5=14457
    p recoil telescope for 3 to 14 MeV 5=11044
    phase shift analysis near 50 MeV 5=11029
    quasielastic angular distribs, instrumentation 5=8355
    small angle elastic scatt. data, using nuclear emulsions 5=8423
Newtonian fluids. See Fluids.
Nickel
    adsorption of O on [111], [100] and [110] faces 5=3518
    alloys with Th, eutectics, melting and struct. 5=14877
    atoms, arc lines, absolute oscillator strengths meas. 5=8757
    cathode sputtering, with K ions, positive surface ionization effect 5=9507
    cavitational erosion by molten Pb 5=6745
    chemisorption of H_2O, 77-273°K, work function, resistance obs. 5=1906
    coercive force, recovery, effect of annealing 5=7143
    creep, block misalignment var., 400°C 5=3830
    creep, stress and temp. effects, 4.2°K 5=6743
    crystal dislocations and lattice const., epitaxial films 5=9474
    crystal electron Fermi surface interband transitions, magneto-optical obs. 5=12605
    crystal faces, (110), (111), clean, structure 5=3540
    dislocation decoration rel. to mechanical stressing 5=3867
    domain struct. during magnetization 5=12928
    elec. resistance rel. to temp. ~ 200°C 5=9635
    electron emission, secondary and sputtering, by Ar, ang. var. 5=7066
    electrons back-reflected from (111) surface, intensity wavelength dependence calc. 5=3617
    etch figure development by vacuum thermal 5=6351

Nickel—contd
ferromag. exchange splitting, strong interaction model, electron correlation effect, calc. 5=1750
ferromagnetic, atomic nuclei, mag. fields 5=12920
ferromagnetic Kerr effect and band structure 5=15455
ferromagnetic reson., small linewidth in particles 5=9828
ferromagnetism, spin wave theory applicability 5=12919
films, adsorbed H_2, surface potentials, negative and positive 5=3517
films, adsorption of H and H_2 5=3516
films, annealed, struct. changes by electron microscopy 5=3504
films, Ba adsorpt. effect on Hall effect 5=6847
films, impurity study by electron microscope 5=12366
grain growth in powders, X-ray study 5=9214
internal friction in alternating mag. field 5=3805
internal friction, structure, B addition effects 5=6744
mag. films with stripe domains, relax. phenomena 5=9801
magnetic after-effects after low-temp. neutron irrad. 5=12930
magnetic behaviour, detailed, near Curie point 5=4202
magnetic domains, stress irreversible effects at low loads 5=12929
magnetic film rotateable anisotropy 5=15453
magnetic props., rel. to S content 5=12931
magnetization process, initial suscept. meas. 5=9799
magnetocryst. anisotropy const. K_2 5=9800
magnetomechanical effects, in longit. and circ. mag. fld, circular Barkhausen effect 5=7144
magnetoresistance, spin—orbit interact. effect 5=12932
magnetostriction, forced 5=15454
magnetostriction, forced, temp. var. 5=12921
microhardness after recrystallization, rel. to annealing time 5=3866
microstruct. and fracture, mechanical strength, temp. var. 5=1534
microyield and grain size 5=12512
n. m. r., Ni^{61}, transverse theory 5=9870
neutron irradiated, ferromag. after-effect 5=3796
nickel-chromia system, elec. props. and catalytic activity 5=1652
paramagnetic, grain size rel. to Curie temp. 5=9773
phonon spectrum by diffuse scatt. 5=6515
phonons, neutron scatt. 5=6514
photo-emission, 304 to 1216 Å, angle of incidence var. 5=7054
polarized positron annihilation 5=9611
polycrystalline, deformed, nucleation during recrystn. 5=3563
powders recrystallization properties 5=9306
precipitation along dislocations in Si 5=12392
recovery of cold-worked and irrad. metal, vacancy role 5=12361
recrystallization nuclei growth rate, deform. effect 5=1308
recrystallization and polygonization, effect of deformation degree 5=3468
Righi—Leduc effect, 0-15 kOe, 50°-300°C 5=3974
self-diffusion, strain, plastic deform. temp. effects 5=6590
single crystals, stress/strain rels. and slip line distrib. 5=1533
solubility in Si, 900-1400°C, Ni^{63} tracer technique 5=3442
specific heat, 20 to 600°C temp. var. 5=15046
stacking fault—cold working energies, rel. 5=15101
strain hardening and flow stress, mag. and mechanical meas. 5=15173
strengthened with ThO_2, substruct. rel. to mech. props. 5=6415
stress/strain diagrams and microstruct, temp. and strain rate effect 5=6742
stress/strain rels. for microstrain 5=9568
subgrain growth, in deformed Ni 5=6418
sub-grain size in deformed Ni 5=6417
surface area changes after gas chemisorption 5=13161
surface diffusion, 400°-1000°C 5=6591
thermal diffusivity, 25-500°C 5=9402
thermal expansion and X-ray scatt. near Curie pt. 5=15053
thermal expansion, below 100°K 5=12296

Nickel—contd
thermionic emission of Ba coated ultra pure Ni, in the emission microscope 5=1708
vibration, normal modes 5=3671
Young's dynamic modulus and internal friction in vacuum, 25 to 1200°C, apparatus 5=6667
(110) surface atom vibrations 5=3672
(111) surface electron states, rel. to oxygenation 5=3930
(111) face, electron Auger ejection by ion bombard 5=7068
CO photodesorption 5=9251
and Cu multilayers on Al, H_c var., Ni thickness effect 5=7142
in Ge, p-type, recombination lifetime, injection level, temp. effect 5=4058
H-charged, intercrystalline fracture 5=12525
in MgAl spinel, Ni^{2+} distrib., spectrophotometric analysis 5=15561
in $Mg_{1-x}Ni_xAl_2O_4$, absorption spectra, and Ni^{2+} energy level diagram 5=15562
Ni^- in Ge, electron recomb. 5=15210
Ni^{2+} absorpt. spectra in MgF_2 and ZnF_2, rel. to electronic struct. 5=9911
Ni^{3+} in MgO and CaO, reson. relax. 5=15502

Nickel alloys
See also Nickel compounds.
hardness and creep under spherical indentation 5=1546
Hastelloy-X, creep-rupture in vacuo 5=3853
monel metal, α-ray backscatter, ang., energy distrib, meas. 5=11134
Nimonic, transient creep after thermomechanical treatment 5=15130
Permalloy, angular dispersion 5=1751
Permalloy films, dynamical props. rel. to anisotropy dispersion 5=9805
Permalloy films, easy axis factors 5=9806
Permalloy films, ferromag. spin—wave reson. 5=4225
Permalloy films, mag. anisotropy dispersion 5=7147
Permalloy films magnetization fluctuations and blocking 5=9804
Permalloy film, anisotropy and angular dispersion 5=1755
Permalloy films, easy axis dispersion rel. to deposition parameters 5=1754
Permalloy films, ferromag. spin—wave reson. 5=4225
Permalloy films, magnetization 5=12935
Permalloy films, magnetization reversal rate rel. to transverse mag. fld. 5=1753
Permalloy films, magneto-electric effect 5=15280
Permalloy films, spin mode spectra 5=12936
Permalloy films, uniaxial anisotropy, dispersion meas. by ΔR effect 5=7150
Permalloy films on wires, skew, dispersion and creep meas. 5=1752
Permalloy, ultrathin films, mag. props. 5=4203
Permalloy, with stripe domain structure, mag. props. 5=7149
NiAl, grain boundary hardness, after heat treatment, in O_2 atmos. 5=6757
Ni—Au, phase solubility 5=9230
Ni–B, etching, rel. to B content 5=6351
Ni–B alloys, internal friction, structure 5=6744
Ni—Be ageing, first stage 5=1254
Ni—C eutectic, var. with press. 5=3393
Ni–Co alloys, magneto-elastic props. 5=7145
Ni—Co magnetostriction, forced, temp. var. 5=12921
Ni—Co—B, ternary systems, Co and Ni conc.
Ni—Co—Cr, stacking fault energies 5=12410
Ni–Cr alloys, precipitation and grain-boundary migration 5=6416
Ni—Cr, long-range order 5=14916
Ni—Cr, microstress investigation 5=3754
Ni—Cr, plastically deformed, density 5=12527
Ni–Cr, precipitation and grain-boundary migration 5=6416
Ni–Cr(20%)–Ti(1.2%)–Al(0.6%), creep and dislocation motion 5=9569
Ni—Cu, electron struct. from C solubility,
Ni—Cu, Righi—Leduc effect 5=3974
Ni—Cu solid solutions b.c.c., Suzuki atmospheres, alloying-element conc. temp. dep. 5=1479
Ni—Fe and Ni—Fe—Mo films, hysteresis rel. to ang. anisotropy dispersion 5=15446
Ni—Fe ferrite single crystals, ferromag. reson., induced anisotropy effects 5=7196
Ni–Fe films, domain, wall creep–Bloch line rel. 5=7152

Nickel alloys—contd
- Ni—Fe films, electron bombardment evaporation source 5=10196
- Ni—Fe films, external mag. field 5=4205
- Ni—Fe films, long term aging 5=1747
- Ni—Fe films, magnetization 5=12934
- Ni—Fe films separated by SiO, mag. perturbation walls 5=4204
- Ni—Fe films, spin—orbit interact. effect 5=12932
- Ni—Fe films in strip line matrices, magnetodynamics 5=1748
- Ni—Fe films, stripe domains 5=9802
- Ni—Fe films, stress effect on domain structure 5=15448
- Ni-Fe laminated films, fast flux reversal 5=7151
- Ni—Fe mag. films with stripe domains, relax. phenomena 5=9801
- NiFe, mag. props. and structure, of sputtered films grown in d. c. discharge 5=1749
- Ni-Fe single crystal films, biaxial mag. switching props. 5=7148
- Ni—Fe spherules in tebtites, mag. props. 5=12933
- Ni—Fe—Mo films, mag. props., composition var. 5=9803
- Ni_3Fe disordered solid solution, phonon spectrum 5=3673
- Ni—Fe films, orienting-field-deposited, characteristics 5=1746
- NiGa, grain boundary hardness, after heat treatment, in O_2 atmos. 5=6757
- Ni—H system thermoelec. power 5=9728
- Ni—Mo, Hall effect rel. to temp. 5=1615
- Ni—Mo, Hall effect, temp. depend. 5=12648
- Ni—Mo, yield stress, temp. depend., effect of prestrain and alloying 5=1535
- Ni—Mn alloys, atomic mag. moments 5=4206
- Ni—Mn, Mn conc. effect on atomic mag. mom. 5=12937
- Ni_3Mn, disloc. pairs theory 5=3739
- Ni—Pd alloys, lattice parameters at 25 and 900°C 5=1382
- Ni—Pd system, thermodynamic props. 5=6541
- Ni 0.1 at % Pd, creep, stress change effects 5=15175
- Ni—Pt, order—disorder model 5=1270
- NiPt, structural changes during ordering 5=14931
- Ni—S, liquid, elec. cond., temp. and comp. depend. 5=14863
- Ni—Si, Hall effect, temp. depend. 5=12648
- Ni—Sn, electron struct. from C solubility, 1500°C 5=3307
- Ni—Ta, recrystallization, primary 5=12116
- Ni—Ti, microstress investigation 5=3754
- Ni-V, mag., elec., and lattice props. temp. var., rel. to other group Va solutes 5=7096
- Ni($66^2/_3$%)—Zn($33^1/_3$%), ferrimagnetic reson., imaginary part of susceptibility 5=9832
- Ni—Zn ferrite, thermal expansion obs. 5=12867
- Ni—Zn ferrites, elec. props. 5=7001
- Ni-Zn-Co ferrites, spontaneous magnetization and crystal energy consts. 5=7109
- Ni—Zn—Co—Fe ferrites, anisotropy consts. 5=12951
- Ni—Zn—Fe ferrites, crystal anisotropy 5=4211
- Ni-Zn-S, films on Cd, transparency, polarized light meas. method 5=7353

Nickel compounds
- See also Nickel alloys
- Permalloy films, domain coercive force meas. 5=15456
- Ni-activated alkali halides, absorpt. and e. s. r. 5=15564
- Ni—chromia system, elec. conductivity rel. to conc. 5=15279
- Ni cobaltite, formation 400°-700°C and magnetic properties 5=6377
- Ni ferrite, Bohr magneton number rel. to O deficiency 5=9818
- Ni ferrite, spontaneous moment meas., 2°-30°K 5=7173
- Ni fluosilicate, absorpt. spectrum to 4°K 5=9912
- Ni-group chalcogenides, elec. props., lattice consts. calc. 5=15264
- Ni(II) ionic complexes, isotropic n.m.r. shifts 5=3064
- Ni—Br boracites, dielec. const., temp. var. 5=15385
- $Ni(CN)_2 . NH_3 . \frac{1}{2} H_2O$, crystal struct., atomic 5=12214
- $3Ni. C_2N_2 . 3NH_3 . C_4H_4S$, crystal struct., atomic 5=12214
- $NiCl_2$, i.r. and u.v. absorpt. spectra 5=8835
- $NiCl_2$ in org. solvents, Ni^{2+} absorption spectrum 5=2981
- $NiCl_2$, paramag. relax. 5=15503
- Ni—Cl boracites, dielec. const., temp. var., ferroelec. evidence 5=15385
- $NiCl_2$, antiferromag. resonance in e. s. r. at 9.2 Gc/s 5=7204

Nickel compounds—contd
- $Ni(CO)_4$, rotational mag. moments 5=2991
- Ni—Co ferrites, magnetostriction, composition effects 5=15466
- Ni_2Cr-type crystals, strengthening by dislocs. 5=1477
- Ni_5Er, ferromag. structure 5=7146
- NiF_2, i.r. and u.v. absorpt. spectra 5=8835
- NiF_2, paramag. relax. 5=15503
- NiF_2, sublimation pressure 5=6222
- $(NiF_6)^{4-}$, unpaired spin in 2p orbits on ligand 5=5867
- $NiFe_2O_4$ films, 260-4000Å thick, transmission spectra 5=7344
- $NiFe_2O_4$, growth, by chemical transport 5=12115
- $Ni_{0.4}Fe_{2.6}O_{4.45}$ ferrite, rotation losses 5=12950
- NiH, crystal structure 5=6469
- $Ni(NH_4)_2(SO_4)_2 . 6H_2O$, crystal structure 5=1380
- NiO, antiferromagnetic domain observation 5=7190
- NiO, adsorbent surface, differential isotopic investig. 5=1284
- NiO, crystal growth in oxy-hydrogen flame, O—H ratio effect 5=3548
- NiO, elec. cond., rel. to pulsed O_2 adsorption 5=6331
- NiO(II), electron energy levels, transitions, X-ray absorption method calc. 5=3920
- NiO, films as 2-terminal switch 5=1616
- $Ni^{58}O$, molar volume, isotopic effect, 78° and 300°K 5=1421
- $Ni^{64}O$, molar volume, isotopic effect, 78° and 300°K 5=1421
- NiO, non-stoichiometric, cond. and thermoelec., temp. var. 5=15331
- NiO, resistivity, Hall effect meas. 5=15319
- $NiO. Fe_2O_3$ ferrite, susceptibility, paramag. 5=12941
- NiO, O_2 adsorption rel. to elec. cond. 5=9252
- NiO—MnO solid soln. system, lattice parameters 5=6470
- NiS, paramag. -antiferromag. transition 5=7121
- $Ni[Cu]SiF_6 . 6H_2O$ magnetic and thermal props. below 1°K 5=9807
- NiS, disorder, 400°C 5=9231
- $NiSiF_6 . 6H_2O$, paramag. relax. 5=15503
- $NiSO_4 (NH_4)_2SO_4 . 6H_2O$, and NH^4 ion X-ray scatt. curve role 5=15016
- Ni—ThO_2, creep fracture mechanism 5=12526
- $NiTiO_3$, magnetic exchange interactions 5=1775
- Ni—Zn—Co ferrite, mag. anisotropy constant temp. depend. 5=15467
- $NiZrH_2$ and $NiZrD_2$, crystal structure 5=6468

Night sky. See Airglow.

Nightglow. See Airglow.

Nilsson's model. See Nucleus.

Niobium
- chemisorption of CO 5=4394
- conductivity, elec. peak, from Ni-insulating-Al tunnel junction, and electron density singularity 5=6851
- critical temp. rel. to deposition conditions in films 5=9651
- electrical resistivity, plastic deformation effect 5=9634
- epitaxial films on MgO, disloc. density, crystal orientation obs. 5=6396
- internal friction, caused by O and N 5=12528
- internal friction peaks due to deformation 5=1547
- mechanical props., alloying effects 5=6746
- mechanical twinning, interstitial impurity effects 5=15178
- nuclear isotopes, spectroscopy 5=11228
- oxide—metal film sandwich, negative resistance, temp. var. 5=6939
- recovery from cold-work, stage III, elec. resist. method meas. 5=15177
- single crystal growth, by strain-anneal method 5=6378
- specific heat in mixed state below transition temp. 5=6552
- strain-ageing effects, due to interstitial impurities 5=15176
- superconducting behaviour, fibre struct. influence 5=12680
- superconducting, critical current density, O conc. effect 5=6876
- superconducting, quantized flux pinning 5=6878
- superconducting, resistance changes rel. to appl. mag. field 5=6900
- superconducting, resistive meas. 5=12679
- superconducting, type II, magnetothermal effects 5=9652
- superconducting, H_{c2} anisotropy, G—L eqns. calc. 5=6877
- superconductivity, orientation dependence 5=1632
- superconductor, 50 c/s losses, meas. 5=12676
- surface (111), electrical and chemical prop. 5=4124
- thermal expansion up to 2000°C 5=6564
- yield point, stress relaxation 5=1536

Niobium compounds
- alloys, U-rich, phase transforms. and equilib. structs. 5=6307
- Nb alloys, effects on mechanical props. 5=6746
- Nb oxides, phase transforms, crystal struct., atomic 5=6306
- $NbAs_2$, crystal struct., atomic 5=12215
- NbAs, $NbAs_2$, crystal struct., atomic, density, diamagnetism 5=1383
- Nb_3Bi, phase diagrams, press.–temp. 5=3469
- NbC, thermal expansion at high temps. 5=6558
- NbC, thermal expansion to 200°C 5=9396
- Nb—C—O system 5=6313
- $NbCl_5$, vibr. amplitude, 0. 298°K, matrix calc. 5=3007
- $NbCl_5$, vibr. analysis and force consts. 5=11539
- Nb—Cr—Fe, elastic props. rel. to composition 5=6747
- NbF_5 solutions, chemical structure, Nb^{93} n. m. r. obs. 5=11914
- Nb_3In, phase diagrams, press.–temp. 5=3469
- Nb—Ir phase diagram 5=3470
- NbN, superconducting, critical field meas., structure 5=15299
- NbOs, NbIr, NbRe, crystal struct., atomic ordering 5=3635
- NbO_2, vibration amplitudes and Bastiansen—Morino shrinkage effect 5=5859
- Nb_2O_5, crystal growth of anodic films, electron mic. obs. 5=6385
- Nb_2O_5, crystal struct., atomic, high temp. form. 5=3636
- Nb_2O_5, zeta phase obs. 5=1255
- Nb_3O_7Cl, crystal struct. 5=12216
- $Nb_3Rh_{1-x}B_x$ (B = Co, Ru, Pd, Os, Ir, Pt or Au), supercond. props. meas. 5=12681
- Nb—Rh binary system, crystal struct. 5=3638
- Nb—Rh binary system, phase diagram 5=3388
- $NbSb_2$, crystal struct., atomic 5=12215
- $NbSb_2$, crystal struct., atomic, density, diamagnetism 5=1383
- Nb_3Sb, Nb_5Sb_4, crystal struct., atomic, density, paramagnetism 5=1383
- $NbSe_2$, crystal struct., atomic, layer polytypism 5=6471
- Nb_3Se_4, crystal struct., atomic 5=3637
- Nb—Sn films by codeposition, composition and struct. 5=3506
- Nb—Sn system, phase diagram, form. kinetics and supercond. props. 5=3471
- Nb—Sn system, phase equilibrium at high temps. and superconductivity 5=6209
- Nb—Sn, superconducting tubes 5=1633
- Nb—Sn wire bundles, preparation and superconducting properties 5=6879
- Nb_3Sn, anomalous resistivity, 18°-850°K 5=6881
- Nb_3Sn, critical currents and Lorentz-force model 5=6886
- Nb_3Sn, critical-state phenomena and flux jumping 5=6890
- Nb_3Sn, current-carrying behaviour, effect of neutron-induced defects 5=6887
- Nb_3Sn diffusion layer on Nb wire, supercond. quenching curves, versus Nb—Sn multiwires 5=1635
- Nb_3Sn discs, magnetic field penetration 5=6891
- Nb_3Sn films, magnetization in transverse fields 5=6892
- Nb_3Sn, flux-jumping, mag. field effects, 4°K 5=9653
- Nb_3Sn, lower critical field 5=6885
- Nb_3Sn, microwave surface resistance meas. rel. to temp. 5=6888
- Nb_3Sn, peritectic reaction 5=14881
- Nb_3Sn ribbon, electromagnetic performance 5=4898
- Nb_3Sn sintered, supercond. props., composition, vacancies effects 5=12683
- Nb_3Sn, structure, gas phase prep. versus sintering 5=1309
- Nb_3Sn superconducting diffusion layers, current, mag. fields effects 5=12684
- Nb_3Sn, superconducting energy gap and tunnelling meas. 5=6884
- Nb_3Sn superconducting, impurity and solute (Zr) effect 5=9654
- Nb_3Sn, superconducting penetration depth 5=6883
- Nb_3Sn, superconducting transition temp. meas. 5=6882
- Nb_3Sn superconductor, H_{c2} with pulsed mag. fields, Cu coating effects 5=12686
- Nb_3Sn, surge-magnetic-field and pulse-current effects 5=6889
- Nb_3Sn, vapour-deposited, prep. and props. 5=6379
- Nb_3Sn superconductive solenoid, degradation effects analysis 5=4899
- Nb—Ta, specific heat 5=3996
- Nb—Ta, superconducting, Abrikosov vortices motion and mag. flux, calc. 5=12682

Niobium compounds—contd
- $(Nb, Ta, V)_3Sn$ system, superconducting props. 5=6880
- Nb_3Te_4, crystal struct., atomic 5=3637
- Nb—Ti b. c. c. solns., lattice parameter, order, elastic modulus 5=3472
- Nb—Ti (4. 8%), internal friction peaks due to O, N at 0. 6 Mc/s 5=15179
- Nb—Ti, superconducting, current degradation 5=15301
- Nb—Ti superconducting solenoid, critical current jump at λ-point 5=9655
- Nb—Zn superconducting wire, critical mag. field, annealing effects 5=15300
- Nb—Zr, normal—supercond. thermal propagation, current var. 5=12685
- Nb—Zr superconduction, H_{c2} with pulsed mag. fields, Cu coating effects 5=12686
- Nb—Zr, superconducting, fluxoid annihalation instability 5=9645
- Nb—Zr wire, superconducting, magnetization 5=1634
- Nb—Zr superconducting solenoid, current degradation causes 5=6901
- Nb—Zr superconducting, type II, magnetothermal effects 5=9652
- Nb—Zr superconducting wire, mag. behaviour 5=1722
- 3Nb—Zr superconducting wire solenoids, mag. penetration, trapping, flux jumps meas. method 5=12687
- Nb—Zr, superconductor, 50 c/s losses, meas. 5=12676
- Nb—25% Zr, u. s. and thermal behaviour 5=15040

Nitrogen
- adsorption by metals when activated by electrons 5=6325
- atom and ion, slow electron absorption and bremsstrahlung cross-sects 5=907
- atomic excited states, long-lived, by electron collision 5=14614
- atoms and ions, analytical self-consistent field functions 5=2908
- atoms, metastable in afterglow recombination 5=8957
- chemical reactions rates with O, ion—molecule, and ionosphere 5=15616
- diffusion, atomic, in N_2 5=1160
- diffusion in SiC and lattice const. decrease 5=9440
- diffusion, with O_2, in graphite 5=15070
- discharge afterglow with Ar, importance of $N_2 3\Delta_\mu$ 5=5935
- discharge, positive column, screw instability 5=11639
- discharge striking 5=5941
- electronic states, identification 5=8762
- gas, elec. arc in, material functions 5=3114
- impurities in Nb, mechanical twinning var. 5=15178
- impurity platelets, in diamond, struct. 5=3738
- ion beam in C foil, emission lines and ionization 5=5811
- ions, effect of bomb. on surface props. of Ge 5=12733
- ions, long excited life, collisions, prod. cross-section calc. 5=3131
- ions, N^+, N_2^+, N_3^+ conversion and drift velocities 5=8939
- ions, N_2^+, 3914A band in aurora, rotational temp. 5=4487
- ions, N_2^+- , N_4^+-controlled recombination in afterglows 5=8957
- ions, N_4^+, mobility 5=8960
- ions, recombination, empirical regularities 5=14693
- Knight shift and relaxation times in metal—NH_3 solutions 5=3372
- laser transitions, visible in ionized N_2 5=10621
- liquid, i. r. spectrum 5=1191
- Lyman—Birge—Hopfield bands, in electron impact spectrum 5=14605
- molecular beam, 1. 2 eV, scattering meas. downstream of collimator 5=14677
- molecular vibration due to energy transfer from free electrons 5=2931
- molecules, absorption bands, 830-1000Å, vibrational isotope shift 5=2973
- molecules, elec. excited, vac. -u. v. absorpt. spectrum 5=2974
- 2P—4S atomic doublet, wavelengths and relative intensity of components 5=5769
- photoionization, 734 to 805 Å 5=11671
- shock Na excitation, line reversal obs. and N_2 vibr. 5=5807
- solid films, structr., electron diffr. study 5=9326
- spectrum, absorpt., 580-1050 Å, and atmospheric absorpt. 5=7507
- spectrum of atomic flame on Cl_2S 5=5851

Nitrogen—contd
spectrum, atomic, $2p^2(3P)3dLSJ \leftarrow 2p^2(3P)4fT_1T_2J'$, calc., different vector coupling schemes 5=5767
spectrum, excited atoms 5=5768
spectrum, new rotational band 5=5850
viscosity, 78-300°K 5=9055
in α -Fe, energy and migration characteristics 5=1463
NV, optical electron photoionization 5=1064
N, ground state determ. 5=11419
N, Lorentz—Lorenz fn., liquid and gaseous refractive index meas., 0°C 5=3270
N, Planck mean absorpt. coeff. 5=8761
N, 2p—3s transitions, oscillator strengths 5=11442
N^-, in N_2 and air plasma spectrum 5=11700
N_2, A.$^3\Sigma_u^+$ state, lifetime 5=11513
N_2, compressibility, critical isobar deviation 5=1135
N_2 electrodeless ring discharge 5=3097
N_2, electron impact spectrum 5=5849
N_2 gas, luminescence, collisional deactivation 5=6093
N_2, Gaydon—Green band system 5=11514
N_2—He collisions, with excitation by 10kV electrons, N_2 afterglow 5=11609
N_2 laser, pulsed, excitation mechanisms of population inversion 5=2288
N_2, lifetimes of $(C^3\pi u)$ and $(B^2\Sigma u)$ states 5=14641
N_2, magnetic resonance 5=3048
N_2, matrix reaction with methylene 5=4409
N_2, oscillator strengths 5=8818
N_2 photoionization and total cross-sect. at intense solar lines 5=13426
N_2 pink and Lewis—Rayleigh afterglow, in vac. u.v. region 5=8919
N_2, Raman spectra, laser stimulated 5=11506
N_2, spectrum, photoionization, 830-1000 A 5=7510
N_2 thermal dissociation, shock-tube study 5=8898
N_2, Ar diffusive separation in atmosphere 5=13324
N_2 and N_2^+, electronic band absorpt. cross-sections, 2000°- 12000°K 5=8804
N_2^+, electron partition functions calc. 5=959
N_2^+ excitation, first negative band, electron beam meas. 5=955
N_2^+ form., during air ionization 5=11663
N_2^+, oscillator strengths 5=8818
N_2^+, $B^2\Sigma_u^+$ state, Schrödinger's eqn., soln. 5=11515
N_2^+, N_2, excitation in plasma, spectrum 5=953
N^{15} n.m.r., coupling consts. 5=8882
in Nb, rel. to internal friction 5=12528
in V, energy and migration characteristics 5=1463
Nitrogen compounds
metal nitrates, anhydrous, far i.r. spectra 5=9910
nitronium ion, π electronic struct. 5=11537
HN_3, photolysis 5=1913
HNO_3, vibrational spectra of isotopic molecules 5=5868
N_2—CO_2, laser action and vibr. energy transfer 5=10619
N_2—Ne, laser oscillations, 27 Mc/s 5=279
NCN identification in flash photolysis rel. to CNO, CN_2 5=11603
NF_2 and NF radicals, kinetic investigation 5=13146
NF_2, in Ar and Kr matrices, e. s. r. spectrum 4. 2°K 5=999
NF_2, vibration amplitudes 5=5856
N_2F_4, spectrum, i. r., and internal mechanics 5=3005
NF_3, n. m. r., n. q. r., solid, temp. var. 5=13006
NH, lifetimes of $(A^3\pi)$ and $(c^1\pi)$ states 5=14641
NH^4 ion, X-ray scatt. curve 5=15016
NH_2 radicals, recombination and disproportionation 5=7421
N_2H_4, dissociation in irradiated fluorescence tubes 5=3070
$N_2H_4 \cdot H_2O$, crystal struct., atomic 5=3628
N_2H_4—H_2O, phase-equilibrium diagram 5=6292
NLa, specific heat, 1. 2° to 45°K, meas. 5=6553
NNd, specific heat, 1. 2° to 45°K, meas. 5=6553
$N_2 + O_2$ gas mixtures, luminescence collisional deactivation 5=6093
NO, absorpt. spectra, dipole moment 5=14640
NO band systems, Franck—Condon factors to higher vibr. quantum numbers 5=2978
NO dayglow, rocket spectrometer meas. 5=13369
NO, electron affinities, magnetron meas. 5=8958
NO, electronic band absorpt. cross-sections, 2000°-12000°K 5=8804
NO excitation in plasma, spectrum 5=953
NO, integrated band intensities, 1400°, 2400°K 5=2977
NO, i. r. emission, rel. to shock heating 1000°-2500°K 5=8819
NO laser, B'-C(4, 1) band 5=2295

Nitrogen compounds—contd
NO, matrix elements of electronic transistors in γ and β systems 5=2976
NO, molecules, spectra, excited state and Rydberg series 5=958
NO, photolysis 5=4406
NO, photolysis in presence of olefins 5=4407
NO, spectrum, 3-0 band, $^2\pi_{1/2}$, $2\pi_{3/2}$ differences 5=2979
NO, spin orbit coupling and band origins 5=956
$N^{14}O$ and $N^{15}O$, mol. consts. from near i. r. spectrum 5=957
NO^+, electron partition functions calc. 5=959
NO^+ recomb. with electrons in air, coeff. meas. 5=1065
NO_2, absorpt. spectrum 5=8833
NO_2, e.s.r., electron delocalization and charge transfer 5=8879
NO_2, e. s. r. in irradiated $NaNO_3$, 77°K 5=15504
NO_2, electron affinities, magnetron meas. 5=8958
NO_2, equilibrium with N_2O_4, dielec. cons., meas. 5=969
NO_2 in Ar, anomalous dissociation, by reflected shock wave 5=4383
NO_2, i.r. spectrum 5=8834
NO_2^-, Raman effect, reson. 5=11528
NO_2^- spectrum, crystal phonon struct. in $KBr \cdot KNO_2$, $KCl \cdot KNO_2$ 5=1412
NO_2 in γ -irrad. $NaNO_2$, orientation, polarization, e. s. r., absorption spectra 5=3434
NO_2, thermal emission and O—NO recombination spectra 5=10008
NO_3, e. s. r. in γ-irrad. KNO_3, spectrum at 9000 Mc/s 5=7245
NO_3^- ion, Raman spectra, in nitrate melts 5=14851
NO_3^-, Raman effect, reson. 5=11528
NO_3^-, Raman lines 5=11521
NO $C^2\pi$ (V = O) chemiluminescence 5=7424
N_2O, dissociative ionization, by rare-gas ion impact 5=11672
N_2O, liquid density, surface tension, 182-184°K 5=11870
N_2O, luminescence, i. r., excited by active N 5=965
N_2O (N_2—N_2O system), c.w. laser action 5=10620
N_2O, rot. relax. 5=2990
N_2O, solid, absolute i. r. intensities and fundamental absorption bands 5=4302
$N_2O + C_2N_2$ flame, spectroscopic source, CO, CN bands, spectral analysis 5=318
N_2O_3 chemical reactions, isotopic exchange calc. 5=4377
N_2O_4, in equilibrium with NO_2, dielec. cons. meas. 5=969
NS or NS_2 spectrum in atomic N flame on Cl_2S 5=5851
NS spectrum, $B^2\pi$ state, in flames 5=2980
ammonia
chemisorption on γ-Al_2O_3, rel. to catalytic activities 5=13166
chemisorption on Ge, rel. to elec. props. 5=4027
dissociation in irradiated fluorescence tubes 5=3070
molecular spectrum, by electron impact 5=5849
NH_3, electrochemical anodic oxidation on Pt 5=4401
NH_3, Jupiter lines, inclination 5=7636
NH_3, neutron scatt. 5=11520
NH_3, neutron scatt. double differential, calcs. 5=963
NH_3 solns., of metals, ion pairing 5=11853
NH_3, 3—3 inversion bands, nuclear coupling coeff. meas. 5=14648
NH($^3\Sigma_g^-$), splitting parameter, zero field 5=11516
NH_3^+ excited ion break-up by electron impact, fragment k.e. 5=3125
ammonium compounds
ADP, crystal growth method for high perfection 5=1291
ADP, elastic waves, internal conical reflection 5=9533
ADP, light modulation by linear electro-optic Pockels effect 5=8072
ADP, near perfect crystal prep. method 5=3578
ADP, 2nd harmonic laser generation 5=13033
ADP second harmonic light generation 5=9893
NH_4 cupric Tutton salt, spin—spin relax, hyperfine interact. search 5=4250
NH_4Br, I and II modifications, X-ray investigation 5=9221
$(NH_4)_2C_2O_4 \cdot H_2O$, neutron diffr. study 5=12246
$(NH_4)_2C_2O_4 \cdot H_2O$, structure refinement at 30°K 5=12247
NH_4Cl, torsional oscills. of NH_4^+, neutron scatt. study 5=15032
NH_4Cl, Cu^{2+} e. s. r. spectrum 5=12974
NH_4 halides, crystal props., Lennard-Jones (12:6) potential calc. 5=3415
NH_4ClO_4, molec. rotation det. by slow neutron scatt. 5=986

itrogen compounds—contd
ammonium compounds—contd
NH_4ClO_4, thermal decomposition, dissoc., 120 to 200°C, mass spectrometer meas. 5=4386
$(NH_4)_2CuCl_4$, crystal structure 5=1361
$NH_4[D_4]F$, high-pressure phase crystal structure 5=9348
$(NH_4)_2H_2P_2O_6$, crystal structure 5=1370
NH_4MnF_3, magnetic structure 5=7192
NH_4—Na solutions, conductance, field depend., relax., meas. 5=14861
$(NH_4)_3NbO_8$, crystal struct., atomic, i. r. spectrum 5=6472
$(NH_4)_2SO_4$, phase boundaries, optical study 5=14924
$(NH_4)_2SO_4$, radiolysis 5=10029
obelium
oble gases. See Inert gases.
octilucent clouds. See Atmosphere/upper; Clouds.
oise
bands, pitch shifts 5=13970
radiation detect., amplifier, low-noise 5=7871
signal-to-noise ratio improvement, in microwave meas. 5=14117
temporary threshold shift, impulse-noise generator study 5=10345
acoustic
in boiling, mechanism 5=14884
broad-band, rise time effect on loudness 5=137
crosscorrelation effect on binaural signal detect. 5=134
dental turbine, recording and analysis 5=2129
effect on listening levels in conference telephony 5=4819
effects on turbine 5=4820
jet engines 5=13963
jet engines, flight velocity effect 5=13964
jets, free tubulent 5=13963
loudness determination method 5=10338
masking, rel. to binaural masking differences 5=138
ocean, ambient, vertical directionality 5=10041
ocean, field directivity using correlative dipole 5=1927
optical-correlation a.f. detector 5=10339
rel. to speech interference and articulation-index contours 5=142
sea noise, at low freqs. in shallow water of Scotian Shelf 5=4443
sea, shallow-water ambient, ice cover effect 5=1929
shallow ocean ambient, 25 c/s, characts. 5=10042
in shallow water, correl. with wind speed and waveheight 5=4442
sonic boom, characteristics 5=2094
subjective evaluation 5=151
tolerable noise levels in studios, concert halls and theatres 5=2130
urban, weighting networks for loudness estimate 5=7854
electrical. See Cosmic radiation, radiofrequency; Fluctuations/electrical; Sun/radiation, radiofrequency.
Ioise abatement
See also Absorption/acoustic waves.
No entries
Iomenclature and symbols
See also Units.
X-ray diffr. crystallog. 5=1346
Iomograms
See also Graphs.
X-ray diffraction line focusing 5=1349
Ion-crystalline state. See Amorphous state; Vitreous state.
Ion-Newtonian fluids. See Fluids.
Iovae
See also Stars.
conference, and supernovae, Haute—Provence (1963) 5=4577
explosions cause 5=7595
nonstationary medium, de-excitation 5=10306
radio sources, intense, and magnetic field winding in gravitational collapse 5=4583
shells chemical comp. analysis, review 5=4586
shock wave acceleration of particles at surface 5=4585
spectra, absorption, multiple, velo., intensity var. mechanisms 5=4578
spectra, and Wolf-Rayet stars, expanding atmospheres 5=4579
supernova remnant 5=13719
supernovae, acceleration of electrons by photons 5=5305
supernovae explosions, ν—N scattering, and ν-opacity of matter 5=2587
supernovae light curve statistics 5=4582
supernovae remnants and neutron stars 5=4553

Novae—contd
supernovae remnants radio obs., ring source 5=4580
supernovae and remnants, review 5=1969
supernovae type I, X-ray emission 5=4589
supernovae type II, expanding gas cooling 5=4581
supernovae type II, instantaneous energy release model 5=4584
star changes produced 5=7596
supernovae as sources of cosmic rays, synchrotron radn. meas., review 5=7624
IC 443 supernovae remnant, radio structure 5=4588
Novoids. See Novae.
Nuclear alignment. See Nuclear orientation.
Nuclear bombardment targets
d, as free N 5=598
gas, for ang. distrib. meas. 5=5251
graphite films supports, preparation 5=14951
for n production, cooling 5=11037
polarized, recent Saclay results 5=8306
self-supporting Ca, K and Li 5=484
B, from γ prod by $B^{11}(p, \gamma)$ 5=8370
Cr isotopes, foil preparation 5=12044
Cr isotopes, targets for nuclear investigations, production 5=2708
Fe isotopes, foil preparation 5=12044
Fe isotopes, production 5=2708
U, preparation of $UO_2(NO_3)_2$ films 5=12056
Nuclear decay schemes. See Radioactivity/decay schemes.
Nuclear decay theory
See also Beta decay theory; Nucleus/theory.
even—even, spontaneous barrier thickness calc. 5=5566
fractional parentage coeffs. 5=8580
γ, review 5=697
resonances in view of spin determination 5=2425-6
rotation and vibr. model, deformed nuclei 5=14463
two particle, one hole states production, γ-decay following neutron capture 5=2820
$Z > 50$, proton decay, competition from α and β, Z—N plot use 5=8581
Nuclear emulsions. See Nuclear track emulsions.
Nuclear excitation
See also Mössbauer effect; Nucleus/energy levels.
collective Hamiltonian, and time-dependent self-consistent field 5=11206
collective levels, inelastic excitation 5=699
compound states, conference, Tennessee Oct. 1963 5=8606
Coulomb, in collisions of identical nuclei 5=703
Coulomb, multiple, β-vibr. effect 5=8531
Coulomb, multiple, rotation band 5=14465
Coulomb, of Na^{23}, Mn^{55}, $Sm^{152,4}$, Ho^{165}, Tm^{169} 5=11221
deformed nuclei, pairing forces effect, β- and γ-transitions calc. 5=5507
deformed odd mass, single and collective 5=11202
E2 transitions in $1f_{7/2}$ and $g_{9/2}$ proton orbits, effective charges 5=8534
γ de-excitation ray ang. distrib. calc. 5=11200
giant dipole resonances, surface vibr. of spheroidal nuclei role 5=8535
matrices, complex, quaternion and real, statistical ensembles 5=13813
neutrino emission in cosmology 5=4555
neutron capture, two particle, one hole configuration prod. 5=2820
odd-mass, multiple Coulomb, numerical calc. 5=5509
by particle e. m. and nuclear fields 5=14466
quasielastic spectrum study 5=2805
by reactions due to nuclei $Z > 2$, rotational levels 5=11375
resonance, formal theory 5=2793
spherical, odd-mass, collective 5=8525
spherical odd nuclei, phonon—quasiparticle interactions 5=11208
stars, de-excitation and neutrino pair radiation 5=4557
2^4-pole deformation, E2 resonance meas. possibility 5=8533
two-quantum transitions 5=8530
vibrations, collective, high-energy neutrino induced 5=8527
Al^{27}, configurational role 5=5529
B^{10} by He^3 capture by Li^7, up to 3MeV 5=8679
Be^9, quasielastic spectrum study 5=2805
Cr^{52}, Coulomb, of first states 5=8546
$Cu^{63,65}$, Coulomb, by O^{16} at 36 MeV, B(E2) values 5=5536
Fe^{54}, Coulomb, of first states 5=8546
He^4, in $Li^7(p, \alpha)$, search 5=5628

Nuclear excitation—contd
Hf^{178}, β-transition and intrinsic spectra, pairing forces effect 5=5507
Hg^{200}, γ—γ cascades in n capture 5=8563
In, photoactivation 5=5540
In^{115}, isomeric states by electrons 5=11305
Pb^{206-8}, by 3.5 MeV neutrons 5=2621
Rh^{103}, isomeric states, by electrons 5=11305
Sn isotopes, by α-particle scatt. 5=8550
Ti^{50}, Coulomb, of first states 5=8546
Tl^{203}, core, rel. to $^3/_2{}^+$ magnetic moment 5=8564
Tm^{169}, Coulomb by O^{16} ions, 44 MeV 5=8554
Nuclear explosions. See Explosions/nuclear.
Nuclear field theory. See Field theory, quantum.
Nuclear fission
See also Explosions/nuclear; Nuclear reactors, fission.
asymmetry, semi-empirical formula 5=2728
calculation, dynamic, axially symmetric liquid drop 5=5693
cluster model, asymmetric mass distrib. 5=856
element 104 spontaneous half-life 5=8685
experimental studies, review 5=2849
fragment k.e. rel. to shell structr., and separation dynamics 5=8694
by n, after γ emission 5=11379
neutron cross-section, slow, of fissionable nuclei 5=2853
peaceful uses, conference, Geneva (1964) 5=8700
photographic emulsion recording, background elimination 5=10948
saddle-point nuclear state, alpha-scatt. investig. 5=5512
tracks, fragment, in thin metal films 5=9503
Am^{241}, by n, 0.032-80 eV, subthreshold 5=8692
Am^{242}, spontaneous, isomer formation 5=11347
Cf^{252}, spontaneous, α + 2 fragments, α ang. distrib. 5=5694
Cf^{252}, spontaneous, fragment correl. and prompt γ-rays 5=8686
Pa^{231}, n-induced, cross-sections, 1.5-1500 keV 5=2857
Pu^{239}, cross-section for slow neutrons 5=5695
Pu^{239}, n-induced, cross-sections, 1.5-1500 keV 5=2857
Pu^{239}, resonance widths meas., total and fission cross-section calc. 5=2851
Pu^{239}, slow neutron cross-section rel. to channel theory 5=2853
Pu^{239}, by thermal neutrons, γ-ray ang. distrib. 5=5696
Pu^{240} by neutrons, cross-section meas., 60-500 keV 5=2858
Pu^{241}, total cross., 0.025-1000 eV 5=5662
Ra^{226}, charged-particle induced, fragment ang. distrib. 5=2860
$Th^{230,232}$ fragments, ang. distrib., and saddle point 5=5698
Th^{232}, photo, near threshold, prompt n ang. and velo. var. 5=5700
products
α spectrum meas., ang. var. 5=14556
anisotropy, spin-orbit effects 5=8695
average kinetic energy above (n, nf) threshold 5=858
collections of physical data, yields and mass distrib. 5=11382
counters, Si surface barriers, multiplication rel. to fission fragment pulse height response 5=2515
diffusion in UO_2 5=9418
explosion particle, anal. to determine origin 5=861
fallout, elemental comp. 5=5701
fragment pairs, energy correlation, instrumentation 5=8698
kinetic energy rel. to fissioning nucleus mass 5=2850
mica, radioactive dating from density, and annealing 5=13220
due to n, d, α, anisotropy 5=8696
in reactors, release on UO_2 melting 5=8724
secondary electron yield 5=11385
from Bi^{209}, He-ion induced, fragment anisotropy 5=859
Cf^{252}, γ deexcitation 5=11384
Cf^{252}, γ de-excitation, mass var. 5=5702
Cf^{252}, spontaneous, correlated energies and velos. 5=8687
Cm^{244}, spontaneous kinetic energy 5=2852
Fm, spontaneous, nuclear emulsion radiography 5=10944
Md, spontaneous, nuclear emulsion radiography 5=10944
from Pb^{206}, He-ion induced, fragment anisotropy 5=859
Pu^{239}, ang. distrib, 0.08-1.25 MeV 5=857
Pu^{239}, by thermal n, Kr^{89-93}, Kr^{95}, $Xe^{137-144}$ 5=8688
Pu^{239}, by thermal n, mass distrib. 5=11383
Pu^{240-2}, by n, anisotropy 5=8691
Pu^{241}, heavy fragments mass—yield curve, versus U^{235} and Pu^{239} 5=2859
Th^{232} + n, 9.1-18.1 MeV 5=8697

Nuclear fission—contd
products—contd
Th^{232} + α, 19-29 MeV, ang. momentum var. 5=8697
in U alloys, swelling reduction with finely dispersed phases 5=6664
U^{233}, by thermal n, Kr^{89-93}, Kr^{95}, $Xe^{137-144}$ 5=8688
U^{233} and U^{235}, poisoning in thermal nuclear reactors 5=145
U^{235}, ang. distrib., 0.08-1.25 MeV 5=857
U^{235}, by thermal n, ternary 5=11380
U^{235} + n, 9-18 MeV, ang. momentum var. 5=8697
$U^{235,238}$, by 14 MeV n, Kr^{91-93}, $Xe^{138-141}$ 5=8688
U^{238}, by n, 2-5 MeV, ang. var. 5=11381
U^{238}, by p, Ba^{140} range, forward and backward 5=11386
U^{238} + n, 4.7-18.1 MeV 5=8697
UO_2, gas emission during irrad. 5=12341
in UO_2, gases, behaviour 5=15119
Xe^{133}, from U carbonitride powder n irrad., rel. to UC 5=2856
uranium
for chemical analysis by delayed n 5=7454
by d, 4N search 5=8494
photofission versus $U^{238}(\gamma, n)$ near binding energy 5=5613
transport, mass, by fragments 5=14555
U carbonitride powder, Xe^{133} emission due to n irrad. 5=2856
U^{233}, anal. of fission cross-section curves 5=5697
U^{233}, by n, with scatt. and reactions, 4-15 MeV 5=8653
U^{233}, resonance widths meas., total and fission cross-section calc. 5=2851
U^{233}, slow neutron cross-section rel. to channel theory 5=2853
U^{233}, by thermal n, Kr^{89-93}, Kr^{95}, $Xe^{137-144}$ meas. 5=8688
$U^{235,233}$, by thermal neutrons, γ-ray ang. distrib. 5=5696
$U^{233,235,238}$, fragment kinetic energy rel. to fissioning nucleus mass 5=2850
$U^{234,236,238}$ fragments, ang. distrib., and saddle point 5=569
U^{235}, average β-energy meas, by thermoluminescent technique 5=860
U^{235}, binary-to-ternary ratio 5=8690
U^{235} by 4 MeV neutrons, kinetic energy distrib. 5=8689
U^{235} + n, 9-18 MeV, products, ang. momentum var. 5=8697
U^{235}, by n, statistical analysis 5=5699
U^{235}, product ang. distrib., 0.08-1.25 MeV 5=857
U^{235}, slow neutron cross-section rel. to channel theory 5=2853
U^{235}, statistical model 5=11378
U^{235}, by thermal n, ternary 5=11380
$U^{235,238}$, by 14 MeV n, Kr^{91-93}, $Xe^{138-141}$ meas. 5=8688
$U^{235,238}$ by neutrons, ternary probab. calc. 5=14553
U^{236}, statistical model applic. 5=2854
U^{238} by 26.5 MeV α-parts. 5=8693
U^{238}, by n, 2-5 MeV 5=11381
U^{238} + n, 4.7-18.1 MeV, products 5=8697
U^{238}, with 14 MeV neutrons 5=2855
U^{238}, by protons of 55 MeV, fragment mass, energy distrib. 5=2861
U^{238} by p, Ba^{140} range, forward and backward 5=11386
U^{238}, photofission, low-energy 5=14554
Nuclear fission reactors. See Nuclear reactors, fission.
Nuclear forces
See also Field theory, quantum/meson field.
ABC particle exchange, range, virtual level calc. 5=8246
binding energy and 2 nucleon potential 5=14459
charge independence and n—n interaction 5=573
deformed binding fields, tensor forces effect 5=11185
few nucleon systems, review 5=671
hardcore, rel. to baryon many-fermion nonlocal structure 5=10826
isobaric triplet A=6 and charge-independence 5=11184
n—p residual interaction, shell model calc. 5=5474
nucleon interactions, four like nucleons, in same shell 5=672
N—N interaction on Fermi surface 5=8505
nucleon—nucleon residual interaction, effects of core excit. 5=14458
Ohmura method of potential deduction 5=14457
p—n interaction in shell model 5=11182
pairing forces in strongly deformed nuclei 5=2733
potential, average, nucleon—nucleus vel. depend. 5=5473
potential energy and single-particle density matrix 5=5472
potential soft core, nuc. spectroscopic calc. 5=2724

uclear forces—contd
proton—neutron residual interaction, deformed, odd—odd nuclei 5=5506
saturation prediction 5=453
scalar mesons and spin—orbit coupling 5=11183
in shell model, coupling schemes, effective interactions 5=679
triplet odd state, inner region and nonstatic effects 5=11186
uclear fusion
See also Explosions/nuclear; Nuclear reactors, fusion; Thermonuclear reactions.
peaceful uses, conference, Geneva (1964) 5=8700
thermonuclear, plasma instabilities 5=14772
USSR research 5=8699
uclear induction. See Nuclear magnetic resonance and relaxation.
uclear interactions. See Collision processes; Field theory, quantum/interactions; Elementary particles; Nuclear reactions; Scattering, particles.
uclear isomerism
See also Nucleus/energy levels.
short lived states, 15 5=11201
18 isomers by d bombardment 5=8537
Cd^{113m}, 14 year, spin and moments 5=5539
Ce^{140}, by Nd + 22 MeV brem. 5=5548
Cs^{134m} from Cs^{133} (n, γ) or (d, p) 5=5582
Eu^{150} (13 hr) and Eu^{150} (~5 yr), decay 5=14503
Nd^{142}, by Nd + 22 MeV brem. 5=5548
Os^{187}, by Nd + 22 MeV brem. 5=5548
Pr^{140}, by Nd + 22 MeV brem. 5=5548
$Re^{188,188m}$, from W^{188}, decay theory, energy levels meas. 5=734
Te^{115m} 5=726
Tm^{154}, α emitting 5=2786
uclear magnetic resonance and relaxation
See also Molecules/nuclear coupling.
$A^{III}B^{V}$ cpds., chemical shift of lines 5=13004
acetylene cpds.,H-bond investigation 5=3013
acetylene hydrocarbons in solvents, H-bond study, proton n. m. r. shifts 5=3012
acoustic saturation 5=2271
adipic acid, irrad., ENDOR, -90° to 25°C 5=12996
aliphatic and aromatic amines and amides, inter and intra-mol. effects 5=5910
alkali metal and N nuclei in metal—NH_3 solutions, Knight shift and relaxation times 5=3372
alloys and metals, review 5=1808
amines, saturated, H bond study 5=974
antiferromagnet, longitudinal spin—spin coupling 5=9833
aqueous perchlorate soln., hydration numbers det. 5=3374
aromatic molecules, chemical shifts 5=3063
benzene, dynamic polarization study using paramag. porous coal and double reson. 5=9157
benzene, liq., and derivs., H and F^{19} spin—lattice relax. and spin—rot. interact. 5=6201
benzene in nematic liquid crystal, anal. 5=11916
benzene, proton relaxation, temp. var. 5=14869
benzene, spin relax. time 5=9163
benzylphosphonium salts, proton mag. reson., geminal P—proton coupling const., solvent depend. 5=3062
beryl, H_2O mol. movement in channels 5=9860
α-bromoacrylonitrile, solvent effects on J values 5=5905
2-bromo-5-chlorothiophene, frequency sweep double resonance spectra 5=11595
α-chloroacrylonitrile, solvent effects on J values 5=5905
circuit and h.f. stable oscillator, for small filling factor meas. 5=259
coal, Faulquemont, pyrolysed at series of temps. 5=7275
coupled spins in intramol. reactions, spectra calc. 5=11592
cyclohexane, n. m. r. spectra from temp. cell, 200°K-room temp. 5=3371
d, in D_2O, −10°to −130°C 5=7278
and d quadrupole coupling, liquids 5=9156
d^n octahedral complexes, temp. dependence 5=11594
density matrix description of coupled spin systems 5=1002
deuteromethanes, isotope shift 5=11599
diamagnetic crystals, impurities, paramag., effect on temp. depend. 5=15510
dibenzene chromium iodide 5=7183
p-dibromobenzene, spin—lattice relaxation 5=1008
for diffusion of atoms obs., ultra-slow 5=7816
double, and electronic spins struct. 5=8024
Nuclear magnetic resonance and relaxation—contd
double, quantum theory 5=9856
double resonance mechanisms, packet-shifting 5=1809
double resonance, modulation information transmission by spin—spin coupling 5=11591
double resonance, relaxation effects 5=8887
double resonance and spin coupling 5=9855
double, for spin—lattice relax. obs. 5=7270
DPPH, h. f. s. in soln. and coupling 5=14674
electron—spin—echo envelope modulation 5=7272
ENDOR expt., for hyperfine coupling consts. 5=3055
energy and ang. momentum flow, spin temp. theory 5=7268
ethylene, spin—lattice relax. time meas. 20°-104°K 5=7227
ethylenic J_{gem} values, dependence on solvent and conc. 5=5905
exchange, chemical, spin-echo method 5=13139
exchange consts., chemical, by steady-state methods 5=13138
ferromagnet domain walls, skin effect influence 5=15512
ferromagnets, skin effect influence 5=15511
ferromagnetic dielecs., theory 5=4260
fluosilicates, $Fe(H_2O)_6^{2+}$ and SiF_6^{2-} ion motion meas. 5=6508
formamide—N^{15}, p—p double res. 5=11600
free radicals in soln., double, for weak mag. field meas. 5=7948
free radicals in soln., h. f. s. and nuclear moments 5=14674
freq. stabilising method 5=258
frequency shifts, domains and boundaries 5=7105
galvinoxyl, h. f. s. in soln. and coupling 5=14674
gases, pure and mixed, density, composition effects 5=8883
gated integrator for repetitive signals 5=2195
gelatine in H_2O, thermal relax. time, viscosity var. 5=11917
glycerol, spin diffusion meas. 5=4982
Heusler alloys 5=4266
ice and structure, proton exchange 5=9867
ionic complexes of Co(II) and Ni(II), isotropic shifts 5=3064
Knight shift oscillations, impurity effect 5=7263
Kronig—Kramers relations, use 5=10579
liquid crystals, and solute mol. orientation 5=9155
liquids, dynamic polarization study using paramag porous surfaces and double reson. 5=9157
liquids, non-viscous, nuclear mag. acoustic resonance 5=1209
liquids, proton spin—lattice relaxation 5=6200
liquids spin—lattice relax and jump diffusion model 5=9084
liquids, surface relaxation effects 5=11915
liquids, temperature cell 5=3371
liquids, viscous, and dielectric and elastic relax 5=9134
liquids, viscous Overhauser polarization, var. freq., correl. spectrum 5=9158
for low temp. meas., < 1°K 5=10403
macromolecules in soln., thermal relax. time, viscosity var. 5=11917
use in magnetic field mapping 5=7945
for magnetic field meas., inhomogeneous 5=2209
magnetometer, low-field type 5=7944
X-mesitylene, (X=methyl, amide, hydroxyl), n. m. r. rel. to Van der Waals forces 5=3065
metal—NH_3 solns., Knight shift and ion pairing 5=11853
metal powder sample prep. 5=12995
metallic powders, line shape in presence of Knight shift 5=7269
metallo-pyrromethanes, spin delocalization 5=3066
metals and alloys, review 5=1808
metals, group 111b, and with hydrogen, Knight shift and relax. times 5=9874
metals, rel. to ferromag., Knight shift, temp. var. calc. 5=4259
metals and semiconductors, nucl. spin and Knight shift relax. time oscills. 5=7264
methane adsorbed on NaCl, nuclear mag. relax times meas. 5=8029
methyl alcohol in soln., proton relax. due to interaction with Mn 5=14868
N-methylformamide—N^{15}, p—p double res. 5=11600
methyl-tin chlorides in HCl soln. 5=3373
molecular correlation times from spin-lattice relaxation 5=1001
molecular paraffinic chain struct. meas. 5=3043
molecules in liquid or adsorbed state, 3-spin, magnetization calc. 5=3058

Nuclear magnetic resonance and relaxation—contd
  molecules, symm., A_2B_2 spectra analysis by perturbation methods 5=5908
  multiple resonance spectra, theory 5=3054
  nitro cpds., and H bond with alcoholic OH groups 5=5830
  n.m.r. of Na^{23} in alkali halides, chemical shift, impurity effect 5=9876
  nucleic acids solns. + Mn ions, relaxation 5=5918
  organic free radicals, proton relax., freq. var. 5=11596
  Overhauser effect for strong exchange interact. 5=15515
  paramagnetic salts in tetrahydrofuran–H_2O mixtures 5=9159
  phenols, mono-and diortho-alkyl substituted, OH chemical shift 5=11601
  phosphomolybdic acid crystals 5=7285
  powder, bulk susceptibility broadening 5=7266
  polybutadiene, molecular motions 5=3094
  polyethylene, molec. orientation and mobility 5=3095
  polyethylenes, irrad., dynamic proton polarization data 5=4241
  polyisobutylene, molecular motions 5=3094
  polyoxymethylene, molec. orientation and mobility 5=3095
  proton resonance, use for mag. field meas. and control 5=14046-7
  protons, in H_2O, mag. field meas. 5=14591
  pseudo-AX systems, double resonance expts. 5=11593
  pyridines, γ-substituted, proton chem. shifts 5=3067
  radiofrequency field effects 5=8026
  reaction field and solvent effects 5=3370
  relaxation and correlation in two-spin systems 5=4980, 8027
  relaxation by inter- and intra-molecular interactions 5=8885
  review 5=12994
  rigid 5-spin systems, spectrum, calc. 5=7281
  rotating frame case 5=14132
  rubber in benzene, thermal relax. time, viscosity var. 5=11917
  scrambling reactions, molec. distrib. at equilibrium 5=4375-6
  shape factor method, modified, for mag. susceptibility 5=1720
  solids, conference, Leuven, 1964 5=4257-8
  solids, decay function and line shapes 5=7267
  in solids, signal shape, 5=1807
  spectra, effect of relax. on symmetry 5=5909
  spectroscopy, wide-line, fast modulation method 5=14136
  and spin diffusion in solids 5=9854
  spin echo obs., pulse generator 5=14134
  spin echoes in time-dependent field gradient, spin-diffusion meas. 5=4982
  spin-Hamiltonian parameters, origin 5=11587
  substituted benzenes, chem. shifts and π-electron densities 5=1006
  use of superconducting magnets 5=8028
  tetracyanoethylene, h. f. s. in soln. and coupling 5=14674
  tetrahydrofuran–H_2O mixtures on adding paramagnetic salts 5=9159
  transients due to pulse pair 5=9852
  transition elements, dilute metallic solns., line broadening, Knight shift, review 5=4261
  transition metal alloys with Pd base, meas. 5=7081
  transition metals, displacement components 5=9858
  transition probability and relax. time correction 5=3049
  1-X-2, 4, 6-tri-t-butylbenzene, (X=methyl, amide, hydroxyl), n. m. r. rel. to Van der Waals forces 5=3065
  two-quanta resonance of spin I = 1 in an anisotropic medium 5=7265
  tylose in H_2O, thermal relax. time, viscosity var. 5=11917
  vinyl halides, C^{13}-H satellite spectra 5=3068
  viscoelastic liquids, correl. times temp. var. 5=9154
  weak signal strengthening, relax times meas. 5=8029
  Wurster's blue in aq. soln., electron exchange 5=4385
  $X_nAA^1X_n^1$ type, coupling const. calc. 5=257
  Ag, relax. and Ruderman—Kittel interaction 5=9875
  AgBr, pure and NaBr doped, disloc. density effect on line width 5=6629
  AgBr, and vacancies due to addition to $FeBr_2$, $CoBr_2$, $NiBr_2$ 5=9435
  Al, in intermetallic cpds., and order 5=9859
  Al, rel. to activation energy and diffusion coeff. 5=12318
  Al^{27} in FeAl and CoAl 5=7273
  Al^{27} in $(Fe^{2+}, Mg)_3Al_2(SiO_4)_3$ 5=15516
  Al^{27}, in Zn spinels 5=15517

Nuclear magnetic resonance and relaxation—contd
  Al—Ag solid solutions 5=12997
  Al_2O_3 powder, H_2O adsorbed, relax. times 5=1812
  B^{11} in $B_{20}H_{18}^{2-}$, 60 Mc/s 5=3059
  BF_3, nuclear mag—dipole coupling, 70°K 5=4263
  Be oxyacetate, resonance line shape changes rel. to temp. 5=6277
  C^{13}—H^1 spin coupling 5=9871
  Cd, line shape in presence of Knight shift 5=7269
  CdS, 4. 2°K 5=12998
  Ce^{3+} in $CaWO_4$, double resonance, electron—spin—echo meas. 5=7272
  Co in ferromag. Co alloys, l. f. satellite lines 5=15519
  Cl in $FeCl_2$ 5=12999
  Co, crystal stacking faults, obs. 5=9487
  Co in Co—Fe alloys, H_{eff} at Co meas. 5=13001
  Co, in intermetallic cpds., and order 5=9859
  Co^{59} dilute in Fe 5=9862
  Co^{59} finely powdered, pressure, temp. var. 5=1814
  Co^{59} in Co alloys with Nd, Eu and Gd 5=7276
  Co^{59} in sheets and powders 5=9861
  Co^{59} shielding in $K_3Co^{59}(CN)_6$, isotope shifts calc. 5=9865
  Co^{59}—NH_3 complexes 5=9863
  Cr^{53} in Cr_2O_3, antiferromag., and coupling consts. 5=13000
  $Cr(NO_3)_3$ solns., of p, d, relax., 0. 1-160 Mc/s 5=9160
  Cu, quadrupole effect, due to dislocation elec. field gradients 5=13012
  Cu sheets, vacuum annealed, anisotropy for orientation w. r. t. mag. field 5=4264
  $Cu^{63,65}$, u. s. excited 5=9866
  $CuK_2Cl_4 \cdot 2H_2O$, electron–phonon double reson., saturation 5=1810
  $CuK_2(SO_4)_2 \cdot 6H_2O$, electron–phonon double reson., saturation 5=1810
  Cu—Ni 5=9864
  Cu—Pd 5=9864
  Cu—Pt 5=9864
  $CuSO_4 \cdot {}_5H_2O$, proton 4. 2 to 0. 35°K 5=7277
  $CuSO_4 \cdot 5H_2O$, proton mag. reson. line shape, 4. 2–0. 35°K 5=4265
  D_{11} cyclohexane, rotational barriers and conformational preferences 5=1007
  D_2, solid, λ-anomaly obs. 5=3462
  D_2O ice 5=4267
  F, p dynamic polarization meas. in irradiated polymers 5=7279
  F_2, spin—rotation and spin—spin interact. consts. 5=11598
  F^{19} cpds, heptavalent, pentavalent oxides 5=3060
  F^{19} n.m.r. spectrum of IF_7 5=8886
  F^{19}, shielding anisotropies in molecular crystals 5=7280
  F^{19} shift in KrF_2 in HF 5=14867
  F^{19} spin—spin coupling consts., solvent effects 5=5903
  F^{19} in CaF_2, relax., T_2 anisotropy 5=1815
  F^{19} in $KCoF_3$ single crystals 5=13003
  F^{19} in NaF, line splitting 5=13002
  Fe, high-pressure 5=13005
  Fe(III) porphyrin, spin delocalization 5=3066
  Fe, pressure effects 5=7283
  Fe^{57} in Fe–Co, [Ni] alloys, mag. interaction ranges calc., versus Mössbauer effect 5=1816
  GdFe garnet, Bloch wall quenching meas. 5=9815
  Gd^{3+} in cubic crystal fields, ENDOR obs. 5=7271
  H bond study, in acetylene hydrocarbon interactions 5=14669
  H-bond systems, effect of adjacent H atoms 5=3061
  H gas adsorbed on C 5=6329
  H, in V—H system, rel. to conc. and temp. 5=4273
  HBF_2, proton and F spectra 5=1004
  H_2F_3 in KH_2F_3 and NaH_2F_3, spectra calc. 5=7281
  H_2O adsorbed on silica gel at 94°K 5=3376
  H_2O in $Ba(ClO_3)_2 \cdot 2H_2O$ 2-proton spin system 5=1813
  He^3 adsorbed on NaCl, pyrex- and teflon, relax. meas. 5=8029
  Hg^{201} 5=8516
  I complexes 5=1005
  In^{115} in InSb, freq. shift 5=7282
  InSb, electron spin temp., density at nuclear sites meas. 5=6927
  InSb, solid and liquid 5=11919
  K oxalate monohydrate, motion of H_2O molecule in crystal 5=4269
  $KBr^{79,81}$, dislocation density effect on intensity 5=7287

Nuclear magnetic resonance and relaxation—contd
  KCl—H_2O solns., spin—lattice relax. time, conc. var. 5=11918
  $KCoF_3$, hyperfine interactions 5=1818
  KI, and elec. field gradient at I^{127} nuclei surrounding substitution Rb ion 5=3423
  KI, dislocation density effect on intensity 5=7287
  La^{139} in h.c.p. polycryst. La, quadrupole coupling and Knight shift anisotropy 5=1817
  La^{139}, spin—lattice and spin—spin relax., Knight shift, in f. c. c. La, 295-825°K 5=4270
  $La^{139}{}_{1-x}Th_xRu_2$ and e. s. r. of Gd 5=9857
  $LaRh_2$,Knight shift 5=15521
  LiF, one photon - 2, 3 spins processes 5=7284
  $MgCl_2$—H_2O solns., spin—lattice relax. time, conc. var. 5=11918
  Mn^{2+} in cubic CdTe, ENDOR superhyperfine structure 5=7259
  Mn ion solns., D_2O effects on p.m.r. 5=9161
  Mn^{55} in $KMnF_3$ and $CsMnF_3$, coupled nuclear antiferromag. reson. modes, excitation 5=4232
  $MnCl_2$ in methyl alcohol, proton relax. due to interaction with Mn 5=14868
  $Mn(HCOO)_2 . 2H_2O$, proton, line shift, temp. var. 5=4268
  $Mo^{95,97}$ in K_2MoO_4 aqueous soln. rel. to nuclear quadrupole moment 5=6202
  N^{14}—H^1 spin coupling 5=9871
  NF_3, solid, temp. var. 5=13006
  Na, dynamic nuclear enhancement 5=7286
  Na^{23} in alkali halides, chemical shift, impurity effect 5=9876
  Na^{23} in Rochelle salt, rel. to ferroelec. transition 5=9715
  NaCl, dislocation density effect on intensity 5=7287
  $NaCl$—H_2O solns., spin—lattice relax. time, conc. var. 5=11918
  NaF, dislocation density effect on intensity 5=7287
  $Na^{23}Hg_2$, $Na^{23}Hg$, $Na_3^{23}Hg_2$ 5=13007
  Na_xWO_3, conduction band, transient n.m.r. study 5=1575
  Nb^{93} in NbF_5 solns., chemical structure 5=11914
  Ni^{61}, transverse theory 5=9870
  O^{17} in H_2O, D_2O and eutectic solns., low temp 5=3375
  OH-group proton chemical shifts in org. cpds. 5=11597
  P^{31} in three phospho-organic cpds., meas. in earth's mag. field 5=8884
  P^{31}—H^1 spin coupling in P and cpds. 5=9871
  Pb alloys, solute Knight shifts 5=9868
  $Pb^{207}MoO_4$ and mag. shielding 5=9869
  Pd^{105}, in Pd metal, 1. 4-300°K, Knight shift 5=4271
  Pt, Zeeman spin—spin relax. 5=9872
  Pt^{195}—Au, h. f. s. 5=9873
  $RbCl$—H_2O solns., spin—lattice relax. time, conc. var. 5=11918
  RhSi, Knight shift 5=15521
  $RhSn_2$, Knight shift 5=15521
  Rh^{103} in $RhSn_2$, temp. depend. 5=15521
  $Sb^{121,123}$ in MnNiSb, temp. var. 5=15518
  $Sb^{121,123}$ in SbF_5 solns , chemical structure 5=11914
  Sc^{45}, anisotropic Knight shift, and quadrupole coupling 5=13008
  Sc^{45}—In alloys, var. temp., composition, shifts 5=13009
  Se isotope effects in fluorine n. m. r. 5=1003
  SiC, double 5=7274
  $Si^{29}P^{31}$ and B^{11} in Si 5=1273
  Sn, line shape in presence of Knight shift 5=7269
  Sn organic cpds, Mössbauer doublet asymmetry 5=11979
  Ta^{181} in TaF_5 solns., chemical structure 5=11914
  Ta—H system, proton spin—lattice relaxation 5=6596
  Tb^{4+} in cubic crystal fields, ENDOR obs. 5=7271
  $ThRh_3$, Knight shift 5=15521
  Ti–V, V^{51} relax. time, temp. var.,composition effect, Knight shift 5=1819
  Ti—V—H alloys, proton mag. reson. study 5=3646
  Tl^{205}—alkali halide liquids, chemical shifts 5=9162
  URh_3, Knight shift 5=15521
  V, in V—H system, rel. to conc. and temp. 5=4273
  V^{51}, impurity effects 5=9877
  V^{51}, Knight shift, demagnetising effect 5=9878
  V^{51}, Knight shift rel. to H conc. in V—H system 5=4273
  V^{51} in supercond. V_3Si and V_3Ga, rel. to flux distrib. 5=6898
  V^{51} in VF_5 solns., chemical structure 5=11914
  V^{51-} in V_2O_3, at metal—semicond. transition 5=13011
  $V_2^{51}O_3$, 175-575°K, shift contribs. 5=9879
  VO_2, polycrystalline 5=13010

Nuclear magnetic resonance and relaxation—contd
  Xe^{129} in solid Xe 5=7288
  Xe^{129}, in Xe gas, chemical shift 5=2918
  Y^{89}, anisotropic Knight shift 5=13008
 measurement
  apparatus for pulsed gradient production 5=4982
  autodyne, stabilization circuit 5=15513
  cross-coil probe, −140-550°C operation 5=262
  dispersion spectrometer, improvements 5=260
  double resonance apparatus, for chemical shift meas. on C^{13} 5=263
  gaussmeter mag. field-tracking 5=14050
  least squares spectrum analysis 5=4981
  liquids, nuclear polarization, from relaxation dispersion 5=14870
  magnetic field sweep 5=261
  oscillator, for flowing samples 5=8031
  oscillator, high stability transistorized 5=10525
  pulse generator, for n.m.r. experiments 5=8030
  pulse spectrometer, with 12 frequencies 5=4980
  r. f. oscillator for heteronuclear double resonance 5=264
  r. f. probe for high temps. 5=2272
  resonance spectra, simplified analysis 5=14135
  sample holder tubes for F cpds 5=14137
  solvent effects on reference standard 5=11913
  spectrometer with stabilized mag. field 5=10580
  spectrometer, 4 Kc/s, improvement 5=9871
  spin-echo spectrometer 5=14133
  spin echo spectrometers, noise integrators 5=10581
  spin—lattice relax. time, nonequivalent nuclei 5=15514
  weak signal detection, direct observation 5=251
Nuclear matter. See Nucleus/theory; Quantum theory/many-particle systems.
Nuclear orientation
  using adiabatic demagnetization apparatus 5=8518
  nuclear polarizability, dispersion and reflection coeff., near Mössbauer line 5=14900
  by optical pumping, effect of h. f. s. 5=914
  polarization by mag-reson., review 5=4262
  polarization, nucleon structure, survey 5=5495
  semiconductors, nuclear spin polarization, d. c. 5=14897
  in targets, recent Saclay results 5=8306
  Ag^{104} and Ag^{110m}, polarization, 0. 0105° to 0. 97°K 5=14898
  Au in Fe, polarization and internal mag. field 5=6248
  Co^{57}, Mössbauer effect observation 5=14899
  F, in organic liquid adsorbed on C, by e. s. r. 5=6199
  Fe lattice, impurity nuclei, hyperfine fields 5=14895
  Ir^{191m} in Fe 5=1231
  La^{139} in La nitride, polarization 5=1232
  Nd^{147}, 1% in $Mg(OH)_2$, polarization 5=1232
  $SrFeO_{2\cdot5-3\cdot0}$ alignment, Mössbauer study 5=3429
Nuclear photoeffect. See Nuclear reactions/photons.
Nuclear physics
  angular distribution expt. analysis program 5=14311
  associative storage for multichannel analysers, review 5=10890
  calculating apparatus, digital 5=8303
  calculating apparatus, digital, for Bonner lab. 5=8305
  calculating apparatus, digital computers, for data handling, review 5=10889
  calculating apparatus, digital computers, small, on-line, review 5=10893
  calculating apparatus, digital display control 5=8293
  calculating apparatus, digital, on-line, for low energies, review 5=10886
  calculating apparatus, digital, PHYLIS, for low energies at Argonne 5=8289
  calculating apparatus, digital, programme, for PHYLIS 5=8290-1
  calculating apparatus, digital store 5=8300
  calculating apparatus, digital store, for time of flight expts. 5=8292
  calculating apparatus, digital, stored program 5=8304
  calculating wired programme analyser 5=8296
  conference, Monterrey (1964) 5=4701
  conference, Paris, 1964 5=483
  data acquisition and reduction conference 5=5249
  data handling at low energies, review 5=10887
  data handling, multiparameter, by AMF 1 5=10888
  data preparation for Monte-Carlo calcs. 5=8287

Nuclear physics — contd
high energy, elementary particle N, e, nuclear field quanta expression 5=397
high- and low-energy inter-relation, review 5=8286
laboratory, Mexico 5=5248
magnetic tape data recording, review 5=10891
magnetic tape data system 5=8302
magnetic tape recording system 5=8333
nuclear energy, peaceful uses, 3rd Geneva conference 5=14310
rotation operators, finite, explicit polynomial expressions 5=4714
spectrochemical analysis appls. review 5=13182
time-of-flight digital computer 5=8299
time interval meas., circuits, review 5=10892
Nuclear polarization. See Nuclear orientation.
Nuclear power. See Nuclear reactors, fission.
Nuclear quadrupole resonance
chrysoberyl, $BeAl_2O_4$, coupling consts. 5=9199
crystals, use to determine internal elec. field 5=14896
p-dibromobenzene, temp. effect 5=1008
p-dichlorobenzene, anisotropy of Stark effect 5=7292
p-dichlorobenzene, freqs., 4.2°-300°K 5=15522
hexamethylene tetramine, molecular rot. meas. from relax. 5=13013
liquid, deuteron relax. and elec. field gradients 5=6203
relaxation 5=8888
relaxation time, external field var. 5=7289
solids, perturbation by elec. field 5=7290
spectrometer, r.f, for n.q.r 5=8032
spectrometer for Zeeman effect study 5=10583
spectrometer, 130-320 Mc/s, transducer 5=10582
Stark effect 5=3056
teaching demonstrations 5=4704
tetrachloronaphthalene crystals, relaxation 5=15524
Ag_3AsS_3 5=15523
Ag_3SbS_3 5=15523
Al^{27} in Al_2O_3 perturbation by elec. field 5=7290
Br isotopes, autoclyne for obs. 5=14670
Cl^{35} in dichloropyridine, Zeeman effect 5=7291
Cl^{35} in paradichlorobenzene, relax., transition probabilities 5=8889
Cl in $FeCl_2$ 5=12999
Cl^{35} in NaCl, perturbation by elec. field 5=7290
$Cl^{35,37}$ in $PrCl_3$ 5=4275
D_2O ice 5=4267
HCl and DCl, solid 5=4274
Hf and Hf cpds, moment interaction with elec. fld. grad. 5=9206
I, isotopes, autoclyne for obs. 5=14670
I^{127}, spin relax. times, temp. var. 5=7293
$Mo^{95,97}$ in K_2MoO_4 aqueous soln., calc. from n. m. r. linewidth 5=6202
NF_3, solid, temp. var 5=13006
Na^{23} in $Na_2S_2O_6 \cdot 2H_2O$, coupling tensors 5=4272
$NaClO_3$, population inversion, applied elec. field 5=7294
Sb, and elec. field, press. var. 5=1222
Nuclear reactions
See also Chemical analysis/by nuclear reactions; Fallout; Nuclear Bombardment targets; Nuclear excitation; Nuclear fission; Nuclear fusion; Nuclear spallation; Radioactivity; Thermonuclear reactions.
absorption potential, low energy radial distrib. 5=772
aligned nuclei, cascades, triple angular correl. 5=5600
α-particle and heavier fragment emission, above 50 MeV 5=11291
arbitrary spin particle scattering, effective core shrinkage 5=464
calculating apparatus, digital, for 2-particle coincidence expts. 5=8301
calculating languages 5=8617
charged particle pair production in field of nucleus 5=14519
charged particle scattering, optical theorem 5=11285
cluster model, time delay and three-body breakup 5=8611
compound nucleus, formation, decay statistics, calc. 5=11287
compound nucleus level widths, statistical correl. 5=11280
compound states, conference, Tennessee, Oct. 1963 5=8606
compound state definitions 5=8608
compound state statistics 5=8612
conference, Univ. of Sussex (1964) 5=8288

Nuclear reactions—contd
conservation laws, rel. to elementary particle study 5=8286
cross-section calc. from quasi-elastic spectra 5=2805
cross-section, differential, Hauser—Feshbach formula 5=8610
cross-section formula, above 1 BeV 5=774
direct interaction mechanism, nuclear parity change 5=765
direct process, resonance effects 5=5599
direct, Treiman—Yang criterion 5=8614
evaporation of charged particles calc. 5=14491
fine structure in cross-sections 5=5605
fragmentation theory, fast particles 5=14516
heat excitation of arc-mode discharge laser 5=14148
high-energy, characteristics rel. to isobar and fireball decay products 5=2798
high-energy, conference 5=2567
high-energy meas. 5=769
high-energy. prod. of fast He^3 and t, mechanisms 5=2799
high-energy, recoil studies, 2-body kinematics applic. 5=11288
high-energy $>\sim 10^3$ BeV, ICEF 5=2566
inelastic showers, asymptotes, complex ang. momenta appl. 5=5602
isobaric-spin resonances, theory 5=8618
isomer ratio calcs. on Fermi-gas and supercond. models 5=5601
kinematics, use of Lobachevski space conformal transformation into Euclidean space 5=11278
localization to surface, finite range force effects 5=14517
mass spectroscopy of products 5=5728
nuclear surface optical model interpretations 5=2717
nucleon transfer reactions, interference effect 5=766
optical model for virtual π incidence 5=773
partial equilibrium model 5=11289
penetration factors, for charged particles, low energy reactions 5=14518
polarization of outgoing nucleons, calc. 5=5597
polarization, semiclassical theory 5=2795
projectors and theory of resonances 5=11279
rearrangement collision variational treatment 5=14515
reduced widths and strength functions 5=8607
resonance, formal theory 5=2793
resonances, calculating apparatus, digital program 5=8380
review, elementary 5=8616
secondary particles, transverse momentum 5=2797
shell model states in continuum, level shifts 5=11292
in stars, solid-like, rates 5=15797
stripping, configuration mixing effects 5=5603
stripping, Coulomb wave theory 5=8615
in surface, collision model 5=2796
theory, formalism 5=767
Thomas—Reiche—Kuhn sum rule 5=11286
total cross-sect. meas. and analysis 5=11281
two-channel, time description 5=5606
2N transfer, nuclear struct. amplitudes, calc. 5=5604
2-particle emission, statistical theory 5=11290
unified theory 5=8609
unified theory antisymmetrization 5=770
in universe, at prestellar stage, formation of light elements 5=7546
chemical effects
See also Chemical effects of radiation/ionizing radiations.
No entries
Nuclear reactions due to
alpha-rays
(α, d), ang. distrib. calc. 5=8678
(α, d), DWBA calc. theory 5=5670
(α, d) stripping reactions, on lighter nuclei, theory 5=844
(α, n) for Y, Nb, Rh, Ag, In, 12-18 MeV, ang. var., optical model fits 5=2847
$(\alpha, n\gamma)$, thickness meas. use 5=13807
(α, p), 3 MeV, semiconductor counter meas. 5=849
$Al^{27}(\alpha, Li^6)Mg^{25}$, 42 MeV, Li^6 ang. distrib. 5=2844
Be (α, n) sources with Ra, Am, Mn bath calibration 5=1103
$Be^9(\alpha, n)$, 1.7 to 10.5 MeV 5=11365
$C^{12}(\alpha, d)N^{14}$, $\leqslant$ 21 MeV α's, d spectra, N^{14} levels 5=5687
$C^{12}(\alpha, p_0)N^{15}$, 16 to 26 MeV 5=14551
$C^{12}(\alpha, Li^6)B^{10}$, 42 MeV, Li^6 ang. distrib. 5=2844

Nuclear reactions due to —contd
alpha-rays —contd
$C^{13}(\alpha, \gamma_0)O^{16}$, ang. distrib. and O^{16} levels ~ 13 MeV 5=2739
Cd^{106}, γ, n, p, 2n, pn, 3n, p2n, αn, 2αn prod. 5=11373
$Fe^{56}(\alpha, n)Ni^{59}$, E_{α}= 14, 17 and 20 MeV, evaporation spectra 5=848
$K^{39}(\alpha, n)Sc^{42}$, rel. to Sc^{42} level struct. 5=8544
$Mg^{26}(He^4, He^6)Mg^{24}$, ang. distrib. meas., Mg^{24} excited levels study 5=2845
$Mn^{55}(\alpha, n)Co^{58}$, E_{α} = 14, 17 and 20 MeV, evaporation spectra 5=848
$N^{14}(\alpha, Li^6)C^{12}$, 42 MeV, Li^6 ang. distrib. 5=2844
$Na^{23}(\alpha, p)$, resonance spins, 1 to 3.3MeV 5=5688
Nb, 320-880 MeV 5=806
$Ne^{21}(\alpha, n)Mg^{24}$, first obs. 5=8636
Ni^{58}, 7 reactions, 46-68 MeV, and levels 5=8682
$Ni^{58,60}(\alpha, p)Cu^{61,63}$, ang. distrib. and momentum transfer 5=14552
$O^{18}(\alpha, p)F^{21}$, peaks, F^{21} β ½-life 5=11370
Sn isotopes, multipole collective excitation 5=8550
$Ti(\alpha, \alpha')$, shell model selection rules and excitation of 4^+ states 5=5683
cosmic rays
See also Cosmic rays/effects and interactions.
isobar decay products, in high-energy interactions 5=768
deuterons
See also Deuterons.
(d, α), DWBA calc. theory 5=5670
$(d, x\gamma)$, correl. function, for circularly polarized γ-rays, spin-orbit coupling effects 5=833
(d, N), (d, d′), (N, d), (N, N′), amplitudes connection 5=8664
(d, p), (d, α) solid state detector scatt. chambers 5=2835
(d, p), ang. distrib. var. with momentum transfer 5=829
(d, p), energy dependence on heavy mass targets 5=5669
(d, p), interference between direct and compound mechanism 5=828
$(d, p\gamma)$, ang. correls. and direct reaction differentiation 5=14547
isomer discovery 5=8537
overlap integral calc. 5=832
stripping ang. distribs. and residual state angular momentum 5=708
stripping, distorted-wave theory 5=831
stripping, finite range effects, local energy approx. 5=5671
stripping, local energy approx 5=8665
stripping, polarization phenomena near scatt. 5=827
18 elements, 26.5 MeV 5=8647
Al(d, p) stripping, 3.54 GeV/c 5=11359
$Al^{27}(d, \alpha)Mg^{25}$, proportionality to 2I + 1 5=11358
Au(d, p), 26 and 23 MeV 5=11362
Au^{197} (d, p) Au^{198}, 5.6-28 MeV 5=838
$B^{10}(d, 3\alpha)$ 5=11317
$B^{10,11}(d, \alpha)Be^{8,9}$, α-particle ang. distrib. 5=2814
$B^{11}(d, n)C^{12}$, rel. to C^{12} decay 5=8589
$B^{11}(d, n\gamma_{15.1})C^{12}$, 1.5-5.5 MeV, reson. 5=5684
$B^{11}(d, p_0)$, 300 keV, ang. distrib. backward increase 5=14549
$Be^9(d, \alpha)Li^7$, α-particle ang. distrib. 5=2814
$C^{12}(d, \alpha)B^{10}$, 9.2 to 13.8 MeV 5=11352
$C^{12}(d, n)N^{13}$, 9.2 to 13.8 MeV 5=11352
$C^{12}(d, p)C^{13}$, 25.9 MeV d's, DWBA analysis 5=5676
$C^{12}(d, Li^6)Be^8$, 14.6 MeV 5=2836
$C^{13}(d, n)N^{11}$, ang. distrib., exchange effects 5=8669
$C^{14}(d, \gamma)N^{16}$, 1.2 to 2.6 MeV, cross-section meas., N^{16}
$C^{14}(d, p)C^{15}$, 1.2 to 2.6 MeV, cross-section meas., N^{16} versus C^{15} activity 5=834
Ca^{40} (d, p)Ca^{41}, proton spectra and Ca^{41} energy levels 5=8672
$Ca^{40}(d, p)Ca^{41}$, 7-12 MeV and DWBA approx. 5=2838
$Ca^{40}(d, p)Ca^{41}$, 11 MeV 5=11360
$Ca^{43}(d, t)Ca^{42}$ 5=2743
Cd(d, p), energy levels of odd-A Cd nuclei 5=722
Cd (d, t), energy levels of odd-A Cd nuclei 5=722
$Cd^{114,116}$ (d, p), $Cd^{115,117}$ energy levels 5=721
$Cr^{50}(d, p)Cr^{51}$, 9.15 MeV J–dependence of p ang. distrib. 5=5681
Cr^{52} (d, p) Cr^{53}, ang. var. calc. DWBA using scatt. 5=8673
$Cr^{52}(d, p)Cr^{53}$, 1.28 MeV 5=5532
$Cr^{52}(d, p\gamma)Cr^{53}$ 5=11361
Cu(d, p), stripping, 3.54 GeV/c 5=11359
Cu(d, p), 26 and 23 MeV 5=11362
Dy^{164} (d, p) at 12 MeV and Dy^{165} levels 5=733
$F^{19}(d, \alpha)O^{17}$, nonproportionality to 2I + 1 5=11358
F^{19} (d, α) O^{17}, 1 to 2.5 MeV, alpha spectrum 5=8670
$F^{19}(d, p\gamma)$ and F^{20} levels 5=11356
$F^{19}(d, Be^9)C^{12}$, 14.6 MeV 5=2836
$F^{19}(d, Li^6)N^{15}$, 14.6 MeV 5=2836
H^3 (d, p), penetration factors 5=14518
Li, study of neutrons prod. 5=5672
Li^6 $(d, \alpha)\alpha$, ang. var., 4-12 MeV 5=8667
Li^6 $(d, \alpha)\alpha$, resonances and Be^8 levels 5=8666
$Li^6(d, p)Li^7$, ang. distribs., 1.5 MeV d's 5=5674
$Li^7 + d \rightarrow \alpha + He^5 \rightarrow n + \alpha$ 5=14451
$Li^7(d, \alpha_0)He^5$, 175-300 keV n's, differential 5=5673
$Li^7(d, \gamma)Be^9$ 5=8538
$Li^7(d, p)Li^8$, 0.29-0.5 MeV 5=8538
Mg^{25} (d, α) Na^{23}, 1.5-2.5 MeV, α spectra 5=8671
$Mg^{24,25,26}$ (d, p)$Mg^{25,26,27}$, 15 MeV 5=2837
$Mg^{26}(d, p)Mg^{27}$, 3-5.1 MeV, ang. distribs. 5=5679
$N^{14}(d, \alpha)$, ang. distrib., d from 1-2.5 MeV 5=11354
$N^{14}(d, \alpha)C^{12}$, 0.9 to 1.2 MeV 5=8668
$N^{14}(d, n_0)$ O^{15}, 1.32 MeV, neutron polarization, meas. versus calc. 5=816
$N^{14}(d, p)N^{15}$, 1 MeV, heavy particle stripping 5=14548
$Na^{23}(d, p)Na^{24}$, ang. distribs. and n capture ang. momenta 5=5678
$Nb^{93}(d, p)Nb^{94}$, and Nb^{94} energy states 5=8548
Ne, 26.5 MeV 5=8647
Ne^{20} (d, α) F^{18}, isotopic spin selection rule violation 5=836
$Ne^{20}(d, n\gamma)Na^{21}$, spin–orbit effects 5=11357
$Ne^{20}(d, p\gamma)$ and Ne^{21} levels < 5 MeV 5=5677
$O^{16}(d, \alpha)N^{14}$, spectroscopy by semiconductor detectors 5=11355
$O^{16}(d, \alpha)$ N^{14}, 0.8-1.7 MeV 5=835
$O^{16}(d, p)O^{17}$, spectroscopy by semiconductor detectors 5=11355
$O^{16}(d, p)O^{17}$, O^{17*}, 0.8-1.7 MeV 5=835
$O^{16}(d, p_1)$, 300 keV, ang. distrib. backward increase 5=14549
$O^{16}(d, Li^6)C^{12}$, 14.6 MeV 5=2836
O^{17} (d, p_1) O^{18}, ang. distrib., exchange effects 5=8669
$P^{31}(d, \alpha)Si^{29}$, 1.5 to 2.5 MeV 5=5680
Pb(d, p), stripping, 3.54 GeV/c 5=11359
$Pb^{206}(d, p)Pb^{207}$, ang. var. calc. DWBA using scatt. 5=8673
Pb^{206} (d, p)Pb^{207}, unified model interpretation 5=839
Pt isotopes, rel. to struct. studies 5=11242
$Sm^{144}(d, 3n)Eu^{143}$ 5=14502
$Sn^{117,119}$ (d, p) $Sn^{118,120}$, $Sn^{118,120}$ low-lying energy levels meas. 5=723
Te (d, p), shell-model states of $Te^{123-7,129,131}$ 5=725
$Ti^{46,48}(d, p)Ti^{47,49}$, 9.15 MeV J-dependence of p ang. distrib. 5=5681
Ti^{50} (d, p) at 6 MeV and Ti^{51} levels 5=837
Tl^{205}(d, p), rel. to Tl^{206} levels 5=11243
Tl^{205} (d, p), (d, t), spectra, and Pb^{206} 5=8674
$U^{235,238}(d, p)U^{236,239}$ 5=5682
Zn(d, p), ang. var. calc. DWBA using scatt. 5=8673
Zr^{90} (d, p) Zr^{91}, ang. var. calc. DWBA using scatt. 5=8673
electrons
direct electrodisintegration, ang. correls. 5=11309
processes in 2-body systems rel. to photons 5=11308
radiative tail 5=789
Al^{27} (e, e′p) 550 MeV, p binding energy, momentum distrib. meas. 5=684
C^{12} (e, e′p), 550 MeV, p binding energy, momentum distrib. meas. 5=684
Pb, electron cascade characteristics, track length versus incident electron energy 5=790
Pb showers, 300 MeV-1 BeV 5=555
Rb^{83}, decay theory, energy levels meas. 5=757
gamma-rays. See Nuclear reactions/photons.
heavy ions. See Nuclear reactions due to nuclei of Z > 2
helium-3
light nuclei 5=845
reduced width calc. on superfluid model 5=830
$Al^{27}(He^3, p)Si^{29}$, at 5 MeV, ang. distribs. for first 7 Si^{29} levels 5=11371
$B^{10}(He^3, p)C^{12*}$, p polarization, energy, ang. var. 5=11368
$B^{10}(He^3, p\gamma_{15.1})C^{12}$, 1.8-5.5 MeV, reson. 5=5684
B^{10} $(He^3, p\alpha)2He^4$, 2.45 MeV, intermediate states 5=847
$B^{11}(He^3, \alpha)B^{10}$ 5=11367
$B^{11}(He^3, t_0)C^{11}$ 5=11367
$B^{11}(He^3, H^3)C^{11}$, total cross-section 5=11366
$B^{11}(He^3, Li^6)Be^8$, 1.4 to 3.0 MeV 5=5685
Be^9 (He^3, α) $2He^4$, intermediate states 5=846

Nuclear reactions due to—contd
- **helium-3**—contd
  - $Be^9(He^3, p)B^{11}$, mag. pair spectrometry and Be^{11} spin and parity 5=2737
  - $C^{12}(He^3, n)O^{14}$, γ ray spectrum, 10^{15} levels, $\leqslant 11.45$ MeV 5=5686
  - $C^{12}(He^3, He^6)C^9$, rel. to C^9 mass 5=8514
  - $C^{13}(He^3, \alpha)C^{12}$ cross-section difference from $C^{12}(t, \alpha)B^{11}$ 5=5675
  - $C^{13}(He^3, p\gamma_{15\cdot1})C^{12}$, 2-5 MeV, reson. 5=5684
  - Ca^{48}, 39 MeV, n^4, n^6 search 5=670
  - Fe^{56}, p, pn, p2n, 2n, 3n prod., recoil ranges, 6-29 MeV and theory 5=11372
  - Li^7, capture, and B^{10} excitation, up to 3MeV 5=8679
  - $Li^7(He^3, \alpha)Li^6$, ang. distrib., reson. search 5=8680
  - $N^{14}(He^3, n)F^{16}$, n spectra 5=11369
  - $O^{16}(He^3, p\gamma)F^{18}$, rel. to F^{18} levels 5=8542
  - O^{16} $(He^3, \alpha)O^{15}$, 8.8-10 MeV 5=8681
  - $S^{32}(He^3, \alpha)S^{31}$, 4.6-5.5 MeV, α ang. distrib. osc. mechanisms 5=2846
- **mesons**
  - See also Cosmic rays/effects and interactions.
  - complex nuclei, $\Sigma\pi$ production by K^- 5=11350
  - emulsion nuclei, μ^- star production 5=824
  - emulsion nuclei under 3.5 GeV/c K^-, short-range hypernuclei prod. 5=14461
  - emulsion nuclei under 3.5 GeV/c pions, hypernuclei analysis 5=14543
  - hypernuclei, Li^8 prod., by 1.4 GeV/c K^- in emulsion 5=2826
  - K^- capture by heavy nuclei 5=8657
  - K^- interaction with photographic emulsion nuclei, hyperfragment emission 5=8655
  - K^-, 1.4 GeV/c, in emulsion hypernuclei decay 5=5499
  - μ-capture, interaction constants, theory and expt. 5=5664
  - μ-capture, theory, errata 5=8658
  - μ radiative absorption, axial current charge symmetry 5=2824
  - π, charge-exchange, six types meas. 5=14542
  - π, diffractive dissociation, 3π system, ang. correl. 5=825
  - π showers at high-energy, Monte-Carlo calc. 5=667
  - π^-, in emulsion, mass spectrum of emitted charged particles 5=2829
  - π^-, 4 and 5 GeV, heavy fragments emitted 5=8656
  - π^+, diffraction dissoc., importance of final nuclear state 5=539
  - ρ production by π, Coulomb and coherent 5=2662
  - Be, π^+ 195 MeV, double charge exchange 5=8659
  - C^{12}, muon scatt. rel. to struct. 5=8504
  - Ca^{40}, μ^- radiative capture by bound p 5=8660
  - Ca^{40}, $\mu^- + p \rightarrow n + \nu + \gamma$, induced pseudoscalar coupling const. 5=2830
  - $Cu + \mu^- \rightarrow Ni + \nu + \gamma$ 5=8661
  - Cu, π capture, n spectrum, 1-50 MeV 5=8662
  - He liquid, capture 5=8785
  - Li, π^+ 195 MeV, double charge exchange 5=8659
  - $Li^6(\mu^-, \nu)He^6$, probability 5=2828
  - Na, π^+ 195 MeV, double charge exchange 5=8659
  - $O^{16}(\pi^+, \pi')4\alpha$, 80 MeV 5=5665
  - Pb, π capture, n spectrum, 1-50 MeV 5=8662
  - Sn, π capture, n spectrum, 1-50 MeV 5=8662
  - Xe nuclei, π^-—N, 9 GeV/c 5=14544
  - $Xe + \pi^- \rightarrow \pi^\circ + Xe$, 9 BeV/c 5=8663
- **neutrinos**
  - $Cl^{37}(v, e^-)$ A^{37}, and universe Ca^{37} decay 5=754
- **neutrons**
  - See also Neutrons and antineutrons/absorption; Nuclear fission.
  - absorption chain member yield calc. program 5=5567
  - background reduction in (n, γ) expts. at VVR-5 reactor 5=880
  - capture at star temps. 5=15791
  - capture cross-section meas., detector 5=14539
  - graphite, capture cross-section by pile oscillator method 5=815
  - mass spectroscopy of products 5=5729
  - (n, α), ang. distrib. calc., invoking direct interaction process 5=813
  - (n, α), 14.5 MeV n's, $6 \leqslant Z \leqslant 30$ calc. from trends 5=5650
  - (n, α), 14 MeV and models, anomalies resolution 5=814
  - (n, γ), Compton spectrometer 5=14391
  - (n, γ), liquid scintillation detector 5=10986
  - (n, γ), two particle, one hole configuration prod. 5=2820

Nuclear reactions due to —contd
- **neutrons** —contd
  - (n, p), 14 MeV, shell effects 5=5651
  - neutron precession, on passing through polarized target 5=575
  - optical model, s-wave transmission coeff., at 1 keV neutron energy 5=678
  - M phenyl cpds. (M = Ge, Sn, Pb, As and Sb) (n, γ) and (2, 2n) reactions, yield analysis 5=15629
  - resonance parameter statistical analysis 5=5640
  - resonances, transmission, calculation, digital 5=8639
  - showers at high-energy, Monte-Carlo calc. 5=667
  - strength functions, s, p and d wave 5=5652
  - total cross-sections 1.44 eV for elements, isotopes, compounds 5=8638
  - total cross-sections, Nb, Mo, Rh, Ag, Cd, 11-101 keV, optical model interps. 5=5660
  - tunnelling in coulomb field calc. 5=8641
  - $Ag(n, \gamma)$, 1 eV-30 keV 5=8652
  - $Al^{27}(n, \gamma)Al^{28}$, nuclear recoil in solids 5=11340
  - $Am^{243}(n, 2n)$ Am^{242}, 14 MeV 5=11347
  - $Ar^{40}(n, \alpha)S^{37}$, 14 MeV 5=8651
  - $Ar^{40}(n, d)Cl^{39}$, 14 MeV 5=8651
  - $Ar^{40}(n, p)Cl^{40}$, 14 MeV 5=8651
  - As^{75}, resonance spectroscopy, thickness effect, energy levels meas. 5=820
  - As^{75}, total cross-section, 0.05-40 eV 5=2822
  - Au foils, resonant, review 5=822
  - B, capture 5=8648
  - $Be^9(n, \alpha)He^6$, and He^6 levels 5=5460
  - $Be^9(n, 2n)$, 14 MeV 5=5655
  - Bo^{59}, capture, $\gamma-\gamma$ cascades 5=5533
  - Br(n, 2n), β radioactivity meas. 5=8649
  - $Br^{79,81}$ resonance spectroscopy, thickness effect, energy levels meas. 5=820
  - C, total cross-sect., 8 to 14 MeV 5=5654
  - $C^{12}(n, n^1)$, data from spectrometer using recoil α-particles 5=2620
  - Ca, total cross-sects. 4-6 MeV 5=8650
  - Ca, total cross-sect., 8 to 14 MeV 5=5654
  - Cl, capture γ's and levels 5=5657
  - $Cl^{35}(n, p)S^{35}$, for fast neutron detectors without threshold 5=5371
  - Co, capture γ's and levels 5=5657
  - Co^{59}, resonance parameters, > 30 keV 5=11329
  - $Cs^{133}(n, \gamma)$, isomer ratios 5=5659
  - $Cu(n, \gamma)$, 10 keV, thermal and resonance capture 5=11344
  - Cu(n, 2n), β radioactivity meas. 5=8649
  - $Cu^{63}(n, 2n)$, 14.1 MeV 5=11343
  - $Dy(n, \gamma)$, thermal n and low energy γ 5=5661
  - $F^{19}(n, p)$, (n, α), (n, 2n), 13 to 21 MeV 5=11339
  - Fe, capture, and Pb^{208} 7.285 MeV level study 5=738
  - $Fe(n, \gamma)$, 1 eV-30 keV 5=8652
  - Fe, total cross-sect., 8 to 14 MeV 5=5654
  - Fe^{56}, capture, $\gamma-\gamma$ cascades 5=5533
  - Fe^{56}, resonances in capture and total cross-sections 10-80 keV 5=817
  - $Fe^{56}(n, \gamma)Fe^{57}$, γ spectrum and Fe^{57} levels 5=2821
  - $Fe^{56}(n, p)Mn^{56}$, nuclear recoil in solids 5=11341
  - Hg^{199}, capture, $\gamma-\gamma$ cascades 5=5533
  - Ho^{165}, resonance spins and hyperfine coupling const. 5=11346
  - Ho^{165}, thermal cross-section, spin dependence 5=2823
  - In^{115}, energy var. 5=821
  - K, 4-6 MeV, total cross-sects 5=8650
  - K^{39} (n, α) Cl^{36}, 4-8 MeV 5=818
  - K^{39} (n, p) Ar^{39}, 4-8 MeV 5=818
  - $Li^6(n, \alpha)H^3$ 1-600 keV 5=11334
  - $Li^6(n, t)He^4$, n energy spectrum, calc. 5=586
  - $Li^7 + n \rightarrow t + \alpha + n$, t spectrum 5=5653
  - Mn, capture, γ's and levels 5=5657
  - $Mn(n, \gamma)$, 10 keV, thermal and resonance capture 5=11344
  - Mn^{53} activation, cross-section meas. 5=14540
  - Mn^{55}, capture, $\gamma-\gamma$ cascades 5=5533
  - $Mo(n, \gamma)$, 1 eV-30 keV 5=8652
  - N(n, 2n), β radioactivity meas. 5=8649
  - Na, 4-6 MeV, total cross-sects 5=8650
  - Na^{23} (n, α) F^{20}, ang. distrib. calc. 5=813
  - $Na^{23}(n, p)$, (n, α), (n, 2n), 13 to 21 MeV 5=11339
  - $NaBrO_3$, $Br^{78,80}$ retention analysis, after (n, 2n) and (n, γ) reactions 5=15630
  - $Ni(n, \gamma)$, 10 keV, thermal and resonance capture 5=11344

Nuclear reactions due to—contd
neutrons—contd
$Ni^{209}(n, \gamma)Bi^{210}$, for fast neutron detectors without threshold 5=5371
$O^{16}(n, \alpha)C^{13}$, ang. distrib. calc. 5=813
$O^{17}(n, p)N^{17}$, reactor neutrons 5=11338
$O^{18}(n, d)N^{17}$, reactor neutrons 5=11338
O^{18}, total cross-sect., 0.14 to 2.47 MeV 5=11336
O^{18}, total cross-sect., 2.45 to 19 MeV 5=11337
P(n, 2n), β radioactivity meas. 5=8649
Pb^{206-8}, resonances in capture and total cross-sections, 10-80 keV 5=817
$Pd^{108}(n, \gamma)$, isomer ratios 5=5659
$Pr(n, \gamma)$, thermal n and low energy γ 5=5661
Pu^{239}, 1 keV—15 MeV, total and partial cross-sects 5=11319
Pu^{240}, 1 keV to 15 MeV, cross-sections 5=11320
Pu^{241}, 0.025-1000 eV total cross-sections 5=5662
Pu^{241}, 1 keV to 15 MeV, cross-sections 5=11321
Re^{187}, Re^{188m} energy level calc. 5=735
$Rh^{103}(n, \gamma)$, isomer ratios 5=5659
S^{32}, resonances in capture and total cross-sections, 10-80 keV 5=817
Se^{77}, resonances, 100 eV-5 keV 5=819
$Se^{80}(n, \gamma)$, isomer ratios 5=5659
Si, 500-1200 keV 5=11324
$Si^{28}(n, \alpha)$, 14 MeV 5=11342
$Si^{28}(n, \alpha)Mg^{25}$, 14.37-14.57 MeV n's and Si^{29} binding energy 5=5656
$Si^{28}(n, d)$, 14 MeV 5=11342
$Si^{28}(n, p)$, 14 MeV 5=11342
Sm^{149}, energy var. 5=821
$Sm^{149}(n, \gamma)Sm^{150}$ 5=11345
$Tb(n, \gamma)$, thermal n and low energy γ 5=5661
$Te^{128}(n, \gamma)$, isomer ratios 5=5659
Th^{232}, capture calc. 5=8654
Ti, with scatt., 0.001 eV—18 MeV 5=5658
Tl, radiative capture cross-section 5=823
U, scattering and electric polarizability 5=8646
U^{233}, with scatt. and fission, 4-15 MeV 5=8653
U^{238}, capture calc. 5=8654
V, capture γ's and levels 5=5657
$W^{186} \rightarrow W^{188}$, and γ-decay meas. 5=734
nuclei of Z > 2
See also Ions/scattering.
complex nuclei, single-nucleon transfer, diffraction model 5=5690
compound nucleus model 5=851
Coulomb excitation, in collisions of identical nuclei 5=703
nuclear excitation, rotational levels 5=11375
Ag emulsion nuclei at high energies, Li^8 prod. 5=5689
Ag + O^{16}, 167 MeV, light particle spectra 5=8684
Al + O^{16}, 167 MeV, light particle spectra 5=8684
Au + O^{16}, 167 MeV, light particle spectra 5=8684
$Au^{197}(Li^6, \alpha)Hg^{199}$, knock on mechanism 5=852
$Au^{197}(Ne^{22}, +d)Na^{24}$ and $Au^{197}(Ne^{22}, -p-3n)F^{18}$, and compound systems 5=11377
$B^{10,11}(L^6, \gamma)$ 5=853
$B^{10,11}(Li^7, \gamma)$ 5=853
$B^{11} + Li^7$ 5=5521
$Be^9(Li^6, \gamma)$ 5=853
$Be^9(Li^7, \alpha)$ 5=853
Br emulsion nuclei at high energies, Li^8 prod. 5=5689
$C^{12}(C^{12}, \alpha)Ne^{20}$, ground 1.63 MeV states, differential cross-section meas., sample size effect 5=854
$C^{12}(C^{12}, \alpha)Ne^{20}$, 9-16 MeV, ang. var. 5=5692
$C^{12}(C^{12}, \alpha)Ne^{20}$, 10.15 to 12.8 MeV, integrated cross-section meas., versus statistical calc. 5=855
$C^{12}(C^{12}, \alpha\gamma)Ne^{20}$, Ne^{20} 5.63 MeV (3^-) level deexcitations to O^+ ground state 5=715
$C^{12}(Li^6, \gamma)$ 5=853
$C^{12}(Li^7, \gamma)$ 5=853
$Ca^{48} + C^{12}$, 72 MeV, n^4, n^6 search 5=670
$Ce^{140}(O^{16}, xn)Dy^{156-x}$ 5=2848
due to Li^6, disintegration into α + d in Coulomb field 5=8683
due to Li^6, two-nucleon stripping and knockout 5=852
$Li^7(Li^7, He^6)Be^8$, He^6 spectra 5=5691
due to N^{14} and Coulomb excitation 5=11221
N^{14} with O^{16}, Na^{23}, Al^{27}, ang. momentum effects, ~27 MeV 5=11376
$Nd^{144}(C^{12}, xn)Dy^{156-x}$ 5=2848

Nuclear reactions due to—contd
nuclei of Z > 2—contd
$Nd^{146}(B^{11}, 8n)Tb^{149g}$ 5=2848
Ni + Ne^{20} or O^{16}, p decay 5=5579
Ni + O^{16}, 167 MeV, light particle spectra 5=8684
$Pr^{141}(C^{12}, 4n)Tb^{149g}$ 5=2848
$Pu^{242}(Ne^{22}, 4n)[104]^{260}$ 5=5812
$Pu^{242}(Ne^{22}, 4n)104^{260}$ 5=8685
photons
fluoron, γ—α reaction, α-particle tracks, spectra, in photo-nuclear emulsions meas. 5=14521
(γ, n), z = 24—33, up to 80 MeV 5=779
giant resonance energies, heavy nuclei 5=677
heavy nuclei n—p photodisintegration 5=11299
isomer prod., 15 short lived 5=11201
magic nuclei, effect of threshold levels 5=780
processes in 2-body systems rel. to electrons 5=11308
rotation and vibr. model, deformed nuclei 5=14463
total cross-sections, low atomic number 5=8619
in unified theory 5=770
velocity dependent force and nucleon correlation effect 5=778
$Ag(\gamma, \alpha)$, 35 MeV, statistical model comparison 5=8623
Ag, 145 keV, absolute cross section, meas. versus theories 5=785
Ag, 662 keV, absolute cross-section, meas. 5=787
Al, γ—α reaction, α-particle tracks, spectra, in photo-nuclear emulsions meas. 5=14521
$Al^{27}(\gamma, n)Al^{26m}$, cross-section 5=14523
$Au(\gamma, \alpha)$, 35 MeV, statistical model comparison 5=8623
$Be^9(\gamma, n)$, 18-33.5 MeV 5=14522
$Bi^{209}(\gamma, n)$, $(\gamma, 2n)$, photoneutron cross-section meas. 5=788
C, bombard., deuteron yield 5=11295
C, π^+ prod. by bremsstrahlung, 30 to 150 MeV cross-section—energy rel. 5=2801
C (γ, n), up to 30 MeV 5=8621
$C(\gamma, p)$, up to 24 MeV 5=5609
C, π^+ prod. by bremsstrahlung, 30 to 150 MeV cross-section—energy rel. 5=2801
$C^{12}(\gamma, 3\alpha)$ reaction prod. in organic scintillator by γ-rays 5=8622
$C^{12}(\gamma, 3\alpha)$, 12-17 MeV 5=11296
$C^{12}(\gamma, p)$, cross-section meas., 20.2-22.4 MeV 5=781
$Ca^{40}(\gamma, p)K^{39}$, 16-28 MeV 5=2804
$Cu(\gamma, \alpha)$, 35 MeV, statistical model comparison 5=8623
Cu, 145 keV, absolute cross section, meas. versus theories 5=785
$F(\gamma, p)$, up to 24 MeV 5=5609
H_2O, photonuclear, delayed n yields, calc. 5=8624
$In(\gamma, \alpha)$, 35 MeV, statistical model comparison 5=8623
Mg (γ, n), up to 30 MeV 5=8621
$Mg^{24}(\gamma, p)$, (γ, n) and monopole part of Majorana forces 5=5610
$Mg^{24}(\gamma, p)$, p spectra, ang. distrib. 5=751
$Mo^{92}(\gamma, n)$, $\leqslant$ 33 MeV 5=5612
$Mo^{92}(\gamma, 2n + \gamma, np)$, $\leqslant$ 33 MeV 5=5612
$Mo^{97,98}(\gamma, p)$, $\leqslant$ 33 MeV 5=5612
$Mo^{98}(\gamma, np)$, $\leqslant$ 33 MeV 5=5612
$Mo^{100}(\gamma, n + \gamma, p)$, $\leqslant$ 33 MeV 5=5612
N $(\gamma, \pi^{\pm})$ 5=782
$Nb^{93}(\gamma, p)$, 32 MeV brem. 5=5611
Nd, 22 MeV bremsstrahlung, Ce^{140}, Pr^{140}, Nd^{142}, Os^{187} isomers prod. 5=5548
$O^{16}(\gamma, \alpha)C^{12}$, 12-17 MeV 5=11296
$O^{16}(\gamma, 4\alpha)$, 12-17 MeV 5=11296
$O^{16}(\gamma, n)$, dipole effect 5=2802
$O^{16}(\gamma, n)O^{15}$, neutron groups 5=5608
$O^{16}(\gamma, n)O^{15}$ near 17.6 MeV 5=783
O^{16}, quasi-deuteron production 5=11297
Pb, prod., ang. distrib. 5=786
Pb, 662 keV, absolute cross-section, meas. 5=787
$Pb^{206,207,208}(\gamma, n)$, $(\gamma, 2n)$ photoneutron cross-section meas. 5=788
Pt, 662 keV, absolute cross-section, meas. 5=787
$Rh^{103}(\gamma, 2p)Tc^{101}$ 5=11305
Si, γ—α reaction, α-particle tracks, spectra, in photo-nuclear emulsions meas. 5=14521
Si, prod., ang. distrib. 5=786
$Si^{28}(\gamma, \alpha)Mg^{24}$, 117 keV—17.62 MeV 5=11298
$Si^{28}(\gamma, \alpha)Mg^{24}$, 17.5-22.3 MeV, monochromatic 5=784
$Si^{28}(\gamma, \alpha)Mg^{24}$, 17.6 to 19.6 MeV 5=2803
$Si^{28}(\gamma, p)Al^{27}$, 117 keV—17.62 MeV 5=11298
$Si^{28}(\gamma, p)Al^{27}$, 17.5-22.3 MeV, monochromatic 5=784

Nuclear reactions due to—contd
- **photons**—contd
  - $Si^{28}(\gamma, p)Al^{27}$, 17.6 to 19.6 MeV 5=2803
  - Sn, 145 keV, absolute cross section, meas. versus theories 5=785
  - Sn, 662 keV, absolute cross-section, meas. 5=787
  - Ta, 662 keV, absolute cross-section, meas. 5=787
  - $Th^{232}(\gamma, n)$, delayed yields calc. 5=8624
  - $Tl(\gamma, xn)$, cross-sections to 105 MeV 5=14524
  - $U^{238}(\gamma, n)$, delayed yields calc. 5=8624
  - $U^{238}(\gamma, n)$ versus photofission near binding energy 5=5613
- **protons**
  - in emulsion, heavy ion prod. at 25 GeV 5=5624
  - in emulsion, 19.8 GeV/c 5=5338
  - in emulsion, 24 GeV/c, $Nn > 8$, in mag. field 5=5623
  - in heavy emulsion nuclei, Li^8 fragments, 9-24 GeV 5=798
  - mass spectroscopy of products 5=5729
  - (p, α), ang. distrib. analysis by population numbers 5=800
  - (p, α), 3 MeV, semiconductor counter meas. 5=849
  - (p, γ) extinction yields in single crystals 5=3784
  - (p, n) cross-sections, total, in mass range 45 to 65 5=14537
  - (p, n), V^{51}, Fe^{56}, Co^{59}, Cu^{65}, Nb^{93}, Rh^{103}, 23° n spectra 5=796
  - (p, n) and (p, pn) on light nuclei, medium energies 5=8633
  - (p, n), quasielastic, optical model anal. 5=799
  - (p, n) thresholds for 26 nuclei with $37\ A \leqslant A \leqslant 112$ 5=5626
  - (p, n), Be^9 to Nb^{93} targets, n-spectra, ang. distrib., cross-section meas. 5=793
  - $(p, 2p)$, distortion partial wave analysis 5=8632
  - (p, t), $A = 46 - 70$, 40 MeV, ang. var., ground and first state 5=2812
  - production of $Z > 2$ > 2 MeV/N particles in emulsion, 25 GeV 5=5625
  - showers at high-energy, Monte-Carlo calc. 5=667
  - thick targets, neutron yields, 8-13 MeV 5=5622
  - Ca^{40}, Fe^{56}, Co^{59}, $Ni^{58,60}$, Sn^{120}, Pb^{208}, 28.5 MeV, total 5=2810
  - Ag $(p, 2n)$, new doublets 5=5543
  - Al, Be^7 production, 155 MeV 5=5632
  - $Al^{27}(p, \alpha)Mg^{24}$, α-particle ang. distrib., mag. substates population calc. 5=800
  - $Al^{27}(p, \gamma_0)$, ang. distribs. calc. 5=14535
  - $Al^{27}(p, \gamma)Si^{28}$, 4.9-6.7 MeV, fluctuations due to compound giant resonance 5=5633
  - $Al^{27}(p, \gamma\gamma)$, rel. to Si^{28} odd parity states 5=11223
  - $Al^{27}(p, n)Si^{27}$, threshold meas. from resultant β^+ radioactivity 5=14534
  - $Al^{27}(p, n)Si^{27}$, 5803.1±4.5 keV threshold 5=14533
  - Au, Be^7 production, 550 MeV 5=5632
  - Au$(p, He^3$ or $He^4)$, 157 MeV, ang. distrib. mechanisms 5=5639
  - $Au^{197}(p, x)Tb^{149}$, 7 to 26.3 GeV, cross-section meas. 5=14538
  - $B^9(p, \gamma)B^{10}$ 5=11215
  - $B^{10}(p, \alpha\gamma)Be^7$, 2.00-4.10 MeV, resonances 5=14531
  - $B^{10}(p, p'\gamma)B^{10}$, 2.00-4.10 MeV, resonances 5=14531
  - $B^{10,11}(p, \alpha)Be^{7,8}$, α-particle ang. distrib. 5=2814
  - $B^{11}(p, \alpha)$, C^{12} 16.11 MeV level decay scheme 5=2770
  - $B^{11}(p, 3\alpha)$ 5=11317
  - $B^{11}(p, \gamma)$, $Ep = 4$-14 MeV, giant dipole resonance in C^{12} 5=802
  - $B^{11}(p, n)C^{11}$, n groups from C^{11} levels 5=14532
  - $B^{11}(p, n_0)C^{11}$, 7.1 to 8.2 MeV 5=11316
  - $Be^9(p, \alpha)Li^6$, α-particle ang. distrib. 5=2814
  - $Be^9(p, d)Be^8$, deuteron ang. distrib. 5=2814
  - $Be^9(p, n_0)B^9$, 3.5 to 10.9 MeV 5=11316
  - Bi$(p, He^3$ or $He^4)$, 157 MeV, ang. distrib. mechanisms 5=5639
  - C^{12}, intranuclear cascades, Monte Carlo calc. 5=2815
  - $C^{12}(p, p\alpha)Be^8$, 150 MeV, α-particle ang. distrib., impulse approx., calc. 5=803
  - $C^{12}(p, p'\gamma)C^{12*}$, 40 MeV 5=5629
  - $C^{13}(p, n_0)N^{13}$, n_0 polarization 5=8635
  - $C^{13}(p, n)N^{13}$, 3235±1.5 keV threshold 5=14533
  - $Ca^{48}(p, n\gamma)Sc^{48}$, for Sc^{49} energy levels 5=14478
  - $Ce^{142}(p, pn)Ce^{141}$, 0.4 to 28 GeV 5=2817
  - $Ce^{142}(p, 2p)La^{141}$, 0.4 to 28 GeV 5=2817
  - $Cl(p, Na^{24})$, range distrib., 2.9 GeV 5=5635
  - Cl, $^{35,37}(p, \gamma)Ar^{36,38}$, 800-2050 keV 5=14536
  - Cr^{54}, $(p, \alpha)V^{51}$, α-spectra, 11-12.5 MeV 5=807
  - Cs $(p, 2n)$, new doublets 5=5543
  - $Cs^{133}(p, xn\gamma)$, 27-55 MeV 5=5638
  - $Cu(p, Na^{24})$, range distrib., 2.9 GeV 5=5635
  - $Cu^{65}(p, p\pi^{\pm})$, peripheral, 19 GeV 5=564
  - $F^{19}(p, p^1\gamma)$, 197 keV perturbations, in gaseous and metallic media 5=14476

Nuclear reactions due to—contd
- **protons**—contd
  - Fe, thick target radionuclide buildup, 1, 3 GeV 5=12434
  - $Fe^{54}(p, n)Co^{54}$, threshold meas. from resultant β^+ radioactivity 5=14534
  - $Fe^{56}(p, \alpha)Mn^{53}$, 11-12.5 MeV, α-spectra 5=807
  - $Fe^{58}(p, n)Co^{58}$, excited levels of Co^{58} 5=5534
  - I $(p, 2n)$, new doublets 5=5543
  - Ir $(p, 2n)$, new doublets 5=5543
  - $K^{39}(p, \alpha)Ar^{36}$, six excited Ar^{36} states 5=2742
  - $K^{39}(p, \alpha)Ar^{36}$, Ar^{36} new energy levels 5=8543
  - $K^{41}(p, \alpha)Ar^{38}$, Ar^{38} new energy levels 5=8543
  - $Li^6(p, \alpha)He^3$, 100-300 keV, and Be^7 levels, 6-10 MeV 5=5518
  - $Li^6(p, He^3)He^4$, 1.3-5.6 MeV 5=11312
  - $Li^7(p, \alpha)\alpha$, $\leqslant 12$ MeV, and Be^8 levels 5=5627
  - $Li^7(p, \alpha)He^4$, 2-3.5 MeV, with polarized p's 5=2813
  - $Li^7(p, \alpha)He^4$, 3.2-5.3 MeV 5=8634
  - $Li^7(p, \alpha)He^4$, 10 MeV, excited He search 5=5628
  - $Li^7(p, \gamma)Be^8$, $Ep = 200$—1700 keV, ang. distrib. interference effects 5=801
  - $Mg^{24}(p, \gamma)$ and monopole part of Majorana forces 5=5610
  - $Mg^{25}(p, \gamma)Al^{26}$ 5=11215
  - $Mg^{26}(p, p)$, 8.4-14.0 MeV var. 5=5617
  - $Mn^{55}(p, \alpha)Cr^{52}$, 9.5-9.9 MeV, fluctuations 5=805
  - $Mn^{55}(p, \alpha)Cr^{52}$, 11-12.5 MeV, α-spectra 5=807
  - $N^{14}(p, n)O^{14}$, 6358.8±3.0 keV threshold 5=14533
  - $N^{15}(p, n_0)O^{15}$, n_0 polarization 5=8635
  - $Na^{23}(p, \alpha)$, 2 resonance levels 5=5631
  - $Na^{23}(p, \alpha, \gamma)Ne^{20}$, 860 to 1470 keV, γ-yields, decay modes rel. intensities, meas. 5=804
  - $Na^{23}(p, \gamma)Mg^{24}$, 860 to 1470 keV, γ-yields, decay modes rel. intensities, meas. 5=804
  - $Na^{23}(p, p_1, \gamma)Na^{23}$, 860 to 1470 keV, γ-yields, decay modes, rel. intensities, meas. 5=804
  - Nb, 240-720 MeV 5=806
  - $Ne^{21}(p, \gamma)Na^{22}$, resonances 5=8636
  - $Ne^{22}(p, t)$ and Ne^{20} $T = 2$ level 5=5523
  - $Ne^{22}(p, He^3)$ and F^{20} $T = 2$ level 5=5523
  - $Ni^{58}(p, \alpha)Co^{55}$, 11-12.5 MeV, α spectra 5=807
  - $Ni^{58}(p, n)Cu^{58}$, threshold meas. from resultant β^+ radioactivity 5=14534
  - $Ni^{60}(p, \gamma\gamma)$, triple correls. and Cu^{61} levels 5=8637
  - $Ni^{60}(p, p'\gamma)$ and 3^+ 3-phonon state 5=5535
  - $O^{16}(p, \gamma)$ rel. to F^{17} 3.10 MeV state 5=5630
  - $O^{18}(p, \alpha)N^{15}$, spectroscopy by semiconductor detectors 5=11355
  - $O^{18}(p, \alpha)N^{15}$, 1.1-2.6 MeV 5=2740
  - $O^{18}(p, t)$ and O^{16} $T = 2$ level 5=5523
  - $O^{18}(p, He^3)$ and N^{16} $T = 2$ level 5=5523
  - $P^{31}(p, \gamma)S^{32}$ 5=11225
  - $P^{31}(p, \gamma_0)S^{32}$, giant resonance fine structure, 2 to 11.5 MeV 5=11318
  - Pb, Li^8 fragments produced by 9 GeV protons 5=2816
  - $Rh^{103}(p, d)Rh^{102}$, 16.8 MeV, and Rb^{102} levels 5=5637
  - $Rh^{103}(p, t)Rh^{101}$, 16.8 MeV, and Rh^{101} levels 5=5637
  - $S^{32}(p, \alpha)P^{29}$, 14.5 MeV 5=5634
  - $S^{34}(p, n)Cl^{34}$, threshold meas. from resultant β^+ radioactivity 5=14534
  - Sb $(p, 2n)$, new doublets 5=5543
  - Ta, Be^7 production, 155 MeV 5=5632
  - Ta, La prod. 5=2748
  - $Ta^{181}(p, xn\gamma)$, 55 MeV 5=5638
  - Th$(p, He^3$ or $He^4)$, 157 MeV, ang. distrib. mechanisms 5=563
  - V, Be^7 production, 155 MeV 5=5632
  - $V(p, Na^{24})$, range distrib., 2.9 GeV 5=5635
  - $Y^{89}(p, \gamma)Zr^{90*}$, excitation funcn. 5=5620
  - $Y^{89}(p, p')Y^{89*}$, excitation funcn. 5=5620
  - Zn, γ decaying isotopes 5=5636
- **tritons**
  - light nuclei 5=845
  - reduced width calc. on superfluid model 5=830
  - $C^{12}(t, \alpha)B^{11}$ cross-section difference from $C^{13}(He^3, \alpha)C^{12}$ 5=5675
  - $C^{12}(t, \alpha)B^{11}$, 10.06 MeV 5=11353
- **X-rays.** See Nuclear reactions/photons.

Nuclear reactors, fission
- ANNA, microscopic n flux distribs. 5=2866
- background reduction in (n, γ) expts. at VVR-S reactor 5=880
- BR-1 with Th screen, props. 5=8712
- calculating apparatus, digital data collector 5=8721
- calculating apparatus, digital for Karlsruhe FR2 5=8295
- cryostat for irradiation 5=180

Nuclear reactors, fission—contd
- development in USSR, review 5=8701
- FRG 1 neutron chopper, for total cross-sect. meas. 5=5720
- fast breeders, review 5=5705
- graphite moderated, calc. models 5=877
- heat transfer eqns. 5=870
- historical review, Rutherford Mem. Lecture, 1963 5=5704
- measurements with B poisoning 5=11402
- measurement, calorimeter for radiation induced power 5=11401
- measurement of integral flux density 5=8720
- measurement, reactivity change, HECTOR 5=879
- neutron chopper meas., rotor and collimator effects on segregation function 5=11400
- neutron flux meas. of MTR velocity selector hole 5=14561
- neutron flux, wire radioactivity automatic meas. 5=14562
- neutron meas. by foils, automatic data acquisition 5=8722
- neutron spectra, and diffusion coeff. energy depend. 5=8708
- NORA, microscopic n flux distribs. 5=2866
- peaceful uses, conference, Geneva (1964) 5=8700
- product release on UO_2 melting 5=8724
- RB, microscopic n flux distribs. 5=2866
- Romashka, with direct conversion 1700°C 5=8711
- shielding, attenuation of particle streaming in ducts 5=5302
- in space, n β-decay contrib. to radiation belts 5=13402
- streaming effect calc. 5=8710
- thermal utilization in NORA 5=5725
- water, neutron escape probability calc. 5=8709
- ZENITH, core 5, meas. 5=878
- N^{17} for reactor power monitor 5=14563
- Na cooled, developments in USSR 5=8713
- Pu^{239}, capture/fission ratio, height var. in BR5 5=875

materials
- burnup meas. by magnetic γ spectrometer 5=8718
- canning metals, bonding to UO_2 5=871
- catalyst, oxyhydrogen reaction, steam poisoning, ignition, kinetics calc. 5=14558
- cladding failure, det. from cooling water activity 5=872
- control rods, dispersed alloy 5=5718
- failure of metals, Canadian obs. 5=2869
- fuel plate thermoelastoplastic stability 5=11397
- graphite, capture cross-section by pile oscillator method 5=815
- graphite, mechanical props., n effects 5=9552
- graphite, oxidation in CO_2, inhibitors 5=15619
- graphite, Vigner energy and safe operating conditions 5=869
- poisoning, Xe, optimization 5=2868
- quartz filters for neutron and γ-ray attenuation 5=8435
- structure and shielding mats, fast neutron elastic scatt. calc. 5=5649
- B poison meas. 5=11402
- Bi filters for neutron and γ-ray attenuation 5=8435
- Hf, production by Van Arkel process 5=5713
- ThO_2—UO_2, use as nuclear fuel, investigation 5=5714
- α-U, anomalous swelling, and burn-up rel. calc. 5=15120
- U bars, canning, by pure Al 5=11398
- U burn-up in VVR-S reactor, Bucharest 5=873
- U^{238} Doppler coeff. in fast reactor spectra 5=11399
- U^{238} and C mixture, neutron spectra near resonances 5=8705
- UO_2—ThO_2, resonant escape meas. 5=11396

operation
- absorbing B rod in reflector 5=5717
- automation system 5=876
- boiling in reactor core 5=874
- burnup meas. by magnetic γ spectrometer 5=8718
- burn-up of U in axial motion 5=8716
- control computer executive program 5=8723
- control rod, pressure balanced 5=8717
- in-core instrumentation, review 5=14564
- fuel optimum burn-up and power, loss calc. 5=5712
- heat conduction, nonstationary, in hollow cylinders 5=13983
- measurement of subcritical reactivity using high frequencies 5=8719
- n-capture γ-ray spectrometer, Hoogenboom type 5=5721
- neutron distribution in monoisopropyldiphenyl 5=11403
- neutron thermal spectrum monitors, Cd, Sm, Gd, Lu cross-sect. meas. 5=5723
- non-linear fast feedback in Douvreay fast reactor 5=868
- optical instruments for hot cells 5=5724

Nuclear reactors, fission

operation—contd
- plasma prod. for m. h. d. by neutron irrad. in inert gas—He^3 mixture 5=3137
- shut down, optimum 5=5719
- stability regions of control circuit of cold reactor 5=5716
- Zenith, Pu core 7, spectrum meas. using chopper 5=2870
- N^{17} decay power monitor 5=14563
- Xe poisoning optimisation by peaking 5=5715

theory
- basic kinetic eqns., appl. to fast pulsed reactors 5=5710
- boiling reactors, criticallity calc. 5=863
- computer calculation by adjoint problem 5=578
- critical condition for inhomogeneous reactor with finite radius rods 5=2862
- diffusion calcs., modified Kantorowitsch method 5=8702-3
- diffusion cooling coeff. for heavy gas, summation 5=865
- disadvantage factors in 3-region cylinder cells, calc. 5=864
- exponential experiment in natural U, calc. methods 5=11394
- fast cylindrical, flattened geometry rel. to thermal and physical charact. 5=8714
- film boiling round fuel sphere, heat transfer coeff. calc. 5=13981
- heat conduction analogue for neutron reflector 5=11395
- lattice cell thermal calcs., PIP2 programme 5=2864
- neutron diffusion, in infinite slab with non-isotropic internal scattering 5=5358
- neutron distrib. calc. in lattice of water moderated reactor 5=11391
- neutron flux in flat slabs 5=8704
- neutron flux perturbations due to infinite absorber 5=11393
- neutron flux relaxation calc. 5=11392
- neutron fluxes, programmes for IBM 7090 computer 5=2865
- neutron moderation process, spherical harmonics method calc. 5=2867
- neutron spectra in moderator assemblies, expt. and theory 5=14560
- nonlinear analysis of two-temp. stability 5=8706
- parameter oscillation meas. 5=5709
- reflected media, Özemre's method 5=5711
- relativistic particle vel. diags, use of Lobachevski space transformation 5=11278
- series-connected saturable, feedback charge control 5=14565
- shut-down optimum conditions 5=8715
- square core, neutron flux and distrib. calc., resist. network analogue method 5=5708
- stability against time for converter assemblies and breeders 5=2863
- thermal flux ratios from first-flight collision probabilities 5=11390
- thermal neutron flux distrib. in fuel element 5=867
- thermal neutron spatial and energy distrib. 5=8707
- thermal, poisoning 5=14559
- transfer function, calc. from fluctuations of neutron flux 5=866
- two-cycle power plant coolant cycle, thermodynamical process investigation 5=5707
- two prompt neutron groups, Rossi-α 5=14557

Nuclear reactors, fusion
- No entries

Nuclear spallation
- in emulsions, by 600 MeV protons 5=797

Nuclear track emulsions
- charge discrimination by ionographic photometer for $Z \geqslant 3$ 5=8341
- distortion elimination 5=2542
- exposure in organic liquids, α-tracks and Rn^{220} diffusion 5=10945
- for fission products obs., Fm, Md 5=10944
- hammer tracks, 9-24 GeV proton interactions with heavy nuclei, Li^8 fragments 5=798
- interaction m. f. p. of high energy nucleons, α-particles 5=2607
- ion and monopole width calc. 5=5286
- ionization meas., double scan method, density var. 5=10946
- ionization by relativistic particles, comparative meas. 5=5285
- measurement of multiple coulomb scatt., distortion and noise elimination 5=514
- NIKFI-R, distortion, damp—heat treatment effects 5=10947
- NIKFT-R, spurious scattering 5=14364

Nuclear track emulsions —contd
nuclear interaction study, high energy meas. 5=2566
photographic, latent-image model, computer study 5=14363
photographic, single grain layer prod. 5=10732
preparation, properties, applications and ionization processes, conference 5=5287
proton interactions, 19.8 GeV/c 5=5338
spallation, produced 600 MeV protons 5=797
use with spark chambers 5=8334
spurious scattering and distortion 5=8338
stars, double centre, meas. apparatus 5=8336
track length meas., semi-automatic method 5=8337
trace width meas. apparatus 5=8340
Nucleons and antinucleons
See also Neutrons and antineutrons; Protons and antiprotons.
annihilation selection rules, reactions, review 5=8256
conservation law in nucleus test 5=14408
conservation test 5=8400
decay, $N^*_{3/2} \to N + \pi$, decay widths, relation to other decuplets 5=635
e.m. structure, form factors, resonance models calc. 5=561
energy spectra rel. to meson mass charge symmetry violation 5=10796
few nucleon systems, review 5=671
form factor calc. from γ—π—N system 5=14409
form factors, isovector, isospin commutation rel. effects 5=2603
many-fermion structure rel. to hard-core nuclear forces 5=10826
mass calc. from π—N scatt. calc. 5=5405
moment, elec. dipole, and 4N interaction 5=8401
moments, magnetic, self-consistency in π N 5=8402
polarizability, from γ—d scattering 5=10977
potential, two, and nuclear binding energy 5=14459
interactions
four like nucleons, in same shell 5=672
with γ, energy var. from cosmic ray μ obs. 5=8368
jets prod., anal. as two-body process 5=5328
m.f.p. in nuclear emulsions, high energy meas. 5=2607
with mesons, vector, high energy 5=2395
polarization effects of single isobar processes 5=5330
resonance effects in direct nuclear reactions 5=5599
three nucleon wave-function from n capture by d 5=650
(N, d), (N, N′), (d, N), (d, d′), amplitudes connection 5=8664
N—η, π coupling consts. in Heisenberg's nonlinear theory 5=14431
$\bar{K}$—N, erratum 5=11111
$K^+ + N \to \pi^+ + \pi^- + \pi^+ + N$, K^+ initially 900 MeV/c 5=11110
Λ—N and, hypernuclei binding energy 5=690
Λ-N from hypernuclei binding energy 5=8483
Λ—N and p-shell hypernuclei 5=14460
N-D break-up, final state problem calc. 5=10832
N—N_{33}* reciprocal boot strap generalization to G_2 symmetry scheme 5=5200
3N system, binding energy, low energy scatt. calcs. 5=8492
4N, and elec. dipole moment 5=8401
4N search in d fission of U 5=8494
4N system 5=5459
p—N, high energy, π, K, p, $\bar{p}$ prod. and isobars 5=11027
interactions, nucleon—nucleon
conference, Univ. of Sussex, (1964) 5=8288
isobar prod., single 5=5332
2N potential, OPEP + 2 finite rectangular cores 5=11018
$N\bar{N}$ annihalation, W meson prod. theory 5=5375
on nucleus Fermi surface 5=8505
in nucleus, high energy meas. 5=769
peripheral, high energy, one-meson approx. calc. 5=11020
π radiation, Cherenkov-type 5=11077
residual, in nucleus, effects of core excitation 5=14458
review, present state of theory and practice 5=5331
shower particles, ang. distrib., statistical analysis 5=2604
statistical model, light boson prod. at very high energies 5=14272
ultra-high energy, inelastic peripheral collisions 5=5329
interactions, pion—nucleon. See Pions/interactions, pion—nucleon.
scattering
d—N, calc., and t binding 5=8492

Nucleons and antinucleons—contd
scattering—contd
and d scatt., (d, N), (N, d), amplitudes connection 5=8664
on deformed nuclei, low-lying 2^+ levels, high-energy nucleons 5=791
ΛN, S-wave calc. 5=5448
KN, πN, secondary peaks, small spin-flip explanation 5=5407
K—N, N—N, π—N, parametrization, and charge exchange reactions 5=5334
$\bar{K}$—N, and Y_1^* as Regge pole, T=1 state 5=11113
Λ^0—nucleon, elastic, cross-section 5=5447
Λ—N potential, single particle exchange model 5=14445
Λ—N, 2-pion exchange, and $N^*_{3,3}$, Y_1^* 5=11021
N-d elastic scatt. at 155 MeV, theory 5=8404
$N + e \to e + N + A$, high-energy limit, rel. to $\gamma + N \to N + A$ 5=2590
(N, N′), (N, d), (d, N), (d, d′), amplitudes connection 5=8664
N—ν, rel. to neutrino opacity of matter 5=2587
π—nucleon, phase shifts and resons., 300 to 700 MeV 5=5408
Al, small angle amplitudes, analysis, multiple Coulomb scatt. correction 5=2806
Be, small angle amplitudes, analysis, multiple Coulomb scatt. correction 5=2806
C nucleus, absorpt. cross-section, 300-970 MeV 5=14528
C, small angle amplitudes, analysis, multiple Coulomb scatt. correction 5=2806
He, small angle amplitudes, analysis, multiple Coulomb scatt. correction 5=2806
scattering, nucleon—nucleon
boson mass width effect 5=14411
charge symmetry and independence effects 5=8403
from d photodisintegration, calc. 5=14412
effects of f^0, ϕ and β-mesons in one-boson exchange 5=14410
inelastic unitarity 5=2605
low energy, e.m. corrections, charge independence 5=11023
nonlocal separable interactions, amplitude BBG calc., exclusion principle effect 5=470
one boson exchange model 5=2606
parametrization, and charge exchange reactions 5=5334
singlet states, phase shifts, separable nonlocal nuclear pot. 5=562
singlet-even potentials, nonlocal, analytic solns. 5=5333
two-pion exchange structure 5=11022
scattering, pion—nucleon. See Pions/scattering, pion—nucleon.
antinucleons
No entries
Nucleus
See also Elements/origin; Hypernuclei; Radioactivity; Scattering, particles.
binding energy and 2 nucleon potential 5=14459
even—even (A = 180 to 192), deformation nature 5=11239
isobaric mass formula, A = 17 5=8513
mass equation, liquid drop model, semi-empirical 5=2719
n^4, n^6 search in $Ca^{48} + C^{12}$, 72 MeV or + He^3, 39 MeV 5=670
partial multipole moments, calc. by reaction sum rules 5=11198
polarization, dynamic, in crystals 5=11973
polarization, by interaction with electrons, entropy production 5=8025
relativistic outgoing wave-function 5=8240
review, elementary 5=8616
surface, reference spectrum appl. 5=5487
104 production by Pu^{242} (Ne^{22}, 4n)104^{260} 5=8685
Ag^{104} and Ag^{110m}, polarization, 0.0105° to 0.97°K 5=14898
Al^{27}, p binding energy, momentum distrib. and scatt. meas. 5=684
C^9, mass from C^{12}(He^3, He^6)C^9 5=8514
C^{12}, p binding energy, momentum distrib. and scatt. meas. 5=684
C^{12}, structure, muon scatt. expt. 5=8504
Ca, charge distrib., from electron scatt. and muonic X-rays 5=688
Cr, effective mag. fields on, in Cr metal 5=1773
Ir^{192}, polarization in Fe 5=14506
Li^4 search in H, He^3 reactions 5=11177
Li^8, fragments from 9-24 GeV proton interactions in emulsions 5=798
Mg, effective mag. fields on, in Mg metal 5=1773
$Te^{123-7,129,131}$, shell-model states, from (d, p) and (d, t) reaction data 5=725

Nucleus — contd
electric moment
See also Molecules/nuclear coupling.
effective charge of E2 transitions in 1 f $_{7/2}$ and g $_{9/2}$ proton orbits 5=8534
odd n nuclei, A < 150, 189 < A < 210, and shell model 5=5539
quadrupole vibration states, and 2-phonon triplets 5=2723
Br^{80,80m}, and h. f. s. interaction const. 5=686
Cd^{113m}, 14 year 5=5539
Eu^{152}, from isotope shift, quadrupole 5=8517
F^{17} level matrix elements, low lying 5=14475
Hg 195, 195m, 194, 193, 193m, 192 5=5491
I^{137} 5=900
La^{139} in La nitride, quadrupole coupling by polarization expt. 5=1232
Li^{6}, calc. on phenomenological rotation model 5=14474
Nd^{142} 1% in Mg(OH)$_2$, quadrupole coupling by polarization expt. 5=1232
O^{17} level matrix elements, low lying 5=14475
Pu^{241}, quadrupole moment, spectroscopic determ. 5=687
Rb^{85,87} 5=8764
energy levels
See also Radioactivity/decay schemes.
α-particle excitation, two-body calc. 5=8532
asymmetric rotators, models 5=8526
calculation, binding energies 5=695
calculation, d-s lower levels 5=5526
calculation, non-spherical nuclei, elec. monopole 5=5504
charge-dependent potentials and n—n scatt. length 5=5516
closed shell, collective states 5=11209
collective phenomena 5=696
collective vibrations, Pauli principle effect 5=11210
compound states definitions 5=8608
correlation structure obs. by e scatt. 5=14468
coupled transitions energy 5=8522
deformaties 50 $\leqslant$ Z, N $\leqslant$ 82, Nilsson single particle model calc. 5=2732
deformed even, Coriolis anti-pairing and blocking effect 5=8529
deformed nuclei, e.m. transition intensities 5=5503
deformed nuclei, ordinary and pairing type interactions, self-consistent treatment 5=2734
deformed, odd—odd, p—n resid. interact. 5=5506
dipole 5=5513
E1 giant resonance dominant state 5=8540
E2/M1 mixing ratios of $2^+ \rightarrow 2^+$ transitions in even—even nuclei 5=5508
even—even, heavy, excited rotational states, mean lives 5=11245
even—even nuclei, first-excited, seniority-zero, spin-zero state, with pairing force 5=2744
first-forbidden transition, log$_{10}$ft calc. 5=8524
at fission saddle-point, α-ray scatt. investig. 5=5512
5^- of even—even nuclei, β decay log ft values 5=14464
γ decay, review 5=697
γ scatt., γ capture, Doppler approx. validity 5=775
γ-vibrational state calc. 5=14467
giant dipole line, dipole—quadrupole interaction effects 5=14471
giant dipole resonance 5=698
heavy nuclei and high isomeric states, residual n—p interaction 5=5510
heavy nuclei, Y$_{40}$ deformation rel. to transition rates in α-decay 5=8584
interaction model spin-orbit interaction and exchange effects 5=5484
interaction model, 2s—1d shell 5=5485
isobaric analogue states, impurities 5=2730
l-forbidden MI transition systematics 5=5505
lifetime measurements, beam-pulse method 5=11207
light nuclei, mixed symmetry states 5=11211
magnetic dipole ΔT = O transition detection by p scatt. 5=702
mathematical techniques relating to shell model 5=674
mirror nuclei and beta-decay theory 5=746
n—p correlations, treatment 5=5511
from n scatt., 23 nuclei, Zr to U 5=5643
2N transfer prod., nuclear struct. amplitudes calc. 5=5604
nucleon potential, substitution in Hamiltonian 5=11188
1p shell, effective interaction calc. 5=2726
from (p, n)V^{51}, Fe^{56}, Co^{59}, Cu^{65}, Nb^{93}, Rh^{103}, n spectra 5=796

Nucleus—contd
energy levels—contd
pair correl. effects in E1 transitions of odd mass rare earth nuclei 5=2727
and random matrices exponential ensemble 5=10267
random phase approx. with singular interactions 5=14469
rare-earth deformed, E1 transition probabilities 5=8528
reduced widths and strength functions 5=8607
resonance effects in direct nuclear reactions 5=5599
rotation effect on pairing correl. 5=706
rotational collective model, symmetry relationships 5=11205
rotational, DC calc. and centrifugal stretching 5=707
rotational states, high-spin, cranking model 5=14462
2s—1d shell wave functions 5=5481
2s—1d shell wave functions 5=5483
2s—1d shell wave functions for 2 and 4 particles 5=5482
semi-empirical formula, and fission asymmetry 5=2728
seniority scheme generalization, configuration calc. 5=2725
shell model oscillator unitary symmetry and Talmi transform 5=8199
spherical even nuclei, approx. diagonalization 5=705
spherical, quasi-particle—phonon theory, erratum 5=8536
spin in deuteron stripping 5=708
states of non-normal parity, centre-of-mass corrections 5=2729
superfluid model and odd—even effect 5=8523
systematics rel. to elementary particles 5=11203
threshold, R-matrix model calc. 5=694
228 $\leqslant$ A $\leqslant$ 254 two-quasi particle 5=11246
Ag, neutron-deficient, new doublets 5=5543
Ag, from neutron scatt. 5=8547
Ag^{108m}, 30. 2 keV transition, K/L ratio 5=8594
Al^{26}, decay scheme 5=11215
Al^{27}, configurational excitation role 5=5529
Al^{27} (p, α) Mg^{24}, calc. 5=800
Ar^{36}, new states 5=8543
Ar^{36}, shell model calc. 5=14477
Ar^{36}, six excited states 5=2742
Ar^{37}, from K^{37} weak β^+ decay branches search 5=5576
Ar^{38}, low, from S^{34}(α, γ) and Cl^{38}, K^{38} β decays 5=5530
Ar^{38}, new states 5=8543
Ar^{39}, spins, from K^{39} (n, p) Ar^{39} 5=818
Ar^{41}, precision γ-meas. with scintillator 5=5537
As^{75}, neutron resonance spectroscopy, meas. 5=820
At^{217}, from α decay of Fr^{221} 5=8605
Au^{190} 5=5592
Au^{197} 5=8562
Au^{197}, 268 keV spin from n scatt. 5=14482
Au^{197}, 268 keV spin and parity, from 191 keV K conversion 5=2755
B^{10} 5=11352
B^{10}, decay scheme 5=11215
B^{10}, 5 to 10 MeV 5=11367
B^{11}, parity 5=2737
B^{11}, 2. 13 MeV, fluorescence 5=11216
Ba^{130} 5=5638
Ba^{135} 5=8598
Ba^{135}, excited states from La^{135} decay 5=8551
Be^{7}, γ-decay 5=5632
Be^{7} by p and He^{3} scatt. from Li^{6} 5=11312
Be^{7}, 6-10 MeV from Li^{6}(p, α)He^{3}, 100-300 keV 5=5518
Be^{8}, from α—He scatt., < 120 MeV 5=658
Be^{8*}, from Be^{9}(γ, n) reaction 5=14522
Be^{8} and Li^{6} (d, α)α resonances 5=8666
Be^{8}, and Li^{7}(p, α)α, $\leqslant$ 12 MeV 5=5627
Be^{8}, from Li^{7} (p, γ) Be^{8} 5=801
Be^{8*} 2+, var. with prod. reaction 5=5517
Be^{8,9}, from Be^{9}(n, 2n) 14 MeV reaction 5=5655
Be^{9} from Li^{9} decay 5=2768
Be^{9}, second T = $\frac{3}{2}$ state 5=8538
Be^{10}, f and p shell splittings, rel. to triplet forces 5=2724
Bi^{213}, from α decay of At^{217} 5=8605
Br^{79,81} neutron resonance spectroscopy, meas. 5=820
Br^{80,80m}, h. f. s. interaction const. 5=686
C^{12}, α-decay 5=8589
C^{12}, α-widths, and shell model parity 5=5519
C^{12}, from e scatt., first three 5=5520
C^{12}, 16. 11 MeV, α decay scheme 5=2770
C^{13}, electric dipole resonance 5=8539

- Nucleus—contd
  - energy levels—contd
    - Ca^{41}, from proton spectra of Ca^{40} (d, p)Ca^{41} 5=8672
    - Ca^{42}, low-lying, from Ca^{43}(d, t)   5=2743
    - Ca^{50} 5=5531
    - Cd, even isotopes collective levels   5=8549
    - Cd, odd-A, from (d, p) and (d, t) reactions   5=722
    - Cd^{110} 5=2778
    - Cd^{114} 5=5581
    - Cd^{115,117}, from Cd^{114,116} (d, p) data   5=721
    - Ce^{135} 5=5583
    - Ce^{138} 5=5584
    - Ce^{140}, from Pr^{140} decay   5=731
    - Cl, from n capture γ's   5=5657
    - Cl^{36}, shell model calc.   5=14477
    - Co, from n capture γ's   5=5657
    - Co^{55}, from p, α, 11-12.5 MeV   5=807
    - Co^{56}, from Ni^{56} γ internal conversions   5=2775
    - Co^{58}, from Fe^{58}(p, n)Co^{58} 5=5534
    - Cr^{52} 5=5614
    - Cr^{53} 5=11361
    - Cr^{53}, $7/2^-$ at 1.28 MeV   5=5532
    - Cr^{55}, from p, α, 11-12.5 MeV   5=807
    - Cs, neutron-deficient, new doublets   5=5543
    - Cs, from neutron scatt.   5=8547
    - Cs^{131} 5=729
    - Cs^{133}, 80 keV, mag. moment, azimuthal shift meas.   5=2753
    - Cu^{61} from Ni^{60}(p, $\gamma\gamma$) triple correls.   5=8637
    - Cu^{63} excited core model and p scatt.   5=795
    - Cu^{63}, low-lying   6=11226
    - Dy^{160}, from Tl^{160} decay, coincidence spectrometer meas.   5=5586
    - Dy^{165}, from Dy^{164} (d, p) at 12 MeV   5=733
    - Dy^{165}, from gamma-transitions and spectra   5=5552
    - Er^{166} 5=11273
    - Er^{167}, E1 transitions, from 532 keV vibr. levels   5=14481
    - Eu^{152m_2}, from decay   5=11233
    - Eu^{153}, 98 keV, deformation, from γ scatt.   5=2752
    - Eu^{158}, 103 keV, magnetic moment Mössbauer meas.   5=3428
    - F^{16}, from N^{14}(He^3, n)F^{16}, n spectra   5=11369
    - F^{17} 5=5630
    - F^{17}, quadrupole matrix elements   5=14475
    - F^{17}, 10.5 and 12.26 MeV   5=11219
    - F^{18}, calc.   5=5524
    - F^{18}, calc., tensor forces   5=5525
    - F^{18}, low-lying γ-rays   5=11220
    - F^{18}, from O^{16} (He^3, pγ)F^{18} 5=8542
    - F^{18,19}, shell model calc.   5=11218
    - F^{19}, 8.5 to 10.5 MeV   5=2740
    - F^{19}, low, core-particle coupling model   5=712
    - Fe^{20}, calc.   5=5527
    - F^{20}, from F^{19}(d, pγ)   5=11356
    - F^{20}, T = 2 from Ne^{22}(p, He^3)   5=5523
    - Fe^{56}, rotational model, calc.   5=717
    - Fe^{57}, from Fe^{56}(n, γ)Fe^{57} γ spectrum   5=2821
    - Fr^{221}, from α decay of Ac^{225} 5=8605
    - Gd^{154}, from Eu^{154}, Tb^{154,154m} decays   5=5550
    - Gd^{156}, from Eu^{156} β decay, spins and parities   5=732
    - Gd^{158} 5=11272
    - H^4, H^5, absence of bound states   5=2736
    - He^4 5=11213
    - He^4, evidence for three unbound excited states   5=2736
    - He^4, 22 MeV   5=5462
    - He^6, from Be^9(n, α)   5=5460
    - Hf^{177}, E1 transitions, influence of N± 2 shells, Nilsson model   5=8558
    - Hf^{179m}, E1 transition probabilities   5=8556
    - Hg^{198,199}, transition energies   5=2756
    - Ho^{165} spin and gamma decay   5=5549
    - Ho^{166} 5=11235
    - I, neutron-deficient, new doublets   5=5543
    - I, from neutron scatt.   5=8547
    - I^{127}, 59 keV level, cascades   5=5545
    - I^{127} first excited state quadrupole moment in solid   5=11974
    - I^{129}, 26.8 keV mag. moment   5=5546
    - In, photoactivation levels   5=5540
    - Ir, neutron-deficient, new doublets   5=5543
    - Ir^{191}, from reson. γ-ray scatt.   5=11241
    - Kr^{83} 5=757
    - La^{140}, low spin, from Ba^{140} β—γ, γ—γ direct correls.   5=2749
    - Li^6, calc. on phenomenological rotation model   5=14474
    - Li^6, excited states, observed through He^4(d, d)   5=709

- Nucleus—contd
  - energy levels—contd
    - Li^6 p-nucleon, density distrib. in T = 0, 1 states   5=11214
    - Lu^{175,177}, E1 transitions, influence of N± 2 shells, Nilsson model   5=8558
    - Mg^{24} 5=855
    - Mg^{24}, giant dipole and monopole part of Majorana forces   5=5610
    - Mg^{24} from Mg^{26}(He^4, He^6)Mg^{24}, study   5=2845
    - Mg^{24}, time-dependent Hartree—Fock theory   5=713
    - Mg^{24,25,26} 5=2837
    - Mg^{27}, precision γ-meas. with scintillator   5=5537
    - Mn, from n capture γ's   5=5657
    - Mn^{53}, from p, α, 11-12.5 MeV   5=807
    - Mo isotopes, spectroscopy   5=11228
    - N^{13}, electric dipole resonance   5=8539
    - N^{13}, hyperfine separation, meas.   5=685
    - N^{14}, from C^{12}(α, d), $\leqslant$ 21 MeV α's, d spectra   5=5687
    - N^{16}, T = 2 from O^{18}(p, He^3)   5=5523
    - N^{17} from B^{11}(Li^7, p)   5=5521
    - Na^{21} hyperfine structure   5=11194
    - Na^{22}, calc.   5=5528
    - Na^{22}, precision γ-meas. with scintillator   5=5537
    - Na^{23}, 4.431 MeV   5=716
    - Na^{23}, 7.10 MeV   5=2741
    - Nb isotopes, spectroscopy   5=11228
    - Nb, from neutron scatt.   5=8547
    - Nb^{94}, low-lying states   5=8548
    - Nd^{146} from Pr^{146} decay   5=5585
    - Ne^{20}, calc.   5=5527
    - Ne^{20}, 5.63 MeV (3^-), deexcitations to O$^+$ ground state   5=715
    - Ne^{20}, separation method calc.   5=11217
    - Ne^{20}, shell model calc.   5=11218
    - Ne^{20}, time-dependent Hartree—Fock theory   5=713-4
    - Ne^{21}, calc., lower, jj-coupling shell model   5=5526
    - Ne^{21}, from Ne^{20}(d, pγ), < 5 MeV   5=5677
    - Ne^{20}, T = 2, from Ne^{22}(p, t)   5=5523
    - Ni^{58}, f and p shell splittings, rel. to triplet forces   5=2724
    - Ni^{60}, 3^{+-} 3-phonon state, from (p, p$'\gamma$)   5=5535
    - $_{93}$Np^{237}, 103 keV, half-life   5=14483
    - O^{15}, from C^{12}(He^3, n)O^{14}, γ ray spectrum   5=5686
    - O^{16}, from α scatt. 7.2-8.5 MeV, resonances, spin and parity   5=8675
    - O^{16}, rotational, SU$_3$ calc.   5=5522
    - O^{16}, T + 1, J = 1^-, shell model calcs.   5=711
    - O^{16}, T = 2, from O^{18}(p, t)   5=5523
    - O^{16}, ~13 MeV, from C^{13}(α, γ_0)O^{16}, ang. distrib.   5=2739
    - O^{16}, twice excited, calc.   5=2738
    - O^{17}, quadrupole matrix elements   5=14475
    - O^{18}, calc.   5=5524
    - O^{18}, separation method calc.   5=11217
    - O^{18,19}, shell model calc.   5=11218
    - O^{20}, calc.   5=5527
    - Os^{186}, 137 keV half-life   5=8559
    - Os^{188,190} $2^+ \rightarrow 2^+$, E0 strength parameters   5=8560
    - Os^{189}, from Re^{189} decay   5=14505
    - P^{29} from S^{32}(p, α)P^{29}, 14.5 MeV   5=5634
    - P^{31} 5=11302
    - Pb^{207}, 570 keV half-life   5=8559
    - Pb^{207}, from Pb^{206} (d, p) Pb^{207} data   5=839
    - Pb^{208}, 7.285 MeV, from Fe thermal neutron capture   5=738
    - Pd^{108}, 1443 keV from Ag^{108} decay   5=2777
    - Pm^{147}, from Nd^{147} decay, coincidence spectrometer meas.   5=5586
    - Pm^{149} 5=8552
    - Pm^{149} 5=11231
    - Pr^{139}, lifetime of 114 keV level   5=2751
    - Pr^{143} 5=2783
    - Pr^{143}, spin and gamma decay   5=5549
    - Pt isotopes, from d reactions   5=11242
    - Pt^{192} 5=8601
    - Pt^{194} 5=8602
    - Pt^{197m} 5=736
    - Rb^{86}, precision γ-meas. with scintillator   5=5537
    - Re^{188}, decay from W^{188} and Re^{188m} 5=734
    - Re^{188m} from Re^{187} neutron capture   5=735
    - Rh^{101,102} from Rh^{103}(p, t) and (p, d) ang. distribs.   5=5637
    - S^{32} 5=11224-5
    - S^{32}, from n scatt., ang. var., 14.6 MeV   5=8644
    - Sb, neutron-deficient, new doublets   5=5543

Nucleus—contd
energy levels—contd
Sb^{115} 5=8597
Sb^{121} 5=724
Sc^{42}, from K$^{39}(\alpha, n)$Sc^{42} 5=8544
Sc^{43,45,47}, $d_{3/2}$ hole states 5=8545
Sc^{49}, >10.5 MeV, study 5=14478
Se^{76}, second 2^+, β—γ ang. correl. meas. 5=718
Si^{28}, odd parity states 5=11223
Si^{28}, photonuclear giant resonance 5=11222
Si^{29} 5=5680
Si^{29} from Si$^{28}(n, \alpha)$Mg^{25}, 14.37-14.57 MeV n's 5=5656
Si^{29}-Ca^{40}, shell model calc. 5=700-1
Sm^{148,152}, 1^- state lifetimes 5=11232
Sm^{149} 5=8552
Sn^{116}, from In^{116m} 54 min. decay 5=5541
Sn^{116}, from Sb^{116} 1 hr. decay 5=5542
Sn^{116,118,120}, from Sb decays, and pairing force calcs. 5=5542
Sn^{118,120} low-lying, from Sn^{117} (d, p) Sn^{118} and Sn^{119} (d, p) Sn^{120}, meas. 5=723
Ta^{179}, excited state half-life meas. 5=5554
Ta^{181}, 482 keV, mag. moment, azimuthal shift meas. 5=2753
Tc isotopes, spectroscopy 5=11228
Te, even isotopes collective levels 5=8549
Te^{122}, second 2^+, β—γ ang. correl. meas. 5=718
Te$^{123-7,129,131}$, from (d, p) and (d, t) reaction data 5=725
Te^{126}, vibrational 5=8631
Th^{232}, spacing distribs. 5=8568
Ti^{50}, f and p shell splittings, rel. to triplet forces 5=2724
Ti^{51}, from Ti^{50} (d, p), 6 MeV 5=837
Tl^{201m} 5=5559
Tl^{203}, 279 half-life 5=8559
Tl^{206}, from Tl^{205}(d, p) 5=11243
Tl^{208}, 39.85 keV 5=8565
Tm^{167}, excited state half-life meas. 5=5554
Tm^{169}, electromagnetic props. 5=8555
Tm^{169}, O^{16} ion Coulomb excitation 5=8554
U^{235} 5=11247
U^{236,239} 5=5682
U^{238}, spacing distribs. 5=8568
V, from n capture γ's 5=5657
W^{178} 5=5638
W^{182}, 100 keV, gyromag. ratio 5=2754
W^{182}, 100 keV 2^+ and 1290 keV 2^- states decay 5=5556
W^{182}, 1290 and 100 keV half-life 5=8559
W^{182,183}, following Ta^{182,183} decay 5=11277
W^{183}, Coriolis coupling between rot. bands 5=11240
W^{183}, odd-mass, $\Delta K = \pm 2$ band-mixing effects 5=5555
W^{184}, 111 keV 2^+, gyromag. ratio 5=5557
Xe^{130} 5=11268
Y^{87,87m}, level density spin depend. and isomer ratios 5=11227
Y^{90}, doublet splittings, n—p residual interaction 5=720
Y^{93} 5=5580
Yb^{173}, E1 transitions, influence of N± 2 shells, Nilsson model 5=8558
Yb^{173}, transitions rel. to Alaga's rules violations 5=11237
Yb^{174} 5=8600
Yb^{177m}, E1 transition probabilities 5=8556
Zn^{65,69}, precision γ-meas. with scintillator 5=5537
Zn^{68}, O^+ possibility 5=2746
Zr region, configuration mixing and proton neutron interaction 5=14479
Zr^{90}, rel. to effective two-body interaction 5=2724
excitation. See Nuclear excitation.
magnetic moment
See also Gyromagnetic ratio; Molecules/nuclear coupling; Nuclear magnetic resonance and relaxation.
Born approx. form factors 5=14526
and electron scatt. 5=14525
Ar^{35} 5=11261
Au^{194,195,196} 5=11197
Br^{80,80m}, and h. f. s. interaction const. 5=686
C^{11}, from h. f. s. of $^3P_2$, $^3P_1$ states by atomic beam mag. reson. 5=2721
Cs^{133}, 80 keV level, azimuthal shift meas. 5=2753
Cs^{133}, 160 keV state 5=11230
Dy^{160} 2^+ state in Dy:Fe$_2$Tb 5=11975
Eu^{153}, 103 keV level, Mössbauer meas. 5=3428
H^3, form factors 5=8490

Nucleus —contd
magnetic moment —contd
Hg^{193} 5=11195
Hg 195, 195m, 194, 193, 193m, 192 5=5491
I^{129}, 26.8 keV level 5=5546
Ir^{192} 5=14506
Ir^{191m} in Fe 5=1231
Li^6, calc. on phenomenological rotation model 5=14474
Lu^{175}, $^9/_2{}^+$ state 5=11238
N^{13}, atomic-beam mag. resonance meas. 5=685
Na^{21} 5=11194
O^{16}, 3 state 5=5492
Pr^{141} 5=11196
Rh^{103}, from n. m. r. studies 5=15521
Ta^{181}, 482 keV level, azimuthal shift meas. 5=2753
Tl^{203}, $^3/_2{}^+$ state 5=8564
Tm^{169} 5=8555
Yb^{172} 5=5553
magnetic resonance. See Nuclear magnetic resonance and relaxation.
models
and (p, t), A = 46 – 70, 40 MeV, ang. var., ground and first state 5=2812
asymmetric, and rotational spectra 5=8526
BCS quasi-boson appl. 5=2734
Bopp's method for energies, modified 5=5479
charge symmetric pairing correlations in light nuclei 5=5477
collective phenomena 5=696
collective variables without subsidiary conditions 5=5476
conference, Univ. of Sussex (1964) 5=8288
deformations $50 \leqslant Z, N \leqslant 82$, Nilsson single particle model calc. 5=2732
deformed, rot. and vibr. 5=14463
degenerate, charge independent pairing interact. 5=2715
energy level shell model techniques 5=674
harmonic oscillator, deformation effects 5=2718
Hartree—Fock calcs., effective interact. 5=2710
hydrodynamic and shell 5=5480
independent particle, Hamiltonian formalism with linear supplementary condition 5=10276
interaction, 2s—1d shell 5=5485
levels of non-normal parity, centre-of-mass corrections, shell model 5=2729
matter theory 5=680
and (n, α) reactions at 14 MeV, anomalies resolution 5=814
Nilsson, nondiagonal matrix elements calc. 5=11187
nuclear matter, Landau's Fermi liquid applic. 5=11212
nuclear matter, low-energy excitations, optical model description 5=681
nucleon—nucleon residual interaction, effects of core excit. 5=14458
nucleon potentials, phenomenological 5=11188
lf, 2p-shell nuclei, orbital $< f^2f^2 | \} f^4 >$ fractional parentage coeffs. for nuclear f^4 configuration 5=5478
optical 5=8506
optical, s-wave transmission coeff., at 1 keV neutron energy 5=678
phenomenological 5=676
potential barrier penetration, simple treatment 5=14232
rotation effect on pairing correl. 5=706
rotational collective model, symmetry relationships 5=11205
rotational states, high-spin, cranking model 5=14462
shell, alternative interpretation 5=675
shell, fractional parentage coeffs. 5=8580
shell, and mass systematics 5=5490
shell, mathematical techniques 5=674
shell model, magic numbers existence 5=8507
shell, modified, particle density, operation values referred to centre-of-mass 5=2713
shell oscillator unitary symmetry and Talmi transform. 5=8199
shell, potential for finite reaction-matrix theory 5=11189
shell, semi-empirical masses 5=11192
shell, short-range correls., unitary operator calc. 5=2712
shell system, coupling schemes, effective interactions 5=679
superfluid, first-forbidden transition, log $_{10}$ft calc. 5=8524
superfluid, and level density odd—even effect 5=8523
surface, optical model analysis, review 5=2717
threshold levels, R-matrix calc. 5=694

Nucleus—contd
models—contd
Ar^{36}, shell calc. of low levels 5=14477
C^{12}, shell, purity, rel. to α-widths 5=5519
Cl^{36}, shell calc. of low levels 5=14477
Cu^{63}, excited core and p scatt. 5=795
Fe^{56}, rotational, energy levels calc. 5=717
Hf^{177}, E1 transitions, influence of N± 2 shells, Nilsson model 5=8558
Hg, single-particle with configuration mixing 5=8759
Lu^{175,177}, E1 transitions, influence of N± 2 shells, Nilsson model 5=8558
Ti^{46,48,50}, shell model predictions 5=5683
Yb^{173}, E1 transitions, influence of N± 2 shells, Nilsson model 5=8558
Zr region, shell model analysis 5=14479
size
mass, charge independence multiplet formula test with $A = 24$ isobars 5=683
mass, semi-empirical formula for compressible formula 5=682
masses, semi-empirical, shell model 5=11192
$A = 16, 20$, isobaric multiplet energies 5=11193
spin and parity
See also Gyromagnetic ratio; Molecules/nuclear coupling.
and energy levels in deuteron stripping 5=708
spin meas. by Mössbauer effect 5=5494
system non-linear response 5=13882
Ag^{104} and Ag^{110m}, β-decay, nonconservation of parity 5=14898
Ar^{39} levels, from K^{39} (n, p) Ar^{39} 5=818
Au^{197}, and 268 keV level, from n-scatt. 5=14482
Au^{197}, 268 keV level, from 191 keV K conversion 5=2755
B^{10}, 6.89 MeV level 5=11215
Ba^{135} 5=8598
Be^{11} from γ energy in decay and Be^{9}(He^{3}, p)B^{11} meas. 5=2737
Br^{80,80m}, and h. f. s. interaction const. 5=686
C^{12}, 12.71 MeV state 5=8589
C^{15}, from γ energy in β decay 5=2720
Cd^{113m}, 14 year 5=5539
Ce^{138} 5=5584
Cr^{53} excited levels 5=11361
Cs^{131} 5=729
Er^{166} 5=11273
Eu^{148} 5=2784
Eu^{150}, isomeric states, internal conversion meas. 5=14503
F^{17}, 10.5 and 12.26 MeV 5=11219
Fe^{56}, several levels 5=11325
Gd^{152}, various states 5=8553
Gd^{156} levels, from Eu^{156} β decay 5=732
Gd^{158} 5=11272
Hg^{193} 5=11195
Ho^{165} levels, and gamma decay 5=5549
I^{130} 5=11268
Ir^{192}, 1201 keV level 5=14506
La in La nitride, temp. of spin, polarization expt. 5=1232
La^{140}, low level spins, from Ba^{140} β—γ, γ—γ direct correls. 5=2749
Mg^{24} 5=855
N^{13}, spin, hyperfine structure separation, meas. 5=685
Na^{21} 5=11194
Na^{23}, 7.10 MeV 5=2741
Nd^{142}, 1% in Mg(OH)$_2$, temp. of spin, polarization expt. 5=1232
O^{16} levels, from α scatt, 7.2-8.5 MeV 5=8675
Pm^{144} 5=2784
Pr^{138} 5=5584
Pr^{143} levels, and gamma decay 5=5549
Pt^{192} 5=8601
Pt^{194} 5=8602
S^{32} 5=11224-5
Se^{77} 5=819
Si^{28}, 6.88, 8.41, 9.7 MeV 5=11223
Si^{29} 5=5680
Si^{29}-Ca^{40} levels, shell model calc. 5=700-1
Sr^{86} 5=11265
Xe^{130} 5=11268
theory
See also Nuclear forces.
BCS and random-phase approximation calc., number problem 5=11181

Nucleus—contd
theory—contd
Bloch—Messiah paired states 5=11191
Brueckner—Goldstone linked-cluster expansion formula 5=2716
charge-dependent potentials and n—n scatt. length 5=5516
closed shell nuclei, monopole vibrations 5=2714
compressible oscillations of heavy nuclei 5=677
deformation E2 resonance energy calc. possibility 5=8533
deformations, pairing-plus-quadrupole model 5=8510
deformed binding fields, tensor forces effect 5=11185
deformed, excitation, pairing forces effect, β- and γ-transitions calc. 5=5507
deformed nuclei, e.m. transition intensities 5=5503
fermion system with equally-spaced spectrum 5=7809
fermion system, superfluidity, perturbation theory 5=87
ground-state wave function 5=11191
heavy nuclei and high isomeric states, residual n—p interaction 5=5510
interaction model spin-orbit interaction and exchange effects 5=5484
isobaric mass formula in 1p shell 5=8512
many-body problem, variational approach 5=5475
mass difference of mirror nuclei 5=5489
matter 5=680
n—p correlations 5=11191
nuclear correlation and photoeffect 5=11190
nuclear matter, effective interact., 2-body BGW correl. theory 5=8508
nuclear matter, excitation decay, low energy, separable N—N interaction, optical model calc. 5=681
nuclear matter as fermion gas, scatt. theory, exclusion principle influence 5=470
Nuclear matter, Λ optical potential, imaginary part 5=1134
nuclear matter, pion dynamics, versus free behaviour 5=2711
nuclear struct., many body problems, conference, Manchester (1964) 5=7793
nucleon conservation law test 5=14408
nucleon coupling, with interaction independent of ordinary and isotopic spin 5=4766
pairing interaction using $H-\lambda_1 N-\lambda_2 N^2$ 5=5486
π—N scattering, 3—3 resonance effect 5=11348
round table discussion 5=669
RP—HRP approx., var. derivation 5=2382
R$_5$ Wigner coefficients and application 5=11179
self-bound finite nucleus, self-consistent field 5=673
seniority scheme generalization, configuration calc. 5=2725
spectroscopy with soft core potential 5=2724
structure, high energy particles study, review 5=8286
structure problems, lecture 5=2706
structure, resonance letter 5=2707
surface layer and deformation effect on EO conversion probability 5=2731
symmetric group representation, fractional parantage coeffs. 5=2709
system with fixed ang. momentum, Green's function method 5=11178
2-nucleon potential, rapidly decreasing, Bethe—Goldstone eqn. 5=8511
2s—1d shell, SU$_3$ recoupling, fractional parentage 5=8509
2s—1d shell wave functions 5=5481
2s—1d shell wave functions 5=5483
2s—1d shell wave functions for 2 and 4 particles 5=5482
type (j)^N configurations, isospin pair correlations, role 5=11180
zero-point oscill. of surface, effect on inelastic form factors of electron scatt. 5=5488
Be^{11} configuration from B^{11}(He^{3}, Li^{6})Be^{8} react. 5=5685
Ho^{165}, deformation, E2 resonance energy calc. possibility 5=8533
Pb^{204,206}, Bopp's method, modified 5=5479
W^{183}, odd-mass, $\Delta K = \pm 2$ band-mixing effects 5=5555
$Z > 50$, neutron deficient, features analysis 5=8581

Oceanography
See also Liquid waves; Seawater.
acoustic scatt., 1 to 25 kc/s by deep layers, fish air-bladders effect 5=4437
acoustic scattering and transmission at irregular surfaces 5=2118

Oceanography—contd
acoustic signal scatt. from bottom, transducer vel. effect on struct. 5=1928
acoustical reverberation, high freq., from rough sea surface 5=4441
acoustic wave prop., normal mode and wave theory 5=10330
book 5=4444
colour of ocean 5=7476
costal water measuring techniques 5=4445
deep explosions, acoustic output var. 5=4793
e. m. wave propagation, v. l. f., l. f., near and into rough surface, theory 5=13226
electrical conductivity of sea water, activation energy 5=13224
equatorial currents, meridional structure 5=15648
in Germany, revival 5=7474
heat flow through ocean floor 5=13222
hydrophone calibration at h. p., coupler-reciprocity system 5=4800
ice, young, acoustic backscatt. strength, 0. 4-25. 6 kc/s 5=7475
induction in ocean, elec. 5=15645
internal waves of tidal origin, calc. 5=15651
magnetic field induced in sea waves 5=13549
noise, ambient, shallow-water 25 c/s characts. 5=10042
noise ambient, vertical directionality 5=10041
noise field, directivity using correlating dipole 5=1927
noise field spatial correl. meas. 5=15652
noise at low freqs. in shallow water of Scotian Shelf 5=4443
noise, shallow-water ambient, ice cover effect 5=1929
noise in shallow water, correl. with wind speed and wave-height 5=4442
pound-transmission paths in deep water south of Cyprus 5=4438
reverberation, explosive, vertical coherence 5=4439
reverberation from floor 5=10044
reverberation statistical spectra calc. 5=15650
sea level, mean, Chandler's period 5=10039
seawater envelope, reverberation and fluctuations 5=4440
seismic noise background on bed, versus land 5=13208
SOFAR propag. effects, mathematical models 5=10043
sound channel, fine struct. and stability 5=1930
sound ranging, reverberation elimination 5=13223
sound reflection from layered media 5=3333
spreading loss for refracted/reflected acoustic waves 5=4806
stability of water stratified by salt and heat 5=4446
straits flow theory 5=10045
subantarctic currents, in Atlantic Ocean 5=15649
tidal dissipation in mantle and moon calc. and orbital evolution 5=13228
tide gravity recording with Heiland gravity meter 5=13189
transducer array, liq.-filled 5=7852
underwater sound, deep-ocean prog. 5=10040
Kr, Xe content in deeps, and supersaturation 5=13227

Octet theory. See Elementary particles; Field theory, quantum.

Omegatrons. See Leak detection; Mass spectrometers; Vacuum technique.

Onsager relations. See Statistical mechanics; Thermodynamics.

Optical activity. See Optical rotation.

Optical constants
See also under individual headings, e.g. Absorption; Reflectivity.
ellipsometric determ., surface film effect 5=4277
films, inhomogeneous, calc. 5=2343
films, measurement 5=7296
Kramers-Krönig inversion formula, semigraphical method 5=10702
metals, i. r., meas., review 5=4276
Ag films, 2500-3700Å 5=4324
Ag films, vacuum u. v. ageing effects 5=7334
Ag, thick films, far u. v. 5=15573
Al, 0. 6 - 4. 6 eV meas. 5=7322
Au, 1-12 μ, effect of Fermi surface shape 5=1843
CdSe, In doping effect 5=9896
Co, polycryst., 2. 5-20μ room temp. meas. 5=7369
Cu film, rel. to ageing 5=1840
Cu films, u.h. vac. meas. rel. to ageing 5=1840
Cu films, vacuum u. v., ageing effects 5=7334
Hf, from emissivity 5=9925
In, 0. 15 - 4. 0 eV meas. 5=7322

Optical constants —contd
MgO, 1080-2225°K, from reflectivity 5=15560
Na vanadates 5=4327
NaVO$_3$ (monodinic), optical parameters 5=4327
PbS, in fundamental absorpt. edge 5=7347
Sb$_2$Se$_3$, i. r. absorption meas., temp. var. 5=4296
SnO$_2$, dispersion, 0. 4-9μ 5=15576
SnO$_2$, effective mass 5=15225
Ti, polycryst., 2. 5-20μ room temp. meas. 5=7369
W, from emissivity 5=9925
Zr, polycryst., 2. 5-20μ room temp. meas. 5=7369

Optical dispersion. See Dispersion, optical.

Optical films
See also Filters, optical.
absorbing, on absorbing substrate, computer programme reflectivity 5=5076
absorbing, Faraday effect characts. 5=7312
anti-reflection coatings, triple-layer 5=5078
Drude equation, failure in limit 5=10705
energy balance, probability interpretation 5=10707
fluoride interf. films on ThO$_2$, refr. index. 5=9904
multilayer interf. coatings, parameters computer calc. 5=8107
multilayer, optical props. by graphical method 5=10706
multiple, with layer of variable thickness, reflection factor 5=5079
refractive index meas. from thickness and reflectivity and transmission, errors 5=14197
refractive indices and thicknesses 5=10708
Ag, optical consts., 2500-3700Å 5=4324
Ca, effect of residual H$_2$O vapour 5=13038
GaAs, transmission in near i.r. 5=7337
Zn—Ni—S films on Cd, transparency, polarized light meas. method 5=7353

Optical filters. See Filters, optical.

Optical images
See also Aberrations, optical; Resolving power, optics.
aberrations, evaluation methods 5=8083
astronomical, quality obs. 5=15785
bandwidth extension, optical, in two dimensions, beyond classical limit 5=2321
diffraction, error-free, irradiance distrib. 5=5089
formation in electron reflecting microscope 5=2228
formation, information quantity 5=10660
Fresnel, plane periodic objects, monochromatic light 5=14203
image synthesis techniques 5=307
imaging through random medium, from mutual coherence function 5=306
inclination of image plant caused by decentred surfaces 5=8087
invariants, various combinations 5=8085
multiple planes, by phase shift in object 5=8086
orientation, when formed by plane mirror series 5=8088
photographic microreproduction 5=8153
photographic, reflected, sharpness 5=8152
recognition with bipolar aperture masks, calc. 5=345
resolution and correlation 5=10661
and resolving power, wide object 5=8084
stars, dia. meas., by comparison 5=7562

Optical instrument testing
by microscope with Fabry—Perot interferometer 5=14181
monochromator, conditions behind slit, rel. to radn. receiver sensitivity 5=8129
system focusing and testing, visual device 5=8090

Optical instruments
Some instruments are listed separately, e.g. Refractometers.
absolute reflectivity meas. by adapted rotating mirror 5=507[illegible]
aniseikonie correction, spectacle lenses 5=8167
attenuator, variable, 2-prism 5=10699
bandwidth extension, optical, in two dimensions, beyond classical limit 5=2321
construction systems 5=8092
deflector, light beam, high speed digital 5=5054
diffraction modulator, and semiconductor relax. time meas. 5=15308
Fabry—Perot resonators, spherical mirror, field analysis 5=14180
goniometer, topographic, for Lang method, construction 5=5053
guides, polystyrene filament preparation 5=10906
half-wave plate, achromatic 5=14210

- Optical instruments—contd
  - for use in "hot" cells 5=5724
  - integrator, gravimetric and magnetic data appls. 5=7457
  - interference focometer 5=8105
  - interferometric devices for laser beam modulation 5=5032
  - luminous flux meas. device 5=10666
  - micrometer eyepiece, digitized, for nuclear emulsion meas. 5=8339
  - monochromator for radiation receiver sensitivity 5=8129
  - multi-prism electronic positioning 5=8094
  - optometer detector module, i. r. coincidence 5=2324
  - profilograph, longit. settings, precise method 5=8106
  - reflectometer, for optical const. determ. 5=8103
  - resonator analysis, involving focusing elements 5=5052
  - resonator, using He–Ne laser 5=8043
  - resonators, circle diagram 5=5051
  - resonators, multireflector, self-consistent field calc. 5=8102
  - for source direction and orientation meas., precision theory 5=310
  - tangentometer, curve drawing by reflection 5=2017
- Optical materials
  - See also Filters, optical.
  - glasses, high temp., i. r. transmitting 5=5060
  - Irtran, doublet telescope objective, design, transmittance calc. 5=14177
  - IRTRAN-1, refractive indices, Sellmeier dispersion eqn. fit 5=5046
  - KTa$_{0.65}$Nb$_{0.35}$O$_3$, growth of single crystals 5=14978
- Optical model
  - See Nucleus/models.
- Optical properties of substances
  - See also Optical constants; Optical materials.
  - band-to-band transition radn. stimulation, calc. 5=13027
  - 1, 2 benzanthracene, second harmonic, laser generation 5=7377
  - benzene, induced laser absorption versus Raman scatt. 5=1184
  - 3, 4 benzpyrene, second harmonic, laser generation 5=7377
  - colour centres, applied field effects 5=7308
  - crystals, harmonic, sum and difference freq. generation on laser beam irrad. 5=2312
  - crystals, near exciton absorpt., finite dimension effects 5=13014
  - crystals, visible and X-rays 5=15527
  - cyclohexane, induced laser absorption versus Raman scatt. 5=1184
  - dielectric media, Raman laser light higher-order mixing 5=15535
  - earth's cosmic dust cloud 5=7649
  - and electric field effects, space charge method meas. 5=13029
  - films on transparent surfaces, determ. by ellipsometry 5=7295
  - glasses, chalcogenide, semiconducting 5=13051
  - graphite, excited electronic states 5=15547
  - hydrosulphide ion, in KCl and KBr 5=13053
  - impurity centres, light emission, Green's fn. calc. 5=4286
  - inert gases, breakdown by intense light beam, calc. 5=5940
  - ionic crystals, polarization modes at long wavelength, calc. 5=15534
  - light transform., nonlinear, by matter, theory 5=1820
  - liquid crystals, semipopular review 5=3303
  - liquids, resonance reduction in rotary compensators 5=10726
  - l-menthol liquid, spectral absorpt., permittivity method calc., 0. 1 to 3300 Mc/s 5=9142
  - nitrobenzene, induced laser absorption versus Raman scatt. 5=1184
  - non-linear dispersive media, parametric amplification calc. 5=15536
  - opacities, conference, September (1964) 5=14588
  - organic liquids, i.r. dispersion, interferometer meas. 5=8137
  - platinocyanide cpds. 5=11540
  - polyethylene terephthalate fibres, anisotropy due to extension 5=6748
  - powder layers, thin 5=15525
  - Raman, Brillouin scatt. stimulation, calc. 5=13024
  - ruby crystals, and laser thresholds 5=10642
  - sapphire, total emissivity, crystal oriented, meas. 5=13069
  - semiconductors and dielectrics, light harmonic generation near absorption edge 5=15528
- Optical properties of substances—contd
  - semiconductors, radiative transitions 5=15202
  - temperature radiation, laser induced, calc. 5=13028
  - wurtzite-type crystals 5=13081
  - ADP, 2nd harmonic laser generation 5=13033
  - AgI, and electron trapping, pressure induced 5=12592
  - Au sols. in glass and water, erratum 5=3383
  - CS$_2$, induced laser absorption versus Raman scat.. 5=1184
  - CaWO$_4$ single crystals, light scatt. centres 5=15546
  - Cd foil, electron induced radn., and energy loss calc. 5=13035
  - CdSe, absorption, wavelength, temp. var. 5=7326
  - Cu$_2$O, exciton absorption and Faraday effect, calc. 5=13026
  - GaP single crystals, vapour-grown on GaAs substrate 5=1564
  - Ge, photomechanical effect 5=15161
  - In foil, electron induced radn., and energy loss calc. 5=13035
  - In$_2$Se, and double refraction 5=13055
  - KCl and KBr, rel. to electron energy losses 5=15259
  - K$_2$O–V$_2$O$_5$, 6 phases 5=13066
  - La series laser materials, absorpt., fluorescent spectra meas. 5=281
  - LiNbO$_3$, second harmonic generation 5=13058
  - (NH$_4$)$_2$SO$_4$, low temp., and phase boundaries 5=14924
  - Sb, photomechanical effect 5=15161
  - SiTe$_2$ 5=4323
  - SiTe$_3$ 5=15569
  - Ta$_2$O$_5$, films, on Ta, ellipsometric meas. 5=9964
  - III–V compounds, review (book) 5=4011
  - Zn foil, electron induced radn., and energy loss calc. 5=13035
  - ZnSnAs$_2$, single crysts., rel. to temp. 5=9690
  - ZnWO$_4$ single crystals 5=1879
- Optical pumping
  - absorption signals, samples under mag. fld reversal 5=14609
  - for electron beam polarization 5=4914
  - frequency mixing using resonant phenomena 5=8769
  - laser pump of tube and two axicons 5=4994
  - laser, solid state, rel. to multiple-quantum transitions and line splitting 5=280
  - multiquantum absorption in 2-level system 5=5727
  - nuclear orientation, effect of h. f. s. 5=914
  - for paramagnetic centres study 5=7090
  - population var. in Zeeman levels, e.s.r. obs. 5=7361
  - and quantum frequency converter, three level operation 5=8035
  - recent results, review 5=11454
  - ruby, population var. in Zeeman levels, e.s.r. obs. 5=7361
  - ruby rod, pump energy absorbed in elliptical cylinder 5=10641
  - ruby rod, pump energy absorpt, 5=8066
  - singular modes and threshold values calc. 5=13027
  - for spectra, solids, excited levels study 5=7090
  - theory and expts. 5=14608
  - Ar$^+$ laser level relaxation 5=4998
  - Cs, e.s.r. Zeeman transitions 5=5751
  - Cs, filter 5=915
  - He^3, rel. to nuclear polarization 5=916
  - He^4 and He^3 stimulated emission 5=14594
  - Hg, 6 $^3P_2$ metastable level, alignment 5=5785
  - Hg^{201} alignment for n. m. r. study 5=8516
  - I$_2$, excited by Hg 5461 radiation, fluorescence amplification, effect of pump intensity 5=5846
  - Rb, spin-disorientation by inert gases 5=2913
  - Rb vapour, by buffer gas and wall coating 5=5787
  - Rb^{85,87}, e.s.r. Zeeman transitions 5=5751
  - Rb^{87} atoms, in buffer gas, rel. to hyperfine relaxation 5=919
  - Xe–Ar flash lamp, in liquid N$_2$ 5=2296
- Optical rotation
  - See also Magneto-optical effects; Optical constants; Polarimeters; Polarized light.
  - carbonyl group, rot. strength of transitions 5=11505
  - crystals, active inversion plane type, reflection and refraction obs. 5=13016
  - dihedral metal complexes, theory 5=943
  - evaporated dielec. films, determination 5=5095
  - Faraday magneto-rotary effect, demonstration 5=10727
  - ferroelectric crystals, change on polarization reversal 5=9886
  - magnetic dichroism, rotatory dispersion 5=10728

Optical rotation—contd
molecular vibrations, effect of 5=2932
polynucleotides, helical and hypodromism 5=11616
polypeptides, helical and hypochromism 5=11616
quartz, rotary power after irrad. 5=7359
theory, molecular statistical mechanics 5=2352
Co salts, magnetic dispersion 5=7311
GdYFe garnet, rel. to refr. index 5=15580
n—Ge, high field Faraday 5=13052
H_2, Verdet consts. calc. 5=14637
$K_3Fe(CN)_6$, magnetic dispersion 5=7311
Se, l.h. and r.h. crystals, 6000 to 14 000 cm^{-1}, meas. 5=1850
n—Si, high field Faraday 5=13052
YFe garnet, rel. to refr. index 5=15580

Optical systems
See also Aberrations, optical; Lenses; Optical images; Optical instruments; Optical materials; Resolving power, optics.
axis pointing, use of prism pairs 5=10662
beam tracing, cross. var. 5=10656
beam transmission, using gas guide or lens train 5=10665
compensator, rotary, wave optics theory 5=308
condensor, new, proportional brightness calc. 5=8097
contrast transfer 5=10664
decentred, inclination of image plane 5=8087
detection systems, performance 5=8091
dispersive, and scanning coherent beams 5=14171
dispersoid analysis by scattering 5=8095
fibre probes, for time-of-arrival meas. 5=311
fibres, coupling and scatt. in 5=10669
focal isolation systems, resolution eqns. 5=10663
guide of lenses, light beam instability, calc. 5=2322
i. r. detector, cooled, application 5=13978
image forming, focusing and testing, visual device 5=8090
impedance matching in optical wave band 5=10659
laser cavities terminated by diffr. grating 5=10593
loss, small, meas. by oscillating spherical mirror interferometer 5=2342
use for meas. of linear displacements 5=10668
mode coupling and conversion 5=10674
multi-prism electronic positioning 5=8094
objective for profile projection 5=8096
optical beam scanning generation by u. s. standing waves 5=125
phase shift in object, multiple image planes 5=8086
polarization scanned digital, transmission and noise characts. 5=5049
reflecting, for spectroradiometer calibration 5=14187
resonator, self-consistent field technique 5=10673
resonators, circular mirror, hyperspheroidal solns 5=10675
solar simulation, precision design 5=8093
spectral transmission 5=8133
spread functions, line to point conversion, general 5=14179
stigmatic orthomorphic, diff. theory of aberrations 5=10658
thin lens triplet, achromaticism and Hartmann const. 5=14178
wave front aberrations study using 3-beam interf. 5=309
wavefront reconstruction, diffused illum. and 3 dim. objects 5=327

Optics
See also Aberrations, optical; Atmospheric optics; Lenses; Mirrors, etc.; Optical images.
Australian 5=291
circular aperture, asymmetric phase effects 5=10225
harmonic, sum and difference freqs., generation in crystal after laser beam irrad. 5=2312
information capacity 5=8070
in Japan 5=5037
mode coupling and conversion 5=10674
moiré pattern solns 5=10711
non-linear, atomic, in Dirac's theory 5=14587
non-linearity and dispersion in wave propagation 5=10648
photographic and spectroscopic, conference Tokyo and Kyoto, (1964) 5=5096
physical, modern applications 5=2339
quasi-optics, conference, New York (1964) 5=5027
Rayleigh (R. J. Strutt), bibliography of his work 5=294
Rayleigh (R. J. Strutt), summary of work 5=293
Rayleigh's work, bibliography 5=292
research programmes 5=10646
resonators, open, integral eqns 5=10676
slit width meas. 5=7704

Optics—contd
ultrasonic generation by light beam super-position 5=13938
units and terms in energy intensity meas. 5=5038
wave and geometrical optics, rel. 5=8078

geometrical
beam tracing, cross. var. 5=10656
Gaussian, matrix representation 5=2318
hemicylinder 5=10657
lens bench, triangular 5=8082
parabola, off-axis, caustic curve 5=8079
plane-parallel plates, ray tracing, eqns. 5=8089
progressing wave formalism 5=10223
rel. to wave optics 5=8078
for scattering, waves 5=10224

Orbital calculation methods
antisymmetrised product method for nonconjugated mols. 5=5832
aromatic hydrocarbons, SCF MO treatment 5=8862
atoms, e.s. interaction operator matrix 5=5739-41
atoms, many electron, screened hydrogenic orbitals 5=2893
p-azoxyphenotol liq., elec. field effects on optical props. 5=3338
p-benzoquinone and methyl derivatives, redox pot. and electron acceptor strength 5=3020
bielectronic orbitals, use in wave equation solns. 5=8725
biopolymers, comparison of methods 5=1019
σ-bonded systems, simplified SCF method 5=2964
cycloheptatrienyl radical, molecular degeneracy study 5=1793
diatomic wavefunctions, by 4 dimensional Gauss quadrature 5=2961
from density matrix, for atoms 5=2900
disordered system, density of states and Boltzmann eqn. 5=6797
electron spin—spin interaction integrals, in atoms and mols., calc. 5=5835
energy operator matrix elements, calc. 5=14566
errors of approx., density matrices 5=5156-7
ethane, localized orbitals energy terms, calc. 5=3032
field perturbation theory for two filled states in open shells 5=5738
free-electron networks, tetrahedral and cubic 3 dimensional 5=11495
Gaussian-type functions for polyatomic systems 5=11494
harmonic oscillator functions 5=8726
Hückel theory, extended, and Hartree—Fock SCF theory 5=11496
ligand field theory, gyromagnetic factors and spin—orbit coupling 5=2941
molecular integrals, inequalities 5=8797
molecular systems, wave functions by momenta method 5=2944
molecules, asymmetrical double pot. well, eigen values and quantum transitions 5=8802
multiquantum absorption in 2-level system 5=5727
one-electron operator integrals; general formula in C functions 5=2871
Parisier—Parr method, for mol. wave-functions 5=3018
Parisier—Parr, for mol. wave-functions 5=3018
perturbations, localized 5=2380
polypeptides, charge transfer theory, electron—vibration interactions 5=5921
representation by linear sum of Gaussian functions 5=881
secular eqns., partition soln. 5=2379
self-consistent field theory, analytical, relativistic 5=5726
self-consistent Hückel method 5=8860
Thomas—Fermi potential, quantum, correl. corrections 5=2873
tight binding approx. for electrons in periodic fields 5=2874
united-atom approx. applied to argon-like mol. 5=3004
wave theory, partial, for diatomic mols. 5=8798
zero-field splitting, semiempirical theory 5=5894
zero-field splittings, Gaussian approx. of integrals 5=942
H_2, metastable $C^3\pi_\mu$ state, fine structure consts. 5=950
H_3^+ ground state, with configuration interaction 5=968
SCF, for statistical theory of electronic energies 5=11414
SCF-LCGO-MO procedure 5=14634
SCMO, valence-state data 5=3033
H-bonded systems, LCAO—MO—SCF method 5=3034
HF, Hartree—Fock calcs., perturbed, polarizability and mag. props. 5=8815
H_2, study by atomic orbital with angularly depend. Z_{eff}. 5=5842

Orbital calculation methods—contd
H_2O mol., quantum mech. calc. 5=5876
$NH(^3\Sigma_g^-)$, splitting parameter, zero field 5=11516
Ni^{2+} complexes, tetrahedrally-co-ordinated, ligand field 5=3040
$[Pt(CN)_4]^{2-}$, energy diagram 5=11540
Orbitals. See Molecules/electronic structure.
Order—disorder transformations. See Phase transformations/solid-state.
Ordered structure. See Crystal structure; Solids/structure.
Organic compounds
See also Free radicals; Macromolecules; Plastics; Polymers; Waxes.
acetic acid, light scatt, Brillouin, He—Ne maser source, meas. 5=1183
acetone, acoustic dispersion, 3 Gc/s 5=9109
acetone soln in chloroform, Rayleigh light scatt. rel. to mol. struct 5=9088
acetone, statistical kinetics of boiling 5=3407
acetonitrile, heats of fusion, vapourization, entropy, specific heat 5=9171
acetonitrile, Raman spectrum and vibr. modes 5=11549
acetylene cpds.,H-bond investigation by n. m. r. 5=3013
acetylene, $C_2^{12} H_2$, $C^{12} C^{13} H_2$, $C_2^{13} H_2$, high resolution i. r. spectra 5=973
acetylene formation by C + H 5=7429
acetylene hydrocarbon interactions, H bond study by n. m. r. 5=14669
acetylene hydrocarbons in solvents, H-bond study, proton n. m. r. shifts 5=3012
acetylene—O_2 reaction, in shock waves 5=10010
acridine, mol. wave-functions, calc. by Parisier—Parr method 5=3018
acridine orange hydrochloride, p-type delayed fluorescence 5=8872
adipic acid, irrad., ENDOR, -90° to 25°C 5=12996
adsorption of neutral mols. at Hg—electrolyte interface, potential effect on props. 5=6160
albumin films, semiconducting props., temp. var. 5=6951
alcohol glasses, e. s. r., γ-ray effects, radicals 5=7214
alcohols, e. s. r., γ-irrad., 77°K 5=9835
alcohols (C_8-C_{12}), soluble monolayers, pressure at water—octane interface 5=11882
alicyclic compounds, free radical conformation by e.p.r. 5=3075
aliphatic and aromatic amines and amides, inter and intramol. effects, n. m. r. meas. 5=5910
aliphatic H-bonding swollen gels, solute diffusion specificity 5=6164
aliphatics, spectrum band intensities 5=5877
alkaloid jamine, crystal and molec. structure 5=1400
alkane binary mixtures, heats of mixing 5=9107-8
alkanes, ionization potentials 5=1069
alkyl ammonium ion motion in sols.,electrolytic correction factor calc. 5=3354
alkyl benzenes, dielectric loss at $\lambda = 7.7$ mm 5=14859
alkyl radicals, secondary, decomp. rates 5=13141
alkylbenzenes, γ-irrad., intermolecular and intra-molecular energy transfer 5=100131
alkyl-halides, ionization potential 5=987
alkyl halides, thermal decomposition by shock-tube method 5=4387
allylpalladium chloride complex, crystal atomic structure, 140°C 5=12245
alphatic alcohols, solvated electron, absorpt. spectra and radiation chemical yields 5=10028
amine- and nitrile-chloroform, weak H bond stability rel. to N 5=3041
amines, anharmonicity and H bonding 5=14649
amines, saturated, H bond study by n. m. r. 5=974
amino acid chromatography automatic optical density integrator 5=13184
3-amino amidoximes, i.r. absorpt. spectra 5=8847
4-amino phthalimide, spectrum, polar solvent effects and excited dipole moment 6=975
aminopyridines, H-bonding and basicities 5=11550
anharmonicity and H bonding 5=14650
anisal-p-aminoazobenzene, elec., mag. field effects 5=9137
anthracene—benzene, characteristic transfer constant 5=1195
anthracene, charge carrier generation 5=12578
anthracene, charge-transfer exciton states 5=3941
anthracene, charge-transfer state search 5=12577

Organic compounds—contd
anthracene cryst., excited with Xe flash, two-photon absorpt. 5=4369
anthracene, cryst., luminescence 5=15606
anthracene, dark resistivity 5=1657
anthracene, Davydov splittings 5=1582
anthracene and deuteroanthracene, molec. vibrational spectra and solid fluorescence 5=3016
anthracene, diffusion, self, anisotropy, tracer meas. 5=9407
anthracene, elec. conductivity 5=1656
anthracene, electroluminescence, recombination 5=13130
anthracene, electron and hole mobility,exchange effects 5=9591
anthracene, excimer luminescence 5=2947
anthracene, excitons and fluorescence, laser-generated 5=7408
anthracene fluoresc., double-photon excitation theory 5=4370
anthracene, i.r. absorpt.spectrum in polarized light, at 20°K 5=7374
anthracene negative ion, nuclear polarization, dynamic 5=3362
anthracene, photoconductivity 5=4119
anthracene photoreaction with CCl_4, only via triplet state 5=4411
anthracene, Raman spectrum 5=976
anthracene scintillation pulse shape discrimination 5=7409
anthracene, scintillation slow component, temp. depend 5=2510
anthracene, singlet-exciton series 5=12621
anthracene, space-charge limited hole currents, light effects 5=7043
anthracene—trinitrobenzene complex, absorpt. spectrum under pressure 5=7375
anthracene, triplet exciton, diffusion length 5=9604
aromatic amino acids, thermoluminescence by X-rays, spectral distrib., no temp. var. 5=1881
aromatic, chemical shifts, ring currents, mag. anisotropy 5=3063
aromatic cpds., i.r. absorpt. bands, temp. dependence 5=8846
aromatic crystals, u. v. absorpt., spectra, H-like series 5=9884
aromatic hydrocarbons, p-type delayed fluorescence 5=8872
aromatic hydrocarbon solns., chemi-electroluminescence in a. c. cell 5=11893
aromatic hydrocarbons, phosphorescence in solid solns. 5=1882
aromatic hydrocarbons, polaron band structure and carrier mobility 5=3946
aromatic hydrocarbons in polymers, phosphoresc. 5=9994
aromatic hydrocarbons, SCF MO treatment 5=8862
aromatic hydrocarbons, triplet state reactions 5=4379
aromatic hydrocarbons, zero-field splitting of lowest triplet state 5=3017
aromatic, luminescence width and Stokes losses from fluorescent and phosphorescent levels 5=1880
aromatic methyl ethers, dielectric loss and intermolecular interactions 5=9139
aromatic molec. cryst., triplet excitons 5=6813
aromatic molecular ionization, π structure effects 5=3015
aromatic molecules adsorbed on silica surface, i.r. change 5=4322
aromatic mols., electron states, and C SCF orbitals 5=11552
aromatic nitrenes, ground-state triplet, zero-field splittings and spin densities 5=5894
asphalt, from different origins, rheology comparisons 5=3283
auramine perchlorate, polarized single crystal refl. spectra 5=1860
azobenzene, spectra and term scheme 5=8848
azobenzene-2-sulphenyl halides and cyanide in benzene, dioxene, dipole moment, meas. 5=977
azomethane, spectra and term scheme 5=8848
p-azoxyanisole liquid crystal e. s. r. of DPPH, $TCNE^-$ 5=3366
p-azoxyanisole, liq. and solid, neutron scatt. 5=9090
p-azoxyanisole, positron annihalation 5=11854
azulene, electron-impact ionization 5=3134

Organic compounds—contd
- azulene ion radicals, + and –, spin density calc. 5=1070
- azulene, phosphorescence, triplet energy 5=11553
- azulene, Raman spectrum 5=11891
- benzacridines, luminescence rel. to π-electron absorpt. band co-ord. 5=3023
- benzanthracene, mag. and opt. characts. 5=14652
- 1, 2 benzanthracene, optical second harmonic, laser generation 5=7377
- benzene—acetone, toluene or fluorobenzene Raman lasers 5=290
- benzene, compressibility meas. 5=9072
- benzene, crystalline, mol. symmetry in spectrum 5=7376
- benzene–cyclohexane, –neopentane–methanol, light scatt. factors calc., conc. effect 5=3335
- benzene derivatives, hexa-halogenated, fundamental frequencies assignment 5=4332
- benzene, dynamic polarization study using paramag porous coal and double reson 5=9157
- benzene, electro-optical Kerr const. meas., high press. 5=9113
- benzene, electron impact spectrum 5=5849
- benzene, electron impact into 3 lowest singlet excited states, Born approx. 5=5880
- benzene, excimer fluorescence 5=9127
- benzene, frozen, use as filler in metal tube bending 5=1995
- benzene—heptane, Raman spectrum and mol. vibr. interactions 5=11555
- benzene, induced laser absorption versus Raman scatt. 5=1184
- benzene, ionization potential 5=3133
- benzene, liq., and derivs., H and F^{19} spin—lattice relax. and spin—rot. interact. 5=6201
- benzene liquid, Rayleigh scatt., ang. depend. 5=11556
- benzene and methyl derivatives, ionization energy and electron donor strength 5=3019
- benzene in mixed solvent system, luminescence minimum, theory 5=1198
- benzene, molecular vibrational interactions 5=5820
- benzene, molecules, electronic struct. calc. 5=978
- benzene, n. m. r. in nematic liquid crystal, anal. 5=11916
- benzene—nitrobenzene, Raman spectrum and mol. vibr. interactions 5=11555
- benzene + OH radical, rate constant 5=4381
- benzene, optical dispersion, temp. and press. effect 5=3337
- benzene, PDB, PCB, electronic states by photo-selection 5=3021
- benzene, PDB, PCB, luminescence polarization 5=3021
- benzene positive ions, spectra 5=8850
- benzol—propyl alcohol solutions, behaviour near crit. pt. 5=14836
- benzene, proton relaxation, temp. var. 5=14869
- benzene, Raman scatt. of laser, ang. depend. 5=11554
- benzene, Raman scattering energy yield 5=11484
- benzene, secondary band, u.v. absorpt. intensities 5=8849
- benzene, stimulated emission of Raman radiation, onset threshold 5=3022
- benzene systems, model dimeric, excimer behaviour 5=11499
- benzidine azomethane and 2, 2′ and 3, 3′ dichlorosubstituted derivs, absorption and fluorescence spectra 5=13083
- benzoic acid + OH radical, rate constant 5=4381
- benzoic acid, powder tablets, Raman spectra, meas. 5=1863
- benzol, u. s. attenuation, optical meas. 5=1181
- benzophenone crystal growth rate meas. 5=6363
- benzophenone donor luminescence quenching by naphthalene acceptor 5=1883
- benzophenone soln., luminescence, absorpt. and emission spectra 5=5879
- p-benzoquinone, and p-benzoquinone-d_4, spectra 5=11578
- p-benzoquinone, visible emission spectrum 5=5878
- p-benzoquinones, deuterated, molecular vibr. calc. 5=11581
- p-benzoquinones, deuterated, molecular vibr., thermodynamic props. 5=11582
- p-benzoquinones, deuterated, spectra, i.r. 5=11579
- benzosemiquinones, e.s.r. and spin density and splitting calcs. 5=11586
- p-benzoquinones and subs. isotopic derivatives, assignments, Raman spectrum assignments 5=11580

Organic compounds—contd
- 3, 4 benzpyrene, optical second harmonic, laser generation 5=7377
- benzyl acetate, relaxation times, spectroscopic determ. 5=5895
- benzyl radical in methylcyclohexane, fluorescence 5=7411
- benzylphosphonium salts, proton mag. reson., geminal P—proton coupling const., solvent depend. 5=3062
- bicyclo [1. 1. 0] butane, i. r. and Raman spectra 5=979
- biphenyl, biphenyl-d-10, spectra, for i. r. 5=14651
- biphenyl, mol. elec. struct. calc. 5=3024
- bis-o-phenylene disulphide, unit cell dim. and space group 5=12258
- bromo- and methyl-4-ditertiary butyl-2. 6 phenol, structs., meas. 5=12249
- borazene and borazole for scintillation slow in counting 5=580
- α-bromoacrylonitrile, n. m. r. J values 5=5905
- bromoalkanes, i.r. spectra, c—halogen stretching 5=11559
- 2-bromo-5-chlorothiophene, frequency sweep double resonance spectra 5=11595
- butadiene and polyenes, vibr. spectra and conjugation 5=14653
- 1, 3-butadiene-d_6, vibrational spectra, i. r. 5=3025
- butane drops evaporating from water, heat transfer 5=4828
- n-butane, ions, metastable, ~ 100 μsec mass spectrum study 5=5966
- n-butane, n-pentane, n-hexane heat of adsorption on graphitized C black 5=1285
- n-butanol, elec. cond. at 30°C 5=11907
- n-butyl chloride, relaxation times, spectroscopic determ. 5=5895
- butyl halides, tertiary, potential energy consts. and thermodynamic props. 5=8852
- t-butyl radical, e. s. r., in X-irrad. piralic acid 5=9836
- butyrates, methyl, ethyl, butyl and amyl, microwave dielec. dispersion meas. 5=1202
- cadmium n-butyl xanthate, crystal atomic structure 5=12250
- cane sugar, triboluminescence mechanisms 5=13098
- carbocyclic, valence and structural angles 5=3011
- carbonyl cpds., mol. vibrs., and n→ π* intensification 5=11558
- cellulose gels, light scattering 5=3385
- celluloid, penetration of Li ions 5=2234
- cetyl alcohol monolayer on H_2O, evaporation rate 5=11943
- cetyl palmitate, dielec. absorption and imperfections 5=7008
- chloral hydrate, crystal structure determ. 5=6439
- chloranil/p—phenylenediamine complex, thin film rectifying jns., props. 5=1665
- α-chloroacrylonitrile, n. m. r. J values 5=5905
- chloroalkanes, i.r. spectra, c—halogen stretching 5=11559
- chloro-2 amino-3 naphthoquinone 1. 4, structure 5=15024
- chloroform, electro-optical parameters and Raman spectra intensities calc. 5=8854
- chloroform mols., second-order lines rel. to vibr. 5=3027
- chloroform, Raman scattering energy yield 5=11484
- chloroform-triethylamine, H bonding, complex interact. 5=8855
- chloroform vapour, pure rot. Raman spectrum 5=981
- chloroform, vibrational transitions 5=8853
- chloromethane, ionic character and mol. props. 5=11571
- p-chlorophenol with ethers and thioethers, H band from i. r. absorpt. spectra 5=3028
- m-chlorophenol, u. v. emission spectrum 5=14654
- chlorophyll solns. luminescence 5=9128
- chlorpromazine, nucleation and crystal growth 5=3556
- cholesteryl benzonate, stearate and myristate, positron annihalation 5=11854
- cholesteryl caprate liquid crystals, ultrasonic absorption 5=3334
- chromophore groups, circular dichroism of carbonyl groups 5=5883
- chromophore groups, u. v. spectra 5=5882
- cis-stilbene in isopentane—methylcyclohexane, luminescence, polarisation meas. 5=3348
- citral and 4-chloro-3-nitrotoluene and mixtures, dielectric permittivity, 100 – 35 × 10^9 c/s 5=9138

Organic compounds—contd
(coronene)$^-$ in soln., electron spin—lattice relax. time 5=3364
coronene soln., luminescence, absorpt. and emission spectra 5=5879
cotton, degradation due to u. v., sunlight and fungi 5=9217
crystalline, optical excitation waves 5=1583
cyanine soln., absorpt. spectra 5=8856
9-cyanoanthracene, i.r. spectrum and polarised light dichroism 5=15582
cyanomethylene, triplet, e. s. r. 5=1000
cyanuric acid, far i. r. spectra 5=982
1, 3, 5-cycloheptatriene, microwave spectrum 5=11560
cycloheptatrienyl radical, molecular orbital degeneracy study 5=1793
1, 3-cyclohexadiene, microwave spectrum 5=11561
cyclohexane—cyclohexane-1-C^{14}, solutions radiolysis 5=1916
cyclohexene, decyclization rates 5=13144
cyclohexane, induced laser absorption versus Raman scatt. 5=1184
cyclohexane, magnetic susceptibility mixed with CCl_4, diphenyl ether, nitrobenze and cyclohexanol 5=9153
cyclohexane, γ radiolysis, ethylene prod., additive effects 5=1917
cyclohexane, n. m. r. spectra from temp. cell, 200°K-room temp. 5=3371
cyclohexanol, rotational—non-rotational, kinetics, capacity meas. method 5=14941
cyclopentane derivatives, "rotational" isomers 5=3030
cyclopentane, rotational Raman spectrum 5=8857
cyclopropane, -d_8, rot. consts., C—C internuclear distance, Raman spectra calc. 5=3029
cyclopropane mols., diamagnetism calc. 5=11562
L-cystine dihydrochloride, paramag. absorpt. of X-rays at low temp. 5=4171
DOP oil, adsorption time on borosilicate glass 5=14956
DPPH, e. s. r. exchange narrowing 5=12977
DPPH, n. m. r. h. f. s. in soln. and coupling 5=14674
DPPH recrystallized, e. s. r. absorpt. at 9. 5 kMc/s 5=15497
decammine-μ-peroxodicobalt tetrathiocyanate, crystal atomic structure 5=12251
deuteriochloroform mols., second-order lines rel. to vibr. 5=3027
deuterochloroform, electro-optical parameters and Raman spectra intensities calc. 5=8854
deuteroethane, structure, electron diffraction study 5=8858
deuteromethanes, mass spectra and metastable ion prod. 5=5813
deuteromethanes, n.m.r. isotope shift 5=11599
di(o-phenyl azophenyl) disulphide crystal structr. 5=9361
diamyl nitric oxides, solutions, e. s. r. 5=14866
diazirine, appearance potentials and mass spectra 5=3135
diazomethane, appearance potentials and mass spectra 5=3135
dibenzene chromium iodide, antiferromagnetism 5=7183
dibenzyl, luminesc. decay at electron and α excitation 5=9998
dibenzyl tetracene, luminesc. decay at electron and α excitation 5=9998
p-dibromobenzene, nuclear quadrupole resonance 5=1008
p-dichlorobenzene, anisotropy of Stark effect in n. q. r. 5=7292
p-dichlorobenzene crystals, 120°-320°K Raman spectrum 5=1861
p-dichlorobenzene, fluorescence versus emission u.v. spectra 5=1197
p-dichlorobenzene, n. q. r. and spin—lattice relax. time 5=15522
p-dichlorobenzene, phase transforms, mono—mono, mono—polycrystal, and single crystal growth 5=14942
dichlorodimethylsilane and nonamethylcyclotrisilazane, equilibrium 5=4376
dichloropyridine, Cl^{35} n.q.r., Zeeman effect 5=7291
9, 10-dicyanoanthracene, i. r. spectrum and polarized light dichroism 5=15582
8, 8-dicyanoheptafulvene, electron impact mass spectrum and struct. 5=14655
dienes, conjugated, Raman spectra, low-temp. 5=6186

Organic compounds—contd
3, 5-difluoronitrobenzene anion, pi-electron spin densities by e.s.r. 5=11606
1, 8-dihydroxyanthraquinone, elastic consts. 5=15160
diketopiperazine, far i.r. spectra 5=982
4, 4′-dimethoxybenzophenone energy transfer to Eu ions in soln., Tb effect 5=3346
dimethoxymethane, thermodynamic props. 5=3395
dimethylacetylene, molecular group-theoretical calc. 5=3031
p-dimethyldiazominobenzene, lattice structure 5=12252
dimethylgloxime, X irrad., e. s. r. obs. of radicals 5=3077
dimethyl hydrazine diborane, i.r. spectra 5=11563
dimethyltin hydride, Raman spectrum 5=5891
1, 1^1-dimethyl thiatricarbocyanine in methanol, Raman spectrum, laser excitation 5=2969
dipentene Pt (II) chloride, cryst. structr. 5=9362
o-o-diphenol—benzene, characteristic transfer constant 5=1195
diphenyl oxide, solns. with fluorent impurities, phosphorescence spectra 5=3345
diphenylamine eutectics, structure, light scatt. 5=9089
diphenylmethane eutectics, structure, light scatt 5=9089
diphenyl-picryl-hydrazyl, e.s.r., 295° to 2°K 5=12978
diphenylpicrylhydrosil, multiquantum absorption 5=5727
dipropylene glycol, relaxation times, spectroscopic determ. 5=5895
dodecyl myristate, dielec. absorption and imperfections 5=7008
dye crystals, metallic optical reflection 5=1583
dye solutions, as giant laser pulse optical switches 5=2314
dyes, fluorescence quenching by neutral salts 5=9119
dyes, phosphorescence efficiency det. 5=4338
epoxide resin filled with magnesia as test material for anvil apparatus 5=15133
ethane-like mol. rot., hindered, and nuclear repulsion 5=972
ethane, liquid density, surface tension, 126-183°K 5=11870
ethane, localized orbitals energy terms, calc. 5=3032
ethane, radiolysis 5=7448
ethane, structure, electron diffraction study 5=8858
ethane, vibrational relaxation 5=3044
ethanol, elec. cond. at 30°C 5=11907
ethanol + water, dissolved Ar solubility and thermodynamics 5=3306
ethyl derivatives, proton—proton spin coupling consts. 5=8894
ethyl ether in chloroform, Rayleigh light scatt. rel. to mol. struct 5=9088
ethyl ether, light scatt., Brillouin, He—Ne maser source, meas. 5=1183
ethyl formate liquid, u. s. relaxation and isomerism 5=11887
ethyl formate, mass spectrum metastable peaks 5=14656
ethyl monochloroacetate, relaxation times, spectroscopic determ. 5=5895
ethylacetate, light scatt, Brillouin, He—Ne maser source, meas. 5=1183
ethylene, adsorption on Mg evaporated films, microstruct. meas. method 5=12050
ethylene diffusivity in glycerine and Na salt of carboxy methyl cellulose solns. 5=6161
ethylene, electron correlation theory 5=944
ethylene—imine derivatives, 15, i. r. absorbt. band freqs. 5=5884
ethylene, ionic polymerization 5=13169
ethylene, molecular SCF calc. 5=11564
ethylene, from γ radiolysis of cyclohexane, additive effects 5=1917
ethylene, spin—lattice relax. time meas., 20°K to 104°K 5=7227
fatty acids, Raman spectra and H bond vibr. 5=985
ferric polysaccharides, piezo-Faraday effect 5=337
ferrichrome A($C_{41}H_{58}N_9O_{20}Fe.4H_2O$), crystal and mol. struct. 5=6495
ferrocene, electric field gradient, Mössbauer study 5=11969
ferrocene electron irrad., H, Fe. and hydrocarbon products yields 5=3790
ferrocene, magnetic anisotropy 5=12871
ferrocene, resistance rel. to pressure 5=9707

Organic compounds—contd
flavin mono nucleotide, reduced, oxidation 5=10011
fluorescein, fluorescence quenching by KI 5=14854
fluorescein in glycerin, luminesc. depolarization and molt. rot. 5=6192
fluorescein, magnetism in phosphorescent state, in boric acid glass 5=12872
fluorescein in water, fluorescence, KI-quenched rel. to polarization 5=3344
2-fluorobenzotrifluorides, electron coupling of nuclear spins 5=5904
fluoroform, CHF_3, CDF_3, spectrum, rotation anomalies in $\nu_6 = 1$ vibr. state 5=11566
fluoroform, CHF_3, CDF_3, Stark effect, anomalous in $\nu_6 = 1$ vibr. state 5=11565
fluoroform, force const. calc. 5=983
formaldehyde, breaking strength var. 5=6737
formaldehyde, microwave spectrum of vibrationally excited states 5=984
formaldehyde mol., anharmonicity correction 5=5886
formaldehyde, mol. vibrs., and $n \rightarrow \pi^*$ intensification 5=11558
formaldehyde, Zeeman effect, and mol. moments and mag. suscepts. 5=11568
formamide—inorganic salt solutions, u. s. velocity and compressibility 5=14848
formamide—N^{15}, p—p double rês. 5=11600
formic acid and ethyl formate mixture, u. s. absorpt. coeff. and vel. 5=6173
free radicals, proton relax., freq. dependence 5=11596
free radicals, CH_2 group p spin densities, var. H—C—H angle 5=8899
galvinoxyl, n. m. r. h. f. s. in soln. and coupling 5=14674
gelatin, gelatin—dyestuff complexes films, semi-cond. props., temp. var. 5=6951
glycerol, glass-like, heat exchange medium, heat capacity, 1.5 to 4°K 5=6550
glycerine, CO_2 and ethylene diffusivity 5=6161
glycerol, pressure effect on viscosity and dielec. relaxation 5=1173
glycerol, spin diffusion meas. 5=4982
glycerol, velo., acoustic waves, 1-8 Mc/s 5=6171
glycerine, cavitated, oscillations in heating curves 5=11876
glycine, irrad. cryst., e. s. r. 5=7239
guanine-cytosine, electronic structure and bonding 5=3034
halomethane gas binary mixtures, absorpt., u.s. 5=3269
halomethane binary mixtures acoustic dispersion and vibr. relax 5=9045
halomethanes, accommodation coefficient for Pt 5=14808
n-heptane, electro-optical Kerr const. meas., high press. 5=9113
heterocyclic, valence and structural angles 5=3011
hexafluorobenzene, thermodynamic props. 5=11926
hexamethylbenzene, molec. rotation det. by slow neutron scatt. 5=986
hexamethylene tetramine, molecular rot. meas. from nuclear quad. relax. 5=13013
hexamine mol. crystals, dielec. and electrooptical props. 5=7009
hexamine, second harmonic generation—electrooptic effect rel. 5=9927
n-hexane, Brillouin scatt. of light from ruby laser source 5=3339
hexane crystals, molecular vibrations, low freq., study by neutron inelastic scatt. 5=6513
hexane + hexadecane mixture, thermodynamics 5=6166
n-hexane, ions, metastable, ~100 μsec, mass spectrum study 5=5966
hexane, prebreakdown, Schlieren system obs. 5=11897
n-hexanol, elec. cond. at 30°C 5=11907
higher hydrocarbons conformational energy from nonbonded-atom—group interacts. 5=8845
hydrocarbons, appearance potentials 5=8937
hydrocarbons, binding energies 5=11496
hydrocarbons, conjugated and aromatic, electronic oscillator strengths 5=8861
hydrocarbons, excitation by electrons 5=8865
hydrocarbon formation in ion pumps 5=9062
hydrocarbon heat of displacement by water on oxide surfaces 5=11841
hydrocarbons, ionization, sensitivity of hydrogen singing-flame detector 5=5968

Organic compounds—contd
hydrocarbons, molecular p spin—spin coupling, long range 5=3057
hydrocarbons, polarizability derivative tensor and chem. bond, calc. 5=8859
hydrocarbons, polynuclear in viscous soln., phosphorescence lifetime 5=6190
hydrocarbons, saturated, CH vibr. high specificity 5=988
indene oxide, nucl. spin coupling consts. 5=8890
indigo, thin film rectifying jns., props. 5=1665
iodoalkanes, i.r. spectra, c-halogen stretching 5=11559
p-iodobenzonitrile, crystal atomic structure 5=12253
iron cupferron, crystal atomic structure 5=12254
isobutyril anion radicals, photoformation and photosensitized formation 5=10022
isooctane, surface tension in mixtures with benzene, cyclohexane and n-dodecan 5=9096
isopropyl formate solns., u. s. relaxation and cis—trans-interconversion 5=11889
isoquinoline in durent, e. s. r. under u. v. at 77°C 5=9847
isoquinoline, mol. wave-functions, calc. by Parisier—Parr method 5=3018
ketones, cyclic, rot. strength, optically active transitions 5=11505
l-menthol, permittivity, rel to spectral absorpt., 0.1 to 3300 Mc/s 5=9142
lanthanide complexes, trivalent, synthesis and fluorescence 5=5888
leucobase of malachite green, photoconductivity in organic solid soln. 5=4117
liquids, activation energy 5=11910
liquids, d. c. cond., low temp. 5=1207
liquids, i.r. dispersion, interferometer meas. 5=8137
liquids nonassociating mutual diffusion rel. to viscosity 5=9098
liquids, nuclear emulsion exposure effects 5=10945
liquids, Rayleigh ratios at 6937A 5=6181
liquids and solns., Kerr const. evaluation 5=3356
liquids, thermal excitation energy 5=9148
luminescence in soln, intermolecular energy transfer to Tb^{3+}, Eu^{3+} 5=9126
luminescent liquids, conc. var., energy transfer 5=9125
melamino-formaldehyde, breaking strength var. 5=6737
melanins, band structure 5=8868
malonamide, irrad. cryst., e. s. r. 5=7239
menthol eutectics, structure, light scatt. 5=9089
mercapto-2 benz-imadazole, oxazole and othiazole, spectra, i. r. 5=14657
merocyanine crystals, molecular structure 5=6496
mesitylene, excimer fluorescence 5=9127
X-mesitylene, (X=methyl, amide, hydroxyl), n. m. r. rel. to Van der Waals forces 5=3065
metallic acetates aqueous soln., u.s. wave vel., 1 to 12 Mc/s, radiator diam. correction 5=3331
metallo-pyrromethanes, spin delocalization 5=3066
metanilic acid, crystal atomic structure 5=12255
metanitrotoluene in paraffin, dielec. loss, Debye eqns. applicability 5=14858
in meteorites, free radicals 5=15858
methane, absorpt. 3.9μ laser beam in atmosphere 5=8864
methane, absorptance, temp. depend. 5=11503
methane adsorbed on NaCl, nuclear mag. relax times meas. 5=8029
methane—air ionization, double probe obs. 5=7431
methane, diffusion, thermal, and with Ne 5=9058
methane gas, slow-neutron inelastic scatt. 5=6098
methane halogen derivatives, thermal conductivity, rel. to pressure 5=11809
methane, ionic character and mol. props. 5=11571
methane, ionic reactions and radiolysis 5=10030
methane, Lorentz—Lorenz fn., liquid and gaseous refractive index meas., 0°C 5=3270
methane mol., anharmonicity correction 5=5887
methane, photoionization absorpt., 23.6-250Å 5=8743
methane + propane liquid, thermodynamic props. 5=11881
methane, radiolysis and photolysis in solid phase 5=10026
methane, saturated vapour pressure 5=3406
methane, scattering of high-velocity Ar atoms 5=929
methane, slow-neutron scatt. from solid, liquid and gas 5=6098
methane, in solid Kr, mol. rot. and Raman spectrum 5=11570

Organic compounds—contd
methane, tetrahedral, deutero- and tritio-substituted, fundamental frequencies 5=3035
methane, thermodynamic props., down to 30°K 5=15064
methane—tritium system, exchange reaction kinetics 5=4380
methanes, deuterated, spin—lattice relaxation 5=14668
methanes, substituted, wave numbers, thermodynamic props., and rot. consts. 5=8866
methanol, elec. cond. at 30°C 5=11907
methoxy-dicyanoheptafulvenes, electron impact, mass spectrum and struct. 5=14655
methyl alcohol in soln., proton relax. due to interaction with Mn 5=14868
methyl bromide γ-radiolysis at 77°K 5=13176
methyl bromide, molecular props. calc. 5 =14659
methyl bromide, polycryst., Raman spectrum 5=1862
3-methyl buta-1, 3-dione, stimulated emission of Raman radiation, onset threshold 5=3022
methyl chloride, i.r. spectrum 5=8867
methyl chloride, molecular props. calc. 5=14659
methyl esters of monocarboxylic acid in org. solvents, adsorption on C black 5=3514
methyl formate liquid, u. s. relaxation and isomerism 5=11887
methylal, photoionization absorpt., 23. 6-250Å 5=8743
methylamines, amino wagging and inversion 5=989
methylcyclohexane, benzyl radical fluorescence 5=7411
methyl thionylamine, microwave spectrum 5=5890
methylene dichloride, compressibility meas. 5=9072
methylene halides, Raman spectra of polycryst. 4=7378
methylene, matrix reaction with N_2 5=4409
methylene, spin—spin interaction, erratum 5=3037
3-methylpentane glass, γ-irrad., luminescence 5=1884
methyl-tin chlorides in HCl soln. n. m. r. 5=3373
methyltin hydrides and deuterides, i.r. spectra, 2=28μ 5=5891
Michler's ketone soln., luminescence, absorpt. and emission spectra 5=5879
molecular nuclear coupling, C^{13}—p, ring size, heteroatom. effects 5=5906
monodeuteriobenzene, crystalline, mol. symmetry in spectrum 5=7376
monofluoracetic acid, microwave spectra, Stark effect meas. 5=3039
monoisopropyldiphenyl, neutron distribution in reactor thermal column 5=11403
on moon, and atmosphere history 5=13737
naphthacene phosphorescence, triplet energy 5=11553
naphthacene vapour, fluorescence 5=8869
naphthacene vapour, fluorescence, self-quenching 5=11551
naphthalene, charge-transfer exciton states 5=3941
naphthalene cryst., excited with Xe flash, two-photon absorpt. 5=4369
naphthalene crystals, deformed, 1μ thick absorpt. spectrum at 20°K 5=1864
naphthalene crystals, 3-photon absorpt. by laser excit. 5=1885
naphthalene and derivatives, excimer fluorescence 5=14853
naphthalene deutero-derivatives, spectra absorpt. at 20°K comparison 5=4333
naphthalene, electron and hole mobility, exchange effects 5=9591
naphthalene, electron-impact ionization 5=3134
naphthalene eutectics, structure, light scatt. 5=9089
naphthalene, excimer luminescence 5=2947
naphthalene, exciton disturbed states and energy transfer 5=12623
naphthalene, neutral, ionic, absorption spectra oscillator strengths, calc. 5=990
naphthalene-phenantbrene eutectic mixtures, crystallization 5=1301
naphthalene, plastic flow 5=12524
naphthalene, powder tablets, Raman spectra, meas. 5=1863
naphthalene, e.s.r. line shape 5=8875
naphthalene scintillators, decay times 5=9130
naphthalene solns, luminescence triplet quenching and diffusion 5=9099
naphthalene, thermoelectret depolarization 5=15379
naphthalene and 2 derivatives in methyl methacrylate polymer, S^1—T^0 fluorescence 5=13131
naphthalene with and without CCl_4, Ham bands 5=11573
neutron scatt. from molecules 5=5881

Organic compounds—contd
nitro, H bond with alcoholic OH groups, from i. r. spectra, n. m. r. 5=5830
nitrobenzene, electronic struct. and spectrum, calc. 5=5892
nitrobenzene, induced laser absorption versus Raman scatt. 5=1184
nitrobenzene in n-hexane and benzene dielectric macro and micro relax 5=9143
nitrobenzene in paraffin, dielec. loss, Debye eqns applicability 5=14858
nitrobenzene, Raman scattering of laser 5=11890
nitrobenzene, Raman spectrum, ruby laser stimulated 5=3042
nitrobenzene in soln., dielec. loss depend. on viscosity 5=11898
nitro groups, vibr., solvent and H bonding effects 5=991
o-nitroperoxybenzoic acid, crystal structure 5=9364
o- and p-nitrophenol soln. in ether, elec. cond. 21°C 5=11908
p-nitrosodimethylaniline, internal rotation 5=8870
d^n octahedral complexes, n.m.r. temp. dependence 5=11594
oils, volatile, in ethyl alcohol solns., phosphorescence 5=6191
oleic acid, Fe fine struc. var., in plastic deform. 5=1527
ortho-nitrophenol eutectics, structure, light scatt. 5=9089
oxalate ion, in ammonium oxalate monohydrate, enantiomorphism 5=12079
oxalic acid dihydrate, deuterated, new modification 5=1401
oxalic acid single crystals, growth, effect of solvent on crystal habit 5=6380
oxy radicals, e. s. r. 5=3052
2—oxy—1, 4—naphthoquinone anion spectrum in soln., inactive additions effect 5=11574
PAC recrystallized, e. s. r. absorpt. at 9. 5 kMc/s 5=15497
PETN wire, detonation 5=13926
paradichlorobenzene, Cl^{35} n.q.r. 5=8889
para-dichlorobenzene, phase transforms., polymorphic, meas. methods 5=12027
paraffin crystals, mechanical and dielec. relaxation 5=1537
n-paraffin series, proton spin—lattice relax., viscosity, molec. vibs. 5=5898
n-paraffins, i. r. intensities, group moment interpret. 5=13086
n-paraffins and mixtures, liquid, principle of corresponding states 5=1172
paraffins, mol. chain struct. meas. by n. m. r. 5=3043
n pentadecane, liq., Tait equation parameters 5=1171
1, 3-pentadiene, stimulated emission of Raman radiation, onset threshold 5=3022
pentaerythintol crystals, 45 kV X-ray irrad., breakings into mosaic 5=3770
pentane drops evaporating from water, heat transfer 5=4828
n-pentane, ions, metastable, ~100 μsec mass spectrum study 5=5966
n-pentane, radiolysis, elec. fields effects 5=4414
pentanes, methyl subs., Raman spectra and l. f. vibr. 5=992
n-pentanol, elec. cond. at 30°C 5=11907
perfluorotributylamine-isopentane, critical opalescence 5=3382
peroxy radicals, e. s. r. spectra, in irrad. oriented polytetrafluoroethylene 5=9846
peroxypelargonic acid, crystal structure 5=12256
perylene, excimer luminescence 5=2947
perylene, fluorescence quenching 5=4340
perylene, molecular config. and dimensions, bond lengths 5=11575
phenanthrene, fluorescence, deuterium effect and radiationless transitions 5=14662
phenanthrene-d_{10}, luminescence 5=4337
phenanthrene-d_{10}, luminescence quenching 5=4339
phenanthrene in glasses, luminescence, delayed, triplet-triplet mechanisms 5=7412
phenanthrene in methyl methacrylate, S^1—T^0 fluorescence 5=13131
phenanthrene, phosphorescent state, e. s. r. 5=4252
$(\text{phenanthrene})^-$ in soln., electron spin—lattice relax. time 5=3364
phenanthrene vapour, fluorescence, self-quenching 5=11551

Organic compounds—contd
phenazine, thin film rectifying jns., props. 5=1665
phenol in benzene and ether, elec. cond. 21°C 5=11908
phenols, mono-and diortho-alkyl substituted, OH n.m.r. chemical shift 5=11601
phenols, spectrum, OH bond vibr. band splitting and solvent mol. interactions 5=11576
p-phenylenediamine:p-chloranil, e. s. r. spectrum 5=5899
phospho-organic, P^{31} n.m.r. in earth's mag. field 5=8884
phthalimide and derivatives, electronic spectra 5=8871
phthalocyanines semiconductors 5=6952
phthalocyanine, spectrum, non-linear absorpt. of laser 5=11577
picryl-N-amino carbazyl in benzene, chloroform sols., 9. 5 k Mc/s, e. s. r. hyperfine struct. 5=3369
pivalil anion radicals, photoformation and photosensitized formation 5=10022
for point counter, with quenching vapour 5=8317
porphyrin, polarized luminescence, metal atom or 2 H atoms addition effects 5=14660
positronium, O quenching in liquids 5=9080
potassium syn-methyldiazotate, crystal structure 5=12257
procollagen, cooperative transconformation, heat meas. 5=5919
proflavine hydrochloride, p-type delayed fluorescence 5=8872
propane in bubble chamber, radiation sensitivity zone boundaries meas. 5=14358
propane, bubble growth in chamber, heat transfer effects 5=14357
propane, ion-molecule reactions 5=3136
propane, ionic reactions, secondary spectra 5=15615
propane, mass spectrum of ions from electron impact 5=14700
propane, vibrational relaxation 5=3044
1, 2-propanediol, u. s. vel. and absorpt. 5=6174
propylene oxide, nucl. spin coupling consts. 5=8890
propylene primary and radical reactions, photolysis 5=10023
propylene, vibrational relaxation 5=3044
propylene, X-ray absorpt. 5=9890
purine and pyrimide bases, spectra, u. v. correls. 5=14661
δ-pyrazinamide crystal struct., analysis by modified Fourier technique 5=6423
pyrene, excimer luminescence, exciton and charge reson. states interaction 5=2947
pyrene, luminesc. decay at electron and α excitation 5=9998
pyrene, photocond., activation energy and "detection" effect 5=15410
pyrene solns, luminescence 5=9132
pyridine, mol. wave-functions, calc. by Parisier—Parr method 5=3018
pyridine N-oxide—$CuCl_2$, mag. susceptibility and crystal structure 5=9768
pyridine picrate crystal structr. 5=9361
pyridines, γ-substituted, proton chem. shifts 5=3067
pyrimidine-h_4, -d_4 vapours, mols., vibr. freq. meas. 5=3045
pyrocatechol, unit cell dims., space group meas. 5=6497
quinoldic acid, decarboxylation, C^{13} and O^{18} isotope effects 5=7419
quinoline, e. s. r. under u. v. at 77°C 5=9847
quinoline, mol. wave-functions, calc. by Parisier—Parr method 5=3018
quinol—quinone equilibrium, tautomeric, fluorescence investigation 5=10000
radicals, e.s.r. in amorphous solids, computer programmes 5=12983-4
rare earth ethyl sulphates, mag. susceptibility anisotropy 5=4169
resins, electrets in elec. field, meas. 5=15382
resins, ion-exchange, ion self diffusion 5=4374
rhodamin aqueous soln., dimerization rel. to solvent structure 5=11602
salol crystal growth rate meas. 5=6363
saturated hydrocarbons, electronic states of positive ions 5=987
semiconductors, electron field emission 5=9747
semiquinone ions, e. s. r., spin—orbit coupling, solvent effects 5=5901
solder flux, non-sputtering, polyethylene glycol 5=7696

Organic compounds—contd
solids, free radical production by H atom bombardment 5=11605
solutions, anhydrous and O_2-free, for e.s.r. spectroscopy 5=11911
stearate soft X-ray diffr. grating optimum thickness 5=13015
stilbene anion radical, e.s.r. spectra and barrier to internal rot. 5=5900
stilbene, scintillation slow component, temp. depend 5=2510
stilbene in tolane, cryst., spectra investigation at 20. 4° and 4. 2°K 5=7379
stilbene, trans- and cis- in various solvents, lowest excitation states, transition energies calc. 5=3046
styrene, stimulated emission of Raman radiation, onset threshold 5=3022
substituted benzenes, chem. shifts and π-electron densities 5=1006
substituted ethanes, solvent effects on F^{19} spin—spin coupling consts. 5=5903
succinic acid, e.s.r. absorption, 77°K 5=12993
sucrose, crystal structure determ. 5=6439
α-sulphanilamide, crystal struct. 5=12259
TCNE· in soln., electron spin—lattice relax. time 5=3364
tartrates, crystal growth in silica gels. 5=14968
p-terphenyl in polystyrene, fluorescence transfer efficiency, residual polystyrene effect 5=4371
p-terphenyls, substituted, evaporated films, u.v. absorption spectrum 5=7380
tertiarybutyl benzene with and without CCl_4, Ham bands 5=11573
tetrabromophthalic anhide complexes, phosphorescence, heavy atom effect 5=13135
tetracene^{-3} ions, e. s. r. 5=14667
tetrachloronaphthalene crystals, quadrupole relaxation 5=15524
tetrachlorophthalic anhide complexes, phosphorescence heavy atom effect 5=13135
tetracyanoethylene, n. m. r. h. f. s. in soln. and coupling 5=14674
tetrafluoroethylene, Hg-photosensitized oxidation 5=7445
tetrahydrofuran—H_2O mixtures, n.m.r. shift on adding paramagnetic salts 5=9159
tetrahydrofurfuryl alcohol, relaxation times, spectroscopic determ. 5=5895
1, 1, 4, 4-tetraphenylbutadine in polystyrene, fluorescence transfer efficiency, residual polystyrene effect 5=4371
tetrazine mols, adsorbed, electronic absorpt. spectra 5=996
13 aromatic complexes, electrical conductivity, high-press. 5=12798
toluene, excimer fluorescence 5=9127
toluene, ionization potential 5=3133
toluene, light scatt, Brillouin, He—Ne maser source, meas. 5=1183
toluene liquid, Rayleigh scatt., ang. depend. 5=11556
toluene + OH radical, rate constant 5=4381
toluene, Raman scattering energy yield 5=11484
toluene, relaxation times, spectroscopic determ. 5=5895
toluene, spin—lattice relax. time, by n. m. r. 5=15514
m-tolunitrile, spectra, near -i. r. absorption 5=3047
tri-2. 2′-dipyridal complexes, e. s. r. 5=5902
tributylbore isomers, u. v. and i. r. absorpt. spectra rel. to structure 5=14664
1-X-2, 4, 6-tri-t-butylbenzene, (X=methyl, amide, hydroxyl), n. m. r. rel. to V. d. Waals forces 5=3065
trichlorotoluene, i. r. and Raman spectra 5=5896
triethylamine, ionization potential 5=3133
triethylbismuth, vibrational spectra 5=8863
triethylenediamine, crystal struct., and i. r. spectrum calc. 5=3654
trifluorethane, Stark effect at r. f. and torsional vibr. 5=995
triglycine sulphate, crystal dislocations and ferroelec. domains, etching obs. 5=9482
triglycine sulphate crystals, polarization var. in 10^2—10^{-5} c/s fields 5=4094
triglycine sulphate crystals, spontaneous polarization effect on exoelectron yield 5=4127
triglycine sulphate, heat capacity, 0-55°C 5=15051
triglycine sulphate, pulse polarization reversal asymmetry 5=12805

Organic compounds—contd
triglycine sulphate, pyroelec. response to amplitude-modulated X-laid signals 5=4098
triglycine sulphate, thermal cond. temp. depend. 5=15062
trimethylenemethyl and ions, molecular π electron struct., AMO calc. 5=11583
trypaflavine in glycerol, luminescence self-depolarization 5=9124
triphenylene, fluorescence, deuterium effect and radiationless transitions 5=14662
triphenylene soln. at 77°K, quasi-linear luminesc. 5=9999
triphenylmethyl ClO_4, space group, cell dim., bonds meas. 5=12260
tris (5-nitro-1-naphthalene) Eu sulphanate, prep. and spectra 5=13090
tropone Fe tricarbonyl, crystal and molec. structure 5=9363
trypaflavine in glycerol, luminescence self-depolarization 5=9124
uracil, far i. r. spectra 5=982
urea, thermal vibrations, comparison with other workers 5=12275
uranine in glycerol, luminescence self-depolarization 5=9124
urea, lattice dynamics 5=6521
vinyl halides, C^{13}–H n. m. r. satellite spectra 5=3068
wool, particle size, low angle X-ray diffr. exam. 5=9166
xylene, counter, scintillation, large area 5=10901
p-xylene, excimer fluorescence 5=9127
o-xylene, negative ion, e. s. r. 5=3053
o-, p- and m-xylene, proton freq. spectrum determ. by neutron scatt. 5=5897
xylenes, Raman spectra in soln., temp. var. 5=11584
zone melting apparatus, m. p. < room temp. 5=5357
Ag perchlorate—benzene complex, benzene freq., p. m. r. obs. 5=994
Ag perchlorate—benzene complex, benzene, hindered, X-ray diffr. versus p. m. r. obs. 5=993
$Al(C_2H_5)_2Cl$ and addition products, prep., mag. and mol. rotations 5=7373
$Al(C_2H_5)Cl_2$ and addition products, prep., mag. and mol. rotations 5=7373
B compounds, liq., absorpt. spectrum in vac. u. v. 5=1192
B heterocyclic cpds, vibrational spectra 5=8851
Be oxyacetate, n. m. r. line shape and phase transitions 5=6277
CCl_4, optical dispersion, temp. and press. effect 5=3337
CD_4, slow neutron scatt., in gaseous and liquid state 5=3036
CD_3OH, spectrum, 3340 cm^{-1} band struct. 5=11572
CF_3I, appearance potentials of fragment ions 5=1053
CF_3PCl_4, structure, i. r. and Raman spectra 5=2988
$CHClF_2$, binary mixture with SF_6, vibrational energy transfer, u. s. dispersion meas. 5=1015
CH, $^2\Delta—^2\Pi$ transition meas, interstellar possibility meas. 5=11557
CH_2 radical, spin—orbit interactions, effect on zero-field splitting 5=5889
CH_2Cl, force const. adjustment 5=5827
CH_2O, maser 5=8036
$(CH_3)_2\ CCO_2^-$ e. s. r. spectrum, below 77°K 5=4245
$(CH_3)_2CO$, Faraday effect, He—Ne laser source, fields to 400 kOe, meas. method 5=15558
$(CH_3)_2CO$, fragment ions from electron impact 5=5967
CH_3F, electro-optical calc. from i.r. spectra 5=11569
CH_3I, molecular beam, interacting with K atomic beam, mag. analysis of scatt. 5=3087
CH_3NH_2 versus CH_3ND_2, bond length, radial distrib. from var. 5=14658
$CH_4—CD_4$ liquid mixture, viscosity meas. 5=14823
CH_4 and C_2H_6 reaction with active N, HCl catalysed 5=1899
CH_4^+ excited ion break-up by electron impact, fragment k. e. 5=3125
C_2H_2, dissociative ionization, by rare-gas ion impact 5=11672
C_2H_2, rotational mag. moments 5=2991
C_2H_4, dissociative ionization, by rare-gas ion impact 5=11672
$[(C_2H_5O)_2PS_2]_3Co$, e. s. r. of Cr 5=7219

Organic compounds—contd
$C_6H_5CH_2$, $C_6H_5CD_2$ and $C_6D_5CD_2$ in solid soln., fluoresc. 5=9993
$C_6H_5(CH_3)$, Faraday effect, He—Ne laser source, fields to 400 kOe, meas. method 5=15558
$C_6H_6^+$ excited ion break-up by electron impact, fragment k. e. 5=3125
C_6H_6, Faraday effect, He—Ne laser source, fields to 400 kOe, meas. method 5=15558
C_6H_{12}, CCl_4 mixtures, significant structure theory 5=9087
C_nH_{2n+1} OH alcohols adsorbed on C, H-band energy determ. 5=9249
C_nH_{2n+2} adsorbed on C, H-band energy determ. 5=9249
C_6O_6, LCAO-MO-SCF calculations 5=966
Ce ethyl sulphate, electric quadrupole—quadrupole interaction 5=3422
Cr diethyldithiophosphate e. s. r. in Co salt 5=15493
Cr^{3+} ethylenediammine complexes, spin Hamiltonian calc. 5=3427
Cu acetate, mag. props. at low temps. 5=9774
Cu complexes in solvents, molecular struct., e. s. r. method 5=3365
Cu halide 4-substituted pyridene N-oxide complexes, paramag. props calc. 5=7097
Cu phthalocyanine, e. s. r. 5=4238
Cu phthalocyanine thin films, electron injection 5=15349
Cu phthalocyanine, solid, vapour press. 5=14889
Cu propionate, antiferromag. exchange interaction 5=12957
Er ethylsulphate, anisotropic Zeeman effect 5=9926
Eu benzoylacetonate, laser emission shift by inorganic ions 5=5024
Eu benzoylacetonate soln., laser beam scatt. 5=6180
Eu benzoyltrifluoro acetonate soln. laser, room temp. 5=5026
Eu-chelates dissolved in acetonitrile, laser action 5=10610
Eu chelates, solid and in soln, emission spectra rel. to laser capabilities 5=13084
Eu dibenzoylmethides, luminescence 5=7410
Eu β-diketone chelates, in soln. photoluminesc. enhancement 5=5885
Eu^{3+} and Tb^{3+} terpyridyl complexes, luminescence 5=15607
F nuclear orientation in liquid adsorbed on C, by e. s. r. 5=6199
$Fe(HCOO)_2 . 2H_2O$, mag. susceptibility calc. 5=7087
Fe(III) porphyrin, spin delocalization 5=3066
Ho ethylsulphate, paramag. relax., 1. 1°-4. 2°K 5=7232
$HCO_2^{+,0,-}$, molecular π electron energies calc. 5=11567
K acetyl phosphate, i. r. spectrosc. 5=13089
K antimonyl tartrates, lattice structure 5=12248
K oxalate monohydrate, cryst. structure by neutron diffraction 5=3653
K oxalate monohydrate, H-bonded water molecule in crystals 5=3653
K oxalate monohydrate, motion of H_2O molecule in crystal 5=4269
$MnBr_2$-amine complexes, luminescence spectra calc. 5=15608
MnBr amine hydrobromide complexes, luminescence characs. meas. 5=13134
$MnCl_2$-amine chlorohydrate complexes, review 5=7404
$Mn(HCOO)_2 . 2H_2O$, mag. susceptibility calc. 5=7087
$Mn(HCOO)_2 . 2H_2O$, proton n. m. r., mag. transition line shift, temp. var. 5=4268
Mn. amine complexes, luminescence 5=9129
N-alkylanilines, NH bond vibr., solvent effects 5=3014
N-alkylureas, X-irradiated, e. s. r. spectra and chem. decomp. 5=4413
N-methylenemethylamine, equilib. conformation, from microwave data 5=3038
N—methylformamide—N^{15} , p—p double res. 5=11600
Na formate, free radical, irrad. prod., e.s.r. obs. 5=8881
Na salicylate, fluoresc. stability 5=1887
Na salicylate, luminescence absolute quantum yield 5=1886
Na salicylate solns., luminescence, by γ-ray Chereukov 5=9133
NH_4 antimonyl tartrates, lattice structure 5=12248
$(NH_4)_2C_2O_4 . H_2O$, neutron diffr. study 5=12246
$(NH_4)_2C_2O_4 . H_2O$, structure refinement at 30°K 5=12247
Ni^{2+} complexes, tetrahedrally-co-ordinated, ligand field, orbital theory 5=3040
N, N-dimethylformanide salt solns., ionic conductance 5=13173
OCS, rotational mag. moments 5=2991

Organic compounds—contd
  OH-group proton chemical shifts 5=11597
  OH_3 vibr. stretching rel. integrated intensity 5=5831
  P semiconductors, dielectric props. 5=7012
  Pb alkyls, vibrational spectra 5=8863
  Rb antimonyl tartrates, lattice structure 5=12248
  Rh—H in tristriphenylphosphine Rh carbonyl hydride, calc. 5=12261
  Sn organic, Mössbauer doublet asymmetry 5=11979
  Sr caprylate hydrate, crystal structure 5=9365
  Tb ethyl sulphate, mag. susceptibility anisotropy 5=4169
  Tb thenoyltrifluoracetonate in polymethylmethacrylate, stimulated emission 5=2304
  Te dibenzoylmethides, luminescence 5=7410
  $UCl\pi$-tricyclopentadienyl, space group, cell dims., X-ray diffr. meas. 5=12262
Orthicons. See Electron tubes.
Oscillations
  See also Electromagnetic oscillations; Liquid oscillations; Piezoelectric oscillations; Vibrations.
  decay rate meas. circuit, l. f. 5=193
  gas slab, and solar atmosphere 5=14799
  mechanical, small amplitude, optical standardization 5=97
  plate, infinite, torsional oscillation in conducting fluid 5=4777
  semiconducting tunnel diode, power, with Hall isolator 5=10433
  stars, non-adiabatic atmosphere with hot corona 5=15806
  transistor blocking oscillator theory 5=10423
  turbulent flow 5=6072
Oscillistor effect. See Semiconductors.
Oseen method. See Flow; Hydroydnamics.
Osmium
  fluorescence, M-shell yields 5=13101
  spectrum, arc, isotopic displacement 5=11441
  Os^{188} Mössbauer effect, 137 and 155 keV, liquid He temps., exptl. set-up 5=1238
Osmium compounds
  OsC phase structure 5=1242
  $OsCl_6^{2-}$, force consts. 5=8836
Osmosis
  flow in charged membranes, thermo-osmosis 5=3327
  polymer solns., third virial coeff. calc. 5=11862
Overhauser effect. See Nuclear magnetic resonance and relaxation.
Oxidation
  acetylene, mechanism 5=10010
  alloys, binary, rel. to reactive diffusion 5=6579
  flavin mono nucleotide, reduced 5=10011
  graphite, ablation in oxygen and air 5=13153
  graphite, effect on compressive strength 5=15151
  graphite in CO_2 in reactors, inhibitors 5=15619
  graphite and non-basal dislocations 5=12388
  metal surface processes, emission microscope application 5=14075
  metals, layer growths, grain boundary effects 5=9245
  tetrafluoroethylene, Hg-photosensitized 5=7445
  Ag, internal, rel. to O solubility and diffusivity 5=3444
  Ag, rel. to surface migration 5=4390
  Al(metallic) → Al_2O_3 (sapphire), 1350° to 1400°C 5=12098
  Al, photoelec. emission 5=1710
  CdS crystals, rel. to light illumination 5=3409
  10% Cr—Ni, effect of Si additions 5=13151
  Cu, internal, rel. to O solubility and diffusivity 5=3444
  Cu, rel. to surface migration 5=4390
  Cu wire, prevention by Al paint in high-temp. air 5=1998
  Fe, pure, initial oxidation rate 5=10012
  Fe in AgCl and AgBr crystals 5=6257
  Fe—Al sintered alloys 5=1252
  In, high temp., reduction by Pt sheathing 5=9555
  Ir, mass spectrometric study 5=13152
  NH_3, anodic, on Pt 5=4401
  PbS surfaces 5=4389
  Si, and crystal stacking fault growth, H_2O effect 5=9490
  Si, and luminescence 5=7399
  Si p—n junctions, effect on elec. props. 5=1663
  Si, rel. to electrical props 5=4036
  Si surfaces, rel. to hole surface mobility 5=4039
  Si, thermal, redistrib. of solutes 5=3724
  UO_2, by Fe(III) ions, in soln., SO_4^{2-} and HSO_4^{2-} effects 5=7428
  UO_2 oxidation to U_4O_9 5=15617

Oxidation—contd
  Zr, single and polycrystalline, and grain structure 5=15618
Oxide cathodes. See Cathodes/oxide.
Oxygen
  adsorption by Si, e. s. r. broadening obs. 5=7249
  adsorption on [111], [100] and [110] faces of Ni 5=3518
  airglow, far u. v. 5=4479
  airglow, 6300Å line, obs. 5=13368
  atoms, 5577Å emission in nightglow 5=15705-6
  atmospheric, ^1D, 10-240 km, and reactions 5=7506
  atmospheric dissociation by solar radiation, height and freq. var. calc. 5=13236
  atmospheric, formation theory 5=13229
  atom, 6300Å airglow, Pic du Midi 5=7508
  atomic, in dayglow, mechanism of red line emission 5=4478
  atomic excited states, long-lived, by electron collision 5=14614
  atoms, excited singlet, collisional deactivation and insertion into CH bonds of propane 5=2909
  atoms and ions, analytical self-consistent field functions 5=2908
  chemical reactions, $O_2\ {}^1\Delta_g$ and $^1\Sigma_g^+$, 5=7425
  chemical reactions rates with N, ion—molecule, and ionosphere 5=15616
  chemisorbed on Pt black, monolayer specific heat, 15°-300°K 5=7432
  chemisorption in CdS, kinetics 5=1907
  chemisorption on RuO_2, 100° to 385° 5=13163
  chemisorption on ZnO, at low temps. 5=13167
  diffusion, atomic in O_2, N_2, Ar, He 5=1160
  diffusion in Hf 5=9413
  diffusion in metals, meas. by O^{18}(p, n) 5=9406
  diffusion in rutile crystals, 710° to 1300°C meas. 5=9417
  diffusion, with N_2, in graphite 5=15070
  discharge striking 5=5941
  dissociation meas., in upper atm. 5=13328
  grazing incidence spectra, from theta-pinch plasmatron, meas. 5=1109
  impurities in Nb, mechanical twinning var. 5=15178
  influence on cond. of p-type Si 5=4035
  ionic self-diffusion in YIG 5=6597
  ionizing radiation from discharge, absorpt., coeff. 5=8916
  ions, diffusion in $SrTiO_3$ 5=12336
  ions, equilibrium fractions in 17 gases, 15-50keV 5=10507
  ions, long excited life, collisions, prod. cross-section calc. 5=3131
  ions, O^{2-}, polarizibility, in $NaAlSi_3O_8$ and $KAlSi_3O_8$ 5=1229
  ions, O_2^+, mobility 5=8960
  laser ageing characteristics 5=10622
  laser transitions, visible in ionized O_2 5=10621
  liquid, i. r. spectrum 5=1191
  mixture with water vapour, sound absorpt. 5=6172
  plasma afterglow, electron removal microwave meas. 5=8921
  plasma, momentum transfer collisions, for thermal electrons 5=14714
  solid, crystal structure 5=6473
  solid films, struct., electron diffr. study 5=9326
  solubility and diffusivity in Ag and Cu 5=3444
  specific heat near critical temp. 5=3403
  spectrochemical analysis in Se as SeO_2, i.r. 5=13183
  spectrum, absorpt., 580-1050 Å, and atmospheric absorpt. 5=7507
  thermal relaxation with CH_4 and CD_4 5=9044
  X-ray absorpt. coeff. 5=9890
  in Nb, rel. to internal friction 5=12528
  and Nb superconducting critical current density, conc. effect 5=6876
  O atoms, recombination rates, at high temps. 5=13143
  $O(^1D)$ deactivation in atmosphere 5=1935
  O, ground state determ. 5=11419
  O, Planck mean absorpt. coeff. 5=8761
  O 1302-4-6 Å triplet emission in day airglow, photo-electronic excitation 5=15703
  OI 6300Å emission in airglow 5=15701
  O, 2p—3s transitions, oscillator strengths 5=11442
  O–vacancy interactions, hardening mechanisms in alloys 5=6757
  $O—O^+$ and $O—H^+$ charge transfer 5=11675
  $O + 2O_2 \rightarrow O_3 + O_2$ rate 5=7417
  O^- e. s. r. in KCl and KBr, 11°K 5=7246

Oxygen—contd

- O^- growth and decay, rel. to delayed electrons in avalanches 5=8959
- O^+ charge exchange with O and N 5=8961
- O^+ and O^{2+} excited states, Hartree—Fock results 5=11443
- O^+, O_2^+ mobility in Ar and N_2 5=8956
- O_2^* metastable molecules influence 5=13363
- O_2 adsorbed in ZnO, effect on elec. cond., high freq. versus d. c. 5=3525
- O_2, absorpt. of mm waves, mag. field present 5=8008
- O_2 adsorption on NiO, pulsed, rel. to elec. cond. 5=6331
- O_2 adsorption on Si, ellipsometry meas. 5=12067
- O_2 adsorption on W (111) face, rel. to structure 5=3537
- O_2 chemisorption on Ge, rel. to elec. props. 5=4027
- O_2, electron behaviour, free and attached 5=11674
- O_2, electron and photon impact 5=8962
- O_2, electronic band absorpt cross-sections, 2000°- 12000°K 5=8804
- O_2, impact with H^+, spectra induced 5=2982
- O_2 interact. with W surface layer role 5=6330
- O_2, Lorentz—Lorenz fn., liquid and gaseous refractive index meas., 0°C 5=3270
- O_2, optical absorpt. cross-section by δ-funcn., 6000°K 5=2950
- O_2 photoionization and total cross-sect. at intense solar lines 5=13426
- O_2, shock-heated expansion past diaphragm, Na-line reversal temp. meas. 5=109
- O_2 in soln., chemiluminescence spectrum, rotational structure 5=8820
- O_2 solubility in liquid Ag 5=14880
- O_2, spectrum, photoionization, 830-1000 A 5=7510
- O_2, spin dipole—dipole interaction 5=8822
- O_2, vibrational relax. in O_2—D_2 mixtures 5=8821
- O_2^+ form., during air ionization 5=11663
- $O_2A^3\Sigma_u^+$, chemical reactions, spectrum 5=7427
- O_2 + H reaction in shock waves, kinetics 5=1897
- O_2^{16} and O_2^{18}, Schumann-Runge system 5=5852
- O_2 and O_4 dimeric units, adsorbed magnetic studies 5=9253
- O VI, optical electron photoionization 5=1064
- on U, surface potential 5=1276
- in α–Zr, diffusion, kinetics and mechanism 5=12343
- in Zr, effect on H solubility 5=14919

Oxygen compounds

- oxide crystal growth by flux method 5=6371
- OCS, microwave spectral linewidth 5=2927
- OCS, molecular anharmonic potential consts. calc. 5=2937
- OCS, quadrupole moment meas. 5=3006
- OCS—He and Ar collisions, $\mu_1 q_1 \alpha_2$ not important 5=11610
- OD, infrared absorpt., low-temp. 5=8823
- OF_2, spin—rot. interaction and mag. shielding 5=11538
- OH groups on dried aerosils and gels surface and bulk, by i.r. spectra and D_2O-exchange 5=6317
- OH, infrared absorpt., low-temp. 5=8823
- OH lines in radio spectrum of interstellar medium 5=7619
- OH, new transition identification in sunspots 5=7673
- OH spectrum 18 cm absorpt., meas. 5=5853
- OH, Stark line splittings 5=11517
- OH^- electronic wave-function calcs. 5=14642
- OH^- prod. by H reduction of KCl or KBr doped with KNO_3 5=15614
- O—H—O hydrogen bonds, symmetrical 5=6240
- O_2—He mixtures attachment coeffs, meas. 5=8945
- O_2 + N_2 gas mixtures, luminescence collisional deactivation 5=6093
- O_2—H_2O vapour, acoustic absorpt. and vibr. relax. 5=11888

Ozone

- in atmosphere, distrib., i.r. data and model 5=15657
- atmospheric, chemiluminescence method meas. 5=13234
- atmospheric, det. by Dobson spectrophotometer 5=4452
- atmospheric dissociation by solar radiation, height and freq. var. calc. 5=13236
- atmospheric, quasi-biennial variations 5=4455
- atmospheric vertical distrib., and synoptic meteorological conditions 5=13235
- atmospheric vertical var. meas. from sun u. v. radiation 5=13237
- chemical formalism, $O + 2O_2 \rightarrow O_3 + O_2$ rate 5=7471
- chemical formation from O_2 by ionizing radiations 5=7447
- chemical formation in elec. discharged O_2, mass spectra obs. 5=7418

Ozone—contd

- $(\nu_1 + \nu_3)$ combination band 5=5869
- vertical distrib., atm. Umkohr method < C > 5=10048
- stratosphere, equatorial, rel. to wind oscillations 5=15656
- $O_3 + O_2^* \rightarrow 2O_2 + O$, rel. to airglow 5=13363

pH. See Electrochemistry.

P—N junctions. See Semiconducting devices/p—n junctions.

Pair creation. See Electron pairs; and under individual particles, e.g. Mesons.

Palaeomagnetism. See Rock magnetism.

Palladium

- cathode, palladized, overvoltage component rel. to bubbles 5=7442
- crystal electron states, Fermi surface density 5=7354
- dislocation effect on whisker growth 5=6391
- elec. resistance and photoelectricity rel. to adsorbed H_2 and D_2 5=9636
- ferromagnetic props. rel. to Co, Fe impurities 5=9809
- magnetic susceptibility, 1.4°-300°K 5=4271
- magnetothermal 1st and 2nd Ettinghausen—Nernst coeffs. var. 5=6834
- nuclear magnetic resonance, 1.4°-300°K, Knight shift 5=4271
- self-diffusion, isotope effect 5=1444
- X-ray spectra, emission isochromat obs. 5=7354
- H_2 adsorption, activation 5=12066

Palladium compounds

- Pd—Ag alloys, thermoelec. power calc. 5=1690
- Pd—Ag alloys, vapour pressure of Ag and thermodynamic props. 5=6542
- Pd—Fe—rare earth alloys, alignment of rare-earth moments 5=7191
- Pd—Gd alloys, ferromagnetism 5=9808
- PdH, α- and β-phase, n-diffraction study 5=6476
- Pd_3Mn, long period superlattice and its tetragonal distortion 5=15018
- Pd—Rh[Ag] alloys ferromag. props. rel. to Co, Fe impurities 5=9809
- Pd—Rh alloys, thermoelec. power calc. 5=1690
- Pd—Sn alloys, Mössbauer effect, isomer shifts 5=11980
- PdTe, $PdTe_2$, magnetic and elec. props. 5=12011
- $PdTe_{1-2}$, phase transforms. 5=12011
- $PdTe_2$, de Haas—van Alphen effect at 4°K 5=9761

Paper

- dielectric anisotropy, blocks with oriented fibres, 3000 Mc/s 5=7011
- dielectric props., for condensers 5=7010
- elastic modulus, theory 5=12529
- stress relaxation time var. 5=15180

Paramagnetic resonance and relaxation

See also Lasers; Masers.

- acoustic e. s. r. calc. in metals 5=9376
- alcohol glasses, γ-ray effects, radicals 5=7214
- alcohols, γ-irrad., 77°K 5=9835
- alicyclic compounds, rel. to free radical conformation study 5=3075
- alkali halide F-centres, spin—lattice relax., 50 kG 5=7319
- alkali halides, F-centre relax. 5=1791
- alkali metals, conduction electron g-value 5=1577
- N-alkylureas, X-irradiated, and chemical decomp. 5=4413
- anisotropic h.f.s. 5=7239
- aromatic free radicals (25) 5=5915
- aromatic nitrenes, ground-state triplet, zero-field splittings and spin densities 5=5894
- benzosemiquinones, spin density and splitting calcs. 5=11586
- t-butyl radical in X irrad. piralic acid 5=9836
- conference, Bordeaux (1963) 5=7206
- $(\text{coronene})^-$ in soln., spin—lattice relax. time 5=3364
- crystals, large g-anisotropy, absorpt. intensities 5=12968
- cyanomethylene, triplet 5=1000
- cycloheptatrienyl radical, molecular orbital degeneracy study 5=1793
- dextran, γ irrad., radicals 5=15498
- diaryl nitric oxides, solutions, e.s.r. 5=14866
- p-dichlorobenzene, relax. time, 77°-300°K 5=15522
- dielectrics, ferromagnetic particle influence 5=15485
- dilute radicals in amorphous solid, computer programmes 5=12983-4

Paramagnetic resonance and relaxation —contd
- DPPH, exchange narrowing and spin separation 5=12977
- DPPH oscillator 5=2253
- DPPH in p-azoxyanisole liquid crystal 5=3366
- DPPH, recrystallized, absorpt. at 9.5 kMc/s 5=15497
- 3, 5-difluoronitrobenzene anion, pi-electron spin densities by e.s.r. 5=11606
- dimethylgloxime, X irrad., and radical prod. 5=3077
- diphenyl-picryl-hydrazyl, 295° to 2°K 5=12978
- donors in Si, 2°-20°K 5=7248
- e. p. r. spectra, analysis 5=15487
- ethylene, 20°K to 104°K 5=7227
- F-centres, theory 5=12970
- ferric ions, high spin, g = 4.27, theory 5=901
- free radicals, D subs. and temp. effects 5=11585
- free radical in Na formate, irrad. prod. 5=8881
- free radicals in polymers, saturation 5=14665
- free radicals relax. obs. in paramag salts. 5=7213
- free radicals, review 5=8874
- free radicals in soln., effect of press. and temp. on spin exchange 5=3367
- g-factor, directional depend., giving crystal structure 5=6445
- γ-irradiated powders of F-containing cpds. 5=5914
- glass crystallization study 5=14971-2
- glass, triplet mols. 5=7212
- glycine, irrad. cryst., analysis of anisotropic h. f. s. 5=7239
- high r. f. field expts. 5=7207
- ions in cubic field, line intensity 5=15484
- isoquinoline in durene, under u.v. at 77°C 5=9847
- ligand field theory, gyromagnetic factors and spin—orbit coupling 5=2941
- linewidths, effects of internal motions, theory 5=3050
- in mag. fields, zero and intermediate, theory 5=12966
- magnet system 5=4978
- malonamide, irrad. cryst., analysis of anisotropic h.f.s. 5=7239
- mechanical ang. momentum prod. by e.m. field, obs 5=8019
- metal chelates, triplet state e.s.r. 5=8877
- metal—NH_3 solns., and ion pairing 5=11853
- methanes, deuterated, spin—lattice relaxation 5=14668
- methylene, spin—spin interaction, erratum 5=3037
- molecules, e.s.r. line shape 5=8875
- naphthalene, e.s.r. line shape 5=8875
- nitrosobenzene radical, prod. and spectrum 5=11911
- o-xylene, negative ion 5=3053
- optical study of centres 5=7090
- organic free radicals in meteorites 5=15858
- organic oxy radicals 5=3052
- organic triplet states spectra, environmental effects 5=14666
- PAC, recrystallized, absorpt. at 9.5 kMc/s 5=15497
- paramagnetic susceptibility meas. by e.s.r. 5=4894
- peroxy radicals, on irrad. oriented polytetrafluoroethylene 5=9846
- phenanthrene, phosphorescent state in diphenyl crystals 5=4252
- (phenanthrene)$^-$ in soln., spin—lattice relax. time 5=3364
- p-phenylenediamine:p-chloranil, spectrum 5=5899
- phosphors 5=1693
- photoconductors 5=1693
- picryl-N-amino carbazyl in benzene, chloroform soln., 9.5 k Mc/s, hyperfine struct. 5=3369
- polyethylene, free radical spectrum, decay after heat treatment 5=3076
- polyethylenes, irrad., dynamic proton polarization data 5=4241
- polymeric radicals, spin—lattice relaxation in solid 5=7210
- polymers, 20 conjugated, 1.3°-300°K 5=8876
- polymethylmetacrylate-derived free radicals 5=8880
- quartz, irradiated, atomic H impurity reson. 5=7233
- quinoline, under u.v. at 77°C 5=9847
- radicals in amorphous solids, computer prog., var. struct. tensors 5=7208
- radicals from dark reduction of phthalocyanines by Na 5=11604
- rapid flow system applications 5=4979
- relaxation, rel. between transverse, long., spin—spin and spin—lattice times 5=7211
- ruby: Cr_2O_3, Co^{60} γ ray effects 5=9495

Paramagnetic resonance and relaxation—contd
- ruby, spin—lattice relaxation times, rel. to Cr^{3+} conc., 9450 Mc/s 5=7220
- ruby, and Zeeman levels population var. on optical pumping 5=7361
- semiconductors, acceptor level spin—lattice relax. time calc. 5=15488
- semiconductors, experiments, review 5=1790
- semiquinone ions, e. s. r., spin—orbit coupling, solvent effects 5=5901
- solutions, spectra, H_2O and O_2 effects 5=11911
- spectra, line shapes, in polycrystal. substs. 5=12967
- spectroscope, low temp., description 5=15486
- spin Hamiltonian, generalized, effective 5=9834
- spin-Hamiltonian parameters, origin 5=11587
- spin-lattice interaction, between local electron centres, adiabatic approx. 5=1789
- spin—lattice relax., low temps., device 5=12971
- spin—lattice relax. times, technique 5=12972
- spin—spin, isolated system, hyperfine interact. search 5=4250
- stilbene anion radical, spectra, over -60° to + 40°C temp. range 5=5900
- succinic acid, absorption, 77°K 5=12993
- TCNE in soln., spin—lattice relax. time 5=3364
- tetracene^{3-} ions 5=14667
- transition metal ions, with triply orb. degenerate ground terms 5=5875
- transition probability and relax. time correction 5=3049
- tri-2.2′-dipyridal complexes 5=5902
- Wurster's blue in aq. soln., electron exchange 5=4385
- Zeeman levels population var on optical pumping 5=7361
- AgBr, doped, due to illumination 5=9848
- AgBr, AgCl, Fe doped 5=7251
- Al_2SiO_5, Fe^{3+} ion spectra, sites calc., rel. to zero mag. field maser use 5=7234
- B, effect of impurity diffusion 5=9837
- BN, e. p. r. 5=15489
- $BaTiO_3$, 9400 Mc/s, 78°K 5=1792
- $BaTiO_3$, phase transitions 5=3459
- C, electron delocalization study, pre-graphitic 5=7217
- $(CH_3)_2CCO_2^-$, e. s. r. spectrum, below 77°K 5=4245
- CO_2^-, in calcite 5=998
- CaF_2, F^{19} rotary resonance line shape 5=7230
- CaF_2:Gd^{3+}, line width and shape 5=4240
- CaF_2, YF_3 doped, rel. to d^1 electron levels 5=6793
- CaO spectra, and tetragonal distortions 5=15490
- $CdCl_2$, of V^{2+}, 4.2, 77°K, spin Hamiltonian 5=9851
- Ce ethyl sulphate, rel. to electric quadrupole—quadrupole interaction 5=3422
- Ce in $La_2Mg_3(NO_3)_{12}\cdot 24H_2O$, linewidth 5=7215
- Ce^{3+}, in SrF_2 and BaF_2 5=12973
- Co^{2+} in CdS, 9-34 kMc/s, 1.4°-1.5°K 5=7216
- Co^{2+} in $KMgF_3$, covalency effect, theory 5=11964
- Cr in $[(C_2H_5O)_2PS_2]_3Co$ 5=7219
- Cr diethyldithiophosphate in Co salt 5=15493
- Cr in Mg spinel, spin—lattice relax., phonon heating effects 5=4236
- Cr ion, in ruby and potassium alum 5=12976
- Cr^{3+} in Al_2O_3, Zeeman effect obs. 5=9840
- Cr^{3+}, in $CdWO_4$ 5=12975
- Cr^{3+} ethylenediammine complexes and spin Hamiltonian calc. 5=3427
- Cr^{3+} and Fe^{3+}, in synthetic $ZnAl_2O_4$ spinel 5=15492
- Cr^{3+} in β-Ga_2O_3 5=9905
- Cr^{3+} in Li doped CrO_3, fine struct., Li conc., excess O effects 5=15491
- Cr^{3+}, in MgO, isotopic shift 5=4235
- Cr^{3+}, in $MgWO_4$ and $ZnWO_4$, spin—lattice relax. 5=1794
- Cr^{3+} in ScF_3, spectrum 5=1795
- Cr^{3+} in sulphate, borate glasses, absorption lines g-values meas. 5=15494
- Cr^{5+} in $CaWO_4$, saturation effects 5=4234
- $[Cr(CN)_6]^{3-}$ in $K_3Co(CN)_6$, and bonding 5=3416
- $[CrOCl_n]^{-(n-3)}$, h. f. s. and g-factor components 5=9839
- Cs, optically aligned, Zeeman transitions 5=5751
- Cu in complexes in soln., hyperfine linewidths rel. to nuclear spin orientation 5=8878
- Cu complexes in solvents, molecular struct. calc. 5=3365
- Cu coordination groups, spectral h. f. s. 5=15496
- Cu ions in porous crystals, e. p. r. 5=15495

Paramagnetic resonance and relaxation—contd
Cu phthalocyanine, e.s.r. 5=4238
$Cu^{+,2+}$ in AgCl 5=1799
Cu^{2+} in $CdWO_4$ 5=1796
Cu^{2+} in Cs_2CuCl_4 5=1797
Cu^{2+}, in $K_2SO_4(Cu_xZn_{1-x})SO_4 . 6H_2O$, spin—lattice relax., Van Vleck 5=7225
Cu^{2+} in NH_4Cl, spectrum 5=12974
Cu^{2+} spin—lattice relax. in Tutton salt crystal, calc. 5=7224
Cu^{2+} and Ti^{3+} in borax beads 5=9841
Cu_2Cl_2, low temp., impurity prod. 5=7221
$CuCs_2(SO_4)_2 6H_2O$, 0.1°K, spin—lattice relax., phonon bottleneck 5=1798
$CuK_2Cl_4 . 2H_2O$, electron–phonon double reson., saturation 5=1810
$CuK_2(SO_4)_2 . 6H_2O$, electron–phonon double reson., saturation 5=1810
$CuK_2(SO_4)_2 . 6H_2O$, g-value orientation 5=7222
$Cu(NH_4SO_4)_2 . 6H_2O$, g-value orientation 5=7222
$CuSO_4 . 5H_2O$, g-factor, directional depend., giving crystal structure 5=6445
$CuSO_4 . 5H_2O$, spin—lattice relaxation, effect on static susceptibility 5=7223
Dy ion, in ethyl sulphate, spin-lattice relax. time meas. 5=1800
Dy—Al garnet, rel. to exchange-field splitting 5=3421
Er^{3+} in CaF_2 5=15545
Er^{3+} in CaO and SrO 5=7226
Er^{3+} in MgO, broadening by point defects 5=4239
Er^{3+} in MgO, theory 5=12979
Eu^{2+} in $CaWO_4$, h.f.s. 5=9842
Eu^{2+} in $PbCl_2$ 5=7228
Eu^{2+} in SnO, anomalies due to strain 5=1802
EuF_2, mag. inclusions meas. 5=15431
F, in organic liquid adsorbed on C, for nuclear orientation 5=6199
F^{19} in CaF_2, spin—latticerelax., low temp. 5=7229
Fe^{57} in InAs 5=4244
Fe^{3+} in Al_2SiO_5, sites calc. rel. to zero mag. field maser use 5=7234
Fe^{3+} in amethyst and citrine quartz 5=7235
Fe^{3+} in $BaTiO_3$, rhombohedral and cubic phases 5=7236
Fe^{3+} in benitoite 5=12985
Fe^{3+} in $KAlSi_3O_8$ (feldspar), ^6S state Hamiltonian 5=7238
Fe^{3+} in MgO, higher order transitions calc. 5=15500
Fe^{3+} in II-VI cubic crystals, g-value 5=7237
$FeCl_4^-$ in organic solvents, and electron spectra 5=11912
Gd in $La_{1-x}Th_xRu_2$ 5=9857
Gd s-state ions in metals, 60°-400°K 5=12981
Gd^{2+} in SnO, anomalies due to strain 5=1802
Gd^{3+} in BaF_2 5=7231
Gd^{3+} in $PbMoO_4$ 5=12982
Gd^{3+} in sulphate, borate glasses, absorption lines g-values meas. 5=15494
Gd—Ce, absorpt. 5=15499
$Gd(NO_3)_3$ solns., effect of field direction and strength, conc. and temp.var. on relax. 5=3368
Ge, rel. to O-doping and electron irrad. 5=12988
H-atom, in SrF_2 and BaF_2, e.s.r. 5=4242
H in phosphates, rel. to g-factor 5=1240
H_2O and N_2O frozen solns. of NaOH, KOH, H_2SO_4, X irrad., H and solvated e prod. 5=4417
Hg^1, $7^3 S_1$ level 5=11436
Ho ethylsulphate, relax., 1.1°-4.2°K 5=7232
Ho ion, in ethyl sulphate, spin—lattice relax. time meas. 5=1800
Ir^{191m} in Fe spin—lattice relax. 5=1231
KCl, F-centres, spin—lattice relax. and interacting F-centres 5=3776
KCr alum, and magnetic double refract., X band 5=7357
KCr alum, and magneto-optical Faraday effect at X-band 5=7356
$La_2Mg_3(NO_3)_{12} . 24H_2O$, Ce, Nd, Sm linewidths 5=7215
Li, finely dispersed sample 5=12986
Li and Pauli susceptibility liquid and solid 5=9085
LiF, n irrad., temp. var., three dose ranges 5=9843
MgO: Ni^{2+}, Fe^{2+}, u.s. absorpt. and dispersion, 9375 Mc/s 5=15042
Mn-glass, Mn^{2+} aggregation obs. 5=6650
Mn II ion in zeolites 5=1803

Paramagnetic resonance and relaxation—contd
Mn^{2+} in apatite and smithsonite, allowed and forbidden transitions 5=9844
Mn^{2+} in apatite, 10-50 Gc/s 5=7242
Mn^{2+} in CdS 5=15501
Mn^{2+} in chabasite crystal exchange field 5=7241
Mn^{2+} in cubic CdTe, superhyperfine structure 5=7259
Mn^{2+} in diopside, 10 and 36 Gc/s 5=7240
Mn^{2+} in MgO, spin—lattice relax. and transrelax. 5=7243
Mn^{2+} in SnO, anomalies due to strain 5=1802
Mn^{2+} in SrF_2, BaF_2 and CaF_2, spin-Hamiltonian constants 5=1801
Mo^{5+} in $CaWO_4$, 4.2°K, 9.2 Gc/s 5=7244
Mo^{5+} in TiO_2, e.s.r. 5=4246
Mu^{2+} in NaCl, 350°-750°C 5=8023
NF_2, in Ar and Kr matrices, 4.2°K 5=999
NH_4 cupric Tutton salt, hyperfine interact. search 5=4250
NO_2, e.s.r., electron delocalization and charge transfer 5=8879
NO_2 in γ-irrad. $NaNO_2$ 5=3434
NO_2 in irradiated $NaNO_3$, 77°K 5=15504
NO_3 in γ-irrad. KNO_3, spectrum at 9000 Mc/s 5=7245
NO_3^{2-}, in $Pb(NO_3)_2$ and $Sr(NO_3)_2$ cryst. 5=4251
Na, nuclear polarization shift 5=7252
Na nitroprusside, trapped electrons 5=12992
$NaNO_3$, electron beam effects, 1.5 MeV 5=7253
$Na_2S_2O_3 . 5H_2O$, X-, γ-ray effects 5=7254
Nd ions in the ethyl sulphate, nondipolar interactions 5=4247
Nd in $La_2Mg_3(NO_3)_{12} . 24H_2O$, linewidth 5=7215
Nd^{3+} in CaF_2 single crystals, 9500 Mc/s 5=1804
Nd^{3+} in La fluoride and LaMg nitrate, spin—lattice relax. rel. to mag. fld. 5=4248
Ni-activated alkali halide crysts. 5=15564
$NiCl_2$, 9.2 Gc/s, 4.2°-300°K, antiferromag. effects 5=7204
$NiCl_2$, relax. 5=15503
NiF_2, relax. 5=15503
$NiSiF_6 . H_2O$, relax. 5=15503
O divacancy in quartz, spin—lattice relax. time 5=7247
O^- in KCl and KBr, 11°K 5=7246
P in Ge, stress g-shifts 5=9845
P, in Si, spin—lattice relax. of donor electrons 5=4253
P^{31} in Si, relax. time 5=12990
Pa^{231} in Cs_2ZrCl_6, 1.4° to 4.2°K 5=12989
$PbMoO_4$, Nd^{3+} 5=12987
$Rb^{85,87}$, optically aligned, Zeeman transitions 5=5751
$RbAl(SO_4)_2 . 12H_2O$, of Ti^{3+} 5=7256
Re^{4+} in K_2PtCl_6 single cryst. 5=4254
Rh(II) in $ZnWO_4$ 5=4255
Rh^{2+} in $ZnWO_4$ Czochralski grown crystals 5=14983
S, n irrad. 5=9849
S, on sudden condensation at 77°K 5=7255
S^+ in Si, deep donor 5=12991
$SC(NH_2)_2$, thiourea 5=4249
Sb in Ge, stress g-shifts 5=9845
SeO_2^- radical ion 5=3051
Si, broadening and O adsorpt. 5=7249
Si, compensated, 2°K, K-band relax. time, meas. 5=1805
Si, n-type, compensation effect 5=15505
Si strained, shallow acceptor states, Raman and Orbach relax. calc. 5=4256
$SiCl_3$ and Cl^{35} hyperfine coupling 5=9838
SiO_2 vitreous, γ irrad., E' defect centre relax., temp. var. 5=7250
Sm in $La_2Mg_3(NO_3)_{12} . 24H_2O$, linewidth 5=7215
Sn, conduction, search 5=9850
SnO_2: V^{4+}, superhyperfine structure mechanism 5=7258
U^{3+} and Tb^{3+} in CaF_2, F h.f.s. 5=15506
V^{51} in RNA and DNA, origin 5=7261
V in SnO_2: V 5=7257
V^{2+} in $CdCl_2$, 4.2°, 77°K, spin Hamiltonian 5=9851
V^{2+}, in NaCl, spectra 5=15507
V^{3+} in corundum, at 6 Mc/s 5=1811
VO^{2+} in $Na_2O—V_2O_5—P_2O_5$ system, e.s.r. spectra 5=7260
Yb^{3+} and Er^{3+} in ThO_2 5=7262
$(Zn, Ni)SiF_6 . 6H_2O$, weak exchange interactions by e.s.r. 5=15508
ZnS, Ag centre 5=9425
ZnS phosphors, investigation 5=15509

measurement
aqueous solution cell holders for Varian dual cavity 5=3363

- **Paramagnetic resonance and relaxation**—contd
  - **measurement**—contd
    - use of cavity with crossed modes for sensitivity increase 5=8021
    - cavity for e. p. r. spectrometers 5=14131
    - difference spectra, 77°K, for radiation chemistry studies 5=253
    - e. p. r. spectrometer, microwave modulator as local oscillator 5=10578
    - frequency control, automatic system 5=254
    - high pressure microwave cavity 5=256
    - high temp. cavity 5=8023
    - maser, NH$_3$, use for S/N improvement at K band 5=8022
    - noise reduction by use of parametric amplifier 5=2270
    - relaxation, short 5=7209
    - resonator, dielectric cavity 5=255
    - sampling for S/N improvement 5=8020
    - spectrometer, with h. f. field modulation 5=14130
    - spectrometer, microspin 5=4977
    - spectrometer, microwave circuit design 5=4976
    - spectrometer, 0.15° to 4.2°K 5=12969
    - spin—lattice relax., by double reson. 5=7270
    - weak signal detection, direct observation 5=251
  - Co^{2+}, in Cs$_3$CoCl$_5$, zero field splitting 5=7218
  - CuF$_2$.2H$_2$O, line width, temp. var. 5=4237
  - Dy^{3+} in CaF$_2$, CaO MgO, g-factors calc. 5=1223
  - Eu^{2+} and Gd^{3+} in CaF$_2$ 5=12980
  - Nd^{3+} in CaF$_2$, CaO and MgO, g-factors calc. 5=1223
- **Paramagnetism**
  - See also Magnetic properties of substances/paramagnetic.
  - cluster approximation with first and second neighbour exchange 5=4178
  - crystals, complex susceptibility theory 5=15430
  - microwave reflection and polar Kerr effect in turnstile type reflecto-polarimeter 5=4975
  - optical study of centres 5=7090
  - spin paramagnetism influence on superconductivity 5=6853
  - susceptibility meas. by e.s.r. 5=4894
- **Parametric amplifiers.** See Amplifiers.
- **Parent.** See Nucleus; Radioactivity.
- **Parity**
  - See also under individual particles, e.g. Mesons/spin and parity.
  - bosons, spin-zero, determ., from photoproduction 5=5374
  - CP violation, in K^0 meson $\Delta I = 3/2$ decay 5=5436
  - exchange in higher symmetry group W$_3$ 5=8222
  - in gravitational interaction 5=2443
  - μ-mesons G, nonconservation in capture possible 5=2627
- **Particle accelerators**
  - See also Ion beams.
  - beam scanner, rotating half ellipse for 2 dimensions 5=10508
  - beam position monitor 5=10950
  - cloverleaf structure, shunt impedance calc. 5=14379
  - data system with feedback to accelerator, digital on-line 5=8344
  - electromagnets, 90° deflector and ± 45° selector 5=5296
  - electron, high-energy, shielding 5=8352
  - focusing by 1-3 helical mag. field 5=5291
  - for 400-1000 MeV, requirements, new and available machines 5=2543
  - high intensity, e.s. lense with compensating mag. quadrupoles 5=14368
  - inclined field acceleration tubes, props. 5=14367
  - isochronous, H$^-$ decay relation from Lorentz forces 5=8354
  - for meson prod., residual γ dose calc. 5=14386
  - neutral beam injector, charge changing gas choice 5=5289
  - particle motion simulation device 5=14366
  - by photon beam, of electrons 5=5305
  - plasma, coaxial, modified snowplow model 5=3226
  - plasma flow as progressive wave 5=3147
  - proton, vacuum window, using Al$_2$O$_3$ thin film 5=537
  - pulse modulators, h.f. 5=10949
  - pulsed source, multiply charged 5=10503
  - strong focusing in helical mag. fields 5=5290
  - super-energy, current research plans 5=5288
  - with varying axial mag. field and space charge 5=10483
- **Particle accelerators**—contd
  - **linear**—contd
    - Cockcroft—Walton, analyser and beam transport channel 5=10951
    - Cockroft—Walton 250 kV voltage multiplier, with small Se rectifiers and h. f. power input 5=14039
    - calculating apparatus, digital, for tandem accelerator 5=8346
    - charged particle vel. meas., r. f. modulated 5=8347
    - curvilinear, particle dynamics, analysis 5=2545
    - with drift tubes, quadrupole lenses 5=14370-1
    - electron acceleration by u.h.f. pulse, in linac 5=5292
    - electron beam dose monitor using secondary emission 5=2544
    - electron, C. B. N. M, neutron time of flight analyser 5=8348
    - electron, 5 MeV, U-12 5=14369
    - electron, 40 MeV 5=2553
    - as electron microscope source, current calc. 5=8350
    - electron, nanosecond pulse, semiconductor detector transient response determ. 5=2520
    - electron, power balance equation 5=8360
    - electron, 60 MeV, facilities for scatt. expts. 5=4916
    - electron, wave phase vel. optimisation 5=8351
    - electrons, achromatic parallel translation system 5=10960
    - electrons, beam-current integrator 5=10961
    - electrostatic quadrupole lens for current density increase 5=10954
    - electrostatic, source exchanger 5=8349
    - intense, highly resolved beam, 4 MeV 5=10952
    - for multicharged ions of 1 MeV/nucleon and H$_{111}$-wave h. f. characteristics 5=517
    - for neutron prod., data handling 5=8345
    - resonant, with long gap 5=515
    - tandem, pulsed negative ion beam injector 5=8353
    - trajectory calc. 5=10953
    - Van de Graaff, modification from ions to electrons, 2 MeV 5=5294
    - van de Graaff, 3 MeV, for p's 5=5293
    - H$_{111}$ system 5=516
  - **orbital**
    - betatron, energy adjustment and stabilization 5=10967
    - betatron, theory of electron capture 5=2552
    - betatrons, beam capture, model calc. 5=534
    - betatrons, use of ceramics 5=10966
    - betatrons, radiation pulse prod. 5=10968
    - betatrons and synchrotrons, injectors, high-voltage 5=14378
    - betatrons, vacuum system with Ti pump 5=10965
    - C-stellator, He plasma perpendicular temp. meas. 5=14770
    - cosmotron, beam momentum, Si jn. Li doped, meas. 5=503
    - Cosmotron pole face winding generator system 5=8359
    - electrons, injector, hot cathode 5=10962
    - electrons, synchrotron light emission, 180 MeV 5=10963
    - injection time control, electronic servo 5=535
    - instability, longitudinal, of charged beam 5=2547
    - microtron, electron beam extraction 5=10964
    - motion, analogue calc. in electron tube 5=5295
    - MURA 50 MeV electron accelerator, construction and operation 5=519-33
    - proton machines, high-intensity multi-GeV range 5=2554
    - protons, 1 MeV, single cavity 5=10969
    - proton, single cavity, 1 MeV 5=538
    - resistive instabilities of intense coasting beams 5=14373-4
    - stability of beam in finite Q resonator 5=4906
    - stored e$^+$ and e$^-$ beam collision γ's 5=8397
    - "super-energy" machines, proposed 200 GeV accelerator for Lawrence Radiation Lab. 5=2546
    - synchrophasotrons, beam extraction to target 5=10958
    - synchrophasotrons, mag. field exponent meas. 5=10959
    - synchrotron in lactation operation, electronic charge calc. 5=8361
    - synchrotron, non-linear phase resonances 5=8357
    - synchrotron, phase oscillation obs. method 5=8358
    - synchrotron, 6 GeV, at Cambridge, Mass. 5=2551
    - synchrotrons, pulsed mag. field meas. 5=10957
  - **orbital, cyclotrons**
    - beam pulse semiconductor probe 5=14377
    - beam pulse stretcher, of synchrocyclotron 5=8356

Particle accelerators—contd
orbital, cyclotrons—contd
deflector, electrostatic, for ion beam 5=14376
electric field between dees as exponential series 5=2549
high energy, improvement, conference 5=14372
injection of d from external source 5=14385
ion energy meas., internal beam 5=10956
Milan AVF, 45 MeV protons 5=14381
Milan, polarized proton source 5=536
(p, n) angular distribs., quasielastic, instrumentation 5=8355
Princeton FM, beam spread 5=2555
proton polarized source homopolar generator 5=14382
proton synchrotron, TV beam profile monitor 5=14383
radial betatron particle oscillations, calc. 5=2550
radial ridge, particle passage through $Q = 6/5$ reson. line 5=2548
resonator, electron loading 5=10955
space charge limit to ion density 5=14375
synchro-, 30 channel hodoscope for 120° analyser 5=14384
synchrotron, proton, amplifier—cavity—beam overall analysis 5=14380
synchrocyclotron, small hooded-arc sources 5=7975
variable energy, h. f. system behaviour with long lines 5=518

Particle detectors
See also Bubble chambers; Cloud chambers; Counters; Ionization chambers; Nuclear track emulsions; Particle track visualization.
for accelerator, cyclotron, beam pulse semiconductor probe 5=14377
EdE/dx analogue multiplier with compensation 5=10918
electron multiplier, continuous-channel 5=11012
finite beam correction for circular slit geometry G-factor 5=8308
neutron threshold, cross-section accuracy 5=2613
photomultiplier, single electron counting, operating characts. 5=4138
plastic scintillators, for electrons or positrons 5=5264
scintillation chamber—image converter system, for space expts. 5=5259
windowless multipliers, secondary emission statistics 5=4145
Ge, cryostat 5=13998
Si junction, Li drifted 5=10911
Si n-on-p, proton and electron radiation effects 5=4053
Si p—i—n, Li-ion drifted heavy particle radiation damage effects 5=5266
Si p—n junction, oxide-passivated, manufacture 5=10912

Particle focusing. See Particle optics.

Particle optics
See also Electron optics; Ion optics.
aberrations of magnetic spectrometers with circular boundaries 5=10916
accelerator high intensity, e.s. lense with compensating mag. quadrupoles 5=14368
accelerator, linear with drift tubes, quadrupoles lenses 5=14370-1
achromatic e.m. quadrupole lens with field misalignment 5=4908
atomic beam, focusing into H generator, props. of magnets 5=10488
circulating beam stability in finite Q resonator 5=4906
deflecting magnet systems, reflection props. 5=218
electromagnets, 90° deflector and ± 45° selector 5=5296
focusing in accelerators by 1-3 helical mag. field 5=5291
focussing by quadrupole magnet pair with tuning quadrupole 5=4907
"hose" instability, in modulated beam, dispersion relation 5=217
magnet, uniform-field, circular pole, 1st and 2nd order 5=14064
profile equations for relativistic accel. beams 5=216
quadrupole lens doublets with zero or negative chromatic aberration 5=4909
separation at high energies, review 5=8367
spectrometers, magnetic, with circular boundaries 5=10915
strong focusing in helical mag. fields 5=5290

Particle range
electrons, 5-30 keV, in evap. metal films 5=9505
electrons in thin films, temp. var., seven substances 5=2222

Particle range—contd
ion in ion monolayer adsorbed on metal 5=12061
in plasma, unstable, energy loss rate 5=6046
ions in Al, rel. to interatomic potential 5=9205
ions in metals, for interatomic pot. 5=2922
Dy ion recoil stopping in gases and Al 5=2233
Dy recoil range from nuclear reactions 5=2848
Li, in solid films 5=2234
Xe^{133} ion penetration in Au, $<100>$ direction, 40 keV 5=6660

Particle size
See also Surface measurement.
colloids, log. distrib. functions 5=6207
dispersions, distrib. calc., shape invariant 5=6205
distribution estimation, from counting meas. 5=12142
effect in solid-state reactions 5=4382
by Fraunhofer diffraction meas. 5=5090
light scattering analysis, apparatus 5=8095
Ostwald ripening of precipitates in solid matrices 5=3454
pigments, coloured, effect on colour strength 5=2317
synthetic lattices, calc. from turbidity meas. 5=11920
wool, X-ray diffr. exam. 5=9166
Ag dispersions in glass, rel. to optical props. 5=6206
Au, and optical props., erratum 5=3383
Fe-base austenitic alloy, effect on creep behaviour 5=3856
PuO$_2$, in sintering processes 5=14922
WC—Co, fracture strength and particle spacing 5=15190

Particle spectrometers
See also Alpha-ray spectrometers, etc.
calculating apparatus, digital, program 5=8294
homogeneous-field magnetic heavy particle spectrograph, imaging props 5=8298
magnetic, aberrations for circular boundaries 5=10916
magnetic broad-range heavy-particle spectrography 5=8297
magnetic, double-focusing, for protons and α-particles of <6 MeV 5=5272
magnetic, 180° double-focusing, heavy particle 5=10913
magnetic, optics calc. for circular boundaries 5=10915
magnetic, short-lens, scintillation counter as detector 5=2505
momentum spectrometer, using quadrupole triplet magnet 5=5275
for scattering, magnetic, energy loss 5=10917
scintillation, selective 5=10904
spherical condenser, construction and calibration 5=14312
uniform field sector magnet with preceding quadrupole doublet 5=10914
Si junction, Li compensated, H-bubble chamber particle meas., temp. var. 5=504

Particle track visualization
See also Bubble chambers; Cloud chambers; Luminescence chambers; Nuclear track emulsions; Spark chambers.
crystals, electron microscope obs., He^3 scatt. in MoO$_3$ 5=2843
emulsion meas., digitized micrometer eyepiece 5=8339
fission-fragment tracks, in thin metal films 5=9503
nuclear fission recording, back-ground elimination 5=10948
streamer chamber 5=8342
streamer chamber, high-pressure, He-filled registration 5=8343
track spark chamber 5=8329

Particle tracks
See also Particle range.
analysis by orthogonal polynominals 5=14353
bubble chamber photographs, coordinates meas. 5=14355-6
convection chamber track widths 5=14365
hammer tracks, 9-24 GeV proton interactions in emulsions 5=798
in meteorites, etching obs. 5=10116

Particle velocity, analysis
See also Alpha-ray spectrometers; Beta-ray spectrometers; Ion velocity; Mass spectrometers; Particle range.
calculating wired programme analyser 5=8296
neutron velocity selector, two-rotor 5=8440
particles ejected by ion bombardment of metal cryst. 5=9506
unscrambling calc. technique 5=7730

Particles. See Elementary particles; Particle range; Scattering, particles; and under individual particles, e.g. Protons and antiprotons.

Paschen—Back effect. See Spectra.

Patterson diagrams. See X-ray crystallography/calculation methods.

Peierls—Nabarro force. See Crystal imperfections/dislocations; internal friction.

Peltier effect. See Thermoelectricity.

Pendulums
- coupling by fields 5=2035
- elastic string, rotating vertical plane, rel. motions 5=4727
- for internal friction meas. 5=9517
- Searle's double pendulum, sources of error 5=6668
- torsion, internal friction meas 5=1496

Periodic system
- See also Elements.
- No entries.

Permalloy. See Iron alloys; Nickel alloys.

Permeability, magnetic. See Magnetic properties of substances; Magnetization process.

Permeability, mechanical
- See also Diffusion in solids.
- polyethylene, gas transport process 5=3720

Permittivity. See Dielectric properties of substances.

Perturbation theory. See Field theory, quantum; Quantum theory.

Phase-contrast microscopy. See Microscopy.

Phase diagrams. See Phase equilibrium; Phase transformations.

Phase equilibrium
- See also Solubility; Solutions.
- alloys, eutectic 5=6261
- crystal structure analysis, anomalous X-ray dispersion meas. 5=1356
- hydrazine—water system 5=6292
- semiconductors, four-component phases 5=3446
- AgBr—CuBr, diagram by specific heat meas. 5=9387
- Ag—Ga alloys, order in ζ′ phase 5=1246
- AgI, diagram, by specific heat and diffusion meas. 5=9385
- AgI phase diagram 5=6312
- AgI, six phases, stability diagram 5=6312
- Ag—Zn alloys, Guinier—Preston zone structure 5=1260
- Al—Ag alloys, Guinier—Preston zone structure 5=1260
- Al—$Al_2Br_6[I]_6$ systems 5=9210
- Al_2Au phase 5=6448
- Al—Si—Cu alloys, segregation of Cu 5=14913
- Ar—N system 5=6276
- Au—In system, detailed exam. 5=1267
- Au_2Mn_2, ordered phase in Au—Mn system 5=1247
- BC—SiC 5=9223
- $BaFeO_{3-x}$, stoichiometry 5=9222
- Be—(10%) Al—(3%) Si liquid, poss. existence above 430°C 5=3835
- $BiFeO_3$ side of $BiFeO_3$—$LaAlO_3$ system, diagram 5=11997
- BiI_3—I_2, phase diagram 5=11925
- Ca—K metaphosphate system, liquid—solid equil. 5=14875
- Co films, β-phase increase, 200°-470°C 5=6321
- Co—Ni—S, effect of Co and Ni conc. 5=6282
- Co—O system, phase diagram at high temps. 5=6283
- Cr—As system, 500°-3000° 5=12000
- Cr—W—C system 5=1250
- Cr—Zr—O, at 1200°, 1500° and 1700°C 5=6286
- $CuAu_3$, anti-phase domain structure of ordered phase 5=1251
- Cu_3Au, long-range order, nature 5=12001
- $Cu_{72}Au_{28}$, long-range order, nature 5=12001
- Cu—Ga, diag. in ζ phase region 5=9225
- Cu—In—Se 5=3623
- Fe, diagram, to 200 k bar, 900°C 5=12006
- Fe—Al—C, ε-phase, X-ray study 5=1253
- Fe—Cr—S—O system, rel. to composition, 900°-1490°C 5=11989
- Fe—Ge system, $B8_2$ phase and variant type diagram 5=9229
- FeO—Fe_2O_3—Al_2O_3 system, spinel region 5=3465
- α Fe_2O_3—NiO, phase diagram 5=3464
- α Fe_2O_3—NiO—La_2O_3, phase diagram 5=3464
- H_2—He, liquid—vapour equilibrium 5=3404
- In-Bi eutectic melt, atomic distrib. 5=14832
- La_2O_3—NiO, phase diagram 5=3464
- Li_2O—GeO_2 system, study by quenching 5=6211
- Mg—K metaphosphate system, liquid—solid equil. 5=14875

Phase equilibrium—contd
- Mg—Sn phase diagram 5=3394
- Mn—Si alloys, relationships 5=6305
- Mo—Ir, constitution diagram 5=14930
- $NaNbO_3$, solid soln., by K^+, Ta^{5+} and Sb^{5+} substitution 5=4095
- Nb alloys, U-rich, equilib. structs. 5=6307
- Nb_3Bi, press.-temp. phase diagrams 5=3469
- Nb_3In, press.-temp. phase diagrams 5=3469
- Nb—Ir phase diagram 5=3470
- Nb—Rh binary system, phase diagram 5=3388
- Nb—Sn system, at high temps. 5=6209
- Nb—Sn system, phase diagram 5=3471
- Nb—Ti soln., phase diagram 5=3472
- Ne—Ar, liquid—vapour equilib. 5=9180
- Ne—N, liquid—vapour, equilibrium 5=14882
- $PbTiO_3$—$BiFeO_3$, phase diagram 5=1268
- $PbTiO_3$—$CaSn[Zr]O_3$ 5=9338
- $Pb(Zr_{1-x}Hf_x)O_3$, ferroelec. phases, 440°-520°K 5=7017
- Pu—Si system, Si solubility in δ and ε-Pu 5=14934
- S polymer solns. 5=11859
- Sb_2S_3—Sb_2Te, solid—liquid composition, conc., temp. var. 5=14927
- Sb_2Se_3—Sb_2Te_3, solid—liquid composition, conc., temp. var. 5=14927
- Sm—Al system, intermediate phases 5=14935
- Sn—Bi, T—C—P diagrams, 0-300°C, 0-30 k atmos. meas. 5=14937
- $Sr_nZr_{n-1}O_{3n-2}$ 5=14908
- Ta—Zr, phase diagram modified 5=14936
- Ti alloys, constitution diagram classification 5=3477
- Ti—Ag system, 3 phases after heat treatment above 850°C 5=3728
- UCo_2—UAl_2, quasibinary system, constitution 5=6210
- UO_2—Mo system, phase diagram 5=14939
- Zn_2SiO_4—Fe_2SiO_4 solid soln., equilib. diagram 5=9213
- ZnTe, phase diagram 5=14940

Phase transformations
- (Alnico (5% Ti) (34% Co)) mag. props. of phases 5=6262
- critical fluctuations, Ornstein—Zernike theory 5=9169
- electrical cond. in two-phase system, grain model 5=15265
- first-order, spherical model, modified 5=11924
- fluid critical isotherm 5=12885
- gases, Ising model, 1-dimensional 5=6079
- glass, CaO—MgO—SiO_2, metastable amorphous liquid phase separation 5=3526
- hexafluorobenzene, triple point meas. 5=11926
- high pressure, X- ray structure exam. 5=6268
- liquid—gas transitions, critical point 5=3403
- multicomponent classical nonlinear field 5=2023
- non-linear Stefan problem 5=9170
- one component systems, review 5=11923
- phase separation by spinodal decomp. in isotropic systems 5=6269
- polystyrene in cyclohexane, critical opalescence 5=6182
- polystyrene, dilatometer study of vitrification 5=3479
- polyvinyl acetate, dilatometer study of vitrification 5=3479
- superconducting cylinders, second-order 5=12669
- Al—Mn alloys, eutectic formation 5=3389
- Ar, rigid sphere model, triple point region 5=11929
- Au—Bi—Te system 5=14874
- Ce, to 70 kbar 5=6212
- Cu—Be, elastic damping 5=15158
- Cu—In, elastic damping 5=15158
- Fe—Zn electrodeposited 5=9337
- Ge, to 200 kbar, 1000°C 5=3392
- H_2, liq., ortho to para, in storage 5=13999
- H_2O, on adsorption on LiF, dielec. obs. 5=6332
- He^3 and He^4 mixtures, review 5=2172
- Nb_3Sn, peritectic reaction 5=14881
- Nb_3Sn, recrystallization, struc. rel. to sinter prep. 5=1309
- Ni—C eutectic, var. with press. 5=3393
- S, α-γ transition temp., above m. p. 5=3397
- Si, to 200 kbar, 1000°C 5=3392
- Sn, under pressures up to 300 kbar 5=14938
- Te, resistance meas. 5=15339
- TeO_2—V_2O_5, var. with per cent. TeO_2 5=3390
- Th-rich eutectics, melting and struct. 5=14877
- U—N system 5=3391

- **Phase transformations**—contd
  - U—O system, 1000-1600°C   5=11946
  - **solid-state**
    - ageing of precipitate, Ostwald ripening   5=3454
    - alloy films, thin, thermal ageing, effect on elec. resistivity   5=1600
    - alloys, ordering and segregation, polar model   5=11996
    - antiferromagnets, mag. field induced, statistical mechanics   5=4214
    - borosilicate glasses, separation at temp. > transition   5=6336
    - carbon, electron microscope study   5=6412
    - carbon, graphitization, effect of gas phase   5=6290
    - carbon, pyrolytic to graphitic   5=6409
    - α—β cristobalite transitions, thermodynamic parameters   5=6310
    - cyclohexanol, rotational—non-rotational, kinetics, capacity meas. method   5=14941
    - disordered alloys, X-ray diffuse scattering   5=1259
    - elastic phase with surface couples   5=7748
    - ferroelectric, unsharp, rel. to composition fluctuation   5=12800
    - magnetic field effects, strong   5=6267
    - metals and alloys, radioisotope study of kinetics   5=3580
    - metal rods, polymorphic, by thermal cycling   5=6665
    - metals, stresses and plastic deformation   5=6678
    - Mössbauer effect at transition points   5=1235
    - one component systems, review   5=11923
    - order—disorder, conference Bratislava (1964)   5=6270
    - order—disorder model, for f. c. c. lattice   5=1270
    - ordering atmospheres on antiphase boundaries in AB superstructures   5=6271
    - p-dichlorobenzene, mono—mono, mono—polycrystal, and single crystal growth   5=14942
    - para-dichlorobenzene, polymorphic, meas. methods   5=12027
    - polyvinyl alcohol films   5=12026
    - α—β quartz, rel. to polarization plane rotation   5=13067
    - α—β quartz transitions, thermodynamic parameters   5=6310
    - quartz and cristobalite, displacive, rel. to n-irrad.   5=9233
    - quartz—cristobalite, X-ray study   5=12014
    - rare earth metals, mag. order—disorder, and thermoelec.   5=9725
    - rutile-anatase, mechanism   5=3478
    - semiconductor mixed crystals, review   5=12714
    - semiconductors, four-component phases   5=3446
    - semiconductors IV, III—V, II—IV, rel. to critical press.   5=1571
    - silicates, configuration, and networks   5=12016
    - solid—solid reactions, pressure effect   5=9218
    - steel, martensitic, onset temp. determ.   5=6301
    - steel, 2nd phase precipitation, study using energy losses   5=3474
    - steel, due to shock compression waves   5=112
    - steel U12A, carbide changes under cold plastic deformation, calc.   5=1272
    - superconducting films, field transition parallel, hysteresis   5=12667
    - Ag, up to melting point   5=1391
    - AgI, and electron trapping, pressure induced   5=12592
    - AgI-CuI, precise positions, by specific heat and diffusion meas.   5=9385
    - $AgNO_3$, 185°C, refractive index change study   5=3457
    - Ag_2SO_4, 570°C, refractive index change study   5=3457
    - AgZn, β, ζ, and plastic deform. faults   5=12017
    - Al alloys, Ag addition effect on ageing   5=3458
    - Al—4% Cu, θ from θ', microscope obs.   5=6272
    - Al, recrystallization and deformation texture   5=12472
    - Al, rel. to recrystallization and polyganzation   5=9219
    - Al, single crystals, plastically deformed at —196°C, polygonization   5=3455
    - Al—Fe alloys, eutectic formation   5=3389
    - Al_2O_3, δ to α, enthalpy calc., soln. in Pb—$CaBO_3$ melt, method, 705°C   5=3456
    - Al—Zn alloy (40% Zn), transitory phase   5=6274
    - Ar—N system   5=6276
    - As—Te—I glass—crystal, and semicond. props.   5=6917
    - Au films, vacuum deposition temp. effects, X-ray and electron diffr. exam.   5=6322
    - Au—Cd, order—disorder, non-spontaneous   5=1454
    - AuCu alloy, long-range ordering temp. var.   5=3463
- **Phase transformations**—contd
  - **solid-state**—contd
    - Au—Zn, order—disorder, non-spontaneous   5=1454
    - BaO—FeO—Fe_2O_3, near $BaFe_{12}O_{19}$, 1300-1550°C   5=6279
    - $BaTiO_3$, effect of Fe_2O_3 on 120°C phase transition   5=1261
    - $BaTiO_3$, e. s. r. study   5=3459
    - Ba(Ti, Zr)O_3, region at high press., dielec. props.   5=1678
    - Be oxyacetate   5=6277
    - Bi, to dielectric phase, under pressure   5=6918
    - Bi, at high-press., crystal lattice determ.   5=1374
    - Bi_2Te_3—Bi_2Se_3 solid solutions   5=3460
    - CaO—SiO_2—H_2O system, solubility relns., 25°   5=11921
    - Ca_3SiO_5, polymorphic three principal crystallographic transforms.   5=6280
    - CdS, high-press. phase, recovery   5=1263
    - CdS, wurtzite—sphalerite, due to disloc. movement   5=6620
    - Cd—Sb system, ht. treatment and solidification rate effect   5=1262
    - Ce, f. c. c.—b. c. c., γ—α 5=6212
    - Co, allotropic, stress effects   5=6281
    - Co, c. p. h. $\alpha \rightarrow$ f. c. c. β, 400°C   5=1265
    - Co, films, c. p. h. → f. c. c.   5=1264
    - Co—Br boracites, and dielec. const.   5=15385
    - $CoBr_2$(s), ~370°, from specific heat and crystal struct., atomic   5=6285
    - Co fluosilicate . $6H_2O$, X-ray diffrn. exam.   5=1367
    - Co—I boracites, and dielec. const.   5=15385
    - $CoSiF_6$. $6H_2O$, reversible phase change   5=6284
    - Cr_2Ta, C15 to C14   5=6287
    - CsCl, polymorphic transition energy   5=9224
    - Cu—Al foil, martensitic, orientation rels. and crystal habits obs.   5=6289
    - Cu_3Al, ordering by 1st order transformation   5=6295
    - CuAu I, ordering, from stress-strain anal.   5=3808
    - Cu_3Au alloy, ordering   5=9227
    - Cu_3Au, short-range order, X-ray meas.   5=3461
    - CuI, precise positions, by specific heat and diffusion meas.   5=9385
    - Cu—Sn, $\beta \rightarrow \beta^1$, from X-ray diffr.   5=12002
    - Cu_{70}—Zn_{30}, alloy formation, α-brass   5=9226
    - β-Cu—Zn, thermoelastic and burst-type martensites   5=6288
    - D_2, solid, λ-anomaly obs. by n. m. r.   5=3462
    - Fe alloys, martensitic, elastic moduli, supercooling and heat evolved correl.   5=12008
    - Fe, commercial grade, polymorphic transitions and "phase hardening", during deformation   5=1523
    - Fe film, magnetic, amorphous—crystalline   5=9792
    - Fe, at high-press., crystal lattice determ.   5=1374
    - Fe, due to shock compression waves   5=112
    - Fe martensite, strengthening by C-rich regions, model   5=15166
    - Fe—10% Si, disordering above 900°C   5=12005
    - Fe whiskers, $\alpha \rightarrow \gamma$ 5=6293
    - Fe—Al (20-40 at. %), long range order var. obs.   5=14929
    - Fe_3Al, ordering by 1st order transformation   5=6295
    - Fe—C, during ageing, mag. saturation method meas.   5=6294
    - Fe(49%)—Co(49%)—V(2%), order, and mechanical props. temp. var   5=12510
    - Fe—Cr, $\alpha \rightarrow \gamma$ martensitic   5=6299
    - Fe—Cr δ ferrite, rel. to hardening and Cr content   5=6298
    - Fe—Cr—Ni, martensitic   5=6300
    - Fe-Mn, damping peaks for direct, inverse martensitic transform. temp. var.   5=6726
    - Fe—N system, Austenite—ferrite   5=12007
    - Fe-Ni-Ti, hardness, γ-α-γ effects   5=6727
    - α-Fe_2O_3, high temp., thermal expansion obs.   5=12867
    - γ—α Fe_2O_3, by squeezing, effect on mag. props.   5=6302
    - Fe_7S_8 5=9797
    - Fe—Si, γ loop extension by h. p.   5=6296
    - σ (Fe—V), order—disorder at ~670°C   5=6297
    - Ga, effect of high press.   5=6454
    - Ga, metastable phase formation   5=1266
    - Ge, crystalline—amorphous, by n-irrad.   5=15084
    - Ge, to 200 kbar, 1000°C   5=3392
    - GeTe—PbTe alloys   5=9228
    - H, ordering   5=14928
    - H, solid, second-order, to layer sub-lattice distrib., at 3. 99°K   5=6457
    - HgS, cubic to hexagonal   5=14976
    - Hf—Zr, h.c.p.—b.c.c., elec. resistivity var.   5=6291

Phase transformations—contd
  solid-state—contd
    Hg—Te, two-liquid growth, at monotectic 5=12114
    In, effect of high press. 5=6454
    InSb, high press., crystal struct., atomic, obs. 5=3629
    InSb, under pressures up to 300 kbar 5=14938
    In—Te, press.-induced phases, superconductivity 5=12675
    KBH_4, order—disorder transition 5=6554
    KNO_3, polymorphic transitions, elec. cond. changes 5=6308
    KNO_3, III—II, rate 5=9232
    La_2O_3—BeO, 1200-2600°C 5=6278
    $LiAl_5O_8$, intermediate, H_2O stabilization? 5=12009-10
    Mn—Si alloys, Si effect 5=6305
    Mn_2TiO_4, $\alpha \rightarrow \beta$ 5=6463
    Mo—B, Mo rich end 5=3467
    Mo and Mo alloys, polygonization, rel. to recrystallization and mech. props. 5=1269
    $MoSi_2$—Mo, rel. to growth kinetics of intermediate silicides 5=6304
    NH_4Br, I $\rightleftharpoons$ II transition 5=9221
    $(NH_4)_2SO_4$, boundary movement, optical study 5=14924
    $Na_{0.5}Bi_{0.5}TiO_3$—$PbTiO_3$ ferroelec., peculiarities 5=4093
    Na borosilicate glasses, separation 5=6337
    $Na^{23}Hg_2$, $Na^{23}Hg$, $Na_3{}^{23}Hg_2$, and diffusion activation energy calc. 5=13007
    Nb alloys, U-rich, study 5=6307
    Nb oxides, crystal struct., atomic 5=6306
    Nb_2O_5, $\gamma \rightarrow \alpha$ and β, and ζ phase obs. 5=1255
    Nb—Sn system, form. kinetics, 800°—1050°C 5=3471
    Ni, polygonization, effect of deformation degree 5=3468
    Ni—Au alloy, after heating to 500°C 5=9230
    Ni—Be and Co—Be alloys, ageing, first stage 5=1254
    Ni—Br boracites, and dielec. const. 5=15385
    Ni—Cl boracites, and dielec. const. 5=15385
    Ni—Pt, order—disorder model 5=1270
    NiPt single cryst., structural changes during ordering 5=14931
    NiS, disorder, 400° C 5=9231
    Pb—Bi system, e and γ phases from condensation 5=11952
    Pb—Cd alloys, natural aging mechanism 5=14915
    Pb_2CoWO_6, rel. to struct. changes and elec. props. var. 5=3466
    $PbHfO_3$—$PbTiO_3$—$PbSnO_3$—$PbNb_2O_6$, ferroelec. 5=7018
    PbO—Gd_2O_3, lattice structure var., ≤1000°C 5=15011
    PbO—La_2O_3, lattice structure var., ≤1000°C 5=15011
    PbO—Sm_2O_3, lattice structure var., ≤1000°C 5=15011
    $PbZrO_3$, double, dielec. obs. 5=6303
    Pb zirconate titanate, Nb-modified 5=1271
    $PdTe_{1-2}$, X-ray obs. 5=12011
    Pr—O system 5=4222
    Pr—O system, dielec. obs. 5=7002
    Pu, allotropic temps., effect of quenching rate 5=14932
    Pu, $\alpha \rightleftarrows \beta$, thermal cycling effects 5=12013
    Pu, $\beta \rightarrow \alpha$, coarse-grained structure prep. 5=6419
    Pu, $\delta \rightarrow \gamma$ 5=12012
    $PuAl_3$, polymorphic 5=14933
    Pu—C phase diagram 5=15054
    Pu—Si system, phases and eutectics 5=14934
    $RbNO_3$, 111 $\rightleftarrows$ IV, hysterisis, purity effects 5=12015
    Si, doped with Si^{29}, P^{31}, B^{11}, metallic transition, e.s.r. study 5=1273
    Si, to 200 kbar, 1000°C 5=3392
    SiO_2—Al_2O_3—P_2O_5 (< mole % P_2O_5) 5=6311
    Sm—Al system, intermediate phases 5=14935
    Sr, f.c.c. to b.c.c. 5=9235
    Sr olivine, high press. 5=3475
    Ta—H system 5=6596
    ThC_2, high temp., thermal arrest, X-ray obs. 5=3476
    ThC_2, monoclinic—cubic, 1415°C 5=12019
    Ti alloys, constitution diagram classification 5=3477
    Ti dioxide, anatase to rutile thermal transition 5=15020
    TiNi, order—disorder transformation 5=6386
    $TlNO_3$, polymorphic, two mechanisms 5=12018
    U, polygonization, 150°-300°C 5=9236
    U—Mo, γ, after heat treatment 5=14964
    U—1.6% Mo alloy, $\gamma \rightarrow \gamma'$, by selected area electron diffraction 5=14910
    U in UO_2, $\alpha \rightleftharpoons \gamma$, var. with dispersion 5=12020
    UO_3 + U_3O_8 system 5=10013
    U_2Ti, and disordering, by fission fragment irrad. 5=6314

Phase transformations—contd
  solid-state—contd
    V—Ga system 5=9359
    W, recrystallization and annealing, elec. cond. obs. 5=9478
    β-W-type superconductor, resistivity evidence 5=9656
    W—Ni—Fe, two-phase composite, stress—strain relns. 5=15192
    WSi_2—W, rel. to growth kinetics of intermediate silicides 5=6304
    Zn_3As_2—Cd_3As_2, 600°-670°C 5=1257
    ZnS, temp. var. with excess Zn 5=12021
    ZnS, wurtzite—sphalerite, due to disloc. movement 5=6620
    Zr diffused with Cr, Fe, Ni, Cu, Mo, intermediate 5=12023
    Zr—Nb, ω 5=12025
    ZrO_2, high temp. and press., elec. cond. obs. 5=12022
Phase transitions. See Phase transformations.
Phonographs. See Sound reproduction.
Phonon drag. See Crystal electron states; Crystals/lattice mechanics.
Phonon-electron interactions. See Crystal electron states; Crystals/lattice mechanics.
Phonons. See Crystals/lattice mechanics.
Phosphorescence. See Luminescence.
Phosphors. See Luminescence; Luminescent devices.
Phosphorus
    black, use as strain gauge and press. transducer 5=3868
    conductivity, thermal, liquids and solid α-P, 25 to 60°C 5=6578
    diffusion in Si, surface layers, formation and composition 5=9415
    diffusion in Si, SiO_2 masking 5=3723
    glow discharge, handling technique 5=3106
    impurity in Si, 1s(E) and $1s(T_1)$ states 5=15236
    molecule P_2, emission spectrum 5=5854
    solubility in Si, and diffusion 5=9415
    P^{31} electron spin relax. in Si 5=12990
    P^{31}—H^1 spin coupling in P and cpds. 5=9871
Phosphorus compounds
    phosphates, H atomic g-factor 5=1240
    phosphomolybdic acid crystals, n.m.r. 5=7285
    polyphosphate chains, crystal struct., atomic, bond lengths 5=3630
    H_2PO_4-type crystals, piezo-optical resonances 5=7315
    P Cl_5, potential cons., mean vibr. amplitude, thermodynamic fns. calc. 5=970
    PCl_5, vibr. amplitude, 0.298°K, matrix calc. 5=3007
    PCl_5, vibr. analysis and force consts. 5=11539
    PF, rotational spectrum fine struct., constants calc. 5=2983
    PF_2, vibration amplitudes 5=5856
    PH, lifetime of $(^3\pi)$ state 5=14641
    PH_2, PD_2, PHD, spectra in He + PH_3 elec. discharge 5=5870
    PH_3, dissociation in irradiated fluorescence tubes 5=3070
    PH_3, negative ion prod. by electron reson. capture 5=1067
    PO in the (P_4 + O) reaction, vibr. and rotation spectra obs. 5=960
    P—O—P group vibrs. and bond stretching consts. 5=3010
    P_4O_9—P_4O_8, crystal struct., atomic 5=3639
    β-P_4S_7, molec. and crystal structr. 5=9345
Photochemistry
    See also Photographic process.
    anthracene—CCl_4, only via triplet state 5=4411
    atoms and molecules 5=11404
    flash apparatus 5=4405
    flash photolytic detection of chloroformic acid and CF_2 5=8119
    isobutyril anion radicals, photoformation and photosensitized formation 5=10022
    isotope exchanges in HCl + D_2 and DCl + H_2 gases 5=4412
    matrix reaction of methylene with N_2 to form diazomethane 5=4409
    methane, photolysis, direct and inert-gas sentizied, in solid state 5=10026
    methyl bromide γ-radiolysis at 77°K 5=13176
    nitrosomethane, electronic spectrum 5=5893
    photolysis of aq. solns. at high intensity 5=1915
    photolysis, flash, kinetic spectroscopy apparatus in vacuum u.v. 5=7443
    photolysis, flash, triplet state study 5=11478

Photochemistry — contd
  pivalil anion radicals, photoformation and photosensitized formation   5=10022
  propylene primary and radical reactions, photolysis   5=10023
  tetrafluoroethylene, Hg-photosensitized oxidation   5=7445
  vacuum u.v., and temp. var. of window light transmission   5=7348
  CF_2N_2 flash photolysis in solid Ar matrix   5=1914
  CdS crystals, electron traps   5=1562
  CO_2, u.v. photolysis, O ^{1}D atom reactions   5=7444
  CO_2, vac. u. v. photolysis, reactions of 'D oxygen atoms   5=4408
  HBr addition to 2-butene in gas phase   5=4410
  HN_3, photolysis in inert and reactive matrices   5=1913
  for I atom diffusion in CCl_4 5=6163
  $KBrO_3$ 5=1189
  NH_3 dissociation in fluorescence tubes irrad. by Kr and Xe   5=3070
  N_2H_4 dissociation in fluorescence tubes irrad. by Kr and Xe   5=3070
  NO, photolysis   5=4406
  NO, photolysis in presence of olefins   5=4407
  PbI decomposition, exciton prod.   5=13175
  PH_3 dissociation in fluorescence tubes irrad. by Kr and Xe   5=3070
  ZnS single crystals, darkening by light   5=10021
Photoconductivity
  anthracene   5=4119
  anthracene, by triplet excitons   5=9745
  cells, cond. var. with light distrib., review   5=1704
  cryostat, glass, for mounting He-cooled specimen   5=2169
  glass, rel. to expts. on semicond. props of proteins   5=6951
  impurity, in semiconductor, depend. on Fermi level   5=6910
  indirect generation process, reaction kinetic model calc., traps effect   5=4107
  kinetics study, rectangular pulse method   5=15398
  leucobase of malachite green in organic solid soln.   5=4117
  optical beating, with 2 coherent light waves, phenomenological theory   5=4106
  photoconductors, e. s. r. study   5=1693
  and photoemission, internal   5=12847
  pyrene, activation energy and "detection" effect   5=15410
  semiconducting thin layers, freq. var.   5=4108
  semiconductor surface, small field effect, kinetics and amplitude   5=12816
  semiconductors, and carrier lifetime meas.   5=12575
  semiconductors, effect of hydrostatic press.   5=1694
  semiconductors, quantum yield of internal photoeffect   5=1692
  semiconductors, requirements for i.r. detection, review   5=4109
  space-charge limited currents, light effects calc.   5=7029
  superlinear, conditions and n—u reln.   5=4105
  AgCl, long-range   5=7041
  Al_2O_3 thin films   5=12817
  As chalcogenide thin films, effects of stoichiometry   5=1696
  CdS, in air and vacuum, rel. to double-doping   5=7031
  CdS crystals, extrinsic   5=1700
  CdS diodes, i. r.   5=1699
  CdS, and edge emission, calc.   5=15593
  CdS, excitation spectra   5=12821
  CdS, high field characts., pulse meas.   5=15402
  CdS, impurity activation energies, optical/thermal ratio   5=7033
  CdS, influence of additives   5=15403
  CdS, kinetic parameters, rel. to impurities   5=12824
  CdS, rel. to light intensity and temp.   5=15401
  CdS, long wavelength quenching   5=1701
  CdS, noise investig.   5=12823
  CdS, I–V characteristics   5=15404
  CdS, oscs, near absorpt edge, 40°K   5=7032
  CdS, photocond. spectra under continuous and pulsed excitation   5=1838
  CdS, photocurrent decay time/trap distrib. rel.   5=7034
  CdS, polycryst. layers, current spectra struct.   5=1698
  CdS and related materials, superlinear, theory   5=4110
  CdS, short-wavelength quenching   5=12822
  CdS single crystals   5=4111
  CdS, surface states and surface barrier region model   5=15400
  CdS, variability, in absorption edge region   5=12820
Photoconductivity—contd
  $Cd(S_{0.73}Se_{0.27})$, decay time analysis, for electron trap distrib.   5=6786
  CdSe, impurity activation energies, optical/thermal ratio   5=7033
  CdSe, relax., trap effects   5=7030
  CdTe, impurity activation energies, optical/thermal ratio   5=7033
  Cu_2O, nonlinear   5=12826
  GaAs   5=12827
  Cu films < 20 mμ thick   5=7035
  GaP, by contactless method   5=7036
  GaP, n-type, 80-295°K   5=12731
  GaP—GaAs p—n juncn., spectral distrib.   5=15406
  GaSb, defect level studies   5=15320
  Ge, doped with B, i. r. characteristics   5=1703
  Ge, doping and requirements for i. r. detection, review   5=4109
  Ge, electron-irrad., spectra   5=12352
  Ge, and hopping cond.   5=15209
  Ge, impurity photocond. when irrad. by fast electrons   5=4112
  Ge, n-type, irrad. with neutrons   5=4113
  Ge, rel. to n-irrad., 77°K   5=12828
  Ge, by lapping process and interimpurity recomb.   5=7038
  Ge, plastically deformed, kinetics   5=7037
  Ge, Cu-doped, temp. effect on decay kinetics   5=1702
  Ge—GaAs p—n hetero-junction, bias effect, rel. to optical transistor use   5=6959
  InSb, in long wavelength region   5=12829
  InSb p—n junctions, quantum yield rel. to photon energy   5=12830
  Mg_2Ge 5=4115
  Mg_2Si 5=4115
  PbI, and crystal exciton prod.   5=13175
  PbS films   5=4114
  PbS films, mechanism   5=15407
  PbS layers, rel. to external elec. field   5=12831
  PbS photoresistor, intercrystallite layer elec. processes   5=15408
  SbS_3 thin films, effects of stoichiometry   5=1696
  SbSi, and energy gap, temp. var.   5=1697
  Se, hexagonal, mobility rel. to illumination   5=12833
  Se, low-temp.   5=12832
  Si, doping and requirements for i. r. detection, review   5=4109
  Si, at high light intensities, and bimolec. recombination cross-sects.   5=12835
  Si, by lapping process and interimpurity recomb.   5=7038
  Si p-i-n device, two carrier   5=9744
  Si, photoexcited carrier mobility below 300°K   5=6790
  Te amorphous layers   5 = 15340
  ZnS   5=9924
  ZnS single crystals, effect of elec. fields   5=7405
  ZnSe, spectral response   5=12836
Photodisintegration. See Deuterons/photodisintegration; Nuclear reactions due to photons.
Photodissociation. See Photochemistry.
Photoelasticity
    See also Double refraction/mechanical.
  double refraction meas., intensity method   5=14211
  hypersonic wave excitation by laser coupling   5=9374
  microcrack detection in concrete   5=15136
  for plastic deformation obs. by film, early stages in polycrystals   5=9572
  shear stress study of embedded fibre   5=12454
  stresses, internal, meas. method using He–Ne laser   5=6677
  surface stress of model calcs., review   5=6676
  H_2PO_4-type crystals, piezo-optical resonances   5=7315
Photoelectrets. See Electrets; Photography.
Photoelectric cells. See Photoconductivity; Photoelectricity; Photovoltaic effects.
Photoelectric effect, atomic. See Atoms.
Photoelectric emission. See Electron emission, photoelectric.
Photoelectricity
    See also Electron emission/photoelectric; Photoconductivity; Photovoltaic effects.
  anthracene, space-charge limited hole currents, light effects   5=7043
  glasses, chalcogenide, semiconducting   5=13051
  relaxation processes, differential method   5=15397

Photoelectricity — contd
semiconductors, homogeneity, photo-e.m.f. meas. method 5=12706
solar cells, electron beam effects 5=12837
space-charge limited currents, optical release of trapped carriers, calc. 5=7029
AgCl, photoelectret state formation kinetics 5=12807
Ag–O–Cs photocathodes, lifetime 5=15409
Cd Hg$_{1-x}$Te, 1-25 µ 5=13061
CdS, Hall effect 5=9669
CdS, losses, h. f. elec. field effects 5=9742
CdS, oscillations, for $h\nu >$ band gap 5=9741
CdS photoelectret state formation kinetics 5=12806
CdSe, photocurrent decay time/trap distrib rel. 5=7034
GaAs PIN heterojunction diode 5=15411
Pd, yield, rel. to H$_2$ and D$_2$ adsorption 5=9636
Sb$_2$S$_3$, photosensitivity to X-rays 5=15399
Photoelectromagnetic effects
and photoemission, internal 5=12847
Bi, 4.2°K 5=12818
Cd$_x$Hg$_{1-x}$Te, 1-25 µ 5=13061
GaAs 5=12827
Si, doped with B 5=4116
Photofission. See Nuclear fission.
Photographic light sources. See Light sources; Photography.
Photographic materials
See also Nuclear track emulsions.
AGFA-Schumann and Q$_2$ plates, blackening meas. 5=14212
emulsion for electron microscopy 5=9302
emulsion layer, microscopic spheres 5=10730
emulsions, microphotometer for contrast transfer funcn. meas. 5=8156
emulsions, single grain layer prod. 5=10732
emulsions, spectrochem. analysis, spectronomograph chart method calc. 5=13181
films, spectral rel. to diffuse density, use as diffraction grating 5=10731
granularity, signal var. effects 5=5099
image quality assessment with microphotometer 5=301
Lippmann-type emulsions for autoradiography with electron microscope 5=5107
random-dot model, granularity–density rel. 5=2354
for Sun X-ray obs., with emulsions 5=13763
PbI, film prod. and props. 5=5098
sensitivity
contrast transfer functions 5=2355
plates, statistical calc. 5=5097
Photographic process
See also Photochemistry.
electron microscope images, graininess in recording 5=2226
Holocopy, refinement of detail 5=8157
latent image formation, exposure time reln 5=10735
latent-image formation, grain disorder reln 5=10734
Schlieren, one-dimensional 5=8155
transfer function, effect of image motion and shutter operation 5=338
development
astronomy, Diafine efficiency 5=10124
for photometry, standard 5=302
Photography
See also Cameras; Cinematography; Lenses photographic; Radiography.
atmospheric attenuation of contrast by turbidity 5=5100
conference, Kyoto and Tokyo, (1964) 5=5096
contrast transfer functions of lenses and materials 5=2355
electrophotography, charging of ZnO 5=2357
line pattern prod. for reprod. 5=7694
microreproduction image quality 5=8153
particle photography, conference, Moscow (1960) 5=5287
reflected image sharpness 5=8152
review 5=2356
Schlieren, of coaxial accelerator discharge 5=9019
spatial frequency filtering 5=10733
spectrum of scans on film 5=10729
applications
astronomical image tubes 5=15786
counters, spark, discharges 5=10900
dosimetry, automation review 5=8320
film recording of diffr. patterns and spectrography 5=8145
flow, gas–liquid, two phase 5=6064
fracture, brittle, in steel, by ultra high speed 5=6764

Photography — contd
applications — contd
Kerr cell type cameras, exposure-limited applications 5=5104
magazine for electron diffractograms 5=6402
signal processing, information storage density 5=10737
streak camera meas. of shock and free surface velo. 5=10318
colour
No entries
high-speed
camera, DSL-1 5=10736
methods, rel. to micrography, review 5=5102
strobotron circuit, multichamber spark gap 5=10501
Photolysis. See Photochemistry.
Photomagnetic effects. See Photoelectromagnetic effects.
Photometers
See also Spectrophotometers.
calibration, reflectance photometers 5=2315
continuum compensating, for aurora and airglow obs. 5=13358
exposure meter, sensitive using vacuum photocell 5=10652
ionographic, use for $Z \geqslant 3$ charge discrimination in nuclear emulsions 5=8341
micro-, rel. to contrast transfer funcn. meas. of photographic emulsions 5=8156
objective transmissometer 5=10651
Photometry
See also Brightness; Densitometry; Illumination; Spectrophotometry.
absolute intensity measurement, photoelec. methods, µsec regime 5=2316
astronomical, photomultiplier temp. var. effects 5=15787
earth, by Mariner 2 5=13187
lenses, in-focus and out-of-focus use 5=14173
photographic developer standard 5=302
standards, light scattering 5=13059
stars, u.v., comparison 5=7565
units and terms in energy intensity meas. 5=5038
light sources
hollow anode Li lamps 5=2326
Photomultipliers
amplification, automatic control schemes 5=15423
in astronomy, temp. var. effects 5=15787
background events at high altitudes 5=11137
C-70045A, time-resolution meas. 5=4141
for chemiluminescent reactions study in flow system 5=796
collimator, focusing, fine resoln. 5=2493
conference, Washington, 1964 5=2506
cooling device 5=9759
in counters, scintillation, e. m. screens calc. 5=12856
direct current operation 5=9756
dynode pulses, linear gate and stretcher 5=2196
electron counting, single, operating characts. 5=4138
electron multiplier, high-speed, with planar dynodes 5=2530
electron multiplier, probability distrib. of number of secondary electrons 5=4146
electron multiplier, small, two terminal, using semicond. strip in elec. field 5=2570
fatigue 5=12853
fatigue, correction, prediction, accel. 5=12852
field emission, time dependent, props., mechanism and expt. reduction 5=4142
56 AVP and XP 1020, statistical props. 5=15424
fluctuations, single-electron, statistics 5=12851
gain control, automatic 5=1714
gating system 5=4144
image intensifier system 5=5284
louver, stability 5=12857
noise limited sensitivity theory 5=12849
optimum supply conditions 5=12858
P. 829 thin film light amplifier, improvements 5=2231
pre-pulse obs., low intensity, 56 AVP, K14FS50, Co^{60} γ's 5=7061
prepulses, rel. to time resolution 5=9755
response, µsec pulse operation, light intensity meas. 5=2316
sensitivity to γ, X-rays 5=12855
solar-blind, extreme, with cleaved LiF windows, for far u.v. 5=4140
spectral sensitivity, high voltage effects 5=9753

Photomultipliers — contd
- statistical obs. of pulse, and dynode multiplication 5=12850
- time behaviour, using multi-channel time analyser and light pulse generator 5=9754
- time resolution 5=9758
- transit-time meas., using GaP diode 5=4143
- transmission time, meas. 5=15425
- transparent cathode types, dark current reduction, for optical meas. 5=1713
- tritium counting efficiency rel. to cathode sensitivities 5=5260
- u.v. and x-ray spectrum analysis, with switchable segmented photocathode 5=2570
- unblocking time meas. 5=12854
- XP1020, and delayed coincidence techniques, plastic scintillator method 5=14350
- Cs disposition, by Cs^{137} tracer method 5=4139

Photons
- See also Cosmic rays/photons; Gamma-rays; Nuclear reactions due to photons; X-rays.
- coexistence, e.m. waves, interaction on receiver 5=237
- counting, normally ordered operator with 1 mode incorrect, no order 5=2307
- degeneracy, light from blackbody radiation, Mandel's calc. 5=297
- emission, from electron, in field of circularly polarized e.m. wave 5=392
- emission in particle decay, graphical anal. 5=10972
- as field-theory symmetry breaking solution 5=2399-400
- "hyper", possible existance 5=2569
- interference of light, theory 5=14198
- isotropic gauge field interactions 5=14292
- mass, and gauge invariance 5=461
- neutrino theory 5=10975-6
- probability, normal ordered projection operators 5=5029
- production, $\nu_l + n \rightarrow l^- + \gamma + p$, cross-section calc. 5=14401
- structure, and neutrino scatt. 5=14403
- ultraviolet counter, sealed-off, for u.v. 5=2571
- zero mass from Goldstone theorem 5=2414
- **interactions**
  - $d + \gamma \rightarrow p + n$, 80-140 MeV, asymmetry 5=648
  - d, π prod., polarized γ, ang. var., 225-450 MeV and calc. 5=2633
  - d, π production, near threshold 5=11075
  - d, π production polarization effects, dispersion relns. 5=11073
  - d, pion photo production, 275 MeV, differential cross-section, extrapolation to free nucleon 5=591
  - t disintegration calc., velo. depend. potentials 5=5458
  - e absorpt., bound e, coherence effects 5=295
  - γ–e cascades in Pb, emulsion Cu, tables 5=8385
  - γ—$H^3[He^3]$, π-production 5=5383
  - $\gamma + N \rightarrow N + A$ rel. to $e + N \rightarrow e + N + A$, high-energy limit 5=2590
  - gravitational inhomogeneity, red shift prod. 5=10112
  - H, pion photoproduction, 275 MeV, differential cross-section, entrapolation to free nucleon 5=591
  - with N, energy var. from cosmic ray μ obs 5=8368
  - μ pair prod., asymmetric, calc. 5=2625
  - μ pair prod., and quantum electrodynamics breakdown 5=8445
  - mesons prod., unitary symmetry amplitude relns. 5=11063
  - multi-photon absorption, in Compton scatt. and pair prod. 5=560
  - multiple photon prod. effects 5=14389
  - $p + \gamma \rightarrow K^\circ + \Sigma^+$, near threshold, and Σ^+ mag. moment 5=641
  - $p + \gamma \rightarrow K^+ + \Lambda$, Λ polarization calcs. and third πN reson. 5=5446
  - $p + \gamma$, meson and hyperon prod. 5=10981
  - $p + \gamma \rightarrow N^*_{1238} + \pi$, Drell effect 5=8465
  - $p + \gamma \rightarrow p + \pi^+ + \pi^-$, N_{33}^*, P° prod. 5=11019
  - $p + \gamma \rightarrow \pi$, near threshold 5=2632
  - $p + \gamma$, π prod., double and triple 5=596
  - $p + \gamma$, π^+ prod., 175-230 MeV 5=5384
  - $p + \gamma \rightarrow \rho + p$, 1275 MeV γ's 5=5430
  - π pair prod. in Coulomb field, S-wave π—π effects 5=597
  - π prod., Regge—Khuri representation 5=2630
  - polarization effects of single isobar processes 5=5330
  - tagging system for high energy bremsstrahlung meas. 5=10994
  - virtual photon pairs in interactions, covariant method 5=5206

Photons—contd
- **polarization**
  - 662 keV scattered from Pb, linear 5=11294
- **scattering**
  - acceleration of charged particles (electrons) 5=5305
  - e, Haller's series expansion of S-matrix calc., 4th order divergence 5=541
  - electrons, laser detection 5=2596
  - by free electron, "Thomson" scatt., in high intensity field 5=4960
  - γ—d, Compton effect, N polarizability 5=10977
  - nucleons, phenomenological anal. 5=5306
  - photon—photon resonance, via intermediate bound states 5=5303
  - photon—photon, total cross-section 5=10978
  - photon—photon, X-ray flashbulb expt. 5=10980
  - resonsnace, 21 nuclei $7 < A < 65$ 5=776
  - Pb, 0.662 MeV 5=11293

Photonuclear reactions. See Nuclear reactions due to Photons.

Photophoresis
- in stratosphere 5=4469

Photoresistors. See Photoconductivity; Semiconducting devices.

Photosphere. See Sun.

Photovoltaic effects
- electret theory 5=1695
- films photovoltages, anomalously high 5=12834
- γ and X-ray detector, shielded junction 5=2573
- insulator reciprocity law deviation 5=7028
- organic semicond., dye sensitization 5=4118
- photoconductor—dielectric—metal sandwich 5=9740
- photoconductors, theory 5=12815
- for radiation detectors, i.r., semiconductor III-V cpds. 5=1
- solar cells, current-voltage recording by artificial light 5=7044
- X-ray dosemeter, circuit 5=10999
- CdS—electrolyte solution interface, pulsed photo-effect 5=12825
- CdS, long wavelength quenching 5=1701
- CdS single crystals 5=4111
- CdSe, contact potl. light change 5=12819
- CdS—CdSe hetro-, doping, growth conditions var. 5=15405
- CdTe, rel. to hole lifetimes 5=15207
- Cs_3Sb films, semicond., rel. to band bending effects 5=391
- Cu—CdSe, photovalve construction, calc. 5=4121
- GaAs surfaces 5=4021
- GaP single crystals, vapour-grown on GaAs substrate 5=1564
- Ge, evaporated layers, unusual 5=9743
- Si anomalous photovoltaic films, prep. 5=7040
- Si p—n junction radiation detector for X-rays 5=5315
- Te layers deposited in vac. 5=7042
- ZnS, and crystal field inhomogeneities between different forms 5=15105

Physical chemistry
- No entries

Physical effects of radiations
- See also under individual radiations, e.g. Neutrons, effects.
- anthracene, charge carrier generation 5=12578
- atomic spectral line splitting by microwaves 5=8742
- atoms in irrad. medium, energy distribution 5=11983
- charged particle motion influenced by strings of atoms in crystals 5=3783
- cotton, degradation due to u.v. and sunlight 5=9217
- cryostat for nuclear reactor irradiation 5=180
- crystals primary atoms, energetic, replacement probabilities 5=9204
- defect distrib. in focused collisions 5=3732
- dielectrics, transparent, laser damage 5=3781
- fissile metals, atomic displacement and impurity effects 5=3737
- fission damage, model and atomic interact, theory 5=378
- Frenkel pair density, Kinchin—Pease calc. 5=6614
- glass, damage threshold by laser 5=1490
- graphite, thermal expansion 5=12298
- metals, dimensional changes, meas. method 5=12429
- metals, radiation-enhanced diffusion 5=3707
- metals, resistance changes, rel. to atomic cascades 5=16
- noble metals, vacancy zone distrib. in elongation cascades 5=15087
- polyethylene cryst., gel formation 5=3797
- polyethylene, free radicals e.s.r. spectrum, decay after heat treatment 5=3076

ysical effects of radiations—contd
- polymers, photoelec. meas., $\lambda < 400$nm 5=3870
- quartz, e. s. r. of H impurity 5=7233
- scattering of neutral particles by perfect crystal surface 5=12428
- semiconductors, conference, Royaumont (1964) 5=6654
- solid state detectors, neutron and heavy particle damage 5=502
- solids, damage study using disloc. props. 5=3779
- X-ray prodn. by fission products bombardment, calc. 5=15531
- Au-glass, colouration, heat treatment effect 5=6650
- Ge, recoil, elastic versus inelastic energy loss 5=3791
- KCl, Pb-doped, F-centre introduction by ionizing radiation 5=1485
- Mn-glass, absorption band prod. 5=6650
- Mo, props. var. and recovery 5=3794
- NH_3 dissociation, irrad. by Kr and Xe lamps 5=3070
- N_2H_4 dissociation, irrad. by Kr and Xe lamps 5=3070
- $NaNO_3$, NO_2 e. s. r., 77°K 5=15504
- Np, resistivity, due to radioactive self-damage 5=12650
- PH_3 dissociation, irrad. by Kr and Xe lamps 5=3070
- Pu, resistivity, due to radioactive self-damage 5=12650
- α-Pu, self, length change and Frenkel defects 5=6661
- Si, recoil, elastic versus inelastic energy loss 5=3791
- Si transistors, annealing after damage 5=6985
- Ti and Ti–D surfaces, electron, ion and neutral emission, laser-induced 5=7053
- U alloys, fission product swelling reduction with finely dispersed phases 5=6664
- U, fission products, dynamic equilibrium of U ejection 5=9511
- U mass transport by fission fragments 5=14555
- U, resistivity, due to radioactive self-damage 5=12650
- U_2Ti fission fragments rel. to phase transform. and disordering of 5=6314
- W, heavy ion penetration, keV energies, focussed into channels 5=1491
- W, props. var. and recovery 5=3794

hysics
- See also Biographies; Books; Conferences; History; Nuclear physics; Teaching.
- course, unorthodox, introductory 5=13802
- first-year laboratory course, new approach 5=13803
- properties of matter, teaching 5=10202
- recital, tape recorder library use 5=13804
- science and literature, resource letter 5=13801

hysics fundamentals
- See also Cosmology; Field theory, classical; Field theory, quantum; Elementary particles; Indeterminacy; Mechanics; Parity; Probability; Quantum theory; Relativity; Thermodynamics; Units.
- classical mechanics, philosophical foundations, resource letter 5=2029
- general physical theory, by axiomatic assumptions 5=5135
- mass or weight? neither 5=1
- mass, weight, "quantity" of a body, teaching concepts 5=7707
- potential energy and renormalization of mass 5=4716
- space, time and elementary particles, lecture 5=2

hysiology
- See also Biological technique and instruments; Blood; Hearing; Vision.
- animal calorimeter, time response improvement using compensated gradient method 5=2163
- neuroanatomic quantitative studies by u. s. lesians 5=4689

iezoelectric oscillations
- increase of fluctuations in piezoelectric semiconductor 5=3687
- phonon—electron collective waves and oscillations 5=3662
- resonators, conducting, resonance—antiresonance 5=7829
- semiconductors, light scattering during instability 5=13025
- in semiconductors, phonon—helicon interact., analysis 5=6821
- thin-film transducers 5=13939
- $BaTiO_3$, 100 kc/s—10 Mc/s 5=9711

iezoelectricity
- See also Electrostriction; Piezoresistance.
- annular disk, radial deform. eqns. 5=37
- crystal, localized and polaron electron states 5=15227
- crystals, Raman scatt. tensor 5=1826
- ferroelectrics, polarized, rel. to stress 5=15383

Piezoelectricity—contd
- gauge, for cylinder drag meas. in fluctuating airstream 5=11801
- KDP crystal, amplitude modulation of laser-generated 2nd harmonic by elec. field 5=4317
- plates, piezoelectric, containing charge carriers 5=15392
- potential fields around step dislocations 5=9717
- pressure effects, review 5=6094
- quartz, generated by seismic waves, for prospecting, theory 5=1923
- quartz, u. s. waves, 2^{nd} and 3^{rd} harmonics prodn. 5=119
- resonance, automatic detector and recorder 5=4096
- semiconductors, acoustic mode electron scattering 5=1686
- semiconductors, use for u.s. h.f. transducers 5=7841
- transducer, acoustic, props. from elec. analogue 5=2110
- u.s. resonance meas. with Colpitts oscillator 5=7023
- CdS, polaron, energy spectrum, rel. to second order effects 5=15391
- CdS, ultrasonic harmonic generation 5=1414
- Ge, photopiezoelectric effect 5=1687
- H_2PO_4-type crystals, piezo-optical resonances 5=7315
- NaCl, plastic deformation p. d. prod., and dislocations 5=9576
- $Pb_{0.6}Ba_{0.4}Nb_2O_6$, effect of Gp III and IV additives 5=15388
- Pb zirconate titanate, Nb-modified 5=1271

Piezoresistance
- See also Piezoelectricity.
- CdSb, anisotropy 5=12722
- Ge, n-type, ratio to piezo-thermo-e.m.f. 5=7025
- Ge p-n junctions in tunnel and normal diodes 5=15353
- Ge, Sb-doped, high stress 5=12584
- Si, calc. 5=9687
- Te, impedance by electromech. reson. 5=15341

Piles, nuclear fission. See Nuclear reactors, fission.

Pinch effect. See Discharges, electric; Plasma, confinement; semiconducting materials.

Pions
- electron pair model 5=11054
- exchange current in e—d scattering 5=14404
- mass, in nuclear matter versus free 5=2711
- separation from μ, use of Cherenkov counter 5=14428
- statistics, and $\bar{p}p\,\pi$ decay 5=8418
- π^+ detection system, for intense electron and γ-ray backgrounds 5=8462
- π^+—π° mass calc. 5=11061

decay
- Goldberger—Treiman relation in unitary symmetry model 5=11072
- and μ polarization, radiative corr. 5=8447
- $e + \nu + \gamma$ prod. calc., and axial vector current form factor 5=2628
- π^0 obs., by relativistic path dilation 5=5381
- $\pi^0 \rightarrow \gamma e^+e^-$, induced couplings 5=14429
- $\pi^+ \rightarrow \mu^+ + \nu$, obs. by scintillation counter technique 5=8462
- $\pi^+ \rightarrow \pi^\circ + e^+ + \nu$ 5=2629

interactions
- absorption and moderation times, liquid D, π^- 5=5415
- absorption, π^-, by p, in CH_2 5=2651
- Coulomb field of Xe, π°production 5=8663
- induced photon—meson couplings 5=14429
- multi-pion resonances, expt. evidence, review 5=5388
- p-wave, Λ—π phase shifts, calc. 5=11124
- polarization effects of single isobar processes 5=5330
- resonances, review 5=8463
- three-pion-exchange, effect on d—e scatt. 5=2692
- d, at 1.23 BeV/c, resonance prod. and decay 5=622
- π—K, expt. evidence, review 5=5388
- $\pi^- + d \rightarrow 2\mu + \gamma$ at rest 5=602
- π^+ capture in LiH, CH_2, CH 5=2629
- π^+—d, 4.5 GeV/c, pion systems 5=603
- $\pi^+ + d \rightarrow \pi^+ + p + n$, 600-850 MeV, as free N scatt. 5=598
- $\pi^+ + n \rightarrow p + \pi^0$, 6 GeV/c 5=8452
- $3\pi + \omega$, magnitude, rough estimate 5=599
- $\rho - 2\pi$ bootstrap with composite π 5=5380
- $\Sigma\pi$ reson. with T + 2 in $K^- + n(c) \rightarrow \Sigma^- + \pi^- + \pi^+ +$ recoils 5=614
- W boson prod. and leptonic decay ang. distrib. 5=2430

interactions, pion—nucleon
- calculation, computer, fixed source theory 5=5393
- coupling consts. in Heisenberg's non-linear theory 5=14431

Pions—contd

- **interactions, pion—nucleon**—contd
  - cross-section, total, high-energy rel. to [ReA(s, 0)/ImA(s, 0)] 5=5392
  - diffractive dissociation, 3π system, ang. correl. 5=825
  - in emulsion, 17 GeV in 170 kG 5=11024
  - experimental data analysis, resons, new mesons, review 5=8256
  - one-meson exchange study 5=8449
  - separable potential for $I = {}^3/_2, P_{3/2}$ state 5=2634
  - separation of variables 5=449
  - 10 BeV, comparison with 7 BeV π and 9 BeV p 5=14432
  - ultra-high energy, inelastic peripheral collisions 5=5329
  - N + η prod. and Born terms, N* form factor calc. 5=14433
  - N* + ω, ρ-exchange model 5=599
  - N* + π prod., 2-pion exchange model 5=621
  - ρ production, Coulomb and coherent 5=2662
  - ρ + N prod. momentum transfer and ρ mass 5=11101
  - π N resonances, empirical relationship 5=615
  - π^-—N, proton emission, 6. 8 BeV/c π energy 5=11083
  - π^- + N, 7. 5 GeV, in emulsion, emitted π's 5=5390
  - π^- + Xe, 9 GeV, 2γ peaking near π^0 mass, neutral mesons 5=5391
  - π^-, 4. 4 GeV, emitted charged π trans. momentum 5=5389
  - Σ + n prod. forbidden by selection rules in W_3 symmetry 5=420
- **interactions, pion—pion**
  - and decay K → $\pi + \pi + e + \nu$ 5=11103
  - experimental evidence, review 5=5388
  - four π model of η and X° mesons 5=11098
  - I = 0, amplitude and σ di-pion 5=2640
  - N/D equation strip approx., numerical soln. 5=5403
  - N/D equations in strip approx., soln. 5=5212
  - N/D strip approx., more accurate treatment of low energy potential 5=5215
  - repulsive forces, low energy 5=5402
  - s-wave interaction, rel. to $K_1^0K_2^0$ mass difference 5=2674
  - π—π resonance masses, empirical relations 5=620
  - $\pi\pi$(T = O, l = O) antibound state reson. mass, bootstrap calc. 5=619
- **interactions, pion—proton**
  - charge exchange, cross-section, quasi-free protons, 9 GeV/c 5=601
  - charge exchange, $\pi^- + p \rightarrow \pi^\circ + n$, 930 MeV, differential cross-sect. 5=5395
  - charge exchange, forward structure and resonances 5=2639
  - charge-exchange scattering amplitude, from π^+p and π^-p diffraction peaks 5=2635
  - cross-section meas., 300-700 MeV 5=11091
  - first resonance, cross-section shape 5=11085
  - resonance prod., 8 GeV/c 5=5400
  - resonances, total cross-section, 2. 5-5. 5 BeV/c 5=11086
  - strange particle prod., 16 GeV/c 5=2638
  - two particle prod., large angle statistical calc. 5=11025
  - 4 GeV/c 5=2636
  - 10 BeV, comparison with 7 BeV π and 9 BeV p 5=14432
  - 10 GeV/c K°, p prod., 5=2637
  - Λ, prod. via isobars theory, 7-8 BeV 5=8482
  - $N_{33} + \pi \rightarrow \pi + N + \pi$ prod., ang. distrib. 5=11087
  - π from isobar produced, ang. distrib. 5=11080
  - $\pi^\pm + p \rightarrow \rho^\pm + p$, single particle exchange model 5=11084
  - π^-, charge exchange, 35 MeV, and S-wave scatt. length 5=8457
  - π^-—p, inelastic, two-prong, at 17. 2 GeV, in emulsion 5=5394
  - π^-—p, production K—$\bar{K}$ resonance 5=8466
  - π^-—p, two-prong, 17. 2 GeV, in emulsion 5=11079
  - π^-—p, 683 MeV/c, cross-section 5=11090
  - π^- + p, 3 BeV, strange particle prod. 5=8451
  - π^- + p, n emission, 10 GeV 5=5397
  - $\pi^- + p \rightarrow n + \eta^0 \rightarrow 2\gamma$, π^- 545-1151 MeV, η^0 ang. distrib. 5=5398
  - $\pi^- + p \rightarrow p$ + heavy meson search, digital apparatus 5=8443
  - π^- p, π^0 prod. at 10 GeV/c 5=594
  - $\pi^- + p \rightarrow \pi^\circ + n$, ang. distrib., cross-sections, 600, 900 MeV 5=14434
  - π^-—p, $\pi\pi$ mass spectra, 2. 75 GeV/c 5=11074
  - π^-—p → $\pi^- + \pi^\circ + p$, cross-section, differential distrib. 5=11090
  - $\pi^- + p \rightarrow \pi^- + \pi^+ + n$, spark chamber for π's 5=10941
  - π^-—p → $\pi^- + \pi^+ + n$, cross-section, differential distrib. 5=11090

Pions—contd

- **interactions, pion—proton**—contd
  - π^-—p → $\pi^- + p + \pi^- + \pi^+$, N_3^{*++} and ρ° resonances 5=11081
  - $\pi^- + p \rightarrow 3\pi^- + 2\pi^+ + p$, 10 GeV 5=5396
  - $\pi^- + p \rightarrow \rho^- + p$, 4 GeV/c, absorption effects 5=5399
  - π^-p, $\Sigma^{+,-}$, Λ°, p prod. at 10 GeV/c 5=2680
  - π^+—p, 500 MeV, 1840 events 5=11082
  - $\pi^+ + p \rightarrow N_{33}^{*++} + \pi^\circ$ at 354 BeV/c, p-meson exchange, ang. correl. meas. 5=600
  - $\pi^+ + p \rightarrow p + \pi^+ + \pi^0$, 4 GeV/c and exchange 5=8450
  - $\pi^- + p \rightarrow \pi^0 + n$, 9 BeV, bubble chamber obs. 5=8453
  - π^+—p → $\pi^- + \pi^+ + \pi^+ + p$, resonance static-model calc. 5=11096
  - $\pi^+ + p \rightarrow \pi^+ + p + \pi^+ + \pi^-$, structure of A-meson 5=5401
  - $\pi^+ + p \rightarrow \Sigma^+ + K^+$, K* resonance model calc. 5=11126
  - ρ^-p prod., 4 GeV/c, ang. var. calc. 5=2462
- **production**
  - charged from π^-—N interact., 4. 4 GeV, trans. momentum 5=5389
  - high-energy collisions, 4-momentum transfer 5=11076
  - high-energy jet showers, centre of mass system 5=11078
  - pairs, photo, in Coulomb field, S-wave π—π effects 5=597
  - peripheral, of single pions by neutrinos 5=14402
  - photo, Regge—Khuri representation 5=2630
  - photo, S matrix 4 invariant amplitudes formulae 5=5382
  - photoproduction, anal. by fixed ± dispersion relations 5=5386
  - photoproduction, exptl. data analysis 5=8448
  - photoproduction in forward direction, p-exchange contrib. 5=14430
  - d + γ, polarized γ, ang. var., 225-450 MeV and calc. 5=2633
  - γ + d, polarization effects, dispersion relns. 5=11073
  - γ—d → π^- + 2p, near threshold 5=11075
  - γ—d → π^+ + 2n, near threshold 5=11075
  - γ + p, double and triple 5=596
  - γ + p, near threshold 5=2632
  - γ + p, 175-230 MeV, π^+ 5=5384
  - H^3, He^3, photoprod. 5=5383
  - from K^-—d, momentum spectrum calc. 5=11123
  - from K_2° decay, evidence 5=5435
  - K^+ reactions on nuclei, K^+ initially 900 MeV/c 5=11110
  - in N, photoproduction 5=782
  - N—N interactions, Cherenkov-type radiation 5=11077
  - $\nu_\mu + Pb \rightarrow Pb + \pi^\circ + \pi^+ + \mu^-$, cross-section 5=11003
  - p—n, single highly energetic, OPE mechanism 5=5387
  - p → n + π^+ in mag. field, energy loss 5=5340
  - in p$\bar{p}$ interactions, 3. 6 GeV/c, with annihilation 5=595
  - p + p → d + π^+, 990 MeV, ang. var. 5=568
  - π^- by γ-rays 275 MeV, neutron bound in deuteron, differenti cross-section, meas. 5=591
  - in π^-—p interactions, 2. 75 GeV/c 5=11074
  - π^-—p interactions, cross-section, differential distrib. 5=11090
  - π°, photoproduction on protons at 210 MeV 5=2631
  - π°, 5×10^{12}—10^{13} eV 5=590
  - π^0, by d + γ, coherent γ, 200-300 MeV 5=5385
  - π°, by $e + p \rightarrow e + p + \pi^\circ$, coincidence meas. 5=593
  - π° by π^-p at 10 GeV/c 5=594
  - π^+ by 275 MeV γ-rays, neutron bound in hydrogen, extrapolated to free nucleon 5=591
- **scattering**
  - calculation, shell model impulse approx. 5=5663
  - charge exchange rel. to possible resonance positions 5=2656
  - nucleus, optical model potential 5=11348
  - d, amplitude anomalous singularities 5=2650
  - d, dispersion relations in impulse approx. 5=2649
  - K—π scalar resonances, $I = {}^1/_2$ and ${}^3/_2$, model 5=14440
  - Λ, $P_{3/2}$, coupling const., phase shifts, partial wave calc. 5=8460
  - π^+—d, elastic, rel. to d polarization 5=5414
  - π—ω, resonance with nonunique ang. momentum, dynamic model 5=14262
  - C, 65-150 MeV, calc. 5=5663
  - C, ang. var., ~/GeV 5=14541
  - H_3, mixed symmetry S state admixture effects 5=14437
  - He_3, mixed symmetry S state admixture effects 5=14437
  - O, 65-150 MeV, calc. 5=5663
  - O^{16}, π^+, inelastic, 80 MeV 5=5665
- **scattering, pion—nucleon**
  - calculation, N/D inelastic effects of N* and ρ 5=2641

Pions—contd
- scattering, pion—nucleon—contd
  - charge-exchange, high-energy, ρ trajectory 5=11088
  - consistency and partially conserved axial vector currents, calc. 5=10845
  - dispersion relations application 5=607
  - forward ang., total cross-section calc. 5=609
  - intermediate state, contrib. to amplitude 5=2466
  - $J = 1/2$, $T = 1/2$ phase shifts, Khuri modified calc. 5=604
  - low energy, N/D strip approx. 5=2642
  - in nucleus, 3—3 resonance effect 5=11348
  - p and s waves, relativistic corrections 5=608
  - parametrization, and charge exchange reactions 5=5334
  - partial wave amplitude high energy 5=5411, 11089, 14436
  - partial wave amplitude, new coupling const., reson. level calc. 5=8454
  - partial wave, invariance principles, dispersion rels, review 5=8256
  - phase-shift analyses, consistency 5=2643
  - S-wave, and ρ^0 decay, K_1, K_2 mass diff., σ meson 5=2648
  - secondary peaks, small spin-flip explanation 5=5407
  - self-consistent calc. using N/D, N mass 5=5405
  - vertex function with one nucleon off mass shell 5=5404
  - 300-700 MeV, analysis and p_{11} reson. 5=606
  - 300-700 MeV, phase shifts and resons. 5=5408
  - f^0 meson effects 5=5406
  - P_{33} state, boundary condition calc. 5=8455
  - π^-, 9 BeV, bubble chamber obs. 5=8453
  - $\pi^+ + d \rightarrow \pi^+ + p + n$, 600-850 MeV, as free N scatt. 5=598
  - ρ prod. effects 5=605
- **scattering, pion—pion**
  - calculation dynamical, assuming Regge poles control high-energy and small momentum transfer 5=2647
  - crossing relations, Legendre expansions 5=612
  - diffraction scattering, low-momentum transfers, scatt. amplitude 5=613
  - dispersion relations application 5=607
  - p-wave soln. 5=5412
  - potential in Born approx., correction for direct channel strips 5=14435
  - resonance, rel. to ρ-mass 5=11100
  - 7-17 GeV/c, 1-Regge pole contrib. 5=8456
  - and K_{e4} ang. correls. 5=8461
  - ρ angular distrib., polarization, 864-1301 MeV 5=2646
  - and ρ data 5=5413
  - $\rho \rightarrow N\bar{N}$ vertex, strip approx., S matrix theory 5=5427
- **scattering, pion—proton**
  - backward, 3.15, 4 BeV/c, calc. of $d\sigma/dt$ 5=2645
  - charge-exchange scattering amplitude, from π^+p and π^-p diffraction peaks 5=2635
  - diffraction scatt., >10 GeV 5=569
  - dispersion relation check, small angle high energy 5=14414
  - elastic partial-wave analysis, above 1 GeV/c 5=611
  - polarization of p near 600 MeV and reson. 5=610
  - π^--p, high energy, no diffr. peak shrinking 5=8459
  - π^-p, impact parameter expansion at 17 Bev/c 5=5231
  - π^-—p, quasi-elastic evidence, 7, 16 GeV/c 5=5410
  - π^-, elastic, 4 GeV/c 5=2644
  - π^--p, 4 GeV/c, no diffr. cone contraction 5=8458
  - π^-, 9 BeV, bubble chamber obs. 5=8453
  - π^+—p, elastic, 240 MeV, phase shift analysis 5=5409

Planetary nebulae. See Nebulae; Stars

Planets
- See also Solar system.
- asteroids, obs. with image orthicon tube 5=13704
- asteroids yellowness index, versus terrestial materials 5=13746
- atmosphere, circulation, effect of Coriolis forces 5=4458
- atmosphere mol. absorpt., i. r. 5=15836
- atmospheres, cloud forbidden regions 5=13267
- atmospheric electron and ion distrib. 5=13340
- axial rotation, calc. 5=13743
- calculation of photographic position by computer 5=7633
- cloud perspective, seen from space vehicles 5=13261
- conductivity, elec. 5=15645
- co-ordinate perturbations 5=13697
- Jupiter, decametric radiation 5=7637
- Jupiter, equivalent temp. at 700 μc/s 5=13747
- Jupiter, Faraday rot. on decametric radio emissions 5=4631
- Jupiter, infrared, balloon obs. 5=13715
- Jupiter magnetic dipole displacement 5=13748

Planets — contd
- Jupiter, radio emission by synchrotron radiation of charged particles in dipole mag. field 5=2252
- Jupiter, radio obs., 6.5 cm 5=10167
- Jupiter, radio outbursts, origin, review 5=4632
- Jupiter, radio polarization and Van Allen belt asymmetry 5=1977
- Jupiter, radio temp., 70 cm 5=4630
- Jupiter, rotation, red spot and N equatorial current 5=7635
- Jupiter, upper atmosphere, solar corpuscular radiation, effects 5=15837
- Jupiter, X-ray flux upper limit, rocket obs. 5=10169
- Jupiter, 1963 spaced-site obs. at 18 Mc/s 5=7638
- Jupiter, H_2 grey model atmosphere calc. 5=7634
- Jupiter, NH_3 line inclination and stratospheric wind 5=10168
- Jupiter, NH_3 lines inclination 5=7636
- Mars, atmosphere, u. v. thickness 5=4633
- Mars, deuterated, water evidence 5=15843
- Mars, diameters, i.r., u.v., re-evaluation of Wright's obs. 5=15842
- Mars, infrared, balloon obs. 5=13715
- Mars, internal structure 5=10170
- Mars, microwave absorpt. in atmosphere 5=4634
- Mars, Phobos secular accelerations 5=15838
- Mars, yellow clouds and wind vel. 5=15839
- Mars, N oxides 5=10171
- Martian and Cytherean upper atmospheres, dissociation layers 5=15840
- Martian and Cytherean upper atmospheres, theoretical models 5=15841
- Mercury, Cartesian coords. 5=10172
- Mercury, i.r. spectra, 1.0-3.9 μ 5=7639
- Mercury, Mars, size and thermal history 5=7631
- non-stating, ion-exosphere density distrib. model 5=4475
- orbits, stellar encounter effects 5=15783
- outer, 5, equatorial coords. and nutation calc. 5=10166
- Pluto, libration of close approaches to Neptune 5=10173
- Pluto—Neptune vibration 5=7640
- Pluto, obs. with image orthicon tube 5=13704
- radar investigations 5=7632
- range, vel., roughness, axis and rotation rate, radar meas. 5=13745
- Saturn, magnetic field configuration from radio polarization 5=4635
- Saturn, radio obs. 11.3 cm 5=4636
- surfaces, ephermerides use, orbital pos., calc. 5=13744
- systems with main-sequence stars 5=13721
- tails in solar wind 5=15834
- thermal opacity in major planets 5=7634
- thermal radio radiation 5=7630
- Uranus, radio emission search at 11.3 cm 5=4637
- Venus atm., cloud effect on greenhouse model 5=15845
- Venus, clouds composition, reflection spectra meas. 5=7641
- Venus, clouds, i. r. astronomy 5=15846
- Venus, clouds prod. from solar H and upper atmosphere 5=7642
- Venus, i. r. link darkening mechanisms 5=15844
- Venus, Mariner 2, review 5=13638
- Venus, radar obs. and A. U. 5=13735
- Venus, radio obs. and atmosphere models 5=10175
- Venus, rotation rate, radar obs., 1964 5=7643
- Venus, surface physical conditions, i. r. spectroscopy method 5=13751
- Venus, water vapour, balloon meas. 5=13749
- Venus, O presence, reflected solar spectra meas. method 5=13750
- Venus, O_2 upper limit 5=10174

Plasma
- See also Discharges, electric; Electrons; Ions; Space charge; Thermonuclear reactions
- air, free path lengths, calc. 5=8965
- air, ionized, thermodynamic props., 10^3-10^6 °K 5=3123
- air, spectrum, N^- role 5=11700
- anomalous electron heating, rel. to mag. confinement, calc. 5=14708
- in arcs, material functions, evaluation 5=3114
- book, theory 5=5969
- boundaries, investigation with e. m. surface waves 5=1098
- boundary layer calc. for small free paths 5=14705
- bounded current sheet theory 5=3188
- breakdown elec., in triode 5=5944
- Brownian kinetics, Green's function 5=63

Plasma—contd
- burnout obs. in steady state 5=8964
- charge on body in flowing charged plasma, calc. 5=14702
- Cherenkov radiation with electron beam 5=10529
- clusters acceleration between parallel conductor, vel. resonance calc. 5=5980
- colliding plasmoids, spectroscopic investigation 5=11703
- column, gas flow effect on props. 5=3108
- conductivity dispersion, thermodynamical model 5=11686
- conductivity, elec., at low freq. and wavenumbers 5=1077
- conductivity, elec., for osc. elec. force in strong mag. field 5=5983
- conductivity, influence of mag. field 5=11685
- conductivity, transient, decay function 5=11687
- convective losses, suppression by positive-gradient field 5=5997
- correlation function, electron—ion 5=14703
- correlations, Green's function solns. 5=5971
- cylinder, magnetically confined, motion 5=14750
- cylindrical column, transverse mag. field effects 5=3153
- deionization, by microwaves 5=11730
- density profiles, determ. by microwave refl. from modulated dipole probe 5=1102
- diamagnetic properties, meas. by mag. loops 5=11702
- diffusion across mag. field due to macroinstabilities, upper bound 5=14762
- diffusion in mag. field, review 5=3150
- diffusion in mag. field, theory of magnetosphere ionization depletion in disturbances 5=13339
- dipole resonances, damping, of plasma column 5=6007
- discharge, anomalous cyclotron radiation, 10 Gc/s and 22 Gc/s. 5=3160
- discharge, self sustaining at negative electrode 5=5927
- distribution functions, for electrons and ions, in h. f. fields 5=11681
- electric fields, micro, theory 5=1072
- electron beam interaction, nonlinear theory 5=11677
- electron cyclotron resonance plasma, electron density meas. 5=8986
- electron radiation in mag. fld boundary layer 5=14721
- electron temp. and press., in mixed plasma 5=11683
- energy of line radiation, for equilib. plasma 5=5995
- equations of state, hot inhomogeneous 5=1074
- exploding wires, high energy Z-pinch 5=14687
- flames, potential between probes 5=4841
- flames, potential prod. between electrodes by electronegative gas injection 5=14743
- flow in accelerator as progressive wave 5=3147
- flow eqns., uniformly valid soln. 5=11690
- flow, quasineutral, of accelerated ions 5=11692
- flow, stationary, weakly ionized plasma in homopolar device 5=11691
- Fokker—Planck and Bhatnagar—Gross—Krook eqns. 5=3141
- Fokker—Planck eqn., model, and soln. 5=3140
- force on small particle, rel. to temperature gradient 5=3146
- front and pre-ionization range in shock tube, microwave meas. 5=1088
- fully ionized, dissipative tensors in strong magnetic field 5=3149
- gas discharge, ion extraction 5=4930
- gravitational interactions, 1- and 2-dim. exact statis. thermodyn. 5=7553
- h. f. conductivity, nonlinear theory 5=5981
- heating, h. f., in toroidal systems 5=14744
- heating, Ohmic, computer calc. 5=5976
- high-beta, props. 5=14776
- hollow-cathode discharge, rotation of "vane" meas. 5=14682
- impedance, of plasma-filled condenser 5=11689
- infra-red absorpt. and emission, Ar 5=3159
- interaction with electron beam at 4 to 5 Gc/s in a TWT 5=4923
- ion source, extraction and beam formation, review 5=10504
- ionization energy lowering 5=11659
- ionospheric, cyclotron spikes, excitation 5=13434
- Joule—Thomson effect, Debye length importance 5=3142
- kinetic equation 5=1076

Plasma—contd
- kinetic equation pair correl. function integral operator 5=5972
- kinetic eqn., soln. for unstable plasma in elec. field 5=5973
- Landau damping 5=5970
- laser-generated microplasmas, time-resolved spectroscopy 5=1071
- low-frequency motions, in nonequilib. system, hydrodynamics 5=1084
- luminescence in T-tube 5=3163
- magnetic dipole effect on stream obs., and solar wind—earth 5=13560
- magnetic field effect, ion mass and energy spectra meas. 5=5999
- magnetoresistance, high field, inhomogeneous, theory 5=6906-7
- Maxwell plasma, quantum correl. functions 5=3139
- from metal cylinder, radially confined, exploded 5=14711
- from metal foil, rel. to mag. fld compression 5=14712
- motion consts., linearized, of Vlasov plasmas, 5=8966
- moving plasma diffusion model, rel. to cosmic radn. var. 5=14455
- non-degenerate, transport properties, many-particle collisions 5=5978
- ohmic heating, by uniform h. f. field 5=11731
- P. 829 light amplifier study, photographic results 5=2231
- particle relaxation, transition probability calc. 5=3145
- plasmoid, azimuthal, motion in coaxial source with B_z bias 5=3224
- plasmoid from conical gun, polarization in mag. field 5=5984
- plasmoid interaction with periodic mag. field, meas. 5=1131
- power absorpt. in ion source, meas. 5=7976
- probe currents, mag. field effects in Cs, electron diffusion model 5=14742
- production by charged H_2 cluster injection 5=8963
- production by neutron irrad. in inert gas—He^3 mixture 5=3137
- properties and meas., introductory book 5=11618
- radiation in, kinetic theory 5=5996
- radiation processes 5=11697
- radiation, from Ag targets, for 10-30 keV electrons 5=3952
- radiation, synchrotron spectrum, hot plasma 5=3161
- relaxation to Maxwellian of Balescu—Lenard eqn. 5=14713
- scattering of charged particle, quantum theory 5=14701
- secondary spectrum, mag. field var. 5=6011
- in semiconductors, injected "hot" carriers, transport eqns. calc. 5=1589
- semicontinuous, acoustical motion 5=11684
- shock excited, Debye—Huckel inert gas, equilib. calc. 5=5988
- shock-heated, nature from shock tube study 5=108
- and shock wave struct. in mag. field, ion Larmor radius effects 5=14719
- solar, flow, neutral H flux 5=4659
- solids, semipopular expt. review rel. to gases 5=1590
- source eqns., for compressive and incompressive plasmas 5=11679
- specific heats and isentropic exponent, determ. 5=11729
- spectral line emission from transient non-uniform plasma 5=8972
- spectral line width, of atoms and ions 5=11701
- spectroscopy of shock-heated plasmas prod. by e. m. T-tubes 5=5990
- spectrum, line contour and intensity model 5=3138
- spectrum of scatt. radiation, effect of close collision 5=11704
- spread from discharge 5=8913
- stellar, neutrino emission 5=4556
- synchrotron radiation spectrum 5=3161
- synthesized streams, generation and diagnosis 5=11676
- system of different particle component temps., correlation functions 5=14704
- temperature in discharge, rel. to use as electron source 5=3229
- temperature, electron, laser heated 5=5975
- theory, advanced, conference 5=11678
- thermal radiation, 3-12 mm range 5=3162

Plasma – contd
thermionic emission from hot particles 5=3187
thermodynamic props. calc. 5=3143
torch discharge, complex-resistance meas. 5=1039
transient processes, press. gradient and mag. field 5=8967
turbulent field of magneto-acoustic ionized plasma 5=5992
turbulent prod. of ν, weak interaction, calc. 5=14400
in Ar, discharge, r. f., inductive, stable column prod. 5=1105
Ar, radiation meas. 5=1092
H, afterglow, electron density 5=5998
H, highly compressed, and thermonuclear reactions 5=862
H, interaction with inhomogeneous mag. field 5=11694
H, in pulse discharge, role of reabsorption of spectral lines 5=14696
H, spectra dissolution calc. 5=8971
H spectroscopy of shock-heated plasmas prod. by e. m. T-tubes 5=5990
H, H^-, spectrum level shift and width 5=2896
H, thermodynamics calc. and partition function cut off 5=14706
H_2, highly ionized, electron temp. and density from spectral meas. 5=14722
H—C, light absorpt. coeff. at 40 000°K, 120-500 atm 5=1097
He, cryogenic, electron interactions 5=14710
He metastable atoms, 2-body collisions 5=8951
He I, population densities, in nonthermal 5=14707
He, Ne, Ar, cold-cathode glow, light-quenching by microwaves 5=8918
K, anomalous diffusion 5=11762
N_2, spectrum, N^- role 5=11700
Ne, boundaries, investigation with e. m. surface waves 5=1098
Ne, diffusion and recomb., var. electron energy 5=5985
O, electron removal during afterglow, microwave meas. 5=8921
O plasma, momentum transfer collisions, for thermal electrons 5=14714
Si I and II spectroscopy of shock-heated plasmas prod. by e. m. T-tubes 5=5990
Xe, electron density and temp. determ. 5=11682
Xe, resistivity 5=11688

confinement
accumulation by structs. acting as accelerators and stoppers 5=6024
and anomalous electron heating instability, calc. 5=14708
bunch in h. f. elec. field and static mag. field gradient 5=6025
collision-free, mag. compression 5=11738
drift in curved mag. field 5=3152
e. m. wave, travelling 5=6029
by e. m. waves, travelling 5=11710
enlargement of time, in mirror machine 5=14772
hot, confinement time in mag. well 5=6023
Ioffe bar, increasing mag. field 5=11736
linear pinch, temperature behaviour 5=8989
magnetic barrier penetration of neutral beam losses calc. 5=8992
magnetic cusps and mirrors, plasma noise, density and decay time 5=8994
magnetic, effect on refraction in e. m. interferometry 5=6002
magnetic field boundary layer, electron radiation 5=14721
magnetic field configurations, of cylinder with infinite elec. cond. 5=1112
in magnetic field trap 5=8991
magnetic mirror, with hexapole stabilizing fields 5=3195
magnetic mirrors, ambipolar scatt. loss 5=3196
magnetic trap with cusped field, h. f. sealing 5=1111
in magnetic trap, with opposing fields 5=11702
magnetic trap, rel. to electron cyclotron resonance and h. f. field penetration 5=3190-1
magnetic well single loop conductor 5=1114
magnetic well stability, var. depth 5=6027
magnetically compressed, spectroscopic investigation 5=8990
minimum-β mirror, effect on stability of plasma potential 5=14752
mirror, finite Larmor rad. stabilization theory 5=1113
mirror machine, electron high-freq. heating 5=3221

Plasma—contd
confinement—contd
mirror, steady state waves 5=1115
pinch central regions calc. 5=6026
pinch effect for emanation from gun 5=3235
pinch, hardcore, Langmuir probe meas. 5=1106
pinches in cylind. and toroid. chambers, displacement meas, probe 5=6019
plasma—magnetic field boundary layer, kinetic theory 5=8969
by r.f. mirror field 5=8993
radial, superimposed cusp and azimuthal mirror fields 5=11737
sheath microwave transmission 5=8976
sheaths, adiabatic time development 5=11732
stellerator corrugation field 5=14745
terella in shock tube, magnetospheric trapping simulation 5=4489
θ-pinch, axial motion and end loss 5=11735
θ-pinch, diffusion of trapped reversed flux 5=14746
θ-pinch, electron density and temp. meas. by light scatt. 5=6020
θ-pinch, instabilities 5=11733
θ-pinch, meas. of electron density, by laser excitation of coupled i. r. resonators 5=3194
θ-pinch, rot. and instability due to transverse mag. fields 5=1110
in θ-pinch shock tube 5=11695
θ pinch, toroidal, in M and S configuration 5=14747
θ-pinch tubes, shattering due to radiation induced shock waves 5=106
theta pinch, ignition mechanism 5=3193
theta pinch, for laser pumping, solid 5=5007
theta pinch, O ionized, spectra at grazing incidence 5=1109
thetatron, drift control expts. 5=14749
toroidal discharge in strong fld, transvers fld effect 5=6028
two-pass helical field, magnetic surfaces, rel. to toroidalicity and corrugation 5=3189
universal instability, Landau damping and finite-length effects 5=1124
Z-pinch, electric fields meas. 5=1107
Z-pinch in H, e-density in afterglow, He—Ne laser meas. 5=14686
Z-pinch, linear, inertial force 5=1108
zeta toroidal discharge, current sheath diffusion, calc. 5=14751
D, heating in direct discharge 5=5977
D, θ-pinch, electron density study by Faraday rot. of i. r. He—Ne maser radiation 5=3192
D_2, theta pinch expts. at 0. 01 torr 5=14748
He, Z-pinches, light and current distrib. 5=11734

devices
acceleration in expanding supersonic stream 5=11768
acceleration by gradients of static mag. and e. m. fields 5=6001
accelerator, coaxial, modified snowplow model 5=3226
accelerator discharge, coaxial, schlieren photography 5=9019
accelerator, plasma parameters from E and B fields 5=3227
accelerator, pulsed, from exploding metal films 5=14773
accelerators, optimal parameters 5=3225
alkali plasma generation in thermodynamic equilibrium 5=3223
'Alpha', electron energy distrib. 5=11764
Alpha, ion/electron temp. ratios meas. 5=1130
anode, UC electron emission characs. meas. Cs vapour effect 5=7049
atoms, excitation, calc. by charge exchange, resonances 5=5780-1
beam—plasma interaction technique 5=1129
blowpipes for jet prod. 5=3230
C-Stellerator, hydromagnetic motability 5=9018
C-Stellerator, perpendicular temp. 5=11765
coaxial accel., effect of plasmoid V-A char. 5=5979
diode-transducer, performance mechanism 5=11766
in discharge, temp. rel. to use as electron source 5=3229
EPA facility, electron—cyclotron plasma 5=14776
fluctuations in sceptre III or IV 5=14761
gas admission, pulsed, for injectors 5=14771
generator with simultaneous conductivity meas 5=14775
gun aspects of an E × B system 5=3237

Plasma—contd

devices—contd

gun, coaxial, performance with various propellants 5=3239

gun, coaxial, plasma accel. study 5=3234

gun, coaxial, vel. limitation theory 5=3238

gun, emanating plasma study 5=3235

gun, formation of high-density D focus 5=11767

gun, ionizing wave propag. 5=3236

gun, physical characteristics 5=3232

gun, plasma collisionless shock-front model 5=3157

gun, use for melting and heating of materials 5=3240

high temp. furnace, h. f. 5=178

homopolar, stationary flow of weakly ionized plasma 5=11691

jet, oscillations and stability 5=9020

jet, radiation, spectral composition from different parts 5=3231

jet spraying of superconductor metastable phases 5=9648

m. h. d. generator, prod., cond., flow calc. 5=2203

magnetic mirror machine, synchrotron radiation meas. 5=3222

magnets, superconducting, for thermonuclear devices 5=4897

mirror machine, electron high-freq. heating 5=3221

mirror machines, confinement times enlargement 5=14772

neutral atoms, highly excited, production 5=5782

plasma—electron beam amplifiers and oscillators, design problems 5=2254

plasmoid from conical gun, polarization in mag. field 5=5984

plasmoid interaction with periodic mag. field, meas. 5=1131

Pleiades machine, accelerated plasma characts. 5=9017

power system, pulsed, ultrafast 5=14774

solar wind and geomagnetic field interaction, model 5=7539

source, coaxial, with B_z bias, azimuthal plasmoid motion 5=3224

source for seeded-gas plasma 5=9016

stellerator (Etude), density fluctuations 5=3228

switch, gas-triggered, in direct pinch mode 5=14778

thermal shock study by pulsed arc 5=6055

TOKAMAK-3, ohmic heating meas. 5=6054

TOKAMAK-3, technical characteristics 5=9015

trap, magnetic, for plasma containment 5=11702

tunnel, 2-phase Hg, for generating supersonic streams 5=1132

USSR research, and fusion 5=8699

waveguide, fed by cathode gun 5=14777

Zeta, spectrum and sun, 170-220Å 5=7660

Ar, jet, temp. meas. from spectra in far i. r. 5=6013

Ar, m. h. d. generator conductivity 5=1080

Cs diode, conductivity elec. and thermal, irreversible thermodynamics method calc. 5=7942

Cs, loss 5=11763

Cs plasma diode, Cs F addition, efficiency improvement 5=7941

Cs-Cd diode, improvement due to Cd 5=7940

D gun, coaxial, high-energy accel. mode 5=3233

He, m. h. d. generator conductivity 5=1080

electromagnetic wave propagation

absorption, nonlinear, of high-freq. radiation 5=8978

aerial in sheath, resonances calc. 5=10570

afterglow plasma, cryogenic, microwave interactions 5=3172

antenna, interaction with hot plasma 5=6008

backscatter from turbulent plasma 5=11708

bounded plasma, H- and E-wave interaction 5=3168

Cherenkov 5=11696

cold plasma, generalized stream instabilities 5=9004

collision effects 5=14716

confinement by travelling wave 5=6029

cylinder, scatt. of waves 5=10548

diffraction of plane e. m. wave, by cylinder of plasma 5=6004

dipole resonances, damping, of plasma column 5=6007

dispersion equation, modes calc. 5=14737

electron cyclotron in plasma—mag. fld. boundary layer 5=14721

excitation by external currents 5=1095

gyrotropic plasma—free space interface with nearby source, rel. to ionosphere 5=2266

Plasma—contd

electromagnetic wave propagation—contd

gyroelectric plasma, microwave interaction, perturbation theory 5=8977

H_{01} and H_{11} types, reson. interaction, in circular waveguide 5=11711

H_{11} wave acceleration of plasmoid, in circular waveguide 5=11712

in hot magnetized plasmas 5=8973

hot magnetoactive plasma, general dispersion eqn. and analysis 5=6005

hydromagneto-ionic theory, collision effects 5=14734

infrared radiation, bremsstrahlung comparison 5=10992

intense optical freqs., nonlinear process, calc. 5=14730

interaction, review 5=6010

interaction with e. m. field 5=11710

ionosphere theory 5=8011

ionospheric refractive index calc. 5=13435

kinetic theory, heating of electrons 5=3166

laser beam Thompson scattering 5=11698

laser light scattering, Thomson and co-operative 5=3174

leaky waves in uniaxial layers in mag. field 5=14731

light, forward scattering 5=6012

light scattering freq. shift on laser prod. plasma 5=3173

in lossless, unbounded plasma 5=11709

in mag. field, non-linear corrections for refl. and refr. 5=3170

magnetoplasma, nonlinear propagation 5=14736

magnetoplasma slabs, quasi-static waves 5=11706

magneto plasmas, turbulent, index of refr. for average wave and mean intensity of scatt. field 5=14729

magnetoplasmas, finite, e. m. waves in parameter space 5=1094

for measurement, microwaves 5=14741

microwave beam, in linearly graded plasma 5=11713

microwave, in plasma with sheared mag. field 5=3171

microwave reflection, by nonuniform plasmas 5=11714

microwaves, 4 mm, verification of hot plasma theory 5=14728

multicomponent plasma with static mag. field 5=11705

non-linear electron distrib., complex dielec. permitt. calc. 5=15728

nonlinear interaction 5=3169

orthogonality props. of modes 5=6031

from plane layer, with double frequency 5=14725

polarized microwave refl. from surface, e-density effects 5=14739

radar cross-sections 5=10547

radiating source, in compressible plasma, dielec. boundary 5=3164

radiation absorption 5=11707

radiation from charged particles scattered on e. m. waves 5=3158

radiation from line mag. current source in mag. field 5=14732

radiation from moving linear charge in electron plasma in mag. field 5=14723

radiation from slot, magnet field effects obs. 5=14115

radiation from sources, m. h. d. two-fluid approach 5=14724

radiation from waveguide, admittance calc. 5=14114

radiation press. on surface, approx. to metal 5=6000

radiation resistance of loop 5=14112

reflection from magnetoplasma and dielectric interface, theory 5=6009

response, nonsteady, to microwave radiation 5=1096

scattering, hot, inhomogeneous 5=1075

scattering, incoherent, Coulomb collision effects 5=11715

scattering by laminar column 5=14735

scattering, limits $T_e \gg T_i$ and $\lambda \gg d$, theory 5=6040

scattering, turbulent, dense, second order terms 5=14733

secondary spectrum, mag. field var. 5=6011

sheath microwave transmission 5=8976

single-particle radn., in mag. field 5=1091

slow waves in circular wave guide plasma in longit. mag. fld. 5=6003

space vehicle re-entry sheath e.m. penetration methods 5=13633

stratified, reflection, transmission coeffs, digital computer calc. 5=8974

surface wave on anisotropic sheath 5=6006

surface waves, along cond. plane with magnetoplasma 5=10531-2

- **Plasma**—contd
  - **electromagnetic wave propagation**—contd
    - surface waves for plasma boundary investigation 5=1098
    - time dependent plasma, nonlinear interaction 5=8975
    - transverse wave decay 5=3167
    - very strong wave nonlinear interaction, self-distortion meas. 5=15727
    - wave conversion, considering weak nonlinearities 5=6038
    - wave eqn. and Green's dyadic for bounded magnetoplasmas 5=1093
    - waveguide slot radiator into stratified plasma, admittance calc., admittance calc. 5=14113
    - waveguide admittances, radiating into plasma 5=10558
    - H—D, ion cyclotron frequency damping obs. 5=14738
    - N, absorption and bremsstrahlung cross-sects. 5=907
  - **magnetohydrodynamics**
    - Alfvén wave instability, rel. to finite ion Larmor radius 5=11757
    - Alfvén waves, dispersion and Landau damping 5=3155
    - binary correl. function for homogen. plasma in uniform fld. 5=8968
    - C Stellarator, hydromagnetic instability 5=9018
    - collective motions, under gravitational force, mass density and m.h.d. waves 5=1082
    - collision effects 5=14716
    - conductivity — thermoelec. rel. 5=3144
    - conductivity of turbulent plasma 5=5982
    - cylinder, magnetically confined, motion 5=14750
    - diffusion, anomalous, in magneto-acoustic wave props. 5=1081
    - diffusion, nonlinear ambipolar, across mag. field 5=3151
    - drift in curved mag. field 5=3152
    - effect of finite ion gyro-radius 5=1083
    - equivalent elec. circuit, non-uniform plasma calc. 5=8970
    - Green's function, singularities, for collisionless magnetoplasma 5=11680
    - hydrodynamic approximation and anonymous description 5=14715
    - hydromagneto-ionic theory, collision effects 5=14734
    - interplanetary shock, 1962 Mariner II meas. 5=13754
    - kinetic eqn. for homogeneous plasma in uniform mag. field 5=3148
    - kinetic eqns. for plasma including radiation, mag. field present, erratum 5=5974
    - Legendre transform. and characts. 5=11693
    - low-frequency motions, in nonequilib. system 5=1084
    - magnetic cavity intrusion 5=14727
    - magnetic field, alternating, penetration, in presence of Hall effect 5=14726
    - magnetoacoustic waves, finite amplitude, along mag. field 5=1079
    - plasma–magnetic field boundary layer, kinetic theory 5=8969
    - plasmoid–magnetic field interactions 5=8984-5
    - solitary waves in cold, collisionless plasma 5=1078
    - stability in longitudinal, variable mag. field 5=6053
    - stability of toroidal plasmas 5=6051
    - thermomagnetic waves in weak ionization 5=1086
    - vacuum boundary, stability 5=1111
    - wave coupling in stratified media 5=3212
    - waves, collision damping, effect of weak mag. field 5=5991
    - waves, finite amplitude effects 5=5987
    - waves, interaction with d.c. 5=3154
    - waves, in nonuniform current-carrying column, calc. 5=14758
    - waves from point source in cold plasma, mode types 5=5986
    - whistlers, micropulsation 5=15679
    - withdrawal of current and stationary state theory, high temp. 5=1085
    - H, plasma flow interaction 5=13559
  - **measurement technique**
    - anomalous resistance, collective and individual processes
    - beam—plasma interaction 5=1129
    - boundary investigation with e. m. surface waves 5=1098
    - camera, image tube type 5=5106
    - density, in f. m. demodulator tuned circuit 5=1099
    - density, by interferometer, vibrating laser mirror stripe display 5=5084
    - density, using micro-radio wave and Fabry—Perot interferometers 5=11719
- **Plasma**—contd
  - **measurement technique**—contd
    - density, He—Ne laser interferometer meas. 5=8138
    - diagnostic experiments for students 5=3175
    - diagnostics by Raman scatt. of laser beam 5=6018
    - electrical cond. 5=14740
    - electron density and collision freq., impedance method 5=6015
    - electron density distrib., radial, by microwave diagnostics 5=11716
    - electron density, by insertion in gas laser cavity 5=6017
    - electron density and ion temp. meas., with Fabry—Perot etalon 5=3176
    - electron loss meas., microwave cavity 5=14128
    - electron temp., by microwave-stroboscopic method 5=11718
    - energy, and mass spectra of ionic components 5=11717
    - Fabry—Perot interferometer, for plasma diagnostics 5=11721
    - Fabry—Perot resonator, focused, in diagnostics 5=8979
    - by Fabry—Perot resonators, spherical 5=11720
    - generator with simultaneous conductivity meas. 5=14775
    - Hall effect multiplier, for power input 5=2192
    - inhomogeneous, electrodynamics by geom. optics 5=8982
    - interferometry, microwave, refraction mag. field effects 5=6002
    - ion energy, high temp. analyser 5=8983
    - ion probe characts. 5=11722
    - ionization afterglows, electron props. 5=14692
    - Langmuir ion collection probe, design 5=3186
    - Langmuir probe a. c. modulation methods 5=11726
    - Langmuir probe, electron density and temp., oscill. meas. 5=3185
    - Langmuir probe theory, deviations 5=11727
    - Langmuir, probes, in collisionless plasma, unified theory 5=8988
    - Langmuir probes, saturation ion currents 5=11725
    - by laser excitation of coupled i. r. resonators, for fast θ-pinch electron density 5=3194
    - luminous medium in glass cylinder, brightness radial distrib calc., for plasma meas. 5=5039
    - magnetic probe, rel. to perturbation of plasma 5=3184
    - microwave interferometer for phase shift meas. 5=10544
    - microwave power density detector 5=6016
    - by oscillation excitation by two lasers 5=1101
    - pinches in cylind. and toroid. chambers displacement meas, probe 5=6019
    - plasmoid–magnetic field interactions 5=8984-5
    - polarized i. r. maser-beam analyser 5=335
    - probe currents, mag. field effects in Cs, electron diffusion model 5=14742
    - probe curves, through double layer 5=11724
    - probe, double electric, for ion density and electron temp. 5=11702
    - probe, electrostatic saturation electron current var. with mag. field 5=6022
    - probe, gas vel., for moving ionized gases 5=11723
    - probe, mag. field in θ pinch 5=14746
    - probe, magnetic, response by transistorized method 5=11728
    - probe, I-V charact. and plasma perturbation 5=3181
    - probe, r. f., effect of ion sheaths on reson. behaviour 5=1104
    - probe, resonance, d. c. electron current calc. 5=1103
    - probe, resonance, theory 5=6021
    - probe, Ar, Ne, Kr, Hg mag. field, negative I—V characts. 5=3182
    - probes, electrostatic, kinetic theory approach 5=8987
    - probes for h. f. discharge, atomic beam use 5=14683
    - probes, mag., error calcs. 5=3183
    - probes, modulated dipole 5=1102
    - probes, resonance, theory 5=6008
    - refractive index for configuration study 5=1100
    - resonance probe characts. 5=3180
    - TE_{011} cavity, integral quotient 5=8980
    - temperature, by emitted r. f. thermal rad., emission coeff. compensation 5=3178
    - temperature, spectroscopic methods, review 5=3177
    - temperatures, 6 000—50 000°K 5=2158
    - velocity, acoustic, for temp. meas. 5=3179
    - Cs, parameters, Langmuir probe meas. 5=6014
    - H, decay, spectroscopic study 5=11699

Plasma—contd
measurement technique—contd
H, density profile, microwave interferometry meas. 5=14709
H_β in linear θ-pinch, electron density meas. 5=3176
He in C-stellerator, perpendicular temp., diamag. coil method 5=14770
He, density profile, microwave interferometry meas. 5=14709
oscillations
acoustic wave turbulent fluct., 2 temp. plasma 5=5993
collective and individual processes separation method 5=8981
collision-free, finite amplitude compression waves 5=3156
with Compton scatt. high radn. press., kinetic coeffs. calc. 5=14720
condensers, grid impedance, and microscopic theory 5=6036
current convection, collisionless unstable plasma 5=14769
cyclotron harmonic excitation in Hg vapour discharge 5=3215
cyclotron instability, in inhomog. system, with collisions 5=1127
cyclotron, pressure and density effects 5=9007
cyclotron waves, unstable, in relativistic plasmas 5=3213
cylinder, hot inhomogeneous, calc., by e. m. scatt. 5=1074
damping, at ion cyclotron reson. 5=11742
dielectric permeability, weak and strong fluctuations 5=14038
dipole resonances in mag. fld. 5=8998
in discharge, in mag. field 5=5924
dynamics, nonlinear, for wave–wave scatt. 5=14759
e.m. excited modes, orthogonality props. 5=6031
electron gas, long wave, in mag. field 5=6032
electron and ion oscs. coupling 5=6033
electron, nonlinear effects of waves 5=7732
electron plasma oscillation energy spectrum, spreading 5=9001
electron plasma waves, collision damping 5=8997
electrostatic, inhomogeneous cold plasma, theory 5=3199
electrostatic wave scatt. by inhomogeneities 5=11741
electrostatic waves at cyclotron harmonics 5=14755
electrostatic waves, Landau damping 5=3210
excited by electron beam, quasilinear theory 5=3202
extended random phase approx. 5=92
h. f. field transform. on ion–acoustic spectrum 5=11745
harmonic microwave generation in static mag. fld. 5=8996
helical perturbations of plasma column, stabilization 5=6045
helicon waves in gaseous plasma 5=8995
hydromagnetic waves, in nonuniform current-carrying column, calc. 5=14758
ion acoustic wave excitation in uniform magnetic field 5=6037
ion-acoustic waves, excitation 5=3205
ion beam transmission, oscills. generation 5=4933
ion cyclotron radiation 5=1116
ion–cyclotron wave amplification by electron beam 5=3214
in ion cyclotron wave field calc. 5=9006
ionosphere, transverse plane waves 5=13460
isotropic relativistic medium, longitudinal wave propag. 5=3201
jet 5=9020
Langmuir, interacting, freq. shift and damping 5=3208
Langmuir probe, electron density and temp. meas. 5=3185
light and sound emissions from nonlinear fluctuations 5=1090
longit. wave amplification rel. to electron stream Cherenkov negative absorpt. 5=8999
low-frequency, in coaxial cylindrical tube in perp. mag. and elec. fields 5=3200
low-frequency, excitation in magnetic field 5=3198
m.h.d. wave coupling in stratified media 5=3212
m.h.d. waves from point source in cold plasma, mode types 5=5986
magneto-acoustic wave excitation 5=11744
magnetoacoustic waves, finite amplitude, along mag. field 5=1079
magneto-ionic, electrostatic vibr. analysis 5=11740
magnetoplasma slab, radiative modes 5=9000
and measurement of density, by two-laser excitation 5=1101
noise generation and column transmission 5=9002
non-equilibrium plasma flucts. 5=6039

Plasma—contd
oscillations—contd
non-equilibrium processes, statistical theory, particle distrib. function var. 5=3216
nonlinear fluctuations, light and sound emissions 5=1090
non-linear, two-component plasma, including ion temp. and motion 5=1121
non-uniform, Rayleigh–Ritz calc. of lowest mode 5=1117
ordinary wave in non-uniform plasma, rel. to particle drift 5=3203
particle acceleration, X-ray and n emission 5=5994
in Penning discharge, microwave freq. meas. 5=3098
perturbation by probe 5=3181
quantum plasma, long wavelength oscills, spin effects, in mag. fld. 5=1119
quasineutral, in thermionic energy converter 5=14045
radiations, coherence and fluctuations, theory 5=14760
resonance, in hot nonuniform plasma, theory 5=1120
satellite sheath, ion gyrofrequency reson. 5=7541
sheet-current model for ion-cyclotron waves 5=1073
shock waves in collision free plasma 5=5989
shock waves, comparison with gas 5=14717
shockwave structure 5=1087
shocks, collisionless, in plasma dynamics 5=4718
sound wave excitation 5=11743
Stark coupling to atomic radiation 5=3204
stroboscopic shutter for visual study 5=9003
surface waves in column of hot-cathode Hg discharge 5=1118
toroidal discharge in strong fld, transverse fld. effect 5=6028
in triode oscillators with positive grid 5=6034
turbulence theory, soluble problems 5=3207
turbulence in 2-temp. plasma, stationary distrib. 5=6030
turbulent, theory, diagram-addition method 5=14763
u. s. phonon damping, relax. time, m. f. p. calc. 5=3197
Vlasov plasmas, linearized motion constants 5=14753
wave conversion, considering weak nonlinearities 5=6038
wave kinetic theory 5=11739
waves, longitudinal, damping 5=3209
waves, nonlinear, in hot plasma 5=14756
wave propagation 5=8973
wave propag. in three-fluid plasma, expansion solns. 5=14757
wave propagation in magnetic field 5=14754
wave–wave scatt., resonant 5=3211
waves in weakly turbulent plasma, kinetics 5=3206
Cs, radiation on interact. with electron beams 5=3165
Cs thermionic converter, current oscill.,temp. 5=200
D, ion–electron reson., obs. 5=6035
H, ion–electron reson., obs. 5=6035
He, shock waves, collisionless 5=1089
K, instability, non-uniform density in mag. field 5=6047
stability
astronomical, turbulence, radio obs. 5=4686
beam, elec. field separated, current conditions calc. 5=9014
beam–plasma interaction produced 5=1129
beam-plasma overstability, energetic electrons from 5=6050
C stellerator, hydromag. instab 5=9018
cold inhomogeneous, in strong mag. field, 2-stream instability 5=1123
cold plasma generalized stream instab. 5=9004
collective motions, under gravitational force, mass density and m. h. d. waves 5=1082
collisionless and unstable, current convection 5=14769
column, compressible 5=6043
column, finite amplitude instability 5=11759
of column, with helical perturbations 5=6045
column without axial symmetry 5=6049
connection with surface current compression 5=11753
contra-streaming plasmas, hydromagnetic 5=1122
convective instability, theory 5=14768
cyclotron instab., non-uniform plasma 5=9007
cyclotron instability, in inhomog. system, with collisions 5=1127
drift-cyclotron, theory 5=3217
e. m. field–plasma cylindrical constrictions 5=14766
and earth mag. field rapid vars. 5=11751
electron beam produced instability 5=11756
electron overtaking as cause 5=9009
electron plasma, containing electrostatic waves 5=6041
electrostatic 5=9010

Plasma—contd
stability—contd
electrostatic h. f. instab., rel. to "loss-cone" particle distribs. 5=14764
electrostatic, near cyclotron freq. 5=11760
electrostatic waves at cyclotron harmonics 5=14755
equilibrium conditions, insulating end-plates effects 5=11746
field–plasma system, Vlasov eqn. 5=6041
flute instability, theory 5=6048
formation of instabilities when trapped by mag. field 5=11754
fusion, thermonuclear, controlled 5=14772
in gravitational field, collision effects, conditions calc. 5=3220
gravitational resistive instability in sheared mag. field 5=11758
"hose" instability, dispersion relations 5=217
inertial instabilities 5=3219
inertial interchange modes analysis addendum 5=9012
instability, thermal, in column 5=6044
interstellar, prod. by cosmic rays and gravitational instabilities 5=13734
ion cyclotron waves instab. 5=9006
jet 5=9020
low-press., necessary and sufficient conditions 5=9005
m.h.d., wave vels. by finite Larmor radius effects 5=11752
macroinstabilities causing diffusion across mag. field, upper bound 5=14762
magnetic field local increase stabilization 5=1128
in magnetic field, longitudinal, variable 5=6053
magnetic well, var. depth 5=6027
magnetohydrodynamic, of toroidal plasmas 5=6051
magnetosphere, rel. to wave generation 5=13554
mass conjugate 5=1126
minimum-B mirror devices, effect of plasma potential 5=14752
nonthermal, relativistic, e.m. instab. 5=9011
perturbation by magnetic probe 5=3184
plasmoid, motion in mag. field 5=11755
pressure, max., for stability in mag. fields 5=11747
quasi-neutral, variational principle 5=11748
rotating plasma with twisted mag. field 5=9013
runaway current limitation by elec. field and thermal fluctuations 5=1125
self-gravitating with twisted mag. fields 5=11749
stabilization of trough instability in elec. field 5=11761
synchrotron radiation meas., in mag. mirror machine 5=3222
thermally inhomogeneous column 5=6052
theta-pinch, macroinstabilities in mag. field 5=14767
θ-pinch, rot. and instability due to transverse mag. fields 5=1110
toroidal configuration with rotational transform 5=14765
toroidal m.h.d. system near mag. axis 5=4940
turbulently heated during adiabatic compression 5=6042
2-stream instab., large amplitudes 5=9008
two-stream, instabilities, collision damping 5=3218
universal instability, Landau damping and finite-length effects 5=1124
unstable, charged particle energy loss rate 5=6046
wave propag and stability 5=11750
z pinch, mirror type instabilities 5=6041
K, oscillations non-uniform density in mag. field 5=6047
K plasma 5=11762
Plasma diagnostics. See Plasma/measurement technique.
Plasma diodes. See Electricity/direct conversion; Electron tubes; Plasma/devices.
Plasma guns. See Plasma/devices.
Plasma in solids. See Crystal electron states; Electron gas; Solids; Semiconductors
Plasma sheath. See Plasma/confinement.
Plasma thermocouples. See Electricity/direct conversion; **Plasma**/devices
Plasmoids. See Plasma.
Plasmons. See Crystal electron states/plasma.
Plastic deformation
See also Slip.
α-brass, Lüders band propag. 5=6699
alkali halides, rel. to disloc. density, n.m.r. meas. 5=7287
apparatus for simultaneous deformation and internal friction meas. 5=6669
cetyl palmitate rel. to dielec. absorption 5=7008

Plastic deformation—contd
and crystal dislocations interaction 5=9454
cylinder, by stress waves of exploding wire along axis 5=15124
deconsolidation activation energy and deformation value 5=12493
diamond, slip and twinning obs 5=12495
of discs rotating, critical vel. calc. 5=13844
dodecyl myristate, rel. to dielec. absorption 5=7008
extremal paths 5=3815
f. c. c. metals, flow stress—resistivity var., calc. 5=15126
graphite H4LM, permanent elongation, to 2750°C 5=12503
Guber—Mieses differential eqns., reduction to two ordinary differential eqns. 5=3814
ice, single crystals, yielding 5=1521
metals, friction coeff. meas. during deformation 5=1508
metals, pure X-ray diffr. profile prod. method 5=6405
metals, refractory, b. c. c., X-ray diffr. obs. 5=9570
metals, stresses during phase transformations 5=6678
metals, torsion induced, rel. to destruction mechanism 5=15135
particle waves and phonon fission 5=1501
photoelastic film obs. of early stages in polycrystals 5=9572
plexiglass, distrib. statistics, discontinuity influence 5=15138
polymer cryst., role of dislocations 5=3742
polymethyl methacrylate, in vitreous region 5=6749
quartz, synthetic, rel. to strength 5=12543
semiconductors, deformations rel. to electron band structure 5=9595
shell, plastic, anisotropically reinforced, compression by uneven plates 5=3816
steel U12A, steel carbide phase changes, calc. 5=1272
steel, var. across grains, photoelastic films obs. 5=9572
synthetic fibres, birefringence meas. 5=4287
Ag, deconsolidation activation energy and deformation value 5=12493
Ag, orientation var. of dissipation energy 5=9532
Ag—Steel filamentary composites, rel. to fracture 5=12554
Ag-Al, yield drop, strain rate and temp. effect 5=6766
Ag_2Al, rate and temp. var. 5=9575
AgBr, pure and NaBr doped, n. m. r. var. due to dislocs. and recovery 5=6629
Ag-Zn modes, 25 to –196°C meas. 5=6774
AgZn, and phase transforms., ε, ζ 5=12017
Al, distrib. statistics, discontinuity influence 5=15138
Al, low temp. recovery 5=3829
Al, orientation var. of dissipation energy 5=9532
Al, point defect formation, interaction with dislocations on annealing 5=12470
Al, polycryst. grains, residual strains, X-ray meas. 5=6693
Al, rapid, single crystal activation volumes 5=12479
Al, rel. to recrystallization and polyganzation 5=9219
Al, rotating element statistics 5=12473
Al strips, stretched, electron exo-emission depend. on surface state 5=4125
Al, texture and recrystallization 5=12472
Al-Ag alloy, electron microscope study 5=6692
Al—Cu—Mg, lattice deform. 5=1360
Al—Zn—Mg—Cu, lattice deform. 5=1360
Be, neutron effects 5=12486
Be, pure single crystals, mechanical tests 5=6696
Be, vac.-distilled, ductility enhancement by purification 5=1997
$CaWO_4$, by slip 5=9535
Cr—Ni—Mo—V steel, H_C var. on tempering 5=7132
CsBr, single and polycryst. 5=3837
Cu alloys, anisotropy and crystal stacking faults 5=9489
Cu, deconsolidation activation energy and deformation value 5=12493
Cu, effect on diffuse scattering of X-rays 5=15083
Cu, effect of single-crystal orientation 5=6705
Cu, exoelectronemission 5=15414
Cu, fatigue, X-ray diffr. obs 5=12490
Cu foil, hard rolled, deformation bands orientation rel. to strain ratio, calc. 5=1517
Cu, and Kossel line broadening, disloc. density calc. 5=15153
Cu, large, generalized behaviour 5=9540
Cu, and n.m.r. quadrupole effect, due to dislocation elec. field gradients 5=13012

Plastic deformation—contd
Cu, pores and cracks, "healing" 5=3846
Cu, rel. to texture 5=1515
Cu, slip, electron mic. obs. 5=9484
Cu, stored energy and grain size 5=12489
Cu–Al, yield drop, strain rate and temp. effect 5=6766
Cu–Sn, strain hardening and flow stress, versus pure Cu, temp. var. 5=6709
Cu–Sn, yield and vacancies due to n irrad. 5=9430
Fe, commercial grade, temp. and stress cycling, effect on microhardness 5=1523
Fe, and crystal dislocations 5=9467
Fe, stresses, internal, temp. var 5=12508
Fe, fine struct., surface active medium effect 5=1527
Fe, soft, stretched, lattice deform. 5=1526
Fe_2O_3, production by squeezing, rel. to mag. props. and phase transformations 5=6302
Fe–Si, temp. effect on disloc. struct. 5=3751
Ge, carrier capture var., n-type 5=12583
Ge, disloc. theory of initial stage 5=6713
Ge, n-type, effect on mobility 5=12581
Ge n–p–n mesa transistor, turn off delay reduction 5=4067
Hf, modes and slip plane identification 5=12504
In–metal surfaces, rel. to friction 5=15165
KBr, and excess ionic cond., calc. 5=15281
KCl, and defect prod., F-centre X-ray colourability method meas. 5=15085
KCl, and excess ionic cond., calc. 5=15281
LiF, near yield, stress–dislocation rel. var. temp., deform. rate 5=12515
Mg alloys, anisotropy 5=12518
Mg, orientation var. 5=9564
MgO, yield drops, during high temp. bending 5=1531
Mo, relaxation, rel. to X-ray reflection changes 5=13062
Mo, strain-rate depend. of flow 5=6738
Mo, yield point 5=6740
Mo, yield point, stress relaxation 5=1536
NaCl, p. d. prod., and dislocations 5=9576
NaI and NaI(Tl), scintillation crystals, and emission transmission 5=4363
Nb, rel. to electrical resistivity 5=9634
Nb, superconducting 5=12679
Nb, yield point, stress relaxation 5=1536
Ni, effect on recrystallization and polygonization 5=3468
Ni, and magnetic domain irreversible changes, low loads 5=12929
Ni, polycryst., subgrain growth 5=6418
Ni single crystals, self diffusion var. 5=6590
Ni–Cr alloys, rel. to density 5=12527
Ni–Mo, yield stress, temp. depend., effect of prestrain and alloying 5=1535
Ta, yield drop, strain rate and temp. effect 5=6766
α-Ti alloy, during fatigue 5=12555
Ti alloys, mechanisms 5=12556
U crystal elongation during neutron irrad. 5=3800
V, dislocation density rel. to flow stress 5=3884
W, rate var., and dislocation density 5=9578
Zn, effect of irrad. in presence of surface-active metal melts 5=1552
Zn, initial 5=12559
Zn single crystals, acid treatment effects 5=12560
Zn, vacancy diffusion along edge disloc. 5=6771
Zr, modes and slip plane identification 5=12504
Zr wire, annealed, stage I recovery 5=12563
Plastic flow
See also Rheology.
dislocation kinetics and creep 5=1500
Eyring model for green C rods 5=15149
films, adhesive, effect of loading 5=1494
glass treated as elastic–plastic solid 5=1519
linear chain, dislocation velocities 5=1499
mechanical props. of solids 5=12458
metal, elastic fibre reinforced, model 5=12458
metals, stresses during phase transformations 5=6678
metals, in wire drawing, effect of lubricant 5=12463
naphthalene, plastic flow 5=12524
polycrystals, diffusional viscous flow 5=15132
pulsating stress flow at high temp 5=12459
rigid/plastic solid problems, axial symmetry, perturbation method soln. 5=2038
stress line analysis 5=10240
visco-plastic, unlimited isotopic medium 5=6683
Ag loose aggregates, creep kinetics 5=12548
Plastic flow—contd
Al, asperites deformation 5=12474
Cu, rate and temp. var. 5=9541
Cu–Sn, flow stress, disloc. prod., grain size effect, temp. var. 5=6710
Fe–Co, and atomic order 5=9560
Mg–Al–Be–Si, ductility props. 5=1530
Mo, notched sheet, initial yielding 5=12523
Mo, strain-rate depend. of flow 5=6738
V, deformed, flow stress rel. to disloc. density 5=3884
Zn, rate var., 293-377°K 5=9582
Plasticity
See also Viscoelasticity.
and cracks 5=9530
Drucker's postulate for anisotropic media 5=10239
flow laws, non-associated 5=15125
ideal, exact soln. of eqns. in cylindrical coordinates 5=3814
solids, thermoplastic stresses, as function of heat treatment 5=6674
spread, from stress concentrations, relaxed crack model 5=1506
traction meas. using ribbon 5=10238
Al, in work hardening, boundary stabilization 5=12477
BaF_2 single crystals 5=3834
Fe, in work hardening, boundary stabilization 5=12477
Fe–Al sintered alloys 5=1252
MgO with NiO or MnO 5=6736
Nb, alloying and temp. var. 5=6746
Ni, micro 5=9568
Plastics
See also Polymers.
mylar, X-ray absorpt. 5=9890
perspex Cherenkov counter, efficiency meas. 5=5265
perspex, for γ dosimetry 5=5309
plexiglass, dielec. constant, 36 and 42 Gc/s 5=4083
plexiglass distrib. statistics, discontinuity influence 5=15138
Poisson's ratio, complex, meas. method 5=3803
polymethylmethacrylate, complex Poisson's ratio meas. 5=3803
polystyrene-based plastic scintillators, radioluminesc. α, β ratio 5=7413
scintillators, commercial, relative light output evaluation 5=2509
scintillators, X-ray effect 5=9997
thermoplastics, true breaking stress 5=1540
Platinum
accommodation coefficient of 8 halometnanes 5=14808
adsorbed K ion photoemission 5=4151
α-ray backscatter, ang., energy distrib. meas. 5=11134
anion adsorption, multipulse, potentio-dynamic method 5=3519
cathode sputtering, with K ions, positive surface ionization effect 5=9507
cond. elec., temp. var., surface impurity effect 5=3975
crystal electron states, Fermi surface density 5=7354
Debye–Waller factor temp. var. and Mössbauer effect 5=9391
dislocations, motion during annealing, Wollaston wire samples 5=3755
magnetothermal 1st and 2nd Ettinghausen–Nernst coeffs. var. 5=6834
n. m. r. in Pt^{195}–Au, h. f. s. 5=9873
n. m. r., Zeeman spin–spin relax. 5=9872
(100) face, Co adsorption, low-energy electron diffraction study 5=3520
photoelectric cross-section, 662 keV γ-rays, meas. 5=787
superconductivity, with superimposed Pb films 5=1629
slip, non-octahedral 5=12531
specific heat 5=15049
thermal diffusion 5=12329
thermodynamic props., temp. var. 5=9392
wire with current, electrolytic current effect 5=13170
X-ray spectra, emission isochromat obs. 5=7354
Ar adsorption, accommodation coeff. var. 5=12062
Cs^+, SO_4^{2-} adsorption, rel. to potential 5=9254
Platinum compounds
alloys, magnetic props., conference 5=9765
$[Pt(CN)_4]^{2-}$, energy diagram 5=11540
$Pt(II)Cl_4^{2-}$, vibrational analysis 5=5871
PtD, spectrum, band 5=961
Pt-0.5% Gd alloy, sp. ht. 5=15049
PtH, spectrum, band 5=961

Platinum compounds—contd

- PtH, spectrum, rotational analysis of violet and green bands 5=14643
- Pt 10% Rh—Pt, thermocouple, thermal e.m.f.—temp. rels. 5=2160
- Pt^{195}—Au, n. m. r., h. f. s. 5=9873
- PtSb$_2$, band struct. 5=15235
- PtSb$_2$, crystal struct. by etch-pit patterns 5=3531
- Pt–Si thermo-compression bonding 5=9192
- PtSn, de Haas—van Alphen effect at 4°K 5=9761

Pleochroism

- dichroism, circular, meas. to 185 mμ in recording spectrophotometer 5=8128
- polypeptides, 3 u.v. rotatory bands 5=11613
- CaCO$_3$, di, in Schumann region 5=15544

Plexiglas. See Plastics.

Plutonium

- α, slip plane, major, determination 5=15098
- allotropic phase transforms., effect of quenching rate 5=14932
- coarse-grained α-Pu, prep. method 5=6419
- Hall effect, in α- and β- Pu 5=12649
- phase transform., $\alpha \rightleftarrows \beta$, thermal cycling effects 5=12013
- phase transform. $\delta \rightarrow \gamma$ 5=12012
- resistivity, due to radioactive self-damage 5=12650
- self-irradiated, length change and Frenkel defects 5=6661
- solubility in liquid Su, 300-1102°C 5=9091
- spectrum, investigation under different conditions of excitation 5=11444
- vapour pressure, review 5=3410
- α-Pu, anisotropy and anomalous resistivity 5=15282
- α-Pu, damaged, resistivity, effect of annealing 5=12651
- α-Pu, Young's modulus, 20°-293°K 5=12532

Plutonium compounds

- alloys, in α-U, lattice constants 5=15019
- vapour pressure, review 5=3410
- PuAl$_3$, polymorphic transformations 5=14933
- PuC, solid soln., thermal expansion, phase diagram 5=15054
- PuC, volatility 5=11953
- (Pu, Ce)$_5$Co$_3$, crystal structure 5=1365
- PuGa$_3$, lattice structure, density, high temp. 5=12217
- PuO$_2$, single crystals, prep. 5=6381
- PuO$_2$, sintering behaviour 5=14922
- PuO$_2$, sublimation in air, Ar, O, 1450-1775°C 5=11947
- PuO$_2$, UO$_2$, vapour pressure ratios 5=11932
- Pu—Si system, phases and eutectics 5=14934

Pockels effect. See Electro-optical effects.

Point defects. See Crystal imperfections.

Point groups. See Crystal structure, atomic.

Poisenille flow. See Flow; Hydrodynamics.

Poisson ratio. See Elastic constants.

Polar cap absorption. See Electromagnetic wave propagation, ionosphere.

Polar cap glow. See Airglow.

Polarimeters

- astronomical, design 5=10126
- elliptical, rotating, automatic 5=14209
- i. r., time-resolving analyser, 2-4μ range 5=335
- microwave with no rotating joint, ellipsometer 5=8016
- proton, absolute calibration 5=5348
- rotating elliptical, automatic 5=8150
- spectropolarimeter, automatic 5=10725

Polarized light

- See also Double refraction; Optical rotation; Photoelasticity; Polarimeters.
- absorption, by metal films 5=7303
- atmosphere, mol., higher-order scatt. effects 5=34471
- compensator, rotary, wave optics theory 5=308
- crossed-plate Brewster reflection prod. using Ge, for i. r. 5=332
- depolariser 5=10723
- devices, modified with calcite crystals 5=14208
- diffusion sky light, theory 5=4470
- far-infrared circular polarizer 5=336
- filter and compensator as substitute for microscope colour filter 5=8101
- filter, interf., with Wollaston polarizers 5=10672
- fluorescein in water, rel. to KI quenching of fluorescence 5=3344
- half-wave plate, achromatic 5=14210
- i. r., InSb polarizer 5=4309

Polarized light—contd

- in interferometer, eigenstates 5=8142
- interferometers, Möbius-band, effects 5=5082
- λ/4 device, achromatic 5=14207
- in laser, eigenstates 5=8142
- laser pulses, giant, polarizer 5=2281
- measurement, electronic 5=2350
- "Melinex" polarizers, for near i. r. 5=333
- modulation 5=296
- optical problem application 5=2339
- polarizer, pile-of-plates, for vac., 2000-1200 Å 5=8151
- production by MgF$_2$ prism, for vacuum u. v. 5=334
- quartz, polarization plane rotation near phase-transition 5=13067
- rotary compensators, resonance reduction 5=10726
- ruby laser output 5=5019
- ruby laser, rel. to applied mag. fld. 5=5018
- scattering, dispersion, magneto-rotary effect, demonstrations 5=10727
- sinusoidally modulation prod. 5=2310
- skylight, meas. 5=13275
- solar, and albedo, calc. 5=15641
- stars, pulsating variables, rel. to time 5=4575
- BaTiO$_3$ polarization, freq. and temp. response, 1 to 1000 cm^{-1}, 24° to 200°C 5=1831
- F glass polariser, props. in Schumann region 5=10724
- KI:Tl, emission, 12°K 5=15566
- SnO$_2$, absorption edge polarization 5=13078
- V corundum, effects at 1. 2°, 4. 2° and 20°K, on absorpt. lines 5=1855
- Zn-Ni-S films on Cd, transparency meas. method 5=7353

Polarography. See Chemical analysis electrochemical.

Polarons. See Crystal electron states/polarons.

Polishing. See Surface texture.

Polonium

- No entries

Polonium compounds

Polyelectrolytes. See Electrochemistry; Polymers; Solutions.

Polymerization

- equilibrium polymerization, polyfunctional initiators 5=7434
- ethylene, ionic polymerization 5=13169
- polythene and styrene, craft copolymerization ageing after electron irrad. 5=4415
- statistical analysis 5=15626
- triphenylsilanol, electron bombardment 5=12051
- HCN adsorbed on glass 5=1282
- S, liquid, theory 5=14840

Polymers

- See also Plastics.
- acrylonitrile, birefringence, temp. effects 5=4331
- adsorption from soln. onto solids, elliptically polarized light obs. 5=3510
- amorphous, fracture 5=3871
- amorphous, fracture, reinforcement 5=3872
- amorphous, intramolec. cross linking and chain dimensions 5=3091
- amorphous, softening and annealing 5=12539
- biological, π-electron systems, Hückel approx. 5=1019
- branched, unperturbed dimension and translational friction const. 5=1020
- brittle fracture, by solid and liquid impact, and by shock 5=1505
- cellulose acetate, elec. props., moisture effects 5=4082
- cellulose, stress relaxation time var. 5=15180
- chains, dimensions, calc., struct. symmetry consideration 5=8911
- chains in a lattice, statistical thermodynamics, Markov theory 5=1290
- coiled, dil. solutions, non-Newtonian intrinsic viscosity 5=6156
- cold drawing mechanism 5=12535
- columbia resin, fracture probabilities 5=6689
- conjugated biochemical mols. 5=8906
- crystallization, and sequential processes 5=12117
- crystal growth, differential thermal analysis meas. 5=3564
- crystal growth, long chain mol. nucleation theory, critical consts., mol. wt. and temp. var. 5=6353
- crystals, absorption, e. m., hypochromism electron gas analogy theory 5=4282
- cyclic polyenes, diamag. susceptibility calc. methods 5=8910

Polymers—contd
- dimer—monomer system, vapour pressure, cluster sum β_5 for f.c.c. lattice 5=11950
- dislocations in crystals 5=3742
- elastic moduli of crystalline films and fibres 5=12534
- e.s.r., 20 conjugated, 1. 3-300°K 5=8876
- electrical conductivity rel. to crystallization 5=12799
- equation of state, liquid, cell theory calc. 5=6149
- equation of state, liquids and glasses, high press. 5=3310
- fibrous, fatigue fracture 5=3873
- films, polymer, rupture under internal stresses 5=6688
- flow of solns. of flexible-chains in general velocity field 5=6128-9
- free radical e. s. r. saturation 5=14665
- helical molecules, normal vibrations 5=1021
- highly-branched, config. statistics 5=3377
- hydrophilic, effect of moisture on elec. cond. 5=4082
- irradiated, dynamic polarization meas. of F, p 5=7279
- isotactic polybutene-1, morphology of single crystals 5=3533
- isotactic polypropylene, vibr. and i.r. spectra 5=11615
- kapron, density meas., unoriented, oriented, heat treatment rel. to crystallinity 5=3453
- Kerr effect in flexible polymers, theory 5=1018
- light scatt., optically anisotropic segments 5=11617
- lucite, Faraday effect, He—Ne laser source, fields up to 400 kOe, meas. method 5=15558
- many body problems, conference, Manchester (1964) 5=7793
- mechanical hysteresis losses at points of discrete contact 5=1543
- mechanical props. 5=1539
- mechanical props, molecular internal mechanics 5=9573
- mechanical strength increase, microstruct. rel. to stress-cracking 5=1538
- methyl methacrylate + phenanthrene naphthalene and 2 derivatives, S^1—T^0 fluorescence 5=13131
- "Melinex", for i. r. polarizers 5=333
- molecular conformational chain energy calc. 5=3092
- molecular correlation times distrib. 5=1001
- molecular motions in solid, dielectric meas. 5=7013
- molecular structure, compared to monomers, spectra, review 5=3090
- molecular weight determ. by centrifugation, methods comparison 5=3379
- nonpolar, chain dynamics 5=4086
- olefin copolymers, absorpt. band, 73cm^{-1} 5=4335
- oriented, anisotropic elasticity 5=3869
- PTFE, vacuum-tight attachment to metal with epoxide resin 5=13796
- penetrant diffusion at or below glass transition temp. 5=3709
- polyacenes, excimer luminescence, exciton and charge reson. states interaction 5=2947
- polyaryls, strength time dependence during brittle fracture 5=12533
- poly-β-benzyl-L-aspartate, molec. motions 5=5920
- polybutadiene films from glow discharge, elec. cond. 5=4084
- polybutadiene, molec. motions, from n. m. r. 5=3094
- polybutylmethacrylate—polyvinylchloride inter-diffusion 5=15075
- polydimethylsiloxane liquids, viscoelasticity 5=1174
- polyelectrolytes, fuzzy sphere model 5=3296
- polyene solns., substituted, luminescence 5=9131
- polyethylene, absorpt. band, 73cm^{-1} 5=4335
- polyethylene, cracking, rel. to environment and temp 5=12537
- polyethylene, cross-link formation, effect of crystallization conditions 5=9258
- polyethylene cryst., gel formation on irradiation 5=3797
- polyethylene, crystal form, grown from soln. and melt 5=3565
- polyethylene, crystalline state 5=6421
- polyethylene, dislocations in single cryst. 5=3753
- polyethylene, free radical e. s. r. spectrum, decay after heat treatment 5=3076
- polyethylene, gas transport process 5=3720
- polyethylene glycols, dielectric relax. in solid state 5=15380
- polyethylene, light scattering by single-cryst. suspensions 5=3381
- polyethylene, loaded with metal powder, dielec. props. 5=12789

Polymers—contd
- polyethylene, molec. orientation and mobility from n. m. r. 5=3095
- polyethylene, molecular motion, n. m. r. obs. 5=14960
- polyethylene, neutron irradiation changes, i. r. spectra 5=4334
- polyethylene oxide, dielectric dispersion, 10^{-1}–10^{6} c/s, and theory 5=15381
- polyethylene oxide, normal molecular vibr. 5=1021
- polyethylene, reduction of dielec. loss 5=4085
- polyethylene terphthalate, density meas., unoriented, oriented, heat treatment rel. to crystallinity 5=3453
- polyethylene terephthalate fibres, mechanical and optical anisotropy due to extension 5=6748
- polyethylenes, irrad., dynamic proton polarization data 5=4241
- poly-γ-benzyl-L-glutamate molec. motions 5=5920
- polyisobutene solns., degradation in laminar flow 5=3317
- polyisobutylene, γ-irrad., n. m. r. 5=15520
- polyisobutylene, molec. motions, from n. m. r. 5=3094
- polyisoprene, intermol. entanglement coupling spacings 5=14681
- polymethane, Faraday effect, He—Ne laser source, fields up to 400 kOe, meas. method 5=15558
- polymethyl acrylate, dielec. relaxation 5=1674
- polymethylene, secondary, crystallization mechanism 5=9283
- polymethylmetacrylate-derived free radicals e.s.r. 5=8880
- poly(4-methylpentene-1) crystals, Moiré patterns 5=9366
- poly-methyl-methacrylate, fracture, main and secondary 5=1539
- polymethyl methacrylate, plastic deformation in vitreous region 5=6749
- polymethylmethacrylate—polyvinylchloride inter-diffusion 5=15075
- polymethylmethacrylate—tolnol solutions, dipole relaxation 5=14857
- poly-α-methylstyrene in Araclor 1248, viscosity dynamic meas. 5=14842
- polynucleotides, helical, optical rotation and hypodromism 5=11616
- polyolefins, morphology and deformation mechanics 5=3874
- polyoxymethylene acicular crystals, struct. and strength 5=1289
- polyoxymethylene, dielectric dispersion, 10^{-1}–10^{6} c/s, and theory 5=15381
- polyoxymethylene, molec. orientation and mobility, from n. m. r. 5=3095
- polypeptides, charge transfer theory, electron—vibration interactions 5=5921
- polypeptides, helical, optical rotation and hypodromism 5=11616
- polypeptides, pleochroism, 3 u.v. rotatory bands 5=11613
- polypropylene, cryst. and molten, Raman spectrum 5=13087
- polypropylene, dielectric props. 4° to 300°K 5=4086
- polypropylene, mech. props., mol. wt., γ, e-effects 5=3875
- polystyrene, adsorption from cyclohexane onto chrome, elliptically polarized light obs. 5=3510
- polystyrene, birefringence rel. to annealing 5=13088
- polystyrene complexes, absorpt. spectra and fluorescence 5=11614
- polystyrene, crystallization and mech. props, artificial nuclei effect 5=9284
- polystyrene in cyclohexane, critical opalescence 5=6182
- polystyrene, dilatometer study of vitrification 5=3479
- polystyrene filament preparation 5=10906
- polystyrene, γ-irrad., elec. polarization, relax. meas. 5=1676
- polystyrene, impact strength on rubber addition 5=1539
- polystyrene, isotactic, excited electronic states 5=1022
- polystyrene, u.s. waves, surface and spatial, damping 5=6526
- polystyrenes, viscoelasticity, mol. wt. var. 5=9574
- polystyrene—Ag solid mixtures, dielec. props. 5=6995
- polytetrafluoroethylene, Raman spectrum 5=1865
- polytetrafluorethylene, irrad. effects, mechanical studies 5=12538
- poly (tetramethyl-p-silphenylene)-siloxane, crystallization 5=3566
- polythene, craft copolymerization ageing after electron irrad. 5=4415
- polytrifluorochloroethylene, crystal structure 5=1402

Polymers—contd
- polyvinylacetate, dielectric absorption, mol. weight effect 5=4087
- polyvinyl acetate, dilatometer study of vitrification 5=3479
- polyvinyl alcohol Coumarin derivatives, fluorescence, phosphorescence meas. 5=13132
- polyvinyl alcohol films, phase transforms. 5=12026
- polyvinyl chloride, fracture, ductile and brittle 5=1539
- polyvinylnaphthalene, isotactic, excited electronic states 5=1022
- poly (vinylpyridine)—iodine complexes, elec. cond., energy gap, temp. var. 5=1658
- positron mean lives, rel. to temp. 5=9612
- radicals, spin—lattice relaxation in solid 5=7210
- scattering of light obs., review 5=6338
- semicrystalline, elasticity 5=12536
- short-chain, non-Gaussian behaviour 5=3093
- solid, brittle fracture mechanism 5=3821
- solid and liq., compressibility meas. device to 5000 atm. and 300°C 5=3311
- solid, mechanical rupture 5=3822
- solid, positron lifetime 5=12633
- solution transition meas., differential calorimeter 5=11861
- solutions, flow birefringence, shear rate dependence 5=1187
- solutions, osmotic third virial coeff. calc. 5=11862
- solutions, statistical thermodynamics 5=3309
- solutions, structure, effect of intense ultrasound 5=14839
- solutions, u. s. absorpt. meas. 5=6175
- in solutions, ultrasonic wave propagation 5=6176
- strength, irradiation effects at $\lambda < 400$nm, photoelec. meas. 5=3870
- styrene, craft copolymerization ageing after electron irrad. 5=4415
- styrene-paravinyltoluene scintillation, efficiency conc. effects 5=14326
- synthetic fibres, melting point, meas. 5=3399
- synthetic fibres, thermochemical props., birefringence meas. 5=4287
- thermal conductivity 5=1429
- torsion pendulum or relaxometer 5=6711
- viscoelasticity of solns., relaxation spectrum 5=11866
- viscosity and elastic constants meas. 5=12445
- X-ray long periods, temp. var. 5=1288
- X-ray transmission diffr. 5=3530
- Na salt soln. of carboxy methyl cellulose, CO_2 and ethylene diffusivity 5=6161
- S solns., phase equilibria 5=11859

Polymorphism
- See also Crystal structure.
- alkali chlorides, transitions at high press. to 200°C 5=6309
- isotactic polybutene-1 5=3533
- oxalate ion, in ammonium oxalate monohydrate, enantiomorphism 5=12079
- para-dichlorobenzene, phase transforms., meas. methods 5=12027
- rare-earth sesquioxides, high press B-type 5=12202
- tridymite, polymorphism 5=1274
- AgI, high-press. polymorphs in phase diagram 5=6312
- Ca_3SiO_5, re-exam. by X-ray diffractometer meas. and differential thermal analyses 5=6280
- CdI_2, polytypes 26Hc, 26Hd, 50Hc, atomic structure 5=15009
- Cs, 42.2 to 42.7 k bars 5=11999
- CsF, high pressure, temp. var. 5=9234
- HI 5=12004
- KF, high pressure, temp. var. 5=9234
- KNO_3 transitions, elec. cond. changes 5=6308
- LiF, none up to 40k bars 5=9234
- $MgSiO_3$, high press. var. 5=11930
- NaF, near 17k bars, temp. var. 5=9234
- RbF, high pressure, temp. var. 5=9234
- SiC, coalescence of polytypes, X-ray study 5=6482
- SiC, 69R polymorph, crystal lattice structure 5=6484
- $TlNO_3$, phase transforms., two mechanisms 5=12018
- U in UO_2, $\alpha \rightleftharpoons \gamma$ transform., var. with dispersion 5=12020
- ZnS, new polytype 5=12242
- $ZrCr_2$ 5=12024
- ZrP_2O_7, high pressure prod. structure 5=6315

Polynomials. See Algebra; Functions.

Polytypism. See Polymorphism.

Pomeranchuk rule. See Scattering, particles.

Population inversion. See Lasers; Mascus; Optical pumping.

Porosity. See Porous materials.

Porous materials
- See also Permeability, mechanical; Surface measurement.
- adsorption of moisture, humidity and temp. var. 5=1283
- capillary hysteresis props. 5=11849
- core saturation by fluids, determ. by γ-ray absorption instrument 5=11780
- creep, diffusional, under pressure 5=12461
- diffusion of gas mixtures, thermal, press. var. calc. 5=3276
- flow of immiscible liquids (CCl_4, heptane), n.m.r. obs. 5=9075
- fluid flow, random duct maze model 5=9028
- glass, metal impregnation 5=1999
- measurement cell for liquid absorption, swelling, density 5=1258
- strength–porosity relation, rel. to pore geometry and orientation 5=6687
- tubes, fluid laminar entry problem 5=11785
- Al_2O_3, bending strength and porosity, 25°, 1200°C 5=15141
- Al_2O_3, and emissivity 5=15537
- and Ba stearate plating 5=12029
- BeO, porosity effect on creep, strength, expansion and elastic moduli 5=6698
- Cu films, condensation temp. var. 5=3505

Porterin-Le Chantelier effect. See Stress—strain relations.

Positive column. See Discharges, electric.

Positive rays. See Chemical analysis by mass spectrometry; Ion beams.

Positive ray sources. See Ion sources.

Positons. See Positrons.

Positronium
- angular distribs., in positron—positronium reaction in gases 5=5327
- intermediate bound state for resonance $\gamma-\gamma$ scatt. 5=5303
- organic liquids, O quenching 5=9080
- ortho-to para-states ratio, from annihilation in He, Ar and Kr 5=2601
- quasi-positronium in metals 5=3959
- triplet, formation from long-lived positron component 5=2600
- in Ti, and two quantum annihilation, mag. field effects 5=2602

Positrons
- See also Electron pairs; and Electrons, which includes both negative and positive electrons when the differences between them are of no special significance.
- annihilation, in He, Ar and Kr 5=2601
- annihilation in metals, at high temp. 5=3957
- annihilation in metals, quasi-positronium 5=3959
- backscattering, meas. in several materials, from annihilation data 5=558
- and boson prod. and decay in neutrino high-energy interactions 5=8441
- collision with electron beam, proton-antiproton pair prod. 5=2611
- depolarization in stopping, 0.4-24 MeV 5=8395
- lifetime correlation with angle between annihilation γ-rays 5=2600
- positron–electron differences, in NaI (Tl) scintillation response 5=14325
- positron—positronium reaction in gases 5=5327
- scanning, function representation by its line integrals 5=543
- Ar, annihilation rate, velocity effect 5=559
- $Co^{56} \rightarrow Fe^{56}$ decay, $\beta^+/(\beta^+ + \epsilon)$ 5=8593
- from K^+ decay, spectrum 5=2673
- from Na^{22}, allowed spectrum shape 5=2773
- Pr^{138} decay 5=5584
- $S^{29} \rightarrow P^{29*} + \beta^+$ 5=5574

Potassium
- adsorbed atom photoemission from Pt 5=4151
- antiferromagnetism, spin-density wave 5=4221
- atomic beam colliding with O-D_2, mol. beam, O-D_2 rotational de-excitation 5=2954
- atomic beam, interacting with Br_2, CH_3I, ICl atomic beams, mag. analysis of scatt. 5=3087
- atoms, excitation p-level by electron impact 5=5784
- atoms—foreign-gas mixtures, satellite bands in spectra 5=5806
- collective resonances 5=12624
- contribution to earth heat prod. 5=13219
- dispersion curves, freq. spectra, lattice sp. ht. 5=15027

Potassium—contd
elastic constants, pressure derivatives 5=12541
elastic constants, 4.2° to 195°K 5=12540
electron collision cross-sections 5=14620
equation of state, 20° to 320°K, up to 20 kbars 5=12287
freezing and melting, u.v. contrast obs. 5=9173
plasma instability and anomalous diffusion 5=11762
plasma oscillations 5=6047
scattering by He, Ne, Ar, Xe and H_2, total cross-sections 5=2920
specific heat 5=9384
teflon, X-ray absorpt. 5=9890
K + HBr reaction, internal energy of reaction products 5=13154
Potassium compounds
feldspar, e. s. r. of Fe^{3+} and ^6S state Hamiltonian 5=7238
K halides, Tl-activated, radioluminescence 5=13099
K hexahalogen technetates and rhenates, crystal struct., atomic 5=12219
K_2AB_6, A = Tc or Re, B = halogen, mag. moment and susceptibility meas. 5=4167
$KAl(SO_4)_2 . 12H_2O$, regeneration in solution, first stages 5=1311
$KAl_3(SO_4)_2(OH)_6$, crystal structure 5=9347
$K\,Al\,Si_3\,O_8$, elec. field grad., O^{2-} polarizibility 5=1229
$KAlSi_3O_8$(feldspar), e. s. r. of Fe^{3+} and ^6S state Hamiltonian 5=7238
$KAu(CN)_4$, Raman and i. r. spectra 5=2999
KBH_4, heat capacity, thermodynamic props., order—disorder transition 5=6554
K_2BeF_4, point group, lattice parameters, X-ray diff. meas. 5=15017
$KBrO_3$, photochemistry 5=1189
KCN, CN ion rotation detection 5=11982
$K_2Ca[SO_4]_2 . H_2O$, crystal lattice structure 5=6475
$KClO_3$, heat of decomposition 5=15610
$KCoF_3$, F^{19} n. m. r. meas. 5=13003
$KCoF_3$, n.m.r., hyperfine interactions 5=1818
$KCoF_3$, thermal conductivity 5=1433
K_2CO_3—Na_2CO_3,—Li_2CO_3, heat content, fusion properties 5=3398
$K_3Co^{59}(CN)_6$, n. m. r., shielding of Co^{59}, isotope shift calc. 5=9865
K_2CoF_4, paramagnetic anisotropy due to Co^{2+} 5=9770
KCr alum, magnetic double refract., X band, and e.s.r. 5=7357
KCr alum, magneto-optical Faraday effect at X band and e.s.r. 5=7356
$K_2Cr_2O_7$, growth rate 5=12118
$K_2Cr_2O_7$ photoelectrets, internal field distrib. 5=3426
$K_2Cr_2O_7$, zero growth rate faces 5=12119
$(K_{1-x}Cs_x)_3Sb$, $(0 \le x \le 1)$, structural and chemical analysis of phases
KDP, electro-optical coherent light parametric frequency conversion, in laser resonator 5=4991
KDP, laser 2nd harmonic amplitude modulation by elec. field 5=4317
KDP, light modulation by linear electro-optic Pockels effect 5=8072
KF, phase transformations, high press., temp. var. 5=9234
$K_3Fe(CN)_6$ magnetic rotary dispersion 5=7311
$KFeF_3$, low temp. thermal cond. 5=12312
$KHCO_3$, H localization and atomic position refinement 5=6474
KHF_2, crystal structure and H bond nature 5=6239
KH_2F_3, H_2F_3 n.m.r. spectra, calc. 5=7281
KH_2PO_4, ferroelec., low-freq. H modes 5=9713
KH_2PO_4, laser frequency multiplication 5=8064
KH_2PO_4 and isomorphs, linear electro-optical effects 5=4318
$K_4(HSiO_3)_4$, crystal struct., atomic, erratum 5=12218
KI, dislocation density effect on n.m.r. signal intensity 5=7287
KI, F-band excited state, fine struct, Faraday paramag. effect meas. 5=3777
KI, F-centres, u.v. irrad. produced impurity process, temp. depend. 5=1486
KI, with impurity, local-mode freq. 5=15036
KI, i. r. lattice absorption and mechanics 5=15035

Potassium compounds—contd
KI, n.m.r. obs. of elec. field gradient at I^{127} nuclei surrounding substitution Rb ion 5=3423
KI quenching of fluorescein fluorescence 5=14854
KI, recomb. luminesc. from V_K centres 5=9957
KI, 2-quantum absorption spectrum 5=13065
KI:Tl, i. r. stimulated luminescence, effect of thermal stresses 5=4357
KI:Tl, kinetics of luminesc. 5=9958
KI:Tl, luminescence decay 5=1872
KI:Tl, luminescence, 2500-4500Å, 12°K 5=4358
KI:Tl, polarized emission, 12°K 5=15566
$KMgF_3$, Co^{2+} e.s.r. covalency effect 5=11964
$KMnF_3$, thermal conductivity 5=1433
K_2MoO_4, $Mo^{95,97}$ n.m.r. line width meas., rel. to nuclear quadrupole moment 5=6202
K—NH_3 solns., anion diffusion 5=7438
$KNO_2 . KBr$, $KNO_2 . KCl$, NO_2^- spectrum phonon struct. 5=1412
KNO_3, γ-irrad., e. s.r. of NO_3 5=7245
KNO_3, growth from aqueous soln. 5=12120
KNO_3, melting props. under press. 5=3396
KNO_3, nonvicarious impurity capture during crystallization 5=6382
KNO_3, optical props. of radiolytic fragments 5=4315
KNO_3 polymorphic transitions, elec. cond. changes 5=6308
KNO_3 powder, dielectric const. decay after compression 5=7003
KNO_3, powder tablets, Raman spectra, meas. 5=1863
KNO_3, III—II, phase transition rate 5=9232
KNO_3—$BaCl_2$, molten mixtures, Raman spectra 5=6185
K_2NbF_7, crystal structure determ. 5=6439
$KNiF_3$, thermal conductivity 5=1433
K_2NiF_4, magnetic interaction 5=9810
K_2NiF_4, stacking faults and antiferromagnetism 5=6642
K_2O—V_2O_5, 6 phases, compositions and optical props. 5=13066
$K_2SO_4(Cu_xZn_{1-x})SO_4 . 6H_2O$, Cu^{2x} spin—lattice relax., Van Vleck 5=7225
$KTa_{0\cdot65}Nb_{0.35}O_3$, growth of single crystals, for optical appls. 5=14978
$KTaO_3$, carrier mobility and scatt., 1. 6-295°K 5=12588
K_2TeBr_6, crystal structure 5=9350
$KTeO_3(OH)$, crystal struct. 5=12220
$K_3UO_2F_5$ solid, U—O asymmetric, stretching freq. 5=3419
(K, Zn) Tutton salt, Cu^{2+} spin—lattice relax., calc. 5=7224
$KZnF_3$, thermal conductivity 5=1433
potassium bromide
chemical reactions, doped with KNO_3, OH^- prod. by H reduction 5=15614
condensation in vacuum outs temp. gradient substrate 5=11945
conductivity, excess ionic, during plastic deformation 5=15281
crystal imperfections low temp. recombination 5=9433
dislocation etching, cation addition role 5=6638
electron energy losses rel. to optical props 5=15259
e.s.r. of O^- at 11°K 5=7246
intrinsic conductivity 5=9705
M_4 band 5=9501
optical bands of F centres 5-15107
optical absorpt. of interstitial ions 5=4316
optical props. of hydrosulphide ion 5=13053
thermoluminescence decay, anomalous, kinetic order calc. 5=13127
X-ray characteristic temperature, rel. to temp. 5=12294
X-ray induced luminesc. 5=9954
Z_2 and Z_3 colour centres 5=1487
zone-refined, colour centre X-ray generation 5=6647
$KBr^{79,81}$, dislocation density effect on n.m.r. signal intensity 5=7287
KBr—KCl, negative crystal growth, mechanism during mutual diffusion 5=1310
KBr—KCl, powder mixture diffusion, and mixed crystal formation 5=14977
KBr—KI solid soln., miscibility limits at room temperature 5=9212
KBr:Tl, luminescence decay 5=1872
KBr + TlBr mixed melt, excess electrolytic conductivity 5=6196

Potassium compounds—contd
  potassium bromide—contd
    with K_2CO_3 impurity, ionic cond., vacancies enthalpy calc. 5=4079
  potassium chloride
    absorption spectra, rel. to Cu and Pb activation 5=13064
    additively coloured, electron affinity and mobility and colloidal particle size 5=12793
    chemical reactions, doped with KNO_3, OH^- prod. by H reduction 5=15614
    coloured, additively, self-diffusion 5=3721
    coloured, light induced birefringence 5=9913
    condensation in vacuum outs temp. gradient substrate 5=11945
    conductivity, excess ionic, during plastic deformation 5=15281
    crystal vacancy pair props. calc. 5=9434
    Debye temp., Debye—Waller factor, calc. versus expt. 5=1420
    defect prod., F-centre X-ray colourability method meas. 5=15085
    diffusion, Cd^{2+}, through impurity—vacancy complex, diffusion of water 5=12330
    dislocations, fast moving, frictional force, acoustic attenuation 5=1529
    elastic const. press. derivative meas. 5=15185
    electron energy losses rel. to optical props. 5=15259
    electronic conduction, addit. coloured crystals 5=12792
    e.s.r. of O^- at 11°K 5=7246
    F-band excited M-luminesc. 5=9955
    F-centre coagulation, effect of impurities 5=12425
    F-centre introduction in Pb-doped, by ionizing radiation 5=1485
    F-centres, spin—lattice relax. and interacting F-centres 5=3776
    F → M centre conversion 5=15112
    growth, density, gamma ray effects 5=1312
    hardening and coloration, rel. to irrad 5=12542
    heat of mixing of solns. 5=11879
    heat of soln. in aq. HF 5=13991
    with impurity, local-mode freq. 5=15036
    impurity role in F-centre coagulation 5=3775
    intrinsic conductivity 5=9705
    isotope effect, u.v. OD, OH bands, temp. var. 5=15565
    M_4 band 5=9501
    microhardness and dislocation distrib., rel. to p-irrad. 5=1469
    optical props. of hydrosulphide ion 5=13053
    paraelectricity at OH^- centres 5=15374
    photoelectret, additively coloured, development kinetics 5=12809
    photoelectrets, internal field distrib. 5=3426
    pure and impurity-doped, light scatt. 5=9914
    R centre, stress effects in optical absorpt. 5=15113
    R-centres, quartet state 5=6651
    self-diffusion coeffs. 5=6162
    single crystals, Tl-doped, growing and Tl distrib. determ. 5=3567
    space charge polarization evidence, low-temp. 5=12794
    thermoluminescence decay, anomalous, kinetic order calc. 5=13127
    vacancy formation energy and lattice strain calc. method 5=6606
    whiskers, growth from vapour 5=14986
    whiskers, tubular, twists and dislocations 5=1472
    zone-refined, colour centre X-ray generation 5=6647
    X-ray induced luminesc. 5=9954
    Z_1-centre by F-light irrad., prod. process and kinetics, temp. var. 5=6653
    Z_2 and Z_3 colour centres 5=1487
    Co^{2+} interstitial, absorption spectrum 5=13044
    I^- centre, excited, lifetime 5=15603
    with I substitution, lattice vibr. scatt. by impurity, rel. to thermal cond. 5=1408
    KCl—H_2O solns., spin—lattice relax. time, conc. var. 5=11918
    KCl—KBr, negative crystal growth, mechanism during mutual diffusion 5=1310
    KCl—KBr powder mixture diffusion, and mixed crystal formation 5=14977
    KCl—KBr X-ray diffuse scatt., size effect 5=9349

Potassium compounds—contd
  potassium chloride—contd
    KCl. KH, H^- localized mode decay, 3-phonon process role 5=6516
    KCl—LiCl, ion vels., Li^+/K^+, composition var. 5=7437
    KCl: $(OH)^-$ solns., para- and ferroelectricity 5=9136
    KCl:Pb inner-centre fluoresc. kinetics 5=9956
    KCl:Tl, electron transfer transitions 5=4356
    KCl:Tl, luminescence decay 5=1872
    Pb[Sr] doped, elec. cond. rel. to X-irrad. 5=9704
    SH^-, S^- and S^{--} colour centres 5=6652
    Tl-doped single crystals, optical absorption and oscillator strengths, Tl conc. depend. 5=7355
Powder diffraction cameras. See X-ray crystallography/apparatus.
Powder metallurgy. See Metallurgy; sintering
Powders
    See also Granular structure; Particle size; Sintering; Surface measurement.
    alkali halide, thermoluminesc. 5=9953
    charged, in gas in mag. field, 5=7995
    chemical activity, rel. to bulk, meas. methods 5=3450
    complex permittivity meas. 5=4865
    compressibility equation, empirical 5=6264
    consolidated, tensile strength, meas. apparatus 5=3819
    detonating, light emission, included gas effect 5=4391
    dielectric meas., 9275 Mc/s 5=7913
    for electricity, direct convertor, electron density increase, by thermionic emission 5=7932
    electroluminescent, excitation model 5=4341
    electroluminescent phosphors, elec. cond. fatigue var. 5=6996
    mechanics, random walk model 5=4725
    metals sample prep. for n. m. r. study 5=12995
    moulded blocks, for X-ray diffraction examination 5=1322
    n.m.r., bulk susceptibility broadening 5=7266
    optical props. of thin powder layers 5=15525
    packing props. of fine powders 5=15831
    particulate materials, prep. for electron microscope examination 5=3447
    Raman spectra, intensity, conc. effects in mixtures 5=13023
    shock waves, reflected, temp. meas. 5=110
    silicate, adhesion in u.h. vacuum 5=12546
    unconsolidated, unsaturated, elastic wave propag. 5=13913
    X-ray camera for high-temp. investig. 5=11995
    Ag loose aggregates, creep kinetics 5=12548
    Al, dielectric resonances, 1500-3000 Mc/s 5=6840
    Al, recrystallization properties 5=9306
    Al_2O_3, H_2O adsorbed, mag. proton relax. times 5=1812
    Be, neutron inelastic scattering 5=2617
    Cu powder compact, Al_2O_3 strengthened, interphase tensile stresses 5=1516
    Cu recrystallization properties 5=9306
    Cu—Ni mixture, homogenization and particle size 5=14920
    KCl—KBr mixture diffusion, and mixed crystal formation 5=14977
    KNO_3, dielectric const. decay after compression 5=7003
    Ni, grain growth, X-ray study 5=9214
    Ni recrystallization properties 5=9306
    ZnS, ball milling effect on electroluminesc. 5=9974
    ZnS:Cu phosphor, electroluminesc. rise 5=7406
    ZnS:Mn, electroluminesc. props. 5=9978
Praseodymium
    spectrum, atomic absorption lines 5=14606
    thermal conductivity, 80°-460°K 5=1434
    Pr III levels, $4f^3$ configuration interaction effects 5=8763
    Pr^{2+}, $4f^26s$ and $4f^26p$ configuration 5=908
    Pr^{3+} in $AlLaO_3$, absorpt. and fluoresc. spectra 5=7358
    Pr^{3+} eigenstates in $LaCl_3$, using Zeeman effect 5=6256
    Pr^{3+} in soln., rotary mag. dispersion fine struct. 5=14849
Praseodymium compounds
    monochalcogenides, 80°-460°K 5=1434
    Pr fluoride, dielectric props. 5=15375
    Pr oxides, mag. props. 5=4222
    Pr oxides, non-stoichrometric, dielectric relax. mechanism 5=15218
    $PrAlO_3$, crystal lattice structure 5=12222
    $PrCl_3$ far-infrared electronic transitions of Pr^{3+} 5=1849
    $PrCl_3$, nuclear quadrupole resonance of $Cl^{35,37}$ 5=4275
    Pr—Nd system, solution ideality, liquid and solid 5=11990
    Pr—O system, dielec. obs. 5=7002

Precipitation
See also Atmosphere/precipitation.
charging, in thunderstorms, obs. 5=10063
diamonds, type I, impurity platelet diffraction contrast 5=9308
falling vels., air density var. 5=10069
ice crystals and hail collisions, electrification in thunderstorms 5=13277
ice hydrometeors, self-charging in melting, expt. 5=10064
melting zone, electrical phenomena 5=10067
in metal foils, defect and struct., electron diffr. exam. 5=6401
Ostwald ripening of precipitates in solid matrices 5=3454
steel, 2nd phase precipitation, study using energy losses 5=3474
water drops in elec. field, mass loss 5=9079
water, electrification in freezing, expt. 5=10068
Ag—Cd alloy, internally oxidized, Widmanstätten struct. 5=9312
Al-rich alloys, quenched-in vacancies and precipitation 5=12357
in Al—Ag alloys, effect of vacancy conc. 5=6273
Al—Ag alloys, second-phase, hardening effect 5=6692
θ—AlFe in Fe—Al alloy, morphology 5=9265
Al—Mg preprecipitation, meas. by resistivity 5=14926
Al—10% Zn alloy, n-irrad. 78°K 5=14925
Al—10% Zn, pre-precipitation rate 5=9220
Al—Zn—Mg, nucleation of precipitates 5=12097
CaO in CaF_2, effect on disloc. morphology 5=6630
Cd on CdS crystal surfaces during evaporation in oxidizing atmospheres 5=3409
CdS, from soln., structure 5=1327
24Co—14Ni—8Al—3Cu—Fe, precipitate orientation in mag. field 5=7131
Fe-Cr, Fe-rich and Cr-rich phases, due to ageing 5=6725
Fe—Cu, Cu separation, reptation, meas. versus theory 5=7133
Ge, during Al—Ge solid solution decomposition 5=12003
Li from Ge and Si, electron mic. obs. 5=6619
Mg—Fe—O alloys, rel. to hardening 5=3861
Mo, and dislocation prismatic loop obs. 5=9473
Ni along dislocations in Si 5=12392
Ni-Cr alloys, and grain-boundary migration 5=6416
Ni—Ta, role of fine precipitates 5=12116
Pb—Sb alloys, rel. to superconducting critical props 5=15296
PuO_2, single crystals, from silicate glass 5=6381
Si, Cu precip. models, microscopes obs., rel. to disloc. decoration 5=3473
Si, precipitate formation by diffusion 5=12393
TiH_2 stress orientation in Ti 5=15188
U intermetallic cpds, adjusted 5=9237
ZnS rel. to ads. of $ZnCl_2$ in acidic media 5=9209
ZnS+ reprecipitated Cu, and electroluminesc. characts., time var. 5=13129
Zr, of He 5=15082
Zr—H alloys, with O impurity, precipitation strengthening 5=3887
ZrO_2 in Pb zirconate titanate, Nb-modified 5=1271
Pressure
See also Atmopsheric pressure and density; High-pressure phenomena and effects; Radiation pressure; Vapour pressure.
air pressure control valve, silenced 5=7693
alloys, ordering, effects 5=6263
manostat for near ambient 5=10193
regulating device for chromatography 5=15635
Rochelle salt, effect on ferroelec. props. 5=9714
scale, logarithmic 5=2014
Al, rel. to superconductivity 5=15289
Au—Ag alloy self-diffusion, hydrostatic press. effect 3=3715
Fe—C alloys, disloc. generation by hydrostatic press. 5=6632
Pressure measurement
See also Manometers; Vacuum gauges; Vapour pressure measurement.
calibration by load discontinuity method, tetrahedral anvil, <25 kb 5=2016
differential, high press., low temp. probe 5=12
gases, meters, divided-flow meas. technique 5=4710
Pressure measurement—contd
high, techniques and scales, review 5=7700
model surface press. instrumentation for hypersonic shock tunnel 5=2100
Pirani gauge for 1-10^{-3} mm Hg 5=9066
Pirani gauge, wide range constant-resistance, with ambient temp. compensation 5=7711
sonic boom shock pressures 5=2097
C resistors as transducers 5=7713
NaCl, eqns. of state, rel. to use as high press. gauge 5=6567
P, black, use as transducer 5=3868
Prisms, optical
astigmatic illumination, in mirror spectrographs 5=5063
attenuator, variable, 2-prisms 5=10699
geometrical characteristics calc. 5=14176
reflectors for lasers, mode-selecting 5=2282
MgF_2, polarizing, for vacuum u. v. 5=334
Probability
See also Errors; Random processes; Statistical analysis.
No entries
Procopiu effect. See Films solid; Magnetomechanical effects.
Programming. See Calculating apparatus/digital computer programmes.
Projectiles. See Ballistics.
Projectors, optical
objective for profile projection 5=8096
Promethium
No entries
Promethium compounds
No entries
Prominences, solar. See Sun/prominences.
Propagation. See Acoustic wave propagation; Electromagnetic wave propagation.
Propagators. See Field theory, quantum; Quantum electrodynamics
Proportional counters. See Counters proportional.
Prospecting. See Geophysical prospecting.
Protactinium
Pa^{231} e. s. r. in Cs_2ZrCl_6, 1. 4° to 4. 2°K 5=12989
Protactinium compounds
No entries
Proteins
DNA, energy band, approx. computation 5=3919
methyl chlorophyllide, monomolec. films, structure 5=3088
Proton magnetic resonance. See Nuclear magnetic resonance and relaxation.
Proton spectra
Au (d, p), 26 and 23 MeV 5=11362
$C(\gamma, p)$, up to 24 MeV 5=5609
$C^{12}(\alpha, p_n)N^{15}$, 16 to 26 MeV 5=14551
$Ca^{40}(d, p)Ca^{41}$, 11 MeV 5=11360
$Ca^{40}(\gamma, p)K^{39}$, 16-28 MeV 5=2804
$Cr^{50}(d, p)Cr^{51}$ 5=5681
$Cr^{52}(d, p)Cr^{53}$, 1. 28 MeV 5=5532
Cu(d, p), 26 and 23 MeV 5=11362
D(n, p)2n 5=5352
D(n, p)2n 5=5453
$F(\gamma, p)$, up to 24 MeV 5=5609
$He^4(d, p)He^5$, and He^5 ground state 5=5461
$Mg^{24}(\gamma, p)$ 5=751-2
$Mg^{24,25,26}(d, p)Mg^{25,26,27}$, 15 MeV 5=2837
$S^{29} \rightarrow P^{29*} + \beta^+$; $P^{29*} \rightarrow Si^{28} + p$ 5=5574
$Ti^{46,48}(d, p)Ti^{47,49}$ 5=5681
$U^{235,238}(d, p)U^{236,239}$ 5=5682
Protons and antiprotons
See also Cosmic rays, protons; Nuclear reactions/protons; Nucleons and antinucleons.
beam spread with Princeton FM cyclotron 5=2555
form factor, mag., direct meas. 5=5335
form factors, from e-d, e-H scatt. 5=8387
radiation of β^+ and π^+ in mag. field, energy losses 5=5340
H^+—H(1s) collisions, electron capture cross-section 5=11670
H^4 search in H, He^3 reactions 5=11177
in He gas, electron capture 5=11667
absorption
metals, slowing down theory 5=12430
C^{12}, giant dipole resonance, from $B^{11}(p, \gamma)$ data at Ep = 4-14 MeV 5=802
angular distribution
(p, n), quasielastic, meas. 5=8355
p-p elastic scattering at 650 MeV 5=2610

Protons and antiprotons — contd
- **angular distribution** — contd
  - in space, meas. by scintillation chamber—image converter system 5=5259
  - Au(d, p), 26 and 23 MeV 5=11362
  - $C(\gamma, p)$, up to 24 MeV 5=5609
  - $C^{12}(\alpha, p_0)N^{15}$, 16 to 26 MeV 5=14551
  - $C^{12}(p, p)C^{12}$ polarization, meas. 5=8629
  - $C^{12}(p, p'\gamma)C^{12*}$, 40 MeV, correl. with α 5=5629
  - $Ca^{40}(\gamma, p)K^{39}$, 16-28 MeV 5=2804
  - $Cr^{50}(d, p)Cr^{51}$ J-dependence 5=5681
  - $Cr^{52}(d, p)Cr^{53}$, 1.28 MeV 5=5532
  - Cu(d, p), 26 and 23 MeV 5=11362
  - D(n, p)2n 5=5453
  - $F(\gamma, p)$, up to 24 MeV 5=5609
  - $Mg^{24}(\gamma, p)$ 5=751-2
  - $Mg^{24,25,26}(d, p)Mg^{25,26,27}$, 15 MeV 5=2837
  - $Ti^{46,48}(d, p)Ti^{47,49}$ J-dependence 5=5681
  - $U^{235,238}(d, p)U^{236,239}$ 5=5682
- **detection, measurement**
  - by counter, ΔE, E, non-multiplying, > 10 MeV 5=14388
  - particle accelerators, synchrotron, TV beam profile monitor 5=14383
  - photographic, automation review 5=8320
  - solid state detector telescope 5=495
  - Si counters, channelling, 2.1 MeV 5=6662
- **effects**
  - crystal dislocation propagation 5=1469
  - in emulsion, spallation, 600 MeV 5=797
  - (p, γ) extinction yields in single crystals 5=3784
  - X-ray prod., soft 5=5123
  - Al, channeling, on charact. X-ray prod. 5=9892
  - Al, stopping cross-sections at low energies 5=12431
  - Cu, channeling, on charact. X-ray prod. 5=9892
  - Fe, mag. props. recovery, review 5=4192
  - Fe, thick target radionuclide buildup, 1, 3 GeV 5=12434
  - Ge, 25-110 MeV, carrier lifetimes 5=3904
  - in He, Ne, at 10-30 keV, H excitation, multiple collision effects 5=930
  - 5-79 Mo Permalloy, mag. props. recovery, review 5=4192
  - Si, crystal lattice tilt and increase 5=9445
  - Si crystals, energy loss, anisotropic 5=6663
  - Si diffused-junction detectors, radiation damage 5=4053
  - Si p—i—n detectors, radiation damage by proton bombard. 5=5266
  - Zn, on deform. in presence of surface-active metal melts 5=1552
- **interactions**
  - See also Nuclear reactions, protons.
  - 18.7 GeV on emulsion nuclei, γ-quanta fine structure 5=5339
  - electromagnetic form factor, extrapolation 5=563
  - quarks search, 27.5 GeV/c 5=5298
  - strange particle prod., 16 GeV/c 5=2638
  - $e + p \rightarrow e + p + \pi^\circ$, coincidence meas. 5=593
  - $\gamma + p \rightarrow K^\circ + \Sigma^+$, near threshold, and Σ^+ mag. moment 5=641
  - $\gamma + p \rightarrow K^+ + \Lambda$, Λ polarization calcs. and third πN reson. 5=5446
  - $\gamma + p \rightarrow K^+ + \Sigma^\circ$, phenomenological model 5=14443
  - $\gamma + p \rightarrow N^*_{1238} + \pi$, Drell effect 5=8465
  - $\gamma + p \rightarrow p + \pi^+ + \pi^-$, N_{33}^*, P° prod. 5=11019
  - $\gamma + p$, π prod., double and triple 5=596
  - $\gamma + p \rightarrow \rho + p$, 1275 MeV γ's 5=5430
  - K^-—p, 1150 MeV/c, final state ang. correls., erratum 5=8475
  - $K^- + p \rightarrow \overline{K^\circ} + n$ 2 GeV, cross-section, ang. distrib. meas. 5=630
  - $K^+ + p \rightarrow K^+ + \pi^+ + n$, K^+ initially 900 MeV/c 5=11110
  - N, in emulsion, 24 GeV, in 180 kG 5=11024
  - N—p, high energy, π, K, p, $\bar{p}$ prod. and isobars 5=11027
  - N-p, 12, 24 GeV/c, real part of scatt. 5=8405
  - n—p nuclear residual, shell model calc. 5=5474
  - n—p, secondary particle distrib. at 19.8 GeV/c 5=5338
  - n—p, velocity dependence 5=5351
  - π^- p, $\Sigma^{+,-}$, Λ°, p prod. at 10 GeV/c 5=2680
  - p^4 5=5459
  - $\bar{p} + d \rightarrow K^0 + \Lambda + 3\pi$ ang. correl. 5=8414
  - $\bar{p} + d \rightarrow p + \pi^- + \omega$, ang. correl. 5=8415
  - $p + H_2 \rightarrow H^- + 2p$, cross-section calc. 5=5962
  - p—K^-, Ξ^* (1820) prod. and decay calc. 5=11127

Protons and antiprotons — contd
- **interactions** — contd
  - p—N, π prod., single highly energetic, OPE mechanism 5=5387
  - $p + N \rightarrow p + N + \pi^\pm$, peripheral, in Cu, 19 GeV 5=564
  - H atoms, inelastic collisions 5=2921
  - $He^4(p, d)He^3$, elastic and inelastic, 55 MeV 5=5462
  - $He^4(p, d)He^3$, 53 MeV, diff. 5=5463
- **interactions, proton—pion.** See Pions/interactions, pion—proton.
- **interactions, proton—proton**
  - isobar excitation, 1510, 1690 MeV, peripheral mechanism 5=565
  - jets, 25 GeV/c, meson, hyperon prod. 5=5337
  - neutral strange-particle prod. and Y_1^* (1385) formation 5=5443
  - secondary particle distrib. at 19.8 GeV/c 5=5338
  - two particle prod., large angle statistical calc. 5=11025
  - $\rightarrow d + e^+ + \nu$ rate in white dwarf stars crystal region 5=4558
  - $\rightarrow d + \pi^+$, differential cross., 1.3-2.8 GeV 5=567
  - $\rightarrow d + \pi^+$, 990 MeV, ang. var. 5=568
  - $\rightarrow d + W^+$ calc. 5=5336
  - $N^* + p$ prod. mass spectrum at 7.1 GeV/c 5=11026
  - $p + \bar{p} \rightarrow \Omega^- + \bar{\Omega}^+$ ang. distribs. and Ω^- spin 5=8488
  - $\bar{p} + p$ interactions, π-production, 3.6 GeV/c, without annihilation 5=595
  - $p + p \rightarrow \pi^+ + d$, differential cross-sections, 11.6, 15 and 22.9 BeV/c 5=566
  - $\bar{p} + p$, π decay, and π statistics 5=8418
  - $\bar{p} + p \rightarrow \pi^- + \rho$, ang. distribs. calc. 5=571
  - $p + \bar{p} \rightarrow p\bar{p}\,\pi^\circ$, $p\bar{n}\pi^-$ or $n\bar{p}\pi^+$, 3 GeV/c 5=5350
  - $\bar{p} + p \rightarrow \bar{Y} + Y$, single particle exchange model 5=11084
  - p—$\bar{p}$, 0.575-5.35 GeV/c, total cross-section 5=5349
- **magnetic moment**
  - measurement technique, in nuclear magnetons 5=14413
- **polarization**
  - α scatt., 4.04-4.78 MeV 5=5346
  - in d scattering 5=8413
  - dynamic at A.E.R.E. 5=14416
  - electric and magnetic, survey 5=5495
  - for particle accelerator, cyclotron, homopolar generator 5=14382
  - π—p scatt. near 600 MeV and reson. 5=610
  - polarimeter proton, absolute calibration 5=5348
  - in scattering by C^{12}, Si, Ca, $Ni^{58,60}$, Mo, and optical model 5=14529
  - in scattering from p, He, Be, C, Al, Ca, Fe, Ta, 725 MeV 5=8407
  - 6.9 MeV, in elastic scatt. from Ni nuclei 5=5619
  - source description, ang. distrib., $T(d, n)He^7$ meas. 5=14417
  - targets for neutron polarization 5=5356
  - C analyzing power, 440-640 MeV 5=14530
  - $C^{12}(p, p)C^{12}$, angular distrib. meas. 5=8629
  - Ca elastic scattered, 14-18.5 MeV 5=5618
  - Ca, Co^{59}, $Ni^{58,60}$, Sn^{120}, Pb^{208} scatt., 30 MeV 5=2811
  - $Ca^{40}(d, p)Ca^{41}$, 11 MeV 5=11360
  - and $Li^7(p, \alpha)He^4$ reaction, 2-3.5 MeV 5=2813
- **production**
  - emission from light nuclei 5=8588
  - 45 MeV, from Milan AVF cyclotron 5=14381
  - particle accelerator, synchrotron, amplifier—cavity—beam overall analysis 5=14380
  - particle accelerators, synchrotron, TV beam profile monitor 5=14383
  - π^-—N interaction, 6.8 BeV/c π energy 5=11083
  - by π^- p at 10 GeV/c 5=2680
  - polarized, homopolar generator 5=14382
  - $\bar{p} + p$ pair prod. in colliding electron-positron beams 5=2611
  - single cavity accelerator, 1 MeV 5=538
  - source for Milan cyclotron 5=536
- **scattering**
  - α—p, 40 MeV, experimental tests between analyses 5=11030
  - α, p polariz., 4.04-4.78 MeV 5=5346
  - bremsstrahlung prod. on light nuclei, p—n calc. 5=11310
  - Compton, dispersion relations 5=10979
  - deformed nuclei rotational states, coupled-channel calcs. 5=8627
  - e—p, elastic, 0° recoil of proton, meas. 5=5335
  - e—p high energy, bremsstrahlung polarization calc. 5=549
  - e—p quasi-free in H^3, He^3, 550 MeV 5=2595

Protons and antiprotons—contd
  scattering—contd
    e—p, radiative correction   5=11007
    γ—p, Compton effect, N polarizability   5=10977
    Λ—p, one-meson-exchange contrib. by one-pole approx.   5=14446
    Λ—p, 120-320 MeV/c   5=5449
    Λ—p, 120-400 MeV   5=640
    and magnetic dipole $\Delta T = O$ transition detection   5=702
    n—p charge-exchange, absorptive damping   5=5353
    nine isotopes, 30.3 MeV, differential   5=2809
    optical model analysis at 180 MeV   5=792
    polarization, ang. var., 725 MeV, He, Be, C, Al, Ca, Fe, Ta   5=8407
    p—K^+, calc., < 450 MeV   5=631
    p—$K^\pm$, elastic, amplitude real part, >100 BeV   5=2677
    p—K^+, low-energy elastic, analysis   5=2678
    p—ν_μ, elastic, cross-section meas.   5=2584
    p—π^+, elastic, 240 MeV, phase shift analysis   5=5409
    6.9 MeV, from Ni nuclei   5=5619
    spin-flip from (s, d) shell nuclei, 185 MeV   5=11311
    Al^{27}, polarized, ang. var., 7 MeV   5=8628
    Be^9, polarized, ang. var., 7, 12 MeV   5=8628
    C analyzing power, polarized p, 440-640 MeV   5=14530
    C^{12}, high-energy inelastic, distorted wave impulse approx.   5=5616
    C^{12}, polarization ang. var., and phase shift changes   5=5615
    $C^{12}(p, p)C^{12}$, polarization ang. distrib. meas.   5=8629
    C^{12}, Si, Ca, $Ni^{58,60}$, Mo, polarization, and optical model   5=14529
    Ca, elastic, 14-18.5 MeV   5=5618
    Ca, Co^{59}, $Ni^{58,60}$, Sn^{120}, Pb^{208}, polarization, 30 MeV   5=2811
    Cu^{63} and excited core model   5=795
    H_2, and thermal dissoc. meas.   5=3072
    He—p, near 147 MeV, hence He—n   5=11028
    He^3, differential elastic cross-section, 31 MeV   5=794
    He^4, 53 MeV   5=5463
    Li^6, 1.3-5.6 MeV   5=11312
    Li^7, elastic and inelastic, 3-5.5 MeV   5=2807
    Li^7, 4.2 MeV   5=11313
    $Mg^{26}(p, p)$, 8.4-14.0 MeV var.   5=5617
    Mo^{29}, elastic, isobaric analog resonances, fine structure obs.   5=5621
    N–p, 12, 24 GeV/c, real part   5=8405
    N^{14}, differential elastic cross-section, 31 MeV   5=794
    Ne^{22}, resonance meas. by semiconductor counter, versus theory   5=849
    O, polarization, ang. var., 2-12 MeV   5=8630
    O^{16}, differential elastic cross-section, 31 MeV   5=794
    O^{16}, polarized p, 4.27-4.84 MeV, ang. var.   5=2808
    $Sn^{112,116,120,124}$, 9.8 MeV, elastic   5=11314-5
    Te^{126}, 12 MeV   5=8631
  scattering, proton—deuteron
    cross-section, differential, meas   5=8412
    at 8.2 GeV, elastic scatt. study by nuclear photo-emulsions   5=5347
    polarization at 4.1 MeV   5=8413
  scattering, proton—electron. See Electrons/scattering, electron—proton.
  scattering, proton—neutron. See Neutrons and antineutrons, scattering, proton—neutron.
  scattering, proton—pion. See Pions/scattering, pion—proton.
  scattering, proton—proton
    amplitude, real part, ⩾ 10 GeV   5=5345
    asymptotic decrease theory   5=5344
    differential elastic cross-section, 31 MeV   5=794
    diffraction peak, one-pion exchange calc.   5=11034
    diffraction scatt., >10 GeV   5=569
    dispersion relation check, small angle high energy   5=14414
    elastic, angular distrib. at very small angles   5=8411
    elastic scatt. amplitude, real part   5=8410
    elastic, 3-9.5 GeV, differential cross-sect.   5=2609
    f° meson effect, rel. to phase shifts < 300 MeV   5=5342
    forward scatt. amplitude, real part, at 1.7 GeV/c   5=8409
    high energy, diffr. peak shrinking   5=8459
    high-energy large angle and statistical model   5=8408
    high-energy, large momentum transfer, nonlocal form factors   5=11031
    high energy, quasielastic   5=11033
    impact parameter expansion at 12-20 Bev/c   5=5231
    near interference minimum, and effective range/energy curvature   5=5341

Protons and antiprotons—contd
  scattering, proton—proton—contd
    optical model for high energies, diffraction width and inelastic threshold   5=11065
    small angle, nuclear plus Coulomb anal.   5=14415
    p—$\bar{p}$ dispersion relation check, small angle high energy   5=14414
    p—$\bar{p}$, elastic π prod., multi-π annihilation, 3.5 BeV/c   5=11036
    p—$\bar{p}$ and interactions, 3, 3.6 GeV/c   5=8416
    p—$\bar{p}$, 0.575-5.35 GeV/c, total cross-sections   5=5349
    $\bar{p}$–p, 7-17 GeV/c, 1-Regge pole contrib.   5=8456
    p-wave phase shifts, e.m. corrs.   5=5343
    phase shift analysis near 50 MeV   5=11029
    polarization, ang. var., 725 MeV   5=8407
    650 MeV, elastic   5=2610
    spin correlation coefficients, in elastic scatt., 315 MeV   5/570
    statistical compound system large angle theory   5=11032
    triple parameter meas., 213 MeV   5=2608
    Wolfenstein R, R′ parameters, 98 MeV, meas.   5=8406
  antiprotons
    event in nuclear emulsion   5=11035
    N-$\bar{p}$ annihalation, and SU(3) and SU(4)   5=8417
    $Y\bar{Y}$ hyperon prod., in 2-, 3-, and 4-body final states in H, calc.   5=11119
Protonium. See Protons.
Pulse generators. See Circuits.
Pulse-height analysers. See Counting circuits.
Pumps
      See also Vacuum pumps.
    No entries
Purkinje effect. See Vision.
Pyroelectricity
    tourmaline, charge and cryst. orientation, by electron diffraction   5=4097
    triglycine sulphate, response to amplitude-modulated X-laid signals   5=4098
Pyrometers
    optical, small temp. difference meas.   5=4835
    recording, electronic, parallel, for W ribbon lamps   5=7889

Quadrupole moments, molecular. See Molecules/moments.
Quadrupole moments, nuclear. See Nucleus/electric moment.
Quantization. See Field theory, quantum/quantization; Quantum theory/quantization.
Quantum chemistry
    oscillator systems, energy transfer, strong collision model   5=7794
    spin free, 3-electron systems   5=7415
Quantum electrodynamics
      See also Electrodynamics; Electromagnetism.
    allowed model   5=2402
    asymptotic, gauge invariance   5=8208
    axial gauge condition   5=390
    bounds on propagators, coupling constants and vertex functions   5=2401
    and broken symmetry   5=2414
    charged vector field vacuum, polarization   5=14244
    dichroism of vacuum   5=2398
    electromagnetic potentials, commutation relations   5=389
    electron theory divergencies removal   5=11005
    exchange current test by d disintegration by γ or e   5=393
    exclusion of fields without sources   5=5166
    fermions, massless, in 2-dimensional electrodynamics   5=5199
    fermion propagators of e—μ combined fields   5=5167
    in field of circularly polarized e. m. wave   5=392
    functional integrals and Green functions i.r. asymptotic   5=14245
    gauge invariance, photon mass   5=461
    infrared divergency removal   5=10776
    lecture, introductory coupling constant and vector current, conservation, lecture   5=8276
    local, i.r. singularities   5=14247
    para-particles   5=410
    photon as symmetry-breaking solution of field theory   5=2399-400
    relativistic field theory, finite, using indefinite metric   5=10774

Quantum electrodynamics — contd
  scattering matrices, analiticity conditions 5=2397
  Schrödinger, Heisenberg pictures, equivalence 5=8207
  spin and statistics with e. m. field 5=391
  statistical 5=14063
  vertex part, i.r. singularities in vertex part 5=14246
Quantum electronics See Lasers; Masers; Optics; Photons.
Quantum field theory. See Field theory, quantum.
Quantum mechanics. See Quantum theory.
Quantum statistics. See Statistical mechanics.
Quantum theory
    See also Electron theory; Field theory, quantum; Elementary particles.
  angular momentum operator of generalized rank 5=5137
  anharmonic oscillator, one-time Tamm—Dancoff method, convergence 5=8200
  atomic systems interact. with C-number grav. field 5=13867
  axiomatic scheme, set of yes—no observables 5=361
  Clebsch—Gordon coeffs. for negative ang. momentum 5=5154
  conference, Mouterrey (1964) 5=4701
  Coulomb problem Green function 5=2378
  cross-relaxation theory for spins 5=75
  cut off calc. of bound state pulses 5=14225
  development, formulation and interpretation 5=10751
    dissipation, two-level system 5=10756
  energy eigenvalue spectra, calc. from time evolution of nonstationary states 5=2376
  energy-level distribs. of harmonic oscillator, calc. and meas. 5=371
  exponential decay solution of equn. 5=14224
  Feynman's kernel and the classical path 5=5138
  galvano-thermo-magnetic phenomena, statistical treatment 5=4759
  generalized eqns. of motion in case of discrete time 5=5148
  Hamiltonian matrix elements, invariance hypothesis and higher correlations 5=362
  harmonic oscillator relax., density operator theory 5=5149
  harmonic oscillator, two-dimensional, degeneracy 5=10758
  hermiticity and Gaussian quadrature 5=2377
  interacting radiation and matter 5=912
  Kemmer particle covariant spin operator 5=5146
  and Lie group fundamental representation 5=10218
  many level system e.m. wave interaction and density matrix 5=10281
  measuring processes 5=363
  mechanics, axiomatic fundamentals 5=5135
  9j coefficients calc. from Clebsch—Gordan products 5=13817
  9j coefficient phase relations for mirror reflection 5=13818
  operators, differential multi-dimensional, mixed spectrum 5=5136
  operators for raising or lowering irreducible vector spaces 5=5139
  oscillator unitary symmetry and Talmi transform. 5=8199
  Parseval's theory applications 5=10214
  position and momentum eigenfunctions 5=10752
  position operators, covariant, spin and locality 5=5141
  potential barrier penetration, simple treatment 5=14232
  potential calc. from plane of complex ang. momentum 5=5144
  quantum fact and fiction 5=10750
  relativistic, formalism and space structure 5=7766
  relativistic, formalism, and space structure 5=10773
  Shimony theory of measurement criticised 5=2369
  singular potentials in non-relativistic mechanics 5=2383
  solid, book 5=9191
  spectral representation of self-adjoint operators 5=10216
  spin functions scalar products 5=8192
  spin Hamiltonian operator equivalents, transforms 5=10757
  spin-Hamiltonian parameters, origin 5=11587
  superposition principle tests and unitary matrix construction 5=2021
  symmetry groups, and space-time 5=379
  teaching, with H radial eqn. factorization 5=5744
  and thermodynamics, second law proof 5=13875
  3-j symbols, contracted products and invariants, diagrammatic method 5=8193

Quantum theory—contd
  transport processes, electrons scattered in elec., mag. and temp fields 5=4771
  vector particle polarization 5=23
  Wigner's little group, irreducible unitary representations 5=2368
 application methods
  atoms, field perturbation theory, Feynman diag. ang. integration 5=5737
  attractive potential, bound state possession sufficient conditions 5=8202
  bound states, necessary condition for existence 5=14236
  Clebsch—Gordan coeff. formulae 5=5152
  Clebsch—Gordan coeffs. of D_2', D_2', D_6' groups 5=5153
  Clebsch—Gordon coeffs. for $j_2 = 5/2$, 3 and 7/2 5=2381
  cross-relaxation shape calc. by moments for spin systems 5=250
  dielectric relaxation, high temp. 5=6989
  electrical phenomena in solids 5=12634
  electron-impurity and electron-phonon systems; transport eqns. 5=9588-9
  errors of approx., density matrices 5=5156-7
  expansion of 1/R and δ-function 5=10759
  fluid, charged, coherent, wave properties 5=7984
  harmonic oscillator and SU_3 5=14228
  Hellmann-Feynman integral theorem 5=941
  iteration procedure for London energies calc. 5=1012
  lasers, review 5=8038
  metals and semiconductors magnetothermal phenomena 5=1716
  metals and semiconductors, thermomag. phenomena 5=3968
  n. m. r., double resonance 5=9856
  oscillator systems, energy transfer, strong collision model 5=7794
  perturbation method for higher-order calc. 5=14229
  perturbations, localized 5=2380
  quartic oscillator, energy levels calc. 5=372
  rotator, asymmetric, eigenvectors for 5=14230
  RP—HRP approx., var. derivation 5=2382
  secular eqns., partition soln. 5=2379
  6j coeffs. calc. 5=5151
  6j coeffs. with negative parameters 5=5155
  spin kinematics in Lobachevsky space 5=5150
  2-centre problem, quasi-classical approx. 5=14231
  H_2O mol. 5=5876
 many-particle systems
    See also Bosons; Fermions; Helium/liquid; Statistical mechanics; Superconductivity; Superfluidity.
  angular momentum wavefunctions from projector operators 5=7798
  approximation methods validity test 5=7806
  atoms, disordered, one-electron calc. 5=10280
  Boltzmann eqn. for quantum gas 5=7814
  book of conference lectures 5=10274-5
  Bopp's method for energies, modified 5=5479
  boson—fermion system, double time—temp. Green's functions 5=13886
  boson, low-temp. interacting, sum rule applic. 5=7805
  Brownian kinetics, Green's function 5=63
  Brueckner theory, derivation 5=69
  cluster properties 5=7796
  collective coordinate method 4=7804
  collective methods 5=4760
  collision invariant Grad theorem 5=10279
  collisions and reactions, H-theorem in μ-space, generalization for no detailed balancing 5=4764
  creation and annihilation operator commutator relns. 5=13879
  cross-relaxation shape calc. by moments for spin systems 5=250
  distribution functions 5=81
  electrochemical electrode electron transfer 5=1911
  e. m. field as photon ensemble, stationary and random phase solns. 5=2216
  e.m. wave interaction and density matrix 5=10281
  equivalent particle coupling in field of given symmetry 5=4766
  ergodic theorem of von Neumann and macroscopic systems 5=4756
  ergodic theorems, von Neumann 5=4757
  evolution of the density matrix 5=7795
  fermion gas, relativistically degenerated, pressure, with scalar interaction 5=10294

Quantum theory—contd
many-particle systems—contd
fermion, ground state Dirac density matrix 5=10292
fermion, vertex effects 5=10293
fermions, matrix elements in basis function correl 5=7900
fermions, one-dimensional, repulsive potential 5=13887
finite, with translational invariance, approx. solution 5=2713
four-body problem 5=2065
gas reduced density matrices 5=10282-3
glass-like struc., vibrations of monatomic and alternating diatomic chains, calc. 5=1409
Goldstone theorem invalidation 5=10278
ground state and pair distrib. function 5=4762
Hamiltonian formalism with linear supplementary condition 5=10276
hard rods, dynamics 5=13884
hard sphere bose gas, pair distrib. function 5=4769
hard sphere fluid short range interparticle forces, calc. 5=82
Hartree—Fock methods for degenerate gases 5=2064
Hartree method generalization 5=4761
Ising model, 2-dimensional, many fermion soln. 5=62
Ising problem, Onsager rel. to Pfaffian solutions, rect. lattice 5=7787
isospin crossing matrices 5=14278
lectures, Naples, First Internat. Spring School of Physics 5=10762
many-boson, canonical variable representation 5=13885
multicomponent 5=13880
nearest-neighbour spin correlation, magnetization for Heisenberg Hamiltonian 5=77
neutrino gas, degenerate, Fermi level 5=552
neutron gas thermal relaxation eigenvalues 5=10284
non-separably boundary value problems 5=71
normal states of matter round table discussion 5=76
nuclear models, reformulation 5=676
nuclear spin system non-linear response 5=13882
number and energy var., Bardeen—Cooper—Schrieffer state 5=73
oscillator systems, energy transfer, strong collision model 5=7794
pair correlation functions in several-component system 5=80
Pauli operators, statistical averages 5=7799
phase space giving stationary incompressible flow 5=4758
phonons, bosons or fermions 5=4860
quantum cell model, uniform potential approx. 5=2060
quantum ensemble meas. by classical apparatus 5=2058
Schrödinger eqn. trace formula 5=2061
self-consistent approximations 5=13881
self-consistent field theory, analytical, relativistic 5=5726
specific heat of oscillator system 5=4768
spin $\frac{1}{2}$ system in strong a.c. field 5=10285
spin system specific heat temp. var. 5=10286
statistical operator modification 5=2057
strong interacting, collective coord. approach 5=4767
strong interactions, K matrix soln. 5=2063
thermal radiation spectrum collective corrections 5=10288
Thomas—Fermi potential, quantum, correl. corrections 5=2873
3-body problem, with spinless D and n particle 5=444
three-particle scatt., resolvent operator props. 5=375
transition methods, review 5=70
transport processes, free electrons and fixed scatterers in elec. and mag. fields 5=95
tunnel model for hard spheres 5=2066
variational problem reduction 5=7800
velocity dependent potentials 5=7797
virtual temperature of system of identical particles 5=4763
He^4, bosons, interacting, unified theory 5=4859
quantization
See also Field theory, quantum/quantization.
curvilinear coordinates 5=8198
exact rules for Schrödinger eqn. 5=367
general relativity, propagators in curved space 5=13868
gravitation, Gupta 5=2048
relativity, general 5=50
second quantization appl. to blackbody radiation 5=67
symmetry groups, review 5=14253
two particle system rules 5=14227

Quantum theory — contd
quantization — contd
wavefields in moving media, wave amplification 5=2025
wave packets collision, uncertainties reduction 5=2371
wave equations
asymptotic expansion using action variable 5=365
Brillouin–Wigner perturbation theory, differential eqns. 5=368
configuration interaction, improved self-consistent 5=8197
Delves variation principle, modification 5=10755
diatomic mols., partial wave theory 5=8798
Dirac, current invariance, spinor transformation, calc. 5=394
Dirac equation for electron and partitioning 5=2373
Dirac high energy soln. and Regge pole definition 5=10885
Dirac, stationary soln. in general relativity 5=7778
displacement of energy levels of quantum system by light wave 5=5776
hypervirial theorems and perturbation theory 5=2375
ions, negative, analytical wave functions 5=11416
Kemmer particles, extreme relativistic representation 5=370
Klein—Gordan eqn. with small non-linearity, generalized perturbation expansion 5=5145
molecular systems, wave functions by momenta method 5=2944
in momentum space 5=10753
nonadiabtic transition near turning point 5=884
nonlinear, as models for elementary particles 5=398
nonrelativistic Coulomb Green's function in momentum space 5=16
Perey effect of nonlocal potentials 5=8194
perturbation energies, Rayleigh—Schrödinger, upper and lower bounds 5=2374
phase shifts, modified WKB approx. 5=2372
relativistic, extreme-relativistic transformations 5=369
relativistic, with limiting nuclear dimensions, calc. 5=14579
resonance energy transfer, between two mols., in empty space 5=5826
scattering, strongly singular and not spher. symm. potentials, wave operators 5=14235
Schrödinger eqn., generalization for H atom 5=14589
Schrödinger eqn., phase shifts 5=5142
Schrödinger eqn., short-wavelength approx. 5=10754
Schrödinger, exact quantization rules 5=367
Schrödinger, exact soln. for inverse fourth-power potential 5=366
Schrödinger solns. in complex ang. momentum, completeness property 5=5143
spinor equations, two-component, anomalous 5=5147
spinor field theory and Noether's theorem, in curved space—time 5=57
spinor fields in Finsler spaces 5=10219
spinor fields, linear representation by antisymmetric tensors 5=364
spinors of group $\hat{c} \times \hat{c}$ 5=8195
2-electron fixed-nucleus problem, symmetric Euler-angle decomposition 5=14578
transformation between operator and commuting algebraic functions 5=14226
wave functions approx., λ—H and $(\lambda-H)^{-1}$ operators method 5=8196
H and H_2, Gaussian wavefunctions 5=11420
H_2, potential energy curves 5=14638
H_2^+ wave functions 5=8812
He-like atoms, open-shell Hartree—Foch ground state, u, v, orbitals, Z-expansion calc. 5=887
He_2, potential energy curves 5=14638
Quarks. See Elementary particles.
Quartz
absorption, acoustic, 600-1110 Mc/s 5=9379
acoustic attenuation, geometric, in single crystals 5=9378
acoustic 2nd and 3rd harmonics, piezoelec. prodn. 5=119
anelastic effects of alkali ions in crystalline quartz 5=1542
birefringence meas., 1500 to 2000 Å 5=10724
citrine, e. s. r. of Fe^{3+} 5=7235
colour centres, A and C type, formation and annealing 5=12420
crystal colour centres and growth rate effects lattice parameter 5=15104

Quartz—contd
diffusion of He 5=12319
dislocations, etching in autoclave 5=12404
dispersion, rotatory, theory 5=4319
etching, after X-irrad 5=1476
fused, Faraday effect, He—Ne laser source, fields up to 400 kOe, meas. method 5=15558
irradiated, e. s. r. of atomic H impurity 5=7233
neutron and γ-ray attenuation 5=8435
neutron scatt. cross-section change due to irrad., wavelength var. 5=3799
O divacancy Raman spin—lattice relax. time 5=7247
phase transformation to cristobalite, X-ray study 5=12014
piezoelectric pot. generated by seismic waves, for prospecting, theory 5=1923
polarization plane rotation near phase-transition 5=13067
plates, thermoelastic dissipation in vibrations 5=1541
Raman scatt. intensity freq. depend. 5=1846
screw dislocations and spirals on surfaces 5=6346
Si epitaxy 5=9299
surface structures of rhombohedral faces 5=6347
synthetic, anomalous weakness, rel. to temp 5=12543
"tadpoles" 5=12084
thermal conductivity of fused quartz 5=164
thermoluminescence, traps. props. 5=4360
transitions, displacive, rel. to n-irrad. 5=9233
u.s. attenuation, 4 to 100°K to 70 Mc/s, resonance method meas. 5=6530
ultrasonic attenuation, 70 Gc/s 5=1416
X-ray luminescence 5=4359
X-ray reflection by bent crystals 5=9318

Quasars. See Cosmic radiations, radiofrequency; Cosmology; Stars.

Quasi-particles. See Excitons, (Magnons), (Phonons), Polarons, etc.

Quenching, optical. See Luminescence.

Quenching, thermal. See Heat treatment.

Racah coefficients. See Quantum theory.

Radiation
See also Acoustic radiators; Bremsstrahlung; Cherenkov radiation; Electromagnetic waves; Electrons/radiation; Emissivity; Radiative transfer; Stars/radiation; Sun/radiation; Sunlight.
absorbtion, selective media, meas. 5=7872
blackbody, probability distrib. functions 5=67
earth's field, outward, model application 5=10036
electron cyclotron in plasma—mag. fld. boundary layer 5=14721
energy from vibrating plate 5=13901
gravitational, Riemann tensor 5=13864
interaction with atoms 5=912
resonance, coherence relaxation during scattering 5=2912
Ag targets, by 10-30 keV electrons, transition, plasma, bremsstrahlung props. 5=3952
GaAs infrared sources, high-speed 5=4373

heat
air, heated, stationary, conduction/radiation proportion 5=1153
cavities, radiation emission characts, 5=7867
fluctuations of spectral energy quantities 5=7865
freezing, one-dimensional Stéfan prob. 5=6214
from gases, spherically-shaped 5=10349
from inhomogeneous layer 5=2147
low temp. shield, temp. distrib. 5=10402
plasma, 3-12 mm range 5=3162
semiconductor sources, comparison with W lamps 5=8110
thermometers, with in-line blackbody reference 5=10382

Radiation belts. See Atmosphere/radiation belts.

Radiation chemistry. See Chemical effects of radiations/ionizing radiations; Radiochemistry.

Radiation damage. See Physical effects of radiations.

Radiation detectors
See also Bolometers; Photometry; Radioactivity measurement.
amplifier, semi-cond., low-noise 5=7871
Beckman and Whitley net and total radiometers, correlation 5=1919
differential radiometer, for students 5=10353
Eppley pyrheliometer, albedo meas. 5=1919
i. r., cooled, appl. in optical system 5=13978

Radiation detectors—contd
i.r. systems, background-limited, spectral filtering 5=7869
interferometric modulation, sub mm 5=10351
photocells, non-ohmic, signal calc. 5=2148
photomixer diodes for i. r., InSb, InAs 5=158
preamplifier, hybrid low noise charge sensitive, for solid state detectors 5=7914
radiometry, photographic, on distant field sources 5=10682
sea—air heat exchange, mm radiometer 5=10037
semiconductor III—V cpds., i. r., photovoltaic 5=157
semiconductors, requirements, review 5=4109
spectroradiometers, calibration by optical refl. 5=14187
spectrotor, a selective i.r. detector 5=10354
target to background performance, PbS, InSb, InAs, Hg: Ge 5=156
thermal, spectral sensitivity 5=7870
thermoelement, amplifier for ballistic meas. 5=13977
transient response, apparatus 5=10352
0.995 absorptance to 45μ, for calibration 5=2149
Au—Si contacts, in surface-barrier diode 5=13976

Radiation effects. See Biological effects of radiations; Chemical effects of radiations; Physical effects of radiations.

Radiation monitoring
See also Dosimetry.
body meas. by γ-rays, radon in water effects 5=14487
neutron flux, (n, γ) reactions in circulating liquid 5=5722
Pu^{241} contamination control by β-ray meas. 5=2759

Radiation pressure
See also Acoustic streaming.
charged particle in e. m. wave 5=2220
and energy density, relationship 5=13975
light on water drops, theory 5=5035
plasma surface, approx. to metal 5=6000
receiver sensitivity, monochromator slit conditions effect 5=8129
scattering by spherical particles 5=5094
on sphere, from scatt. asymmetry 5=8001

Radiation protection
See also Radiation monitoring.
bremsstrahlung Sr^{90} + Y^{90} source Pb shielding calc. 5=744
dosimeter, personal, for environmental radiation 5=2527
electron accelerator, shielding 5=8352
glass blowing, diaphragm valve technique 5=4699
neutron rem counter 5=5370
shielding, attenuation of particle streaming in ducts 5=5302
steel, shielding studies with 10-20 GeV/c protons 5=14508-13
Pu^{241} contamination control by β-ray meas. 5=2759

Radiative transfer
absorption band formation and optical path distrib. in scatt. atmosphere 5=7818
air, opacity, high temp. 5=6091
atmosphere, inhomogeneous, numerical calcs. 5=7817
conference on opacity, Albuquerque (1963) 5=2884
diffusion in a plane layer with isotropic scatt. 5=2079
digital computer calcs. 5=7875
gray atmosphere, reversible adiabatic processes 5=4774
Kubo response function appl. 5=2080
in magnetic field, matrix 5=13895
non-grey, problematic approach 5=4775
opacity calcs., review 5=4776
polarization effect, scattering matrix for sphere 5=13896
successive iteration of auxiliary eqn. 5=2078
transient energy, and cond. 5=10358
transparent solid, absorption, thermal trap effect 5=12283

Radiators. See Acoustic transducers; Electromagnetic waves/radiators.

Radicals. See Free radicals.

Radioactive dating
Antarctic ice, rel. to solar activity 5=15646
glass, by fission fragment tracks 5=13221
mica, from fission track density, and annealing 5=13220
by nuclear reactions with n or p and mass spectroscopy 5=5729
water, from U^{234}/U^{238} ratio 5=15647
C^{14}, low level counting 5=2771

Radioactive tracers
for diffusion in liquids meas. with porous frit 5=11874
diffusion in solids, Gruzin sectioning study 5=3710
metal and alloy struct. and phase transform. kinetics 5=3580

Radioactive tracers—contd
- use in photomultiplier manufacturing process study 5=4139
- for steam flow meas, T 5=9034
- wear meas., microslip between rolling bodies 5=1507
- Hg, diffusion in InSb, temp. var. 5=15073

Radioactivity
- See also Alpha-, Beta-, Gamma-rays; Atmosphere, radioactivity; Beta-decay theory; Chemical analysis, radioactive; Chemical effects of radiations/ionizing radiations; Fallout; Geophysical prospecting; Nuclear decay theory; Nuclear bombardment targets; Nuclear excitation; Nuclear reactions; Radiochemistry.
- α-decay, barrier penetrabilities 5=8582
- earth, and surface heat flow 5=13194
- earth, U, Th, K relative heat prod. 5=13219
- electrostatic pot. above radioactive ground 5=13285
- emanating source, time var. 5=5564
- evaporation of charged particles calc. 5=14491
- history, before Curies 5=11248
- parent—daughter mixtures, graphical analysis 5=8579
- precipitation γ-ray spectra, and time variation 5=11204
- pressure effects, review 5=6094
- proton emission, analysis 5=2760
- proton emission, light nuclei 5=8588
- satellite, Sputnik 4 fragment 5=13641
- sources and isotopes use in research 5=8572
- sources, plane, parameters choice 5=5561
- use to measure film thickness 5=14946
- Au^{198}, average β energy, calorimetric meas. 5=5591
- Co^{60}, β-ray, meas. by Mott scattering from Au 5=11262
- Na^{24}, high specific activity production 5=11259
- Os^{193}, 31 hr, anisotropy 5=1231
- **dating**. See Radioactive dating.
- **decay periods**
  - disintegration rate meas. 5=11252
  - 10^{-9} sec, data analysis 5=742
  - 14 nuclei, precision 5=8590
  - As^{72}, 46 KeV level 5=11264
  - Au^{198}, coincidence meas. method 5=741
  - Br^{80}, 37 keV level 5=11264
  - Cd^{109} 5=11267
  - Cd^{115m} levels 5=760
  - Co^{60}, coincidence meas. method 5=741
  - Cs^{134m} 5=5582
  - Eu^{143}, produced by Sm^{144}(d, 3n) 5=14502
  - Eu^{148}, α-decay 5=2784
  - Eu^{150} (13 hr) and Eu^{150} (~5 yr) 5=14503
  - Eu^{152}, β^+, 1530 keV 5=2785
  - Eu^{153}, 98 keV level, from γ scatt. 5=2752
  - F^{18}, 110.5 ± 0.6 min. 5=14495
  - F^{21}, β, from O^{18}(α, p) 5=11370
  - Fm^{257} 5=2792
  - Ge^{78} 5=11263
  - H^{4}, $\sim 10^{-22}$ sec 5=2736
  - H^{5}, $\sim 10^{-22}$ sec 5=2736
  - Hf^{157,158} 5=11276
  - Hf^{179}, 215 keV level 5=5551
  - Hf^{179m} 5=8556
  - Hg^{190} 5=5592
  - Ho^{164}, 37 keV level 5=11264
  - I isotopes 5=2782
  - I^{127}, 59 keV level 5=5545
  - Ir^{191} levels 5=5558
  - Kr^{81} 5=755
  - Kr^{85}, liquid scintillator meas. 5=2790
  - La^{138} 5=11269
  - Li^{4}, $\sim 10^{-22}$ sec 5=2736
  - Lu^{155,156} 5=11276
  - Mo^{92}, 8$^+$ level, 2.795 MeV 5=758
  - Mo^{95}, 768 keV level 5=11264
  - Mo^{97}, 665 keV level 5=11264
  - Nd^{138} 5=5587
  - Ne^{20} low-lying levels 5=8591
  - $_{93}$Np^{237}, 103 keV level, $(8\pm4)\times10^{-11}$ sec. 5=14483
  - Pm^{149} 5=8552
  - Pr^{138} 5=5584
  - Pr^{139}, 114 keV level 5=2751
  - Pr^{141}, 145 KeV level 5=2750
  - Pt^{197m} 5=736
  - RaD, calorimetric determ. 5=763
  - Rb^{85}, 513 keV level 5=758
  - Rb^{87}, redetermination 5=2776

Radioactivity—contd
- **decay periods**—contd
  - Re^{183,184} 5=14505
  - Re^{188}, 64 keV level 5=11264
  - Ru^{99}, 90 keV first level, delayed coincidence meas. 5=5538
  - Ru^{222}, liquid scintillator meas. 5=2790
  - S^{29} 5=5574
  - Sm^{146}, α 5=762
  - Sm^{149} 5=8552
  - Sm^{152}, 122 keV level 5=11264
  - Ta^{179} 5=5554
  - Tb^{153m} 5=5559
  - Tb^{158} 5=11272
  - Tb^{161}, 418 keV level, from Gd^{161} β decay 5=5551
  - Te isotopes 5=2782
  - Te^{115} 5=8597
  - Te^{122}, 564 keV level 5=5544
  - Tl^{201m} 5=5559
  - Tl^{208}, 39.85 keV level 5=8565
  - Tm^{167} 5=5554
  - Tm^{169}, rotational states 5=8555
  - U^{235}, remeasurement 5=14507
  - W^{180}, 102 keV level 5=11264
  - W^{182}, 100 keV 2$^+$ and 1290 keV 2$^-$ states 5=5556
  - W^{184}, 111 keV 2$^+$ level 5=5557
  - Xe isotopes 5=2782
  - Xe^{118,119,120} 5=2782
  - Xe^{129}, 40 keV first level, delayed coincidence meas. 5=5538
  - Xe^{131m}, liquid scintillator meas. 5=2790
  - Yb^{167} 5=8599
  - Yb^{174} 5=8600
  - Yb^{177}, 104 keV level 5=5551
  - Yb^{177m} 5=8556
  - Zr^{90}, 8$^+$ level, 3.595 MeV 5=758
- **decay schemes**
  - β—γ (circularly polarized) ang. correl. asymmetry, 9 nuclides 5=5577
  - chain member yield calc. program 5=5567
  - even—even, heavy, excited rotational states, mean lives 5=11245
  - p decay by Ni + Ne^{20} or O^{16} 5=5579
  - Ac^{225} and Fr^{221} levels 5=8605
  - Ag^{108} 5=2777
  - Ag^{109m} 5=11266
  - Ag^{110m} 5=2778
  - Ag^{115} 5=759
  - Ar^{33}, delayed protons 5=11260
  - At^{217} and Bi^{213} levels 5=8605
  - Au, β, from internal mag. field in Fe 5=6248
  - Au^{195}–Pt^{195} 5=5590
  - Au^{198} 5=8603
  - Ba^{131} 5=729
  - Ba^{140} β, β—γ, γ—γ direct correls. and La^{140} low level spins 5=2749
  - Be^{7} → He^{4} + He^{3}, 4.53 7.18 MeV levels calc. 5=2769
  - Be^{9}, 2.43 MeV level decay 5=11257
  - Bi^{210}(RaE) analysis 5=5594
  - Bi^{214}–Po^{214}, high energy γ transitions, meas. 5=5262
  - Br^{82} 5=719
  - C^{12}, α-breakup 5=8589
  - C^{12}, 16.11 MeV level, α-Be^{8} 5=2770
  - C^{12} → 3α, Feynmann diagram method 5=749
  - Ca^{37} → K^{37} + e$^+$ + ν, and solar ν detect. in Cl^{37} 5=754
  - Ca^{50} 5=5531
  - Cd^{111}, γ—γ correlation 5=11229
  - Cd^{115m}, ang. correls., γ—γ, β—γ 5=760
  - Ce^{135} 5=5583
  - Ce^{143} 5=2783
  - Cl^{39}, γ-decay 5=8651
  - Co^{56} → Fe^{56} 1-forbidden 5=8593
  - Co^{58}, crossover and cascade 1620 keV level 5=14498
  - Cs^{134m}, radiations with nearly identical energy, meas. difficulty, γ—X-ray coincidence sol. 5=5514
  - Cs^{134m}, from Cs^{133} (n, γ) or (d, ρ), no weak β decay 5=5582
  - Dy^{160}, γ-decay 5=5586
  - Er^{167}, E1 transitions, from 532 keV vibr. levels 5=14481
  - Eu^{143}, produced by Sm^{144}(d, 3n), β end point 5=14502
  - Eu^{148}, α-decay 5=2784
  - Eu^{157} 5=11270
  - Fm^{257} 5=2792
  - Fr^{221} and At^{217} levels 5=8605
  - Gd^{149,151}, α-decay 5=11272
  - Ge^{78} 5=11263

Radioactivity—contd
decay schemes—contd
$H^5 \rightarrow H^3 + 2n$, Q ⩾ 1 MeV 5=2736
$Hf^{157,158}$ 5=11276
Hg^{190} 5=5592
Ho^{166} 5=11273
Ho^{166}, β longitudinal polarization 5=14496
I isotopes 5=2782
I^{130}, β-decay, ξ-approx. 5=11268
In^{114}, β, allowed and unique first-forbidden, shapes 5=2779
In^{114}, β longitudinal polarization 5=14496
In^{114m}, 2 quantum decay by double internal conversion 5=5581
In^{116m}, 54 min, and Su^{116} levels 5=5541
Ir^{192} 5=8601
Ir^{194} 5=8602
K^{37}, weak β^+ branches search 5=5576
K^{42} β, allowed and unique first-forbidden, shapes 5=2779
La^{135} 5=8598
La^{135}, rel. to Ba^{135} excited states 5=8551
$Li^{5,6,7} \rightarrow$ He + d or t various levels calc. 5=2769
Li^9, intermed. coupling shell model mode 5=2768
$Lu^{155,156}$ 5=11276
Lu^{174l}, 140 day 5=8600
Lu^{176m} 5=2787
Mg^{21}, delayed protons after decay 5=8592
Mg^{24} in (γ, p), p spectra, ang. distrib. 5=751-2
Na^{23}, 4. 431 MeV level 5=716
$Nb^{90} \rightarrow Zr^{90}$ 5=758
$Nd^{139m} \rightarrow Pr^{139}$ 5=5587
Nd^{147}, coincidence spectrometer meas. 5=5586
Ne^{16}, search for two-proton decay 5=2772
Ne^{20} levels, β^+, delayed α, isobaric spin admixing 5=11258
Ni, ^{63,65}, β-transitions, l-retarded 5=2745
P^{32}, β longitudinal polarization 5=14496
P^{32}, β-transitions, l-retarded 5=2745
Pa^{226}, e capture branching ratio 5=5596
Pa^{230}, α branching ratio 5=5596
Pm^{147}, γ-decay 5=5586
Po^{213} 5=8605
Pr^{138}, 2. 2 hr 5=5584
Pr^{140}, and Ce^{140} levels 5=731
Pr^{142}, β longitudinal polarization 5=14496
Pr^{146}, β, γ, from $Nd^{146}(n, p)$ 5=5585
Pt^{197m} 5=736
Rb^{83}, due to electron capture, energy levels meas. 5=757
Rb^{86} β, allowed and unique first-forbidden, shapes 5=2779
Re^{188}, β longitudinal polarization 5=14496
$Re^{189} \rightarrow Os^{189}$ 5=14505
$S^{29} \rightarrow P^{29*} + \beta^+$; $P^{29*} \rightarrow Si^{28} + p$ 5=5574
Si^{25}, delayed protons after decay 5=8592
Sm^{153}, β^-, calc. to various En^{153} levels 5=11255
Sn^{119m}, radiations with nearly identical energy, meas. difficulty, γ—X-ray coincidence sol. 5=5514
Sr^{90} β, allowed and unique first-forbidden, shapes 5=2779
Sr^{85} 5=5580
$Ta^{182,183}$ 5=11277
Tb^{158} to Gd^{158} and Dy^{158} 5=11272
$Tc^{92} \rightarrow Mo^{92}$ 5=758
Te isotopes 5=2782
Te^{115} 5=8597
$Te^{121,121m}$ 5=724
Tl isotopes, β, and discontinuity near N = 120 5=764
Tl^{160}, coincidence spectrometer meas. 5=5586
Tl^{202}, decay energies and transition probabilities 5=8604
Tm^{170}, differential direct. correl., and nuclear matrix element calc. 5=11274-5
Tm^{174} 5=11270
$U^{239} \xrightarrow{\beta,\gamma} Np^{239} \xrightarrow{\beta,\gamma} Pu^{239}$ 5=2791
V^{52}, β 5=2774
W^{185}, β^-, calc. to various Re^{185} levels 5=11255
Xe^{127}, electron L/K capture ratios 5=2781
Xe isotopes 5=2782
$Xe^{118,119,120}$ 5=2782
Xe^{137} 5=727
$Xe^{137,138}$ 5=5547
Y^{86} 5=11265
Y^{90} β, allowed and unique first-forbidden, shapes 5=2779
Yb^{167} 5=8599
Yb^{169} 5=8555
Yb^{172}, 1174 keV state, dipole—octupole mixture obs. 5=5553

electron capture
angular correl. interaction with atom 5=5570
55 ⩽ Z ⩽ 90, outer orbital electrons 5=11269
orbital, M-shell electron contrib. 5=8587
$Ag^{108,110}$, K-capture 5=8596
Au^{195} 5=5590
Bi^{207} to Pb^{207}, L capture fraction, X-rays 5=2789
Cd^{109} 5=11267
Ge^{71} K-capture, gallium satellites intensity meas. 5=5578
La^{138}, outer orbital electron capture 5=11269
Po^{209}, outer orbital electron capture 5=11269
Rb^{83} decay 5=757
Tb^{158} 5=11272
Tl^{204}, L/K ratio and L yield 5=5593
protection. See Radiation protection.
Radioactivity measurement
See also Dosimetry; Radiation monitoring; and the specific radiation, e. g. Gamma rays.
by α–γ coincidences, for α energy 5=13186
absolute activity 5=11249
beta decay 5=748
beta decay, tracer accuracy for rate meas. 5=5562
decay radiation, near identical energy, γ—X-ray coincidence intensity meas. 5=5514
decay rates, by scintillation counters used in coincidence 5=741
electron collimation in time, for film covering 5=11251
4π β-γ coincidence method, accuracy 5=743
function representation by its line integrals 5=543
gas target, pressure increase across differentially pumped canal 5=6125
half-lives of mixtures, errors 5=745
radionuclide standardization weighing techniques 5=11250
sources, international comparison of standards 5=739
standardization with NaI(Tl) 5=8570, 4490
toluene, tritiated, standard, calibration 5=8569
unknown background, optimum time 5=8576
C^{14}, low level counting 5=2771
Ra standards, comparison methods 5=5563
apparatus
See also Particle detectors.
atmosphere, multi-channel recorder 5=7501
coincidence system, with scintillation counters 5=741
counters, proportional, for natural radio. 5=5565
data acquisition, automatic for foils 5=8722
gamma ray collimator design 5=8574
γ scintillation counter, automatic 5=14488
mass separator, with current integrator, applic. to Kr^{81} 5=755
pulse height computer with c. r. t. display 5=8573
rare earth β-spectroscopy sources, electro-deposition techniques 5=8571
scintillation camera space resolution 5=8575
wire, for neutron flux in reactor automatic meas. 5=14562
for I^{131}, β counter, low background 5=2780
Radioastronomy
See also Cosmic radiations, radiofrequency; Sun/ radiation, radiofrequency.
aerial beam width, conical aperture calc., satellite above F layer 5=4684
aerial smoothing calc. from directional equation 5=1987
annular aerial corrections 5=1988
background noise, 0. 7-7. 0 Mc/s 5=13320
cosmological requirements 5=7548
and explosion nuclear high-altitude, 9/7/62 5=15895
Jupiter, decametric rel. to Faraday rot. 5=4631
Jupiter, decametric radiation 5=7637
Jupiter, origin, review 5=4632
Jupiter, 6. 5cm 5=10167
Jupiter, polarization and Van Allen belt asymmetry 5=1977
Jupiter, temp., 70 cm 5=4630
low-noise receiver for solar work 5=7690
maser 5=10191
meteor trails, ionization distrib. meas. 5=4643
meteors, sporadic, radar obs., 17 Mc/s 5=10178
moon radar echo analysis 5=15829
moon radar obs. at 8. 6 mm wavelength 5=15827
moon radar reflection 5=15828
moon radar returns, effects of structure size 5=15830
moon, temp., 70 cm 5=4630
partially-coherent e. m. fields theory, review 5=2217
planets, radar investigations 5=7632
plasma turbulence obs. 5=4686

Radioastronomy—contd
  quasi-stellar sources 3C48 and 3C273, aberration of light 5=5036
  quasi-stellar sources 3C273 and 3C48, brightness variations 5=4610
  radar reflection meaning appls. 5=10536
  radio- and radar-, rel. to universe exploration 5=7555
  radiometer, microwave, design 5=4685
  review (1961-4) with astronomy 5=13667
  satellite instrumentation, l.f. 5=7687
  Saturn, 11.3 cm 5=4636
  Saturn, polarization, and mag. field configuration 5=4635
  stars, flare, photoelec. and radio obs. 5=4574
  Sun activity, 1964, Jan.-June 5=10181
  Sun storms, type I, burst chains 5=10182
  sun study by radar echoes 5=7655
  telescope, Arecibo 5=7689
  telescope, Parkes 5=13786
  telescopes, lecture 5=10190
  telescopes review 5=7688
  upper atmosphere noise, 0.7-7.0 Mc/s 5=13320
  Uranus, radio emission search at 11.3 cm 5=4637
  Venus, and atmosphere models 5=10175
  Venus, radar obs. and A. U. 5=13735
Radiocarbon dating. See Radioactive dating.
Radiochemistry
    See also Chemical analysis/radioactive; Chemical effects of radiations/ionizing radiations; Radioactive tracers.
  separation of Po^{210}, S^{35}, Pb^{210}, Be^{7} with fission contamination 5=13178
  M phenyl cpds. (M = Ge, Sn, Pb, As and Sb) (n, γ) and $(n, 2n)$ reactions, yield analysis 5=15629
  $NaBrO_3$, $Br^{78,80}$ retention analysis, after $(n, 2n)$ and (n, γ) reactions 5=15630
  Rn, collection and purification, apparatus 5=7449
  $U^{238}(\gamma, n)$ versus photofission study 5=5613
Radiography
    See also Luminescent devices; X-ray tubes.
  autoradiography, use of Lippmann-type emulsions and electron microscope 5=5107
  field emission techniques, semipop. review 5=4128
  metal and alloy struct. and phase transform. kinetics 5=3580
  neutron 5=12145
Radiolysis. See chemical effects of radiations/ionizing radiations.
Radiometer gauges. See Vacuum gauges.
Radiosondes. See Meteorological instruments.
Radiosources. See Cosmic radiations, radiofrequency.
Radiostars. See Cosmic radiations, radiofrequency; Stars
Radiotelescopes. See Radioastronomy.
Radiowave propagation. See Electromagnetic wave propagation.
Radiowave spectra. See Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation; Spectra.
Radium
  standards comparison methods 5=5563
  Ra A diffusion in air 5=6108
Radium compounds
  $RaBr_2$, mag. susceptibility 5=9766
  $RaCl_2$, mag. susceptibility 5=9766
Radium emanation. See Radon.
Radon
  atmospheric, relative to thoron, discrepancies 5=13238
  collection and purification, apparatus 5=7449
  fallout in water, and error in body radioactivity γ meas. 5=14487
  in rainwater, content meas. 5=15688
  Rn^{220}, diffusion in nuclear emulsion, liquid exposure effects 5=10945
Rain
    See also Condensation; Snow.
  collision of drops, collection efficiency 5=10066
  current meas., splashing errors 5=13259
  fallout, cloud contribution, and washing 5=10079
  gushes after lightning 5=10072
  mass loss drops in elec. field 5=9079
  moon, influence on rainfall 5=15663
  precipitation currents, correl. 5=15664
  radon content 5=15688
  showers, summer, ice role 5=10071
  77°E and 100°E meridians, correlation with tropospheric winds 5=7477

Rain—contd
  Z—R rels. from Doppler radioscatter 5=10070
Raman spectra
    See also Luminescence.
  anti-Stokes radiation, generation 5=14145
  crystals with inversion symmetry, selection rules calc. 5=12264
  crystals, use of laser as source, review 5=7306
  crystals, scatt. tensor 5=1826
  interferometric, using i.s. laser excitation 5=2969
  laser oscillator-amplifier, props. 5=8041
  liquids, scattering, laser-stimulated 5=3340
  molecular crystals, cryogenic growth 5=7307
  molecules, polyatomic, intensity and polarization calc. 5=8791
  plasma diagnostics by laser beam scatt. 5=6018
  powders, and mixtures, intensities, conc. effects 5=13023
  in presence of laser beam 5=8148
  recording, continuous, by liquid cell, He—Ne laser excited 5=2337
  3-level systems, and quantum transitions 5=11406
  vibration—rotation transition selection rules in symmetric top mols. 5=2929
  and vibration symmetry 5=11489
 inorganic substances
  alkali halides, comparison 5=13030
  alkali halides, second order, meas. 5=7306
  alkali metal thiocyanates and SCN electronic struct. 5=5874
  calcite, scatt. intensity freq. depend. 5=1846
  diamond, second order, meas. 5=7306
  quartz, scatt. intensity freq. depend. 5=1846
  $AlCl_3$ with KCl and NaCl 5=9114
  $AlCl_3$ KCl, solid and liquid 5=9114
  $BaCl_2$—nitrate mixtures 5=11521
  CCl_4, depolarization degree indicatrix 5=11527
  CCl_4, integrated intensities calc. 5=8854
  CCl_4, polarizability derivatives, meas. 5=964
  CCl_4, reson. effect 5=11528
  CCl_4, scattering energy yield 5=11484
  CF_2PCl_4 5=2988
  C_3O_2, liq. and solid 5=2995
  CO_3^{2-}, reson. effect 5=11528
  CS_2, at 77°K 5=9897
  CS_2, scatt. versus induced laser absorption 5=1184
  CaF_2, first and second order, meas. 5=7330
  CdS, hexagonal, fundamental vibr. freqs. determ. 5=4299
  GaP, 1st and 2nd order 5=9906
  GeO_2, alkaline solutions 5=9115
  H_2, compressed, laser stimulated 5=11506
  HNO_3, isotopic molecules 5=5868
  Hg (II) monohalide complexes, in aqueous soln. 5=11512
  I in CCl_4, laser pulsed i.r. excitation 5=2969
  $KAu(CN)_4$, aqueous and solid 5=2999
  KNO_3, powder tablets, meas. 5=1863
  KNO_3-$BaCl_2$, molten mixtures, cooling curves explanation 5=6185
  KrF_2 vapour 5=11535
  N_2, compressed, laser stimulated 5=11506
  NO_2^-, reson. effect 5=11528
  NO_3^- ion, in various nitrate melts 5=14851
  NO_3^-, reson. effect 5=11528
  $Na_2M(SO_4)_2 \cdot 4H_2O$ (M = Mg, Zn, Co or Ni), lines assignment 5=15574
  OH^- in Be_2BO_3OH, polarizability, location of H-atom, calc. 5=1834
  SO_4^{2-}, reson. effect 5=11528
  Th bromate, powder tablets, meas. 5=1863
  Ti dioxides 5=15020
 organic substances
  acetonitrile, and vibration modes 5=11549
  anthracene 5=976
  azulene, in benzene, carbon disulphide and cyclohexane solutions 5=11891
  benzene, laser scattering, ang. depend. 5=11554
  benzene nitrobenzene liquid, and mol. vibr. interaction 5=11555
  benzene, onset threshold for stimulated emission 5=3022
  benzene scatt. versus induced laser absorption 5=1184
  benzene, scattering energy yield 5=11484
  benzene—acetone, toluene or fluorobenzene lasers 5=290
  benzene—heptane liquid, and mol. vibr. interaction 5=11555
  benzoic acid, powder tablets, meas. 5=1863

Raman spectra—contd
organic substances—contd
p-benzoquinones and subs. isotopic derivatives, assignments 5=11580
bicyclo [1.1.0] butane 5=979
carbon disulphide, onset threshold for stimulated emission 5=3022
chloroform, integrated intensities calc. 5=8854
chloroform, second-order lines rel. to vibr. 5=3027
chloroform, scattering energy yield 5=11484
chloroform, vapour, pure rot. spectrum 5=981
cyclohexane, scatt. versus induced laser absorption 5=1184
cyclopentane, rotational 5=8857
cyclopropane, -d_6, rot. consts., C—C internuclear distance calc. 5=3029
deuteriochloroform, second-order lines rel. to vibr. 5=3027
deuterochloroform, integrated intensities calc. 5=8854
p-dichlorobenzene crystals, 120°-320°K 5=1861
dienes, conjugated, Raman spectra, low-temp. 5=6186
1, 1^1-dimethyl thiatricarbocyanine in methanol, laser pulsed i. r. excitation 5=2969
dimethyltin hydride 5=5891
fatty acids, and H bond vibr. 5=985
methane, trapped in solid Kr 5=11570
methyl bromide, polycryst. 5=1862
3-methyl buta-1, 3-dione, onset threshold for stimulated emission 5=3022
methylene halides, polycryst. 5=7378
naphthalene, powder tablets, meas. 5=1863
nitrobenzene, laser scattering 5=11890
nitrobenzene laser stimulated 90° Stokes radiation 5=2305
nitrobenzene, ruby laser stimulated 5=3042
nitrobenzene, scatt. versus induced laser absorption 5=1184
1, 3-pentadiene, onset threshold for stimulated emission 5=3022
pentanes, methyl subs., l. f. vibr. 5=992
polypropylene, cryst. and molten 5=13087
polytetrafluoroethylene, wave numbers and intensities 5=1865
styrene, onset threshold for stimulated emission 5=3022
toluene, scattering energy yield 5=11484
trichlorotoluene 5=5896
Xylenes in soln., temp. var. 5=11584
Ramsauer effect. See Electron beams; Electrons/absorption; Particle range.
Random functions. See Random processes.
Random processes
See also Brownian movement; Fluctuations; Statistical analysis.
Bogolyubov principle classical analogue 5=10271
correlation functions for positions 5=10272
differential eqns. stochastic systems stability 5=10269
Helmholtz function lower bound 5=10270
joint Rayleigh probability density, reduction to tabulated functions 5=24
linear systems with noise-varying parameters, moment eqns. 5=10266
matrices, exponential ensemble, and level density 5=10267
mechanics, loose media, random walk model 5=4725
multiple-valued random functions 5=61
noise, "red", power spectrum, in meteorology 5=1931
stochastic space-time 5=60
three problems 5=13874
walks on lattices, mean first passage times 5=10268
Range of particles. See Particle range.
Rare earth metals
See also the individual metals.
atomic beam ionization on W surface 5=8947
as β-spectroscopy sources, electro-deposition techniques 5=8571
covalent bonds, spectral evidence 5=9193
diffusion in Ge, tracer meas. 5=9411
ferromagnetism and antiferromagnetism 5=7153
γ-ray spectra of 7, Li-drift p—i—n spectrometer meas. 5=2577
heavy, magnetic structure of crystals 5=4168
ion reduction in alkaline earth halides, electrolytic 5=1912
ions in crystal fields, calculated parameters 5=6242
ions in crystal field, Zeeman effect theory 5=9887
ions, trivalent, in CaF_2, ground states and Stark splittings 5=3425
luminescence, in fluorite-type crystals, review 5=13123

Rare earth metals—contd
magnetoresistance 5=15428
thermoelectricity and mag. order—disorder transform 5=9725
vapour pressures 5=1218
R^{3+} in CaF_2, CaO, MgO, g-factors, atomic no. effect, spin reson. calc. 5=1223
Rare earth compounds
See also the compounds of the individual metals; Ferrites.
alloys with Cd, crystal struct. 5=6477
alloys, disorder resistivity calc. 5=3976
alloys, elec. resistance maxima and minima 5=1617
alloys, with Ga, existence of RGa_3 type compounds 5=3641
aluminates, dielectric const. and loss 5=15387
aluminates, transmission spectra 5=7360
binary alloy systems, superconductivity 5=6893
binary alloys, disorder resistivity 5=3977
chelates, intramol. energy transfer 5=11542
chelates in Lewis bases, fluorescence enhancement 5=6193
ethyl sulphates, mag. susceptibility anisotropy 5=4169
gallate garnets, Gd^{3+}, Tb^{3+}, Dy^{3+}, Ho^{3+}, Er^{3+} and Yb^{3+} ions magnetization laws meas. 5=7162
garnets, mag. props, energy levels, spin—wave spectrum 5=4212
lanthamide-Ag cpds, mag. props. 5=4219
lathanide ions, hypersensitive pseudoquadrupole transitions 5=903
lanthanide series mixed oxides, spectra 5=13057
orthoferrite single crystals, ferromag. coercivity, ang. var. 5=7155
scandium group—Al—C ternary phases, crystal struct., atomic 5=3642
selenides compounded, with alkaline-earth selenides, struct. 5=6478
Sesquioxides, high press B-type polymorphs 5=12202
titanates, transmission spectra 5=7360
trichlorides, low-temp. mag. transitions 5=12913
tungstates, $M_2(WO_4)_3$ type, crystal structure 5=12234
vanadates, luminesc. 5=9952
$Al_{3.4}$, crystal struct., atomic 5=3620
Al garnets, magneto-optical props. 5=1847
Fe garnets, magnetic study 5=9814
Fe garnets, spin—magnon relax. 5=1806
R_5Mg_{24} type, lattice structure 5=12223
RIn_3, R = Y, Eu, Gd, Tb, Dy, Ho, Er, Tu, Yb or Lu, cubic $AuCu_3$ struct. 5=3650
Rare gases. See Inert gases.
Rayleigh scattering. See Scattering/light.
Rayleigh waves. See Elastic waves; Seismic waves.
Reaction kinetics
See also Catalysis; Chemical reactions; Exchanges, chemical; Explosions.
activated complex theory, classical mechanics 5=1893
activated complex theory, quantum mechanics 5=1892
adsorbed monolayers, collision frequency 5=13160
aromatic hydrocarbons, triplet states 5=4379
bimolecular reactions, reaction-path degeneracy 5=10005
bimolecular, stochastic model 5=4384
cyclohexene, decyclization rates 5=13144
dissociation and recombination of diatomic mols. 5=10003
electrodes 5=4402
gaseous reactions, activated-complex theory 5=15613
ion—molecule reaction rates, effect of translational energy 5=10002
isomerization reactions, nonequilibrium effects 5=10003
methane—tritium system, exchange reaction 5=4380
parameters in partial equilib., rels. 5=15612
quinoldic acid, decarboxylation, C^{13} and O^{18} isotope effects 5=7419
rate determ. by weak disturbance decay meas. 5=1891
rate eqn. soln., Runge—Kutta numerical integration 5=1890
rate theory, statistical factors and symmetry numbers 5=13142
reactor catalyst, oxyhydrogen reaction, steam poisoning, ignition, kinetics calc. 5=14558
scrambling reactions, molec. distrib. at equilibrium 5=4375-6
solid-state reaction, particle-size distrib. effect 5=4382
spectrochemical continuous meas. method 5=7450
surface recombination in presence of distrib. atom sources 5=4392

Reaction kinetics—contd
unimolecular decomp. rates, rel. to quantum statistical weight effects 5=13140
Wurster's blue in aq. soln., electron exchange 5=4385
$2CF_2 \rightarrow C_2F_4$, flash photolysis meas. 5=1896
CO chemisorbed on W, isotopic mixing 5=10001
Cl recombination three-body reaction rates 5=1894
Cs-graphite lamellar compounds, decomposition 5=10004
H atom recombination on surfaces 5=4392
H isotope disproportionation, for H_2O 5=4378
$H + Cl_2 \rightarrow HCl + Cl$, rates 5=13145
$H + HCl \rightarrow H_2 + Cl$, rates 5=13145
$H + O_2$ in shock waves 5=1897
$H_2 \rightarrow D_2$ conversion, Ni and Cu + Ni catalysts, chemisorbed gases effect 5=4396
HCl, heat to vibration, conversion 5=13155
NF_2 and NF radicals, investigation 5=13146
NH_2 radicals, recombination and disproportionation 5=7421
N + O, ion—molecule, and ionosphere 5=15616
O atoms, recombination rates, at high temps. 5=13143
O + N, ion—molecule, and ionosphere 5=15616
$O + 2O_2 \rightarrow O_3 + O_2$ 5=7417
O-pH conversion, Ni and Cu + Ni catalysts, chemisorbed gases effect 5=4396
OH radical, with aromatic mols., rate consts. 5=4381
OH radicals in shock waves, recombination in H_2—O_2 mixtures 5=1895
Y—Cl surface reaction 5=1905
Reactors. See Nuclear reactors, fission; Nuclear reactors, fusion.
Re(h)binder effect. See Mechanical strength; Surface phenomena.
Recombination. See Ions, recombination; Semiconductors.
Recombination radiation. See Luminescence.
Recording
See also Sound recording.
No entries
Rectifiers
See also Electron tubes; Semiconducting devices.
grid-controlled, power factor formula 5=10451
CdSe—Se, elec. forming, effect 5=15357
Hg arc, anode surface current density distrib. 5=5949
Hg arc, auxiliary arc extinction 5=5947
Hg arc, h. v., vapour density dynamic changes 5=5948
Si, channel conductivity meas. 5=12765
Si controlled, time-delay circuit 5=6978
Recrystallization (metals). See Heat treatment.
Red giants. See Stars.
Red shifts. See Astronomical spectra; Cosmology; Relativity/general.
Reflection
See also Neutrons/reflection; X-ray reflection.
detonation waves, Mach refl. in condensed high explosives 5=113
dielectric layers pile, X-ray, calc. 5=15530
Love surface waves at a corner, theory 5=13916
Rayleigh elastic waves at a corner 5=13917-8
acoustic waves
See also Echo; Reverberation.
gases, rarefied 5=11813-4
spreading loss in constant-vel.-gradient media 5=4806
acoustic waves, ultrasonic
coupling media between probes and generators, 5 to 45 Mc/s 5=9377
electromagnetic waves
convex body, differential reflectivity concept 5=10537
ionosphere F_2 region, high-multiple 5=10094
magneto-ionic medium, oscillating, collision free 5=14100
from magnetoplasma and dielectric interface, theory 5=6009
moon, r. f., wavelength var. 5=15828
in plasma, stratified 5=8974
polarized microwaves from plasma surface, e-density effects 5=14739
r. f., aspect sensitive, in ionosphere F-region 5=10091
scattering effects and radar astronomy 5=10536
space vehicle, radar return, increase due to electro-acoustic waves induced in ionosphere 5=13630
from stratified semi-infinite medium 5=7998
by Yagi-structure, theory 5=14101
light
See also Mirrors; Optical films.
conics with a circle focus, for circle source distrib. control 5=5042

Reflection—contd
light—contd
crystal plates, coeff. in exciton absorpt. region 5=15529
crystals, active inversion plane type 5=13016
dielectrics, phase change 5=13017
diffuse distrib., around stereometric surface 5=10704
Drude eqn., failure, in limit of thin films 5=10705
dye crystals, metallic reflection 5=1583
Fabry–Perot interferometer, reflectors 5=10709
films, absorbing, on metal surface 5=2344
graphite, reflectance data, 26 eV 5=15547
by lenses, limitations 5=10655
metal films, intensity and phase rels. 5=9881
metallic mesh, far i. r., 0° and 45° incidence 5=5072
by microscopic objects 5=14175
multilayer coating, absorpt. effect on extrema 5=5074
multiple films with layer of variable thickness 5=5079
multiple, in plane-parallel plate, harmonic generation 5=2313
rel. to radiation transfer within spectral line 5=5075
reflectance data, digital analysis, for refractive index 5=10703
reflectance spectrum curve, extinction coeff. and refractive index calc. 5=10702
reversibility of ray paths, at dielectric—metal interface 5=303
semiconductor switch for ruby, giant pulse 5=4292
semiconductors, rel. to refractive index, absorpt. coeff. and free carrier conc. 5=7297
spectral reflectances, 0. 7 - 100 μ, for natural and synthetic materials 5=7316
sphere, Fermat's principle appl. 5=5041
on wavy surface 5=10654
Al_2O_3, ultraviolet, 45° incidence angle 5=15538
BaF_2 crystals, 6-14. 5 eV 5=7329
$BaTiO_3$ prism, by Kerr effect, calc. 5=13034
BeO, ultraviolet, 45° incidence angle 5=15538
CaF_2 crystals, 6-14. 5 eV 5=7329
$Cd_xHg_{1-x}Te$, 1-25 μ 5=13061
CdO films, temperature var. 5=7325
CuO, strain splittings of exciton series 5=9901
HgTe, restrahlen reflection 5=15563
NaCl, meas. 5=13075
PbTe, i.r., and crystal carrier mass, conc. var. 5=6799
Sb_2Se_3, i. r. absorption meas., temp. var. 5=4296
SiO_2, ultraviolet, 45° incidence angle 5=15538
Reflectivity
See also Diffusion/light; Optical constants; Optical films
absorbing film on absorbing substrate, computer programme 5=5076
anti-reflection coatings on glass, triple-layer 5=5078
bulk coeff., calc. 5=10701
diamond, reflectance data, Kramers—Kronig analysis 5=4304
integrating sphere system for meas. 5=10700
measuring device 5=5077
metal films, polarized light, var. with angle of incidence 5=7303
metallic surfaces, harmonics 5=7299
mirrors, meas. 5=304
multilayer films, graphical det. 5=10706
semiconducting surface layers, plasma frequency 5=4278
thin film and uncoated substrate, equal 5=9883
Ag films, 3. 5-14 eV 5=7365
Ag films, vacuum u. v., ageing effects 5=7334
$BaTiO_3$ 5=1831
n—Bi_2Te_3, i. r., effective mass det. 5=3917
Cu films, vacuum u. v., ageing effects 5=7334
GaAs, increased by laser, electron—hole plasma formed 5=15551
Ge, increased by laser, electron—hole plasma formed 5=15551
Ho, optical, var. with temp. 5=6802
In films, i. r. methods 5=9922
InSb, increased by laser, electron—hole plasma formed 5=15551
MgO, 1080-2225°K, and optical consts. 5=15560
MgO surface meas., for light scatt. apparatus 5=10720
Sb films on Al_2O_3, 4-140 μ 5=4295
Sb, magnetic field var., and interband transitions 5=15539
Se—Te system 5=4362

Reflectivity—contd
Si, increased by laser, electron—hole plasma formed 5=15551
Sn films, i. r. methods 5=9922
U oxides, rel. to composition 5=15577
Refraction
No entries
acoustic waves
See also Dispersion/acoustic.
point source in air jet 5=7847
spreading loss in constant-vel.-gradient media 5=4806
underwater, from layered media 5=3333
acoustic waves, ultrasonic
No entries
electromagnetic waves
See also Electromagnetic waves propagation.
magnetoionic medium 5=14103
magneto-ionic theory, large Z, Appleton eqn. 5=14102
near-field, sector screen vertex 5=10538
light
See also Double refraction.
crystals, active inversion plane type 5=13016
interferograms, deviation errors 5=14200
Snell's law and calculus of vars. 5=5048
Refractive index
plasma, for configuration study 5=1100
GdYFe garnet, i. r. meas. 5=15580
He, isoelectronic sequence, shielding approximation 5=2903
YFe garnet, i. r. meas. 5=15580
light
See also Dispersion/optical; Double refraction; Optical constants.
alkali-halide crystals, ion polarizability dispersion 5=13031
alkali—TiO_2 glass systems 5=3527
benzene, temp. and press. effect 5=3337
complex, from reflectance data, digital evaluation 5=10703
film meas. from thickness and reflectivity and transmission, errors 5=14197
films, thin, normal and oblique index 5=10708
fluoride interf. films on ThO_2 5=9904
gases, liquids and solids, pressure effects, review 5=6094
glasses, various, polished surface, by ellipsometry 5=7341
graphite 5=7343
hexane, change at pre-breakdown 5=11897
ionic crystals, theory 5=7298
IRTRAN-1, Sellmeier dispersion eqn. fit 5=5046
measurement of gradient, by autocollimation 5=13050
metal films, polarized light 5=7303
methane, liquid and gaseous, at 0°C, Lorentz—Lorenz fn. 5=3270
mica, Abbe refractometer meas. method 5=7351
plexiglass, rel. to dielec. const. at 36 and 42 Gc/s 5=4083
reflectance spectrum curve calc. 5=10702
semiconductors, from refl. light characts. 5=7297
water, temp. and press. effect 5=3337
$AgNO_3$, phase transform. at 185°C 5=3457
Ag_2SO_4, phase transform. at 570°C 5=3457
Ar, liquid and gaseous, at 0°C, Lorentz—Lorenz fn. 5=3270
Ar, solid, and Lorentz—Lorentz funcn. 5=9894
$BaTiO_3$, principal refractive indices, interferometric determ. 5=7324
CCl_4, temp. and press. effect 5=3337
CF_4, liquid and gaseous, at 0°C, Lorentz—Lorenz fn. 5=3270
H_2, liquid and gaseous, at 0°C, Lorentz—Lorenz fn. 5=3270
$H_4Fe(CN)_6$ 5=6453
He, > 600Å 5=9047
La_2O_3—BeO system, 1200-2600°C 5=6278
N_2, liquid and gaseous, at 0°C, Lorentz—Lorenz fn. 5=3270
NaI:Tl, u. v. to far red, 113°-573°K 5=4326
O_2, liquid and gaseous, at 0°C, Lorentz—Lorenz fn. 5=3270
SiO_2 films on Si, oil immersion method 5=1852
$SiTe_2$ 5=4323
ZnSe rel. to optical wavelength 5=1857
$ZnWO_4$ single crystals 5=1879
Refractive index measurement
dielectric multilayer coatings, determ. method 5=2345
ice prism, minimum deviation method 5=9907
Refractometers
phoropters, counting mechanism 5=8104
Refrigerators. See Low temperature production.
Regge poles. See Scattering, particles.

Relativity
conformal invariance, and isolation of causality 5=2043
curved space, elementary particles 5=14249
duality invariance, Riemannian geometry 5=59
Einstein's field eqn. soln. for rotating, stationary, dust-filled universe 5=7544
Einstein—Maxwell eqns., inequivalent sol., calc. 5=58
embedded space—time, generalized covariance 5=14250
energy—momentum tensor, commutation relations 5=388
enigma $E = mc^2$, potential energy and renormalization of mass 5=4716
Kepler motion spinor regularization 5=10261
Lorentz group, with internal symmetry 5=379
and Newtonian 4-dimensional mechanics 5=7767
radiation near massive bodies 5=4536
relativistic particles and systems with variable rest mass, eqn. of motion 5=2032
rotating systems, application 5=7768
space structure and relat. quantum theory formalism 5=7766
tensor of matter, algebra 5=10255
time dilation on rotor, Mossbauer meas. 5=10253
vectors, contravariant 5=13854
velocity of light, philosophy of the ether 5=8074
zero rest mass field asymptotes 5=10242
general
See also Cosmology; Gravitation.
aberrations of stars and Doppler effect 5=13700
Birkhoff's theorem and Einstein space-time 5=13863
bootstrap geons 5=7782
C-field as a direct particle field 5=4528
canonical formalism coordinate conditions 5=10260
constraint removal of gravitational field 5=7780
cosmological models, theory, steady-state 5=13669
cosmology, foundation review 5=13670
cylindrical waves 5=7783
diffusion of rotational in incompressible viscous fluids 5=4741
Dirac eqn., stationary soln. 5=7778
dyadic analysis of space—time congruences 5=2047
e. m. fields, homogeneous nonstatic, Rainich eqns. 5=13872
Einstein's theory, rel. motion of two rotating bodies 5=56
elasticity theory 5=10256
electron theory 5=10258
embedded space—time, and particle symmetries 5=14254
embedding problem in Riemann spaces, conference 5=13819
embedding, Riemann spaces in Euclidean spaces 5=13860
embedding, Riemannion manifolds into Euclidian spaces, review 5=13859
equivalence, principle 5=2046
Euclidean theories, expt. proofs 5=13862
experimental tests, book 5=7774
extended test bodies, covariant multipole formalism 5=49
fluid sphere like Emden polytrope of index five 5=7551
4-momentum, in terms of 4 invariants, asymptotically flat space-time 5=52
geometry of spaces, invariant approach 5=7776
gaseous in stability, small perturbation calc. 5=51
geometrodynamics 5=4747
gravitational collapse, adiabatic 5=4538
gravitational collapse and elec. charge 5=10117
gravitational collapse with non-zero pressure 5=1963
gravitational field interaction with wave of spin $^1/_2$ or $^3/_2$ 5=10248
gravitational potential deriv. in Minkowski's space—time 5=13866
isolated axisymmetric system, generating gravitational waves, total energy and momentum 5=53
Kerr metric interpretation 5=13871
Lorentz transform. 5=7773
Lorentz transformation, 5 dimensional, Spinor representation 5=2045
massive spheres, with isotropic pressure 5=55
Mössbauer effect appls. 5=7701
motion of body with variable mass 5=7763-4
new variational formalism 5=10257
nongeodesic motion 5=10263

Relativity—contd
  general—contd
    non-static spherically symmetric solution, complete 5=13865
    orbital periods in Schwarzschild space time 5=10262
    physical structure, erratum 5=7784
    plane wave, global embedding impossibility 5=13861
    Poynting vector for gravitational radiation 5=4735
    quantization, propagators in curved space 5=13868
    quantum theory and C-number grav. field 5=13867
    radiation, Riemann tensor 5=13864
    red shift implies round trip distance increase 5=4743
    red shift, sun and galaxies, gravitational inhomogeneity explanation 5=10112
    rotating bodies 5=10264
    rotating fluid masses 5=13870
    quantization 5=50
    quantization, Gupta 5=2048
    rigid frames 5=4748
    scalar—gravitational field construction 5=10244
    Schwarzschild metric and gravitational energy release 5=13869
    Schwarzschild-soln., in uniform field theory 5=54
    Schwarzschild Universe, Doppler effect 5=47
    shift meas. by photoelec. obs. of satellites 5=10106
    singularity in Schwarzschild space time 5=10259
    space-times, spherically symmetric, theory 5=4744
    spinor fields in Finsler spaces 5=10219
    tetrad and compensational formulation 5=7775
    tetrad propagation transformation 5=7777
    Yang—Mills field on space-time curve 5=4736
  special
    addition-of-velocities, expt. investigation 5=7769
    biological ageing and clock paradox 5=4746
    causality and linear field eqns. 5=2044
    clock paradox information theory 5=10252
    dynamics of points 5=4740
    electrodynamics, Maxwell—Hertz 5=10250
    electrostatics, masses corresponding to potential energy 5=4738-9
    fibre space 5=13858
    foundations without parallel axes assumptions 5=10249
    Lorentz invariance proof 5=13853
    Lorentz transform. in vector form and particle mechanics 5=7772
    mechanics and electrodynamics, relativistic connection 5=4742
    mechanics, energy conservation basis 5=4737
    non-inertial systems 5=46
    and right angled lever paradox 5=13856
    scattering, particles, dilatation effects at very high energies 5=2476
    Schwarzschild Universe, Doppler effect 5=47
    simultaneity theorem, proposed expt. to test using cm radiation 5=7770
    space homogeneity and isotropy, expt. verification 5=4745
    stochastic space-time 5=60
    symmetrical coordinates 5=10251
    teaching, film 5=2012
    thermodynamics in 5=13857
    time gradient 5=13855
    time meas. in vibrating system 5=7771
    velocity, light, invariance with source velo., laser meas 5=8075
  unified field theories
    Einstein—Schrödinger, quantization 5=13873
    gravitational energy, for field of isolated mass 5=4733
    space mechanics and thermodynamics, from Minkowski's electrodynamics 5=10265
    spinor field theory and Noether's theorem, in curved space—time 5=57
    two body problem 5=2050
Relaxation
    See also Acoustic wave propagation; Dielectric phenomena; Elastic relaxation; Ferroelectric phenomena; Ferromagnetic relaxation; Molecules/relaxation; Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation.
  canonically invariant processes, thermodynamics 5=2075
  classical oscillator 5=7726
  in electron beams 5=4915
  halomethane binary mixtures and acoustic dispersion 5=9045

Relaxation—contd
  Lorentz gas with repulsive r^{-8} force law 5=78
  plasma, Balescu—Lenard eqn., to Maxwellian 5=14713
  spin systems, statistical theory 5=2269
  stress, in bending, simple test 5=3817
  stress relax. estimation, from creep data 5=3818
  NaCl, modes of trapped point defects 5=3733
  O with CH_4 and CD_4, thermal 5=9044
Remanence. See Magnetization state.
Renner effect. See Molecules.
Replica techniques. See Electron microscopy.
Reproduction. See Sound reproduction.
Resistance, electrical
    See also Conduction, electrical; Conductivity, electrical; Contact resistance; Magnetoresistance; Piezoresistance.
  admittances, audio-freq., comparison by direct-reading ratio sets 5=4867
  alloys, dilute, magnetic, minimum rel. to anomalous electron scatt. 5=9618
  anthracene, dark resistivity 5=1657
  antiferromagnetic metals, at low temps. 5=12639
  circuits, lattice random walk soln. 5=2193
  exploding wires, preburst, and temp., calc. 5=15266
  exploding wires, vaporization effects 5=15267
  impedance, of plasma-filled condenser 5=11689
  low-temp. intrinsic region, Fermi surface calc. 5=6808
  measurement, of position dependent resistivity 5=188
  metals, changes rel. to irradiation-displaced atomic cascades 5=1602
  network model of electron-optic systems, with axial symmetry 5=4917
  pulse-operated tubes, input, meas. apparatus 5=14010
  rare-earth binary alloys, disorder resistivity 5=3977
  rare earth metal alloys, maxima and minima in resistivity—temp. curves 5=1617
  resistors, micro-element, fabrication by electron beam 5=2184
  semiconductor films 5=9586
  tensor element inequalities 5=194
  thermistor, VECO 32A8, self-heated operation 5=7927
  transition elements, dilute metallic solns., minimum review 5=4261
  transition metal alloys with Pd base, meas. 5=7081
  Al, deformed, low temp. recovery meas. 5=3829
  Al films, effect of evaporation pressure 5=1604
  Al, rel. to annealing 5=15139
  Al, very high purity 5=14969
  Au evap. films, rel. to formation mechanism 5=15274
  Au, 0-70 kbar press., high temp. 5=14879
  $BaTiO_3$, doped, anomaly 5=4089
  BiI, temp. coeff. of resistance 5=12644
  C resistors for press. transducers 5=7713
  Cd, effect of press. 5=9624
  CdS, rel. to O chemisorption 5=1907
  CdS, rel. to press. for various phases 5=1263
  Cr—Cu alloy Hidurel-6 5=1430
  Cu, electron-irradiated 5=3786
  Ge, n-type, with Au^{2-} centres, negative resistance at 20°K 5=9673
  Ge surfaces, rel. to chemisorption of O_2 and NH_3 5=4027
  In, Kohler's rule divergence 5=1611
  p—InSb, double injection negative resist., current controlled 5=6930
  InSb, impure n-type, warm carrier, in mag. field 5=4030
  Mg alloys, dilute binary, Mathiessen's rule, lattice scattering influence 5=1614
  Nb_3Sn, microwave surface resistance meas. rel. to temp. 5=6888
  Ni—Mo, temp. depend. 5=12648
  Ni—Si, temp. depend. 5=12648
  NiO, films as 2-terminal switch 5=1616
  Si with B impurity, thermal neutron irrad., elec. resistance improvement 5=4693
  Si diodes, p—π—n, negative resistance 5=12769
  Sn oxide films, effect of ion migration in glass substrate 5=6946
  Tb, 5° to 300°K 5=1435
  U, neutron irradiated 5=12656-7
  Zn, effect of press. 5=9624
  ZnSe—ZnTe, minimum 5=6950

Resistance thermometers. See Thermometers/resistance.
Resistivity. See Conductivity, electrical.
Resolving power, optics
See also Optical instrument testing.
camera, rotating mirror type, maximizing exposure-limited resolution 5=5105
and image, best, and aberration, wide object 5=8084
multilayer filters, in nonparallel light 5=2325
Resonance, elementary particles. See Hyperons/resonances; Mesons/resonances.
Resonance, magnetic. See Magnetic resonance and relaxation.
Resonance spectra. See Spectra.
Resonators
No entries
acoustic. See Acoustic resonators.
electromagnetic. See Electromagnetic oscillations.
Reverberation
See also Architectural acoustics; Echo.
chambers, absorption coeff. meas. 5=2128
electroacoustically coupled rooms, times, rel. to freq. response curves 5=4812
ocean floor 5=10044
reverberation chambers, acoustic fields, isocorrelation 5=13965
room and impedance-tube absorpt. meas. 5=2115
from rough sea surface 5=4441
Royal Festival Hall, electronic lengthening 5=7856
sea, statistical spectra calc. 5=15650
seawater envelope 5=4440
tone bursts meas. method 5=13962
underwater, vertical coherence 5=4439
Reviews
absorption, light, opacity calcs., and summary 5=2340
adhesive joints, shear strength and design effects 5=6685
analogue to digital converters, fast 5=10420
architectural acoustics, semipopular 5=130
astronomy, ground-based, 10-year programme 5=15784
astronomy and radioastronomy, (1961-4) 5=13667
atoms and molecules, electronic correlation energy 5=5733
Beta decay theory 5=747
beta-decay theory 5=2761
bonds, metal–metal, in transition metal complexes 5=6238
bubble chambers, H, D, He 5=10934
bubble and spark chambers, automatic data handling 5=10933
calculating apparatus, digital computers, small, on-line 5=10893
celestial mechanics of artificial satellites Moscow university 1957-62 work 5=13652
chemical reaction obs. in crossed mol. beams 5=7420
chondrites, chondrules, and solar system origin 5=1980
colour difference meas. 5=14174
comet physics progress, recent 5=15847
comets 5=7645
Comets, 1963 obs. 5=7644
conductivity, thermal, meas. 5=170
convection in closed cavities, USSR 5=10372
cosmic e.m. radn. 5=7624
cosmic γ and ν sources review 5=13680
cosmic radiations, r.f., Galactic sources 5=10135
cosmic radiations, r.f., from galaxies, including ours 5=10151
cosmic rays nuclear component, Soviet satellite and rocket meas. 5=5470
cosmic-rays, theories and techniques 5=5467
cosmology, general relativistic foundations 5=13670
counters, scintillation, review 5=10905
crack propagation, fatigue 5=9529
crystal mechanical twinning book 5=9264
crystal surface states, theory 5=3928
crystal surface transport 5=3931
deuteron photodisintegration theory 5=5455
diffusion pumps 5=6114
dosimeters, solid-state 5=2526
dosimetry, photographic, automation 5=8320
e.m. millimetre wave generation 5=4946
e.m. wave propag. in random medium 5=2257
e.s.r. of free radicals 5=8874
electric units and atomic consts. 5=2182
electrical properties of metals and semiconductors 5=9616
electricity, direct conversion, thermionic 5=10453
electroluminescent devices, R and D trends 5=13136
electromagnetic fields, partially coherent 5=2217

Reviews—contd
electron emission by all processes 5=4122
electron microscope crystallography 5=3612
electron scatt. by nuclei at high energy 5=8626
elementary particle research 5=5297
elementary particle separation at high energies 5=8367
elementary particle unitary symmetry 5=8225
elementary particles 5=8363
elementary particles, conservation laws, semipopular review 5=396
elementary particles, resonances, data 5=10971
elementary particles and their symmetry schemes 5=5186
embedding, Riemannian manifolds into Euclidian spaces 5=13859
emission electron microscopy 5=14071
excitons in molecular crystals, theory 5=6814
ferrimagnetic resonance theories 5=4228
ferromagnetic thin films theory 5=7114
ferromagnetics, internal friction in alternating mag. field 5=3805
ferromagnetics, internal friction, in alternating mag. field 5=6670
few nucleon systems 5=671
field emission techniques, semipop. review 5=4128
film thickness meas. from elliptically polarized light, history 5=3488
fixed wire multichannel analysers 5=10925
flare stars, UV Ceti class, radio emission 5=4573
flowmeters, liquids and gases 5=3251
fracture of metals 5=1503
friction, metals 5=6691
galaxies, dwarf 5=4599
γ-ray quanta circular polarization, from nuclei after β-decay 5=2735
gases interdiffusion press. difference calc. 5=9056
guided waves, quasimodes 5=4964
high press. research 5=13797
high pressures, prod. and meas 5=7700
i.r. semiconductor detectors, requirements 5=4109
interactions, strong, at very high energy 5=2465
Internat. Years of Quiet Sun 5=15721
interstellar matter 5=13732
interstellar matter, 2 lectures 5=4617
ion extraction from plasma sources 5=10504
laboratory tube furnace materials, up to 1300°C 5=4854
laser applications conference 5=4995
laser quantum theory 5=8038
laser, semipopular review 5=268
lasers 5=267
lattice harmonics, cubic groups 5=14998
lattice harmonics, hexagonal close-packed 5=14999
lightning, ball 5=13289
liquids, compressibility 5=6127
liquid crystals, semipopular review 5=3303
liquids, transport props. effects, high pressure effects 5=6154
low pressure meas. 5=9063
luminescence, ZnS, CdS; $MnCl_2$–amine chlorohydrate complexes 5=7404
luminescence, rare earth ions in fluorite-type crystals 5=13123
m.h.d. experiments history 5=10509
macromolecule study by Archibald ultracentrifuge 5=14680
Magellan large cloud, semipop. review 5=4608
magnetic field generation, $>$200 kOe 5=14051
magnetic materials, effects of neutron irradiation 5=3782
magnetic monopoles, semipopular review 5=202
magnetic tape data recording 5=10891
magnetism research with polarized neutrons 5=7099
magnetization state, domains 5=12890
magnetothermal effects theories 5=7112
mass spectroscopy of small quantities, review 5=5728
mesons, K, π, interactions, expt. evidence 5=5388
metal foils, prep. for electron microscope exam. 5=3496
metal optical const. meas. 5=4276
metals, crystal lattice vibrations 5=6500
metals, dispersion-strengthening 5=1502
metals, Fermi surface, semipopular review 5=1578
metals, galvanomag. props, Hall effect, magnetoresistance, Fermi surfaces 5=6837
meteorite origin theories 5=15863
meteors, density and structure 5=4644

Reviews—contd
- multiple scattering methods 5=2062
- n. m. r. 5=12994
- n.m.r. in metals and alloys 5=1808
- N—N interactions, present state of theory and practice 5=5331
- novae shells, chem. comp. analysis, review 5=4586
- nuclear collective phenomena 5=696
- nuclear fission, experimental studies 5=2849
- nuclear gamma decay 5=697
- nuclear physics associative storage for multichannel analysers 5=10890
- nuclear physics calculating apparatus, digital, on line, for low energies 5=10886
- nuclear physics data handling by digital computer 5=10889
- nuclear physics data handling at low energies 5=10887
- nuclear physics, high- and low energy inter-relation 5=8286
- nuclear physics time interval meas. 5=10892
- nuclear power indust. development, Rutherford Mem. Lecture, 1963 5=5704
- nuclear reactions and nuclei 5=8616
- nuclear reactor in-core instrumentation 5=14564
- nuclear reactors in USSR 5=8701
- nuclear surface, optical model analysis 5=2717
- neutron spectroscopy for nuclear probe methods 5=2621
- oceanography, progress in 5=4444
- optical pumping 5=11454
- orbiting astronomical observatories, semipopular review 5=1959
- paper, elastic modulus, theory 5=12529
- phase changes, one component systems 5=11923
- photoconductive cells, cond. var. with light distrib. 5=1704
- photoelastic models, surface stress value calcs. 5=6676
- photoelectric emission from solids 5=15416
- photography 5=2356
- photography, high-speed, rel. to micrography 5=5102
- pionic resonances 5=8463
- planetary nebulae distance meas. 5=10146
- plasma diffusion in mag. field 5=3150
- plasma–e. m. radiation interaction 5=6010
- plasma in solids 5=9607
- plasma waves in solids, expt. semipopular review 5=1590
- polarization effects in magnetic resonance 5=8017
- polymer study by light scatt. 5=6338
- polymers, structure, orientation, spectra 5=3090
- pressure effects 5=6094
- quantum theory many particle system transition methods 5=70
- quasistellar radio sources, semipopular review 5=1972
- radiative transfer opacity calcs. 5=4776
- radiotelescopes, lecture 5=10190
- rare-earth metals, ferromagnetism and anti-ferromagnetism 5=7153
- reactors, fast breeders 5=5705
- S-matrix theory 5=8279
- satellite attitude control, (1961-2) 5=13645
- satellite stabilization 5=13654
- scattering, high energy theory 5=2470
- second harmonic generation in solids, semipop. review 5=2274
- seismic wave attenuation freq. var. 5=13206
- semiconductor mixed crystals, props., phase transformations 5=12714
- semiconductor properties, n.m.r. meas. 5=6927
- semiconductors, amorphous and liquid, energy band struct., spectrum 5=12693
- semiconductors at cryogenic temps. 5=9660
- semiconductors, e.s.r. 5=1790
- solar optics 5=7652
- solar prominences, dynamical theory 5=7686
- solar wind, semipopular review 5=4658
- solids, high-pressure spectroscopy 5=9880
- solids, viscoelastic deformation 5=12457
- space simulation 5=15769
- space vehicle instrumentation and experiments 5=13637
- spark chamber system, spatial accuracy 5=2540
- spark chambers, post 1962 advances 5=5282
- spark chambers, theory, construction, appls. 5=14359
- spectra continuous, atomic and autoionized, bibliography 5=14585
- spectrochemical analysis nuclear appls. 5=13182

Reviews—contd
- spectroscopy, high resolution 5=10681
- statistical mechanics 5=64
- strange particle prod., energy var. 5=636
- strong interactions analysis, especially π–N 5=8256
- strongly interacting particles 5=2556
- sun, magnetism 5=4654
- sun X-ray and extreme u. v. radiation and ionosphere 5=15873
- sunspots, flares, 1963 obs. 5=7669
- superconducting magnets 5=10469
- superconducting penetration depth, theory 5=6883
- superconductive tunnelling 5=9643
- superconductivity theory 5=6852
- superconductivity, tunnel effect 5=3979
- superconductors in intermediate state, mag. props., Faraday effect photographic meas. 5=6870
- superconductors, soft, props. and devices 5=15304
- supernovae and remnants 5=1969
- surfaces, electron correl and screening 5=7045
- symmetry groups 5=14253
- thermal cond. and sp. ht. of solids, meas. standardization 5=6544
- thermal expansion of solids 5=3693
- thermoelectric materials, carrier energy spectrum 5=9593
- thin films, Ge and Si, growth and structure 5=3503
- III—V compounds, book 5=4011
- transition elements, dilute metallic solns., elec. resist. thermopowers, n. m. r. line broadening 5=4261
- transition metal complexes 5=6238
- vacuum prod. cryogenic applications 5=11823
- variational methods in elasticity 5=10228
- vision physiology 5=5108-9
- weak interactions 5=8252
- X-ray meas., comparative 5=5317
- X-ray spectroscopy and crystal structure 5=1355
- Fe, yield point, H effect 5=6723
- He^3 and He^4 mixtures, liquid and solid 5=2172
- Kr, vapour press., 77-180°K 5=9181
- Nb$_3$Sn, vapour-deposited, prep. and props. 5=6379
- Pu, vapour pressure 5=3410
- PuO$_2$, vapour pressure 5=3410
- Re and Re alloys, electron tube applications 5=10197
- Si, surface effects 5=15334
- SU$^{(3)}$ symmetry scheme 5=8221
- Xe, vapour press., 77-180°K 5=9181

Reynolds number. See Flow; Hydrodynamics.

Rhenium
- adsorption of Cs 5=3523
- crystal growth, high purity 5=9285
- diffusion, by field-emission microscope 5=12331
- electron emission, secondary 5=4149
- electron tube applications, review 5=10197
- Re^{4+}, e.s.r. in K$_2$PtCl$_6$ single cryst. 5=4254

Rhenium compounds
- hexahalides, absorpt. spectra 5=11548
- Re alloys, electron tube applications, review 5= 10197
- ReBr$_6^{2-}$, force consts. 5=8836
- ReCl$_6^{2-}$, force consts. 5=8836
- ReF$_6$, valence force consts. 5=8832
- ReH$_9^{2-}$, H atom arrangement 5=6479
- ReO$_2$, paramagnetism, orthorhombic, monoclinic 5=12877

Rheology
- See also Plasticity; Viscoelasticity.
- asphalt from different petroleum oils, comparison 5=3283
- hereditary systems, equilib. conditions, integral operator determ. 5=7754
- non-linearity, geometrical 5=7755
- rheometric measuring instruments 5=11784
- shear dynamic apparatus calibration 5=7752
- steady flows of general elastico-viscous liquid 5=3284
- thermodynamics 5=3241
- Cu—Sn, flow stress, grain size effect, temp. var. 5=6710

Rhodium
- atomic and electronic hts. and entropy, 10°-298°K 5=6555
- crystal electron states, Fermi surface density 5=7354
- ion, Rh^{2+}, e. s. r. in ZnWO$_4$ Czochralski grown crystals 5=14
- mag. susceptibility, electronic sp. ht. calc. 5=4170
- surface migration on lattice substrate 5=9239
- X-ray spectra, emission isochromat obs. 5=7354
- Rh(II) in ZnWO$_4$, e. s. r. and absorpt. spectra 5=4255

Rhodium compounds
- chalcogenides, crystal structure and elec. props. 5=9335
- Rh alloys, mag. susceptibility, electronic sp. ht. calc. 5=4170
- RhSi, n. m. r. and Knight shift 5=15521
- $RhSn_2$, n. m. r. and Knight shift 5=15521

Riemann-Cristoffel tensors. See Relativity; Tensors.

Righi-Leduc effect. See Magnetothermal effects.

Ring currents. See Atmosphere; Ionosphere.

Riometers. See Ionosphere measuring apparatus.

Rochelle salt
- ferroelectric transition, Na^{23} mag. reson. study 5=4092
- ferroelectric transition, Na^{23} n. m. r. study 5=9715
- ferroelectricity var. in auxiliary elec. field 5=7020

Rock magnetism
- Africa, polar wander 5=13623
- anomalies and bedrock geology in Antartica 5=13625
- artificial sediments, anisotropy 5=15768
- ferromagnetic granulates 5=7115
- furnace, non-magnetic 5=13617
- hematite, low temp. remanence, for identification 5=12926
- magnetic map interpret. by cylind. structure diags. 5=7540
- magnetite, low temp. remanence, for identification 5=12926
- measurement, spinner magnetometer 5=13624
- phases, natural remanent identification method 5=13627
- and pole positions 5=15753
- Rhodesia, ES, precambrian dolerites, correlation 5=13618
- Rhodesia, N, triassic red beds 5=13621
- ring complexes in S. Rhodesia 5=13622
- secondary magnetization of sandstone in Anglo-Welsh curvette 5=13626
- Seychelles results 5=10100
- Shaw ijolite 5=13620
- sulphide ore from Noranda, thermomag. props. meas. 5=10099
- Tanganyika, S. W., permian red beds 5=13619

Rockets
- acoustical meas. of static tests of clustered and single-nozzled rocket engines 5=2106
- Aerobee, mass-spectrometer spin modulation effects 5=13636
- D-region event, probe and Geiger analysis 5=13491
- and electrons, geomag. trapped, collisions effects time var. 5=13416
- Galaxy radio noise meas., 0. 7 and 2. 2 Mc/s 5=7603
- ionosphere, quiet D-region profiles 5=13490
- magnetometer expts, pneumatic deployment system 5=10103
- NASA, July 2, 1963, ionospheric temps. 5=13527
- Nike-Cajun mass spectrometer upper atmosphere neutral composition meas. 5=13352
- radioastronomy obs., l.f. 5=7618
- skylark, ionospheric electric current, Mar. 10/12 1964 proton magnetometer meas. 5=7518
- Skylark, sun stabilized, first launching 5=10101
- water release in upper atmosphere, clouds, atmospherics 5=13325

Rotating bodies
- See also Angular velocity measurement; Centrifuges; Earth/rotation; Gyroscopes.
- covered rollers, line pressure and rolling speed variations 5=34
- discs, and plastic deformation, critical vel. calc. 5=13844
- elastic sphere, composite, stress analysis 5=13848
- fluids in general relativity 5=13870
- oscillations of rotating gaseous mass, variational eqn. 5=4541
- relativity, general 5=10264
- satellite, rot. evolution 5=1960
- self-gravitating rings, equilibrium 5=4543
- sphere, in non-Newtonian fluid, no suction or injection, calc. 5=3243
- subliming, boundary layer calc. 5=14790

Rotation, molecular. See Molecules/rotation.

RS coupling. See Atoms; Spectra/atoms.

Russell-Saunders coupling. See Atoms; Spectra/atoms.

Rotatory power, dispersion. See Optical rotation.

Rubber
- dynamic behaviour, during moderate extensions 5=12545
- elastic props 5=12536
- internal friction, 0. 1-1000 c/s, cross-link spacing effects 5=6750
- stress—strain curve, effect of crystal size 5=1539

Rubidium
- atoms, excitation p-level by electron impact 5=5784
- atoms, spin-disorientation by inert gases 5=2913
- maser, field independent, 6835 Mc/s 5=14142
- oscillator, regenerative maser 5=10587
- spectral lines, excitation functions 5=8765
- spin relaxation 5=11446
- vapour, optical pumping by buffer gas and wall coating 5=5787
- Rb^+ atoms, struct., calc. of electron densities and energies 5=5732
- $Rb^{85,87}$, e.s.r. Zeeman transitions, optically aligned 5=5751
- Rb—foreign gas nuclei, spin exchange theory 5=11469
- $Rb^{85,87}$, h.f.s. 5=8764
- Rb^{87} atoms, optically pumped, in buffer gas, hyperfine relax. 5=919

Rubidium compounds
- Rb hexahalogen technetates and rhenates, crystal struct., atomic 5=12219
- $RbAl(SO_4)_2 . 12H_2O$, e.s.r. of Ti^{3+} 5=7256
- $RbAl(SO_4)_2 . 12H_2O$, Ti^{3+} crystal field energy-level splittings 5=9200
- RbF, phase transforms., high press., temp. var. 5=9234
- RbBr, band excited state, fine struct, Faraday paramag. effect meas. 5=3777
- RbCl, band excited state, fine struct, Faraday paramag. effect meas. 5=3777
- RbCl—H_2O solns., spin—lattice relax. time, conc. var. 5=11918
- Rb—Cs films, formation, effect of carrier props. 5=12746
- $RbNO_3$, phase transform. III $\rightleftarrows$ IV, hysterisis, purity effects 5=12015
- RbI, thermal expansion, crystal lattice meas., 27-173°C 5=1422
- $RbMnF_3$, magnetic structure 5=7192

Ruby
- colour centres, e. s. r., luminescence, Co^{60} γ ray effects, with ~ 0. 3% Cr_2O_3 5=9495
- emission spectra, rel. to U absorption 5=13068
- excitation of modes and generation kinetics 5=10637
- Faraday effect, He—Ne laser source, fields to 400 kOe, meas. method 5=15558
- far-infrared electronic transitions of Cr^{3+} 5=1849
- flaws, streak-type, in laser crystals 5=12419
- fluorescence lifetimes at 77°, 297°K 5=4361
- fluorescence, phonon-assisted, polarization 5=13124
- fluorescence, R-line "pseudo-Stark" splitting 5=15567
- fluorescence, X-ray induced 5=7398
- ground state splitting of Cr^{3+} ions 5=9915
- heated, deformation kinetics 5=3876
- laser amplifier 5=10636
- laser beam, focusing, "sparks" in air investig. 5=10634
- laser, bidirectional electrically switched 5=10635
- laser characteristics 5=10639
- laser, continuous operation, room temp. 5=14166
- laser, freq. shifts, power-depend., at 77°K 5=10643
- laser, γ-radiation effects on output 5=14169
- laser oscillators, cooled, uncoated, props. 5=10645
- laser pulsed Q-switched 5=8068
- laser, Q-variable, spike behaviour 5=14167
- laser, R_1 lines, Stoke's shift search 5=10644
- laser, resonator change 5=10638
- laser, ruby, energy density in cavity 5=8065
- laser, second harmonic generation efficiency ZnS versus ZnS: Fe^{3+} 5=4330
- laser, stimulated emission, time depend. 5=10640
- laser, toroidal, discrete mode selection 5=14168
- laser, Zeeman effect and polarization 5=5018
- lasers, time between oscill. pulses, temp. var. 5=2302
- luminescence, delayed, after irrad. by powerful light pulses 5=1873
- luminescence and laser action 5=8067
- luminescence output 5=9959
- optical props. and laser thresholds 5=10642
- optical pumping population in var. in Zeeman levels e.s.r. obs. 5=7361
- paramagnetic acoustic reson., 10^{10} c/s 5=6537
- pump energy absorbed by ruby rod 5=10641
- R line absorption and emission rels. 5=9960
- rod, pump energy absorpt 5=8066
- spectra, R lines, absorpt. and dispersion curves 5=7362
- spin—lattice relaxation times, rel. to Cr^{3+} conc., 9 450 Mc/s 5=7220

Ruby—contd
- ultraviolet reflectance spectrum 5=15538
- Al^{27}n. m. r. rel. to crystal field stress dependence 5=1221
- Cr R lines, isotope shift, 4. 2°C 5=1848

Ruthenium
- diffusion in Ag 5=6583

Ruthenium compounds
- RuC phase structure 5=1242
- RuO$_2$, chemisorption of O$_2$, 100° to 385° 5=13163

Rutile. See Titanium compounds.

S-matrix theory
- See also Dispersion relations.
- almost local field theories and 4-point function below threshold 5=5241
- ambiguities in calc. from scatt. expts. 5=14307
- analyticity in potential scatt., calc. 5=10868
- analycity properties of helicity amplitudes 5=476
- bootstrap dynamics 5=8279
- closed eqns., rel. to field theory axioms 5=5165
- and complete unitarity 5=2390
- convergence, comparison theorems 5=2488
- Coulomb spin $^1/_2$ relativistic scatt. Regge poles 5=14309
- Dirac magnetic forbidden poles 5=8213
- divergence free series expansion 5=541
- e.m. form factors for general spin J, covariant defin. 5=14291
- e.s.r. linewidth in La$_2$Mg$_3$(NO$_3$)$_{12}$. 24H$_2$O 5=7215
- elastic amplitude, approx. detm. method 5=8278
- elastic scatt. particle density, phase shift calc. 5=474
- element analyticity for non-local potential 5=10873
- element nontrivial dependence on momenta in relativistic quantum theory 5=10773
- element performance by Feynman rules 5=8203
- Gell-Mann-Okubo mass formula validity 5=10802
- higher order poles 5=5242
- lecture, introductory 5=8276
- Lippman–Schwinger eqn eigenvalues and corresp. Regge trajectories 5=8282
- multichannel, potential, phase method generalization 5=8280
- nonlocal potentials, analyticity of element 5=5240
- nonlocal separable potential, analytical props. 5=478
- one-particle singularities and microcausality 5=10865
- partial-wave scattering, iteration method 5=2487
- π-photo prod., 4 invariant amplitudes formulae 5=5382
- pole properties 5=8277
- Regge behaviour for class of nonlocal potentials 5=10882
- Regge particles, description of resonances 5=5245
- Regge pole calc. by continued fractions 5=10876
- S-wave virtual states in meson-baryon scatt. amplitudes 5=2483
- scalar mesons, self "bootstrapping" 5=477
- Schrödinger eqn., inverse fourth-power potential 5=366
- and singular short range potentials, calc. 5=10867
- singularities in k-plane, operator technique calc. 5=10866
- spinor representations 5=10810
- statistical and R matrices vels. 5=2486
- and strong interaction perturbations, multichannel, group-theory calc. 5=10869
- subtraction term determination 5=10870
- T matrix, unitarity, Hermiticity and discontinuity rels. 5=2485
- three-body problem, relativistic 5=10872
- Tinatrix reduction, quasiparticles and projection operators 5=5243
- two-channel, analytical props. calc. 5=14306
- two-particle states, element poles 5=10874
- unitarity and current operator 5=475
- unstable particles, lifetime and decay 5=2423
- vacuum, exponential order 5=5239
- vacuum to vacuum, analytic props. 5=2489
- and variational principle 5=10871
- vector meson in e.m. field, relativistic covariance 5=10875
- wave packet scattering 5=5238
- $\rho \rightarrow N\bar{N}$ vertex, strip approx. 5=5427
- SU(6)-invariant, relativistic, crossing-

SU$_3$ group theory. See Elementary particles; Field theory, quantum/interactions, strong; Group theory.

Safety precautions. See Radiation protection.

Sakata model. See Elementary particles.

Samarium
- spectrum, Sm^{2+} in CaF$_2$, SrF$_2$, absorpt., mag. induced 5=732
- thermal conductivity, 80°-460°K 5=1434
- Sm II, isotopic shift 5=909
- Sm^{2+} in alkali halides, emission spectra 5=4320

Samarium compounds
- ethyl sulphate, mag. susceptibility anisotropy 5=4169
- monochalcogenides, 80°-460°K 5=1434
- M metastanate (M = Cd, Zn, Cu, Ni, Co, Mg and Ca) microstruct., i.r. spectroscopy meas. 5=12146
- Sm—Al system, intermediate phases 5=14935
- SmAlO$_3$, crystal lattice structure 5=12222
- SmCl$_3$, diluted, far-infrared electronic transitions of Sm^{3+} 5=1849
- SmFe garnet, ferrimagnetic, Sm^{149} hyperfine interactions 5=6247
- SmFe$_2$, ferrimagnetic, Sm^{149} hyperfine interact. 5=6247
- SmFeO$_3$, ferrimagnetic, Sm^{149} hyperfine interact. 5=6247
- Sm$_2$O$_3$, conductivity, ionic and semicond., temp. and O$_2$ press. var. 5=9670

Sampling. See Statistical analysis.

Sand
- spectral reflectance, 0. 7 - 100 μ 5=7316

Satellites, artificial
- acceleration, effect of atmospheric oblateness 5=13656
- aerobee surveys, 1964, X-ray sources 5=13684
- aerodynamic lift effect on orbits 5=4527
- Alouette, electron density at ~1000km 5=13341
- Alouette, and Galaxy radio obs., 1. 5-5 Mc/s 5=7604
- Alouette I, and v.l.f. ionospheric noise bands meas. 5=15726
- Alouette, sun radio obs., 1. 5-10 Mc/s 5=7683
- altitude control by interaction with earths mag. field 5=4521
- astronomical observatory, stabilization and control 5=13642
- attitude control, 1961-2 review 5=13645
- celestial mechanics, review of Moscow university 1957-62 works 5=13652
- communication, with passive Lambert reflectors 5=13659
- communication, 60 kW reactor design 5=13662
- communications, NASA program 5=13658
- for communications, semi-passive 5=13661
- for communications, world system 5=13660
- detector counter rates 5=13349-50
- Discoverer, upper atmos. density, latitude var., obs. 5=7505
- dynamically symm., rot. evolution 5=1960
- Explorer I obs., fixed-freq. topside sounder 5=4495
- Explorer XI, tumbling motion, radio meas. 5=4524
- Explorer XI tumbling motion torques 5=4523
- Explorer 14, magnetospheric electron meas. 5=13418
- Explorer 17, densities from drag 5=13348
- Explorer 17, electrostatic probe results, 258 to 927km 5=13354
- Explorer 17, and upper atmosphere composition 5=13353
- Explorer 17, upper atmosphere density meas., 255 to 330km 5=13355
- geocentric coordinate calc. from trails 5=13653
- gravity-gradient torques 5=4517
- and gravity, surface of earth, harmonics, obs. 5=4428
- gyroscope stabilization 5=4516
- horizon sensing by i. r., theory 5=4525
- Injun 3, description 5=13647
- Injun 3, inner belt proton obs., 40 to 110 MeV 5=13419
- ion gyrofrequency reson. in plasma sheath 5=7541
- ionospheric topside electron density meas. 5=1952-3
- "Kosmos-4", cosmic ray equatorial soft radn. from electrons, meas. 5=11145
- magnetic torque appls. 5=4519
- magnetic torque control of Tiros I, II 5=4520
- meas. on artificial electron belt decay 5=13400
- meteorological, Tiros, cloud pictures 5=13639
- motion of Echo balloon type, calc. 5=13655
- motion equations 5=10107
- orbit transfer, optimum, for non-coplanar circular orbits 5=13657
- orbit transfer by solar sail 5=10110
- orbiting astronomical observatories, semipopular review 5=1959
- orbits, intermediate 5=10108
- orbits, J$_{22}$, J$_3$ perturbations appl. to Izsak—Borchers relations 5=13649
- orbits, low-eccentricity intermediate 5=10109

Satellites, artificial—contd
orientation, gravitational two-body, optimum design 5=13640
photoelectric obs., accurate 5=10106
polarization meas., during scintillation of radio signals 5=13351
precession rates calc. 5=15771
radiation, aerodynamic torque effects, convex satellites 5=4518
and radio-star scintillation, versus ground, and ionosphere irregularities meas. 5=15723
radio telescope, aerial beam width 5=4684
radioastronomy obs., l.f. 5=7618
recovery trajectories accuracy requirements 5=13632
review, instrumentation and experiments 5=13637
scintillation var., diurnal, seasonal, latitudinal and height 5=13468
scintillation variations 5=13646
scintillations, statistics at subauroral latitude 5=13663
Sputnik 4 fragment, radioactivity 5=13641
stabilization, gravitational, atm. resist. effect 5=10104
stabilization, gravitational by additional body, dynamics 5=13643
stabilization, gravitational, passive, using earth's field 5=13644
stabilization, gravitational, simplification 5=10105
stabilization, gravity—gradient 5=4515
stabilization, review 5=13654
stabilization spin 5=4514
"stationary", not above equator, by low thrust rocket 5=13648
for sun, X and u.v. radiation obs., NRL 1964-01 D 5=7653
synchronous, attitude, meas. and control 5=4522
thermal conditions in space, exp. simulation 5=4526
Tiros II, III, atmosphere net energy balance obs. 5=13273
Tiros II, III, IV, VII, radiation data 5=7487
Tiros III, cloud latitudinal distrib. obs. 5=13266
Transit 4A, signal strength variations 5=7542
transmissions, near 20 Mc/s, polarization rel. to scintillations 5=15772
Vanguard 3 earth's magnetic field data modified 5=13562
Vanguard 3 (1959 η) geomagnetic field analysis 5=13563
Vela, electron meas. at 17.7 earth radii 5=15867
1958, δ 1, period of rotation rel. to solar activity 5=7543
1959 δ (Explorer 6), signals and ionosphere var. 5=13664
1962 Agena, neutron albedo meas. 5=13345
1963 30D, atmospheric density meas., 3500 km 5=15698
Cu dipoles at 3650km, charge drag, orbital effects 5=13343

Scalers. See Circuits; Counting Circuits.

Scandium
n. m. r. anisotropic Knight shift, and quadrupole coupling 5=13008

Scandium compounds
Sc—Al, crystal lattice parameters 5=12224
$ScBe_5$, crystal struct. by X-ray diffr. 5=3643
ScF ground state, absorption singlet 5=962
ScF_3, e.p.r. spectrum of Cr^{3+} 5=1795
Sc_5Ga_3, lattice consts. 5=1387
Sc^{45}—In alloys, n. m. r., var. temp., composition, shifts 5=13009

Scattering
attractive potential, bound state possession sufficient conditions 5=8202
bound states, necessary condition for existence 5=14236
and diffraction peak shrinkage, unitarity, analyticity calc. 5=10855
and elementary particle decay 5=2422
finite grating of identical cylinders 5=4717
by Gaussian potential, cylindrical, exact soln. 5=8201
Hermitian matrix contradictory props. 5=2384
high energy theory, review 5=2470
high-energy, in unitary symmetry model 5=2469
Jost complete function, calc. 5=10215
Jost functions singularity and potentials calc. 5=5224
$\lambda\ \varphi^4$ forward amplitude, dilatational symmetry, calc. 5=10854
Lee model 5=2471
low frequency 5=10227
mass-shell amplitude, Bethe—Salpeter kernel calc. 5=465
moments relns. of phase shift, calc. 5=472
multiple methods, review 5=2062
multiple, 2 dimensions, inverse separation series 5=7729

Scattering— contd
nonrelativistic, nonlinear interactions, causality and R-matrix 5=2481
one-dimensional, multiple 5=13825
perturbation theory high energy limit cross-sections 5=462
phase shift by Levy and Keller method 5=10760
potential, and S-matrix analyticity, calc. 5=10868
random phase multichannel N/D high energy approx. 5=2474
Regge poles $l = -\frac{1}{2}$ as number→ ∞, effective range expansion calc. 5=480
Riccati eqn. and Regge poles 5=2491
singular pot. and peratization 5=10761
singular potential $-gr^{-4}$ log r, zero energy 5=2479
by singular potentials, characs. calc. 5=10850
sky radiation, absorption effects 5=13272
waves, multiple, on random array of spheres, "hole corrections" 5=28
waves, resonances and metastable states 5=29
waves, semi-geometrical optics 5=10224
N—N, nonlocal separable interactions, amplitude calc., exclusion principle effect 5=470

acoustic waves
crystals, insulating, cubic by point defects 5=12305
fish air bladders in deep ocean layers, 1-25 kc/s 5=4437
inhomogeneity of the medium 5=10332
at irregular surfaces 5=2118
liquid—solid rough interface, Rayleigh soln. 5=2116
ocean bottom, transducer vel. effect on signal struct. 5=1928
one-dimensional problems, theory 5=7849
by penetrable elliptic cylinders, l.f. approxs. 5=2117
pressure-release obstacles, remote radn. field characs. 5=4807
scattering distributed randomly in space 5=13955
sea ice, backscatt. strength, 0.4-25.6 kc/s 5=7475
spatial dispersion effects near critical point 5=7848
by spheres, rigid and loaded, calc. 5=13958
two beams, non-linear interaction 5=7850
underwater sound, from sea surface 5=4441
vortex, classical 5=3253

acoustic waves, ultrasonic
liquid (alcohol and glycerol) containing glass spheres 5=2114

electromagnetic waves
back, meas., slowly moving target 5=4959
backscattering from undulating surface, calc. 5=10550
cylinder, with axial mag. fields 5=10546
cylinder in plasma 5=10548
dielectric cylinder, backscatt. cross-section 5=10545
by ferrite in waveguide 5=245
by free electron, circularly polarized wave, "Thomson" scatt., in high intensity field 5=4960
interface, irregularity effects, perturbation analysis 5=4958
ionosphere study from radar backscatter 5=7522
from metals, interatomic pot. deduction 5=2922
multiple by finite random objects 5=2260
multiple, on random array of spheres, "hole corrections" 5=28
objects imbedded in random medium 5=2259
plane, high freq., by coated cylinder, calc. 5=2258
plasma, incoherent, Coulomb collision effects 5=11715
plasma laminar column 5=14735
by plasma, limits $T_e \gg T_i$ and $\lambda \gg d$, theory 5=6040
plasma radar cross-sections 5=10547
plasma, turbulent, dense, second order terms 5=14733
polygonal cylinders, l.f. 5=2261
radar, Mie:Rayleigh cross-sections ratio 5=10551
spatial dispersion effects near critical point 5=7848
sphere, asymmetry, 5=8001
sphere, bistatic cross-section, calc. 5=10549
spherical particles, radiation press., asymmetry, extinction 5=5094
transmission in semispace, theory 5=8000

light
See also Diffusion, light; Raman spectra.
absorption meas. correction 5=329
acetone soln. in chloroform, Rayleigh, rel. to mol. struct. 5=9088
asymptotic field, semi-infinite plane-parallel layer 5=10719
in atmosphere, of finite optical thickness 5=7550

Scattering—contd
  light—contd
    atmospheric, at twilight 5=7492
    bentanite solutions, with elec. fields 5=9112
    benzene—cyclohexane, —neopentane, —methanol, scatt. factors calc., conc. effect 5=3335
    benzene liquid, Rayleigh, ang. depend. 5=11556
    Brillouin, He—Ne maser source, meas. in 6 liquids 5=1183
    calculation, Rayleigh and Mie particles, for laser in mesosphere 5=13373
    cellulose gels 5=3385
    dielectric spheres, $\mu = 1$ to 1.25, approxs. 5=5092
    diphenylamine eutectics, structure 5=9089
    disperse system of "soft" particles, indicatrix inversion rel. to distribution 5=6204
    dispersoid analysis, apparatus 5=8095
    electrons, bound, harmonics 5=14204
    by electrons, free, phase shift and freq. change 5=10721
    ethyl ether soln. in chloroform, Rayleigh, rel. to mol. struct. 5=9088
    in fog 5=15670
    by free electron, circularly polarized wave, "Thomson" scatt., in high intensity field 5=4960
    graphite, spheres, small 5=2348
    n-hexane, Brillouin, ruby laser source 5=3339
    integrating sphere, for spectrophotometer 5=5070
    laser beams, narrow, by ideal gases 5=10722
    liquids, laser stimulated Brillouin, successively scattered 5=3340
    liquids, pure, isotropic scatt. 5=1185
    liquids, pure and mixtures, anisotropic 5=6178
    liquids and solids, Brillouin, using low-power lasers 5=6179
    in medium with optical density depending on time 5=10307
    menthol eutectics, structure 5=9089
    molecular, Rayleigh, ruby-laser beam 5=11483
    molecules, and luminescence 5=11481
    on molecules, in presence of laser beam 5=8148
    multilayer colloids 5=3384
    by multiparticle system, interference effects 5=15671
    multiple, by spherical dielec. particles, theory 5=331
    ortho-nitrophenol eutectics, structure 5=9089
    photometric standards 5=13059
    piezoelectric semiconductors during sound instability 5=13025
    pigments, coloured, integral effective cross-section, Mie theory 5=2317
    plant leaves 5=13059
    plasma diagnostics by Raman scatt. of laser beam 5=6018
    plasma, forward scatt. 5=6012
    plasma, laser prod., of laser light, freq. shift 5=3173
    plasma, laser light, Thomson and co-operative, obs. 5=3174
    polarized, three demonstrations 5=10727
    polymers of optically anisotropic segments, Rayleigh 5=11617
    for polymers study, review 5=6338
    polystyrene in cyclohexane, critical opalescence 5=6182
    Rayleigh ratios, for nine organic liquids, at 6937Å 5=6181
    Rayleigh's contributions to scattering theory 5=330
    recording apparatus, construction and calibration 5=10720
    resonance radiation, coherence relaxation 5=2912
    snow, rel. to laser beam broadening at 6300Å 5=2349
    spatial dispersion effects near critical point 5=7848
    spheres, large dielectric, size effect ripple mechanism 5=5093
    spheres, Rayleigh theory practical validity 5=14205
    spherical particles, radiation press., asymmetry, extinction 5=5094
    by thin transparent plate, interf. structure 5=8135
    time-varying optical density 5=10307
    tinters, Kubelka and Munk coeffts., precise meas. 5=8149
    toluene liquid, Rayleigh, ang. depend. 5=11556
    and turbid medium struct. 5=14206
    Ag—O—Cs photocathode 5=13074
    $BaTiO_3$ single crystal prisms, using Kerr effect 5=1832
    CCl_4, Brillouin, ruby laser source 5=3339
    CCl_4 liquid, Rayleigh, ang. depend. 5=11556
    CS_2 off-axis resonator, stimulated Brillouin 5=14149-50
    Eu benzoylacetonate soln., laser beam scatt. 5=6180
    H_2O, laser stimulated Brillouin scattering 5=9111
    KCl, pure and impurity-doped 5=9914
    NaCl, doped, due to planar defects 5=9920

Scattering—contd
  X-ray. See X-ray scattering.
Scattering particles
    See also Collision processes; Field theory, quantum/interactions; Elementary particles; Nuclear forces; Nuclear reactions; Particle range; Particle tracks; S-matrix theory; and under individual particles, e.g. Alpha-rays.
  amplitude, asymptotic behaviour and causality 5=5235
  amplitude asymptotic rels. in field theory, calc. 5=14296
  amplitude for high-energy Klein—Gordon and Dirac particles 5=2468
  amplitude real part and total cross-sect at high energies 5=8263
  amplitude, in terms of irreducible spin-tensor operators 5=5237
  amplitudes, by convariant Low equn. 5=2466
  amplitudes, inelastic, Lee model with crossing symmetries 5=8244
  amplitudes, modified Born approx. 5=2467
  amplitudes, second order, analytic props. 5=5234
  analyticity of bound-state scatt. amplitudes 5=14304
  angular momentum, complex, singularities rel. to non-planar kernels 5=14293
  arbitrary spin particles, effective core shrinkage 5=464
  backward elastic, at high energy, rel. to 2-body annihilation 5=14299
  and boson wave excitation for very high energies 5=10864
  charge particle by plasma, quantum theory 5=14701
  charged, cross-sections, optical theorem 5=11285
  complex angular momenta, rotation group, local representation 5=479
  complex targets, resonance, scatt. ampl., calc. 5=374
  compound state statistics 5=8612
  compound states definitions 5=8608
  Coulomb Green functions, relativistic 5=5233
  Coulomb of relativistic spinless particle, g-plane struct. of partial wave amplitude 5=10862
  counter fluctuations and target fluctuations 5=10894
  crossing matrices for helicity 5=2472
  crossing matrix in isospin 5=2484
  cross-section, differential, Hauser—Feshbach formula 5=8610
  crystals, resonance on nuclei, inelastic channel suppression 5=11981
  determinental approach, two-channel 5=469
  diagrams for calculations 5=10974
  diffraction scatt. on nucleus, surface diffuseness effect 5=11283
  dilatation effects at very high energies 5=2476
  Dirac, in central pot. 5=2385
  Dirac particles, Coulomb amplitudes 5=466
  e.m. form factors for general spin J, covariant defin. 5=14291
  elastic amplitude, approx. detm. method 5=8278
  elastic, density matrix of spin states, S-matrix 5=474
  elastic, high-energy, partial wave singularities near $j = 1$ 5=8273
  exchange ladder graph model bounds 5=2480
  fast on nuclei, quasi-elastic, fragmentation theory 5=14516
  fermion—fermion polarization and invariance principle test 5=14298
  fermions, polarized, matrix elements 5=5222
  Feynman diagrams with crossed lines 5=8283
  five-point, complex singularity and unitarity 5=14305
  forward amplitudes, Bethe—Salpeter bounds calc. 5=10857
  forward Green's function high-energy asymptote 5=5226
  foward, real part calc., rules 5=14297
  generalized one-dimensional processes 5=14294
  by hard core potential, point transformations appl. 5=2386
  high-energy behaviour in perturbation theory and multiperipheral model 5=8264
  high energy, digital data handling and on-line computer system 5=8318
  high energy, in nuclear emulsions, primary and secondary interact. obs. 5=2565
  high-energy, phase space integrals 5=14279
  high energy transverse momentum distrib. 5=8365
  impact parameter expansion at high energy 5=5231
  inelastic amplitudes, asymptotic expressions, singularities in ang. mom. plane 5=8275
  inelastic effects in N/D method 5=5232
  inelastic, parity change 5=765

Scattering particles—contd
integral eqn., solution 5=19
j-plane singularities motion of partial amplitudes, calc. 5=10863
Landau curves from singularity structure of perturbation expansion 5=8268
lecture, introductory 5=8276
leptons amplitudes in 2 model field theories 5=14274
leptons, weak, multi-channel model 5=5229
Levinson's theorem, modification 5=14295
Lippman–Schwinger eqn eigenvalues and corresp. Regge trajectories 5=8282
Lippman–Schwinger eqn, singular potentials 5=8266
Mandelstam representation, polynomial boundedness 5=463
massive, massless, arbitary spin, and covariant polariz. matrices 5=10851
in matter, quantum distrib. function, elim. of kinetic eqn. 5=373
from metals, interatomic pot. deduction 5=2922
Moliere's theory of multiple heavy ion scatt. verification 5=850
multichannel, Lorentz invariant formalism 5=468
multichannel, potential, phase method generalization 5=8280
multichannel, variational upper and lower bounds 5=467
multiple, kinetic eqns. soln. by stationary phase method 5=5225
multiple, theory 5=14233
N/D multichannel formalism, uncoupled-phase method 5=8262
N/D one channel eqns, non-equivalence, and multichannel ND^{-1} eqns 5=14301
non-relativistic potential 5=8277
nonrelativistic theory, converging wave-function and phase shift, coupled and noncoupled partial waves 5=471
nuclear boundary blow-up effect 5=11284
nuclear-Coulomb partial amplitudes, and dispersion rels. calc. 5=10861
in nuclear emulsions, high energy study 5=2566
nuclear potentials, Schwinger's variational principles 5=14514
one-particle exchange approx., versus Feynman graphs, calc. 5=10853
optical model for high energies, diffraction width and inelastic threshold 5=11065
optical model and Mandelstam representation 5=8265
orthogonality constraint and rearrangement collisions 5=8271
partial wave amplitude l plane singularities, calc. 5=10858
partial-wave amplitude in l plane, unitarity, analyticity calc. 5=10860
partial-wave amplitudes, analyticity and unitarity, consequences 5=8267
and partial-wave dispersion rel., N/D, inverse amplitude sols. 5=10859
partial waves summation 5=8269
permutation symmetries of 2-body amplitudes 5=5230
perturbative expansion due to potential origin $gr^{-2}\ln(R/r)$ 5=8270
phase shifts, asymptotic behaviour, rel. to closest singularity of amplitude 5=5236
polarization change, relativistic, potential scatt., classical approx. 5=2473
potential in Born approx., correction for direct channel strips 5=14435
potential, Fredholm eqn. 5=14
on potential well occupied by another particle, resonance density 5=11282
by potential in strong mag. field 5=14234
reduced widths and strength functions 5=8607
Regge behaviour for pot. with singularity at origin 5=5244
Regge-pole amplitude kinematics 5=10877
Regge pole approx. calcs. 5=10881
Regge pole calc. by continued fractions 5=10876
Regge pole definition and Dirac equation solns. 5=10885
Regge poles control high-energy and small momentum transfer, π-π dynamical evidence 5=2647
Regge pole trajectories, nonrelativistic 2-channel 5=5247
Regge poles for Z^{-4} repulsive potential 5=5246
Regge trajectories, for spinning particles, with nonsense channel 5=481
Regge trajectories, WKB 2nd order approx. 5=2492
Regge trajectory threshold behaviour 5=10880

Scattering, particles — contd
relativistic, field theory or S-matrix calc. 5=10852
resonance with nonunique ang. momentum, dynamic model 5=14262
resonances, calculating apparatus, digital program 5=8380
resonances near threshold, cross-section, branching ratio, SU_3 model calc. 5=417
and S matrix, ambiguities in calc. from scatt. expts. 5=14307
shadow, and inelastic collisions, strongly interacting particles 5=8258
spectrometer, magnetic, energy loss 5=10917
spin kinematics in Lobachevsky space 5=5150
spinors exchanging massless bosons, Bethe–Salpeter eqn. calc. 5=10856
statistical and R matrices vels. 5=2486
strongly singular and not spherically symm. potentials, wave operators 5=14235
3-body collision amplitudes, Lehmann ellipse 5=2475
three body, extension to complex ang. momentum 5=2478
3-body model, non-Regge singularities 5=8274
three-body, Mott and Massey, infinite solns. 5=5223
3-body problem, with spinless D and n particle 5=444
three-body, partial-wave amplitudes 5=14303
three-particle system 5=446
three-particle systems, resolvent operator props. 5=375
time delay meas. 5=8613
transport non-stationary kinetic eqn. soln. 5=8366
triangle singularities, Peierls mechanism and resonance poles 5=8284
2-body, composite particles, relativistic model 5=14300
ultra-high energy, inelastic peripheral collisions 5=5329
unitary symmetry and Regge poles 5=8226
unitary transform. calc. 5=473
unitary transformation for heavy particles 5=2482
vector–spinor theory non-Regge terms 5=10879
vertex function poles, propagator zeros and coupling const. bounds 5=8281
wave packets 5=5238
Yukawa, N/D and determinantal appls. 5=2477
C^{12}, by Fe, Ni, Ag^{107}, In, Ta, ang. var., 124.5 MeV 5=2841
O^{16}–O^{16}, no resonances, 19-27 MeV 5=11374
Schizons. See Elementary particles; Field theory, quantum/interactions, weak.
Schlieren systems
for velocity, acoustic, teaching meas. 5=4801
Na vapour, for transition structure of sphere hypersonic wake 5=14798
Schottky defects. See Crystal imperfections/vacancies.
Schottky effect (noise). See Electron tubes; Fluctuations/electrical.
Schrödinger equation. See Quantum theory/wave equations.
Schwarzschild space. See Cosmology; Gravitation; Relativity/general.
Scintillation. See Luminescence.
Scintillation chambers. See Luminescence chambers.
Scintillation counters. See Counters/scintillation.
Seals, glass-metal. See Glass-metal seals.
Seawater
acoustic reverberation correl. charact., envelope fluctuations meas. 5=4440
acoustic wave relaxation time, rel. to dissolved $Mg SO_4$ dissociation 5=3330
conductivity, elec., 5° to 120°C 5=14862
conductivity, elec., var. temp., press., Walden's rule appl. 5=13225
heat transfer to evaporating butane and pentane drops 5=4828
partial equiv. vol. of constituent salts 5=14838
sea–air heat exchange, mm radiometer 5=10037
Second sound. See Helium/liquid, sound propagation.
Secondary electron emission. See Electron emission/secondary.
Sedimentation
in ultracentrifuge, polarization interferometer study 5=3387
Si hydrogels, ageing effects 5=11922
Seebeck effect. See Thermoelectricity.
Seignette salt. See Rochelle salt.
Seignettoelectric materials. See Ferroelectric materials.
Seismic waves
See also Seismology.
absorption and anelasticity 5=13209
attenuation freq. var. review 5=13206
diffraction waves, dynamical parameters, rel. to media phys. parameters 5=7458

Seismic waves—contd
- from dipoles buried in flat stratified earth 5=13204
- dispersed, attenuation 5=13914
- earthquakes and equilib. displacement 5=4429
- explosion in a liquid sphere, calc. 5=13196
- higher modes for surface waves 5=7461
- Lg generation and S-velocity 5=13207
- longitudinal wave speeds in mountain rocks 5=7459
- Love spectrum and source depth 5=13198
- and mantle and core composition and density meas. 5=13215
- mode ray duality 5=4431
- model of elastic wave propag. in crystal blocks under Tectonic stress 5=7464
- nuclear explosions and earthquakes, comparison 5=13202
- packets, optimal reception, statistical theory 5=7731
- quartz, piezoelec. prod., for prospecting 5=1923
- reflection at rock—water, slate—granite, recalcs. 5=13199
- summation, for frequency graphs and maps 5=7463
- surface waves from Hardhat nuclear explosion 5=13201
- P, partitioning into PKiKP and PKIIKP 5=13197

Seismographs. See Seismology.

Seismology
- See also Geophysical prospecting; Seismic waves.
- composition of earth, calc. 5=13214
- deformation and stresses, rigid core model calc. 5=15643
- earthquake energy rel. to seismic activity 5=7470
- earthquakes and focal depth, new classification 5=7468
- earthquakes, energy flux 5=13211
- earthquakes, energy and number, focal depth var. 5=7469
- explosions, nuclear, and earthquakes 5=13203
- and head waves from transition liquid layer, calc. 5=11845
- interference statistics and optimum reception 5=13200
- Love waves in crustal layer, calc. 5=13906
- Love waves and upper mantle struct. 5=7462
- mantle low-velocity layer origin 5=13195
- models, 2 dimensional, source type effects 5=7466
- noise background, ocean bed versus land 5=13208
- P_F phase as Stoneley waves 5=4433
- and polar migration of Earth 5=1924
- recording head waves from cryst. bed 5=4434
- seismogram, impulsional 5=7460
- seismometer linear cross array 5=13205
- spectrum of elastic sphere with dipole sources 5=4432
- strain release, aftershock, props. 5=7467
- strain release, depth var. and earth structure 5=7471
- sudden volume change energy 5=4430
- vertical component of Lg and Rg 5=7465

Selenium
- amorphous, energy band struct., spectrum 5=12693
- carrier mobility rel. to illumination 5=12833
- crystal electron valence bands calc., and i.r. absorpt 5=12606
- crystallization kinetics, X-ray diffr. exam. 5=3568
- dielectric permittivity in microwave region, meas. 5=7005
- diffusion in Sn, 300°-1000°C 5=3324
- electric cond. in elec. field, Bi impurity effect 5=6941
- electrical conductivity in strong elec. fields, effect of impurities 5=12747
- epitaxial growth 5=12136
- films, impurity conc. and temp. treatment effect on surface struct. 5=3507
- glow discharge handling technique 5=3106
- melting curve, up to 45 kbar 5=9174
- melting point, 90 to 40 kbar 5=11931
- optical activity 6000 to 14 000 cm⁻¹, meas. 5=1850
- phonon drag, hole mobility, temp. var. 5=12589
- photoconductivity, low-temp. 5=12832
- polarized light absorption edge, and energy gap, temp. var. 5=15568
- reflectivity 5=4362
- spectrochemical analysis of O_2, i. r. 5=13183
- thermal expansion, hexagonal var. directions 5=15055

Selenium compounds
- solid and liq., deoxygenated, thermo-e.m.f. and elec. cond. 5=6942
- thermodynamic props., and pot. energy 5=8839
- Se-F cpds, Se isotope shifts in fluorine n. m. r. 5=1003
- SeO_2^- radical ion, e. s. r. 5=3051

Selenium compounds — contd
- SeO_2, spectrochemical analysis of O_2, i.r. 5=13183
- SeO_3 molecules, vibr. amplitude at 300°K 5=11544
- SeO_3 vapour, monomer and tetramer, electron diffr. study 5=11543
- Se—Te system, optical props. and band structure 5=4362

Self-diffusion. See Diffusion in gases, in liquids, in solids.

Semiconducting devices
- See also Counters/semiconductors; Lasers; Masers
- chloranil/p—phenylenediamine complex, thin film rectifying jns., props. 5=1665
- with dielectric film sandwich filling, negative resistance 5=4069
- dosimeters, review 5=2526
- electron beam etching in microminiaturization 5=15350
- four-channel electronic commutator 5=14026
- glass—Si interfaces, effect of temp. and bias 5=15393
- indigo, thin film rectifying jns., props. 5=1665
- masers, impurity states and radiative transitions 5=10585
- measurements, non-destructive 5=6953
- metal-semicond. barrier height meas. 5=4044
- minority carrier injection, space-charge and emitter-current limited 5=4042
- modelling, systematic, theory and guidelines 5=1659
- particle detectors, radiation damage 5=502
- particle detectors, surface barrier type, depletion and inversion layers 5=497
- phenazine, thin film rectifying jns., props. 5=1665
- sogicon, electric field enhancement effect 5=4070
- surface barrier particle detectors 5=501
- thermistor, flowmeter and thermometer 5=3288
- thermistors, specific heat meas. 5=9700
- in III—V compounds, review (book) 5=4011
- X-ray pulse detectors, 30-600 keV 5=5318
- CdS radiation detectors, response time reduction with biassing radiation 5=2574
- CdS—CdSe hetro-, photovoltaic effect, doping, growth conditions var. 5=15405
- GaAs injection lasers, closely coupled, interactions 5=14163
- Ge detector, Li-drifted, resistive and breakdown charac. removal 5=2525
- Ge, γ-ray detectors Li drifted 5=10990
- Ge—GaAs heterojunctions, interface transport properties 5=4050
- Li diffusion detectors 5=498
- Nb oxide—metal film sandwich, negative resistance, temp. var. 5=6939
- PbS photoresistor, intercrystallite layer elec. processes 5=15408
- Q-switch, passive, as reflector in ruby laser 5=4292
- Sb_2S_3 doped with Sb switch, cond. process calc. 5=12717
- Si, high—low junction, alloyed and diffused 5=1661
- Si—CdS heterojunction triodes 5=12782
- Si MOS capacitors, freq. response of surface inversion layer 5=4043
- Si, particle defects, causing poor device yields 5=1653
- Si, plane parallel, space charge limited current study 5=6964
- Si rectifier, used in capacitative load circuits, rating system 5=6977
- Si—SiO_2—Al rectification and O vacancies 5=12786
- Ta oxide—metal film sandwich, negative resistance, temp. var. 5=6939
- Ti oxide—metal film sandwich, negative resistance, temp. var. 5=6939
- TiO_2 film prod by vapour reaction 5=12055

diodes
- p^+—i—n^+, transient processes, high injection levels 5=4056
- p^+—n—n^+, transient processes, high injection levels 5=4056
- pn pn switching diode with low turn-on voltage 5=6965
- p—n—p—n devices, V—I characteristics, critique of theories 5=4068
- photodiodes, high-speed, lateral effects 5=15356
- point contact, I—V characts., 1st and 2nd derivatives, harmonic analyser 5=4873
- pulse operation, effect of pulse front 5=12767
- simulation with transistors 5=6966
- standard test procedure, IEEE, review 5=1666
- Au—Si surface-barrier diode, contacts 5=13976

Semiconducting devices—contd
diodes—contd
CdS, i. r. photocond. 5=1699
GaAs diode, lifetime of stimulated and spontaneous emission 5=8061
$Ga(As_{(1-x)}P_x)$electroluminesc. diode, press. depend. of emission 5=9948
GaAs, electroluminescence, diffusion current role, 78°-298°K 5=7395
GaAs Esaki, excess and thermal currents, 77°-350°K 5=4057
GaAs, fast i. r. emission for testing semiconductor particle detectors 5=1667
GaAs infrared sources, high-speed 5=4373
GaAs laser diode fabrication 5=6968
GaAs PIN photodiode, heterojunction 5=15411
GaAs, thermal-injection mechanism optical generation spectrum 5=13117
GaP, electroluminescence quantum efficiency, rel. γ-irrad. 5=4351
GaP, rel. to photomultiplier transit-time meas. 5=4143
Ge, conductivity and Hall effect, turn-over mechanism 5=6970
Ge, current—voltage charact., press. var. 5=6969
Ge n^+—p—p^+, properties 5=6971
Ge p—i—n, Li-ion drift diodes, use as γ-ray pair spectrometers 5=5308
Ge, p-type, Ni doped, lifetime, injection level temp. var. meas. and calc. 5=4058
Ge point-contact, surface current, by n-irrad. 5=6972
Ge, stress effects 5=15353
Ge—In, and In solid solubility in Ge temp. var. 5=14914
Ge-Si, hot-electron loss via wiggled recombination 5=12768
Li-drift, p—i—n γ-ray spectrometers, resolution 5=2577
PbSe diffused junction diodes, prep. and elec. props. 5=6974
PbSe diode laser 5=14165
PbTe diffused junction diodes, prep. and elec. props. 5=6974
PbTe laser 5=2300
Si, channel conductivity meas. 5=12765
Si Esaki 5=12776
Si, impurity compensation by P^{31} prod. on n irrad. 5=6962
Si, mixer, low 1/f noise 5=6975
Si p—i—n diodes, forward-biased, post-breakdown conduction 5=6976
Si p—i—n, Li-ion drift diodes, use as γ-ray pair spectrometers 5=5308
Si p-i-n, V—I charact., negative resistance 5=15358
Si, p—π—n, negative resistance 5=12769
Si, surface barrier, inductive effect due to γ-irrad. 5=4059
Si, Li-drift and diffused junction, transient response determ. 5=2520
n-ZnSe-(In-Ga), injection electroluminescence, prod. and props. 5=7402
p-n junctions
activity, operating criterion, evaluation 5=4120
autopolarised, apparent capacity var. 5=6955
for beta ray dosimetry by open circuitry voltage 5=8391
carrier mobility and density near junction, meas. 5=12757
effectivity, operating criterion, evaluation 5=4120
in epitaxial layers, characteristics 5=15352
forward transient behaviour, at high injection levels 5=9694
heterojunctions, static current—voltage charact. 5=4048
localised structure, cond. type by corrosion potential meas. method 5=12705
non-piezoelec., u.s. generation 5=12281
for particle accelerator, cyclotron, beam pulse probe 5=14377
particle counters 5=496
photovoltaic γ-ray detector 5=2573
population inversion calculation 5=12758
quasi-contact potential, meas. 5=12759
rectifier, 4-layer, controlled, n, γ effects 5=9695
relax. times ~10^{-10} sec, phase-compensation method 5=9691
reverse-biased, depletion-layer capacitance, rel. to current 5=6954
spectral sensitivity, rel. to meas. techniques 5=4120

Semiconducting devices—contd
p-n junctions—contd
tunneling current structure, resolution by differentiation 5=4045
tunnelling minority injection possibility 5=15351
voltage, forward, temp. coeff. theory 5=4046-7
AlSb 5=1660
in CdTe, electroluminescence at 77°K, prod. and efficiency 5=1870
CdTe, eptiaxial film on GaAs, I—V characteristics 5=14987
GaAs, capacitance-voltage characteristic 5=12761
GaAs, carrier lifetime in space-charge layer, 293°-545° 5=3901
GaAs, current-voltage characteristic 5=12760
GaAs doped with Zn, deposition on Te-doped substrates, elec. props. 5=6393
GaAs, fluorescence peak rel. to acceptor concentration 5=7393
GaAs, injection lasers, effect of temp. 5=5009
GaAs, injection luminescence, by hole-electron recombination 5=7394
GaAs, narrow, tunnelling parameters, rel. to press. 5=6957
GaAs, recombination radiation and electron state tail 5=12602
GaAs, reverse biased, light emission 5=4348
GaAs—Ge 5=9692
GaP, epitaxial film on GaAs, I—V characteristics 5=14987
GaP, reverse-biased, electro-optic effect rel. to light modulation 5=7338
GaP—GaAs, photoelec. props. 5=15406
Ge hot carriers in microplasmas and their radiation 5=1591
Ge, optical absorption in space-charge region 5=12762
Ge, stress effects, tunnel and normal diodes 5=15353
Ge—GaAs heterojunction, photocurrent, bias effect 5=6959
Ge with GaAs or GaAsP n—n, surface mobility field depend. 5=6956
Ge, I—V characts. and barrier capacity 5=4049
Ge—Si alloy heterojunctions, prep., forward and reverse bias characts. 5=6958
InAs, recombination radiation 5=15554
InP, reverse biased, light emission 5=4348
InSb, profile-shape conditions dependence, polarity effects 5=6960
InSb, quantum yield rel. to photon energy 5=12830
InSb, technique of making alloy junctions 5=12763
Li, p—i—n diode, particle detector 5=499
Si, adjoining barrier detectors 5=500
Si, adsorbed impurity distribution 5=12068
Si, breakdown voltage, var. by charge trapping 5=15354
Si controlled rectifier, diffusion zones, electron microscope examination 5=9697
Si, diffusion of impurities, electroluminescence 5=6592
Si, dosimetry, use of direct current props. 5=2575
Si, elec. props., oxidation effects 5=1663
Si, electron emission efficiency decrease with time due to oxide layer 5=7046
Si, epitaxial, reverse recovery time 5=1664
Si hot carriers in microplasmas and their radiation 5=1591
Si, hot electron emission in vacuum 5=7047
Si, hot emitted electron spectrum 5=15412
Si junction detector, Li compensated, particle energy in H-bubble chamber meas., temp. var. 5=504
Si, multiplication 5=9693
Si, n-irrad. to produce, P dopent and junction 5=12764
Si, oxide covering mobile electric charges 5=4072
Si oxide-passivated particle detectors, manufacture 5=10912
Si, oxidized, elec. props. 5=1663
Si, p—i—n, double injection obs. 5=6994
Si p-i-n, photocond., two carrier 5=9744
Si p—π—n, two-carrier recomb. limited currents 5=4051
Si rectifiers, characteristics 5=4054
Si, reverse-biased, electron emission 5=7046
Si, and surface barrier α-particle counter, rel. to α-active matter conc. in sols. meas. 5=11135
Si, surface conduction 5=15369
Si, surface treatment influence on reverse characs. 5=6963
Si, on wafer, rel. to impurity distrib meas 5=1462
Si, with BaO surf. adsorption, electron emission and conductivity 5=15413

Semiconducting devices—contd
  p-n junctions—contd
    SiC, diffused Al, recomb. radiation and elec. props. 5=1874
    SiC, electro- and photoluminescence 5=13126
    SiC, hot electron emission in vacuum 5=7047
    SiC, irrad. effect on I—V characts. 5=4055
    α-SiC, nature of rectifying junctions 5=12766
    Si—Ge heterojunctions 5=1662
    Si, Li doped, liquid and temp. cosmotron beam momentum meas. 5=503
    Si, Li drifted, for nuclear particle detection 5=10911
    SiO$_2$-passivated, planar, electrode control 5=15355
    Zn in III—V cpds., junction depth of conc.-depend. diffusion 5=3708
    Zn$_x$Cd$_{1-x}$ Te p—n junctions, electroluminescence, visible 5=4366
  transistors
    alloy junction a. f., transient response 5=1669
    alloy, Moll saturation voltage drop high current error 5=4061
    avalanche, in fast coincidence circuit 5=14349
    circuit temp. stability calc. by equiv. 5=4874
    commutator switch 5=10426
    current amplification factor, effect of mag. field 5=15365
    in decatron triggering circuit 5=14331
    diffused junction, design, statistical analysis 5=15364
    diode operation, configurations, characts. 5=6966
    field-effect, junction gate, characts. and appls. 5=4064
    field effect, l.f. generation noise 5=6984
    field-effect, using lateral diffusion 5=12780
    field-effect, multichannel type 5=12781
    insulated gate field effect, operation, linear and nonlinear circuit use 5=4062-3
    insulated-gate field-effect type, physical processes 5=4065
    1/f noise, optimum operating point and source impedance 5=6983
    low power, switching props. 5=6979
    in linearising sawtooth generator output 5=2189
    mesa, Moll saturation voltage drop, high current error analysis 5=4061
    metal—oxide—semiconductor, prep. and props. 5=12779
    minority carrier lifetime, emitter current depend., low injection levels 5=1671
    nonlinearities, use in counting circuits 5=10929
    p—n—p, double base region type 5=1670
    preamplifiers with Si junction detectors 5=508
    rectifier, synchronous, no drift 5=6988
    scaling unit 5=10435
    Schottky emitter type metal-base, objections to Kano's conclusions 5=6980
    temperature compensation of transistor integrator 5=190
    thin-film, h.f. characts. calc. 5=6982
    thin-film, temp. depend. of transconductance 5=6981
    CdSe, field effect, thin film, insulated gate 5=9699
    CdS, thin film, current—voltage characts. 5=4065
    CdS thin film type, environmental effects 5=15366
    CdS—Si heterojunction triodes 5=12782
    GaAs, electroluminescence, temp. var. 5=15596
    GaAs, planar, contacts 5=12783
    Ge npn mesa transistor, turn off delay reduction by plastic deform. 5=4067
    Ge p—n—p diffused base, avalanche mult. of injected holes, meas. 5=4066
    Ge p—n—p, injection luminescence 5=4352
    Si field effect, Hall meas. 5=15367
    Si field-effect, low temp. effects 5=6987
    Si, npn, planar, effect of neutron bomb. 5=12785
    Si, planar, effect of electron microscopy on props 5=12784
    Si, recovery from radiation damage 5=6985
    Si, time behaviour 5=6986
    SiO$_2$ films on Si field effect, and electrochem. phenomena 5=15627
    SiO$_2$ passivation layers, stabilization with P$_2$O$_5$ 5=15370
    Si, SiO$_2$ passivation layers, stabilization with P$_2$O$_5$ 5=15370
    Si—SiO$_2$ -Al system, Si surface cond. 5=15368
  tunnel diodes
    calculation of current 5=9698
    circuits, graphical analysis 5=4872
    conductance anomalies 5=12775
    current discriminators 5=10434
    current, Esaki formula, density of states influence 5=6967

Semiconducting devices—contd
  tunnel diodes—contd
    current and voltage meas., oscilloscopic method 5=15359
    electroluminescence, injection, in metal -semicond. diodes 5=4342
    Esaki diode, principles, properties and meas 5=12770-4
    I—V characts., 1st and 2nd derivatives, harmonic analyser 5=4873
    nonlinearities, use in counting circuits 5=10929
    pulse generator circuit 5=10441
    in pulse height wide range analyzer 5=14334
    in scintillation counter time marker circuit 5-14327
    in time analyzer buffer memories 5=14346
    in time to pulse height converter 5=14339
    in time to pulse height converter 5=14340
    in time to pulse height delayed coincidence apparatus 5=2537
    Al—Al$_2$O$_3$—Al, barrier shape, photoemissive determ. 5=15360
    Al -Al$_2$O$_3$—Au, barrier shape, photoemissive determ. 5=15360
    GaAs, glass passivated 5=15362
    GaAs p—n juncns., elec. props. 5=15361
    GaAs, permanent degradation 5=1668
    Ge, effects of uniaxial stress 5=12777
    Ge, Esaki diodes 5=12776
    Ge Esaki diodes, deterioration 5=4060
    Ge, stress effects 5=15353
    Ge—GaAs, preparation and properties 5=12778
    Ge, Sb-doped, characts. in indirect tunnel current region 5=6973
    Ge, Sb-doped, hump structure in characteristics 5=9696
    Si, current—voltage characts. and derivatives 5=4045
    Si, Esaki diodes 5=12776
    SiC, negative resistance 5=15363
Semiconducting materials
      See also Magnetoelectric effects; Photoconductivity; Photovoltaic effects.
    albumin films, activation energy, elec. cond. temp. var. 5=6951
    alkali metal permanganates, elec. conductivity and thermoelec. power 5=9685
    anthracene, dark resistivity 5=1657
    anthracene, elec. conductivity 5=1656
    anthracene, space-charge limited hole currents, light effects 5=7043
    arsenopyrite, electrical, props., calc 5=12715
    chalcogenide glasses 5=13051
    diamond-type with defect structure, general props. 5=1641
    diamonds, surface semicond. props., due to ion bomb. 5=12730
    electrical conductivity in strong elec. fields, effect of impurities 5=12747
    gelatin, gelatin—dyestuff complexes films, activation energy, elec. cond. temp. var. 5=6951
    kaolin, with and without ZnO, elec. cond., meas. 5=1651
    marcasite, electrical, props., calc 5=12715
    nickel-chromia, rel. to catalytic activity 5=1652
    organic P cpds., dielec. props. 5=7012
    Peltier coeff. and thermal cond., meas. apparatus 5=4099
    phthalocyanines 5=6952
    pyrite, electrical, props., calc 5=12715
    thermal and thermoelec. props., meas., new method 5=162
    III—V compounds, review (book) 5=4011
    vitreous 5=6948
    A$_2{}^{\mathrm{I}}$B$^{\mathrm{IV}}$C$_3{}^{\mathrm{VI}}$-type compounds 5=15315
    A$_2{}^{\mathrm{I}}$B$^{\mathrm{IV}}$C$_3^{\mathrm{VI}}$ type, thermal expansion, thermal cond., elastic modulus 5=12297
    AgBr, charge carrier transport, scatt., mag. field effect, calc. 5=15222
    AgCl, charge carrier transport, scatt., mag. field effect, calc. 5=15222
    AgFeTe$_2$, possible existence 5=14909
    AgFeTe$_2$, suggested as Ag$_2$Te - Fe$_2$Te$_3$, props. and struct. 5=11986
    Al$_2$O$_3$ films, Mott's formation theory and electron tunneling 5=15316
    As chalcogenide films, effects of stoichiometry on photoelec. props. 5=1696
    As-S-Br, resist., band gap, mol. struct. calc. 5=12718

Semiconducting materials—contd
As—Te—I glass system, Hall effect—Seebeck effect sign anomaly 5=1642
As—Te—I glasses, and crystal phase transform. with thermal breakdown 5=6917
B, amorphous, energy band struct., spectrum, review 5=12693
B, e. s. r., elec. cond., and impurity diffusion 5=9837
$BaTiO_3$, prep. and props. of semiconducting material 5=4012
Bi, Hall coeff. and mobility, and elec. resistivity 5=6920
Bi, metal–semiconductor transition under pressure 5=12719
Bi, pressure effect on temp. dependence of elec. cond. 5=6918
Bi, Shubnikov–de Haas effect 5=12720
Bi, thin samples, diffusion size effect 5=6919
Bi—Sb, elec. resist., composition versus As—Sb semimetal 5=15317
Bi_2Se_3, semiconductor–metal transition under pressure 5=12721
BiTe—BiSe 5=9722
BiTe—SbTe 5=9722
$Bi_2(Te, Se)_3$, charge carriers per doping Cu, CuBr and BiI_3 molecule 5=15205
$Bi_2Te_{2.3}Se_{0.7}$, thermoelectricity, electron states, doping effect 5=15206
Bi_2Te_3 + Bi_2Se_3 or Sb_2Te_3 rel. to thermoelec. cooling 5=4014
Bi_2Te_3, n and p type, antistructure defects 5=9422
CdAs, magnetoresistance, 1. 6° to 300°K 5=12724
Cd_3As_2 evaporated films 5=1644
$CdIn_2Se_4$, elec. resist., Hall coeff., 114°to 650°K composition effect 5=4016
CdO, conductivity in h. f. e. m. field 5=15318
Cd_3P_2, props. 5=12105
CdS, acoustoelec. current continuous oscills. 5=4020
CdS, carrier trap filling, effect of elec. field 5=12725
CdS crystals, a. c. behaviour of damaged surface layers 5=4019
CdS, current oscillations, continuous 5=12727
CdS—electrolyte interface, surface states, tunneling effects meas. 5=15241
CdS electron mobility, determ. from threshold field for current saturation, 120°-300°K 5=1643
CdS films, Hall and field-effect electron surface mobility, temp. var. 5=6921
CdS films, Hall mobility meas., resistivity, temp. effect 5=4017
CdS, films, space-charge-limited currents 5=12726
CdS, free carrier ambipolar diffusion 5=6787
CdS, photocond., rel. to light intensity and temp. 5=15401
CdS photoconductivity, extrinsic 5=1700
CdS, photoconductivity, high field characts., pulse meas. 5=15402
CdS, resistance and contact potential rel. to O chemisorption 5=1907
CdS single crystals, high-freq. "forming" 5=4018
CdS, transport props. and edge emission, calc. 5=15593
CdS, u.s. wave amplification by integrated diffusion-layer transducers 5=7840
CdSb, doped, transport props. 90°-420°K 5=9668
CdSb, electrical properties, effect of In impurity 5=12723
CdSb, piezoresistance anisotropy 5=12722
CdSe, cond., Se press. effects 5=6922
CdSe—Se, barrier layers, elec. forming, effect 5=15357
CdTe hole lifetimes, from photovoltaic effects 5=15207
CdTe, recombination radn., electron pulse excited, spectrum, temp. var. 5=13037
CoO, resistivity, Hall effect meas. 5=15319
Cs_3Sb films, band bending 5=3918
Cu phthalocyanine thin films, electron injection 5=15349
$CuMoO_4$, electrical properties 5=12729
Dy_2O_3, temp. and O_2 press. var. 5=9670
Fe_7S_8, Hall effect., cond., var. cuts, 77-450°K 5=9681
Fe_2Te_3, elec. props. 5=6937
GaP, band structure 5=15233
GaP, luminescence pair band temp var. calc. 5=15597
GaP, n-type, semiconducting properties, 80-295°K 5=12731
GaS, optical absorption model 5=7340
GaSb, magnetoacoustic effect 5=4006
GaSb, n- and p-type, studies 5=15320

Semiconducting materials—contd
GaSb, n-type, resistivity rel. to temp. 5=6923
GaSb, p-type, containing Li, ion-pairing 5=9671
GaSb, undoped, cond. and facet effect 5=1645
GaSb and InAs, interface alloying, inversion of diatomic layers 5=3558
GaSe, optical absorption model 5=7340
Gd_2O_3, temp. and O_2 press. var. 5=9670
GeTe, elec. props. and valence band struct. 5=4028
HgSe, conduction band structure, electron scatt. 5=12587
HgTe, elec. and thermoelec. props, intrinsic cond. region meas. 5=6940
HgTe, electric and magnetoelectric props. 5=12744
HgTe, preparation and electrical properties 5=12745
InAs, laser effect by electron bombard. 5=14164
InAs, magnetoresistance, longit. oscills., n-type 5=12739
InAs, prep. and elec. props. 5=15328
In_2O_3 single crystals, magnetoresist. 5=4029
InP, conductivity in impurity zone, n-type 5=6936
$KTaO_3$, carrier mobility and scatt., 1. 6-295°K 5=12588
$Li_xNi_{(1-x)}O$, temp. var., and hopping model 5=9684
Mg_2Sn, galvanomagnetic effects, 77°-196°K 5=6938
$MoSe_2$, Ta substituted 5=1655
$MoTe_2$, Ta substituted 5=1655
$Nb_3Rh_{1-x}B_x$ (B = Co, Ru, Pd, Os, Ir, Pt or Au) Props. meas. 5=12681
Ni-group chalcogenides, props. calc. 5=15264
NiO, resistivity, Hall effect meas. 5=15319
PbS, properties 5=9682
PbTe films, charge transfer to surface states from cond. 5=1566
PbTe, permittivity 5=12742-3
PbTe prep and props. rel. to thermoelec. generator use 5=4033
$PbTiO_3$—$La_{2/3}TiO_3$, props. 5=9683
Rb—Cs films, formation, effect of carrier props. 5=12746
Sb films on Al_2O_3, elec. props. 4-140μ 5=4295
SbS_3 films, effects of stoichiometry on photoelec. props. 5=1696
Sb, magneto resist. anisotropy, positive Hall voltage, calc. 5=12716
Sb_2S_3 doped with Sb, cond. process, rel. to switch, calc. 5=12717
Se, amorphous, energy band struct., spectrum, review 5=12693
Se, energy gap, from polarized light absorption edge, temp. var. 5=15568
Se, solid and liq., deoxygenated, cond. and thermo-e.m.f. 5=6942
Se, Bi impurity effect on elec. cond. in elec. field 5=6941
SiC, hot electron emission, energy gap, phonon and ionization scatt. effects 5=7047
SiC, n-type, galvanomag. effects, 1. 5°-290°K 5=15333
Sm_2O_3, temp. and O_2 press. var. 5=9670
Sn oxide, resistive films, effect of ion migration in glass substrate 5=6946
SnTe, susceptibility mass, two carrier concs., 300°, 800°K 5=15238
Te, galvanomagnetic props., Hall coeff., low temp. 5=15338
Te, impedance by electromech. reson. 5=15341
Te solution, thermoelec., high temp. meas. 5=6197
Te, thermal acceptors props., lattice mobility var. 5=15224
Tl liquid alloys, cond. and thermoelectricity meas. 5=11905
Tl solution, thermoelec., high temp. meas. 5=6197
TiO_2, n-type, elec. conduction, multiple band 5=12751
TiO_2 (nitrile), Nb-doped, elec. cond. 5=15344
p-TlSe, elec. cond. and Hall const. anisotropy 5=6945
Tl_2Te, solid and liq., elec. cond. 5=15342
UO_2, elec. props., effects of neutron irrad. 5=4040
UO_2, intrinsic semiconduction 5=15345
U_3O_8 reduction products 5=1243
V_2O_5, elec. conductivity 5=12753
V_2O_5 sintered with oxide in reducing atm. with high cond. temp. coeff. near 68°C 5=6947
V_2O_5, solid and liquid, elec. cond. and thermo-e. m. f. 5=12752
WSe_2, Ta substituted 5=1655
Y_2O_3, temp. and O_2 press. var. 5=9670
n-$Zn_xCd_{1-x}Te$, self-compensation-limited, conductivity 5=9689
ZnO, crystals, elec. props. 5=1856

Semiconducting materials—contd
ZnO film, elec. conduct., tempering effects 5=12754
ZnS, single cryst., double injection 5=4041
ZnSe—ZnTe, n- and p-type, synthesis and transport props. rel. to temp. and composition 5=6950
ZnSnAs$_2$, single crysts., prep. and props. 5=9690
ZnTe, prep. and props., n-type 5=15347
ZrO$_2$, rel. to vacancies 5=15346
ZrO$_2$: Cu$_2$O, crystal structure 5=12244
gallium arsenide
acceptor level, shallow resulting from Cu diffusion 5=6800
acoustoelectric current induced by 9 Gc/s acoustic waves 5=4023
diffusion and electrical transport of Zn 5=12322
diffusion and solubility of Au in n-type 5=3714
epitaxial, orientation effect on elec. props. 5=1646
injection laser, construction, operation 5=14160
injection laser and mode control, switching 5=13049
injection lasers, closely coupled, interactions 5=14163
in lasers, triangular on Te, construction 5=14159
microwave oscillations of current 5=15321
n-type, microwave emission in 60V cm^{-1} elec. field 5=4022
recombination radn. light source 5=13047
reflectivity increase, electron—hole plasma formation 5=15551
surface electron state props. 5=3933
surface electron states, rel. to oxygenation 5=3930
surfaces, (111) etched, field effect and photovoltage meas. 5=4021
transistors, electroluminescence, temp. var. 5=15596
transistors, planar, contacts 5=12783
tunnel diode, chip, glass passivated 5=15362
GaAs$_{1-x}$P$_x$ semiconds., recomb. scheme and intrinsic gap var. 5=4350
germanium
beta rays effects, length, cond. change, at liquid He and 4.5 MeV 5=9510
breakdown, 4.2°K, potential distrib. 5=9677
breakdown, microwave, 4.2°C 5=9676
carrier capture, n-type, plastic deformation effects 5=12583
carrier energy spectrum 5=9593
carrier lifetimes, for electron and proton irradiation 5=3904
carriers, minority lifetime, stress effects 5=12582
conduction type, corrosion potentials meas. method 5=12705
conductivity in high fields, rel. to surface 5=15323
conductivity, thermal, of p-type, phonon scatt. calc. 5=6575
crystal electron band struct. calc. in films 5=12598
current harmonics in high microwave field 5=15324
cyclotron resonance, In doped 5=3955
defect levels by n-irrad. 5=15084
diffusion, electrical, of Sb and In, anomalies 5=6586
diode, conductivity and Hall effect, turn-over mechanism 5=6970
electrical conductivity, d.c., effect of microwave elec. field 5=12734
electrical conductivity, n-type, anisotropy in strong elec. fields 5=12736
electrical properties, p-type, Be-doped 5=12737
electrical resistivity and mobility, at low temps. 5=4024
electroconductivity, high field rel. to surface 5=15213
electron capture of negatively charged impurity centres 5=15326
electron field emission, 293° and 80°K 5=4130
electron—phonon scatt. anisotropy theory 5=6788
electron recomb. at Ni$^-$ 5=15210
electron scatt., anisotropic 5=15208
e.s.r. g shifts of P, Sb donors, stress effects 5=9845
excess conductivity, due to H-ion bomb. 5=12732
grain boundary channel currents, field-dependent 5=9674
Hall coeff., Corbino disc meas. method 5=12712
Hall coeff. and resistivity, rel. to radiation and annealing 5=9675
Hall effect, planar, in n-type, influence of impurity scatt. 5=12735
highly doped, impurity behaviour 5=15322

Semiconducting materials—contd
germanium—contd
holes, light and heavy, transport props in (111) surface spacecharge region 5=4026
homogeneity and impurity distrib., photo-e.m.f. meas. method 5=12706
hopping cond. and photoelec. effect 5=15209
hot-carrier conduction, Hall mobility, injection characs., of p-type 5=6924
hot carriers in microplasmas and their radiation 5=1591
hot electron emission, energy gap, phonon and ionization scatt. effects 5=7047
hot electron thermoelectric force and cond. 5=15211
i.r. radiation detection requirements, review 5=4109
impurity energy states, effective mass approx. calc. 5=6912
impurity photocond. when irrad. by fast electrons 5=4112
internal field emission from oxide states 5=3935
layer preparation in vacuum, rel. to donor molecule dissociation 5=3502
mag. susceptibility var., Fe-doped precipitates 5=1721
magneto-optical absorpt. in valence band 5=1841
magneto-optical anisotropic Voigt effect, i.r. approx. 5=7310
magnetoresist., anisotropy const., n-type temp., Sb-conc. var. 5=1648
minority carrier distrib, with enrichment and depletion 5=12603
minority carrier local lifetime 5=15214
minority current carriers, lifetime meas. 5=15221
mobility of holes scattered by phonons 5=3896
n-type, with Au^{2-} centres, hot electrons and negative resistance, at 20°K 5=9673
n-type, with Au centres, thermal electron capture at 20°K 5=9672
n-type, γ defects, annealing, high temp. 5=12353
n-type, degenerate, piezo-thermo-e.m.f. 5=7025
n-type, heavily doped, magnetoresist. in weak mag. fields 5=1647
n-type, hot electron cyclotron reson. 5=15253
n-type, irrad. with fast neutrons, photocond. 5=4113
n-type, irrad., response and recovery behaviour 5=15325
n-type, mobility, effect of plastic deform. 5=12581
n-type, phonon and impurity scatt. of carriers relation 5=6789
n-type, surface recomb. vel., neutron irrad. no effect 5=3902
neutron irrad. at 77°K, cond. and Hall effect 5=6926
p-type, anisotropy of Hall coeff., room temp. and 77°K 5=6925
p-type, deformed, combined reson. 5=1592
Peltier effect at electrolyte phase boundary 5=9726
phonon energy change at BZ boundary under uniaxial stress 5=1411
photocond. surface small field effect, kinetics 5=12816
photoconductive i.r. characteristics in B-doped Ge 5=1703
photoconductivity in Cu-doped, temp. effect on decay kinetics 5=1702
photoconductivity kinetics in plastically deformed Ge 5=7037
photoconductivity spectra, electron-irrad. samples 5=12352
photopiezoelectric effect 5=1687
photovoltaic effect in evaporated layers, unusual 5=9743
piezomagnetoelec. effect, theory 5=9678
piezoresistance and electron mobility, Sb-doped 5=12584
recombination radiation, wavelengths, i.r. effects 5=7392
reflectivity increase, electron—hole plasma formation 5=15551
resistivity rel. to temp., data using thermocompression bonded Ta wire elec. leads 5=10194
semiconducting minority carrier distrib, with enrichment and depletion 5=12603
solubility of As and Sb, Ga doped, acceptor—donor interaction 5=6258
solubility of In, alloy diode characts. method, temp. var. 5=14914
surface breakdown under high transverse fields 5=4025
surface elec. props., rel. to chemisorption of O$_2$ and NH$_3$ 5=4027
surface properties, effect of N-ion bomb. 5=12733
surface recombination centres, origin 5=3934
thermomagnetic props. calc. 5=15310
tunneling, phonon-assisted, calc. 5=12699

Semiconducting materials —contd
- **germanium** —contd
  - Au dopant distrib. 5=1461
  - Sb-doped, band structure, tunnel diode investig. 5=9599
  - Sn elec. activity 5=15327
- **silicon**
  - absorption at fund. band edge, rel. to doping 5=13070
  - capacitance of surface, calc. 5=15314
  - carrier energy spectrum 5=9593
  - compensated, K-band spin lattice relax. time meas. at 2°K 5=1805
  - conduction type, corrosion potentials meas. method 5=12705
  - crystal electron band struct. calc. in films 5=12598
  - current carriers, attachment, capture-centres, heat treatment effect 5=3907
  - current—voltage temp. var., due to impulse ionization of Zn level 5=1654
  - defects, quenched-in, in p-type 5=1457
  - defects, radiation-produced, orientation dependence 5=1451
  - diffused, p—n transition determ. method 5=6961
  - diffusion of impurities, electroluminescence 5=6592
  - dipole surface layer, electron reflection microscopy exam. 5=12152
  - donor e. s. r., 2°-20°K 5=7248
  - donor excitation spectra, stress effects 5=7364
  - donors, group V, 1s(E) and $1s(T_1)$ states 5=15236
  - doped with B, photo e.m. effect 5=4116
  - e. s. r., shallow acceptor states with stress, Raman and Orbach relax. calc. 5=4256
  - electroabsorption spectrum 5=1851
  - electroconductivity, high field rel. to surface 5=15213
  - electron—hole pair generation by electrons and α-particles 5=5270
  - electron mobility, hot at 77°K, in n-type Si 5=4034
  - epitaxial layers cond., 3-point probe meas. method 5=12707
  - Hall effect anisotropy, n-type 5=12748
  - highly doped, impurity behaviour 5=15322
  - highly-doped, impurity distrib. 5=1331
  - hole surface mobility, rel. to thermal oxidation 5=4039
  - hot carriers in microplasmas and their radiation 5=1591
  - hot electron emission, energy gap, phonon and ionization scatt. effects 5=7047
  - i. r. absorpt. by free carriers at high temp. 5=15570
  - i. r. radiation detection requirements, review 5=4109
  - impurity energy states, effective mass approx. calc. 5=6912
  - impurity ground shallow state, lattice shielding correction 5=9196
  - injection, single-carrier, at 76° and 300°K 5=6964
  - inversion layers, carrier surface scattering 5=15337
  - junction devices, surface conduction 5=15369
  - layer preparation in vacuum, rel. to donor molecule dissociation 5=3502
  - minority carrier lifetimes and surf. recombination rate, rel. to oxide films 5=4036
  - minority current carriers, lifetime meas. 5=15221
  - mobility temp. var., p-type 5=12590
  - n-type, electron irrad., Li effect on recomb. 5=15220
  - n-type, γ-irrad., defect form. at low temps. 5=6944
  - n-type, hot electron emission 5=15415
  - n-type, phonon and impurity scatt. of carriers relation 5=6789
  - n—p—n diffused epitaxial layers, phonon drag meas., B conc. effect on m. f. p. 5=1567
  - negative transfer resistance in p-type 5=6943
  - oxidized surface, electrical properties 5=12750
  - p-n junctions, breakdown voltage, var. by charge trapping 5=15354
  - photocond. surface small field effect, kinetics 5=12816
  - photocond. by trapping process and interimpurity recomb. 5=7038
  - photoconductivity, at high light intensities, and bimolec. recombination cross-sects. 5=12835
  - photoconductivity, two carrier, in p-i-n device 5=9744
  - photoexcited carrier mobility below 300°K, meas. 5=6790
  - photovoltaic films, anomalous, prep. 5=7040
  - piezoresistance calc. 5=9687
  - preparation, by iodide process 5=4692
  - p-type, deformed, combined reson. 5=1592
  - p-type, O influence on cond. 5=4035
  - particle defects, causing poor device yields 5=1653

Semiconducting materials — contd
- **silicon** — contd
  - recombination, O effect 5=15219
  - reflectivity increase, electron—hole plasma formation 5=15551
  - resistivity measurement, pulse method 5=12749
  - specific resistance, high freq. meas. method 5=12709
  - surface barrier counter, pulse height defect 5=14329
  - surface contact V—I curves, 200-500°K 5=9688
  - surface effects 5=15334
  - surface field effect relaxation 5=15336
  - surface potential shifts, space-charge model 5=15335
  - surface states 5=3938
  - surfaces, cleaved, field effect 5=4038
  - thermal expansion, var. with impurities 5=1423
  - thermomagnetic props. calc. 5=15310
  - valence band structure and indirect transitions 5=13070
  - As and Sb doped, 2- and 3-fold degenerate states energies, optical absorption 5=3908
  - B—Li pairing energy in Si 5=15572
  - In and B atom hole capture coeffs. 5=15332
  - In or B doped, free carrier i. r. absorption, photo-induced, calc. 5=15571
  - Li drifted counter, construction, characs. 5=14330
  - Li—B pairing energy in Si 5=15572
  - P-doped, spin—lattice relax. of donor electrons 5=4253
  - S^+ deep donor e. s. r. 5=12991
  - Si—SiO_2 interface, H-induced surface states 5=4037
- **indium antimonide**
  - acoustic-magnetoelec. effect at 30 Mc/s, analysis 5=12694
  - d. c. voltage, helicon induced 5=15330
  - e.m. microwave emission in mag. and elec. fields 5=15601
  - e.m. wave radiation, ⩾ 6 kMc/s 5=6928
  - electrical conductivity, n-type, at low temp. 5=12738
  - electron—phonon coupling evidence 5=15217
  - electron scatt. mechanism 5=15215
  - electron scattering 5=9592
  - electron spin temp., density at nuclear sites, n.m.r. meas. 5=6927
  - Faraday effect, microwave, meas. in n-type 5=15555
  - films, flash-evap. epitaxial, elec. props. 5=6932
  - Hall effect, low-resistance, use in magnetic field meas. 5=14049
  - hole mobility and magnetoresistance 5=12586
  - impure n-type, warm-carrier resistivity in mag. field 5=4030
  - magnetoacoustic effect 5=4006
  - magnetoelectric properties, intrinsic-conduction region 5=12741
  - magnetoresistance, electron irrad. effect 5=9679
  - magnetoresistance in fields up to 180 k Oe 5=15329
  - magnetoresistance, longitudinal, magneto-phonon oscills. 5=12740
  - magnetoresistance, longitudinal, new type of oscillation 5=6931
  - magnetoresistance oscillations observation 5=4031
  - mechanical damage effects on props. 5=9680
  - n. m. r., melting effects 5=11919
  - n-type, anomalous Hall effect in pulsed elec. fields 5=1650
  - n-type, current carrier lifetime 5=15216
  - Nernst coeff., Righi—Leduc temp. difference, elec.cond. temp. var. 5=6933
  - plasma, electron—hole, stabilization by mag. trap 5=3949
  - recombination radiation spectra from p—n—n^+ struct. 5=4353
  - reflectivity increase, electron—hole plasma formation 5=15551
  - scattering, impurity, acoustic and optical phonon 5=6934-5
  - Shubnikov—de Haas effect, spin splitting of Landau level 5=6929
  - surface electronic states, (111) 5=3936
  - (111) and (111) surfaces, elec. cond. and field effect 5=4032
  - In^{115} n.m.r., freq. shift 5-7282
  - InAs-InSb alloys, i. r. energy gap 5=4310
  - p—InSb, double injection negative resist., current controlled 5=6930
  - InSb-type, comb. reson. at acceptor centres 5=3953

Semiconductors
See also Crystal electron states; Magnetoelectric effects; Photoconductivity; Photovoltaic effects.
absorption edge shift, in crossed elec. and mag. fields and effective mass calc. 5=1827
acoustic-magnetoelec. effect at 30 Mc/s, analysis 5=12694
acoustic surface wave amplification, singular 5=6532
alloys III–V, electron effective mass 5=6795
amorphous, electron state density in band "tail" 5=6798
amorphous and liquid, energy band struct., spectrum review 5=12693
Auger recomb. and impact ionization 5=3898
binary, self-compensation-limited cond., correl. with fundamental parameters 5=1639
carrier activation across forbidden zone, thermodynamic aspects 5=6778
carrier lifetime meas., sliced specimens 5=12575
carriers, excess conc. decay 5=12572
carriers, minority mobility 5=12573
charge-carrier densities, steady-state fluctuations 5=6781
conduction kinetics in a.c. mag. field 5=12574
conductivity and dielectric constant, microwave meas. 5=6915
conductivity dispersion, thermodynamical model 5=11686
conductivity, monopolar non-equilibrium, near space charge, calc. 5=12702
conductivity prediction on multiple valence state basis 5=6911
conductivity thermal, eas., high temp. 5=9398
conductivity of thin layers, surface effects, high freq. meas. 5=12713
conductivity, transient, decay function 5=11687
at cryogenic temps., review 5=9660
crystal electron band struct. calc. in films 5=12598
crystal electron state momentum matrix elements calc. from one dimensional rectangular well potential 5=3910
cubic, Faraday free-carrier rotation, non-linear anisotropic terms 5=7313
current fluctuations rel. to impact ionization and avalanche breakdown 5=15313
current instability in collision ionization presence 5=1638
cyclotron resonance and free carrier magneto-optical props. 5=3954
degenerate band structure, tunneling theory 5=15229
Dember effect, electrochemical 5=4008
developments in physics, conference, Paris (1964) 5=6904
dicing slices, method 5=15898
dielectric permitt. meas. apparatus 5=12711
diffusion—recomb. transport, flux method calc. 5=12698
dipole scatt. theory without Brooks—Herring approx. 5=6782
dipole surface layer, electron reflection microscopy exam. 5=12152
e. s. r., acceptor level spin—lattice relax. time calc. 5=15488
e.s.r. experiments, review 5=1790
Einstein and Boltzman relations for degeneracy 5=12700
electrical conductivity, capacitive meas., theory 5=9665
electrical cond., temp. dependence, dynamic method 5=9667
electrical cond., temp. dependence, rapid determ. 5=9666
electrolyte interface impedance circuit 5=6909
electron band structure rel. to homogeneous deformation 5=9595
electron field emission, organic whiskers 5=9747
electron thermal trapping by neutral central 5=12568
electrophoresis, dielectric particles 5=9164
elementary excitations 5=76
exciton form. and dissoc. in phonon presence 5=6811
exciton instabilities and crystallographic anomalies 5=12620
film cond. meas. device 5=9664
films on cond. substrates, cond. meas. 5=12696
films, conductivity measurement, probe method 5=4009
films, electron scatt. by acoustic vibrations 5=9586
films, Hall const. meas. by probe 5=4010
films resistivity, 4-probe meas. method 5=12708
forbidden band rel. to thermodyn. energy parameters 5=6794

Semiconductors—contd
forbidden zone width rel. to Gibb's energy 5=3916
IV, III—V, II—IV, phase transition, energy gap rel. to critical pressure 5=1571
free carrier conc. from refl. light characts. 5=7297
galvanomagnetic effects, nonlinear under strong mutual electron—phonon drag 5=15311
galvanomagnetic effects of warm electrons, connections 5=12695
gas,—electrolyte, interfacial tension, electrostatic contrib., calc. 5=12703
Hall coeff., Corbino disc meas. method 5=12712
heavily doped, light absorption, theory 5=15532
heavily doped, quantum yield of internal photoeffect 5=1692
high cond. temp. coeff. near 68°C 5=6947
high resistivity, internal photoeffect quantum yield 5=15420
homogeneity, photo-e.m.f. meas. method 5=12706
hot electron energy distrib. 5=12571
hot electron in strong mag. field for semicond. and semimetal 5=15198
hot electrons, anisotropic scattering 5=15143
impure, donor and acceptor levels, electron occupation probab. 5=9594
with impurities conditions for pulling from melt 5=9273
impurity electrons electric susceptibility 5=9662
impurity energy states, effective mass approx. calc. 5=6912
impurity ion potential 5=9663
impurity level activation energy 5=12576
impurity photocond. and lifetime depend. on Fermi level 5=6910
impurity scatt. 5=15312
infrared absorption at low temp. 5=7302
kinetic coeffs., effect of phon and electron drag 5=3893
layer structure electron—phonon interaction 5=1558
light harmonic generation near absorption edge 5=15528
low-mobility, conduction, non-stationary, theory 5=4005
magnetic susceptibility in crossed elec. and mag. fields 5=1718
magneto-optical Voigt effect, anisotropic effective masses 5=7310
magnetoresistance, high field, inhomogeneous, plasma theory 5=6906-7
magnetothermal phenomena, quantum theory 5=1716
magnetothermal phenomena in strong mag. fields 5=1717
microwave conductivity, permitt., comments 5=12710
mixed crystals, props., phase transformations, review 5=12714
models, electron distrib., and carrier transport rel. to devices, book 5=12692
noise meas. instrument input stage 5=14017
nondegenerate, theory 5=4044
nondegenerate, transport properties, integrals 5=7739
nonlinear galvanomag. effects, and escaping electrons 5=12701
non-monotonic I—V characs., temp. var. 5=15307
non-parabolic bands, effective mass, thermoelectric power 5=6777
nuclear spin and Knight shift relax. time oscillations 5=7264
nuclear spin polarization, d. c. 5=14897
ohmic contacts, low resistance, for organic solids 5=15348
optical phonon amplification, quantum approach 5=6499
optical vibration amplification by carrier drift 5=15031
phases, four-component transformations 5=3446
phonon emission, coherent, by nonequilib. carriers 5=1406
phonon—helicon interact., in piezoelec. semicond., analysis 5=6821
photoconductivity, effect of hydrostatic press. 5=1694
photoconductivity by indirect generation, traps effect, reaction kinetic model calc. 5=4107
photoconductivity of thin layers, freq. var. 5=4108
physics of semiconductors, book 5=12691
piezoelectric acoustic mode electron scattering 5=1686
piezoelectric, use for u.s. h.f. transducers 5=7841
piezomagnetoelectric effect 5=9678
plasma, injected carriers, hotter than lattice, transport eqns. calc. 5=1589
plasmas—polar phonon coupling 5=12630
plate, amplification of flexural waves 5=4780
polaron cond., high freq., calc. 5=12697
potential barriers 5=6905
potential distribution of equilib. space charge 5=4007
propagation of strong e. m. waves 5=3166

Semiconductors—contd
  properties, n.m.r. meas., review 5=6927
  radiation damage, conference, Royaumont (1964) 5=6654
  radiation detectors, i. r., III—V cpds., photovoltaic 5=157
  radiative recombination rel. to lasers; conference, Paris (1964) 5=7382
  radiative transitions 5=15202
  relaxation time, diffraction modulator meas. method 5=15308
  resistivity, elec., press. effect, review 5=9616
  semimetal conversion, high temp., model 5=15228
  sheet resistivity measurements, square samples, 4-probe method 5=1640
  space charge injection 5=6817
  space charge layers, electron correl. and screening review 5=7045
  specific resistance, high freq. meas. method 5=12709
  surface capacitance theory 5=6913
  surface layers, reflectivity, at plasma frequencies 5=4278
  surface potential, dynamic capacitor meas. method 5=12704
  thermo-e. m. f. and Hall effect rel. to charged impurities 5=15309
  thermo-e. m. f. in quantizing mag. field 5=4100
  thermoelectric power and e. m. f. meas. 5=9721
  thermoelectric props., conference 5=4101
  thermoelectric props, rapid meas. method 5=12810
  thermoelectricity, meas. by Harman method 5=9720
  thermoemission rel. to electron distrib. function 5=12842
  thermogalvanomagnetic effects, quantum theory 5=3969
  thermomagnetic phenomena, quantum theory 5=3968
  thermogalvanomagnetic effects, quantum theory calc. 5=15268
  thermomagnetic props., for cubic with assymmetric band struct., calc. 5=15310
  thermomagnetic waves 5=6538
  III-IV, free-carrier i. r. absorpt. 5=9885
  transport processes, drift velo. calc. method 5=9661
  tunneling, phonon-assisted, calc. 5=12699
  2-carrier structures, potential-probe measurements, interpretation 5=6914
  ultrasonic amplification theory 5=3684
  whiskers, mounting and electroding 5=7692
Series
  Clebsch-Gordon series for SU(3) 5=20
  heat transfer problems, divergent solns. 5=10357
Sferics. See Atmospherics.
Shear strength. See Mechanical strength/shear.
Shell model. See Nucleus/model.
Shielding. See Radiation protection.
Shock tubes
  detonating driver gas tube 5=2098
  driver gas temp. gradient distrib. effect on flow 5=4789
  electrically-driven, performance study 5=108
  laminar boundary layer, velocity profile meas. 5=13920
  magnetic annular, current speed 5=2101
  plasma, front and pre-ionization range microwave meas. 5=1088
  silica windows, mounting method 5=4790
  single pulse of bursting diaphram 5=2099
  θ-pinch 5=11695
  Turin polytechnique 5=107
  weak press meas. technique 5=13919
Shock waves
  See also Detonation; Explosions; Supersonic flow.
  contactor pin design for vel. meas. 5=7833
  cylindrical solid, by exploding wire along axis, rel. to deformations 5=15124
  curvature in cylinder 5=4785
  detonation, Mach refl. in condensed high explosives 5=113
  energy spectrum scaling 5=4788
  entrance into wedge-like cavity 5=10320
  equation of state meas., and use for high press. production 5=4784
  exploding wires, gas discharge mechanism 5=14687
  formation in front of body in shock tube 5=4786
  formation, kinetic-theoretic description 5=7830
  front shape in tubes 5=10319
  for gas flows, transient, calc. 5=6073
  gas-solid suspension, relaxation 5=10321-2
  gas velocity meas. 5=1145
  gas velocity meas. behind wave 5=105
Shock waves—contd
  gases detachment distance, high temp. 5=4787
  in hypersonic flow past sphere 5=10316
  hypersonic tunnel, model surface press. instrumentation 5=2100
  ionizing, interacting with e. m. field, mag. fld diffusion 5=14087
  ionosphere D-region, weak 5=13481
  laminar boundary layer, velocity profile meas. 5=13920
  large displacement elasticity, calc. 5=2036
  line weak discontinuities, calc. 5=104
  liquid—steel boundary stress pulse propag. 5=2102
  luminous fronts in e.m. tube 5=7831
  m.h.d., in inhomogeneous field 5=4934
  magnetohydrodynamic, v × B—e. m. f. meas. 5=2242
  measurement, by diffr. shadow, of shock on model 5=103
  of meteors, magnetic effect 5=7647
  model effects on heat flow, ionization 5=107
  noble gases, from explosive driven shocks 5=7834
  oblique in magnetohydrodynamics 5=2248
  onset in supersonic flow in rarefield gases 5=1148
  plasma, collision free 5=5989
  plasma, finite amplitude compression waves 5=3156
  plasma in gun, collisionless front model 5=3157
  plasma, wave structure 5=1087
  radiation-induced, outside discharge tubes, fracture problems 5=106
  sonic boom, characteristics 5=2094
  sparks prod. by laser, radiative detonation model 5=5946
  in steel, compression waves, phase transition relaxation 5=112
  structure, in ionized gas with anisotropic viscosity 5=10317
  temperature meas., reflected shocks in powdered solids 5=110
  in θ-pinch shock tube 5=11695
  in upper atmosphere, propag. 5=15718
  velocity meas. by Doppler effect at mm wavelength 5=7832
  velocity meas. by streak camera 5=10318
  vermiculite absorpt., expt. 5=4794
  weak, diffraction theory 5=10315
  Ar, anomalous measurements 5=10323
  Ar, precursor phenomena, expt. 5=7835
  in Fe, compression waves, phase transition relaxation 5=112
  Hg, gas dynamic processes, Rozhdestvensko's method 5=2103
  H_2O, laser prod. 5=9111
  Kr, hugoniots 5=13922
  $NaBrO_3$ crystals, at growth centres 5=3570
  Xe, hugoniots 5=13922
 effects
  absorption in Pb, Cu, Al, plastic, steel, H_2O 5=13921
  alkali halide cryst., compressibility 5=3813
  alkali metals, P—V rels. meas. method 5=15147
  on atmospheric optics, at high altitude, after explosion in ionosphere 5=15718
  cylindrical shell, Green's funcn. technique 5=7836
  glass, P—V curve 5=12499
  granular salt, light emission, included gas effect 5=4391
  ionosphere chemiluminescent trail, for temp. meas. 5=13440
  noble gases, radiation from explosive driven shocks 5=7834
  novae, acceleration of particles at surface 5=4585
  plasma, comparison with gas 5=14717
  plasma, Debye—Huckel inert gas, equilib. calc. 5=5988
  polarization of dielectrics 5=12788
  review 5=4784
  solids, brittle fracture 5=1505
  sonic boom and other shock waves on buildings 5=2095
  sonic booms, on glass in windows 5=2096
  sonic booms, meas. on buildings 5=2097
  structure in plasma with mag. field, ion lamor radius effects 5=14719
  Ar, photoionization at intense peak 5=1046
  Ar plasma, microwave meas. of electron densities 5=14718
  Cu, temp. rise, thermocouple meas. and intensity meas. 5=111
  $H + O_2$ reaction 5=1897
  He, photoionization at intense peak 5=1046
  MgO, vacancies prod., e. s. r. study 5=6609
  N_2, Na excitation, line reversal obs. and N_2 vibr. 5=5807

- **Shock waves**—contd
  - **effects**—contd
    - NO, i.r. emission, rel. to shock heating 1000°-2500°K 5=8819
    - NO_2 dissociation in Ar, by reflected wave 5=4383
    - O_2, shock-heated expansion past diaphram, Na-line reversal temp. meas. 5=102
    - Xe, shock ionized, equilib. props. 5=3132
- **Shot noise**. See Fluctuations/electrical.
- **Showers**. See Cosmic rays/showers and bursts.
- **Shubnikov–de Haas effect**. See de Haas–van Alphen effect.
- **Silicon**
  - See also Semiconducting devices; Semiconducting materials/silicon
  - A-centres generation rate, n-irrad., $a\mu$ absorption method meas. 5=15114
  - absorpt. spectra during heat treatment, dislocation effects 5=7363
  - activity coeff. in Fe—C—Si, C effect 5=9092
  - activity in Ag—Si molten alloy, comp. var. 5=14834
  - adsorption of H_2O, CCl_4, acetone, elliptically polarized light obs. 5=3521
  - adsorption of O_2, ellipsometry meas. 5=12067
  - attachment, capture-centres, heat treatment effect 5=3907
  - with B impurity, elec. resistance improvement, thermal neutron irrad. 5=4693
  - chemisorption of O_2, elliptically polarized light obs. 5=3521
  - compressibility and mag. ordering, transitions 5=15187
  - creep, in single crystals, viscous movement of dislocations 5=1544
  - crystal electron band struct. calc. in films 5=12598
  - crystal electron states, surface, cleared, from relax. temp. var. 5=12617
  - crystal electron 2 and 3 fold degenerate states 5=3908
  - crystal imperfects., surface processing prod., X-ray exam. 5=3774
  - crystal lattice tilt and increase by protons 5=9445
  - crystal lattice vibr., X-ray weak scatt. obs. 5=6517
  - crystal stacking fault growth on oxidation, H_2O effect 5=9490
  - crystal stacking fault obs., by phase contrast microscopy in films 5=9491
  - crystal twinning on vapour growth 5=9444
  - crystallization, from supercooled droplets 5=12134
  - crystals, diffusion of Au 5=12332
  - current—voltage temp. var., due to impulse ionization of Zn level 5=1654
  - cyclotron reson., in stressed Si 5=15254
  - defects, quenched-in, in p-type 5=1457
  - density, precision meas. 5=3436
  - diffusion of impurities, electroluminescence 5=6592
  - diffusion, surface, on W 5=15079
  - diffusion of Ag on surface 5=15077
  - diffusion of As 5=6593
  - diffusion of Au, elec. resistivity changes 5=9686
  - diffusion of Ga, surface imperfection effects 5=3722
  - diffusion of Na, Ar atmosphere, 650°C 5=6594
  - diffusion of P from P_2O_5 source, SiO_2 masking 5=3723
  - diffusion of P, surface layers, formation and composition 5=9415
  - dislocation damping 5=3757
  - dislocation formation in single crystals 5=12394
  - dislocation Ni precipitation 5=12392
  - dislocation slip patterns, diffusion induced, improved technique 5=1478
  - dislocations diffusion of Sb, eqn. soln. 5=1445
  - dislocations, etching determ. of orientation 5=9263
  - dislocations, Laue photographs 5=6637
  - dislocations from P-diffusion, anomalous X-ray transmission obs. 5=1473
  - dislocations and precipitates induced by diffusion 5=12393
  - e. s. r. broadening and O adsorption 5=7249
  - e. s. r., compensation effect 5=15505
  - e.s.r. of P^{31} 5=12990
  - effect on 10% Cr—Ni oxidation 5=13151
  - elastic const., directional var., calc. 5=6752
  - elastic moduli, third-order 5=3849
  - elastically strained, internal strain 5=1518
  - electron emission from hot surfaces 5=4126
  - electron mobility at 77°K, in n-type 5=4034
  - epitaxial deposition, multiple slice, in resistance heated furnace 5=1320

- **Silicon**—contd
  - epitaxial, faults, by etching and X-ray diffr. 5=1452
  - epitaxial growth by iodine transport between piled-up pellets 5=1319
  - epitaxial growth on Si in ultrahigh vac. 5=3577
  - epitaxial layers, growth by vacuum evap. 5=12137-8
  - epitaxial layers, growth, by pyrolysis of silane 5=12139
  - epitaxial, tripyramid growth 5=12122
  - epitaxial wafers, layer thickness meas. 5=10
  - epitaxial wafer, Si, impurity distrib. profile meas 5=1462
  - epitaxial wafers, film defects characterization 5=1465
  - epitaxy on quartz 5=9299
  - field emission energy distrib. 5=12841
  - film growth on alumina ceramic 5=9298
  - films, expitaxial, impurity distrib. 5=15093
  - films, epitaxial, impurity distrib. meas. 5=12365
  - films, growth and structure, review 5=3503
  - films photovoltages, anomalously high 5=12834
  - films, prep. for electron microscopy 5=14991
  - γ—α reactions, α-particle tracks, spectra, photonuclear emulsions meas. 5=14521
  - growth, filamentary, from vapour 5=1313
  - growth, tetrahedral, in pyrolytic epitaxial films 5=6397
  - highly-doped, As impurity segregation along black boundaries 5=1464
  - imperfections, induced by impurity diffusion 5=3758
  - impurity distrib., in eptiaxial growth 5=12131
  - impurity distrib., highly-doped 5=1331
  - lattice constants and expansitivies, 6° to 322°K 5=1424
  - layer preparation in vacuum, rel. to donor molecule dissociation 5=3502
  - luminescence on oxidation, anodic 5=7399
  - magnetic susceptibility, near m. pt and as liquid 5=14865
  - n. m. r. of Si^{29}, P^{31}, B^{11} 5=1273
  - n-type, hot electron emission 5=15415
  - needle crystals, lamellar structure 5=3573
  - optical rotation, high field Faraday, n type 5=13052
  - P-doped, double resonance, packet-shifting 5=1809
  - p-type, e^+—γ^- wave fn., var. with symmetry about <111> axis 5=1596
  - particle defects, causing poor device yields 5=1653
  - Pendellösrung fringes and disloc. images, by X-ray shadow micrography 5=12153
  - Pendellösung fringes, X-ray exam. of wedge single crystals 5=3606
  - phase transforms, to 200 kbar, 1000°C 5=3392
  - precipitation of Cu, models, microscopes obs., rel. to disloc. decoration 5=3473
  - precipitation of Li, electron mic. obs. 5=6619
  - protons, energy loss, anisotropic, in crystals 5=6663
  - pure and impure, thermal cond., 3°-300°K 5=3700
  - recoil of atoms on γ- and neutron-irrad. 5=3791
  - reflectivity increase, electron—hole plasma formation 5=15551
  - semiconducting controlled redtifiers, electron microscope exam 5=9697
  - specific heat, temp. var. 5=6549
  - spectra in shock-heated plasma 5=5990
  - spectrum, Si I, in PbS region, and sun 5=14607
  - sputtering, atom ejection patterns, 0-500°C, by 100-800 eV inert gas ions 5=3792
  - stacking fault control in epitaxial material 5=12411
  - surface abrasion damage, microscope exam. 5=14944
  - surface, condensation entropy, calc. 5=3486
  - surface dislocation, emergence by autoradiography after marked-atom diffusion 5=6634
  - surface layer perfection, filing, grinding and etching techniques 5=12035
  - surface polishing by acids, metal deposition 5=12040
  - surfaces, (111) and (100), clean, annealed, possible structures 5=3626
  - (111) surfaces, reactions with Al and In 5=4395
  - thermal expansion, var. with impurities 5=1423
  - thermal expansion, X-ray meas. 5=6560
  - thermal oxidation, redistrib. of solutes 5=3724
  - thermal vibrations freq., temp. var. 5=12273
  - valence band structure and indirect transitions 5=13070
  - water-vapour as etchant 5=9272
  - X-ray absolute scattering factors 5=13071
  - X-ray absorption, Si anomalous and mean coeffs. agreement with calc. 5=4321
  - X-ray examination, scanning method of topography 5=3582

Silicon—contd
X-ray scatt., Compton process by electrons, Stokes shift calc. 5=1230
X-ray spectrum, K, valence and coordination effects 5=4313
B—Li pairing energy in Si 5=15572
C dopent vibr. freq., 2nd harmonics absorption spectrum meas. method 5=13041
Li—B pairing energy in Si 5=15572
Ni solubility in, 900-1400°C, Ni^{63} tracer technique 5=3442
in YFe garnet spheres, acoustic props. var. 5=12279

Silicon compounds
See also Quartz.
aerosols and gels, dried surface and bulk OH groups, by i.r. spectra and D_2O-exchange 5=6317
α—β cristobalite transitions, thermodynamic parameters 5=6310
α—β quartz transitions, thermodynamic parameters 5=6310
crystobalite, transitions, displacive, rel. to n-irrad. 5=9233
difluorosilane, i. r. spectrum 5=967
hydrogels, yield values, sedimentation ageing effects 5=11922
oxide, electron emission of Si n–p jn., time-decrease due to oxide layer 5=7046
silica gel, adsorbed water n. m. r. 5=3376
silica gel, adsorbed water and OH groups, i. r. spectra 5=3522
silica gel, as crystal growth medium 5=14968
silica surface hydroxyl groups and adsorbed molecules i. r. spectra 5=4322
silica, vitreous, viscosity 5=3878
silicate powders, adhesion in u.h. vacuum 5=12546
silicates, phase transforms., configuration, and networks 5=12016
silicoaluminas, amorphous, structure 5=1287
OH_3 vibr. stretching rel. integrated intensity 5=5831
Si-Au alloy, field effect at surface 5=12616
$SiBr_3$, vibr., mean square amplitudes 5=11524
SiC, coalescence of polytypes, X-ray study 5=6482
β-SiC coatings, stacking faults and disloc. etch pits orientation 5=1482
SiC, crystal orientation effect on hardness 5=6753
SiC, crystal struct., atomic, 32 new polytypes 5=9351
SiC, diffused Al, p—n juncn., recomb. radiation and elec. props. 5=1874
α-SiC, dislocation decoration by Cu 5=6631
SiC, elastic consts, by reson. and pulse—echo methods 5=12547
α-SiC, epitaxy and overgrowth exam., conditions effect calc. 5=1318
SiC, growth, from Si melt 5=12121
SiC, growth spirals, interferometric studies 5=9311
SiC (4H), luminescence and conduction band minima location 5=13125
SiC, mag. reson., double 5=7274
SiC, N diffusion, lattice const. decrease 5=9440
SiC, n-type, galvanomag. effects, 1.5°-290°K 5=15333
α-SiC, nature of rectifying junctions 5=12766
SiC p—n junction, irrad. effect on I—V characts. 5=4055
SiC, p-n junctions electro- and photoluminescence 5=13126
SiC, piezoelec. u.s. resonance meas. with Colpitts oscillator 5=7023
SiC, polytype 24R, struct. 5=6483
SiC polytypes, X-ray identification 5=3644
SiC, production 5=12123
SiC, pure and impure, thermal cond., 3°-300°K 5=3700
SiC, 69R polymorph, crystal lattice structure 5=6484
SiC, tunnel diodes, negative resistance 5=15363
SiC, B doped, photoluminesc. and polytypism 5=9961
$SiCl_3$, e. s. r. and Cl^{35} hyperfine coupling 5=9838
$SiCl_4$, impurity doping, in epitaxial growth 5=12131
$SiCl_4$, mol. struct., gas electron diffr. data 5=11500
Si Cl, vibr. and rotation spectra meas. electronic struct. calc. 5=2984
Si—Fe, cold-rolled, texture of intermediate layer 5=1330
Si^{29}—H^1 and Si^{29}—F^{19} coupling consts., signs 5=8895
SiH_3CN and SiD_3CN, force consts., centrifugal distortion consts., and thermodynamic props. 5=5873
SiH_3CN and SiD_3CN, molec. and thermodynamic props. 5=8840
SiH_4, negative ion prod. by electron reson. capture 5=1067

Silicon compounds — contd
Si_3N_4, solubility in Ag—Si molten alloy, meas. 5=14834
Si_3N_4 whiskers, growth, struct., mechanical strength 5=3574
SiO capacitor, current transients due to trapping, calc. 5=6992
SiO, crystal growth in films on heating 5=12043
SiO evaporated films, internal stresses, press. and temp. effects, rel. to optimum conditions 5=6754
SiO, photoelec. emission, Ge or Al doped 5=15422
SiO_2, adsorbed water vapour, neutron inelast. scatt. study 5=3513
SiO_2, atomic and microstructure, compact modification 5=6481
SiO_2 fibres, cooling times 5=3451
SiO_2, film prod. by chemical thermal transport 5=12052
SiO_2 film prod. by electron bombardment of triphenylsilanol and oxidation 5=12051
SiO_2, films, deposition by electron bombard. evap., dielec. props. 5=3499
SiO_2 films on Si, electrochem. phenomena, annealing, elec. biasing, doping effects 5=15627
SiO_2 films on Si, refractive index by oil immersion method 5=1852
SiO_2 gels, dielec. props., 1 c/s-20 Gc/s, var. water, and relax. 5=9167
SiO_2, surface electrical properties 5=12750
SiO_2, ultraviolet reflectance spectrum 5=15538
SiO_2 vitreous, γ irrad., E' defect paramag. relax., temp. var. 5=7250
SiO_2, vitreous, pentagonal dodecahedral model 5=12075
SiO_2—Al_2O_3—P_2O_5 (< mole % P_2O_5), phase transforms., solid 5=6311
Si—O—Si group vibrs. and bond stretching consts. 5=3010
Si—SiO_2—Al rectification and O vacancies 5=12786
Si—SiO_2—Al transistors, Si surface cond. 5=15368
$SiTe_2$, optical props. 5=4323
Si_2Te_3, optical props 5=15569

Silver
absorption spectra of vapour 5=5771
activity in Ag—Si molten alloy, comp. var. 5=14834
added to Al alloys, effect on ageing 5=3458
alloys with Th, eutectics, melting and struct. 5=14877
band structure 5=9601
Bordoni peak of crystal, from 10-50 Mc/s u. s. meas. 5=15182
chemisorption of S 5=15621-2
collective resonances 5=12624
crystal disloc. in boundary layer of epitaxial film on Cu 5=6635
crystal dislocations and lattice const., epitaxial films 5=9474
crystal growth, (111) planes, electrolytic 5=9286
crystal imperfection alignment in films, substrate effects 5=9446
crystals, from Tl soln., microsegregation traces 5=12127
Debye—Waller factor, de Launay's method calc. 5=6427
dendrite growth, electrolytic 5=12130
desorption from W, calc. 5=14958
diffusion of Sb and Ru 5=6583
diffusion on Si surface 5=15077
diffusion, self and In^{114}, Sb^{124}, high press var. 5=9416
dispersions in glass, optical props. 5=6206
electrodiffusion, in liquid Pb 5=3323
epitaxial growth on W, field-emission on microscope exam. 5=12140
evaporation rate and self-diffusion coeff. 5=6224
facet decoration 5=9266
film growth by evap. in electron microscope 5=9246
films, electrical props., and defect struct., temp. effects 5=15272
films, electron diffraction study 5=9310
films, evaporated, crystallite coalescence 5=1314
films, magnetoresistance 5=12652
films, optical consts., far u. v. 5=15573
films, optical consts., 2500-3700Å 5=4324
films, orientation on rocksalt substrate 5=14954
films, sputtering epitaxial growth 5=12053
films, stacking faults by electron diffr. 5=3766
films, very thin, new elec. phenomena 5=15275
i. r. reflectance and emittance in ultra-high vacuum 5=13072
loose powder aggregates, creep kinetics 5=12548

Silver—contd
- magnetoresistance 5=6850
- melting, point depression in high-pressure O_2 5=14880
- nuclear mag. relax. and Ruderman—Kittel interaction 5=9875
- optical consts., films, vacuum u.v., ageing effects 5=7334
- photoelec. absolute cross-section for 145 keV γ-rays meas. versus theories 5=785
- photoelectric cross-section, 662 keV γ-rays, meas. 5=787
- photoelectric emission in He discharge 5=9750
- photoelectron emission, quantum yield, energy distrib. 5=4135-6
- plastic deformation and deconsolidation activation energy 5=12493
- plastic deformation, orientation var. of dissipation energy 5=9532
- point defects by plastic straining, —195°C 5=12502
- resistivity rel. to thickness, 4. 2°K, for thin films 5=6848
- self-diffusion 5=12334
- self-diffusion, surface 5=12333
- single crystal foil prod., u. h. vacuum sorption system 5=6320
- single crystal growth, in Al_2O_3 presence 5=3569
- solid mixtures with polystyrene, dielec. props. 5=6995
- solubility and diffusivity of O 5=3444
- specific heat, 2-4°K 5=9388
- stacking fault energy 5=12412
- structure, up to melting point 5=1391
- surface atom migration during oxidation 5=4390
- surface free energy, orientation var. 5=14945
- surface tarnishing by H_2S rel. to structure 5=9267
- targets, bremsstrahlung, plasma- and transition-radiation 5=3952
- thermal expansion, below 100°K 5=12296
- vacancy zone distrib. in elongation cascades 5=15087
- X-ray absorption, 7-17A range 5=1833
- X-ray charact. emission intensity calc. 5=9916
- Al, stacking fault—cold working energies rel. 5=15101
- Ar adsorption, accommodation coeff. var. 5=12062

Silver compounds
- complex with polystyrene, absorpt. spectra and fluorescence 5=11614
- solid solutions, relaxation effects 5=15181
- Ag alloys, conductivities, 0. 3-4°K phonon mechanisms 5=6572
- Ag binary alloys, Mössbauer effect of Sn^{119} 5=6253
- Ag cyanamide, crystal growth and structure 5=1368
- Ag halides, containing Fe^{2+}, absorpt. spectra 5=9909
- Ag halides, crystal props., Lennard—Jones (12:6) potential calc. 5=3415
- Ag halides, interatomic forces and bonds, calc. 5=6236
- Ag halides, thin film elec. conductivity in equilib. with aq. solutions 5=4080
- Ag perchlorate—benzene complex, benzene freq., p.m.r obs. 5=994
- Ag—steel filamentary composites, plastic deformation and failure 5=12554
- Ag–AgCl electrode third law potential calc. 5=9101
- Ag–Al alloy, plasma oscillations of electrons rel. to composition 5=6816
- Ag—Al, prismatic slip, creep rates, stress var. 440°-770°K 5=15183
- Ag–Al, yield drop, strain rate and temp. effect 5=6766
- Ag_2Al, slip, rate and temp. var. 5=9575
- Ag—Al—Zn, prismatic slip, creep rates, stress var. 440°-770°K 5=15183
- Ag_3AsS_3, n. q. r. 5=15523
- $AgBiTe_2$, cryst. structr. 5=9353
- AgBr with chalcogen ions and divalent cations, irrad., absorption spectrum var. 5=7366
- AgBr, charge carrier transport, scatt., mag. field effect, calc. 5=15222
- AgBr containing Fe impurity, oxidation of Fe 5=6257
- AgBr, crystal vacancies due to addition of $FeBr_2$, $CoBr_2$, $NiBr_2$, n. m. r. obs. 5=9435
- AgBr, e. s. r., doped, due to illumination 5=9848
- AgBr, electronic band structure and props. 5=9602
- AgBr, exciton light absorpt. 5=9917
- AgBr, hole conductivity, 177-415°C 5=12591
- AgBr, irrad., absorption of O^- dopant 5=13073
- AgBr, luminescent and photoelec. props 5=7400
- AgBr, pure and NaBr doped, disloc. density effect on n. m. r. linewidth 5=6629

Silver compounds—contd
- AgBr, thermal expansion, 25° to 400°C 5=12300
- AgBr—$CdBr_2$, thermal expansion, 25° to 400°C 5=12300
- AgBr, Cu^+ diffusion coeff., 50 to 400°C, temp., conc., Frenkel defects conc. var. 5=3725
- AgBr, Cu^+ doped, conc., var. calc. 5=3726
- AgBr, Fe doped, e. s. r. 5=7251
- Ag_2Ca_3, crystal structure and prep. 5=1388
- Ag—Cd alloy, internally oxidized, Widmanstätten structr. 5=9312
- Ag–Cd solid soln., temp. and conc. depend. of relax. effect 5=6755
- AgCl, charge carrier transport, scatt., mag. field effect, calc. 5=15222
- AgCl containing Fe impurity, oxidation of Fe 5=6257
- AgCl, electronic band structure and props. 5=9602
- AgCl, internal friction recovery 5=15184
- AgCl, photoconductivity, long-range 5=7041
- AgCl, photoelectret state formation kinetics 5=12807
- AgCl, thermal expansion and equilibrium defects, meas. 5=3697
- AgCl, Cu^+ diffusion coeff., 50 to 400°C, temp., conc., Frenkel defects conc. var. 5=3725
- AgCl, Cu^+ doped, conc. var. calc. 5=3726
- AgCl, $Cu^{+,2+}$ e.s.r. and optical studies 5=1799
- AgCl, Fe doped, e. s. r. 5=7251
- $AgClO_3$, mechanical props. 5=6758
- Ag—Cu, formation conditions and properties, in finely dispersed region 5=11991
- Ag—Cu[Ge] alloys, supercond. metastable phases, by plasma-jet spraying 5=9648
- $AgFeTe_2$, possible existence 5=14909
- $AgFeTe_2$, suggested as Ag_2Te—Fe_2Te_3, elec. props., struct. 5=11986
- Ag—Ga alloys, order in ζ' phase 5=1246
- AgI, electron trapping, pressure induced 5=12592
- AgI, high-press. polymorphs in phase diagram 5=6312
- AgI, ice nucleation 5=9297
- AgI phases, specific heat and diffusion meas. 5=9385
- AgI, specific heat and crystal defects 5=9386
- AgI, thermal expansion 5=1425
- AgI, thermoelec. power 5=7027
- AgI—CuI phases, specific heat and diffusion meas. 5=9385
- AgI—CuI, specific heat and crystal defects 5=9386
- Ag—In solid solutions, anelastic effect 5=6756
- AgMg, grain boundary hardness, after heat treatment, in O_2 atmos. 5=6757
- $AgMoO_2PO_4$, crystal structure, atomic 5=15021
- $AgNO_2$, i. r. absorpt. spectrum 5=4325
- $AgNO_3$, phase transform., refractive index change study 5=3457
- $AgNO_3$ solns. in CH_3CN and C_6H_5CN, elc. cond., viscosity, density 5=11904
- Ag—O solid solns., entropy 5=3703
- Ag_2O, i. r. spectrum, 350-50cm^{-1} 5=9918
- AgOCN, crystal lattice structure 5=12225
- Ag—O—Cs photocathode, optical and electronic props 5=13074
- $Ag_2O.4B_2O_3$, crystal struct., atomic 5=6480
- Ag_2O—Na_2O (40 mol. %). $4B_2O_3$, crystal struct., atomic 5=6480
- Ag—Pd, thermopower and resistivity 5=15396
- Ag—S, liquid, elec. cond., temp. and comp. depend. 5=14863
- AgSe—B, energy gap, prep. methods effect 5=1576
- Ag_2SO_4, phase transform., refractive index change study 5=3457
- Ag_2SO_4 solution thermochemistry 5=11858
- Ag_3SbS_3, n. q. r. 5=15523
- Ag—Si molten alloy, Si, Ag activity 5=14834
- Ag—Sn, α-phase, specific heat 5=15050
- AgSn ($\leqslant$ 8 at. %), specific heat, 2-4°K 5=9388
- Ag—Zn alloys, β' and ζ phases, lattice spacing rel. to In, Ga impurities 5=9354
- Ag–Zn, deformation modes, slip, stacking fault effects, twinning meas. 5=6774
- AgZn, phase transforms., β, ζ, and plastic deform. faults 5=12017

Sinanoğlu's theory. See Atoms/structure.

Sintering
- kaolin—quartz—felspar 5=12513
- metal films, rel. to H_2 adsorption 5=3517
- processes, present ideas 5=9216

Sintering—contd
  Bi_2Te_3—Sb_2Te_3 [Bi_2Se_3] thermoelement branches, brignetting 5=9215
  CeO_2, and etching, for microstruct. obs. 5=6265
  Co, self-diffusion, grain boundary var. 5=15068
  Cr—W—C system 5=1250
  Cu—Al alloys, cold worked, effect of annealing on mech. props. 5=15157
  Fe—Al alloys, structure and props. 5=1252
  Mg evaporated films, Kr, C_2H_4 adsorption method meas. 5=12050
  Mn—Zn ferrites, and permeability and Q 5=1760
  Mo, diffusion mechanism for Ni activated sintering 5=12328
  Nb—Sn, superconducting compacts 5=1633
  Pb(Ti, Zr)O_3 solid solns. 5=14921
  PuO_2, behaviour 5=14922
  UO_2 single crystals, prep. by sintering 5=3571
  UO_2, thinning, for electron microscopy 5=14995
  W crystal growth 5=6266
  WC—Co, fracture strength and particle spacing 5=15190
  Zr carbide, hot-pressed, mech. props. to 2600°C 5=3886
Skin effect
  electron—phonon collision processes 5=9617
  ferromagnetic metals in strong mag. field, anomalous 5=7195
  rel. to magnetoresistance 5=6836
Sky brightness
    See also Airglow; Twilight.
  altitude variation 5=1937
  daylight colour temp. over 2 years 5=15666
  depolarization in cloudy atm. 5=10074
  effective radiation flux, spectrally selective 5=13274
  energy balance, global distrib., Tiros obs. 5=13273
  extinction and scatt., absorption effects 5=13272
  seasonal variation, up to 17.5 km 5=13269
  solar aureole, rel. to interplanetary dust radiation 5=15865
  ultraviolet day radiance of atmosphere, rocket obs. 5=13270
Sliderules
  No entries
Slip
  α-brass, secondary, in deformation 5=9542
  crystals, slip, stress and deformation calc. 5=12464
  diamond, on plastic deformation 5=12495
  independent modes number 5=9524
  metals, and crystal dislocation group stress fields 5=9519
  polycrystal, calc. from single crystal stress/strain curve 5=9518
  polymers, cold drawing mechanism 5=12535
  and stresses, internal 5=9525
  wave in stationary lattice, max. velocity 5=1501
  Ag—Al, prismatic, creep rate stress var., 440°-770°K 5=15183
  Ag_2Al, rate and temp var. 5=9575
  Ag—Al—Zn, prismatic, creep rate stress var., 440°-770°K 5=15183
  Ag–Zn, operative systems, 25 to –196°C meas. 5=6774
  Al—Cu, grain boundary sliding, 500°F 5=3833
  Al_2O_3, fracture distortion and depth var. 5=15142
  Au, specimen dimensions effect 5=3851
  BaF_2 single crystals 5=3834
  Be, modes 5=12485
  CaF_2 ingots, on {100}, by thermal stress concs. 5=6630
  $CaWO_4$ and plastic deformation 5=9535
  Cu, dislocations, and polygonization 5=9492
  Cu, neutron irrad., prevention 5=3787
  Cu, neutron-irrad. single cryst. 5=3844
  Cu, on plastic deformation, electron mic. obs. 5=9484
  Cu, plastic deformation rel. to texture 5=1515
  Cu, secondary, in deformation 5=9542
  Cu—Ga, stress for cross slip, var. strain rate and temp., and stacking fault energies 5=12494
  Cu—Ge, stress for cross slip, var. strain rate and temp. and stacking fault energies 5=12494
  Fe, microyield 5=12512
  Fe—Si, slip bands, formation in pre-yield microstrain region 5=1525
  Fe—Si (3%), microyield and grain size 5=12512
  GaSb, rel. to plastic micro-indentation 5=6719
  in Ge npn mesa transistor, by evaporated SiO diffusion mask 5=4067
  Hf, in plastic deformation, identification 5=12504
  InSb, rel. to plastic micro-indentation 5=6719
  Mg, orientation var. 5=9564
Slip—contd
  MgAg, in bending 5=12521
  MgO, and dislocation bands 5=9565
  MgO, high temp. 5=3863
  MgO—MnO alloys 5=6736
  MgO—NiO alloys 5=6736
  Mo, dislocation 5=9472
  Ni, lines distrib., effect of orientation 5=1533
  Ni, microyield and grain size 5=12512
  Ni surfaces, line visualisation by H_2S vapour reaction 5=3867
  Ni_2Cr-type, rel. to strengthening 5=1477
  Pt, polycrystals, non-octahedral 5=12531
  α-Pu, slip plane, major, determination 5=15098
  Si, dislocation patterns, 5=1478
  Sn, near melting 5=9577
  α-Ti alloy, during fatigue 5=12555
  Zr, in plastic deformation, identification 5=12504
Smetic phase. See Liquid crystals.
Smokes. See Aerosols.
Snow
  blizzard radio noise, wind vel. var. 5=7484
  bright band microstructure obs. 5=13265
  crystals, shape formation conditions 5=1315
  ice crystals and hail collisions, electrification in thunderstorms 5=13277
  moving, dynamic effect study apparatus 5=10034
  precipitation currents, correl. 5=15664
  scattering and attenuation in laser at 6300A 5=2349
Sodium
  atom excited states, mag. sublevel intersection 5=8750
  atomic energy levels, dipole moment, nuclear potential method, calc. 5=910
  atoms, excitation p-level by electron impact 5=5784
  atoms, $3^2S \rightarrow 3^2P$, by electrons, cross-sect. 5=8773
  collective resonances 5=12624
  cooling of nuclear reactors, developments in USSR 5=8713
  Debye—Waller factor, de Launay's method calc. 5=6427
  diffusion of Li 5=15078
  diffusion in soda—lime—aluminosilicate glasses, 200°-700°C 5=6595
  diffusion in Si, Ar atmosphere, 650°C 5=6594
  dispersion curves, freq. spectra, lattice sp. ht. 5=15027
  e.s.r., nuclear polarization shift and electron states 5=7252
  elec. cond., temp. var., electron—phonon interaction calc. 5=1618
  energy bands in b.c.c. and h.c.p. Na 5=3921
  equation of state, reanalysis 5=12287
  films on W, work function reduction and anisotropy 5=12054
  Hall effect in liquid NH_3, -80° to-40°, conc. var 5=9152
  heat transfer under free and forced convection, with oxides deposited 5=6169
  heat transfer 175°-300°C meas., during flow in tube 5=1180
  ion beam transmission in plasma 5=4933
  ionic exchange overlap pot. 5=6519
  ions in glass, stress-induced migration and partial molar-volume 5=1441
  ions, in Na Al Si_3 O_8, elec. field grad. 5=1229
  liquid and solid, resistivity 5=6849
  metallic, dynamic nuclear enhancement 5=7286
  phonon freq. distrib. funcn. 5=3674
  phonon frequencies, calc. 5=3676
  phonon spectrum, calc. 5=6518
  photoelectric emission, double quantum 5=9752
  positron annihilation and fixed charge shielding calc. 5=15256
  shock excitation in N_2, line reversal obs., and N_2 vibr. 5=5807
  solid, electronic structure and atomic props., theory and calc. 5=3435
  spectra, atoms oriented, Faraday effect 5=8766
  spectrum in NaI soln, 675°C 5=9116
  in sun, excitation in photosphere theory 5=7665
  thermal expansion, length and lattice, –26°to + 97.8°C 5=3736
  vacancies, equilib. net conc., meas. 5=3736
  vapour, fluoresc., cross-section 5=11470
  X-ray emission plasmon satellite bands intensity theory 5=1830
  Na cyanamide, crystal growth and structure 5=1368
  Na vapour reson. fluoresc., modulation with Larmor freq. 5=5770

Sodium—contd
- Na^+, quadrupole coupling const. and dipole polarizability 5=8736

Sodium compounds
- bentanite solutions, light scatt in elec. field 5=9112
- borax beads, e. s. r. of Cu^{2+} and Ti^{3+} 5=9841
- borax, dielectric constant rel. to thickness 5=4077
- soda—lime—aluminosilicate glasses, Na diffusion, 200°-700°C 5=6595
- Na-ammonia solns., elec. conductivity, theory 5=3359
- Na borosilicate glasses, phase separation 5=6337
- Na nitroprusside, trapped electrons e.s.r. 5=12992
- Na salicylate solns., luminescence, by γ-ray Cherenkovs 5=9133
- Na_3AlF_6 films, elec. breakdown field meas. 5=15376
- $Na[AlSi_2O_6].H_2O$, crystal structure 5=1390
- $Na\,Al\,Si_3\,O_8$, elec. field grad., O^{-2} polarizibility 5=1229
- $NaBSi_2O_5(OH)_2$, searlesite, crystal structure 5=1392
- $Na_{0.5}Bi_{0.5}TiO_3$—$PbTiO_3$ ferroelec. phase transform. peculiarities ·5=4093
- NaBr, elec. strength rel. to thickness 5=12795
- $NaBrO_3$ crystals, shock waves at growth centres 5=3570
- $NaBrO_3$, mechanical props. 5=6758
- $NaBrO_3$, regeneration in solution, first stages 5=1311
- $NaBrO_3$, $Br^{78,80}$ retention analysis, after (n, 2n) and (n, γ) reactions 5=15630
- $NaCaB_5O_6(OH)_6.5H_2O$ (ulexite), crystal struct. rel. to pentaborate polyanion 5=6486
- NaCl—$CaCl_2$, films dislocations and precipitates, Burgers vector, electron irrad. effect 5=3760
- NaCl, Cl^{35} n.q.r., perturbation by elec. field 5=7290
- NaCl—KCl and NaCl-LiCl aq. solns., thermodynamic props. 5=1179
- $NaClO_3$, heat of decomposition 5=15610
- $NaClO_3$, mechanical props. 5=6758
- $NaClO_3$, n.q.r. by applied elec. field 5=7294
- Na_2CO_3—K_2CO_3, heat content, fusion properties 5=3398
- $Na_2Co_5Mo_4Cl_4O_{16}$, crystal lattice structure 5=12226
- NaF, Debye temp., Debye—Waller factor, calc. versus expt. 5=1420
- NaF, dislocation density effect on n.m.r. signal intensity 5=7287
- NaF, elastic consts., pressure derivatives 5=6732
- NaF, electron beam energy losses and colour centres 5=15260
- NaF, luminesc. and absorpt. spectra 5=9963
- NaF, microwave spectrum by molec. beam elec. resonance 5=2985
- NaF, phase transformations, high press., temp. var. 5=9234
- NaF, F^{19} n. m. r. line splitting 5=13002
- $Na^{23}F^9$ molecules, h.f.s., Zeeman and Stark effects 5=11545
- NaF—LiF—ZrF_4, molten, density and surface tension 5=11871
- $NaFeCl_4$, crystal lattice structure 5=12227
- $NaFeCl_4$(g), thermodynamic props. of vapour and mol. bond and struct. 5=6230
- $NaHF_2$ and $NaDF_2$, crystal structure and H bond nature 5=6239
- NaH_2F_3, H_2F_3 n.m.r. spectra, calc. 5=7281
- $Na^{23}Hg_2$, $Na^{23}Hg$, $Na_3^{23}Hg_2$, n. m. r. 5=13007
- NaI arcs with Hg or Ar, characts. 5=3116
- NaI, localized vibration modes due to substitutional mass defects 5=6520
- NaI and NaI(Tl), scintillation mechanism 5=4363
- NaI(Tl), electron response, comparison with anthracene and Pilot B 5=4364
- NaI:Tl, refractive index and dispersion, u. v. to far red, 113°-573°K 5=4326
- NaI(Tl) scintillation counter, γ-ray energy response 5=491
- NaI (Tl), scintillation response, positron–electron differences 5=14325
- NaK molecule, thermodynamic function 5=2986
- $NaKC_4H_4O_6.4H_2O$ (Rochelle salt), ferroelec. props. rel. to press. 5=9714
- $Na_2M(SO_4)_2.4H_2O$ (M = Mg, Zn, Co or Ni), H-bond, O—H, Raman spectra study 5=15574
- $NaMg[SO_4](OH).2H_2O$, crystal structure 5=6485
- $NaMnF_3$, magnetic structure 5=7192
- Na—NH_4 solutions, conductance, field depend., relax., meas. 5=14861

Sodium compounds—contd
- $NaNO_2$, spontaneous polarization direction change by lateral a.c. field 5=7019
- $NaNO_3$, e.s.r., electron beam effects, 1. 5 MeV 5=7253
- $NaNO_3$, irradiated, NO_2 e. s. r., 77°K 5=15504
- $NaNO_3$, optical props of radiolytic fragments 5=4315
- $NaNbO_3$, solid soln. by K^+, Ta^{5+} and Sb^{5+} substitution, dielec. props. and structure 5=4095
- $Na_2Mg_2(SO_4)_2(OH)_2.3H_2O$, uklouskovite, cryst. structr. 5=1393
- $NaNO_3$, conductivity, elec., liquid, high Ar press. decrease 5=9151
- Na_2NO_3, molten, N^{22} diffusion coeffs. calc. 5=3325
- $Na_2O.2MnO.2SiO_2$, crystal growth and luminescence 5=14979
- Na_2O–$3SiO_2$ glasses, colour centres, X-ray prod. 5=6646
- $Na_2O.xSiO_2$ glasses, i. r. absorption, 4 to 30 μ 5=13076
- Na_2O—SiO_2—Na_2SO_4, miscibility gap at 1200°C 5=14835
- Na_2O—V_2O_5—P_2O_5 glasses, e.s.r. spectra 5=7260
- NaOH solution, γ-irradiated, hydrated electron detection 5=14837
- $NaPO_3$ fibres, possible crystallinity 5=3452
- $NaPO_3$–Li_2SO_4, fused, surface tension and molar vol. 5=6159
- $NaPO_3$—Na_2SO_4, fused, surface tension and molar vol. 5=6159
- $NaPO_3$–Rb_2SO_4, fused, surface tension and molar vol. 5=6159
- $NaPO_3$–UO_2SO_4, fused, surface tension and molar vol. 5=6159
- $Na_3P_3O_9[H_2O]$, crystal structure 5=9356
- $NaReO_4$ solns, specific heat, partial molal at infinite dilution 5=9100
- NaS_2, elec. cond. and ion self-diffusion 5=15628
- Na_2SO_4, radiolysis 5=10029
- $Na_2S_2O_3.5H_2O$, e. s. r., X-, γ-ray effects 5=7254
- $Na_2S_2O_6.2H_2O$, Na^{23} nuc. quadrupole coupling 5=4272
- Na_2SiF_6, crystal structure 5=1389
- $Na_2\,Sn\,O_3\,3H_2O$, Mössbauer absorpt. line spectra, rel. to Mg_2Sn^{119m} source 5=1236
- $Na_2(TiO)[SiO_4]$, crystal lattice structure 5=6487
- Na—U—O system, constitution 5=11992
- Na_3VO_4 (cubic), optical parameters 5=4327
- $Na_4V_2O_7$ (monodinic), optical parameters 5=4327
- Na_xWO_3, conduction band, transient n. m. r. study 5=1575
- $Na_5Zr_2F_{13}$, crystal lattice structure 5=12228

sodium chloride
- absorption and dielec. losses, effect of annealing 5=1853
- aerosol, particles, electron micrograph exam., sampling effect 5=3386
- anion diffusion 5=12335
- anomalous thermoluminescence decay, kinetic order calc. 5=13127
- condensation in vacuum outs temp. gradient substrate 5=11945
- charged dislocations 5=3759
- compressibility standard for Zn, Cd 5=12487
- crystal cleavage in vacuum, epitaxial growth on Ge study 5=3544
- crystal dislocation nucleation with impurities calc. 5=9475
- crystal dislocations and charge transport 5=9476
- crystal growth, plate segregation 5=6384
- crystal imperfects., surface, obs. by etching, decoration and X-rays 5=9493
- crystals, single, dislocation line charge rel. to temp. 5=1474
- crystal struct., atomic, corr. 5=9355
- cryst. pot. by Evjen's method of lattice sums 5=9198
- Debye temp., Debye—Waller factor, calc. versus expt. 5=1420
- dislocation density effect on n.m.r. signal intensity 5=7287
- dislocation etching, cation addition role 5=6638
- dislocation formation on X-ray irrad. 5=12396
- dislocations, effect α-ray bomb. 5=12397
- dislocations, etching obs. 5=6639
- doped, light scatt. due to planar defects 5=9920
- doped with Cu, X-irrad. effect on luminesc. and electron emission 5=9962
- e.s.r. of Mn^{2+}, 350-750°C 5=8023
- elastic const., press. derivative meas. 5=15185
- electrical cond. in H_2O—ethylene glycol, 25°C 5=11903
- electron emission, secondary, from films, field enhanced 5=12863

Sodium compounds—contd
  sodium chloride—contd
    etching, thermal, surface structure edge effects 5=3545
    equations of state, rel. to high press. gauge use 5=6567
    F-centres rel. to F-aggregate centres, vol. distrib. effect, optical meas. 5=6649
    F-centres, in γ-irrad. crystals, formation from luminescence of dissolving NaCl in TlCl soln. 5=1194
    far-u. v. Ilford Q2 plates, sensitization 5=319
    films, conductivity, electron-excited 5=12797
    films, elec. breakdown field meas. 5=15376
    friction press. var., and dislocations 5=9571
    γ-irradiated, dissolution in TlCl soln., luminescence of TlCl$_2^-$ 5=1194
    grain boundary energies 5=6759
    with impurity, local-mode freq. 5=15036
    luminescence of rare earth ion dopants 5=13122
    luminescence, X-ray prod. 5=7401
    mechanical strength, heat treatment effects, single crystals 5=6760
    microhardness and dislocation distrib., rel. to p-irrad. 5=1469
    optical absorption, reflection meas. 5=13075
    regeneration in solution, first stages 5=1311
    rock salt, etch pit formation, by conc. NaCl solution treatment 5=1300
    self-diffusion coeffs. 5=6162
    solution in water, partial equiv. vol. 5=14838
    specific heat, NaCl, 4-20°K 5=9389
    spectra, phonon i. r. absorpt., due to Ag$^+$ 5=9919
    surface conductivity, cleavage face relief effect 5=1619
    surface structure, electron microscope obs. 5=12037
    thermal expansion, 50° to 800°C 5=12299
    trapped point defects, relaxation modes 5=3733
    vacancy concs., determ. by density meas. 5=15091
    vacancy formation energy and lattice strain calc. method 5=6606
    Ca-doped and pure, dielectric loss relax. maxima 5=7004
    NaCl—H$_2$O solns., spin—lattice relax. time, conc. var. 5=11918
    and NaCl:Tl, colour centre creation mech. 5=15115
    with V^{2+}, e.s.r. and optical spectra 5=15507
Sogicons. See Semiconducting devices.
Soil
    kaolin, ads. of polyacrylamide and cation-active hydrophobic material 5=6333
    spectral reflectance, 0.7 - 100 μ 5=7316
Solar activity. See Sun; Sunspots.
Solar batteries. See Electricity/direct conversion.
Solar constant. See Sunlight.
Solar furnaces. See Heating.
Solar noise. See Sun/radiation, radiofrequency.
Solar system
    See also Planets, etc.
    A. U. meas. by radar obs. of Venus 5=13735
    aberration constant and solar parallax calc. 5=4619
    conference, Varenna (1962) 5=13629
    evolution, rel. to chondrite and chondrules data, review 5=1980
    gravitational boundaries for comets in galactic field 5=4620
    origin, capture theory 5=4621
    origin, theories 5=7626
    satellite, heavy, stabilized motion model, rel. to tidal friction 5=13696
    solar—terrestial rels. conference, Tokyo 1964 5=13755
    3-body problem, restricted, fragment dispersion 5=13698
    Sr, Y, Zr abundances rel. to stellar neutron fluxes 5=15824
Solar wind. See Sun/radiation, corpuscular.
Solid solutions
    See also Alloys; and under compounds of the individual elements. Solid solutions such as Au—Cu, Au—Cu—Zn are indexed under compounds of the first named element, i. e. "Gold compounds" in these examples.
    b.c.c., Suzuki atmospheres, alloying-element conc. temp. dep. 5=1479
    crystal electron states soln. and impurities 5=12597
    interstitial, with repulsive interactions, thermodynamics 5=14911
    lattice theory for inert gases 5=6259
    order, diffrac. anal. of dislocation pairs 5=1245
Solid solutions—contd
    phase separation by spinodal decomp. in isotropic systems 5=6269
    quenched, nonequilib. atom distrib., statistical mechanics 5=1248
    relaxation effect mechanisms 5=15181
    sulphates and phosphates mixed with chromates, selenates, etc., i. r. spectra 5=4291
    transition metals, dilute, anomalies rel. to unpaired d-band spins 5=4261
Solidification. See Freezing.
Solids
    See also Crystals; Films/solid; Metals; Plastics; Powders; Semiconductors; Vitreous state.
    conference, Brussels (1963) 5=3412
    equation of state at moderate pressures 5=12435
    high press. effects 5=6232
  structure
    See also Crystal structure; Examination of materials; Granular structure; Electron diffraction examination of materials; Electron microscope examination of materials; Neutron diffraction examination of materials; X-ray examination of materials.
    graphite, and mechanical strength tensile, prestrain effects 5=9554
    phase eqns. representing non-crystallographic symmetry 5=1241
    semiconducting alloys, ternary, u. s. effects during preparation 5=9526
    steel oxide layers 5=12036
    AgFeTe$_2$, possible existence 5=14909
    Ar, rigid sphere model, melting 5=11929
    Co intermetallic cpds., order, n.m.r. obs. 5=9859
    Fe—Al (20-40 at. %), long range order var. obs. of phase transforms 5=14929
    Fe—Co, Va addition and elec. cond. 5=6844
    HCl and DCl, molecular motions in solid phase 5=4274
    MgO, grain growth during hot pressing, dispersed W effects 5=9567
    Na—U—O system, constitution 5=11992
    Si, redistrib. of solutes during thermal oxidation 5=3724
    UO$_2$(NO$_3$)$_2$, on electrocapillary preparation 5=12056
  theory
    cohesive energy, statistical eqn. with exchange 5=7791
    ionic crystals, polarizabilities and refractivities 5=7298
    many body problems, conference, Manchester (1964) 5=7793
    plasma effects, conference, Paris (1964) 5=6815
    quantum theory, book 5=9191
    symmetry effects and group theory 5=6231
Sols
    See also Colloids; Sedimentation.
    No entries
Solubility
    See also Phase equilibrium.
    electrolytes, and water—organic solvent mixtures, dielectric const. 5=11895
    gas in water, thermodynamics, scaled particle, theory 5=11860
    gases in glass 5=10195
    Ag$_2$SO$_4$, thermochemistry 5=11858
    Ag$_2$Te in Fe$_2$Te$_3$, possible existence of AgFeTe$_2$ 5=14909
    Al in Al$_2$Br$_6$ and Al$_2$I$_6$ 5=9210
    Al in β Al—Li, 150°-550°C 5=14912
    Ar in D$_2$O and H$_2$O, 5=25°C, and thermodynamic props. calc. 5=11880
    Ar in H$_2$O + ethanol, 4 to 30°C meas. 5=3306
    As, in Ge heavily Ga doped, acceptor—donor interaction 5=6258
    Au, in n-type GaAs 5=3714
    B in Mo 5=3467
    Bi, in CdSb, effect on phys. props. 5=3445
    Bi, in InSb, effect on phys. props. 5=3445
    C, in molten Ni, var. with press. 5=3393
    C in Ni—Cu and Ni—Sn at 1500°C, rel. to electron struct. 5=3307
    Ca(OH)$_2$, thermochemistry 5=11857
    CaO—SiO$_2$—H$_2$O, and solid phases 5=11921
    Cd activity coeff in Pb liq. alloys, meas—calc comparison 5=9093
    Cu^{64} in GaAs, supersaturated, divacancy reaction 5=15071
    Ga, in InSb, effect on phys. props. 5=3445
    in GaSb—GaAs system 5=11987
    H in Fe—O, Fe—Co and Fe—Cr, thermodynamics 5=11856

Solubility—contd
- H, in α-Zr, effect of alloying elements 5=14918
- H, in Zr, effect of dissolved O 5=14919
- H_2—HD and D_2—HD, solid phase, mutual 5=11988
- Hg, in InSb, effect on phys. props. 5=3445
- In in Ge, alloy diode characs. method, temp. var. 5=14914
- KBr—KI solid soln., miscibility limits at room temp. 5=9212
- Li and Al, $(\alpha + \beta)$ boundary, 150°-550°C 5=14912
- LiF, reduction by ferric ion contaminants 5=11855
- Li_2O—Al_2O_3. $2SiO_2$—Li_2O. Al_2O_3. $2GeO_2$, solid 5=9342
- Mo—Ir system, temp. var. constitution diagram 5=14930
- N, in ferritic steel, rel. to lattice defects 5=12398-9
- Na_2O—SiO_2—Na_2SO_4, miscibility gap at 1200°C 5=14835
- Ni, in Si, 900-1400°C, Ni^{63} tracer technique 5=3442
- O in Ag and Cu, from internal oxidation meas. 5=3444
- O_2 in liquid Ag 5=14880
- P, in Si, diffusion and surface layer formation 5=9415
- Pr—Nd system, solution ideality, liquid and solid 5=11990
- Pu in liquid Su, 300-1102°C 5=9091
- Sb, in Ge heavily Ga doped, acceptor—donor interaction 5=6258
- Se in liq. Sn, 300°-550°C 5=3324
- Si activity coeff in Fe—C—Si, C effect 5=9092
- Si, of Ni^{63}, 900-1400°C 5=3442
- Si_3N_4 in Ag—Si molten alloy, meas. 5=14834
- Tm in the GaAs system 5=3441

Solution energy. See Heat of solution.

Solutions
- See also Heat of solution; Liquids; Solid solutions.
- alkaline, radiolysis mechanism 5=4416
- aqueous electrolytes, bulk dielec. const. 5=1204
- aqueous perchlorate, hydration numbers det. by n. m. r. 5=3374
- aqueous solns. of mixed electrolytes, thermodynamic props. 5=1179
- aqueous, spectrochem. analysis by plasma jet method 5=13180
- benzol—propyl alcohol, props. near crit. pt. 5=14836
- binary mixture of Gaussian molecules, crit. behaviour 5=3305
- chlorates, bromates, iodates, aqueous sols., u. v. absorption 5=6187
- dielectric constant theory 5=6194
- entropy of ions, correspondence principle 5=9102
- formamide—inorganic salt solutions, u. s. velocity and compressibility 5=14848
- free radicals, effect of press. and temp. on spin exchange 5=3367
- gas in mixed solvents, thermodynamics 5=6147
- halate ions in soln., electronic spectra 5=1189
- ionic, magnetoelectric effects, partially protonic conductivity 5=1205
- luminesc. depolarization and mol. rot. 5=6192
- metal-ammonia, electronic processes 5=3358-9
- molecular size, viscosity and dielec. relaxation 5=1203
- multi-component, rank meas. from spectra 5=11892
- nuclear magnetic resonance J_{gem} values 5=5905
- o- and p-nitrophenol in ether, elec. cond. 21°C 5=11908
- organic anhydrous and O_2-free, for e.s.r. spectroscopy 5=11911
- perfluorotributylamine-isopentane, critical opalescence 5=3382
- phase separation by spinodal decomp. in isotopic systems 5=6269
- photolysis and radiolysis of aq. solns. at high intensity 5=1915
- polymer, shear rate dependence of flow birefringence 5=1187
- polymer, statistical thermodynamics 5=3309
- polymer, structure, effect of intense ultrasound 5=14839
- polystyrene in cyclohexane, critical opalescence 5=6182
- salts in aq. solns., partial eqiv. vol. det. 5=14838
- solvent effects on F^{19} spin—spin coupling consts. 5=5903
- solvent effects on n. m. r. reference standards 5=11913
- specific heat, ionic, calc. up to 200° 5=9104
- spectra, molecules, dipole shift calc. 5=6189
- of spherical inclusions, diffusion controlled kinetics calc. 5=3245
- ternary aqueous salt, thermodynamic properties 5=3328
- rhodamin aqueous soln., dimerization rel. to solvent structure 5=11602
- scintillator, X-irrad., luminesc. decay times 5=3349

Solutions—contd
- Wurster's blue in aq. soln., electron exchange 5=4385
- $AgNO_3$ solns. in CH_3CN and C_6H_5CN, elec. cond., viscosity, density 5=11904
- Ag, activity in Ag—Si molten alloy, comp. var. 5=14834
- Al activity with Fe, Co, Ni in binary alloys at 1600°C 5=14833
- Fe—Sn, liquid-miscibility gap 5=3308
- H_2O, D_2O and eutectics, O^{17} n.m.r. 5=3375
- KCl in H_2O, proton spin—lattice relax., conc. var. 5=11918
- NaOH, γ-irradiated, hydrated electron detection 5=14837
- Na_2O—SiO_2—Na_2SO_4, miscibility gap at 1200°C 5=14835
- Si, activity in Ag—Si molten alloy, comp. var. 5=14834

Sonar. See Sound ranging.

Sonoluminescence. See Luminescence/liquids and solutions.

Soret effect. See diffusion in liquids/thermal

Sorption
- See also Adsorption.
- chabazite powder, and solubilities of 5 gases, rel. to diffusion coeff. calc. 5=6599
- chemisorption electronic states on various planes, theory, rel. to diamond-type lattice 5=3929
- desorption from metal surfaces by low-energy electrons 5=3508
- gettering in discharge tubes, and mol. excitation 5=9069
- hygroscopic materials, isotherm theory 5=6327
- metal films, chemisorption of H_2 and CO rel. to surface potentials 5=3517
- metals, chemisorption, rel. to elec. cond., ferromag. moment and anisotropy 5=3964
- metals, desorption, rel. to surface atomic migration 5=3512
- mica desorption of He and $C^{14}O_2$, rel. to temp. 5=12065
- powders, chemisorption effects 5=3450
- systems with "glasslike" transitions, rel. to isothermal diffusion 5=3709
- vacuum trap, all glass 5=1163
- zircaloy-2, of H, in steam, and brittleness 5=9583
- Ag, reversible chemisorption of S 5=15621-2
- γ-Al_2O_3, chemisorbtion of NH_2, rel to catalytic activity 5=13166
- γ—Al_2O_3, of dipole molecules, dielectric const. freq. var. 5=6326
- Ar desorption in Bayard—Alpert gauge, calc. 5=1161
- CdS, chemisorption of O, kinetics 5=1907
- CdS, chemisorp. of O_2, rel. to exciton recomb. radiation 5=4345
- CdSe, gas desorption rel. surf. contact potl. light change 5=12819
- Cu + Ni and Ni catalysts, chemisorption rel. to O—pH, H_2—D_2 conversion var. 5=4396
- Fe, chemisorption of electronegative gases, rel. to work function 5=4123
- Fe, photodesorption of CO 5=9251
- by α-Fe_2O_3, spectrum obs., i. r. absorpt. 5=13056
- Ge surfaces, chemisorption of O_2 and NH_3 rel. to electrical props. 5=4027
- H, chemisorption, on W 5=7433
- H_2 chemisorption detector 5=7456
- H_2O, microwave dielec. props. 5=1200
- Nb, chemisorption of CO 5=4394
- Ni, chemisorption of H_2O, decomposition products of H_2O 5=10015
- Ni films, chemi. of H_2O, 77-273°K, work function, resistance obs. 5=1906
- Ni, photodesorption of CO 5=9251
- Ni surface area changes after gas chemisorption 5=13161
- Pt black, O chemisorption monolayer specific heat, 15-300°K 5=7432
- on Si, of O_2, chemi, elliptically polarized light obs. 5=3521
- W, chemisorption of CO, isotopic mixing in CO 5=10001
- W, thermal desorp. of Sr 5=9255
- W, Au and Cu desorption energies on surface 5=12072
- W, CO desorption by electron impact 5=3509
- Y, Cl chemisorption 5=1905
- ZnO, chemi., of H 5=15623
- Zr, photodesorption of CO 5=9251
- ZrNb(1 and 2.5), of H, in steam, and brittleness 5=9583

Sound. See Acoustics.

Sound ranging
- correlation loss 5=7855

Sound recording
- babies' cries, improved techniques 5=2135
- magnetic characts., no erasing head 5=2121

Sound recording—contd
tape library, general Physics recital use 5=13804
Sound reproduction
See also Acoustic radiators; Acoustic transducers; Sound recording.
listening levels in conference telephony, noise effect 5=4819
phase and delay distortion effects on speech, music and sound effects 5=4810
Space charge
air, h. f. elec. field 5=11662
in diode magnetron, resonant oscill., calc. 5=7971
diodes, space-charge-limited current 5=225
gas ionization probability curves, effect 5=3118
Kingdon cage as molecular beam detector 5=1016
motion through neutral gas, calc. 5=10481
and optical props. of solids meas. method 5=13029
in particle accelerators, cyclotron, limit to ion density 5=14375
proton, in anodic oxide films 5=9701
semiconductor, distribution 5=15314
semiconductors, impurity, space charge injection 5=6817
BaTiO$_3$, rel. to cold conduction 5=12804
KCl, polarization evidence, low-temp. 5=12794
Si devices, plane parallel, study rel. to current 5=6964
Si, surface potential shifts, model 5=15335
Si, high-low diffused juncns.; low temp. limited flow 5=1661
Space groups. See Crystal structure, atomic.
Space research
See also Atmosphere.
conference on exploration, Varenna (1962) 5=13629
conference, XIII astronautics, Bulgaria (1962) 5=13628
cooling, low temp., by sublimation 5=179
explosions, nuclear, detection from e. m. interaction with geomag. field 5=13666
interplanetary matter, study by metal vapour release in upper atmos. 5=15868
Mariner 2, earth photometry 5=13187
metal, mica thin films survival 5=15775
needles, West Ford, detection 5=4512
nuclear reactor n β-decay contrib. to radiation belts 5=13402
perspective of clouds 5=13261
photographic radiometry and spectrometry on distant field sources 5=10682
solar simulator 5=15770
space simulation, review 5=15769
upper atmosphere and geodesy information 5=10081
Space vehicles
See also Rockets; Satellites, artificial.
conference, XIII astronautics, Bulgaria (1962) 5=13628
design review 5=15769
e.m. radar return, increase due to electroacoustic waves induced in ionosphere 5=13630
forces due to Coulomb interaction with magnetosphere 5=4513
gravity-gradient torques 5=4517
for interplanetary transfer, launch conditions calc. 5=13650
lunar return, injection and re-entry conditions 5=13631
Mariner 2, earth photometry 5=13187
Mariner 2, review 5=13638
propulsion, nonexistence of quiescent plasma states 5=1049
orbit round point mass with general force 5=13651
radio tracking, ionospheric errors 5=13634
recovery trajectories accuracy requirements 5=13632
re-entry plasma sheath, e.m. wave penetration methods 5=13633
tracking by radio, atmospheric refraction calc. 5=15774
Vostok 5 and 6, total radiation dose 5=10102
instrumentation
astronomical observations 5=13702
electric field meas. device, in presence of ionization 5=15773
for ionosphere D electron density meas., capacitive probe 5=13487
ionospheric probe in rocket, impedance calc. 5=13465
Langmuir probe a. c. modulation methods 5=11726
magnetometer, proton, for earth's field, and data equipt. 5=13635
for moon X-ray analysis 5=4629
petrological 5=13665
for radioastronomy, l.f., satellites 5=7687
review 5=13637

Space vehicles—contd
instrumentation—contd
rocket u. v. spectrometer, NO dayglow meas. 5=13369
satellite UK2 radio receiver 5=13467
scintillation chamber—image converter system 5=5259
solar cells, electron beam effects 5=12837
Spallation. See Nuclear spallation.
Spark chambers
air filled, ionization discrimination, for various geometries 5=2503
calculating apparatus, analogue, for sonic chambers 5=8330
calculating apparatus, digital buffer store 5=8331
camera, large-format with 100 m sec deadline 5=8332
conference, Washington, 1964 5=2506
data handling, automatic, review 5=10933
efficiency–trigger delay curve 5=14360
efficiency, var. press., voltage, clearing field, gap length 5=10943
for γ-ray detection, high-energy 5=2576
for intense beam, regional efficiency reduction by He in plastic bag 5=10939
large volume, neutral gas purification for 100% efficiency 5=8328
magnetic tape recording system 5=8333
memory time for large electrode gaps and spark track character 5=512
for $\mu \to e + \gamma$ and $\mu \to 3e$ decay obs., two particle registration efficiency 5=10942
multiwire, digitized, for many-particle handling 5=8335
use with nuclear emulsion 5=8334
particle ionization power meas. 5=511
particle trajectories, space angle effects 5=14361
for pion detection in $\pi^- + p \to \pi^- + \pi^+ + n$ 5=10941
for $\pi^- + p \to p +$ heavy meson search, digital apparatus 5=8443
pulsing system 5=513
review of post 1962 advances 5=5282
shower recording efficiency 5=10940
with small amount of matter in particles' path 5=10941
spatial and overall accuracy in system 5=2540
theory, construction, appls., historical review 5=14359
track-following, for single and groups of particles 5=8329
vidicon direct-view scanning system 5=2541
wide gap, for track curvature meas. 5=10938
wire, with ferrite core memory 5=5283
Spark counters. See Counters/spark.
Sparks, electric
See also Breakdown/electric; Lightning.
air gap, by electrically exploding wires, supershort flashes 5=2327
breakdown strength recovery 5=5943
excitation of atomic and ionic spectra, by sliding sparks 5=5778
ion velocity, light intensity method calc. 5=5957
jitter, in spark chamber 5=2540
laser prod., radiative detonation model 5=5946
Lyman flashtube, large aperture, far u. v. 5=5059
multichamber spark gap for strobotron 5=10501
plasma channels, after electrode bridging 5=1032
recovering, and lightning theory 5=5945
in six gases, conductivity formation, press. effects 5=8931
three electrode spark gap, response time 5=10502
Cu atom, e^{4}D levels, in arcs and sparks 5=14601
Specific heat
See also Thermodynamic properties.
acetonitrile 5=9171
dimethoxymethane 5=3395
Heisenberg ferromagnet, spin heat-capacity at Curie pt., calc. 5=15438
hexafluorobenzene, solid, liquid and vapour meas. 5=11926
high temp. meas., dynamic method, effects 5=4847
measurement, by differential thermal analysis 5=2165
thermistor, meas. 5=9700
quantum oscillator system 5=4768
quantum spin system temp. var. 5=10286
Ar, $C_v(T)$ near critical temp. 5=3403
Li$_2$CO$_3$–K$_2$CO$_3$, calc. 5=3398
Na$_2$CO$_3$–K$_2$CO$_3$, calc. 5=3398
O$_2$, $C_v(T)$ near critical temp. 5=3403
gases
critical region, theory 5=6084
ideal, rel. to temperature 5=11812
measurement, const. vol. 5=6083

Specific heat—contd
gases—contd
plasma, thermal, determ. 5=11729
vibrational, calc. from Stepanov's eqn. 5=2939
Ar, near critical point 5=3266
liquids
corundum, molten 5=1177
methane + propane mixtures, 90°- 110°K meas. 5=11881
solutions, aqueous, ionic, calc. at high temp. 5=9103
solutions, ionic, calculation, up to 200° 5=9104
CsI soln., partial molal, 0-100° 5=9105
GdCl$_3$ solns, partial molal at infinite dilution, 0-100° 5=9106
NaReO$_4$ solns. partial molal at infinite dilution 5=9100
HCl soln., partial molal, calc. 5=9101
HReO$_4$ solns, partial molal at infinite dilution 5=9100
solids
alkali halides, Debye temp., Debye—Waller factor, calc. versus expt. 5=1420
alkali metals, Grüneisen ratio and P—V rels., shock wave meas. method 5=15147
alloys, dilute, theory 5=6543
glycerol glass, 1.5 to 4°K 5=6550
lattice, finiteness effect on spin—lattice relax. 5=12263
at mag. transition, relationship with thermal cond. anomaly 5=9397
metals, thermal X-ray scatt. factor calc. 5=15002
paramagnetic crystals, due to spin—phonon interactions 5=12289
rare-earth garnets, low temp. 5=4212
Schottky anomaly, theory, for strong spin—lattice coupling 5=6547
standardization of measurements, review 5=6544
superconductor, type II, λ-type anomaly 5=1620
triglycine sulphate, heat capacity, 0-55°C 5=15051
type I alloys, superconducting state, calc. 5=15288
Ag, 2-4°K 5=9388
AgBr—CuBr, and phase diagram 5=9387
AgI, and crystal defect orders 5=9386
AgI, and phase transforms. 5=9385
AgI—CuI, and crystal defect orders 5=9386
AgI—CuI, and phase transforms 5=9385
Ag—Sn, α-phase, below 4.2°K 5=15050
AgSn(≤ 8 at.%), 2-4°K 5=9388
Al binary alloys, at low temps. 5=9762
Au, Debye temp., temp. depend. 5=6556
Au, Kreb's model 5=12291
Au—(0.2-8%)Fe, 1.2-2.4°K 5=12292
Be, single cryst., 1.2-4.4°K 5=6545
BeO. Al$_2$O$_3$, heat capacity, 16° to 380°K 5=15045
Bi, atomic heat, 11° to 273°K 5=12290
CoBr$_2$(s), 74-450° and phase transform. ~ 370° 5=6285
CoCl$_2$. 2H$_2$O, 7-120°K, anomaly 5=1417
CoCl$_2$. 2H$_2$O, anomaly, rel. to antiferromagnetic ordering 5=1418
Cr, nuclear sp. ht., effective mag. fields on nuclei 5=1773
Cr—Fe, electronic 5=6546
Cs, 0.4-320°K 5=9384
CsCl, calc. 5=9369
Cu, Kreb's model 5=12291
Cu, 20 to 600°C temp. var. 5=15046
CuI, and crystal defect orders 5=9386
CuI, and phase transforms. 5=9385
Cu—Ni, Debye temp., var. Ni conc. 5=9390
Cu—Ni, 20 to 600°C temp. var. 5=15046
CuPt, ordered and disordered, heat capacity below 4.2°K 5=3691
Cu—Zn alloys, α-phase, 1.6° to 4.2°K 5=15047
D$_2$, λ-anomaly obs. by n.m.r. 5=3462
Fe, Grüneisen const., 1.5°-4.2°K 5=6561
Fe—Co, electronic 5=6546
Ge, temp. var., temp.-modulation method 5=6549
Ge—Si, temp. and conc. var., temp.-modulation method 5=6549
GeTe, 0.1°-1.1°K rel. to supercond. 5=3992
In, low temp., normal and supercond., lattice terms 5=9382
In—(1.9%)Bi superconducting 5=3996
K, lattice, calc. 5=15027
K, 0.4-26°K 5=9384
KBH$_4$, heat capacity, 15°-375°K 5=6554
KBr, X-ray characteristic temperature, rel. to temp. 5=12294

Specific heat—contd
solids—contd
KCl, Debye temp., Debye—Waller factor, calc. versus expt. 5=1420
Li, lattice, calc. 5=15027
LiF, Debye temp., Debye—Waller factor, calc. versus expt. 5=1420
Mg, nuclear sp. ht., effective mag. fields on nuclei 5=1773
Mg$_2$Si, point charge model 5=9373
Mn, α and γ, atomic ht. 10°-273°K 5=15048
MnCl$_2$, in mag. field up to 100 kG, 0-4.2°K 5=9383
γ—Mn, hyperfine and electronic 5=1419
MnCl$_2$, in mag. field, 1.3-4.4°K 5=7185
Mo, 1300°-2500°K, rel. to vacancy form. 5=1456
NLa, 1.2° to 45°K, meas. 5=6553
NNd, 1.2° to 45°K, meas. 5=6553
Na, lattice, calc. 5=15027
NaCl, 4-20°K 5=9389
NaCl, Debye temp., Debye—Waller factor, calc. versus expt. 5=1420
NaF, Debye temp., Debye—Waller factor, calc. versus expt. 5=1420
Nb, in mixed state below transition temp. 5=6552
Nb—(50%)Ta, superconducting 5=3996
Nb—Zn, and normal—supercond. thermal propagation meas. method 5=12685
Ni, 20 to 600°C temp. var. 5=15046
Ni[Cu]SiF$_6$. 6H$_2$O below 1°K 5=9867
O monolayer chemisorbed on Pt black, 15-300°K 5=7432
Pb, 0.4 to 4.2°K 5=6551
Pt, Debye temp. 5=9392
Pt, temp. var. of Debye—Waller factor, from Mossbauer effect 5=9391
Pt, and Pt-0.5%Gd alloy 5=15049
Rb, 0.4-320°K 5=9384
Rh and alloys, electronic, temp. var., density of states curve calc. 5=4170
Rh, atomic and electronic hts., 10°-298°K 5=6555
Si, temp. var., temp.-modulation method 5=6549
Sn, low temp., normal and supercond., lattice terms 5=9382
Ti—V—Cr, electronic coeff., rel. to n.m.r. 5=1819
V$_{10}$Fe$_{90}$, 0.4°-7°K 5=12293
Zn, Debye temp., rel. to X-ray transmission 5=12295
Zr and alloys, electronic, temp. var., density of states curve calc. 5=4170
Spectra
See also Absorption/light; Astronomical spectra; Atmospheric spectra; Colour; Mass spectra; Raman spectra; Spectrochemical analysis; Spectroscopy; Stark effect; X-ray spectra; Zeeman effect.
absorption, for press. distrib. meas in fixed-anvil high-press. cells 5=7699
causal transforms zeros 5=10221
crystals, i.r. spectrum, effect of lattice distortion 5=7300
cubic crystals, deform. splitting of spectral transitions, calc. 5=1556
dichroism, Zeeman splitting and perturbation 5=10728
excited molecules, absorpt., meas. methods 5=11482
explosion of confined conductors 5=14688
gas thermal radiation spectrum collective corrections 5=10288
gases, absorption, absolute meas. 5=6090
gases, i.r. emission changes, applic. to temp. profiles 5=11808
impurity crystals, band shape peculiarities 5=1822
infrared, emissivity correction for liquids 5=7868
intensity calcs., by electronic calculator 5=2333
ionic, excitation methods, by h.f. discharges and sliding sparks 5=5778
level rule for L—S coupling approximation terms 5=2888
light-scattering media, luminesc. excitation spectra 5=4281
lines, linear absorpt. method for partially overlapping components 5=888
microwave, line shape, impact approx. 5=935
mixed crystals, exciton spectra 5=1823
molecular and astrophys. problems 5=13703
molecular, r centroid, monotonic reln. to band freq. 5=5818
phononless lines, thermal vibr. effects, temp. var. 5=12268
planetary atmospheres, i.r absorpt. 5=15836

- **Spectra** — contd
  - plant leaves and stems 5=13788
  - plasma beam, rel. to current stability, calc. 5=9014
  - plasma, line contour and intensity model 5=3138
  - plasma in metallic particles 5=3951
  - polyatomic chain vibr. 5=1017
  - reflection, 0.7 - 100 μ, for natural and synthetic materials 5=7316
  - solid + impurity centres, absorption, emission and mirror symmetry 5=13022
  - unscrambling calc. technique 5=7730
  - Venus, i.r., and surface physical conditions 5=13751
  - **atoms**
    - See also Atoms/excitation; Atoms/structure.
    - absorption, optically pumped samples under mag. fld reversal 5=14609
    - absorption spectrophotometry 5=14189
    - alkali-like, shell model calc. 5=14596
    - arc, d.c., rel. to atomic conc. and degree of inhomogeneity 5=8935
    - broadening by electron collision 5=8739
    - calculations of energy levels 5=5743
    - collective effects 5=2887
    - collision process effects, 2 and 3 body 5=2885
    - conference on opacity, Albuquerque (1963) 5=2884
    - continuous, atomic and autoionzied, bibliographic review 5=14585
    - dilute system, in dielec. medium, broadband emission and absorption spectra, Einstein relations 5=2890
    - dipole, closed-shell, many-electron effects 5=14584
    - electron scatt. broadening, adiabatic contrib. 5=2880
    - energy, dl and d^{9}l configurations 5=14581
    - excitation methods, by h.f. discharges and sliding sparks 5=5778
    - f-value determ. from optical absorpt. meas. 5=8735
    - gases, absorpt., absolute meas. 5=6090
    - inert gas discharges, "weak" and "strong", emission spectra 5=3102
    - inert gases, new i.r. stimulated transitions 5=5783
    - lanthanides, ions, hypersensitive pseudoquadrupole transitions 5=903
    - line splitting rel. to microwave radiation 5=8742
    - magnetic resonance study in solids 5=7090
    - in plasma, Stark coupling to oscills. 5=3204
    - rare gases, far u.v. absorpt. spectra, line profiles 5=11445
    - relative oscillator strengths 5=902
    - resonance absorpt. line shapes, theory 5=8738
    - $73 < Z < 92$, Coster—Kronig $L_I \to L_{III}$ transition 5=13077
    - and sun, 170-220 Å 5=7660
    - X-ray characteristic intensities, rel. to finite nucleus size 5=14586
    - Ag vapour, absorpt. spectra 5=5771
    - Al, temp. var., 4000-2100 Å 5=14597
    - Al I, transition probabilities 5=8754
    - Al I $3p^2P^0$ ionization edge and Sun depression near 2085A 5=13757
    - Am^{3+} in soln., low levels 5=894
    - Ar, atomic and ionic line contours in discharge positive column 5=8747
    - Ar, emission spectrum in vacuum-u.v. 5=8746
    - Ar plasma jet, temp. meas. in far i.r. 5=6013
    - Ar I lines in vac. u.v. 5=11439
    - ArI, press. broadening, intrinsic 5=14595
    - Ar XI and XII, resonance lines 5=8748
    - Au, rel. to low-energy sputtering yields 5=3793
    - Au^{194,195,196}, h. f. s. rel. to nuclear magnetic moment 5=11197
    - Ba II, doublets, line strengths 5=8758
    - C^{11}, h. f. s. of $^3P_2$, $^3P_1$ states by atomic beam mag. reson. and nuclear moment 5=2721
    - Ca II, doublets, line strengths 5=8758
    - Cd, u. v. lines, isotope shifts and hyperfine struct. 5=14622
    - Cd vapour, photoionization cross-section meas. 5=5790
    - Cd^{114}, line shift due to Ar lamp pressure 5=14599
    - Cd, Cd$^+$, h.f.s., mag. reson. obs. 5=5754
    - Cd, $L\alpha_1$, β_1, β_2 satellites, classification 5=5755
    - Ce III 5=5756
    - Co arc lines, absolute oscillator strengths meas. 5=8757
    - Cr arc lines, absolute oscillator strengths meas. 5=8757
    - Cs, excitation function for 25 lines 5=899
    - CsI 6s, 6p, 6d levels 5=14600
    - Cs I, ^2F series, polarization formula and penetration effects 5=897-8

- **Spectra**—contd
  - **atoms**—contd
    - Cu, hollow cathode discharge, current and gas pressure depend. 5=2907
    - CuI, isotope shifts and configuration mixing 5=8755
    - Cu I, transition probabilities 5=8754
    - EuI, theoretical anal. 5=8756
    - Fe arc line broadening and displacement 5=8936
    - Fe arc lines, absolute oscillator strengths meas. 5=8757
    - Fe, in sun, laboratory prod. in vacuum u.v. in Scylla plasma 5=7658
    - Fe XIII, theory for corona conditions 5=13781
    - Fe vacuum u. v., solar rel. to laboratory 5=1981
    - H beam, electron bombarded, narrow Balmer line prod. 5=890
    - H, electron collision broadening 5=14590
    - H, electron excitation cross-sections for $3 \leqslant n \leqslant 30$, calc. 5=2897
    - H, halfwidth of lines, rel. to electron density 5=8740
    - H, Lyman α absorpt., perturbation in solid Ar 5=14592
    - H, Lyman α emission, from H_2^+ and D_2^+—inert gas collisions 5=3128
    - H, Lyman α line, asymmetric profile 5=8741
    - H, in plasma, dissolution calc. 5=8971
    - H in shock-heated plasma 5=5990
    - H, 2s state, production and extinction, expts. 5=2898
    - H_β line in highly ionized plasma, rel. to electron temp. and density 5=14722
    - H, H^-, plasma level shift and width 5=2896
    - $H\alpha$, $H\beta$, in solar flares 5=7684
    - H, from H^+ impact on O_2 5=2982
    - He, decay rates and laser enhancements in afterglow period 5=2902
    - He excited by He^+, emission spectrum polarization 5=14613
    - He, excited by He^+ impact 5=14613
    - He, line splitting rel. to microwave radiation 5=8742
    - He, n'P—1'S calc. 5=5743
    - He, polarisation, mag. field depend. 5=5748
    - He, quadrupole-allowed $1\,^1S \to 3\,^1S$ transition 5=2901
    - He, D_3 absorption, in solar flares 5=7684
    - He I, in nonthermal plasma, population densities 5=14707
    - HeI, press. broadening, intrinsic 5=14595
    - He I 584 Å and He II 304 Å day airglow 5=15702
    - He—Ne mixture, emission bands at 4238 Å 5=5749
    - Hg, afterglow 5=5762
    - Hg reson. line, temp. effect on press broadening 5=5761
    - Hg, resonance radiation transfer, 2537 A 5=5763
    - Hg, 2537 A displacement in He, temp. var. 5=14604
    - Hg^{193} 5=11195
    - I II, quadrupole coupling in h. f. s. 5=900
    - K—foreign-gas mixtures, satellite bands 5=5806
    - Kr I lines in thermal luminous plasma, transition probabilities 5=11440
    - Kr I lines in vac. u.v. 5=11439
    - Kr IX and X, resonance lines 5=8748
    - Li, shell model calc. 5=14596
    - Li vapour, absorpt. cross-section 5=11435
    - Mg, 26393-2025 Å 5=14603
    - Mg I, near u.v. 5=5765
    - Mg II, doublets, line strengths 5=8758
    - Mo I, transition probabilities 5=8754
    - N doublet, 2P—4S, wavelengths and relative intensity of components 5=5769
    - N, electron impact, Lyman—Birge—Hopfield bands 5=14605
    - N, excited 5=5768
    - N ion beam in C foil, emission lines and ionization 5=5811
    - N, Planck mean absorpt. coeff. 5=8761
    - N, $2p^2(3P)3dLSJ \leftarrow 2p^2(3P)4fT_1T_2J'$, calc., different vector coupling schemes 5=5767
    - Na, oriented, Faraday effect 5=8766
    - Ne, multiply ionized, extreme u.v. spectra 5=8760
    - Ne, neutral and ionized, line strengths 5=906
    - Ne 2s—2p, 3p—2s transitions, in laser 10m long 5=2294
    - Ne I lines in thermal luminous plasma, transition probabilities 5=11440
    - Ne I lines in vac. u.v. 5=11439
    - Ni arc lines, absolute oscillator strengths meas. 5=8757
    - O ionized, grazing incidence analysis, from theta-pinch plasmatron 5=1109
    - O, Planck mean absorpt. coeff. 5=8761
    - O 1302-4-6 Å triplet emission in day airglow, photoelectronic excitation 5=15703

Spectra—contd
atoms—contd
O^+, from H^+ impact on O_2 5=2982
OI 6300Å emission in airglow 5=15701
Os, arc spectrum, isotopic displacement and theoretical calcs. 5=11441
Pr III, $4f^3$ configuration interaction effects 5=8763
Pr^{141}, doubly ionized, hyperfine structure rel. to nuclear magnetic moment 5=11196
PrI, absorption lines 5=14606
Pu, investigation under different conditions of excitation 5=11444
Rb lines, excitation functions 5=8765
Si I and II in shock-heated plasma 5=5990
SiI in PbS region, and sun 5=14607
SmII, isotopic shift 5=909
Sm^{2+} in CaF_2, SrF_2, absorpt., mag. induced 5=7328
Sr II, doublets, line strengths 5=8758
Ti arc lines, absolute oscillator strengths meas. 5=8757
Ti, pressure broadening of lines by H and electrons 5=5773
U, isotopic shifts 5=5774
V arc lines, absolute oscillator strengths meas. 5=8757
Xe absorption, 180 to 190 Å, new 5=5775
Xe, c.w. laser, orange through blue-green transitions 5=5006
Xe, ionized, laser radiations in visible region 5=5005
XeI lines in vac. u.v. 5=11439
Y, automatic analysers 5=2910
inorganic molecules
See also Molecules.
electron impact spectra 5=5849
microwave linewidth, London dispersion forces 5=2927
water and hydroxyl groups adsorbed on silica surfaces, i.r. 5=3522
$FeCl_4^-$ in organic solvents, and e.s.r. 5=11912
Ni^{2+} in NiCl, in org solvents, absorption 5=2981
NS or NS_2 in atomic N flame on Cl_2S 5=5851
inorganic molecules, diatomic
profile, var. strength and freq., 2-level molecule calc. 5=936
tables, ~1500 lines 5=14635
AlO, new band heads in visible system 5=5839
AlO, resonance, in upper atm. 5=13371
As_2, $A^1\Sigma u^+ \rightarrow X^1\Sigma g^+$ band system 5=8807
BaS, 2100°C band system 5=2949
Cl_2, absorpt. coeffs., continuous 5=8808
CN, absorpt. cross-section by δ-funcn., 6000°K 5=2950
CN, oscillator strength of $X^2\Sigma$—$A^2\pi$ transition 5=7659
CO, absorptance, temp. depend. 5=11503
CO, electron impact spectrum 5=5849
CO, i.r., excited by active N 5=5840
CO, $X^1\Sigma^+ \rightarrow A^1\pi$ transition, intensity distrib., from electron impact 5=2953
CO, E—X transition, u.v. absorpt. 5=11504
CO, E—X transition, u.v. absorpt. spectrum 5=11504
CrO, Franck—Condon factors, r-centroids, rel. to astrophysics, calc. 5=947
Cs–Cd arc, low voltage characs 5=7940
DCl in Ar matrix, interpretation 5=2965
H_2 collision narrowing obs. of quadrupole lines 5=5745
H_2, electronic band absorpt. cross-sections, 2000°- 12000°K 5=8804
H_2^+, surrounding He lattice effect calc. 5=3083
H_2, U. V. bands, vibrational overlap integrals 5=5841
H_2, vacuum u. v., B^1—X, B^{11}—X, D—X, D—X bands 5=949
H + Cl_2 → HCl + Cl, distrib. bet. vibr. excited HCl states, i. r. emission obs. 5=1901
H + Cl_2 → HCl + Cl, vibr. HCl ground state amount, i. r. self-absorpt. obs. 5=1902
HBr, i.r. emission spectrum 5=11509
HBr^+ 5=8814
HCl^+ 5=8814
HCl, i. r. emissivity, just overlapping line approx. 5=951
HCl in Ar matrix, interpretation 5=2965
HCl + X mixtures, i.r. spectra, theory 5=8813
He_2, afterglow continuum, expt. 5=8923
He_2, 3pσ and 2s band systems 5=8816
HF, line shape and shift determination 5=313
HI, 2-O, 4-O bonds 5=2967
HI, ν_{0-2} and ν_{0-4} bands and vib.—rot. consts. 5=5845

Spectra—contd
inorganic molecules, diatomic—contd
I_2, absorption, vibrational assignment 5=5847
N_2, absorpt., 580-1050 Å, and atmospheric absorpt. 5=7507
N_2 in discharge afterglow with Ar, importance of $N_2 3\Delta_\mu$ 5=5935
N_2, elec. excited, vac.-u. v. absorpt. 5=2974
N_2, electron excited, 50 keV 5=2975
N_2, electron impact spectrum 5=5849
N_2, Gaydon—Green band system 5=11514
N_2, new rotational band 5=5850
N_2, 830-1000 A, absorpt. 5=7510
N_2, 830-1000A, vibrational isotope shift 5=2973
N_2^{15}, rot. and pre-dissociation of $C^3\pi_u$ state 5=954
N_2 and N_2^+ electronic band absorpt cross-sections, 2000°-12000°K 5=8804
N_2, N_2^+, oscillator strengths 5=8818
N_2^+, N_2, excited in plasma 5=953
NH, i. r. 5=1913
NO, β and γ bands, dipole moment 5=14640
NO, electronic band absorpt cross-sections, 2000°- 12000°K 5=8804
NO, excited in plasma 5=953
NO, 5150-6900A and 7625 11 000A, excited state and Rydberg series 5=958
NO, i. r. band origins 5=956
NO, i.r. emission, rel. to shock heating 1000°-2500°K 5=8819
NO, integrated band intensities, 1400° and 2400°K 5=2977
NO, rel. to matrix elements of electronic transiters in γ and β systems 5=2976
NO, 3-0 band, $^2\pi_{1/2}$, $2\pi_{3/2}$ differences 5=2979
$N^{14}O$ and $N^{15}O$, mol. consts. from near i.r. spectrum 5=957
NS, $B^2\pi$ state, in flames 5=2980
$Na^{23}F^9$, hyperfine structure, Zeeman and Stark effects 5=11545
O_2, absorpt. cross-section by δ-funcn., 6000°K 5=2950
O_2, absorpt., 580-1050Å, and atmospheric absorpt. 5=7507
O_2, 830-1000 A, absorpt. 5=7510
O_2, electronic band absorpt. cross-sections, 2000°-12000°K 5=8804
O_2, shock-heated expansion past diaphram, Na-line reversal temp. meas. 5=109
O_2^+ from H^+ impact on O_2 5=2982
O_2^{16} and O_2^{18}, Schumann-Runge system 5=5852
OD, infrared absorpt. 5=8823
OH, 18 cm absorpt., meas. 5=5853
OH, infrared absorpt., low-temp. 5=8823
OH, new transitian identification 5=7673
OH, Stark line splittings 5=11517
P_2, emission, new vibrational transitions 5=5854
PF, rotational fine struct., constants calc. 5=2983
PbCl, visible emission bands, rot. analysis 5=952
PbS vapour at 700°C, microwave rot. 5=2970
PtD, band 5=961
PtH, band 5=961
PtH, rotational analysis of violet and green bands 5=14643
S_2, trapped, u.v. absorpt. spectrum 5=11518
ScF ground state, absorption singlet 5=962
Si Cl, 2830-2760 unclassified bands 5=2984
SnCl, emission spectrum, vibrational study of band system 5=5855
YF ground state, absorption singlet 5=962
inorganic molecules, diatomic, radiofrequency
See also Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation.
AlCl, microwave spectroscopy at high temps. 5=8806
AlF, microwave spectroscopy at high temps. 5=8806
CN, microwave transitions between excited states 5=2951
HBr, submillimeter-wave 5=2966
HCl, submillimeter-wave 5=2966
LiBr by molec. beam resonance method 5=2971
NaF, by molec. beam elec. resonance 5=2985
inorganic molecules, polyatomic
anomalous rotation, and axis switching 5=11485
complex, prod. by elec. discharge through COS, absorpt. spectrum 5=8790
difluorosilane 5=967

- **Spectra**—contd
  - **inorganic molecules, polyatomic**—contd
    - germanates, i. r., and mol. struct. 5=2998
    - metaborate—fluoride mixtures, vibrational spectrum 5=8909
    - metaborate trimer and polymer ions, vibrational spectrum 5=8909
    - pentahalo vanadyl and molybdenyl anions, crystal 5=4308
    - small, high-resolution, apparatus 5=2928
    - BBr_3, infrared, meas. 5=11523
    - BI_3, infrared, meas. 5=11523
    - B_2O_3, i.r. spectrum 5=8825
    - $B_{20}H_{18}{}^{2-}$ ion, rel. to structure 5=3059
    - CNO, NCN, CN_2, identification in flash photolysis 5=11603
    - CO_2, absorpt. band correl. 5=11526
    - CO_2, band absorpt. and total emissivity 5=8827
    - CO_2, 9.4μ, 10.4μ band intensities 5=2993
    - CO_2—H_2O mixture, spectral emissivities, 2.7μ, 1000°-2200°K 5=8828
    - CO_2, N-activated, i.r. luminescence 5=11525
    - C_3O_2 in different states, vibr. spectrum 5=2995
    - C_3O_2, i.r. spectrum 5=8829
    - CS_2, vibrational transitions 5=8853
    - Ca aluminate hydrates, i. r. 5=5863
    - Cl_2O, i.r. spectrum 5=11529
    - $CoCs_3Cl_5$, Zeeman effect of axial absorpt. 5=2996
    - DBF_2 5=14646
    - $HBBr_2$ and $DBBr_2$ 5=2997
    - HBF_2 5=14646
    - HCN adsorbed on glass, i. r. 5=1282
    - HCO, i. r. 5=3003
    - HNO_3, isotopic, vibrational spectra 5=5868
    - H_2O, electron impact spectrum 5=5849
    - H_2Se, near i. r., vibr.—rot. bands 5=5862
    - H_2Te, i. r., ν_2 analysis 5=5864
    - $I_2 + Br^-$ system in soln. 5=5865
    - KrF_2 vapour, i.r. 5=11535
    - N_2F_4, and internal mechanics, i. r. 5=3005
    - NH_3, electron impact spectrum 5=5849
    - NO_2, absorpt. spectrum 5=8833
    - NO_2 in γ-irrad. $NaNO_2$, orientation, absorption spectrum meas. 5=3434
    - NO_2, i.r. spectrum 5=8834
    - NO_2, thermal emission and O—NO recombination spectra 5=10008
    - $NiCl_2$, i.r. and u.v. absorpt. spectra 5=8835
    - NiF_2, i.r. and u.v. absorpt. spectra 5=8835
    - PH_2, PD_2, PHD, in He + PH_3 elec. discharge 5=5870
    - Re hexahalides, absorpt., 8000-50 000 cm^{-1} 5=11548
    - SO_2, isotopic modifications, rotational spectra 5=8838
    - SO_2, rot., calc. 5=3009
    - Tc hexahalides, absorpt., 8000-50 000 cm^{-1} 5=11548
  - **inorganic molecules, polyatomic, radiofrequency**
    - See also Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation.
    - water vapour, 1.64 mm absorption, line-breadth study 5=8842
    - OF_2, microwave, spin—rot. interaction, F^{19} nuclei 5=11538
    - $S(CN)_2$, rotational absorpt. 5=11546
    - S_2F_2, 2 isomers 5=5872
    - SO_2, 7-10 mm, 39 transitions 5=971
  - **inorganic liquids and solutions**
    - absorption, and luminescence, formula 5=6184
    - alkali halides, Pb admixture, absorpt. 5=9889
    - alkali nitrates and halides, around melting, u. v. absorpt. 5=3336
    - chlorates, bromates, iodates, aqueous sols., u. v. absorption 5=6187
    - halate ions in soln., electronic spectra 5=1189
    - multi-component systems, rank meas. 5=11892
    - solutions, dipole shift calc. 5=6189
    - uranyl salts, electronic spectra temp. depend 5=9117
    - water and aqueous solns., near i. r. 5=6188
    - $Ba(NO_3)_2$ 5=6185
    - Br and Cl ions in various solvents, u. v. absorpt. 5=1188
    - Eu(III) aqueous solns. 5=3347
    - $I_2 + Br^-$ 5=5865
    - $KAu(CN)_4$, i. r. 5=2999
    - LiCl—KCl eutectic, absorpt. band 5=1190
    - N_2, i. r. 5=1191
    - Na in NaI, 675°C 5=9116
    - O_2, i. r. 5=1191
- **Spectra**—contd
  - **inorganic solids**
    - alkaline earth platinocyanides, absorption in polarized light, parl. to complex ion plane 5=1829
    - alkali-germanate glasses, i. r. 5=4294
    - alkali halides, absorpt., due to N-centres 5=15110
    - alkali halides, f. c. c., u. v. absorption 5=4288
    - alkali halides, Pb admixture, absorpt. 5=9889
    - alkali metal atoms in inert-gas matrices 5=7318
    - antiferromagnetic, infrared absorpt., spin dependent 5=7304
    - bands, absorpt. and emission, due to F centres, theory 5=15107
    - boehmite, i. r. absorpt. spectrum interpretation 5=9895
    - borates, cryst., i. r. absorpt. 5=4298
    - broadening due to impurity centre electron-phonon interactions 5=13018
    - crystal excitons, h. f. s., and imperfection size due to neutron bombard. or quenching 5=6645
    - crystal vibronic bands calc. 5=3661
    - diamond, plastically deformed and electron irrad., absorpt. 5=9902
    - far-infrared electronic transitions of embedded ions 5=1849
    - ferroelectrics, far-i.r. absorption bands, res. freq. shift by elec. fld. 5=1825
    - glass, Bi_2O_3—TeO_2, infrared transmission 5=12791
    - glass, Pb silicate, colour-centre absorption 5=12426
    - glass-like struc., in chains, calc. 5=1409
    - inert gas alloys, vac. u.v. 5=7317
    - inert gases, u. v. absorption 5=4289
    - ionic crystals, with finite impurity concentrations, i. r. absorption 5=4283
    - ionic crystals, needle-shaped, cubic, i.r. absorption anisotropy 5=1824
    - lanthanide series mixed oxides 5=13057
    - magnetic resonance atomic energy level study 5=7090
    - mixed crystals, sulphates and phosphates with chromates, selenates, permanganates, arsenates 5=4291
    - metal nitrates, anhydrous, far i.r. 5=9910
    - monohydrates of HNO_3, $HClO_4$ and H_2SO_4 5=1845
    - nitrate ions, solid solns in alkali halides, i. r. absorpt. 5=4293
    - pentahalo vanadyl and molybdenyl, anions 5=4308
    - rare-earth garnets 5=4212
    - rare earth titanates and aluminates, transmission 5=7360
    - ruby emission, rel. to U absorption 5=13068
    - ruby, ground state splitting of Cr^{3+} ions 5=9915
    - ruby laser, with external spherical mirrors 5=5021
    - ruby, Cr R lines, isotope shift, 4.2°C 5=1848
    - ruby R lines, absorpt. and dispersion curves 5=7362
    - semiconductors, i.r. absorption at low temp. 5=7302
    - silica surface hydroxyl groups and adsorbed molecules 5=4322
    - silicoaluminas, amorphous, i. r. 5=1287
    - II—V, III—VI group crystals, reflection 5=15542
    - wurtzite-type crystals, deform. effect 5=1821
    - Ag, i. r. reflectance and emittance in ultra-high vacuum 5=13072
    - AgBr with chalcogen ions, absorption, irrad., divalent cations effect 5=7366
    - AgBr, due to excitons 5=9917
    - AgBr, irrad., absorption of O^- dopant 5=13073
    - $AgNO_2$, absorpt. in i. r. 5=4325
    - Ag_2O, i. r. spectrum, 350-50 cm^{-1} 5=9918
    - Al, 0.6-4.6 eV meas. 5=7322
    - α-Al_2O_3, reflection, heat treatment effects, Kramers—Kronig analysis 5=7349
    - As_2S_3, absorpt., and optical transitions 5=15541
    - Au i. r. reflectance and emittance in ultra-high vacuum 5=13072
    - BaF_2, thin films, reflection 5=1835
    - BaF_2:Dy^{2+} 5=13108
    - BaF_2—Sm^{2+}, Zeeman effect for f—d transitions 5=7321
    - $BaTiO_3$ polarization, freq. and temp. response, 1 to 1000 cm^{-1} 24°to 200°C 5=1831
    - CdTe, absorption edge, press., temp. var. 5=15543
    - CO_2 absolute i. r. intensities and fundamental absorption bands 5=4302
    - C_3O_2, i. r. absorpt. 5=2995
    - CS_2, i. r., at 77°K 5=9897
    - CaF_2, thin films, reflection 5=1835
    - CaF_2:Dy^{2+} 5=13108
    - CaF_2:Sm^{2+}, absorpt., mag. induced, and cubic crystal field 5=7328

Spectra—contd
inorganic solids—contd
CaF_2—Sm^{2+}, Zeeman effect for f—d transitions 5=7321
Ca_2PO_4Cl, Mn^{5+} doped, absorption 5=7331
$Ca_5(PO_4)_3Cl$, Mn^{5+} doped, absorption 5=7331
CdO films, absorption edge temp. var. 5=7325
CdS, exciton absorpt., deform. and mag. field effect 5=7327
CdS, hexagonal, fundamental vibr. freqs., from i. r. absorpt. spectra 5=4299
CdS, photocond. and luminescence edge excitation 5=12821
CdS, photocond. spectra under continuous and pulsed excitation 5=1838
CdS, reflection, far u.v., polarization dependence 5=1837
CdTe films, absorpt. and refl., 3-15 eV 5=4301
Co^{2+} interstitial in KCl, absorption 5=13044
CoF_2, absorpt., above and below Neèl point 5=7333
$CoSiF_6.6H_2O$, rel. to reversible phase change 5=6284
Cr-containing solids 5=4303
Cr^{3+} in $MgAl_2O_4$ spinel oxide, meas. versus theory 5=13043
Cs halides, u. v. absorption 5=4290
CsI, 2-quantum absorption 5=13065
Cu salts, hydrated and anhydrous, i.r. 5=9899
CuO absorption, strain shifts, exciton lines 5=9900
CuO, reflection bands, exciton series strain splittings 5=9901
Cu_2O, exciton absorpt., crystal defect effect 5=9898
Dy Fe garnet, absorption, rel. to Dy^{160} h.f.s. 5=11975
Er^{3+} in CaF_2, absorpt. 5=15545
Eu^{3+} in Y_2O_3 single cryst. 5=4305
EuFe garnet, absorpt. spectrum, 1900-5400cm^{-1} 5=9903
Fe^{2+} in Ag halides, absorpt. 5=9909
Fe—Ni i. r., rel. to surface electron transfer 5=3937
Fe_2O_3 films, 260-4000 Å thick, transmission 5=7344
α-Fe_2O_3, i. r. absorpt., and sorption of polar cpds 5=13056
GaAs, absorption, rel. to pressure 5=9598
GaSb, localized vibrations of P and Al 5=4306
Ge, absorption, strain effect 5=9605
Ge, excitation spectrum of group III impurity, effect of stress 5=15552
Ge, i. r. lattice bands, meas. and multiphonon theory 5=6510
In, 0.15 - 4.0 eV meas. 5=7322
InAs, p-type, i. r. absorpt. 5=9908
InP, exciton absorption and emission 5=4311
InSb, doping effects and electron states tail 5=13054
$KAu(CN)_4$, i. r. 5=2999
KCl, absorption, rel. to Cu and Pb activation 5=13064
KCl, isotope effect, u. v. OD, OH bands, temp. var. 5=15565
KCl: Tl, absorption bands and oscillator strengths, Tl conc. depend. 5=7355
KI, absorption in mag. field, 1.60 to 2.08°K, F-band excited state fine struct. 5=3777
KI, i. r. lattice absorption 5=15035
KI, 2-quantum absorption 5=13065
La series in laser materials, absorption, meas. 5=281
MgAl spinel, Ni^{2+} distrib., spectrophotometric analysis 5=15561
$Mg_{1-x}Ni_xAl_2O_4$, absorption, and Ni^{2+} energy level diagrams 5=15562
$Mg_{1-x}Ni_xO$, in crystal-field region, calc. 5=15562
MgO, reflection, heat treatment effects, Kramers—Kronig analysis 5=7349
MgO, Cr R lines, isotope shift, 4.2°C 5=1848
$MnCO_3$, temp. var. and antiferromag. ordering 5=13060
Mn-glass, absorption band at 540μ due to irrad. 5=6650
MnF_2, antiferromag. cryst., Zeeman effect 5=7350
Mo, plastically deformed, X-ray reflection changes 5=13062
MoS_2 absorption and dispersion 5=13063
$(NH_4)_3NbO_8$, i. r. 5=6472
N_2O solid, absolute i. r. intensities and fundamental absorption bands 5=4302
NO_2—, crystal phonon struct. in KBr. KNO_2, KCl. KNO_2 5=1412
NaCl, phonon i. r. absorpt., due to Ag^+ 5=9919
NaF, absorpt. 5=9963
$Na_2O.xSiO_2$ glasses, i. r. absorption, 4 to 30 μ 5=13076
Nd activated Ba-glass, emission, absorption and luminescence meas. 5=7352
Ne, cryst. 5=1585
Ni-activated alkali halides, absorpt. 5=15564
Ni fluosilicate, absorpt. spectrum to 4°K 5=9912

Spectra—contd
inorganic solids—contd
Ni^{2+} in MgF_2 and ZnF_2, rel. to electronic struct. 5=9911
$NiFe_2O_4$ films, 260-4000 Å thick, transmission 5=7344
$PbCl_2$, non-stoichiometric, u.v. absorpt. 5=7346
Pr^{3+} eigenstates in $LaCl_3$, using Zeeman effect 5=6256
Pr^{3+} in $AlLaO_3$, absorpt. 5=7358
RbBr, absorption in mag. field, 1.60 to 2.08°K, F-band excited state fine struct. 5=3777
RbCl, absorption in mag. field, 1.60 to 2.08°K, F-band excited state fine struct. 5=3777
Rh(II) in $ZnWO_4$, electronic absorpt. 5=4255
Si, absorpt. during heat treatment effects dislocation effects 5=7363
Si, absorption at fund. band edge, rel. to doping 5=13070
Si, donor excitation stress effects 5=7364
Si electroabsorption 5=1851
Si group V donors, excitation of 1s(E) and 1s(T_1) states 5=15236
Si, i. r. absorpt. by free carriers at high temp. 5=15570
Si, vibrational modes of C dopent, 2nd harmonics meas. 5=13041
Si and Li—B pairing energy 5=15572
$SiTe_2$, absorpt. edge and transmission 5=4323
Sm^{2+} in alkali halides, emission spectra 5=4320
SnO_2, absorption edge polarization 5=13078
SnO_2, u.v. absorpt. edge 5=7368
SrF_2, thin films, reflection 5=1835
SrF_2:Dy^{2+} 5=13108
SrF_2:Sm^{2+}, absorpt., mag. induced, and cubic crystal field 5=7328
SrF_2—Sm^{2+}, Zeeman effect for f—d transitions 5=7321
Tb^{3+} compounds, absorpt. and emission vibronics 5=9921
Ti dioxides, i. r. absorpt. 5=15020
Tm oxide, absorpt. 5=4328
Tm and Er in Y_2O_3, crystal field splitting 5=4328
U^{4+} in UCl_6^{2-} and UBr_6^{2-} complexes 5=6255
V corundum, absorpt., at 1.2°, 4.2°, 20°K, near i. r. 5=1855
V^{2+}, in NaCl, optical 5=15507
YAl garnet, Eu^{3+} absorption 5=1226
YCl_3, Er^{3+} absorption, fluorescence, Zeeman and Stark effects meas., and energy levels 5=13046
$YFeO_3$, absorption 5=15579
$73 < Z < 92$, Coster—Kronig $L_I \rightarrow L_{III}$ transition 5=13077
ZnO powder, heat treated, absorption rel. to centres models and free Zn 5=15581
ZnS, diffuse reflection, rel. to crystalline modifications 5=1858
ZnS, Ag centre 5=9425
ZrO_2, zirconia, i. r. absorption 5=13082
inorganic solids, radiofrequency
See also Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation.
silica gels, 1 c/s-20 Gc/s, var. water, and relax. 5=9167
zeolites, 1 c/s-25 Gc/s, var. water, relax. activation energy 5=7007
Li^6I^{127}, microwave, molecular-beam elec.-reson. method 5=11511
Li^6I^{127}, molecular-beam elec.-reson. method 5=11511
PbO, rot., microwave 5=11510
YFe garnet, resonating, emission by mag. pulsing 5=7371
organic molecules and substances
See also Molecules.
aliphatic cpds., band intensities 5=5877
4-amino phthalimide, polar solvent effects and excited dipole moment 5=975
anthracene and deuteroanthracene, vibrational 5=3016
anthracene—trinitrobenzene complex, under pressure 5=7375
aromatic crystals, u. v. absorpt., H-like series 5=9884
aromatic molecules adsorbed on silica surface, i.r. change 5=4322
auramine perchlorate, polarized single crystal refl. spectra 5=1860
azobenzene, term scheme 5=8848
azomethane, term scheme 5=8848
benzene, crystalline, mol. symmetry in spectrum 5=7376
benzene, electron impact spectrum 5=5849
benzene positive ions 5=8850
benzene, u.v. absorpt. intensities 5=8849
benzine crystals, with hexa- and monodeuterobenzine crystals, exciton spectra 5=1823

Spectra—contd
organic molecules and substances—contd
benzidine azomethane and 2, 2′ and 3, 3′ dichlorosubstituted derivs, absorption 5=13083
benzophenone in polymethyl methacrylate, emission and absorpt. spectra 5=5879
p-benzoquinone, visible emission spectrum 5=5878
butadiene and linear polyenes, vibr. 5=14653
1, 3-butadiene-d$_6$, vibrational, i.r. 5=3025
carbonyl cpds., $^1A_2(n, \pi^*) \leftarrow {}^1A_1$ band, intensification 5=11558
chelates, metal, substituent group effects 5=3026
chloroform, vibrational transitions 5=8853
m-chlorophenol, u. v. emission, electron states 5=14654
chromophore groups, circular dichroism of carbonyl groups 5=5883
chromophore groups, u. v. absorpt. of carbonyl group 5=5882
chromophores, electronic fine struct. 5=14628
coronene in polymethyl methacrylate, emission and absorpt. spectra 5=5879
cyanine soln., absorpt. 5=8856
1, 3, 5-cycloheptatriene, 17-35 Gc/s 5=11560
1, 3-cyclohexadiene, 20-36 Gc/s 5=11561
p-dichlorobenzene, fluorescence versus emission u v. spectra 5=1197
p-dichlorobenzene, Raman, 120°-320°K 5=1861
dye, fluorescent, Rubinin 5=9118
electron impact spectra 5=5849
fluoroferm, CHF$_3$, CDF$_3$, rotation anomalies in $\nu_6 = 1$ vibr. state 5=11566
formaldehyde, $^1A_2(n, \pi^*) \leftarrow {}^1A_1$ band, intensification 5=11558
4, 4′-dimethoxybenzophenone, and energy transfer to Eu ions in soln. 5=3346
hydrocarbons, polarizability derivative tensor and chem. bond, calc. 5=8859
liquids, absorption, and luminescence, formula 5=6184
liquids, relaxation times 5=5895
melanins, band structure 5=8868
methane, absorpt. 3. 9μ laser beam in atmosphere 5=8864
methane, absorptance, temp. depend. 5=11503
methylene, spin—spin interaction, erratum 5=3037
Michler's ketone in polymethyl methacrylate, emission and absorpt. spectra 5=5879
due to molecular long chain vibrations, torsional 5=11479
monodeuteriobenzene, crystalline, mol. symmetry in spectrum 5=7376
naphthalene crystals, deformed, 1μ thick at 20°K 5=1864
naphthalene, crystals, exciton absorption line-width 5=13085
naphthalene deutero-derivatives, absorpt. at 20°K comparison 5=4333
naphthalene, neutral, ionic, absorption, oscillator strength calc. 5=990
naphthalene with and without CCl$_4$, Ham bands 5=11573
naphthacene vapour, fluorescence, self-quenching 5=11551
nitrobenzene, electronic struct. and spectrum, calc. 5=5892
nitrosomethane from flash photolysers, electronic 5=5893
olefin copolymers, absorpt. band, 73cm^{-1} 5=4335
2—oxy—1, 4—naphthoquinone anion in soln., inactive additions effect 5=11574
n-paraffins, i. r. intensities, group moment interpret. 5=13086
phenanthrene vapour, fluorescence, self-quenching 5=11551
phenols, OH bond vibr. band splitting and solvent mol. interactions 5=11576
phthalimide and derivatives, electronic spectra 5=8871
phthalocyanine dyes, laser nonlinear absorpt. 5=11577
polyethylene, absorpt. band, 73cm^{-1} 5=4335
polyethylene, i.r. rel. to neutron irrad. 5=4334
polystyrene complexes, absorpt. 5=11614
purine and pyrimide bases, u. v., correls. 5=14661
pyrimidine-h$_4$, -d$_4$ vapours, vibr. freq. meas. 5=3045
scintillators, emission spectra and time constants 5=13096
small, high-resolution, apparatus 5=2928
in solution, dipole shift calc. 5=6189
stilbene in tolane, cryst., absorpt. and luminesc., at 20. 4° and 4. 2°K 5=7379
p-terphenyls, substituted, evaporated films, u.v. absorption 5=7380

Spectra—contd
organic molecules and substances—contd
tertiarybutyl benzene with and without CCl$_4$, Ham bands 5=11573
tetrazine, adsorbed, electronic absorpt. spectra 5=996
m-tolunitrile, near-i. r. absorption 5=3047
tributylbore isomers, u. v. absorpt. spectra rel. to structure 5=14664
β-trideuteroethyl alcohol, microwave 5=8873
triethylbismuth, vibrational spectra 5=8863
tris (5-nitro-1-naphthalene) Eu sulphanate 5=13090
B compounds, liq., absorpt. in vac. u. v. 5=1192
B heterocyclic cpds, vibrational 5=8851
Br and Cl ions in various solvents, u. v. absorpt. 5=1188
CD$_3$OH, 3340 cm^{-1} band struct. 5=11572
CH, $^2\Delta - {}^2\Pi$ transition meas, interstellar possibility meas. 5=11557
CH$_2$O, line shape, maser application 5=8036
Eu chelates, emission, and laser capabilities 5=13084
Eu(III) aqueous solns. 5=3347
K acetyl phosphate, i. r. 5=13089
Pb alkyls, vibrational spectra 5=8863
Yb^{3+} chelates, crystal-field splitting 5=6243
organic molecules and substances, infrared
acetylene, C$_2^{12}$H$_2$, C^{12}C^{13}H$_2$, C$_2^{13}$H$_2$, high resolution 5=973
3-amino amidoximes 5=8847
aminopyridines, and N—H stretching vibr. 5=11550
anthracene, absorpt., in polarized light, at 20°K 5=7374
aromatic cpds., temp. dependence 5=8846
benzene derivatives, hexa-halogenated, fundamental frequencies assignment 5=4332
p-benzoquinone, and p-benzoquinone-d$_4$ 5=11578
p-benzoquinones, deuterated 5=11579
bicyclo [1. 1. 0] butane 5=979
biphenyl, biphenyl-d-10 5=14651
bromoalkanes, c—halogen stretching vibrs. 5=11559
chloroalkanes, c—halogen stretching vibrs. 5=11559
chloroform, second-order lines rel. to vibr. 5=3027
p-chlorophenol with ethers and thioethers, i. r. absorpt. rel. to H bond form 5=3028
9-cyanoanthracene, and polarized light dichroism meas. 5=15582
cyanuric acid, far i. r. 5=982
deuteriochloroform, second-order lines rel. to vibr. 5=3027
1, 2-dibromo-1-chlorocyclopentane, for "rotational" isomers existence 5=3030
9, 10-dicyanoanthracene, and polarized light dichroism meas. 5=15582
diketopiperazine, far i.r. 5=982
dimethyl hydrazine diborane 5=11563
emission, 5-6. 6 μ 5=13021
ethylene—imine derivatives, 15, i. r. absorbt. band freqs. 5=5884
iodoalkanes, c—halogen stretching vibrs. 5=11559
isotactic polypropylene and deutero derivatives 5=11615
mercapto-2 benz-imadazole, oxazole and othiazole 5=14657
methyl chloride 5=8867
methyltine hydrides and deuterides, 2-28μ 5=5891
nitro cpds., and H bond with alcoholic OH groups 5=5830
polyethylene oxide, polarized spectra 5=1021
polymers, review 5=3090
tributylbore isomers, absorpt. spectra rel. to structure 5=14664
trichlorotoluene 5=5896
triethylenediamine, calc. from crystal struct. 5=3654
uracil, far i. r. 5=982
CF$_3$PCl$_4$ 5=2988
CH$_3$F, and electro-optical parameters calc., and C$_2$F$_6$, CF$_4$ 5=11569
H bonding with a solvent, rel. to interact. of complexes 5=8855
organic molecules and substances, radiofrequency
See also Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation.
acetylene hydrocarbons in solvents, H-bond, proton n. m. r. study 5=3012
formaldehyde, microwave spectrum of vibrationally excited states 5=984
methyl thionylamine 5= 5890

Spectra—contd

organic molecules and substances, radiofrequency—contd

monofluoro acetic acid, microwave, Stark effect meas. 5=3039

trifluorethane, Stark effect and torsional vibr. 5=995

Spectral line breadth

See also Doppler effect; Stark effect; Zeeman effect.

absorption lines, of impurity ions in crystals 5=4284

atoms, electron scatt. broadening, adiabatic contrib. 5=2880

and crystal impurity centre electron-phonon interactions 5=13018

electron collision increase 5=8739

emission, optical quantum generators, meas. 5=5083

equivalent width, two overlapping lines 5=8115

far-u. v. Ilford Q2 plates, NaCl sensitizing, rel. to line enhancement 5=319

line broadening, by pressure 5=11815

maser, limiting width of signal 5=4986

microwave spectrometer for linewidth meas. 5=14129

solar spicules 5=4682

in spectrometer, scanning slit and line profile 5=14185

ArI, press. broadening, intrinsic 5=14595

Er^{3+} in LaF_3 and crystal Orbach relax. 5=9371

H, electron impact contribution 5=14590

HeI, press. broadening, intrinsic 5=14595

Hg reson. line, temp. effect on press broadening 5=5761

Spectrochemical analysis

See also Chemical analysis/by mass spectrometry; Spectroscopy.

aqueous solutions, plasma jet method 5=13180

conference, Exeter, 1964 5=1918

gas analyser, i. r. using transistors 5=4418

nova shells composition, review 5=4586

nuclear applns. reviews 5=13182

photographic emulsion, spectronomograph calc. 5=13181

solutions, γ-irrad, H_2O_2, Fe^{2+}, H_3O^+, Fe^{3+} and O_2 conc., continuous meas. method 5=7450

H_2 in N_2 gas 5=10032

MgAl spinel, Ni^{2+} distribution 5=15561

O_2 in Se as SeO_2, i.r. 5=13183

Spectrometers

See also Mass spectrometers; Monochromators; Spectrophotometers; Spectroscopy; X-ray spectrometers.

aperture ratio increase with electron-optics image intensifiers 5=14192

astronomical, noise due to atmos. turbulence 5=10125

for atmospheric spectra, i.r. and heat meas. 5=15667

atomic hyperfine struct., using Fabry—Perot interferometer 5=8120

Coudé spectrograph, 100 in., i. r. resolving power 5=1966

Czerny—Turner type, two-mirror spectrographs, focus conditions 5=5064

double grating, extreme ultraviolet 5=5066

Ebert and Ebert—Fastie spectrographs, focal surfaces and slit curvature 5=5065

40-2100μ region, vacuum, using echellettes of small dimensions 5=5068

grating-type, for i.r. 5=10686

for high resolution Fourier transform spectroscopy, 10-150 cm^{-1} 5=2330

i.r., rapid-scan, use in flash photolysis 5=8119

for laser investigations 5=5067

micro-, low-light level, rel. to retinal cone pigment detect. 5=2334

microscope with Fabry—Perot interferometer 5=14181

mirror spectrographs, astigmatic illumination of plane gratings and prisms 5=5063

Pepsios interferometric scanning 5=10687

photoelectric, superfast 5=2331

portable, survey 5=315

prism-type, calibration in u.v. and visible 5=10688

quartz spectrograph for u.v. solar radiation meas. 5=7488

spectrofluorimeter, absolute 5=8123

spectrograph conversion for line profile reading 5=10689

spectrograph and coronagraph at High Altitude Observatory 5=7559

spectrostratoscope (balloon-borne observatory) 5=7560

stroboscopic time-resolved instrument 5=8118

2 m grazing-incidence, for use 5-950 Å 5=8122

Spectrometers—contd

accessories

amplifier, for scanning spectrometers 5=8121

echelle gratings and cavity in C rod as source for polyatomic molecule high-spectra 5=2928

gratings, plane, and prisms, astigmatic illumination in mirror spectrographs 5=5063

low-temperature attachment, versatile 5=2336

objective for spectral time scans 5=10492

objective for spectral time scans, electron-optical intensifier use 5=10492

Spectrometers, radiofrequency

See also Nuclear magnetic resonance and relaxation/measurement; Paramagnetic resonance and relaxation/measurement.

cavity resonator for electron loss meas. in NO plasmas 5=14128

with coaxial cavity for metre waves 5=10576

e. s. r., for low temps. 5=15486

e. s. r., microspin 5=4977

e. s. r., microwave circuit design 5=4976

for e. s. r. and n. m. r., electromagnet with variable gap, construction 5=10466

e s. r. and n. m. r., magnet 5=14056

frequency control, automatic, for e. s. r. work 5=254

infrared cell, for gas adsorption studies 5=314

linewidth meas. type 5=14129

microwave reflecto-polarimeter with turnstile arrangement 5=4975

n. m. r. dispersion, improvements 5=260

Spectrophotometers

atomic absorption, improved burner adjustment 5=2335

Beckman DK-2A, containing device permitting circular dichroism meas. 5=8128

for biological reaction obs. 5=7896

Cary 14, variable temp. cell design 5=8127

Cary model 14-H, furnace for molten salt meas. 5=8125

cells, i.r., drying apparatus 5=10690

combined split beam and dual wavelength instrument 5=14190

and computer averaging improvement of i.r. absorption sensitivity 5=14186

micro-, monochromators 5=10692

null double-beam far i.r. 5=8126

Parkin—Elner double beam instrument 5=14189

stray light determ., invalid 5=8124

vacuum u. v., double beam, recording 5=14188

Spectrophotometry

See also Colorimetry

atomic absorption 5=14189

data conversion to CIE coordinates, digital system 5=14191

incandescent lamp comparisons, data anal. 5=14182

integrating sphere absorpt. and scatt. 5=5070

Rowland ghost compensation in photoelec. spectrophotometry 5=5069

vacuum u.v., absolute intensity meas. 5=8112

Spectroscopy

See also Spectra; Spectrometers; Spectrophotometry.

absorption meas., low, by thermal lens effect 5=2341

conference, Kyoto and Tokyo, (1964) 5=5096

far-u. v. Ilford Q2 plates, NaCl sensitizing 5=319

filters, optimum 5=5061

ghost lines with prism spectrometer, use in precision refractometry 5=2329

high resolution, survey 5=10681

infra-red, far, metallic mesh transmission and reflection 5=5072

i. r. and Raman spectroscopy, intensity meas., conference 5=14627

i. r. spectroscopy, progress, conference 5=14184

instrument polarizing effect 5=10684

inteferometer comparator 5=10685

interferometer, Fabry—Perot, adaptation for hyperfine structure 5=8120

interferometric, i. r., phase change corr. 5=14600

line profile, scanning slit effects 5=14185

μsec i.r. detector signals, retrieval from noise 5=14019

negative light flux spectroscopy, in i.r. 5=8116

neutrino, solar interior 5=15876

overlapping line array models 5=2328

p—n photocells in, realization of sensitivity criteria 5=41

photographic, on distant field sources 5=10682

Spectroscopy—contd
- photolysis, flash, kinetic spectroscopy apparatus in vacuum u.v. 5=7443
- plasma, colliding, investigation 5=11703
- radiation chopper technique 5=10691
- self-modulated derivative, principles 5=8113
- shape and shift determination 5=313
- solids, high-pressure 5=9880
- solids, 10-100cm^{-1} 5=9882
- spectral analysis sensitivity 5=5062
- spectral irradiance standard 5=10683
- spectrographic meas., by reflective densitometer using He—Ne laser 5=2332
- spectrography, use of high intensity range photographic film 5=8145
- spectrography, time-resolved p.e., by electron-optical image detection 5=8114
- spectroradiometers, calibration by optical reflection 5=14187
- vacuum u.v. intensity meas. methods 5=8117
- vacuum u.v. masking with intensity scale 5=14193
- vacuum u.v., and temp. var. of window light transmission 5=7348
- of H plasma, decaying 5=11699

light sources
- arc chamber for controlled atmospheres 5=14194
- discharge, elec., h.f., capillary, for u.v., 100-2000Å 5=5071
- for double reson. and level crossing spectroscopy 5=10696
- hollow anode Li lamps 5=2326
- intense, with narrow-band emission 5=10697
- pulse lamp, emission spectra 5=10698
- secondary sources, rel. to vacuum u.v. intensity meas. 5=8117
- silica Toronto lamp spectrum, versus cavity of same temp. 5=2338
- $C_2N_2 + N_2O$ flame, spectral analysis 5=318
- Cd^{114}, line shift due to Ar lamp pressure 5=14599

Spectroscopy, radiofrequency
- See also Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation; Spectrometers; radiofrequency.
- current generator, 2-channel 5=10577
- quasi-optical techniques at mm 5=10575
- sampling for periodic signal extraction from noise 5=8018

Speech
- See also Hearing.
- articulation-test control circuits 5=2138
- articulation testing methods 5=7857
- babies' cries, sonograph recording, improved 5=2135
- connected, necessary inform. rate for pitch-period duration transmission 5=132
- French vowel analysis, musical format method 5=4822
- larynx-excitation spectra, long-term 5=2137
- pitch detection, vector 5=126
- singing, intelligibility, voice pitch depend. 5=13969
- vocal response synthesizer 5=7858
- vocoder, channel, with digital pitch extractor 5=2133
- vocoder, pitch-excited channel, speechlike phase 5=131
- vocoder, 10-spectrum-channel, freq. multiplier system 5=2134
- vowel transmission, communication aspect 5=2136

Spherical aberration. See Aberrations, optical.

Spicules. See Sun, prominences.

Spin. See Elementary particles; Hyperons/spin and parity; Mesons/spin and parity; Nucleus/spin and parity; Rotating bodies.

Spin echo. See Nuclear magnetic resonance and relaxation.

Spin—lattice relaxation. See Crystals/lattice mechanics; Nuclear magnetic resonance and relaxation.

Spin Waves. See Ferromagnetism/spinwave theory.

Spinors. See Quantum theory, wave equations.

Spirality. See Elementary particles; Field theory, quantum.

Sporadic-E. See Ionosphere/E-region.

Sprays
- See also Aerosols; Drops; Jets.
- No entries

Sputtering
- crystal imperfections effect on atomic ang. distrib. 5=6656
- crystals, chanelling, Cherenkov radn. energy loss, continuum model calc. 5=9504
- by filament, oxide coated, in electron microscope, ion flux meas. 5=4152
- film deposition 5=12039

Sputtering—contd
- focussing energies of metal cryst. 5=9506
- ion source for mass analysis of solid surfaces, comment 5=4928
- magnetron, inverted, for film synthesis 5=14083
- meteorites, by He$^+$, Ne$^+$, Ar$^+$ ions 5=15853
- semiconducting materials by inert gas ions, atom ejection patterns 5=3792
- single crystal, theory 5=15117
- temperature var. and thermal spikes 5=9502
- Ag film epitaxial growth 5=12053
- Au film epitaxial growth 5=12053
- Au, low-energy yields, by reson. absorpt. and emission spectroscopy 5=3793
- Bi_2Te_3 films, crystal growth 5=9274
- Cu impregnated with Kr^{85}, surface layer removal investigation 5=3785
- Cu oxides, film formation, cathode, rel. to initiating plasma 5=9244
- Cu, by Ar, and secondary electron emission, ang. var. 5=7066
- GaAs films onto substrates, fibered and epitaxial growth 5=3501
- Mo, by Ar, and secondary electron emission, ang. var 5=7066
- Ni, by Ar, and secondary electron emission, ang. var. 5=7066
- Ni, K ion bombard., positive surface ionization effect 5=9507
- Pt, K ion bombard., positive surface ionization effect 5=9507
- Ta films, in Ar, props., bias d.c. versus asymmetric a.c. 5=6655
- W, by Ar, and secondary electron emission, ang. var. 5=7066

Stacking faults. See Crystal imperfections.

Standards
- See also Constants; Units.
- amplitude of mech. oscills., optical standardization 5=97
- frequency, comparison of H maser and Cs beam 5=10211
- litre, 1901 definition abrogated 5=7706
- phosphors, fluorescence props. 5=7383
- radioactive sources, international intercomparison 5=739
- radioactivity, tributed toluene, calibration 5=8569
- radium, comparison methods 5=5563
- semicond. diodes, test procedure, IEEE, review 5=1666
- solar parallax calc. 5=4619
- viscosity, NBS glass 5=3318
- X-ray wavelength conversion factor, calcite meas. 5=5122
- X-ray wavelength, W Kα_1 selection 5=8188

Stark effect
- fluoroferm, CHF_3, CDF_3, anomalous in $\nu_6 = 1$ vibr. state 5=11565
- molecular dipole moment det. 5=5829
- in plasma, oscill.—radiation coupling 5=3204
- p-dichlorobenzene, anisotropy in n.q.r. 5=7292
- quadrupole elec. nuclear resonance 5=3056
- rare-earth ions in CaF_2 5=3425
- ruby, fluorescence, R-line "pseudo-Stark" splitting 5=15567
- trifluorethane, r. f., and torsional vibr. 5=995
- CH_2O, maser application 5=8036
- Cs^{133}, hyperfine structure 5=8751
- Er^{3+} in YCl_3, rel. to energy levels, meas. 5=13046
- Na^{23}F^{9}, hyperfine structure 5=11545
- OH 5=11517

Stars
- See also Nebulae; Novae; Sun.
- aberration of light of quasistellar sources 3C48 and 3C273 5=5036
- annual aberrations, relativistic corrections 5=13700
- atmospheres, ionization equilib. strength 5=13711
- atmospheric props. of O and B stars 5=4564
- B and A, 180, colours, 2000-3000 Å 5=7567
- binaries, visual, 228, masses, luminosities, colours, motions 5=10128
- binary, eclipsing, radial velos. and rotation laws 5=4591
- binary, gas flow theory 5=10145
- blue, accretion correction 5=13706
- β-cephei, atmosphere, decaying shocks 5=13718
- chromosphere activity and age, main sequence 5=7577
- cluster age spread 5=4592
- clusters in Formax dwarf galaxy, integrated photometry 5=15808

Stars—contd
cold superdense, asymptotic behaviour 5=15798
collision calc. in galaxies 5=10155
colour, luminosity and motion of nearer Gs 5=4568
Δ, g diagram, metallic stars and sub-dwarfs 5=10139
Δ, g diagram with 5 colour photometry 5=10138
distance meas. telescope 5=10122
distributions of spatial density and luminosity, calc. using cumulants 5=7564
double, relative positions of 65 5=4590
energy generation, theory, test 5=15876
envelopes due to rotational ejection, density distrib. calc. 5=7576
evolution, computer programme 5=7574
evolution of medium-mass stars, main-sequence model 5=4559
evolution, obs. by Hale telescope, historical survey 5=4533
evolution, pre-main sequence, theory and obs. compared 5=7573
evolution to red giant state, H-burning phase 5=7575
evolution, 6-15 solar masses, main sequence, calc. 5=15795
extended radio sources 5=15822
flare stars, UV Cet, electron flux density, r. f. emission 5=7589
formation rates and two colour diagram 5=10150
galactic orbits centre distance—longitude reln. 5=15818
giant M, B—V and V—I colours 5=4571
globular clusters, isolated, evolution 5=13722
globular cluster orbits and third integral 5=13724
globular clusters, space velocities, new determ. 5=13723
globular clusters, 22, U B V mag. and colour indices 5=7599
heat transfer in degenerate cores 5=15793
interstellar matter accretion 5=1967
magnetic, gravitational collapse 5=4539
magnitudes and colours for 849 stars, photoelectric meas. 5=7566
main-sequence, planetary systems 5=13721
neutrino emission from excited nuclei 5=4555
neutron capture and isotopic abundances 5=15791
neutron, cooling rate and strong interactions 5=15789
neutron, mass limits 5=4553
neutron, superconductivity 5=13709
neutron, as X-ray sources 5=10130
neutrons, cooling by Urca process, and X-ray sources 5=10131
nuclear reaction rates, in solid-like stars 5=15797
opacity calc., mixture 5=7569
oscillation theory, non-adiabatic atmosphere with hot corona 5=15806
in planetary nebulae, central, distances and temps. 5=1970
in planetary nebulae, of low surf. brightness, central 5=13720
polytropes, oscills. of rotating gaseous masses 5=15792
pulsations, viscosity and radiative braking 5=15807
quasi-stellar diameters and intensity fluctuations 5=13699
quasistellar radio sources, semipopular review 5=1972
quasi-stellar sources 3C273 and 3C48, brightness variations 5=4610
RR larae, 2 new variables and globular cluster 5=13717
radial velocities, 52 with large proper motions 5=10129
radio flare, review 5=10135
radio sources, radio—optical pos. comparison 5=15778
radio sources, synchrotron radiation from relativistic electrons 5=3213
sirius, atmosphere 5=4566
stability, and neutrino emission in electron interactions 5=15794
star clusters, auto-gravitating systems approx. 5=15810
superdense, baryon conservation 5=13708
superstar, mass estimation 5=7615
superstars, and delayed expansion of Friedman universe 5=7614
T Tauri type, mass loss model from emission spectra 5=7578
thermal instability of highly rotating fluid sphere 5=10127
variable, pulsating, period—radius relation 5=7597
velocities, Planck distrib. 5=13705
velocity, P11, age var. 5=7568
velocity rel. to sun of various spectral types and luminosity classes 5=4552
viscous magnetic, radial motion inside 5=13710
white dwarfs, 166, motions, luminosities, spectra 5=10142

Stars—contd
white dwarfs, $p + p \rightarrow d + e^{+} + \nu$ rate in crystal region 5=4558
X-ray stars 5=7622
He flash in less massive stars 5=4587
N^{14} to C^{12} surface ratio during He burning 5=13712

composition
See also Elements/origin.
atmosphere, excited by extended stationary acoustic source, response 5=7579
atmospheres, molecular abundances for various H:C:N:O ratios 5=15800
chromospheres, electron density calc. 5=4565
high-vel. main sequence disc. 5=15796
2 magnetic and 4 normal, Li^{6}:Li^{7} ratio 5=15802
yellow giants, in six clusters 5=4562
Li production in ADS 2644 and 8119 5=10144
Li/Ca in C Stars 5=4561
Mg in atmospheres of O and B stars 5=4563
Sr, Y, Zr solar system abundances, as n-flux indicators 5=15824

magnetism
See also Sun/magnetism.
Alfvên waves, fundamental concepts 5=14086
magnetic fields, origin and decay 5=7657
neutron stars, poss. magnetospheric phenomena 5=15790

radiation
See also Cosmic radiations, radiofrequency; Sun/radiation.
B-type, u.v. rel. to line-blanketing 5=1968
binary, what eruptions are traceable to mass exchange? 5=7600
brightness, at gravitational collapse, in general relativity theory 5=7570
e. m., from neutron star osc. 5=4554
flare, photoelec. and radio obs. 5=4574
gravitational collapse, stability, erratum 5=7571
gravitational luminosity, and graviton prod. on spinor particles 5=10838
Mazellan large cloud, semipop. review 5=4608
neutrino emission from excited nuclei 5=4555
neutrino pair due to nuclear dexcitation 5=4557
photometry, u.v., comparison 5=7565
plasma neutrino emission from hot dense electron gas 5=4556
pulsating variables, polarization parameters, time var. 5=4575
quasi-stellar radio waves, density crises in the Cosmos 5=4537
r. f., by UV Ceti flare class, review 5=4573
U, B, V reddening lines slope, galactic long. var. and interstellar matter 5=13733
u. v. far, small value mechanisms 5=13714
white dwarfs, 166, luminosities 5=10142
winds and old cluster ages 5=13725
X-ray, from neutron stars, calc. 5=7572
X-ray stars, mechanism 5=7622

spectra
absolute meas. 5=15804
atmosphere lines, saturation effects 5=10140
atmospheres, turbulent, Fraunhofer line formation 5=13713
atmospheric props. of O and B stars 5=4564
binary, close, and disc envelopes 5=4572
Boss 1985, auroral emission lines 5=7588
carbon, 39, multicolor photometry 5=10143
Cassiopia A, F-region inhomogeneity fading 5=13530
colours, B—V and V—I, for giant M stars
cool, H_2 lines 5=13716
curves of growth, differential analysis 5=7594
curves of growth due to 2 different multiplets, non-coincidence 5=4567
Δ, g diagram, metallic stars and sub-dwarfs 5=10139
i. r., search for interstellar ice using μ Cephei, α Orionis 5=10158
infrared, balloon obs. 5=13715
late, 3 depressions near 6350 Å 5=15805
line broadening function H(a, v) tables 5=15803
and luminosity, G type 5=7593
models for early type 5=7581
P. 829 light amplifier study, photographic results 5=2231
photometry, 7-colour, 342 stars 5=10137
red giants, i. r., balloon obs. 5=4570

Stars—contd
- **spectra**—contd
  - 71 stars, irradiance, 1.0-10.0 μ 5=4569
  - Shuster model calcs. for moving atmosphere 5=7583-4
  - source function equality conditions in multiplets 5=7585-6
  - three colour photometry with large proper motions 5=10129
  - 2 magnetic and 4 normal, rel. to Li^6:Li^7 ratio 5=15802
  - UBV plot, redding line curvature 5=10136
  - white dwarfs, 166 5=10142
  - X-ray emission, point source theory 5=4550-1
  - ζ Aurigae, chromospheric near u.v., hotter star 5=7590
  - B, early, u.v., line profiles calc. 5=7587
  - B, early, u.v. line profile theory 5=10141
  - Ca I orange-red triplet photometry in 300 G and K stars 5=7592
  - Hα photometry in ~600 G and K stars north of equator 5=7591
- **structure**
  - atmosphere temps., 10 000°K 5=7582
  - baryon models 5=10132
  - central stars, of planetary nebulae, atmospheres 5=15801
  - changes, during explosion or nova period 5=7596
  - early type atmosphere and spectra models 5=7581
  - flaves, in H—R diagram 5=10134
  - medium-mass stars, main-sequence model 5=4559
  - model with central core and radiative eneveloper variable consistency 5=10133
  - neutron, X-ray emission calc. 5=7572
  - oscillations, non-radial, second approx. 5=7598
  - outer, T, ρ, P distrib. by quadrature 5=7580
  - plasma neutrino emission from hot dense electron gas 5=4556
  - polytropic gas sphere model, rel. to instability 5=15799
  - pulsation, nonadiabatic, limiting conditions 5=4576
  - radio, gravitational collapse, erratum 5=7571
  - relativistic fluid sphere like Emden polytrope of index five 5=7551
  - H, electron scatt. opacity var. effects 5=4560

Stars (nuclear). See Particle track visualization.

Statistical analysis
- See also Measurement/errors; Probability; Random processes.
- atmosphere temp. and humidity vertical var. 5=13240
- many body problems, conference, Manchester (1964) 5=7793
- neutron resonance parameters 5=5640
- optimized smoothing 5=4719
- probability fields, orthomodularity calc. 5=7738
- round table discussion 5=65
- seismic interference 5=13200
- **applications**
  - See also Counters/statistical analysis.
  - geophysics 5=15637
  - laser optical props. 5=2277
  - plasma correlations, Green's function solns. 5=5971
  - plasma, stratified, reflection, transmission coeffs, digital computer calc. 5=8974
  - polymerization 5=15626
  - Maxwell's eqns., derivation 5=14058
  - radioactivity meas., unknown background, optimum time 5=8576
  - solar flares 5=4676
  - turbulent flow, rel. motion of liquid particles 5=1142
  - vibrating freq. of strings, bars, iterative method 5=13905
  - wave packets, optimal reception 5=7731
  - Na, phonon freq. distrib. funcn. 5=3674

Statistical mechanics
- See also Borons; Fermions; Quantum theory/many-particle systems.
- antiferromagnets, Heisenberg type, field-induced phase transitions 5=4214
- approach to equilib. of inhomogeneous system 5=13876
- Bose gas at low temp., perturbation theory 5=2070
- Bose gas, non-ideal, Green's and thermodynamic functions 5=10290
- Brownian motion theory 5=7789
- collective methods 5=4760
- conference, Mouterrey (1964) 5=4701
- density matrix of decoupled system 5=7790
- diagram technique for non-equilibrium processes 5=2056
- electrodynamics 5=14063
- electron gas, collective variables, transition function 5=7810
- ensembles, asymptotic densities 5=74

Statistical mechanics—contd
- ergodic principles using time averages 5=4751
- ergodic theories, conference 5=4749
- ergoticity and irreversibility 5=4750
- expectation value distribution 5=10277
- Fermi acceleration one-dimensional 5=10235
- fluctuation of dynamical variables, treatment method 5=7785
- gases, Ising model, 1-dimensional 5=6079
- Gibbs entropy postulate, use 5=2054
- graph partial summation in many body theory 5=13883
- hard sphere high density eqn. of state 5=10289
- historical review 5=64
- irreversibility and invariants 5=4765
- Ising model, 2-dimensional, many fermion soln. 5=62
- Kirkwood superposition approximation 5=2067
- lattice gas, dependence of props. on mesh size 5=2052
- lattice gas, occupation probabilities 5=2051
- Liouville space, course-graining and master eqn. 5=4754
- long range correlations 5=2055
- Lorentz gas, relaxation 5=78
- many body problem, computer calc. 5=66
- neutron scattering function 5=8420
- non-uniform system phase space description 5=4752
- one-dimensional gas of hard lines, lattice model of liquids 5=6143
- one-dimensional lattice gas, thermodynamic props. 5=7786
- one-dimensional particles with Coulomb interaction, thermodynamics 5=10287
- pair correlation function for 12-6 Lennard–Jones interaction 5=6078
- perturbation theory, propagator form 5=13878
- plasma in uniform mag. field 5=3148
- polymer chains in a lattice, thermodynamics, Markov theory 5=1290
- polymer solutions, thermodynamics 5=3309
- probability distrib. functions rel. to blackbody radn. 5=67
- quantum cell model, uniform potential approx. 5=2060
- quantum, eqn. with exchange, numerical soln. 5=7791
- quantum, eqn. with volume effect of exchange 5=7792
- rel. to Gibbs' third variational principle, for free energy, in thermodynamics 5=4753
- spin relaxation 5=2269
- spin system, proof that free energy is extensive 5=68
- transport coeffs., square-well pot. model 5=10302
- unified theory of transport, collective and Brownian motions, damping and thermal aftereffect functions 5=13891
- velocity dependent potentials 5=7797
- viscoelasticity 5=7753
- viscosity correlation formula 5=6059
- weakly coupled gas, kinetic theory 5=79
- Wigner representation of quantum operators 5=4755

Statistical thermodynamics. See Statistical mechanics.

Steady-state theory. See Cosmology.

Steam
- electron diffr. study 5=11532
- flow meas. using T 5=9034
- mixture with CO_2, spectral emissivities, 2.7μ, 1000°-2200°K 5=8828
- reactor catalyst poisoning and oxyhydrogen reaction, ignition, kinetics, calc. 5=14558
- sound vel., 200-1000 lb in^{-1}. , 650-1000 kc/s 5=1155
- thermal conductivity meas., 14 000°K 5=3268

Steel
- austenitic, stacking fault energies, extended mode method meas. 5=6641
- austenitic stainless, H effect on stacking fault energy 5=6643
- austenitic, stainless, mag. props. 5=12961
- boundary with liquid, stress pulse propag. 5=2102
- brittle fracture, rel. to fine structure and susceptibility 5=12549
- dislocation struct. during deform. in presence of surface active materials 5=3752
- cold rolls, low-temp. annealing 5=15186
- crystal dislocations and NbC precipitation in austenitic stainless steel 5=9477
- energy losses, specific, microstructure and magnetic induction 5=3474
- fatigue, and crystal imperfections, low C 5=6763
- fracture, brittle, study by ultra high speed photography 5=6764
- lattice defects and N solubility 5=12398-9
- magnetostriction, internal stresses and shape var. 5=7130

Steel—contd
- martensitic transform., onset temp. determ. 5=6301
- mechanical hysteresis losses at points of discrete contact 5=1543
- mechanical props., Sn effects 5=6724
- mechanical strength, tensile, improvement by pre-torsion 5=12507
- metal transfer on impact 5=6707
- mild, bending plastic fatigue behaviour 5=12550
- mild, creep, cyclic, strain-induced 5=12551
- oxide layer structure 5=12036
- plastic deform., var. across grains, photoelastic film obs. 5=9572
- railway rails, strength 5=6765
- shielding studies with 10-20 GeV/c protons 5=14508-13
- shock compression waves in, structure 5=112
- stainless, cavitational erosion by molten Pb 5=6745
- stainless, 18-8 austenitic, annealing textures 5=12124
- strength improvement, review 5=1545
- stresses, internal, around He bubbles due to irradiation and annealing 5=12492
- surface, residual, X-ray diffr. obs. 5=3831
- thermal conductivity, meas., liq. air to room temp. 5=1428
- transformer, ductile fracture, dislocation mechanism 5=6762
- u.s. spectroscopy 5=12154
- various, hardness and creep under spherical indentation 5=1546
- wear, dry 5=3879-80
- wires, Young's modulus in recrystallization region 5=12552
- Ag—steel filamentary composites, plastic deformation and failure 5=12554
- with C and Mo, cyclic strain and fatigue at high temps. 5=6761
- Cr—Ni martensite, structure and properties modification during ageing 5=12553
- U12A, carbide phase changes under cold plastic deformation, calc. 5=1272
- Cr–Ni–Mo–V, H_c var. on tempering 5=7132

Stellar atmospheres. See Stars.

Stellar clusters. See Stars.

Stellar composition. See Stars/composition.

Stellar motion. See Celestial mechanics; Stars.

Stellar structure. See Stars/structure.

Stellarator. See Plasma/devices.

Stereoisomerism. See Isomerism.

Stereophonic sound. See Acoustics.

Stereoscopy
- depth perception, nature 5=5112
- perceptual latency, individual variability 5=339
- threshold levels 5=8164

Stochastic processes. See Probability; Random processes; Statistical analysis.

Stokes flow. See Flow; Hydrodynamics.

Stokes law, fluids. See Flow; Viscosity.

Stokes law, optical. See Luminescence.

Stokes lines. See Luminescence; Raman spectra; Spectra.

Stopping power. See Particle range.

Storms. See Atmosphere/movements; Magnetic storms; Thunderstorms.

Strain gauges
- double diffr. method for strain distrib. meas. 5=3809
- materials, suitability 5=10212
- P, black, use from props. 5=3868

Strain hardening. See Work hardening.

Strange particles
- jets, by p—p colls., 25 GeV/c 5=5337
- production, energy var., meas. review 5=636
- production and higher symmetries 5=8231
- production in $\pi^- + p$, 3 BeV 5=8451
- production processes, triangle singularities, exper. consequences 5=637

Strangeness. See Elementary particles; Field theory, quantum.

Stratosphere. See Atmosphere.

Streamers. See Discharges/electric.

Strength. See Electric strength; Mechanical strength.

Stress analysis
- See also Bending; Photoelasticity; Strain gauges; Torsion.
- annular plates, deflected, computation 5=13841
- crack, penny-shaped, approx. 5=13849
- earth, and deformation, rigid core model calc. 5=15643

Stress analysis—contd
- elastic composite rotating sphere 5=13848
- iterative calc. 5=41
- line solution appl. 5=40
- metals, particle size and strain magnitude 5=12450
- oil/Hg interface, viscous stress 5=6130
- photoelastic models, surface values calcs. review 5=6676
- photoelastic shear stress study of embedded fibre 5=12454
- plasma devices, thermal, by pulsed arc 5=6055
- plastic flow lines 5=10240
- plate on point support system, bending 5=6672
- principal stresses, ratio method 5=12451
- railway rails, static and dynamic 5=6765
- rectangular plates, deflected, partially loaded 5=13842
- relaxation estimation, from creep data 5=3818
- revolution solid, torsion free deformation 5=4731
- rigid sphere sliding on elastic half-space, contour deform. 5=36
- stability of time independent and dependent materials, thermodynamics 5=38
- surface, by X-ray diffr. 5=3831
- X-ray, two-exposure, high-strength materials 5=3810
- Cu—Al, deformed, conc., grain size effects 5=15156
- Mo, critical shear, —160°to 300°C 5=12522
- UC, 3780 kg/cm² thermal rupture stress 5=6769
- UO_2, 892 kg/cm² thermal rupture stress 5=6769

Stress effects
- bending relaxation, simple test 5=3817
- birefringence reln., non-linear effects 5=7309
- birefringence, u.v. meas. 5=2039
- α-brass, stress corrosion cracks 5=15159
- cellulose, relaxation time var. 5=15180
- crystal dislocations, parallel 5=9456
- and dislocation velocity var., work hardening effects 5=944
- crystal electric fields 5=1221
- ferroelectrics, polarized, dielectric and piezoelec. props. 5=15383
- glass, fatigue and fracture, Griffith method revised 5=15162
- glass, migration of Na ions 5=1441
- graphite, reactor, Young's modulus 5=15152
- liquid waves, cavitation onset obs. 5=9076
- liquids, wave propag. 5=9077
- melamino-formaldehyde, breaking strength var. 5=6737
- nuclear reactor fuel plate thermal stability 5=11397
- paper, relaxation time var. 5=15180
- piezoluminescence, intensity and pressure reln. 5=13097
- polyether, breaking strength var. 5=6737
- polyethylene, cracking, rel. to environment and temp. 5=12537
- polymers, cold drawing mechanism 5=12535
- reversals, rel. to primary creep 5=15128
- rocks, fracture, process eqn., strain energy factor determ. 5=114
- solid with < limiting stress, crack prod., limiting load calc. 5=6686
- in solids, compressional wave props., demonstration 5=20
- steel, mild, creep, cyclic 5=12551
- thermal, on KI:Tl i.r. stimulated luminescence 5=4357
- Magnox AL80, relax., high temp. 5=15169
- Ag, point defects by plastic straining, —195°C 5=12502
- Ag—Al, prismatic slip-creep rates, 440°-770°K 5=15183
- Ag—Al—Zn, prismatic slip-creep rates, 440°-770°K 5=1518
- Al alloy, reversion during cycling 5=15140
- Al, polycrystalline, Cottrell—Stokes ratios, temp. var. 5=12478
- Al—Si—Mg—Ni, UTS, time to rupture, creep rates var. 5=12482
- Au, point defects by plastic straining, —195°C 5=12502
- Au—Ag point defects by plastic straining, —195°C 5=12502
- Au—Cu point defects by plastic straining, —195°C 5=12502
- Cd, relaxation time var. 5=15148
- Co, allotropic transform. 5=6281
- Cu, point defects by plastic straining, —195°C 5=12502
- Cu_3Au, strain-hardening 5=6708
- CuO, absorption lines, exciton series strain shifts 5=9900
- CuO, reflection bands, exciton series strain splittings 5=9901
- Cu—P alloys, gran. grain orientation 5=6407
- Fe, creep under tensile stress and alternating torsion 5=3855

Stress effects—contd
- Fe—Ni—Cr alloys, thermally-activated lattice imperfections 5=6627
- Ge carriers, minority lifetime var. 5=12582
- Ge, deformation pots. for L-phonons, calc. 5=1411
- Ge, excitation spectrum of group III impurity 5=15552
- Ge tunnel diodes, effects of uniaxial stress 5=12777
- Ge, e.s.r.g shifts of P, Sb donors 5=9845
- Ge exciton spectrum, strain effect 5=9605
- Ge p-n junctions, tunnel and normal diodes 5=15353
- Ge, Sb-doped, piezoresistance, electron mobility 5=12584
- H-charged, rel to fracture 5=12525
- In, relaxation time var. 5=15148
- InSb, electron states and hole mobility var. 5=12586
- KCl, R centre, optical absorpt. 5=15113
- Mg alloys, width/thickness strain ratio anisotropy 5=12518
- MgO, strain hardening 5=15170
- Mo, relaxation time var. 5=15172
- Mo, yielding and flow, strain-rate depend. 5=6738
- Nb, twinning, interstitial impurity effects 5=15178
- Ni magnetic domains, irreversible at low loads 5=12929
- Ni 0.1 at % Pd alloy, creep 5=15175
- Ni, rel. to mag. props 5=7144
- Ni single and grained crystals, self diffusion var. 5=6590
- Ni—Fe films, domain structure 5=15448
- Pb, relaxation time var. 5=15148
- PbTe, deformation potentials calc., and electron states 5=12517
- Si, cyclotron reson. 5=15254
- Si, donor excitation spectra 5=7364
- Sn, relaxation time var. 5=15148
- SnO, anomalies in n.m.r. X-band of Mn^{2+}, Eu^{2+}, Gd^{2+} 5=1802
- TiH_2 orientation in Ti 5=15188
- V_3Si, superconducting transition temp. and elec. resistivity 5=6899
- Zn, fracture, orientation angle and crystal diameter var. 5=15195
- Zn wires, static creep var. due to vibrs. 5=6772
- ZnS thin films, dielectric props. 5=15378

Stress measurement. See Strain gauges.

Stress/strain relations
- See also Elastic constants.
- boundary value problems 5=13838
- brass wire, Poisson's ratio determ. 5=1510
- concrete beam, prestressed, damping of vibrs. 5=12488
- crystals, temp. gradient effects 5=6671
- extensometer for low temp. tensile testing 5=9514
- glass, P—V curve, shock wave obs 5=12499
- ice, single crystals 5=1521
- polycrystal, calc. from single crystal stress/strain curve 5=9518
- polymers, semicrystalline 5=12536
- precision meas. by X-ray crystallog. technique 5=3603
- rubber, dynamic behaviour, during moderate extensions 5=12545
- rubber filled with rock-salt, effect of crystal size 5=1539
- sapphire whiskers with birefringent matrix 4=6751
- single cubic cryst., anal. from X-ray data 5=3808
- sound insulating materials, complex Young's modulus meas. methods 5=3804
- steel with C and Mo, cyclic strain at high temps. 5=6761
- steel wires, Young's modulus in recrystallization region 5=12552
- talc block, bulk modulus, temp. effect 5=3882
- timber, Indian, coeff. 5=12558
- timber, Indian, dynamic modulus 5=12558
- zirconia, zero porosity, monoclinic, Young's modulus 5=12565
- Ag, point defect, strain var. —195°C 5=12502
- Ag_2Al, rate and temp. var. 5=9575
- Al crystals, surface condition effects 5=3832
- Al, polycrystalline, Cottrell—Stokes ratios, temp. var. 5=12478
- Al wire, Poisson's ratio determ. 5=1510
- Au crystals, surface condition effects 5=3832
- Au, point defect, strain var. —195°C 5=12502
- Au, rel. to dimensions effect on glide 5=3851
- Au—Ag point defect, strain var. —195°C 5=12502
- Au—Cu point defect, strain var. —195°C 5=12502
- $BaTiO_3$, Young's modulus, ΔE effect 5=1511
- BeO, sintered, as funcn. of grain size and orientation, and porosity 5=6698
- Cr, interstitial solute effects near Néel temp. 5=3838

Stress/strain relations—contd
- Cu, anelasticity at low stresses 5=9538
- Cu, effect of dispersed oxides 5=12491
- Cu, n-irrad., heat treatment 5=9543
- Cu, point defect, strain var. —195°C 5=12502
- Cu wire, Poisson's ratio determ. 5=1510
- InAs, adiabatic moduli, 4.2°K-room temp. 5=1522
- Mg alloys, width/thickness strain ratio anisotropy 5=12518
- Ni, compression, temp. and strain rate effects 5=6742
- Ni, compressive, crystal orientation effect 5=1533
- Ni, polycryst., microstrain 5=9568
- α-Pu, Young's modulus, 20°-293°K 5=12532
- W carbides, Co-bonded, hydrostatic press. effect 5=1550
- W—Ni—Fe, two-phase, comp. var. 5=15192

Stresses, internal
- ADP, low value prep. method 5=3578
- films on single crystalline Si substrates 5=6675
- glass, stress formation by ion diffusion 5=3850
- interactions with vacancies 5=6604
- ionic crystals, dislocation Peierls stress 5=6625
- meas. method, using He—Ne laser in photoelastic determ. 5=6677
- measurement, surface, by X-ray diffr. 5=3831
- metals, around dislocation groups and secondary slip 5=9519
- metals, deformation during phase transformations 5=6678
- polymer films, rel. to rupture 5=6688
- rel. to friction, internal, motion of dislocation kinks 5=3811
- and slip, secondary 5=9525
- solids, thermoplastic and structural, as funcn. of heat treatment 5=6674
- steel, magnetostriction depend. 5=7130
- steel, surface, residual, X-ray diffr. obs. 5=3831
- X-ray diffraction meas., theory 5=6673
- X-ray meas., two-exposure, high-strength mat. 5=3810
- Al, surface, residual, X-ray diffr. obs. 5=3831
- C, green rods, Eyring flow model appl. 5=15149
- Cu, around He bubbles due to irradiation and annealing 5=12492
- Cu powder compact, Al_2O_3 strengthened, interphase tensile stresses 5=1516
- Fe, on plastic deformation, temp. var 5=12508
- Ge, elastically strained, X-ray diffraction 5=1518
- NaCl, grain boundary energies 5=6759
- Ni—Cr, microstress investigation 5=3754
- Ni—Ti, microstress investigation 5=3754
- Si, elastically strained, X-ray diffraction 5=1518
- SiO evaporated films, press. and temp. effects, rel. to optimum conditions 5=6754
- Ti, surface, residual, X-ray diffr. obs. 5=3831

Striations. See Discharges, electric.

Stripping reactions. See Nuclear reactions.

Stroboscopes
- shutter, for plasma oscillation visual study 5=9003

Strong interactions. See Field theory, quantum/interactions, strong.

Strontium
- abundance in solar system rel. to stellar neutron fluxes 5=15824
- atoms, Sr II line strengths 5=8758
- desorption, thermal from W 5=9255
- f.c.c. to b.c.c. transition 5=9235
- $Sr^{89,90}$ in atmosphere, ratio at var. heights 5=7500

Strontium compounds
- Sr borates, vitreous, alkaline-earth cation distrib. 5=3529
- Sr olivine, phase transform., high press. 5=3475
- $SrBr_2.H_2O$, crystal struct., atomic 5=6488
- SrB_{13}, prep., structure, density 5=1394
- SrF_2, Ce^{3+} e.s.r. 5=12973
- SrF_2:Dy^{2+}, absorption and fluorescence, rel. to Dy^{2+} energy levels 5=13108
- SrF_2, elastic consts., 4.2°to 300°K, u.s. study 5=3881
- SrF_2, e.s.r. of Mn^{2+}, spin-Hamiltonian constants 5=1801
- SrF_2, optical phonons, longitudinal 5=1835
- SrF_2, Sm^{2+} spectrum, absorpt., mag. induced and cubic crystal field 5=7328
- SrF_2, thermal expansion, temp. var. 5=9394
- SrF_2—Sm^{2+}, Zeeman effect for f—d transition in spectrum 5=7321
- $SrFeO_{2.5-3.0}$, Mössbauer effect 5=3429
- $SrMg_4$, crystal struct., atomic 5=6489
- Sr_6Mg_{23}, crystal struct., atomic 5=6489
- $Sr(NO_3)_2$, e.s.r. of X-irrad. cryst. 5=4251

Strontium compounds—contd
SrO, e. s. r. of Er^{3+} 5=7226
SrO, Eu—doped, cryst. growth 5=12101
SrO, molecular dissoc. energy, mass spectrometer obs. 5=5913
Sr_2O, mol. dissoc. energy, mass spectrometer obs. 5=5913
3 SrO. B_2O_3, 2 SrO. B_2O_3, SrO. $2B_2O_3$, crystal struct., atomic 5=9938
$Sr(OH)_2 . 8H_2O$, crystal structure determ. 5=6439
Sr_3SiO_5, crystal lattice structure 5=12231-2
$SrTiO_3$, crystal electron band gap mechanisms 5=12607
$SrTiO_3$, elec. cond., time depend. meas. 5=15389
$SrTiO_3$, thermoelectric props, rel. to temp. 5=9729
$SrTiO_3$, O ion diffusion 5=12336
$Sr(VO_3)_2 . 4H_2O$, crystal structure 5=12229-30
$Sr_nZr_{n-1}O_{3n-2}$, structure and properties 5=14908
Structure factors. See Crystal structure, atomic; X-ray crystallography.
Structure of matter. See Crystal structure; Liquids/structure; Solids/structure.
Sublimation
See also Heat of sublimation; Vaporization.
calculation, volume heat source 5=6220
cooling, for space research, low temp. 5=179
dissociating vapour, diffusion controlled 5=6223
metals, energy determ. by pulse method 5=14890
rotating body, boundary layer calc. 5=14790
BaF_2, pressures, 1232° to 1505°K 5=1217
CdTe(c), partial press. and Gibbs free energy of formation 5=6225
MgF_2, pressures, 1241° to 1492°K 5=1217
MnF_2, sublimation pressure 5=6221
NiF_2, sublimation pressure 5=6222
SrF_2, pressures, 1207° to 1563°K 5=1217
$UO_{2\pm x}$ 5=11946
Suhl effect. See Hall effect; Semiconductors.
Sulphur
and alkali halide luminescent centres from S-vapour growth 5=15591
α—γ transition temp., v. p. eqns., m. p., calc. 5=3397
chemisorption on Ag 5=15621-2
d orbits, and electronic structure of SF_6, SO_4^{2-}, errata 5=3008
diffusion in PbS 5=12327
electron hopping transport in orthorhombic crystals 5=15223
e. s. r., n irrad. 5=9849
e.s.r., on sudden condensation at 77°K 5=7255
electret, photo, double layer with mica 5=1684
glow discharge, handling technique 5=3106
melting curve, up to 45 kbar 5=9174
orthorhombic, bond lengths 5=11961
photoelectrets, internal field distrib. 5=3426
polymer solns., phase equilibria 5=11859
polymerization, liquid, theory 5=14840
rhombohedral, structure, Soklakov evidence criticism 5=1395
surface photoelectret state under discharge conditions 5=7021
S^+ deep donor e. s. r. in Si 5=12991
S_2, dissociation energy 5=13150
S_2, trapped, u.v. absorpt. spectrum 5=11518
S^{32}/S^{34} ratio in meteorites, meas. 5=15860
Sulphur compounds
SCF_2, force and rot. consts., thermodynamic props. 5=8837
SCN molecular electronic struct. from Raman spectra of alkali metal cpds. 5=5874
$S(CN)_2$ molecules, rotation spectrum, structure 5=11546
$SC(NH_2)_2$, thiourea, N elec. quadrupole res. and e. s. r. 5=4249
SF_4 molecular force field 5=11547
SF_6, arc quenching, mass spectrometer studies 5=1041
SF_6, binary mixture with $CHClF_2$, vibrational energy transfer, u. s. dispersion meas. 5=1015
SF_6, compressibility, extrapolation up to 700°C 5=6082
SF_6 electronic structure, from d orbits of S, errata 5=3008
SF_6/air mixtures, elec. breakdown 5=11650
S_2F_2, 2 isomers, spectra, microwave and mass, struct., dipole moments 5=5872
SO, dissociation energy 5=13150
SO_2, isotopic modifications, rotational spectra 5=8838

Sulphur compounds—contd
SO_2, microwave spectra, 7-10 mm, 39 transitions 5=971
SO_2, molecular rotation and spectrum, calc. 5=3009
SO_2, 295°-887°K thermal cond. meas., by line source method, collision number for rot. relax. 5=1154
SO_4^{2-} adsorption on Pt, rel. to potential 5=9254
SO_4^{2-} electronic structure, from d orbits of S, errata 5=3008
SO_4^{2-}, Raman effect, reson. 5=11528
S—O—S group vibrs. and bond stretching consts. 5=3010
S_2O, enthalpy of formation, predissociation 5=13150
Sun
See also Sunspots.
activity, rel. to satellite 1958 δ 1 period of rotation 5=7543
atmosphere, gaseous motion 5=7686
atmosphere oscillation, hydrodynamic theory 5=14799
atmosphere rapid var. characts. by radioastronomy 5=7676
atmosphere, rel. abundance of Ca, Fe and Ti, chem. analysis methods comparison 5=4671
atmosphere, velocity fields 5=4668
chromosphere double limb vanishing in Hα 5=10183
chromosphere, empirical temp. structure 5=4669
chromosphere, He 5=10184
chromosphere, heating, by accel. magneto-acoustic waves 5=7674
chromosphere, lower structure, modelled from radio data 5=7675
chromosphere obs. technique 5=7677
chromosphere, synoptic charts 5=15886
cosmic ray modulation in 11-year cycle 5=11143
and cosmic rays, primary galactic, scattering by interplanetary mag. field 5=13675
cycle and inner radn. belt proton no. var. 5=13415
declination, and standard date periods 5=7563
diameter, rel. to 26 month oscill. in atm. props. 5=10047
and earth mag. field vars., day/summer J maxima 5=15767
and earth mag. storms, residual latitude effect 5=4509
equatorial vel., by Fraunhofer line broadening and displacement 5=4653
evolution, ecospheric results of Schwarzschild theory 5=13756
galactic cosmic rays, low energy, modulation 5=11151
granules and spicules, relationship 5=7667
interior, neutrino spectroscopy 5=15876
International Years of Quiet Sun, review 5=15721
M-region formation and corpusc. radiation 5=13765
magnetic enhancement of sound-wave generation 5=4681
and magnetic storm, (9-12/2/1958) 5=13590
and meteorology isobar max. 5=4447
motion about solar system centre of mass and sunspot periodicity 5=15887
origin, theories 5=7626
photosphere inclined inhomogeneities and spectral threads 5=15885
photosphere magnetohydrodynamic turbulent convection 5=2237
photosphere oscillation period for large amplitude 5=4660
photosphere, structure and r. m. s. fluctuation 5=4661
primary cosmic rays, modulation near minimum 5=11144
radar echoes rel. to study 5=7655
radio obs. of activity, 1964, Jan. -June 5=10181
radio storms, type I, burst chains 5=10182
red shift, gravitational inhomogeneity explanation 5=10112
solar simulation, precision design 5=8093
solar simulator for space research 5=15770
spiculae, obs. in various lines 5=13770
stellar magnitude determ. in tricolor systems 5=4652
temperature of excitation of Fe I, Ti I, Ti II 5=4670
thermodynamic gas props. calc. 5=15875
velocity rel. to stars of various spectral types and luminosity classes 5=4552
H and Venus upper atmosphere, clouds prod. 5=7642
Na excitation in photosphere theory 5=7665
corona
atomic lower excited states in isoelectronic sequences 5=2892
chromospheric model, with acoustic wave energy propag. only 5=1985
comparison of observations 5=10185
eclipse of 15/2/61, photometry, polarimetry 5=13774-5

Sun—contd
- **corona**—contd
  - emission lines, identification 5=4674
  - emission lines, origin 5=4673
  - forbidden lines in interplanetary mag. fields 5=7680
  - hydrodynamics, slow solns.? 5=13772-3
  - intensity, 1.15-5.1μ at July 1963 eclipse, i.r. radiometric obs. 5=7679
  - ionization, time-dependent 5=4672
  - and meteorology isobar max. 5=4447
  - occultation of Taurus-A at 430 Mc/s June 1964 5=15892
  - origin of limb flare of 20 Nov 1960 5=4675
  - radar obs. and Uchida heating theory 5=13779
  - radar obs. and wind particle flux 5=13780
  - spectra and Fe XIII theory 5=13781
  - spectra, u.v. lines of FeXIV calc. 5=10186
  - spectrum emission lines theory 5=10187
  - streamers, balloon obs. 5=13777
  - supercorona, 1959-63 obs. 5=13778
- **eclipses**
  - and corona, 15/2/61, photometry, polarimetry 5=13774-5
  - and F $1^1/_2$-layer phenomenon 5=13536
  - effect on ionosphere, h.f. backscatt. study 5=13436
  - and ionosphere E recombination 5=1951
  - ionosphere, radio propag. during eclipse 5=4497
  - prominence, 15/2/61, spectrum 5=13776
  - for total electron content in earth—moon interspace, meas. 5=4647
  - 20 July 1963, radio obs. 5=7664
  - 20 July 1963, radio sun obs. 5=15874
  - 20 July 1963, radiometer readings 5=15669
- **flares**
  - α particles and ionosphere PCA, calc. 5=13431
  - associated active dark filaments and 2800 Mc/s radio bursts 5=4676
  - Class 3, Sept 26 (1963) and Sunspots 5=13785
  - cosmic ray storm modulation, meas. 5=11154
  - crochet and non-crochet associated, and ionospheric disturbances 5=7521
  - and earth mag. field vars., flares in magnetic γ and β_γ class regions 5=7538
  - γ emission by inverse Compton effect 5=13784
  - and ionosphere D e.m. v.l.f. obs. 5=15737
  - and ionospheric D-region v.l.f. radiowave reflection height var. 5=15735
  - and ionosphere F ionization enhancement, radio obs. 5=13526
  - limb flare of 20 Nov 1960, coronal origin 5=4675
  - and magnetic field, forecasting 5=13783
  - magnetic fields assoc., intensities, review 5=4654
  - and magnetic storms, relativistic proton flares 5=13583
  - model 5=4677
  - 1963 Italian observations 5=7681
  - 1962 Swedish obs. 5=4679
  - and nucleonic cosmic ray intensity var. 5=11166
  - particle-producing, distrib. in heliographic longit. 5=4680
  - proton and cosmic ray, and loop prominences 5=15881
  - review of 1963 obs. 5=7669
  - rel. to S W F 5=15686
  - theory, skin effect in twisted magnetic fields 5=7682
  - 3000 Mc/s flux, rel. to ionospheric sudden disturbances 5=15893
  - X-rays, caused by inverse Compton effect? 5=4678
  - H isotopes, energetic, relative abundances 5=2698
  - He, D_3 absorption, and Hα, Hβ lines 5=7684
- **magnetism**
  - atmosphere, mag. field pattern 5=4668
  - in convective zone, spot group obs. 5=13764
  - and flare forecasting 5=13783
  - general and fields assoc. with sunspots, flares and prominences, review 5=4654
  - magnetic fields, origin and decay 5=7657
  - magnitude and direction of field near sunspots, meas., method 5=4664
  - polar reversal and filament rush 5=10189
  - in spot groups amplification by whirls 5=15888
  - in Sunspot group whirls, amplification 5=13766
  - transport by random walk diffusion due to supergranulation currents 5=7656
- **prominences**
  - dynamical theory, review 5=7686
  - at eclipse, 15/2/61, spectrum 5=13776

Sun — contd
- **prominences** — contd
  - filament polar crown and mag. field reversal 5=10189
  - filament structure models calc. 5=10188
  - limb, Ca, and H, distance 5=7685
  - loop, March 16, 1964, magnetic fields 5=1986
  - magnetic fields assoc., intensities, review 5=4654
  - and proton and cosmic ray flares 5=15881
  - quiescent, spectral characts. 5=15894
  - spicules, Doppler shifts and line broadening 5=4682
  - spicules, dynamical origin 5=4681
  - sunspots, and ionospheric, geomag. var. 5=15731
  - velocity coronagraph 5=7561
  - H_α emission profile calc. 5=4683
- **radiation**
  - See also Sunlight.
  - absorption by water vapour in atm. 5=10065
  - and atmosphere radioactivity, nuclear explosion aerosols 5=7495
  - atmospheric absorpt. and N_2, O_2, absorpt., 580-1050Å 5=7507
  - atmospheric absorpt., and N_2, O_2, absorpt., photoionization, 830-1000 Å 5=7510
  - and atmospheric O_3, O_2 dissociation, height and freq. var. calc. 5=13236
  - comparison between e.u.v. and radio obs. 5=7666
  - EUV, time correl. with thermospheric temp. 5=13243
  - flares, X-rays caused by inverse Compton effect? 5=4678
  - γ, from flares, by inverse Compton effect 5=13784
  - Lyman α, var., and atmosphere absorpt. 5=13769
  - magnitude, stellar, UBV 5=4651
  - review 5=7652
  - rocket obs., stabilized Skylark, first launching 5=10101
  - type III bursts rel. to electron overtaking as instability cause 5=9009
  - X, below 10 Å, obs. and theory 5=13762
  - X, obs. by photographic emulsions 5=13763
  - X and u.v., NRL 1964-01 D satellite obs. 5=7653
  - X-ray and ionosphere D-region role 5=13489
  - X-rays, 44-60Å, satellite obs. 5=1982
- **radiation, corpuscular**
  - α, from flares, and ionosphere PCA, calc. 5=13431
  - alpha particles, interplanetary storage 5=15884
  - and corona radar obs. 5=13780
  - and cosmic ray primary p/He ratio modulation 5=11152
  - and cosmic ray vars. 5=4662
  - cosmic rays, July 1961, balloon obs. discussion 5=11155
  - and distortion of earth's mag. field 5=13558
  - earth, mag. field interaction, Pioneer 5 obs. 5=13565
  - and earth magnetic field, plasma stream—dipole interaction obs. 5=13560
  - and earth mag. field var. 5=4511
  - effect on geomagnetic hollow 5=15752
  - effects on comets of solar wind 5=1979
  - impact with magnetosphere boundary 5=15695
  - and interplanetary magnetic field, theory 5=15864
  - ionization of Martian and Cytherean upper atmospheres 5=15841
  - and Jupiter, upper atmosphere 5=15837
  - and M-region formation 5=13765
  - and magnetic storms, M region, Parker theory 5=15762
  - and magnetic storms, relativistic proton flares 5=13583
  - and magnetic storms, SC and first phase theory 5=13601
  - and magnetic storms SSC 5=4662
  - magnetosphere—solar wind interface stability 5=13338
  - and moon, atmosphere, interaction with wind 5=4628
  - and moon luminescence 5=7627
  - neutrino detection methods with B^{11}, Li^7 inverse β decay 5=10180
  - neutrinos, detection by Cl^{37}, importance of inverse Ca^{37} decay 5=754
  - ν-observation, attempts 5=15776
  - p and atmospheric n leakage calc. 5=11172
  - plasma flow, neutral H flux 5=4659
  - plasma and geomagnetic field interaction, model 5=7539
  - plasma wind—geomag. cavity interaction, calc. 5=15751
  - proton event, interplanetary mag. storage model 5=15882
  - proton flares and loop prominences 5=15881
  - proton spectrum 5=15877
  - protons, balloon and satellite obs. 5=11168
  - protons, neutrons, synodic month var. 5=11165
  - protons, 27 day recurrence 5=15880

Sun — contd
- **radiation, corpuscular** — contd
  - solar wind, lunar and planetary tails 5=15834
  - solar wind—mag. field interaction, expt. model 5=13559
  - solar wind, rel. to magnetospheric boundary shape 5=13344
  - solar wind, rel. to magnetospheric variations 5=13574
  - solar wind, semipopular review 5=4658
  - velocity, and geomagnetic activity 5=15883
  - wind, deform. of geomagnetic field 5=13567
  - wind, effect on geomagnetic field boundary 5=13566
  - wind, effect of interplanetary mag. field 5=15878
  - wind, effect on lunar atm. 5=15832
  - wind, impact with magnetosphere boundary 5=15695
  - wind, solar, deform. of geomagnetic field 5=13567
  - wind, solar, effect on geomagnetic field boundary 5=13566
  - wind, solar, effect of interplanetary mag. field 5=15878
  - wind, solar, effect on lunar atm. 5=15832
  - wind, solar, transition at magnetosphere, model 5=13555
  - wind, transition at magnetosphere, model 5=13555
  - He and heavy nuclei, hysteresis over solar cycle 5=668
- **radiation, radiofrequency**
  - bursts in continuous freq. range 5-2000 Mc/s, dynamic spectra 5=7662
  - bursts, III, V, source vel. and accel. 5=13782
  - chromosphere, lower structure 5=7675
  - comparison with e.u.v. 5=7666
  - corona radar obs. and Uchida heating theory 5=13779
  - corona, radar obs. and wind particle flux 5=13780
  - cosmic rays, ionospheric absorption in Antarctica, riometer meas. 5=15732
  - and cosmic ray vars., for type IV bursts 5=4662
  - distribution of brightness at 3cm 5=7654
  - eclipse, 20 July 1963, obs. 5=7664
  - ionospheric absorption in Antarctica, riometer meas. 5=15732
  - long-lived 225 Mc/s quiet source 5=76
  - low-noise receiver 5=7690
  - and magnetic storms, repeating, type IV centres 5=13595
  - and magnetic storms SSC, for type IV bursts 5=4662
  - noise, as e.m. wave instab. in cold plasma 5=9004
  - radio emission, slowly varying component, rel. to solar cycle 5=4655
  - radio sun obs. on 20 July 1963 5=15874
  - satellite obs., 1. 5-10 Mc/s, Alouette, corona bursts 5=7683
  - spectrum, continuous, cm to dm wavelengths 5=7663
  - 2800 Mc/s, from active dark filaments 5=4676
  - 3000 Mc/s, rel. to ionospheric disturbances 5=15893
  - type IV bursts, and structure of sunspot mag. fields 5=15891
  - warming of activity from radio pre-SC magnetic storm increase 5=13593
- **spectra**
  - See also Sun/corona; Sun/flares; Sun/prominences.
  - atmosphere lines, saturation effects 5=10140
  - Balmer-line limb darkening, analysis 5=4669
  - chromosphere, HeI emission line λ 10830 5=7678
  - chromosphere, i.r., and temp. var. with height 5=13771
  - corona emission lines theory 5=10187
  - corona, Fe XIII theory 5=13781
  - corona, u. v. lines of FeXIV calc. 5=10186
  - depression near 2085Å due to Al I $3p^2P^0$ ionization edge 5=13757
  - flares, He, D_3 absorption, and Hα, Hβ lines 5=7684
  - forbidden lines in interplanetary mag. fields 5=7680
  - Fraunhofer line displacement, broadening, rel. to equatorial vel. 5=4653
  - laboratory reproduction, 170-220 Å 5=7660
  - photoelec. meas., absolute 5=15872
  - profile of B_γ hydrogen line across disc 5=4657
  - profiles of $H_{\alpha,\beta,\gamma,\delta}$ lines at limits and center, Stark effect 5=4656
  - prominences, H_α, emission profile calc. 5=4683
  - radio bursts, continuous, cm to dm wavelengths 5=7663
  - review 5=7652
  - spiculae 5=13770
  - u.v. resonance, and composition 5=13761
  - X-ray, below 25 Å 5=7661
  - X-ray events, review of recent U.K. studies 5=13760
  - X-ray and extreme u. v., and ionosphere, review 5=15873
  - X-ray, flare burst classification 5=13759

Sun — contd
- **spectra** — contd
  - X-ray soft, and extreme u.v., meas. methods 5=13758
  - CN bands, and excitation temp. 5=7659
  - Fe laboratory prod. in vacuum u.v. in Scylla plasma 5=7658
  - Fe, vacuum u. v., rel. to laboratory 5=1981
  - O-line half width, atmospheric press. effect 5=4472
  - and SiI in PbS region 5=14607

Sunlight
- See also Sky brightness.
- daylight colour temp. over 2 years 5=15666
- extinction and scatt., absorption effects 5=13272
- extra-terrestrial const. det. 5=4452
- on inclined surfaces 5=7489
- photophoretic effects in stratosphere 5=4469
- spectrograph, quartz, for u. v. solar radiation meas. 5=7488

Sunspots
- activity, meas. by Antarctic ice radioactivity 5=15646
- Alfvèn waves, fundamental concepts 5=14086
- bipolar groups 5=1984
- book 5=7670
- complex groups, statistical distrib. 5=7671
- cycle and mag. transport due to supergranulation currents 5=7656
- effect on F-layer max., temp. var. 5=13515
- effect on spread-F, equatorial 5=13534
- facular zone variations 5=4666
- flare, Class 3, Sept 26 (1963) 5=13785
- group area var., as rising in liquid 5=4663
- group, peculiar 5=13768
- intensity distrib., image disturbance effects 5=13767
- large, OH new transition identification 5=7673
- lifetime of groups 5=15889
- magnetic field amplification in group whirls 5=13766
- magnetic field amplification by whirls in groups 5=15888
- magnetic fields, structure, above flare regions 5=15891
- and magnetism in convective zone, group obs. 5=13764
- magnetic field magnitude and direction meas. 5=4664
- magnetic fields assoc., intensities, review 5=4654
- minima in 11 yr cycle, growth and decay features 5=4665
- 1960 observations, Istanbul 5=4667
- 1964, Jan. -June 5=10181
- radiative equilibrium, possibility 5=1983
- review of 1963 obs. 5=7669
- and sun's motion about solar system centre of mass 5=15887
- synoptic charts 5=15886
- 25 or 26 month periodic tendency 5=7672
- Ca plage area differences 5=15890

Superconducting materials and devices
- See also magnets.
- accelerometer suspension 5=7710
- alloys, with paramag. impurities, thermal cond. 5=12303
- alloys with paramagnetic impurities, properties 5=3982
- bridge, microscopic, critical field behaviour 5=6903
- carbides and nitrides of transition metals 5=12671
- for computers, symposium, London, 1964 5=12690
- critical current, anchored filament model 5=12665
- density of states rel. to magnetic impurities 5=6869
- e. m. resonator, 3cm, Pb 5=242
- films, current vortices interacts., long range, calc. 5=1622
- first- and second- kind films, near crit. field behaviour 5=9658
- intermediate state, mag. props., Faraday effect photographic meas., review 5=6870
- magnetization curve, anchored filament model 5=12664
- magnets, economics, compared with conventional type 5=4896
- magnets, exam. of materials 5=2214
- magnets, review 5=10469
- metals, elastic constants, temp. depend. 5=12443
- metastable phases, by plasma-jet spraying 5=9648
- modulator for d. c. amplifier 5=14018
- new intermetallic cpds., containing Au 5=15293
- organic chain molecules, electrostatic switching 5=15287
- phonon spectra and density of states, tunnelling meas. 5=9647
- power supply, and appl. to flux pumping 5=9659
- rare earth binary alloy systems 5=6893
- small size, in strong mag. field 5=12670
- soft, props. and applications, review 5=15304

Superconducting materials and devices—contd
thermal switches 5=15306
thin film bridges, r.f. effects 5=1625
transformer, low efficiency 5=6902
transition metals, Ginzburg—Landau props. calc. 5=1624
tunnel junctions, microwave phonon effects 5=15305
type I alloys, parameters calc. 5=15288
type-I, Ginzburg—Landau coeff. 5=12672
weak and strong coupling, Ginzburg—Landau param. rel. to temp. 5=6873
Al energy-gap anisotropy, millimetre-microwave studies 5=3989
Al, rel. to press. 5=15289
Al, u.s. acoustic absorption, calc. 5=12277
Al and Al alloys, transition temp. rel. to dislocations 5=6871
Al—Zn, clustering and conc. effects 5=15290
$AuPb_2$ and $AuPb_3$, props. 5=15292
C_8Cs 5=15291
C_8K 5=15291
C_8Rb 5=15291
α-Ce, search 5=12673
Cu, with superimposed Pb films 5=1629
GeTe, from sp.ht., 0.1°-1.1°K 5=3992
Hg—Cd alloys, surface supercond. 5=1631
In alloys, critical temp., effect of impurities 5=4003
In films 5=3993
In films, highly agglomerated, to 2.90°K 5=3994
In, magnetic flux penetration 5=3995
In, specific heat, lattice term 5=9382
In—(1.9%)Bi, specific heat 5=3996
In_2Bi, u.s. det. of energy gap 5=3997
InSb—βSn, high-press. characts. 5=12674
In—Te phases, NaCl-type 5=6872
In—Te, pressure-induced phases 5=12675
In—(30%)Tl, surface currents, dissipative 5=3998
La, "gapless" supercond. 5=6874
La quenched with Rh 5=3999
La—Gd, "gapless" supercond. 5=6874
Mo_3Al_2C 5=15298
MoC, transition temp., Bilz method calc. 5=15297
Mo_3Sn 5=9282
Nb, cold-rolled, annealed, fibre struct. effect 5=12680
Nb, critical current density, O conc. effect 5=6876
Nb, critical nucleation fields anisotropy, magnetization meas. method 5=6877
Nb, 50 c/s losses, meas. 5=12676
Nb films, critical temp. rel. to deposition conditions 5=9651
Nb, flux pinning, quantized 5=6878
Nb, orientation dependence of deformed and undeformed crystals 5=1632
Nb, resistive meas. 5=12679
Nb, specific heat in mixed state below transition temp. 5=6552
Nb and Nb—30% Zr, magnetothermal effects 5=9652
Nb_3Bi, transition temp. 5=3469
NbN, critical field, new meas., lattice structure 5=15299
Nb—Sn films by codeposition, props. rel. to crit. temp. 5=3506
Nb—Sn system 5=3471
Nb—Sn system 5=6209
Nb—Sn tubes, flux trapping and compression 5=1633
Nb—Sn wire bundles 5=6879
Nb_3Sn, anomalous resistivity 5=6881
Nb_3Sn, critical currents and Lorentz-force model 5=6886
Nb_3Sn, critical-state phenomena and flux jumping 5=6890
Nb_3Sn, current-carrying behaviour, effect of neutron-induced defects 5=6887
Nb_3Sn diffusion layers, current, mag. fields effects 5=12684
Nb_3Sn discs, magnetic field penetration 5=6891
Nb_3Sn films, magnetization in transverse fields 5=6892
Nb_3Sn, flux-jumping, mag. field effects 5=9653
Nb_3Sn, H_{c_2} with pulsed mag. fields, Cu coating effects 5=12686
Nb_3Sn, impurity and solute (Zr) effect 5=9654
Nb_3Sn, lower critical field 5=6885
Nb_3Sn, microwave surface resistance meas. rel. to temp. 5=6888
Nb_3Sn ribbon, electromagnetic performance 5=4898
Nb_3Sn sintered, composition, vacancies effects 5=12683
Nb_3Sn solenoid, degradation effects analysis 5=4899

Superconducting materials and devices—contd
Nb_3Sn, superconducting energy gap and tunnelling meas. 5=6884
Nb_3Sn, superconducting penetration depth 5=6883
Nb_3Sn, surge-magnetic-field and pulse-current effects 5=6889
Nb_3Sn, transition temp. meas. 5=6882
Nb_3Sn, vapour-deposited, prep. and props. 5=6379
$(Nb, Ta, V)_3Sn$ system, superconducting props. 5=6880
Nb—(50%)Ta, specific heat 5=3996
Nb—Ti, current degradation 5=15301
Nb—Ti magnet, protected, props., design calc. 5=7952
Nb—Ti solenoid, critical current jump at λ-point 5=9655
Nb—Zr, fluxoid annihalation instability 5=9645
Nb—Zr, 50 c/s losses, meas. 5=12676
Nb—Zr, H_{c_2} with pulsed mag. fields, Cu coating effects 5=12686
Nb—Zr, normal—supercond. thermal propagation, current var. 5=12685
Nb—Zr solenoid, current degradation causes 5=6901
Nb—Zr wire, critical mag. field, annealing effects 5=15300
Nb—Zr wire, magnetic behaviour 5=1722
3Nb—Zr wire solenoids, mag. penetration, trapping, flux jumps meas. method 5=12687
Nb—25% Zr wire, magnetization 5=1634
Pb, 50 c/s losses, meas. 5=12676
Pb ring, persistent current decay rel. to α-irrad. 5=9649
Pb, surface props. 5=6875
Pb—Al tunnelling above crit. field 5=4000
Pb—Bi eutectic, flux instabilities 5=12678
Pb—Bi, magnetization curves 5=12677
Pb—Bi, type II diamagnetism of surface supercond. 5=7084
Pb—In alloys, He temp. strain effect on transition 5=1630
Pb—In, cond. transitions 5=4001
Pb—Sb alloys, critical props. rel. to precipitation process 5=15296
$Pb_{0.95}Tl_{0.05}$ surface transport current 5=9650
PdTe, $PdTe_2$, transition temps. 5=12011
Pt metals 5=15294
Pt, with superimposed Pb films 5=1629
Sn alloys, critical temp., effect of impurities 5=4003
Sn films, current generated harmonics, calc. 5=15302
Sn films, edge-effect current limitation 5=12689
Sn films, mag. hysteresis at normal transition, struct. effect 5=6895
Sn, specific heat, lattice term 5=9382
Sn thin layers, Cooper pair tunnelling meas. 5=6896
Sn, tunnelling effect and phonon dispersion 5=12274
SnIn films, critical fields 5=15303
Sn, In, Sn—In films, non-linear reactance 5=6894
Ta films, critical temp. rel. to deposition conditions 5=9651
Te 5=9657
Th—Pt-group binary alloy systems 5=6893
α Ti—V[Nb, Ta] solid solutions 5=6897
Tl, energy gap, electron tunnelling meas. method 5=12688
V, long-range order, apparent lack of 5=6900
V—Ga system 5=9359
V_3Ga diffusion layers, current, mag. fields effects 5=12684
V_3Ga, flux distrib. by n.m.r. 5=6898
V_3Si, crystal structure temp. var. 5=3649
V_3Si diffusion layers, current, mag. fields effects 5=12684
V_3Si, flux distrib. by n.m.r. 5=6898
V_3Si, single crystals growth 5=1316
V_3Si, superconducting transition temp., effect of stress 5=6899
β-W-type, phase transformations, resistivity evidence 5=9656
Zn alloys, transition temp. rel. to electron conc. and m.f.p. 5=1637
Zn, energy-gap anisotropy, millimetre-microwave studies 5=3989
Superconductivity
See also Quantum theory/many-particle systems.
alloys, dilute, magnetic, rel. to anomalous electron scattering 5=9618
Anderson BCS time-, and Parmenter position-dependent combined theory 5=6854

Superconductivity—contd
  anisotropy model 5=9639
  conductivity, thermal, electronic, theory 5=15285
  conference, 9th, Columbus (1964) 5=10397
  criterion rel. to longitud. sound velocity 5=6862
  cylinder, hollow, off-diag. long-range order and persistent currents 5=9640
  cylinders, flux quantization and generalized pairing 5=9644
  cylinders, transitions, second-order 5=12669
  diffuse electron reflection from, electrodynamics 5=1627
  dirty, in high mag. field, for electron diffusion, H_{c_3}, H_{c_2} calc. 5=6861
  e. m. potentials 5=12658
  electron gas BCS states approx. 5=89
  electron pairs in quasichem. equilib. and BCS theory 5=6858
  energy gap consideration 5=3980
  energy gap and net electron drift vel. rel. to temp. and Cooper-pair drift vel. 5=6864
  energy gap, temp. dependence 5=6865
  equations, for normal and supercond. metals system 5=15286
  Falicov—Cohen model 5=6856
  Falicov—Cohen model 5=12661
  Fermi-systems, structure, quasi-means calc. 5=1621
  ferromagnet, nonuniform state 5=1628
  ferromagnets, interaction of conduction electrons with spin waves 5=15283
  field theory, self-consistent, Gor'kov factorization 5=6855
  film, current-carrying, tunnelling density of states 5=9641
  films, current vortices interacts., long range, calc. 5=1622
  films, hysteresis in parallel field transition 5=12667
  films, mag. props., Gor'kov eqn. 5=3988
  fluxoid annihalation instability in hard supercond. 5=9645
  free-energy difference from normal states, electron—phonon model 5=3981
  Ginzburg—Landau coeff., temp. depend. 5=12672
  Ginzburg—Landau eqns., generalization from variational principles 5=6857
  Ginzburg—Landau parameter, temp. and m. f. p. var. 5=1626
  Ginzburg—Landau theory, for alloys 5=12660
  group II, quantized mag. flux lines, neutron diffr. 5=6866
  intermediate state thermoelectricity 5=9719
  Josephson tunnelling, quasi-spin treatment 5=12663
  magnetic field, critical, of thin film 5=15284
  magnetic transitions near H and T-axes 5=7073
  magnetism, irreversible, and critical current 5=12868
  mechanism, role of ion core 5=12659
  metal films. in strong mag. field 5=12666
  metal thermodynamic principles, Fröhlich model calc. 5=1623
  microwave props. of superconductors 5=9638
  mixed state, structure, critical current, flux jumps 5=12662
  non magnetic bodies levitation in a.c. mag. fields calc. 5=7955
  normal metal-supercond. contact, elementary excitations in vicinity 5=6868
  neutron stars 5=13709
  one dimensional, no long range order 5=3978
  particle number and energy var., Bardeen—Cooper—Schrieffer state 5=73
  penetration depth of mag. field and thermoelec. effect 5=6867
  penetration depth, theory 5=6883
  quantized flux establishment in $<10^{-5}$ sec 5=4002
  round table discussion 5=187
  spin paramagnetism influence 5=6853
  surface, effect of dielectric layer 5=12668
  surface superconductivity 5=6860
  surface superconductivity, mag. field penetration and breakdown 5=3983
  theory 5=6852
  theory for superconductor with mag. impurities, appl. to u. s. attenuation 5=3987
  thermal conductivity of intermediate state, $l \gg a$ 5=6863
  thermal transport coefficients 5=3984
  transitions, impurity effect 5=9646
  tunnel effect, review 5=3979
  tunnelling, electron, from hard supercond. in mixed state 5=9642

Superconductivity—contd
  tunnelling junctions, with normal metal, assymetries in i-V curves 5=4004
  tunnelling, review 5=9643
  two bands at Fermi surface, Ginzburg—Landau, props. calc. 5=1624
  type II, λ-type specific heat anomaly 5=1620
  type II vortex line e.s. and osmotic forces 5=6859
  ultrasonic wave attenuation, BCS theory 5=3986
  umklapp absorption spectrum, rel. to normal phonon contrib. 5=3985
  Al, u. s. shear waves in, attenuation 5=3990
  GaN, possibility 5=3991
  In, thin films 5=15295
  Nb$_3$Sn diffusion layer on Nb wire, quenching curves meas., versus Nb—Sn multiwires 5=1635
  Nb—Ta, Abrikosov vortices motion and mag. flux, calc. 5=12682
  Pb, thin films 5=15295
  Pb—Bi, Abrikosov vortices motion and mag. flux, calc. 5=12682
  Sn, quantized flux establishment in $<10^{-5}$ sec 5=4002
  V$_3$Ga diffusion layer on V wire, quenching curves meas., versus V$_3$Ga multiwires 5=1635
  V—Sc, critical field, Sc conc. depend. 5=1636
Supercooling
  boiling of supercooled liquids, boundary layer flow 5=11941
  liquids, and crystal growth, expts. 5=11934
  nuclei freezing into undercooled melt, tension field 5=11936
  water films, on hydrophobic surface, rel. to ice nucleation 5=3402
  water, rel. to ice crystallization 5=9278
  Fe alloys, rel. to martensitic transformation 5=12008
  Hg—Cd alloys 5=1631
  Hg—Te, constitutional 5=12114
  H$_2$NNH$_2$—H$_2$O, and stabilization to glass 5=11935
  H$_2$O in glass capillaries 5=11937
  I, constitutional, during crystal growth 5=9281
Superexchange. See Antiferromagnetism.
Superfluidity
  See also Helium/liquid; Quantum theory/many-particle systems.
  Bose gas, mutual friction with normal component 5=2176
  critical velocity, wall roughness effect 5=10409
  fermion system, perturbation theory, zero temp. state 5=87
  independent-particle model difficulties 5=72
  quantized vortex rings 5=10410
  vortex ring creation 5=14825
  round table discussion 5=187
  He, liq., Bose—Einstein condensation 5=14005
  He liquid, critical velocities and vortices 5=2175
  He, phonon specular reflection at 0.33°K 5=4863
  He, vortex rings, quantized 5=2177
  He II, Helmholtz flow rel. to hydrodynamics 5=7905
  He II, turbulence growth 5=10408
  HeII, vorticity growth, channel geometry effect 5=14003
  He^3, destruction in magnetic field 5=14004
  He^3 and He^4 mixtures, review 5=2172
Superlattice structure. See Alloys; Crystal structure, atomic; Solid solutions.
Supernovae. See Novae.
Superparamagnetism. See Ferromagnetism.
Supersonic flow
  See also Shock waves.
  gas jets, and charge exchange chamber vacuum improvement 5=8941
  gases, hypersonic compression and expansion 5=9035
  hypersonic boundary layer transition 5=11800
  linearised, compressible flow unified formalism 5=9033
  plasma tunnel 5=1132
  shock line weak discontinuities, calc. 5=104
  shock wave onset in rarefied gases 5=1148
  temperature measurement, using thermocouple probe 5=10379
  wake of sphere, transition structure to nonsteady flow, by Na schlieren 5=14798
  wakes at low density 5=9036
Supersonics. See Ultrasonics.
Surface energy
  condensation entropy 5=3486

Surface energy—contd
condensation, structure var. 5=3485
crystals self-adsorption and vacancies contrib. 5=6316
metals, calculation 5=9207
metals, meas. 5=12028
solid and air bubble absent segment 5=9238
Ag, orientation var., and grain boundary grooves 5=14945
InSb, strain 5=12033
Zn, rel. to secondary recrystallization 5=9288
Surface ionization. See Ionization, surface.
Surface measurement
See also Area measurement.
area, from adsorption 5=6323
graphite, adsorption methods, comparison 5=1275
instantaneous velocity recording 5=13811
metals, energy 5=12028
normal, by Gonio-microscope 5=14988
optical profilograph, longit. settings, precise method 5=8106
proximity, elliptically polarized light meas. calc. 5=2013
solids, from liquid molecule adsorption equation 5=3511
stress, residual, by X-ray diffr. 5=3831
Surface phenomena
See also Adsorption; Capillarity; Catalysis; Electron emission; Films; Ionization, surface; Liquid waves/surface. Sorption.
aerosols and gels, dried, OH groups, exam., by i. r. spectra and D_2O-exchange 5=6317
alcohols (C_8-C_{12}), soluble monolayers, pressure at water—octane interface 5=11882
crystal equilibrium with vapour, thermodynamics 5=6343
crystals, vacancies and energy 5=6316
dislocations effect on mechanical strength 5=3824
elec. resistivity of surface layers, meas. method 5=188
electron correl. and screening, review 5=7045
electron energy levels of crystal, obs. by electron diffraction 5=3932
electron states rel. to oxygenation 5=3930
ellipsometry in surface and thin film meas., symposium 5=3483
ferromagnetism, Kerr magneto-optical meas. 5=12894
glasses, various polished, refr. index by ellipsometry 5=7341
graphite, study by low-energy electron diffr. 5=3482
graphite, surface areas 5=1275
holes in solids, thermal equilib. size and shape 5=9307
interfaces in electrolysis, elec. structures 5=1908
ion range in ion monolayer adsorbed on metal 5=12061
liquid, rotating, profile 5=1167
liquid—vapour interface, adsorption phenomena 5=3511
liquids, n. m. r., surface relaxation effects 5=11915
metals, atom interact. with crystal atoms, Morse functions 5=3433
metals, atomic migration rel. to desorption 5=3512
metals, oxide layer growths, grain boundary effects 5=9245
metals, self-cleaning from oxide films 5=9241
nucleus, reference spectrum appl. 5=5487
quartz, screw dislocations and spirals 5=6346
rare earth ionization on W 5=8947
semiconductor thin layer cond., conditions var., high freq. meas. 5=12713
semiconductors, photocond. small field effect, kinetics and amplitude 5=12816
semiconductors, recombination and monopolar non-equilibrium, near space charge, calc. 5=12702
semiconductors, reflectivity, at plasma frequencies 5=4278
superconductivity 5=12668
solid—liquid interface, adsorption phenomena 5=3511
solid—vapour interface, adsorption phenomena 5=3511
solids, conference, U.S.A. (1964) 5=3480
steel, stress, residual, X-ray diffr. obs. 5=3831
stress, photoelastic models, calcs. review 5=6676
surface science, recent progress 5=14943
temp. meas. by luminescence var. 5=176
temperature, meas. by resistance thermometers 5=175
thermal atom migration, rel. to pore movement 5=15067
X-ray reflection double beam near critical angle 5=12030
Ag atom migration during oxidation 5=4390
Ag, self-diffusion 5=12333

Surface phenomena—contd
Ag surface tarnishing by H_2S rel. to structure 5=9267
Al crystals, condition effect on stress—strain 5=3832
Al, stress, residual, X-ray diffr. obs. 5=3831
Al strips, stretched, electron exo-emission depend. on surface state 5=4125
Au crystals, condition effect on stress—strain curves 5=3832
Ba stearate plating on porous solids 5=12029
CO_2 diffusion on $Al_2O_3.H_2O$ 5=6582
CdS, c-face evaporation rel. to light illumination and doping 5=3409
CdS cryst., orientation dependence of evaporation rate 5=3481
CdS, exciton luminescence, ambient atmosphere influence 5=4345
CdS films, electron mobility in surface space-charge layers, temp. var. 5=6921
CdSe, contact potl. light change 5=12819
Cu atom migration during oxidation 5=4390
GaAs, kinks as decomposition nucleation sites 5=7416
Ge, chemisorption of O_2 and NH_3 rel. to elec. props. 5=4027
Ge, clean and water covered, hole transport 5=4026
Ge crystal growth from Ge—Br, surf. controlled 5=9277
Ge—electrolyte, fast states, origin 5=4403
Ge points of field emission microscope, desorption purification 5=7967
Ge, rel. to high field elec. conductivity 5=15213
InSb, (111) and (111), elec. cond. and field effect 5=4032
Ir, field-evaporated, thermal rearrangement 5=3539
MgO cleavage faces, Au crystal nucleation, 209°-381°C 5=3559
MgO, and mechanical strength 5=6734
Mo, atomic migration activation energy, field emission obs. 5=12034
NaCl, crystal imperfects., obs. by etching, decoration and X-rays 5=9493
NaCl, (100) etching, thermal, rel. to gaseous environment 5=3545
Nb, (111), electrical and chemical properties 5=4124
Ni, area changes after gas chemisorption 5=13161
Ni, surface diffusion, 400°-1000°C 5=6591
Ni (110) atom vibrations 5=3672
Ni-Al, by electron microscope 5=6414
Ni-Ti, by electron microscope 5=6414
O_2 interact. with W, surface layer role 5=6330
Pb, superconductivity 5=6875
Pb-Bi, type II, diamagnetism of surface supercond. 5=7084
PbS oxidation 5=4389
$Pb_{0.95}Tl_{0.05}$ transport current 5=9650
Pt-Si thermo-compression bonding 5=9192
Rh migration on lattice substrate 5=9239
S, photoelectret state under discharge conditions 5=7021
Sb, reorientation, by unidirectional abrasion 5=12080
Si 5=15334
Si cleaved, field effect 5=4038
Si conductivity, in Si—SiO_2—Al transistors 5=15368
Si, crystal imperfects., X-ray extinction contrast exam. 5=3774
Si, dislocation emergence by autoradiography after marked-atom diffusion 5=6634
Si p—n junctions, treatment influence on reverse characs. 5=6963
Si, potential shifts, space-charge model 5=15335
Si, rel. to high field elec. conductivity 5=15213
Si semiconductor, capacitance 5=15314
Si surface contact V—I curves, 200-500°K 5=9688
Si (111) reactions with Al and In 5=4395
Si—SiO_2 interface, H-induced surface states 5=4037
Ti, stress, residual, X-ray diffr. obs. 5=3831
U, surface potential of oxygen 5=1276
W, diffusion of Ge and Si 5=15079
W, electron reflection, rel. to Cs and CO adsorbed layers 5=3541
Zn, contact liquid Hg or Ga, tensile strength var. 5=6770
Surface tension
See also Capillarity.
adsorbed charge effects in interphases 5=9078
contact angle effects on condensation nucleation rate 5=11951
ethane, 126-183°K 5=11870

Surface tension—contd
- glass, critical surface tension 5=3487
- and interfacial tensions, pressure effects, review 5=6094
- isooctane-benzene, cyclohexane and n-dodecane 5=9096
- liquid layer, effect on interface waves 5=1165
- metaphosphate–sulphate systems, fused, for use as nuclear reactor fuels 5=6159
- rel. to spontaneous bending of thin III—V crystals 5=3812
- transition metals, at melting points 5=14845
- Cr, liquid 5=3321
- Fe and Fe alloys, 1550°C, meas. 5=14844
- Fe—Mn alloys, isotherms 5=3313
- Fe—Si, isotherms, conc. depend. at 1550°C 5=3314
- Mn, liquid 5=3321
- N_2O, 126-184°K 5=11870
- NaF—LiF—ZrF_4, temp. and conc. depend. 5=11871
- UO_2 to Cu 5=871
- Xe, liquid 5=9094

Surface tension measurement
- emulsion droplets, 3-10μ, interfacial 5=3291
- by jet, vibrating 5=1166
- pendant drop method refinement 5=14843
- by water bell, no dynamic effects 5=11872

Surface texture
- glass, on corrosion by acids 5=12032
- metals, field-evaporated, rel. to polarization, field stress, gas impact 5=3484
- quartz, rhombohedral faces, depressions 5=6347
- roughness, rel. to mechanical hysteresis losses 5=1543
- roughness, slope and height distrib., meas. instrument 5=9240
- steel oxide layers 5=12036
- Ag, grain boundary grooves, and surface energy 5=14945
- Al_2O_3, and emissivity 5=15537
- Be crystallized in condensing column 5=3555
- CdS, evaporated films, var. with substrate 5=14950
- Cr whiskers 5=1329
- Cr(100) crystals, from gas adsorpt. 5=3515
- Cu, cold-rolled, crystal orientation distrib. meas. method 5=6340
- Cu, cold-rolled orientation, electron diffr., selected points obs., versus X-ray method 5=3588
- GaAs, chemical polishing by NaOCl 5=12031
- Ge(111), atomic arrangements, electron diffraction prediction 5=3538
- Ge, chemical polishing by NaOCl 5=12031
- NaCl, electron microscope obs 5=12037
- PbTe chemical polish 5=13795
- Si, abrasion damage, microscope exam. 5=14944
- Si, polishing by acids, metal deposition 5=12040
- Si, rel. to filing, grinding and etching techniques 5=12035
- α-SiC, epitaxy and overgrowths, exam. 5=1318
- UO_2, sintered, thinning, by chemical polishing 5=14995

Suspensions
- See also Aerosols; Sedimentation; Sols.
- coloured particles, light absorption calc 5=14871
- diffusion meas. through ultrasound rel. to light diffr. persistence 5=14872
- dilute, acoustic wave attenuation 5=4805
- flow through tubes, collisions of small uniform spheres 5=3380
- kaolin, ads. of polyacrylamide and cation-active hydrophobic material 5=6333
- polyethylene single-cryst., light scattering 5=3381
- range, light absorption, haemoglobin curve 5=14871
- solid or liq. particles in gas, nonsteady flow analysis 5=3259

Switching time, ferroelectric. See Ferroelectric materials; Ferroelectric phenomena.

Switching time, ferromagnetic. See Ferromagnetism; Magnetic properties of substances/ferromagnetic.

Symbols. See Nomenclature and symbols.

Symposia. See Conferences.

Synchrocyclotrons. See Particle accelerators/orbital, cyclotrons.

Synchrotron radiation. See Electrons/radiation.

Synchrotrons. See Particle accelerators/orbital.

Sziland-Chalmers reactions. See Radiochemistry.

Tables, mathematical
- book 5=4720

Tables, mathematical — contd
- integrals, semiconductor transport theory 5=7739

Tables, physical. See Collections of physical data.

Tachometers. See Angular velocity measurement.

Tantalum
- conductivity, elec. peak from Ta-insulating-Al tunnel junctio and electron density singularity 5=6851
- critical temp. rel. to deposition conditions in films 5=9651
- diffusion mobility of C, 873°-2873°K 5=3727
- diffusion of Nb^{95} 5=12337
- electron and ion emission, laser prod., var. background gas press. 5=12845
- electron secondary emission, elastic refl., surface effects 5=7065
- face struct., work funcn., effect of ion bombard. and ht. treatment 5=3647
- fatigue behaviour when H-charged 5=1548
- films, deposited in Ar, props., bias d.c. versus asymmetric a.c. sputtering 5=6655
- hardness, microstructure, lattice parameters, impurity content rel. to annealing 5=3590
- internal friction peaks due to deformation 5=1547
- lattice dynamics 5=1413
- Mössbauer effect, Ta^{181} in TaC and $KTaO_3$, exptl. set-up 5=1239
- oxide—metal film sandwich, negative resistance, temp. var. 5=6939
- photoelectric cross-section, 662 keV γ-rays, meas. 5=787
- rolled and annealed, (110) preferred orientation development 5=6342
- thermal expansion up to 2000°C 5=6564
- yield drop, strain rate and temp. effect 5=6766
- Ge—Ta wire, thermocompression bonding method, for ultra high-vac. and high-temp. meas. 5=10194

Tantalum compounds
- $Ta_{64}C$, ordered domains and c/a ratio 5=12155
- TaC, thermal expansion at high temps. 5=6558
- TaC, thermal expansion to 200°C 5=9396
- Ta—C—O system 5=6313
- TaC—ZrC, thermal expansion at high temps. 5=6558
- $TaCl_5$, vibr. analysis and force consts. 5=11539
- Ta_2D, crystal lattice structure 5=12233
- β_1—Ta_2D crystal structure 5=9357
- TaF_5 solutions, chemical structure, Ta^{181} n. m. r. obs. 5=11914
- Ta—H system, diffusion of H 5=6596
- $TaNi_2$, crystal structure 5=6490
- TaO form. on Ta, electron diffr. study 5=13158
- TaO_2, vibration amplitudes and Bastiansen—Morino shrinkage effect 5=5859
- Ta_2O_5, crystal growth of anodic films, electron mic. obs. 5=6385
- Ta_2O_5, crystal imperfect., Frenkel in anodic films, recombination kinetics 5=6616
- Ta_2O_5, films, on Ta, heat treatment, elec. cond. distrib. 5=9706
- Ta_2O_5, films on Ta, optical props., ellipsometric meas. 5=9964
- Ta_2O_5—solution double layer, proton exchange 5=4404
- $TaSe_2$, crystal struct., atomic, layer polytypism 5=6471
- Ta—W, hardness, microstructure, lattice parameters, impurity content rel. to annealing 5=3590
- Ta—Zr, phase diagram modified 5=14936

Targets. See Nuclear bombardment targets.

Teaching
- classical mechanics, philosophical foundations, resource letter 5=2029
- college physics, summer studies opportunities for teachers 5=2008
- dimensional analysis and scale factors 5=7733
- elementary science in 1st grade 5=2003
- elementary science teaching in New South Wales 5=2010
- first-year laboratory course, new approach 5=13803
- general Physics recital, tape recorder library use 5=13804
- laboratory science in elementary schools 5=2007
- light coherence and correlation, student advanced experiments 5=2309
- mass, weight, "quantity" of a body 5=7707
- Newton's "Principia" study 5=2011
- nuclear struct., resource letter 5=2707

Teaching—contd
physical science in elementary schools 5=2002
physicist, three roles 5=2004
problem instruction in general physics 5=2009
Physics course, unorthodox, introductory 5=13802
properties of matter 5=10202
quantum theory, with H radial eqn. factorization 5=5744
science and literature, resource letter 5=13801
science and maths., program 5=2005
science, physicist experiments 5=2006
demonstrations
angle meas., cross-staff made from meter-stick 5=13805
displacement current 5=2200
electrical circuit flexible board 5=7909
experiments, filmed 5=2012
friction measurement 5=10203
light beams, coherence and fluctuations 5=2308
maser, mechanical model of stimulated emission 5=2273
mechanical resonance 5=2081
Mössbauer effect, vel. drive for expts. 5=1233
n. q. r. 5=4704
plasma diagnostic experiments 5=3175
potential energy—work equivalence 5=2028
radiometer, differential 5=10353
velocity, acoustic, Schlieren system with spark 5=4801
vibrations of a bar, forced, optical monitoring 5=2087
wave props., impulsive loading of bar 5=2093
zone plate, using 9000 c/s sound waves 5=2347
He—Ne laser, simplified construction 5=14151
Technetium
nuclear isotopes, spectroscopy 5=11228
Technetium compounds
hexahalides, absorpt. spectra 5=11548
TcF$_6$, valence force consts. 5=8832
Tektites. See Meteorites.
Telescopes
No entries
astronomical
See also Radioastronomy.
Condé domeless refractor for solar work 5=7558
evacuated tower, design 5=7557
faint object detection parameters 5=10121
Hale, 200 in., observations, historical survey 5=4533
McMath solar, at Kitt Peak Observatory 5=7556
radio, lecture 5=10190
radio, Parkes 5=13786
radiotelescope aperture, asymphase distrib., frequency spectra 5=15896
review, ten-year programme 5=15784
for star distance meas. 5=10122
X-ray, grazing incidence 5=1964
X-rays, soft, aplanatic 5=13701
Tellurium
amorphous layers, cond. and photocond. props. 5=15340
crystal electron valence bands calc., and i.r. absorpt 5=12606
electrical resistance rel. to phase transformations 5=15339
Faraday and Hall effects, electron states 5=7367
forbidden gap width change meas., rel. to pressure 5=6796
galvanomagnetic props., Hall coeff., low temp. 5=15338
impedance by electromech. reson. 5=15341
melting curve, up to 45 kbar 5=9174
photovoltaic effect of thin layers 5=7042
reflectivity 5=4362
semiconductor sols., thermoelec. Seebeck coeff., cond., high temp. meas. 5=6197
superconductivity 5=9657
thermal acceptors props., lattice mobility var. 5=15224
Tellurium compounds
Te halides, interatomic forces and bonds, calc. 5=6236
$\mathrm{TeO_2—V_2O_5}$, phase transform., comp. var. 5=3390
Temperature
See also High temperature production and effects; Low temperature production.
electric arc, increase in mag. field 5=5952
glycerine, cavitated, oscillation with time 5=11876
scale 5=2156
system with limiting temp., existence 5=19348
H_2O, cavitated, oscillation with time 5=11876
He^3 scale, 1962, v.p. comparisons, derivation, evaluation and status, tables 5=4843-6
Temperature distribution
in channel flow with friction 5=10376
Temperature distribution—contd
crystal growth, Czochralski method 5=14967
fires, 60°C contours with cross-winds, calc. 5=7884
freezing on moving heat sink, Helmholtz eqn. soln. 5=9175
radiation shield, low temp. 5=10402
solid, aerodynamically heated surface 5=4851
solid, cylindrical, on surfaces, appl. to thermal cond. determ. 5=6568
solid evaporating in vacuum 5=1214
solids, conducting, heat generation and stability 5=10375
thermoelasticity, Green's function for displacements and temp. 5=13846
thermoelasticity, rod with periodic heating 5=13847
in toroidal coil heated by elec. current 5=196
Bi bolometer element, gradient 5=13979
CCl$_4$, cavitated, oscillation with time 5=11876
Temperature measurement
See also Pyrometers; Thermocouples; Thermometers.
apparatus for lab. use 5=10380
atmospheric, radiosonde RS12 radiation error 5=10050
calibration of temp. measuring instruments 5=2159
devices, thermal inertia determ. 5=2155
by dispersion filters 5=4848
flame, by double probe method 5=13986
furnace, solar 5=10378
high temp., dynamic method, specific heat effects 5=4847
interferometric, Mach—Zehnder 5=2157
ionosphere, from shock wave speed 5=13440
low, < 1°K, by n.m.r. 5=10403
NBS(1955) and International Practical Temperature Scale, analysis 5=13987
probe, thermocouple-type, for supersonic flow meas. 5=10379
shock waves, reflected, in powdered solids 5=110
small changes, sensitive method 5=174
small changes ~ 10^{-3} °C, sensitive 5=7888
surface, by luminescence var. 5=176
surface, by thermocouples 5=7886
surface temp., by resistance thermometer 5=175
target in solar furnace 5=7887
in thermogravimetry 5=177
viscometers, rotating-cylinder 5=10377
6 000 to 50 000°K in plasma, review 5=2158
He^3 liquid Scale (1962) 5=2173
spectral methods
arcs, a. c., by line reversal 5=5951
arcs, d.c. self-reversed lines method 5=1040
electricity, direct convertor, m.h.d., flame 5=7933-4
gases, from i.r. band ratio 5=9043
gases, i. r. emission changes 5=11808
ionosphere at 177 km, by fluorescence of AlO from Na/Al released by a rocket 5=1945
of Moon, emission spectra errors 5=15833
plasma, by emitted r. f. thermal rad., emission coeff. compensation 5=3178
plasma review 5=3177
ruby lasers, by optical polarization and filtering 5=14170
6 000 to 50 000°K in plasma, Doppler line broadening 5=2158
Fe arcs, a. c., by line reversal 5=5951
O$_2$, shock-heated expansion past diaphragm, Na-line reversal temp. meas. 5=109
Tensile strength. See Mechanical strength/tensile.
Tensors
anisotropic, generation with crystal group invariance 5=3595
antisymmetric, representation of spinor fields 5=364
and crystallography, component determination 5=3592
matter, algebra 5=10255
Terbium
compressibility and mag. ordering, transitions 5=15187
luminescence in Tb and Gd activated alkaline earth borates 5=9938
magnetization rel. to compression 5=15477
thermal conductivity and elec. resistance, 5° to 300°K 5=1435
Tb^{3+} in aqueous soln., radiationless transition probability 5=14852
Tb^{3+} e. s. r. in CaF$_2$ 5=15506
Tb^{3+} fluorescence in CaF$_2$, energy levels 5=13128
Tb^{3+} intermolecular energy, transfer in soln, from luminescing organic cpds 5=9126

Terbium — contd
  Tb^{3+} in YAl garnet, energy levels and crystal-field calc. 5=1225
  Tb^{4+} magnetic double reson. in cubic crystal fields 5=7271
Terbium compounds
  Tb ferrite domains obs. 5=12952
  Tb gallate garnet, Tb^{3+} ion magnetization laws meas. 5=7162
  Tb salts, fluoresc. enhancement by deuterated solvents 5=11541
  Tb^{3+} compounds, absorpt. and emission vibronics 5=9921
  TbIr$_2$, mag. structure 5=7154
Terrestrial electricity. See Earth/electricity.
Terrestrial heat. See Earth/heat.
Terrestrial magnetism. See Earth/magnetic field; Magnetic storms.
Thallium
  diffusion in amalgam 5=3326
  lifetime and hyperfine structure, by resonance fluorescence 5=8767
  in KCl single crystals, distribution 5=3567
Thallium compounds
  liquid alloys, elec. cond., semicond. 5=11905
  Tl^{205}—alkali halide liquids, n.m.r. chemical shifts 5=9162
  Tl amalgams, density, viscosity, thermal expansion 5=9095
  Tl borate, X-ray study 5=12074
  Tl cyanamide, crystal growth and structure 5=1368
  TlBr + KBr mixed melt, excess electrolytic conductivity 5=6196
  TlCl, lattice consts., by electron diffraction 5=9321
  TlCl$_2^-$, luminescence, in TlCl-NaCl aq. soln. 5=1194
  TlI arcs with Hg or Ar, characts. 5=3116
  TlNO$_3$, phase transforms., polymorphic, two mechanisms 5=12018
  p-TlSe, elec. cond. and Hall const. anisotropy 5=6945
  Tl$_2$Te, solid and liq., elec. cond. 5=15342
Thermal conductivity. See Conductivity, thermal.
Thermal diffusion. See Diffusion in gases/thermal; Diffusion in liquids/thermal.
Thermal diffusion columns. See Diffusion in gases/thermal; Isotope separation.
Thermal diffusivity. See Conductivity, thermal; Heat conduction.
Thermal expansion
  alkali metals, Grüneisen ratio and P—V rels., shock wave meas. method 5=15147
  carbides of Ti, Zr, Hf, Na and Ta, to 200°C 5=9396
  cubic crystal, mean phonon occupation numbers, change 5=6501
  cubic metals, below 100°K 5=12296
  cuprous halides 5=1425
  diatomic crystals 5=11958
  dilatometer 5=9393
  dilatometer, Fizeau, for irrad. specimens 5=6557
  graphite, polycryst. 5=12298
  Grüneisen parameters, and anharmonic effects in Debye lattice model 5=12265
  "Hartstoffen", transition metal nitrides, carbides, borides, silicides 5=3645
  and magnetism obs. 5=12867
  measurement 5=12867
  solids, rel. to temp. coeff. of lattice vibration frequencies 5=3694
  solids, review 5=3693
  transition metals and their alloys 5=3696
  A$_2^{I}$B^{IV}C$_3^{VI}$-type semiconductors 5=12297
  AgBr, 25° to 400°C, rel. to Frenkel defect model 5=12300
  AgBr—CdBr$_2$, 25° to 400°C, rel. to Frenkel defect model 5=12300
  AgCl, defects 5=3697
  AgI 5=1425
  Al powder in Ar, up to 900°C, anomalous above 396°K, X-ray scatt. meas. 5=3695
  Al$_2$Au 5=6448
  Au—Pd, lattice parameter meas. 5=9395
  BaF$_2$, temp. var. 5=9394
  BeO, sintered, as funcn. of grain size and orientation, and porosity 5=6698
  CaF$_2$, temp. var. 5=9394
  CaF$_2$, 6° to 322°K 5=1424
  Ca^{40}O, molar volumes, isotopic effect, 78° and 300°K 5=1421
  CaS, crystal lattice meas., 26-293°C 5=1422
  Co, rel. to α—β phase transformation, 400°C 5=1265
Thermal expansion—contd
  CoSiF$_6$. 6H$_2$O, rel. to reversible phase change 5=6284
  Cu ferrite 5=12867
  Cu, melting 5=14841
  Cu$_3$Au alloy, and compressibility, temp. var. 5=6559
  Dy, temp. and field depend. 5=15052
  Fe, electronic part meas., 1.5°- 4.2°K 5=6561
  α-Fe$_2$O$_3$, and phase transforms., high temp. 5=12867
  GaAs X-ray meas. 5=6560
  Ge, anomalous negative vol. coeff., vol. depend. of transverse acoustic phonon explanation 5=1411
  Ge, negative 5=12302
  Ge, X-ray meas. 5=6560
  InSb, X-ray meas. 5=6560
  Li$_2$O. Al$_2$O$_3$. 2SiO$_2$—Li$_2$O. Al$_2$O$_3$. 2GeO$_2$ system 5=9342
  Li$_4$GeO$_4$, 25°-400°C 5=6562
  Li$_4$SiO$_4$, 25°-400°C 5=6562
  Mg^{24,26}, molar volumes, isotopic effect, 78° and 300°K 5=1421
  MgO, high O, Ar—O atmos., 20 to 2000°C meas. 5=1427
  Mn ferrite 5=12867
  Mo, up to 2000°C 5=6564
  MoO$_3$, 25-500°C, X-ray powder obs., and structure 5=15056
  Na, lattice and length expansions, —26° to +97.8°C 5=3736
  NaCl, 50° to 800°C 5=12299
  Nb, alloying effects 5=6746
  Nb, up to 2000°C 5=6564
  NbC, meas. at high temps. 5=6558
  Nb$_3$Sn, vapour-deposited 5=6379
  Ni, anomalies near Curie point 5=15053
  Ni^{58}O, molar volumes, isotopic effect, 78° and 300°K 5=1421
  Ni—Zn ferrite 5=12867
  O^{18} water, 5°—90°C 5=6168
  PuC, solid soln. 5=15054
  RbI, crystal lattice meas., 27-173°C 5=1422
  Se, hexagonal var. directions 5=15055
  Si, var. with impurities 5=1423
  Si, X-ray meas. 5=6560
  Si, 6° to 322°K 5=1424
  SrF$_2$, temp. var. 5=9394
  Ta, up to 2000°C 5=6564
  TaC, meas. at high temps. 5=6558
  TaC—ZrC, meas. at high temps. 5=6558
  Tl amalgams 5=9095
  U, irradiated reactor fuel rods, meas. 5=6565
  U$_2$C$_3$ 5=1426
  UC—PuC, solid soln. 5=15054
  UO$_2$—Mo, rel. to Mo conc. 5=15377
  V$_2$O$_5$, 25-630°C, X-ray powder obs., and structure 5=15056
  W, up to 2000°C 5=6564
  WO$_2$, W$_{18}$O$_{49}$, W$_{20}$O$_{58}$, WO$_3$ 5=6563
  YFe garnet, contribution of Fe^{2+} ions 5=6566
  Y$_2$O$_3$, high O, Ar—O atmos., 20 to 2000°C meas. 5=1427
  Zr, up to 2000°C 5=6564
  ZrC, meas. at high temps. 5=6558
  ZrO$_2$, tetragonal, axial, 1150° to 1170°C 5=12301
Thermal measurement
  See also Calorimeters; Calorimetry; Conductivity, thermal/measurement; Temperature measurement; Vapour pressure measurement. Entries describing measurement methods for specific thermal quantities and effects may also be found listed under the various headings for the subjects concerned.
  differential thermal analysis apparatus, high temp. 5=2166
Thermal radiation. See Radiation heat.
Thermal spikes. See Crystal imperfections; Physical effects of radiations.
Thermal transformations. See Boiling; Condensation; Freezing; Heat of transformation; Melting; Phase transformation; Sublimation; Vaporization.
Thermionic emission. See Electron emission/thermionic; Ion emission/thermionic; Ionization, surface.
Thermionic generators. See Electricity/direct conversion; Electron tubes.
Thermionic tubes. See Electron tubes.
Thermistors. See Semiconducting devices.
Thermochemistry. See Heat of reaction, etc.

- Thermocouples
  - bridging, galvanic method 5=9732
  - Dauphinee comparator circuit for adiabatic calorimetry 5=13990
  - e.m.f., press. depend. 5=10391
  - electrochemical effects, error potl. 5=197
  - instrumentation, selection and use 5=7890
  - irreproductibility errors, elimination 5=7928
  - for level determination of cryogenic liquids 5=2171
  - low temp., material design 5=10390
  - for power dissipation meas. in electrical machine 5=7893
  - probe, for temperature meas. in supersonic flow 5=10379
  - surface temp. meas. 5=7886
  - thermal detection and recording systems, response time corrections to data 5=7894
  - thermopiles, for non-steady state conditions, design 5=9736
  - usage in ASTM standards 5=10392
  - Au—Fe thermoelements, props., 1°-300°K 5=10389
  - Au—Fe versus Cu, low-temp. power 5=9739
  - Bi—Te—Se materials 5=9737
  - Bi_2Te_3—Bi_2Se_3 thermoelement branches, ageing prevention 5=9738
  - CdSb, doped, as branches, transport props., 90°-420°K 5=9668
  - Pt—Pt (Rh) thermocouples on Ni surfaces, errors 5=7892
  - Pt 10% Rh—Pt, thermal e.m.f.—temp. rels. 5=2160
- Thermodynamic properties
  - See also Critical constants, thermal; Entropy; Heat of reaction; Latent heat.
  - adsorption, preferential, mols. from perfect sol., heat of immersion 5=3511
  - air, ionized, 10^3-10^6°K 5=3123
  - alcohols (C_8-C_{12}), soluble monolayers, at water—octane interface 5=11882
  - α—β cristobalite transitions 5=6310
  - α—β quartz transitions 5=6310
  - aqueous solns. of mixed electrolytes 5=1179
  - p-benzoquinones, deuterated 5=11582
  - butyl halides, tertiary 5=8852
  - corundum, molten 5=1177
  - crystal lattice, free energy, boundary conditions and anharmonic contribs. 5=3655
  - crystal, mag. and chem. unit cell non-identical, pot. rel. to spin densities 5=7072
  - crystals, phonon field, entropy change due to vacancy creation 5=3735
  - ferromagnets, impure, at low temps., theory 5=9788
  - fluids, isentropic stagnation temperature 5=11770
  - gases, electronic partition functions, at high temp. 5=11803
  - halide mixtures, binary liq., enthalpies of mixing 5=13149
  - Heisenberg ferromagnet, at Curie point, calc. 5=15438
  - hexafluorobenzene, meas. 5=11926
  - hexane + hexadecane mixture 5=6166
  - ideal gases, rel. to temperature 5=11812
  - inert gases 5=1386
  - methane, down to 30°K 5=15064
  - methane + propane liquid mixture, meas., theory comparison 5=11881
  - methanes, substituted 5=8866
  - mica, free energy calc. 5=3701
  - plasma, calc. 5=3143
  - plasma, thermal, isentropic exponent 5=11729
  - powder versus bulk activity, meas. methods 5=3450
  - semiconductors, carrier activation across forbidden zone, thermodynamic aspects 5=6778
  - sun composition gas 5=15875
  - superconductors, free-energy difference from normal states, electron—phonon model 5=3981
  - systems with "glasslike" transitions, setting for isothermal diffusion 5=3709
  - ternary aqueous salt solutions 5=3328
  - transition ion impurities, in noble metals 5=3692
  - transparent solid, temp. field and thermal trap effect 5=12283
  - water, down to —100°C 5=15065
  - water vapour, rel. to Van de Waals force and associated mols. 5=11805
  - AgBr, Cu^+ diffusion, activation enthalpy, 50 to 400°C, temp. var. 5=3725
  - AgCl, Cu^+ diffusion, activation enthalpy, 50 to 400°C, temp. var. 5=3725
- Thermodynamic properties — contd
  - Ag—Pd alloys, from vapour pressure of Ag 5=6542
  - Ag_2SO_4 solution and chemical reactions 5=11858
  - Al_2O_3, α and δ, enthalpy of soln. in Pb—$CaBO_3$, 705°C 5=3456
  - Ar solid 5=12285
  - Ar soln. in D_2O and H_2O calc. 5=11880
  - Ar sol. in H_2O + ethanol, $\Delta\mu°$, $\Delta S°$, $\Delta H°$, 4 to 30°C meas. 5=3306
  - BeO. Al_2O_3, 16° to 380°K 5=15045
  - CCl_4, C_6H_{12} mixtures, significant structure theory 5=9087
  - $Ca(OH)_2$ solution and chemical reactions 5=11857
  - Cd in Cd—Au liquid and solid solns. 5=6165
  - CdTe(c), congruently subliming, Gibbs free energy of formation 5=6225
  - Cl ion, calc. 5=9101
  - Co_3O_4—Fe_3O_4 at 1200°C 5=3702
  - CoSi, liquid and solid 5=6548
  - Fe—Ni, free energy, 1113°—1783°K 5=6540
  - H plasma, partial, calc., and partition function cut off 5=14706
  - H solution in Fe—O, Fe—Co and Fe—Cr 5=11856
  - H_2, liquid, cell-model calc. 5=1176
  - H_2O and D_2O, thermodynamic effects of mixing, erratum 5=10006
  - H_2O—NaCl—$BaCl_2$, isopiestic vapour pressure meas. 5=14805
  - H_3O^+(g), thermodynamic functions 5=8844
  - $He^{3,4}$ solns., nonideality parameter 5=10405
  - Ir surfaces, field evaporated, free-energy 5=3539
  - KBH_4, 0°-700°K 5=6554
  - KBr with K_2CO_3 impurity, vacancies enthalpy calc. 5=4079
  - Li_2CO_3—K_2CO_3, enthalpy changes 150 to 900°C, meas. 5=3398
  - Mg—Sn liq. alloys, from phase diagram 5=3394
  - Mg—Zn liquid alloys 5=11878
  - N- base—chloroform complexes, enthalpies of formation 5=3041
  - Na_2CO_3—K_2CO_3, enthalpy changes 150 to 900°C, meas. 5=3398
  - $NaFeCl_4$(g) vapour and mol. bond and struct. 5=6230
  - NaK molecule 5=2986
  - Nb—C—O system 5=6313
  - Nb—25% Zr, thermal behaviour in strong mag. fields 5=15040
  - Ne, density effects, 0°—150°C 5=14806
  - Ni—Pd system, solid 5=6541
  - Pr—Nd liquid system, activities 5=11990
  - Pt, temp. var. 5=9392
  - SCF_2 5=8837
  - Se compounds, and pot. energy 5=8839
  - SiH_3CN and SiD_3CN 5=5873
  - SiH_3CN and SiD_3CN 5=8840
  - Ta—C—O system 5=6313
  - U oxides and carbides, thermodynamic cycles 5=9189
  - UO_2, enthalpy, to 2350°C 5=15066
  - V—C—O system 5=6313
  - ZnO—CO_2 system, adsorption, molal enthalpy 5=13162
- Thermodynamics
  - See also Atmosphere/thermodynamics; Entropy; Equations of state; Statistical mechanics.
  - diatomic linear chain, ordered 5=13877
  - equilibrium in a gravitational field 5=10273
  - free energy, Gibbs' third variational principle 5=4753
  - heat source at origin of round laminar jet 5=11793
  - information theory view 5=13888
  - irreversible processes in continuous media, dynamical eqn. 5=4770
  - irreversible processes, intermediate representation 5=7812
  - nonequilibrium, canonically invariant relaxation processes 5=2075
  - one-dimensional lattice gas 5=7786
  - pair distrib. function props. 5=93
  - perturbation theory, propagator form 5=13878
  - second law, quantum proof 5=13875
  - solid solns., interstitial, with repulsive interactions 5=14911
  - in special relativity 5=13857
  - stability of time independent and dependent materials 5=38
  - two-phase system cycles 5=13889
  - viscoelastic fluid 5=3241

Thermodynamics—contd
Ir oxides, gaseous, mass spectrometric study 5=13152
applications
adsorption and condensation 5=6324
creep in polycrystals 5=6682
elastic and Kelvin media, viscous fluid flow, large deformations calc. 5=2037
in electrostatic field, non-linear systems 5=10446
magnetic transitions near H and T axes, supercond. 5=7073
Thermoelasticity
crystals, cubic close-packed lattices 5=12436
glass 5=12500
in mag. field with heat sources, calc. 5=39
plane strain equations for anisotropic body 5=7757
quartz plates, dissipation in vibrations 5=1541
stability of time independent and dependent materials 5=38
stresses due to moving heat source 5=4730
synthetic fibres, thermomech. props. 5=4287
variational principles, generalised 5=7756
Thermoelectric conversion. See Electricity/direct conversion.
Thermoelectricity
See also Thermocouples.
alkali metal alloys at low temps., thermoelec. power 5=7024
alkali metal permanganates 5=9685
conversion systems, limitations theory 5=2202
cooling device 5=9733
cooling by heat from low-grade sources 5=9735
crystals, anisotropic, closed currents 5=15394
device for rock thermal conduc. meas. 5=13193
differential power, 100° to 500°K 5=9682
elastic body in mag. field with heat sources, calc. 5=39
electrolytes and Soret coeffs. calc. 5=13171
Fermi gas in quantizing mag. field, thermo-e. m. f. oscillations 5=3699
ferromagnets, thermal e. m. f. at low temps. 5=15395
generator, multistage 5=9731
graphites, pyrolytic, rel. to electron states 5=1563
Green's function for displacements and temp. 5=13846
intermediate state (normal—supercond.) 5=9719
in magnetic field, quantum theory 5=6784
magnetothermoelectricity, popular account 5=6908
measurement, Peltier coeff., by compensation 5=4869
measurement, semiconductors, new method 5=162
metals with paramag. impurities. low temp. 5=3962
metals, thermo-e.m.f. in quantizing mag. field 5=4100
noble metals, effect of small addition of transition metals 5=3897
Peltier coeff., metals and semiconductors, meas. apparatus 5=4099
plasma, rel. to elec. cond. 5=3144
rare earth metals, and mag. order—disorder transform. 5=9725
refrigerator, 20 litre 5=9734
rod with periodic heating, temp. distrib. and displacement 5=13847
semiconductors with charged impurities, thermo-e. m. f. 5=15309
semiconductors, conference 5=4101
semiconductors, meas. by Harman method 5=9720
semiconductors, rapid meas. method 5=12810
semiconductors, thermoelectric power and e. m. f. meas. 5=9721
semiconductors, thermo-e. m. f. in quantizing mag. field 5=4100
semiconductors with non-parabolic energy bands 5=6777
solids, electron scatt. by optical modes, calc. 5=3895
superconductors, anisotropic 5=6867
III—V compounds, review (book) 5=4011
transition elements, dilute metallic solns., anomalous large powers, review 5=4261
transition metal monosilicides, and resistivity, 20 to 600°C temp var., band structure method calc. 5=7026
transition metal nitrides and carbides, figure of merit rel. to component 5=1691
AgI 5=7027
Ag—Pd, thermopower, rel. to temp. 5=15396
As—Sb, figure of merit meas., versus Bi—Sb 5=15317
As—Te—I glasses, Hall effect—Seebeck effect sign anomaly 5=1642
Au, size effect 5=4104

Thermoelectricity—contd
Bi, annealed and cold-worked 5=4102
Bi-BiI_3 molten solns. 5=3360
Bi—Sb figure of merit, and. As—Sb 5=15317
Bi—Sn alloys, 300°-700°C 5=3361
Bi_2Te_3, impurity diffusion 5=9420
BiTe—BiSe 5=9722
BiTe—SbTe 5=9722
Bi_2Te_3 + Bi_2Se_3 or Sb_2Te_3 semicond. props. rel. to thermoelec. cooling 5=4014
Bi_2Te_3—Sb_2Te_3 [Bi_2Se_3] thermoelement branches, brignetting and heat treatment 5=9215
$Bi_2(Te, Se)_3$, and charge carriers per doping Cu, CuBr and BiI_3 molecule 5=15205
$Bi_2Te_{2.3}Se_{0.7}$, doping effects 5=15206
C fibres from polyacrylonitrile, meas., versus other C-types, heat treatment effect 5=1606
C, glassy, power at high temp. 5=4103
Cd_3P_2, thermoelec. power, 200° to 650°K 5=12105
CdSb, effect of In impurity 5=12723
CdSb, Ag doped 5=9723
CoAl-Co Si, and resitivity, 20 to 600°C temp var., band structure method calc. 5=7026
Co_xNi_{1-x} Si, and resistivity, 20 to 600°C temp. var., band structure method calc. 5=7026
CuAg[Au] alloys, dilute, power 5=1688
Cu_3Au, power rel. to order 5=9724
Cu—Ni, thermopower, rel. to temp. 5=15396
Cu—Zn[Ga, Ge, As] 5=9730
Fe_xCo_{1-x} Si, and resistivity, 20 to 600°C temp. var., band structure method calc. 5=7026
Ge, hot electron thermoelec. force 5=15211
Ge, n-type, degenerate piezo-thermo-e.m.f. 5=7025
Ge, Peltier effect at electrolyte phase boundary 5=9726
Ge—Si alloys, Seebeck coeff. rel. to impurity conc. 5=1649
H^+, thermoelectric powers 5=10017
Hg—In liquid 5=9150
HgSe, e.m.f. in strong mag. field 5=12587
HgTe, intrinsic region meas. 5=6940
InP, thermo-e. m. f. 5=12811
La—Te, Seebeck coeff. 5=12646
Li_2SO_4, cubic, thermoelec. power study 5=1689
Mn silicides, higher 5=9727
$MoSi_2$—$ReSi_2$ system, thermo e. m. f. 5=3439
Ni—H system, power 5=9728
NiO, non-stoichiometric, temp. var. 5=15331
Ni—Zn ferrites, thermo-e.m.f. 5=7001
PbSe, 100°-420°K 5=12812
PbTe, impurity diffusion 5=9420
PbTe prep and props. rel. to generator use 5=4033
Pd—Ag and Pd—Rh alloys, calc. 5=1690
PdTe, $PdTe_2$ 5=12011
Sb deposits, Seebeck coeffs. 5=12579
Sb—Bi alloys, liquid, thermoelectromotive force 5=1208
Se, solid and liq., deoxygenated, thermo-e.m.f. 5=6942
$SrTiO_3$, temp. dependence 5=9729
Te solns., Seebeck coeff., high temp. meas. 5=6197
TiNi, stoichiometric, thermoelectric power, 3° to 300°K 5=1436
Tl liquid alloys, semicond. and metallic props. 5=11905
Tl solns., Seebeck coeff., high temp. meas. 5=6197
TiC, power, rel. to Mott model 5=12813
V oxide bronzes thermo e. m. f. 5=9637
V_2O_5, solid and liquid 5=12752
WSe_2, Ta substituted 5=1655
ZnSb, impurity diffusion 5=9420
p—$ZnSnAs_2$, thermo-e. m. f. 5=12814
Thermoluminescence
alkali azides 5=7384
alkali-halide cpds., effect of electric field 5=15589
alkali halide powders 5=9953
alkali halides, kinetic model 5=9936
aromatic amino acids, X-rays, spectral distrib., no temp. var. 5=1881
inorganic compounds, at low press. 5=4343
phosphor areal weight rel. to curve max. 5=13095
quartz, traps props. 5=4360
Ca—Bi—Tl—phosphate 5=9943
CaO, doped, rel. to γ-irrad. 5=13106
KBr, α-irrad., anomalous decay, kinetic order calc. 5=1312
KCl, α-irrad., anomalous decay, kinetic order calc. 5=1312
KCl:Tl, electron transfer transitions 5=4356
LiF, use for dosimetry, glow curves meas. 5=2529

Thermoluminescence—contd
NaCl, α-irrad., anomalous decay, kinetic order calc. 5=13127
ZnS, spectral analysis 5=9987
ZnS: Cu, Al, temp. depend. 5=4367
Thermomagnetic effects. See Magnetothermal effects.
Thermometers
See also Pyrometers; Thermocouples.
electronic for meteorology 5=15653
fixed point, magnetic, below 1°K 5=10381
radiation, with in-line blackbody reference 5=10382
suppressed-zero, sensitive 5=4849
thermistor, 32°-42°C, and flowmeter 2-40 ml/min. 5=3288
ultrasonic, for low temps. 5=10383
resistance
graphite, below 1°K 5=10385
thermistor indicator, multiple, for thermometric analysis 5=4852
thermistors, specific heat meas. 5=9700
thermistors, temp. meas., linearity in Wheatstone bridge 5=10388
C, 1.75 — 4.2°K, calibration formulae 5=7891
C, function of temp. 5=13988
C, temp. depend. 5=10384
In, for 3.4-300°K range 5=10386
Pt, miniature 5=10387
Pt wire, total resistivity, surface layer model 5=3975
Thermonuclear devices. See Plasma, devices.
Thermonuclear reactions
See also Elements/origin; Nuclear fusion.
acceleration factor, in compressed H plasma 5=862
in explosion, Anacostia products 5=11387
magnets, superconducting, for devices 5=4897
neutrino pair radiation due to nuclear deexcitation in stars 5=4557
$p + p \rightarrow d + e^+ + \nu$ rate in white dwarf stars crystal region 5=4558
stars, neutrino emission in electron interactions, and stability 5=15794
$3He^4 \rightarrow C^{12}$, ratio of excited nuclei, rederivation 5=5703
Thermopiles. See Thermocouples.
Thermostats
See also Cryostats.
programme temperature controllers, scribing cams 5=4853
temperature controller, high precision 5=2161
Theta pinch. See Plasma/confinement.
Thickness measurement
See also Particle size.
films, by (α, nγ) reaction 5=13807
films, Drude eqns. calc. 5=3489
films, Drude technique sensitivity 5=3490
films, from elec. conductivity and isothermal Hall effect theoretical expressions 5=1610
films, from elliptically polarized light, historical review 5=3488
films, metallic, by elec. cond. temp. var. 5=3505
films, photoelectronic method 5=14947
films, radioactive method 5=14946
films, solid, by absorption of X-rays excited by T 5=12038
films, solid, from mass per area 5=10208
films, by stepped interference reflection 5=3089
macromolecular films, by stepped interference reflection 5=3089
metal films, meas. by interference fringes of equal chromatic order 5=9247
metal granular films by impedance at 1 Mc/s 5=6835
by microscope with Fabry—Perot interferometer 5=14181
oxide layers on Al, low frequency capacitance meas. 5=9
Au films, from elec. conductivity and isothermal Hall effect theoretical expressions 5=1610
Si epitaxial layers, i. r. reflectance method 5=10
Thixotropy
No entries
Thomas—Fermi method. See Atoms/structure.
Thomson effect. See Thermoelectric effects.
Thorium
adsorbed on W, rel. to work function 5=12069
earth heat prod rel. to U, K 5=13219
evaporation from carburized thoriated W cathodes 5=11954
in meteorites, stony 5=15855-6
L, spectrum forbidden transitions, meas. 5=911
Th-rich eutectics, melting and struct. 5=14877
Thorium compounds
halides, crystal props., Lennard-Jones (12:6) potential calc. 5=3415
Th bromate, powder tablets, Raman spectra, meas. 5=1863
Th oxide—water system, heats of immersion 5=12070
ThC$_2$, phase transform., high temp. 5=3476
ThC$_2$, phase transform., monoclinic—cubic, 1415°C 5=12019
ThO$_2$, fluoride interf. film refr. index. 5=9904
ThO$_2$, YB^{3+} and Er^{3+} e.s.r. 5=7262
ThO$_2$—UO$_2$, use as nuclear fuel, investigation 5=5714
Th—Pt-group binary alloy systems, superconductivity 5=6893
ThRh$_3$, n. m. r. and Knight shift 5=15521
Thulium
Fermi surface and relativistic band struct. 5=12613-4
superconducting energy gap, electron tunnelling meas. method 5=12688
Tm^{3+} in Y$_2$O$_3$, crystal field splitting 5=4328
Thulium compounds
Tm ferrite domains obs. 5=12952
Tm oxide, absorpt. spectrum 5=4328
Thunderstorms
See also Lightning.
air conductivity 5=13278-80
electrification by ice crystals and hail collisions 5=13277
hydrometeor charge, obs. 5=10063
location, and lightning counting, new method 5=13252
point-discharge, from living tree 5=15675
rain and hail gushes after lightning 5=10072
raindrop size, mass loss falling in elec. field 5=9079
space charges, effect on pressure 5=13256
Thyratrons. See Gas-discharge tubes.
Tides. See Atmosphere/movements; Ionosphere; Oceanography.
Time interval measurement
arrival-time meas., optical fibre probes 5=311
digital time-interval analyser 5=13809
frequency, ChE′-1, ChZ-4 counter meters 5=13808
injection time control for synchrotron, electronic servo 5=535
long, generator, circuit 5=14034
in nuclear physics, circuits, review 5=10892
standards of frequency comparison, H maser, Cs beam 5=10211
universal timer, for 1 to 9999 sec intervals 5=7709
Time measurement
precision, circuit 5=14034
relativity, special, in vibrating system 5=7771
standard date periods, and solar declination 5=7563
universal timer, for 1 to 999 sec intervals 5=7709
Tin
atoms, K-ionization by negatons and positons, absolute cross-sections, 240-1440 keV 5=1068
atoms Sn^{115,117,119} $^3P_1$ and $^3P_2$ magnetic hyperfine structure 5=5772
crystal growth and dislocations and struct. 5=9287
e. s. r. conduction, search 5=9850
electron emission, secondary, spectrum, no change on melting 5=12864
films, i. r. reflectivity methods 5=9922
films, supercond. 5=6894
fused, struct. at 250° and 750°C 5=3300
impurity distribution in single crystals 5=12367
liquid, diffusion and solubility of Se 5=3324
liquid, electrodiffusion of Co 5=3323
liquid, mobility of Ag, Al, Mg and Ge atoms 5=14846
monolayers on Si (111) surfaces, structure 5=3632
Mössbauer absorpt. line spectra, rel. to Mg$_2$Sn^{119m} source 5=1236
n.m.r. line shape in presence of Knight shift 5=7269
neutron diffraction intensity curves for molten and crystalline Sn 5=3301
phase transition at 115 kbar, meas. 5=14938
phonon dispersion, sound velocities freq. var. 5=12274
photoelec. absolute cross-section for 145 keV γ-rays, meas. versus theories 5=785
photoelectric cross-section, 662 keV γ-rays, meas. 5=787
photon attenuation coeffs. 5=8372
slip, near melting 5=9577

Tin—contd
- solubility of Pu, 300-1102°C 5=9091
- specific heat, low temp., normal and supercond., lattice terms 5=9382
- stress relaxation time var. 5=15148
- superconducting films, current generated harmonics, calc. 5=15302
- superconducting films, edge-effect current limitation 5=12689
- superconducting films, props. var. with microstruct. 5=6895
- superconducting layers, Cooper pair tunnelling meas. 5=6896
- superconductivity, quantized flux establishment in $<10^{-5}$ sec 5=4002
- thin targets, K-shell ionization cross-sect. for relativistic electrons 5=2917
- in Ge, elec. activity 5=15327
- Sn—SnO_2 X-ray K-series chemical shift 5=15575

Tin compounds
- superconducting alloys, critical temp., effect of impurities 5=4003
- Sn oxide, resistive films, effect of ion migration in glass substrate 5=6946
- Sn-resin, Mössbauer absorpt. line spectra, rel. to $Mg_2 Sn^{119m}$ source 5=1236
- Sn—Bi, T—C—P phase diagram, 0-300°C, 0-30 k atmos. meas. 5=14937
- $Sn C_2 O_4$, Mössbauer absorpt. line spectra, rel. to $Mg_2 Sn^{119m}$ source 5=1236
- Sn—Cd alloy, de Haas—van Alphen effect at 4°K 5=9761
- SnCl, emission spectrum, vibrational study of band system 5=5855
- SnIn films, critical fields 5=15303
- Sn—In films, supercond., non-linear reactance 5=6894
- Sn—Nb films by codeposition, composition and struct. 5=3506
- SnO, Eu^{2+}, Mn^{2+}, Gd^{2+} e.s.r. anomalies due to strain 5=1802
- SnO_2, absorption edge polarization 5=13078
- SnO_2, dislocation etch pits 5=12405
- SnO_2, electron effective mass from optical consts. 5=15225
- SnO_2 films, effect of electron conc. on absorption edge 5=4329
- SnO_2 films, elec. props. 5=15343
- SnO_2, optical const., 0.4-9μ 5=15576
- SnO_2, single cryst. prep. and props. 5=14980
- SnO_2, u. v. absorpt. edge 5=7368
- Sn—Pb alloys, dendrite spacing 5=9290
- Sn—Pb alloys, segregation, macromosaic or striation substructure 5=14917
- Sn—Pb—Bi alloys, segregation, macromosaic or striation substructure 5=14917
- Sn—Pb—Sb alloys, segregation, macromosaic or striation substructure 5=14917
- Sn—SnO_2 X-ray K-series chemical shift 5=15575
- SnTe, susceptibility mass, two carrier concs., 300°, 800°K 5=15238
- TiS, vapour press., 1804-2186°K, heat of sublimation 5=9188

Titanium
- atoms, arc lines, absolute oscillator strengths meas. 5=8757
- electrodes, passivity by oxide layer, expt. 5=7439
- molecular dissociation energy 5=3074
- optical consts., 2.5-20μ room temperature meas. 5=7369
- oxide—metal film sandwich, negative resistance, temp. var. 5=6939
- pumps for closed betatrons 5=10965
- semiconductor sols., thermoelec. Seebeck coeff., cond., high temp. meas. 5=6197
- spectral lines, pressure broadening by H and electrons 5=5773
- stress orientation and precipitation of TiH_2 5=15188
- stress, surface, residual, X-ray diff. obs. 5=3831
- in sun, relative abundance, Ti I, II lines agreement 5=4670
- vapour pressure in Ti—Nb alloys 5=11955
- X-ray K_β emission bands in $TiO_{0\cdot85-1\cdot20}$ 5=9923
- Ti^{3+} e. s. r. in borax beads 5=9841

Titanium compounds
- alloy, crack initiation from inclined thin elliptical holes 5=6690
- alloys, constitution diagram classification 5=3477
- rutile, dislocations, twins and anti-phase boundaries 5=3761
- rutile, polar modes of lattice vibrations and polaron theory 5=3679

Titanium compounds—contd
- Ti dioxides, Raman and i. r. absorpt. spectra 5=15020
- Ti group phosphides, structure, conductivity, thermelec. power 5=9323
- Ti—transition metal alloys, ω-phase, binding force magnitude 5=11994
- Ti—transition metal alloys, β-phase, props. 5=11993
- Ti—Ag system, interdiffusion, 700°-900°C 5=3728
- $TiAs_2$-type phases, elec. resistivity meas. 5=12653
- TiC, crystal electron band struct., APW calc. 5=12608
- TiC, thermal expansion to 200°C 5=9396
- TiC, thermoelec. power, rel. to Mott model 5=12813
- TiH_{2-x}, neutron scatt. 5=6440
- TiH_2, stress orientation and precipitation in Ti 5=15188
- TiN, crystal electron band struct , APW calc. 5=12608
- TiN, electrochemical corrosion in acids 5=1909
- TiN_x, vacancy-induced displacements 5=12362
- Ti—Nb alloys, Ti vapour pressure 5=11955
- TiNi single crystals, growth, lattice structure, and phase transformation 5=6386
- TiNi, stoichiometric, thermal cond., thermoelectric power, and elec. resistivity, 3° to 300°K 5=1436
- TiO, bonding and electronic band structure rel. to vacancy creation 5=6611
- TiO, crystal electron band struct., APW calc. 5=12608
- TiO_2—alkali glasses, structure and props. 5=3527
- TiO_2, anti-phase boundary or stacking fault fringe pattern, electron microscope exam. 5=3765
- TiO_2, colour grading 5=8076
- TiO_2, dielectric props., 4-300°K, 0.1-2000 kc/s 5=7006
- TiO_2, diffusion of Li, interstitial, 80-360°C, optical obs. 5=1447
- TiO_2, dislocation decoration by Li diffusion 5=3762
- TiO_2, elastic compliances, 25° to 1000°C 5=6767
- TiO_2 film, production for semicond. devices by vapour, reaction 5=12055
- TiO_2, n-type, elec. conduction, multiple band 5=12751
- TiO_2, phase transformation mechanism 5=3478
- TiO_2, rutile optical props and band structure 5=13081
- TiO_2 (nitrile), Nb-doped, elec. cond. 5=15344
- TiS, vapour press., 1804-2186°K, heat of sublimation 5=9188
- Ti—V—H alloys, phase and H-content study by proton mag. reson. 5=3646
- α Ti—V[Nb, Ta] solid solutions, superconductivity 5=6897
- Ti—V, V^{51} n.m.r. relax. time susceptibility, Knight shift, electronic specific heat 5=1819

Torquemeters. See Mechanical measurement.

Torsion
- See also Elastic constants; Stress analysis.
- metals, rel. to lifetime 5=15134
- plate, nonhomogeneous 5=13840
- polymers, torsion pendulum, or relaxometer 5=6711
- tubes, constant normal thickness, torsional rigidity 5=2033
- Fe, rel. to room-temp. creep 5=3855

Total cross-sections. See under individual particles, no subheading.

Townsend coefficient. See Ionization/gases.

Tracers
- See also Radioactive tracers; Radiochemistry.
- No entries

Transducers. See Acoustic transducers.

Transformations. See Phase transformations.

Transformations, mathematical
- Laplace, of product of two Whittaker functions 5=2018
- potential field, numerical methods 5=25-6

Transistors. See Semiconducting devices/transistors.

Transition metals
- diffusion in, in b. c. c. phases, mechanism 5=1446
- ferro and antiferromagnetism 5=12906
- ferro- and antiferromagnetism 5=15458
- impurity states 5=3922
- ions with cubic symmetry, internal fields 5=9201
- ions with triply orb. degen. ground terms, distortions and magnetic resonances 5=5875
- mag. susceptibility, electronic sp. ht. calc. 5=4170
- magnetic properties, in noble metals 5=3692
- molecular dissociation energy 5=3074
- n. m. r., displacement components 5=9858
- Pauling theory, neutron scatt. data bearing 5=6792
- supercond., Ginzburg—Landau props. calc. 5=1624
- surface tension at melting point 5=14845

Transition metals—contd
  tetrahedral and octahedral, Faraday rotations 5=13080
  thermal expansion 5=3696
  thermodynamic properties, in noble metals 5=3692
  MO series (M = Mn, Fe, Co, Ni), exchange interactions 5=12960
Transition metal compounds
  alloys, ferro- and antiferromagnetism 5=15458
  alloys, mag. moments 5=7126
  alloys mag. susceptibility, electronic sp. ht. calc. 5=4170
  alloys, neutron diffraction study, book 5=6438
  alloys with Pd base, magnetic properties 5=7081
  alloys, thermal expansion 5=3696
  arsenopyrite, electrical, mag. props. crystal chem., calc. 5=12715
  bonds, metal—metal, in complexes, review 5=6238
  borides, for electricity direct convertor emitters, m.h.d. 5=7937
  carbides and nitrides, superconductivity 5=12671
  complexes with nitrosyl ligand, Mössbauer effect 3=3431
  dilute metallic solns., elec. resist, thermopowers, n. m. r. line broadening, review 5=4261
  "Hartstoffen", nitrides, carbides, borides, silicides, structure and properties 5=3645
  hydrides, H atom vibr., neutron scatt. cross-section calc. 5=3680
  marcasite, electrical, mag. props. crystal chem., calc. 5=12715
  molybdates, mag. props. 5=7189
  monosilicides, resistivity and thermoelec. power, 20 to 600°C calc. 5=7026
  phosphides, structure, conductivity, thermoelec. power 5=9323
  pyrite, electrical, mag. props. crystal chem., calc. 5=12715
  nitrides and carbides, thermoelec. figure of merti rel. to component 5=1691
  structure, conductivity, thermoelec. power 5=9323
  titanates, mag. props. 5=7189
  transport and magnetic props., conference 5=15262
  tungstates, mag. props. 5=7189
  $M^{2+}Cr_2O_4$, $M^{2+}Fe_2O_4$, growth from polytungstate fluxes 5=12126
Transmission
  Love surface waves at a corner, theory 5=13916
  Rayleigh elastic waves at a corner 5=13917-8
  satellite, 20 Mc/s, polarization rel. to scintillations 5=15772
  X-rays in Zn, thermal vibrations, effect 5=12295
 acoustic waves
   See also Acoustic wave propagation.
  deep water, south of Cyprus 5=4438
  finite depth aperture, loss meas. 5=10331
  at irregular surfaces 5=2118
  moving, inhomogeneous medium, acoustic ray eqns. calc. 5=15689
  phase errors, audibility 5=152
 acoustic waves, ultrasonic
  in piezoelectric semicond., amplification by phonon—helicon interact. 5=6821
  plate, thin supporting 5=13952
  polymers in conc. solns. 5=6176
  solids, pulse technique problems 5=6527
 electromagnetic waves. See Electromagnetic wave propagation.
 light
   See also Absorption/light; Filters, optical.
  atmosphere, u. v. coeffs., to 50 km 5=1936
  p-azoxyphenotol liq., elec. field effects 5=3338
  contrast function, phase and amplitude automatic meas. 5=8132
  crystal plates, coeff. in exciton absorpt. region 5=15529
  filters, band interference 5=5057
  fog, attenuation meas. 5=15670
  integrating sphere system for meas. 5=10700
  light-scatt. layer, intensity effect on coeff. 5=5073
  loss, small, of system, meas. by oscillating spherical mirror interferometer 5=2342
  materials at low temp., 1.0-15.0 μ 5=7301
  melting point meas. 5=11928
  metallic mesh, for i. r., 0° and 45° incidence 5=5072
  multilayer coating, absorpt. effect on extrema 5=5074

Transmission — contd
 light — contd
  path through lens systems, rel. to beam instability, calc. 5=2322
  polarization scanned digital system 5=5049
  spectral, of optical system 5=8133
  αAl_2O_3 sapphire, vacuum u. v., temp. var. 5=7348
  Au films, var. at slow deposition rates 5=15553
  BaF_2 crystals, 6-14.5 eV 5=7329
  BaF_2, vacuum u.v., temp. var. 5=7348
  BeO, films, 10-42μ wavelength 5=4297
  BeS, films, 10-42μ wavelength 5=4297
  C films, characts. in vac. u.v. 5=7332
  CaF_2 crystals, 6-14.5 eV 5=7329
  CaF_2, vacuum u.v., temp. var. 5=7348
  $CaO.2Al_2O_3$, transmittance 5=14970
  $Cd_xHg_{1-x}Te$, 1-25 μ 5=13061
  CdO films, temperature var. 5=7325
  GaAs, thin films, in near i.r. 5=7337
  InAs-InSb alloys, i. r. energy gap 5=4310
  LiF, vacuum u.v., temp. var. 5=7348
  Li_2O, films, 10-42μ wavelength 5=4297
  MgO, films, 10-42μ wavelength 5=4297
  MgS, films, 10-42μ wavelength 5=4297
  NaCl, meas. 5=13075
  PbS, pressure effects 5=15557
  Sb films on Al_2O_3, 4-140μ 5=4295
  Sb_2Se_3, i. r. absorption meas., temp. var. 5=4296
  Si, Ludox, colloidal, meas., for light scatt. apparatus calibration 5=10720
  $SiTe_2$ 5=4323
  SnO_2, single cryst. grown from vapour 5=14980
  ZnS 5=9924
Transparency
   See also Optical constants; Transmission/light.
  films, polycrystalline, to electrons, temp. depend. 5=6827
  glass ceramics and microstruct. 5=9551
  Zn—Ni—Si films on Cd polarized light meas. method 5=7353
Transport processes
   See also Diffusion; Kinetic theory; Liquids/theory; Radiative transfer; Solids/theory; Statistical mechanics.
  anisotropic bodies, heat and mass transfer 5=160
  Boltzmann eqn., appl. to two-phase flow 5=6065
  Boltzmann eqn., completeness of eigenfunctions in relax. problem 5=14804
  Boltzmann eqn. for dense gases 5=6100
  Boltzmann eqn. generalization to higher densities 5=4772
  Boltzmann eqn., inhomogeneous system generalization 5=10298
  Boltzmann eqn. iterative reduction 5=13892
  Boltzmann equn., monoenergetic, variational soln. 5=94
  Boltzmann equation, one-vel., multidimensional, P_N approx. explicit soln. 5=4773
  Boltzmann eqn. for quantum gas 5=7814
  Boltzmann equation, triple-collision term, surface integral form 5=2077
  Boltzmann eqn., vac. boundary conditions for spherical harmonics method 5=5363
  Boltzmann soln. rel. to charged particle density and intensity distrib., in radiation belts 5=1943
  convective diffusion, adjoint variational principles 5=10304
  electrons in strong mag. field 5=4902
  ergodic master equation for phonon—single electron small interaction 5=6776
  finite sample size effects 5=10303
  gas, equilibrium approach, master eqn. preferable to H 5=6099
  gas of spherical molecules, cross-sect. quantum effects 5=9050
  gases, conference 5=9052
  gases, dense, theories comparison 5=6104
  gases, moderately dense, coeffs. 5=6101
  gases, Sonine polynomial expansion 5=6103
  Green's function, Z-particle, and Boltzmann equation derivation 5=10300
  hard spheres square-well pot. model 5=10302
  invariant imbedding applications 5=13893
  Kubo linear coefficient transformation 5=10301
  Landau's eqn., quantum virial expansion 5=6081
  large quantum mechanical system, generalized master eqn., as density power series 5=2076
  liquids, molecular theory 5=6151
  liquids, significant struct. appl. 5=6153

Transport processes—contd
master eqn., global 5=13890
master equation, generalized, for large quantum-mechanical system 5=2076
Master equations, Markov character 5=10299
molecular, JWKB and semiclassical approxs. 5=3080
multiparticle systems, heat and mass 5=7874
non-stationary kinetic eqn. soln. 5=8366
nonstationary medium, de-excitation 5=10306
quantum theory, electrons scattered in elec., mag. and temp. fields 5=4771
quantum theory rel. to free electrons and fixed scatterers in elec. and mag. fields 5=95
semiconductors, drift velo. calc. method 5=9661
semiconductors, integral tables 5=7739
spherical geometry, double interval spherical harmonics soln. 5=7813
thermal and electrochemical diffusion, 2nd order equations 5=10305
transition metal cpds., and mag. props., conference 5=15262
unified theory with collective and Brownian motions, damping and thermal aftereffect functions 5=13891
Trapped free radicals. See Free radicals.
Traps. See Crystal electron states; Crystal imperfections; Semiconductors.
Travelling wave tubes. See Electron tubes.
Triboelectric emission. See Electron emission.
Triboelectricity
No entries
Triboluminescence. See Luminescence.
Tritium
counter, coincidence, efficiency depend. on photocathode sensitivity 5=5260
in fallout, processes 5=13317
for steam flow meas. 5=9034
tritium—methane system, exchange reaction kinetics 5=4380
T_2, vibronic energy computation and expectation values 5=2957
T_2—H_2, T_2—D_2 thermal diffusion 5=3277
Tritium compounds. See Hydrogen compounds.
Tritons
See also Nuclear reactions, tritons.
β-decay, and axial vector mesonic exchange effects calc. 5=11132
β decay and presence of $2S_{1/2}(S^1)$ state 5=654
binding energy calc. improvement 5=655
binding energy, separable nonlocal central pot. calc. 5=8515
binding energy and short range correls. 5=5457
calculation, 3N system, binding energy, low energy scatt. 5=8492
and d-n capture 5=649
detection, by counter, ΔE, E, non-multiplying, > 10 MeV 5=14388
e–t scatt. form factors 5=8389
exchange currents and dispersion theory 5=14448
form factor, e. m., calc. 5=8491
form factors, anal. and interpretation 5=14449
form factors, two-pion exchange current contrib. 5=14450
interactions and H^4, Li^4 search 5=11177
optical potentials and (t, p) reaction 5=8493
photodisintegration calc., velo. depend. potentials 5=5458
production in high energy reactions, mechanisms 5=2799
source, $Ti^6(n, \alpha)H^3$ in LiF, melting 5=653
three-N states classification 5=5456
wave function, symmetric S-state component, calc. 5=11131
H^3 and He^3, charge, mag. moment form factors calc. 5=8490
$T(d, n)He^7$ and polarized protons, deuterons ang. distrib. meas. 5=14417
Troposphere. See Atmosphere.
Tungsten
adsorption of gases, effect of slow electron impact 5=14957
adsorption of Cs 5=3523
adsorption of Cu 5=12071
atoms, K-ionization by negatons and positons, absolute cross-sections, 240-1440 keV 5=1068
capillaries, Cs ionization 5=8944
cathode, grain oriented thoriated 5=12844
chemisorption of H 5=7433
cold-worked, recovery activation energy 5=6768
crystal faces, electron reflection rel. to adsorbed Cs and CO 5=3541

Tungsten—contd
crystal imperfections, C impurities, (110) surface 5=9438
crystals, needle-shaped, strength 5=1549
desorption of Au, Ag, Cu, calc. 5=14958
desorption energies of Au and Cu 5=12072
desorption of CO by electron impact 5=3509
desorption of Sr 5=9255
diffusion, surface, of Ge and Si 5=15079
diffusion of W^{185}, Re^{183} and Re^{184} tracers 5=12338
dislocation etch-pits 5=9483
electron emission, secondary, coeff. depend on electron energy 5=4150
electron emission, secondary and sputtering, by Ar, ang. var. 5=7066
electron secondary emission, elastic refl., surface effects 5=7065
evaporation rate from cathodes 5=14886
films on graphite, cracking 5=15189
grain boundary topography 5=12415
growth of monocrystals 5=12125
heat treatment, dislocation rearrangement and recrystallization 5=9478
heavy ion penetration, KeV energies, focussed into channels 5=1491
internal friction, 300°- 400°C 5=12557
irradiated, properties var. and recovery 5=3794
Lα radiation intensity, by electron impact 5=8768
lamps, comparison with semicond. radiation sources 5=8110
lattice vibr. meas. 5=15037
magnetoresistance 14 to 27°K, induction flow density 5=3973
mosaic blocks, optical and X-ray study 5=12413
(111) face, structure rel. to O_2 adsorption 5=3537
optical constants from emissivity 5=9925
photoelectric emission, 400 to 1200 A, processing effect 5=1712
photo-emission, 304 to 1216 Å, angle of incidence var. 5=7054
plastic deformation, rate var., and dislocation density 5=9578
neutron irrad., atomic displacement anisotropy 5=6615
neutron irradiated, defects 5=3795
resistivity, elec., temp. depend. 5=12647
sintering crystal growth 5=6266
spin-orbit coupling, cyclotron orbit meas. 5=6809
spin-orbit parameter 5=12609
surface interact. with O_2, surface layer role 5=6330
surface, rare earth atomic beam ionization 5=8947
thermal expansion up to 2000°C 5=6564
work function reduction by Na film, anisotropy 5=12054
work function rel. to Th adsorption 5=12069
zone-refined cryst., lattice parameter, precision det. 5=3603
C diffusion in, at over 2000°C 5=3729
Ge layer field emission and surface migration 5=12840
Tungsten compounds
W carbides, Co-bonded, hydrostatic press. effect on elastic props. 5=1550
WC—Co, fracture strength and particle spacing 5=15190
W—Cu composites, strength, rel. to infiltrant properties 5=15191
W—Hf alloys, secondary electron emission 5=4150
W—Ni—Fe, two-phase composite, stress—strain relns. 5=15192
W—Ta—M-Cb system, mech. props. rel. to structures 5=388
WO_2, $W_{18}O_{49}$, $W_{20}O_{58}$, WO_3, thermal expansion 5=6563
WO_4Ca single crystal prod. methods and props. 5=6387
WSe_2, Ta substituted, semiconducting props. 5=1655
WSi_2—W, growth kinetics of intermediate silicides 5=6304
Tunnel diodes. See Semiconducting devices/tunnel diodes.
Tuning forks. See Vibrating bodies.
Turbulence
See also Cavitation; Flow; Vortices.
air stream, and press. gradient effect on heat transfer from isothermal plate 5=4826
atmosphere, autocorrelation coeffts., energy spectra 5=10052
atmosphere, heat conduction and moisture exchange 5=193
atmosphere, moisture transfer 5=10055
atmosphere, radar meas. 5=10057
atmosphere, stellar shadow-bands, theory 5=10077

Turbulence—contd
- atmosphere, 100-300m 5=13251
- atmospheric surface layer 5=15659
- atmospheric surface layer, symmetry 5=13245
- channel flow, 2-dim., randomly oscillating 5=11789
- dispersion, mixed Lagrangian–Eulerian approach 5=6071
- dissipation, from Eulerian wind record, calc. 5=10054
- Eulerian theory and Kolmogorov's hypotheses 5=3254
- flame propagation theory 5=7885
- flow, oscillations 5=6072
- fluids, boundary layer, induced by flexural wall deformations 5=6061
- gas boundary layer, dissociation rel. to friction and heat exchange 5=1149
- gases, intensification by chem. ht. release 5=3262
- liquid–air interface, turbulent fluctuations, statistical meas. 5=6137
- liquid metals, temp. pulsations 5=4850
- liquid particles, relative motion, calc. of high-order moments 5=1142
- magnetohydrodynamic, stationary, validity for incompressible elec. conducting medium 5=2236
- plasma, field of magneto-acoustic ionized plasma 5=5992
- plasma, soluble problems in theory 5=3207
- plasma, 2 temp., acoustic wave fluct. 5=5993
- plasma, 2-temp., stationary distrib. 5=6030
- random force method 5=6070
- salt water, elec. cond., mean meas. 5=11900
- scattering, light, for struct. obs. 5=14206
- shear flow correl. eqns., steady-state solns. 5=14791
- solar photosphere, magnetohydrodynamic, convection 5=2237
- vorticity—transfer hypothesis 5=3255
- water, temp. pulsations 5=4850
- He II, growth 5=10408

Turbulent flow. See Flow.

Twilight
- See also Atmospheric spectra; Zodiacal light.
- noctilucent clouds in Southern hemisphere 5=4480
- primary light scatt. 5=7492

Twinning. See Crystals, twinning.

Ultracentrifuges. See Centrifuges.

Ultrasonics
- See also separate headings, e.g. Absorption.
- in chemical reactions, initiation, with Br catalyst 5=15624
- imaging, optimum continuous-wave, for ang. positioning of metals 5=2132
- liquid atomization in u. s. fountain 5=14824
- molecular beams, formation theory 5=11612
- processing of materials, mech. props. effects on performance and specific work 5=4696
- radiation pressure balance for abs. power meas. 5=2123
- specimen holder for crygenic studies, two degrees of freedom 5=128
- standing waves for optical-beam scanning generation 5=125
- torsional wave generator, applic. to machining 5=13961
- use for visualization of crystal defects 5=12417

Ultraviolet detectors. See Radiation detectors.

Ultraviolet sources. See Light sources.

Umklapp process. See Crystals/lattice mechanics.

Uncertainty. See Indeterminacy; Probability.

Undor. See Electron theory; Field theory, quantum.

Unified field theory. See Relativity/unified field theories.

Unimolecular layers. See Adsorbed layers.

Units
- See also Constants; Dimensions; Nomenclature and symbols.
- book, dictionary 5=7705
- compromise Giorgi system 5=10204
- electric units and atomic consts., review 5=2182
- electrical, systems and transitions between them 5=7908
- litre, 1901 definition abrogated 5=7706
- optical energy intensity meas. 5=5038
- pressure, logarithmic scale 5=2014
- "roc", as reciprocal ohm cm 5=2183
- temperature scale 5=2156

Upper atmosphere. See Atmosphere/upper; Ionosphere.

Uranium
- α-, electron-irrad., resistivity, elec. 5=12655

Uranium—contd
- atoms, isotopic shifts in spectrum 5=5774
- burn-up in VVR-S reactor, Bucharest 5=873
- chemical analysis by delayed n after fission 5=7454
- cold-worked, recrystallized, microstructure 5=14994
- crystal dislocation loop orientation and Burgers vectors 5=9479
- crystal elongation during neutron irrad. 5=3800
- dynamic equilibrium of U ejection 5=9511
- earth heat prod. rel. to Th, K 5=13219
- electrical resistivity, neutron irradiated 5=12656-7
- fuel elements, canning with pure Al 5=11398
- heat of sublimation, indirect determ. 5=9189
- isotope analysis, with Hypeac and automatic electronic integrator 5=5815
- in meteorites, stony 5=15855-6
- phase transform. in UO_2, $\alpha \rightleftharpoons \gamma$, var. with dispersion 5=12020
- poisoning, fission product, in thermal nuclear reactors 5=14559
- polygonization, 150°-300°C 5=9236
- resistivity, due to radioactive self-damage 5=12650
- surface potential of oxygen 5=1276
- swelling, by mechanical cavitation 5=15193
- swelling due to n-irrad., fission gas bubbles, grain boundary tearing, and burn-up 5=15120
- thermal expansion meas., on irradiated reactor fuel rods 5=6565
- transport, mass, by fission fragments 5=14555
- in CaF_2 laser, threshold conditions calc. 5=13039
- α-U, deform. by creep, 325° to 480°C 5=1551
- α-U, resistivity, elec., anisotropy 5=12654
- α-U, stacking faults 5=15102
- γ-U, tracer diffusion 5=1448
- U^{3+} e. s. r. in CaF_2 5=15506
- U^{4+}, energy levels in octahedral cryst. field 5=6255

Uranium compounds
- carbides, vaporization, thermochemical data 5=9189
- nuclear fission product swelling reduction with finely dispersed phases 5=6664
- oxides, vaporization, thermochemical data 5=9189
- urania base solid solutions, creep, 1200°-1450°C 5=6681
- uranyl salts in soln, electronic spectra temp. depend 5=9117
- U carbonitride powder, Xe^{133} emission due to n irrad. 5=2856
- U intermetallic cpds, adjusted, precipitation 5=9237
- U oxides, reflectivity rel. to composition 5=15577
- UC, diffusion of C^{14} and U^{235} 5=12339
- UC, electron emission temp. characs., Cs vapour effect 5=7049
- UC, thermal shock fracture 5=6769
- UC_2 vaporization, Knudsen-cell studies 5=9190
- UC—PuC, solid soln., thermal expansion 5=15054
- UC with UC_2 crystal twinning 5=9447
- UCo_2—UAl_2, quasibinary system, constitution 5=6210
- $UCrO_4$ crystal struct. atomic, inorganic 5=1396
- UF_3, mag. susceptibility and prep., temp. var. 5=7089
- UF_3, paramagnetism, 78-723°K 5=12879
- UF_4, crystal struct., atomic 5=3648
- UF_4, crystal structure by neutron diffraction 5=6440
- βUF_5, paramagnetism, 78-723°K 5=12879
- UH_3, preparation for spectral researches 5=10198
- U–1. 6% Mo alloy, γ′ phase detection, by selected area electron diffraction 5=14910
- U—Mo, γ phases, selective attack 5=14964
- U—N system, phase relations 5=3391
- U—Nb, diffusion, composition var. 5=15081
- U—O system, phase relations, 1000—1600°C 5=11946
- UO_2, acoustic attenuation in para—antiferromag. and transition states, temp. var. 5=12280
- UO_2, bonding to metals 5=871
- UO_2, calcination kinetics rel. to microstruct. 5=14996
- UO_2, chemical thinning, for electron microscopy 5=14995
- UO_2, conductivity, thermal, under irradiation, 150-1600°C 5=9403
- UO_2, crystal structure, crystallite size 5=9358
- UO_2, diffusion of fission products 5=9418
- UO_2, elec. props., effects of neutron irrad. 5=4040
- UO_2, enthalpy, to 2350°C 5=15066
- UO_2, fission gas emission during irrad. 5=12341
- UO_2, fission product gases, behaviour 5=15119
- UO_2, inert gas diffusion 5=12340

Uranium compounds—contd
    UO_2, intrinsic semiconduction   5=15345
    UO_2 monocryst. films, interstitial positions of
        O atoms   5=15022
    UO_2 oxidation to U_4O_9 5=15617
    UO_2, sintered, thermal cond., high temp.   5=15063
    UO_2 single crystals, prep. by sintering   5=3571
    UO_2, thermal shock fracture   5=6769
    $UO_{2\pm x}$ heating U loss, in O, 1100-2200°C   5=11946
    $UO_{2-2.25}$, lattice structure after quenching   5=12235
    UO_2Fe^{57} Mössbauer effect, quenching effects   5=14901
    UO_2—Mo cermets, props.   5=15377
    UO_2—Mo system, X-ray diffr. and micrographic   =
        analysis   5=14939
    $UO_2(NO_3)_2$ films, electrocapillary preparation   5=12056
    UO_2—PuO_2 system, melting, vapour pressure ratios   5=11932
    UO_3—SiO_2—Na_2O, absorpt. in visible and near i. r.   5=15578
    UO_2 and UO_{2+x}, crystal structure   5=6492
    UO_3 + U_3O_8, phase diagram, and γ-UO_3 dissociation
        press.   5=10013
    U_2O_3, thermal expansion   5=1426
    U_3O_7, entropy   5=12288
    U_3O_8, crystal structure   5=6491
    U_3O_8 reduction products, semiconducting phase
        determ.   5=1243
    U_4O_9, crystal structure   5=6492
    URh_3, n. m. r. and Knight shift   5=15521
    U_2SiO_3. $CaSiO_3$, β-uranophane, symmetry   5=1397
    U_2Ti, phase transform., and disordering, by fission
        fragment irrad.   5=6314
    U—Zr carbide mixture, diffusion study   5=15080
Urey—Bradley forces. See Molecules/internal mechanics.

V-centres. See Colour centres.
V-particles. See Hyperons; Mesons.
Vacancies. See Crystal imperfections/vacancies.
Vacuum apparatus
    See also Glass—metal seals.
    baffle, anti-migration, cooled by booster pump for
        liquified gases   5=6122
    ceramic terminals, electron beam welding in metal
        systems   5=9071
    cold trap, optimum design   5=14821
    cold trap, optimum design calc.   5=9068
    cold trap-valve parallel in system, pump fluid vapours
        excluded during bakeout   5=6124
    glass, aluminosilicate, meas. of press. obt.   5=6115
    MURA electron accelerator, vacuum system   5=526
    needle valve development   5=6120
    sorption u. h. vacuum system, for single crystal metal
        foils prod.   5=6320
    substrate and mask vertical-holder   5=3494
    trap, oil backstreaming theory   5=6121
    trap, sorption, all glass   5=1163
    valve, fast-acting, for temp. of 400°C   5=3281
    valve, liquid-metal glass   5=9067
    N traps, automatic regulation   4=14820
Vacuum gauges
    Bayard—Alpert, Ar desorption calc.   5=1161
    discharge gauge, 1-30μ Hg, for transient density
        meas.   5=1162
    electrostatic ionization, orbiting charged particles
        criterion   5=11827
    ion, calibration using leak detector   5=6116
    ion identification, ideal mass spectrometer   5=6119
    ion, transistorized emission stabilizer   5=3280
    low pressure meas., conference, NPL (1964)   5=6111
    low-pressure meas., fundamental problems,
        conference   5=11821
    McLeod, automatic recording   5=9065
    McLeod, rotary, with tapered capillary, 10^{-1} to 10^{-5} torr
        range   5=11831
    non-uniform temp. meas.   5=6117
    Pirani, elec. discharge suppressor   5=6123
    Pirani, for 1-10^{-3} mm Hg   5=9066
    residual Ar partial press. changes with Bayard-Alpert
        ionization gauge   5=6118
    review of low press. meas.   5=9063
    rotating sphere, absolute vacuum gauge   5=9064
    He, Ne by electron beam scattering   5=14818

Vacuum polarization. See Quantum electrodynamics.
Vacuum pumps
    cold trap, optimum design   5=14821
    cryogenic applications, review   5=11823
    cryosorption, ultra-high vac.   5=11826
    diffusion, review   5=6114
    electrostatic ionization, orbiting charged particles
        criterion   5=11827
    free molecular transfer calc. and speed, non-uniform
        temp   5=9059
    getter-ion, with filamentary Ti and Cr evaporators,
        ~3 × 10^{-9} torr   5=11825
    getter-ion PTM-2, design and properties   5=14815
    hydrocarbon formation in ion pumps   5=9062
    molecular screw, calc.   5=9060
    orbitron   5=9061
    sorption with carbon bladed rotary, to avoid
        organic contamination   5=3279
    sorption, with Ti—Mo evaporators, 1 × 10^{-8} to
        2 × 10^{-10} torr   5=14814
    steam jet, for degassing steel plant   5=6113
    Toepler pump and gas microvolumetric device   5=6112
    N traps, automatic regulation   5=14820
    Ti, for closed betatrons   5=10965
    Ti evap., high speed, liquid N   5=14816
Vacuum technique
    adsorption meas.   5=1281
    ceramic crucibles, electron bombard. heating for Be, Cu,
        Au vaporization   5=1994
    ceramic out-gas mass spectrometry   5=14822
    cryogenic applications, review   5=11823
    crystal cleavage   5=3544
    current leads, demountable, using cast
        resin   5=3282
    electrical lead bonding to Ge, for u.v. meas.   5=10194
    electron emission, photo, γ irrad.   5=7059
    films deposition, multiple source use for uniform
        large area layers   5=6126
    films, elliptically polarized light obs.   5=3493
    gas supersonic jets, and charge exchange chamber vacuum
        improvement   5=8941
    gas target, pressure increase across differentially
        pumped canal   5=6125
    gettering in discharge tubes, and mol.
        excitation   5=9069
    gettering, zeolite for ultra-high vac.   5=11824
    hygrometer calibration method   5=7481
    ion identification, ideal mass spectrometer   5=6119
    low temp. epoxy resin seals to Cu and nylon   5=10404
    measurement in non-uniform temp.   5=6117
    < 1 × 10^{-8} torr in large metallic vessels, problems   5=1182
    organic contamination avoidance by sorption with
        carbon bladed rotary pumps   5=3279
    PTFE attachment to metal with epoxide resin   5=13796
    particle accelerators, proton, Al_2O_3 thin film
        window   5=537
    residual Ar partial press. changes with Bayard-Alpert
        ionization gauge   5=6118
    residual gas mass spectrum meas.   5=14819
    residual press. and gas contamination, flash filament
        method   5=11828
Vacuum tubes. See Electron tubes.
Valency
    Al, Mg, Si, and X-ray spectrum, K   5=4313
Valves, thermionic. See Electron tubes.
Van Allen radiation. See Atmosphere/radiation belts.
Vanadium
    addition to Fe—Co alloys, elec. cond. effects   5=6844
    atoms, arc lines, absolute oscillator strengths
        meas.   5=8757
    e.s.r. of V^{2+} in $CdCl_2$, 4. 2, 77°K, spin Hamiltonian   5=9851
    emissivity, spectral, 1223-1973°K   5=1854
    emissivity, temp. var., no dissolved N effect   5=4824
    flow stress rel. to dislocation density   5=3884
    ion in SnO_2, 3d electron orbital   5=7257
    n. m. r., V^{51}, impurity effects   5=9877
    n. m. r. V^{51}, Knight shift, demagnetising effect   5=9878
    presence in RNA and DNA, e.s.r. meas.   5=7261
    self-diffusion of Cr^{51}, various comparisons   5=3713
    superconducting, resistance changes rel. to appl. mag.
        field   5=6900
    N in, energy and migration characteristics   5=1463
    V^{2+}, in NaCl, e. s. r. and optical spectra   5=15507
    V^{3+}, paramag. reson. in corundum at 6 Mc/s   5=1811

Vanadium—contd
V^{4+} in SnO_2, superhyperfine structure 5=7258
V^{48} diffusion, temp. var. 5=12342
V^{51}, slowing down in CrO_2Cl_2 gas 5=14812

Vanadium compounds
ceramics from heating at low air press., structures 5=12236
pentahalo vanadyl anions, crystal spectra 5=4308
V corundum, absorpt. spectrum, at 1. 2°, 4. 2°, 20°K, near i. r. 5=1855
V oxide bronzes, elec. props. 5=9637
V—C—O system 5=6313
V—Cu—O system, two cpds. 5=12238
VF_5 solutions, chemical structure, V^{51} n. m. r. obs. 5=11914
$V_{10}Fe_{90}$, specific heat, 0. 4°-7°K 5=12293
V—Ga system, crystal struct., supercond. 5=9359
V_3Ga diffusion layer on V wire, supercond. quenching curves, versus V_3Ga multiwires 5=1635
V_3Ga, supercond., flux distrib. by n.m.r. 5=6898
V_3Ga superconducting diffusion layers, current, mag. fields effects 5=12684
VO_2, n. m. r. 5=13010
VO_2, vibration amplitudes and Bastiansen—Morino shrinkage effect 5=5859
$V_2{}^{51}O_3$, n. m. r., paramag., 175-575°K, contribs. 5=9879
V_2O_5, elec. conductivity 5=12753
V_2O_5 sintered with oxide in reducing atm. semiconductor with high cond. temp. coeff. near 68°C 5=6947
V_2O_5, solid and liquid, elec. cond. and thermo-e. m. f. 5=12752
V_2O_5, thermal expansion, 25-630°C, X-ray powder obs. 5=15056
$[VOCl_5]^{3-}$, bonding, e.s.r. study 5=8841
V—Sc, supercond. and critical field, Sc conc. depend. 5=1636
V_3Si, single crystals growth 5=1316
V_3Si, supercond., crystal structure temp. var. 5=3649
V_3Si superconducting diffusion layers, current, mag. fields effects 5=12684
V_3Si, supercond., flux distrib. by n.m.r. 5=6898
V_3Si, superconducting transition temp., effect of stress 5=6899
V_3X cpds., energy bands 5=15239

Van der Graaff generators. See high voltage production; Particle accelerators/linear.

Van der Waals forces. See Atoms; Kinetic theory; Molecules intermolecular mechanics

Vaporization
See also Boiling point; Condensation; Distillation; Evaporation; Heat of vaporization; Vapour pressure.
calculation of partial enthalpy from mixture 5=6219
complex region stability and heat exchange fins 5=9183
one component systems, meas. and interpretation 5=11923
and exploding metal wire elec. resist. var. 5=15267
Au, from ceramic crucibles, by electron bombard. heating 5=1994
Be, from ceramic crucibles, by electron bombard. heating 5=1994
Cd films on W, flash 5=9187
Cu, from ceramic crucibles, by electron bombard. heating 5=1994
PuC, volatility 5=11953
TiS, high temp. 5=9188
U oxides and carbides, thermochemical data review 5=9189
UC_2, Knudsen-cell studies 5=9190

Vapour density. See Density/gases.

Vapour pressure
See also Humidity; Vaporization.
atoms, determ. from optical absorpt. meas. 5=8735
dimer—monomer system, cluster sum β_5 for f.c.c. lattice 5=11950
glass in transformation region 5=6228
hexafluorobenzene, 310°-361°K 5=11926
hexane + hexadecane mixture 5=6166
ice, H_2O—D_2O mixtures, 0° to -38°C meas. 5=6229
liquid unassociated cpds., equation 5=11940
methane + propane, 90°- 110°K 5=11881
methane, saturated liquid, temp. var. 5=3406
rare-earth metals 5=1218
solids, monatomic isotopic, anharmonic forces 5=1215
Ag—Pd alloys, of Ag 5=6542
Ar, by Mayer's theory modification 5=9037
Ar, meas. and equations 5=6218

Vapour pressure—contd
Ar—Kr solid solutions 5=6259
Cd in Cd—Au liquid and solid solns. 5=6165
CdTe subliming congruently, partial pressures 5=6225
Cu phthalocyanine, solid 5=14889
Dy, 850-1075°C 5=14888
Ga, torsion effusion study 5=6226
Gd, 1120-1310°C 5=14888
H, neutral mols., Frost—Kalkwarf eqns. 5=11927
H_2O—NaCl—$BaCl_2$, isopiestic method, thermodynamics 5=14805
He^3, appl. to Scale of Temperature (1962) 5=2173
Hg, by discharge technique 5=6217
In, liq., 1102°—1422°K 5=3405
Kr, 77-180°K, review 5=9181
MgF_2, 1413°-1614°K 5=6227
Pu, review 5=3410
PuO_2 in air, Ar, O, 1450-1775°C 5=11947
PuO_2, review 5=3410
α-S, equations 5=3397
Sb_4, below melting point 5=6208
TiS, 1804-2186°K 5=9188
Ti in Ti—Nb alloys 5=11955
UO_2, PuO_2 ratios 5=11932
Xe, 77-180°K, review 5=9181

Vapour pressure measurement
corrosive solids, high temp. and press. 5=11949

Variable stars. See Stars.

Variational calculus. See Mathematics.

Variational method. See Quantum theory/application methods.

Vavilov—Cherenkov radiation. See Cherenkov radiation.

Vectors
in relativity, electromagnetism, contravariant 5=13854

Velocity
No entries

acoustic waves
See also Dispersion, acoustic; Helium/liquid, sound propagation; Shock waves.
Bose gas, slightly imperfect, second sound 5=14809
conductors, many-valley, rel. to electron—lattice interaction 5=15038
glasses, elastic props. meas. 5=15163
halomethane binary mixtures, dispersion and vibr. relax. 5=9045
plasma, for temp. meas. 5=3179
solids, two-phase mixtures with impurities 5=6525
steam, 200-1000 lb in^{-1}. , 650-1000 kc/s 5=1155
$CaWO_4$ 5=6523
Sn, and phonon dispersion, freq. var. 5=12274

acoustic waves, ultrasonic
See also Dispersion, acoustic/ultrasonic.
formamide—inorganic salt solutions 5=14848
formic acid and ethyl formate mixture, absorpt. coeff. 5=6173
glycerol, 1-8 Mc/s 5=6171
liquid metals, alloys, interferometer meas. 5=2127
liquids, interferometer meas., of dispersion, diffr. corrections 5=6171
liquids by successive Brillouin scattering, laser-stimulated 5=3340
metallic acetates aqueous soln., 1 to 12 Mc/s, radiator diam. correction 5=3331
1, 2-propanediol, 0. 25-12 Mc/s, -40° to 25°C 5=6174
water, 20-75°C, ~ 60 Mc/s 5=11886
CCl_4, 1-8 Mc/s 5=6171
CS_2, from stimulated Brillouin scattering 5=14149-50
He liquid, near critical point, vanishing 5=4862
MgO, doped with Fe^{2+}, phase vel. varn. meas. 5=6524
MgO:Ni^{2+}, Fe^{2+}, dispersion, and e. s. r., 9375 Mc/s 5=15042
$MnSO_4$ aqueous soln., 1 to 12 Mc/s, radiator diam. correction 5=3331
$MnSO_4$ soln., 1-8 Mc/s 5=6171

light
aberration of radiosources 5=5036
philosophical questions 5=8074
relativity, addition-of-velocities, expt. investigation 5=7769

Velocity analysis, particles. See Particle velocity' analysis.

Velocity measurement
See also Angular velocity measurement; Stroboscopes.
charged particles in r. f. modulated beams, device 5=8347
gas velocity behind shock wave 5=105

Velocity measurement—contd
    gas velocity in inflammable mixtures 5=1145
    liquids, using heat pulse method 5=6134
    projectile in compressed gas gun 5=13810
    shock waves at mm wavelength by Doppler effect 5=7832
    surfaces, instantaneous recording, data transmitter 5=13811
    water, using heat pulse method 5=6134
  acoustic waves
    teaching meas., Schlieren system with spark 5=4801
  acoustic waves, ultrasonic
    digital interferometer method 5=2125
    liquids, meas., interferometer, 1 to 12 Mc/s 5=2126
  light
    constancy for var. source velo., laser meas 5=8075
    by laser-beam, criticism of statistical method 5=300
    philosophical questions 5=8074
Venus. See Planets.
Verdet constant. See Magneto-optical effects.
Vertex functions. See Elementary particles; Field theory, quantum; Functions.
Vibrating bodies
      See also Crystals lattice mechanics; Elastic waves; Pendulums; Piezoelectric oscillations.
    beam on resilient supports, freqs., modes calc. 5=13904
    beams, flexural rigidities for each span, modes 5=99
    beams, free—free, mech. impedance 5=10309
    cylinders, orthotropic, axisymmetric vibr. 5=2090
    cylinders, solid, isotropic, vibr. modes 5=100
    data and specification criteria 5=7823
    disk, freely falling 5=10311-12
    elastic beam, nonlinear, random vibr. 5=2088
    elliptical ring, modes calc. 5=13903
    liquid drops in gas stream 5=6140
    magnetostrictive flexural vibrator, parametric, u. s. 5=117
    membrane, free rotating anisotropic, finite vibr. 5=2091
    plate, flexural wave field with antivibrators 5=2084
    plate immersed in liquid, normal mode damping 5=13900
    plate with free edges, normal mode damping 5=13899
    plate oscillations, visualization by chalk coating 5=2086
    plate, radiation 5=13901
    plate, square and bonded by beams, natural freqs. 5=98
    plates, nonhomogeneous, flexural vibn., Green's formula calc. 5=2085
    plates, normal mode excitation by sound beam 5=2083
    plates, rectangular, linear extensional vibrs. 5=7825
    quartz plates, thermoelastic dissipation 5=1541
    relativity, special, time meas. 5=7771
    resonance, experimental demonstration 5=2081
    rod, viscoelastic, axial vibrs. 5=7826
    spectral density analysis 5=7822
    spheres, for visco elastic const. meas. 5=9515
    spring, damping by creep 5=12462
    strings and bars, freqs., iterative calc. 5=13905
    strings, bowed, transitory phenomena 5=2082
    tapered bars, torsion eqns. 5=13902
Vibration, molecular. See molecules/vibration
Vibrations
      See also Acoustics; Damping; Oscillations; Vibrating bodies; Waves.
    limit cycle existance 5=7820
    non-linear, theories compared 5=13897
    pulse compression in steel strip 5=4779
  excitation
    induced by dry friction 5=10310
    linear mechanical systems, freq. response 5=7824
    m.h.d. flow to sustain torsionally oscillating plate in viscous fluid 5=4936
    nonlinear system with tangent elasticity characts., random excitation 5=2089
    normal mode in plate, by acoustic beam from piston source, amplitude-directivity dependence 5=2083
  measurement
      See also Seismology.
    bar, forced, by Moire fringes, demonstration 5=2087
    solid surface deformations, rapidly-changing, Moiré procedures 5=10308
    torsion pendulum for internal friction meas. 5=12446
    vibroscope meter read-out 5=7821
Vibronic states. See Molecules/electronic structure; Molecules/vibration
Videcons. See Electron tubes.
Virial coefficients. See Equations of state.
Viscoelasticity
      See also Plasticity.
    elastic waves in visco-elasto-plastic strain-hardening body, propagation and reflection theory 5=102
    flow, liquid in converging channel, calc. 5=9074
    folding instability of layer under compression 5=6679
    internal instability of medium from initial stress 5=13845
    linear, foundations, erratum 5=9023
    m. h. d. flow past porous plate in mag. field 5=10519
    macromolecule solns, and double refraction in periodic field 5=9110
    measurement by sphere forced vibr. 5=9515
    n.m.r. in liquids correl times temp var. 5=9154
    nonlinear response, theory 5=3871
    polydimethylsiloxane liquids 5=1174
    polymer solns., relaxation spectrum 5=11866
    polystyrenes, mol. wt. var. 5=9574
    solids, review 5=12457
    statistical mechanics 5=7753
    steady flows of general elastico-viscous liquid 5=3284
    thermodynamics of fluids 5=3241
Viscometers
    fracture viewing 5=11834
    high press., oscill. 5=11835
    high-temp., for glasses 5=3318
    oscillating cylinder, to 800°C 5=11869
    rotating-cylinder, temp. meas. 5=10377
    torsion-pendulum type, for polymer meas. 5=12445
Viscoplasticity. See Plasticity.
Viscosity
    baroclinic fluid, boundary layer 5=11774
    branched polymers, translational friction const. 5=1020
    flow equations of motion 5=9026
    n-paraffin series 5=5898
    Reynolds number, critical, for flow in curved channels 5=14789
    statistical mechanical formula 5=6059
    variational principle 5=3246
    As_2Se_3, amorphous, crystallization depend. 5=12100
  gases
    air, dry and humid, 25 to 250°C, 1 to 140 atm., meas 5=3258
    alkali metals calc. 5=14813
    binary mixtures with Morse potential 5=14801
    correlation and distrib. function calc. 5=6106
    dense gases, shear, first density correction 5=3273
    kinetic theory approx 5=9042
    moderately dense gases, theory 5=6107
    polar mixtures, semi-empirical formula 5=11816
    real, volume 5=6102
    shear, effect on acoustic wave propag. 5=6087
    Sutherland-Warsiljewa coeffs. derivation 5=6105
    H, atomic, 1 to 400°K 5=11818
    Hg, and liquid, <900°K, and critical value 5=6158
    $N_2^{14,15}$, 78-300°K 5=9055
  liquids
      See also Lubrication; Superfluidity.
    borogermanate melts 5=3299
    borosilicate melts 5=3299
    bulk 5=3315
    electrolytes and ion association 5=6157
    flow, between rotating liquids, Taylor vortex radial component, ion meas. 5=11836-8
    free volume and activation energy theories 5=6155
    glass, soda-lime-silica standard 5=3318
    glasses, flow activation energy in transition state and bond energies 5=11868
    glycerol, effect of pressure 5=1173
    high pressure effects, review 5=6154
    macromolecules, non-Newtonian, and coil density var. 5=3316
    nitrobenzene in soln., rel. to dielec. loss 5=11898
    oil—Hg interface, viscous stress 5=6130
    organic nonassociating rel. to mutual diffusion 5=9098
    poly-α-methylstyrene in Araclor 1248, dynamic meas. 5=14842
    polyisobutene solns., degradation in laminar flow 5=3317

Viscosity—contd
- **liquids**—contd
  - polyisoprene solns., depend. on mol. wt. 5=14681
  - polymers, coiled, non-Newtonian intrinsic, at Θ temp. 5=6156
  - reduction by u. s. cavitation 5=6133
  - relaxation to dielec. relaxation 5=1203
  - theory, rigid spheres 5=6153
  - from transport mechanism, mol. theory 5=6151
  - variable, effect on flow in channels and pipes 5=3287
  - viscometry in physics laboratory 5=11833
  - vitreous silica 5=3878
  - volume coeff. freq. var. theory 5=11867
  - $AgNO_3$ solns. in CH_3CN and C_6H_5CN 5=11904
  - Ar—O_2, conc. and temp. var. 5=14823
  - CH_4—CD_4, conc. and temp. var. 5=14823
  - Cu—Sb, conc. depend., 898°-1073°K 5=3319
  - Fe—Cr (≤ 21%), 1500-1800°C 5=11865
  - Fe and Fe—C system 5=11864
  - Fe—Mn (≤ 15%), 1500-1800°C 5=11865
  - Fe—P alloys 5=3320
  - Fe—P (≤ 6.7%), 1500-1800°C 5=11865
  - Fe—S alloys 5=3320
  - Fe—V (≤ 2.2%), 1500-1800°C 5=11865
  - Hg, and gas, <900°K, and critical value 5=6158
  - Mg aluminiosilicates, and struct 5=9086
  - Tl amalgams 5=9095
  - Zn, oscillating meas., temp. var. 5=11869

Visibility. See Atmospheric optics.

Vision
- See also Colour vision; Eye; Stereoscopy.
- accommodative tracking, a trial-and-error funcn. 5=8173
- acuity test charts, var. luminance, wavelength 5=14217
- after-image intensity meas. as funcn. of time 5=8172
- aniseikonia correction, spectacle lenses 5=8167
- aniseikonia determ., effect of brightness 5=10741
- area—intensity function of fovea, wavelength var. 5=2359
- brightness-contrast, colour contrast depend. 5=5115
- brightness-contrast effects among points of light 5=10742
- brightness, rel. to duration, brief flashes 5=2358
- brightness, rel. to duration, luminance and adaptations 5=2360
- brightness enhancement with paired light flashes 5=8175
- brightness, factors influencing judgement 5=340
- brightness of restricted repetitions and Talbot's law 5=2361
- brightness, subjective estimation 5=8174
- contour location, lateral inhibition, after effects 5=5114
- dark adaptation electro-retinography B-wave recovery 5=350
- dark adaptation, role of afterimages 5=8168
- dim light spectrum appearance 5=14219
- electroretinographic and flicker frequencies, modification 5=8162
- electroretinographic intensity function, irregularities, statistical significance 5=343
- fading, cyclical, under differential binocular adaptation 5=342
- illusion of motion 5=5110
- image recognition, bipolar aperture masks, calc. 5=345
- inclination tolerance 5=8176
- in infants, recognition and habituation of responsiveness 5=5113
- intensity—time relns., spectral stimuli 5=8163
- latency 5=8169
- luminance threshold of stationary stimuli, moving line effects 5=14220
- luminous design phenomena 5=10739
- mammalian retinal receptor response threshold 5=356
- noise, visual, and intermittent stimulation, low-frequency, response 5=341
- "noise" of visual system, and effect on vision 5=8165
- oculomotor response to small target replacements 5=8177
- perceptual latency, wavelength effects 5=8171
- physiology, light corpuscles and luminosity perception 5=10740
- physiology, review 5=5108-9
- reaction time and retinal area—stimulus intensity rel. 5=347
- response to spatial sine-wave stimuli 5=344
- retina, physiological irrad. 5=14215
- rhesus monkey, rod saturation 5=5121

Vision—contd
- sharpness of image related to time difference perception 5=348
- spectral tristimulus values for C. I. E. uniform spacing system 5=346
- stereopsis, depth perception loss with local monocular suppression 5=5112
- temporal summation determinants in acuity task 5=8170
- threshold levels 5=8164
- through fog, and resolution radiation 5=8166
- and touch, experimentally created conflict 5=10738
- X-rays 5=349

Vitreous state
- See also Glass.
- alkali-germanate glasses, i.r. spectra 5=4294
- borates, alkaline-earth cation distrib. 5=3529
- ceramics, microstruct. and mech. strength, transparency, and dielec. props. 5=9551
- devitrification of glass, diffusion process 5=3528
- glycerol, specific heat, 1.5 to 4°K 5=6550
- polymers, equation of state, and liquids, high press. 5=3310
- polymethyl methacrylate, plastic deformation 5=6749
- semiconductors 5=6948
- silica, viscosity 5=3878
- systems with "glasslike" transitions, isothermal diffusion 5=3709
- C, glassy, thermoelectric power at high temp. 5=4103
- GeS_2—As_2S_3 5=6335
- Ge_2S—Sb_2S_3 system 5=6335
- SiO_2, pentagonal dodecahedral model 5=12075

Vocoders. See Speech.

Voigt effect. See Magneto-optical effects.

Volta effect. See Contact potential.

Volume measurement
- litre, 1901 definition abrogated 5=7706
- metaphosphate–sulphate systems, fused, molar vol. 5=6159

Vortices
- See also Cavitation; Turbulence.
- atmosphere, Karman streets 5=10056
- classical, sound scattering 5=3253
- eqns., projection operators calc. 5=1140
- horns, helical flow lines 5=1141
- m. h. d., discontinuity lines calc. for point 5=234
- m. h. d. stability of dissipative flow 5=10520
- rel. to minimum drag nose 5=3242
- ring creation in superfluids 5=14825
- rings, quantized, behaviour near wall 5=7901
- streets, interactions 5=3252
- tornado, elec., lab. expt. and theory 5=13253
- vorticity—transfer hypothesis in turbulence theory 5=3255
- He, liquid, and critical velocities 5=2175
- He II, quantized, oscillations 5=2174

Water
- See also Ice; Seawater; Steam.
- absorbed, microwave dielec. props. 5=1200
- acoustic dispersion, 3 Gc/s 5=9109
- adsorbed on silica gel at 94°K, n.m.r. 5=3376
- adsorption isotherms on Al_2O_3 for spheres, 75Å radius 5=12064
- adsorption on LiF, dielec. obs. 5=6332
- atmospheric, high, calc. from circulation theory 5=13232
- in beryl, movement in channels, n. m. r. meas. 5=9860
- boiling, forced circulation, pressure drop 5=11944
- boiling, forced circulation, pressure drop 5=14885
- boiling, heat transfer, saturation press. var. 5=10362
- boiling, saturated nucleate, latent heat transfer importance 5=1213
- boiling, statistical kinetics 5=3407
- boiling subcooled, acceleration effects 5=9184
- cavitated, oscillations in heating curves 5=11876
- chemical radiolysis, H_2O as precursor of H_2 5=13177
- chemisorption on Ni films, 77-273°K, work function, resistance obs. 5=1906
- in chrome alum, free molecules, orbital wave functions 5=11971

Water—contd
  Couette motion with radial thermal gradient, stability 5=1164
  critical tension, precompression effect 5=3312
  decomposition products of H_2O chemisorbed on Ni 5=10015
  degassed, u. s. effect on cavitation threshold 5=6136
  diffusion in KCl 5=12330
  distilled, heat transfer to evaporating butane and pentane drops 5=4828
  drops, light press. theory 5=5035
  drops, mass loss falling in elec. field 5=9079
  drops in paraffin, electrically charged, division photographically obs. 5=3351
  electrification in freezing, expt. 5=10068
  evaporation with cetyl alcohol monolayer, waves effects 5=11943
  Faraday effect, He—Ne laser source, fields to 400 kOe, meas. method 5=15558
  flowmeter, elec. monitor 5=11840
  force const. adjustment 5=5827
  freezing, electric field effects with supercooling 5=9179
  freezing, shock-induced, of "activated" supercooled water 5=6216
  gamma ray scatt. $Cs^{137}\gamma$'s, interpolations 5=542
  γ-ray spectra, due to 24 MeV electrons meas., photoneutron yield calc. 5=2593
  high pressure and temp. effects 5=6150
  hydrated electron, irrad. and radiolysis prod., props. and reactions 5=6146
  hydrocarbon displacement heat on oxide surfaces 5=11841
  laser, gas, far i. r. 5=5004
  laser stimulated Brillouin scattering 5=9111
  light and heavy, thermodynamic effects of mixing, erratum 5=10006
  light scatt, Brillouin, He—Ne maser source, meas. 5=1183
  Mars, deuterated, evidence 5=15843
  molecular moments, electric multipole 5=11533
  molecular spectrum by electron impact 5=5849
  optical dispersion, temp. and press. effect 5=3337
  photolysis and radiolysis, high intensity 5=1915
  quantum mech. calc. of mol. 5=5876
  radioactive dating, from U^{234}/U^{238} ratio 5=15647
  salt, elec. cond. of jet, mean meas. 5=11900
  solution with ethanol, dissolved Ar solubility and thermodynamics 5=3306
  sonoluminescence, oscillograms 5=9120
  spectrum, near i. r., 4 000-12 500 cm^{-1} 5=6188
  standing gravity wave period, expt. 5=11844
  structure and solution of Ar in D_2O and H_2O, 5-25°C, thermodynamic props. calc. 5=11880
  supercooling in glass capillaries 5=11937
  thermodynamic properties, down to −100°C 5=15065
  turbulent, temp. pulsations 5=4850
  vapour adsorbed on γ-alumina and silica, neutron inelast. scatt. study 5=3513
  vapour, emissivity up to 1000°K 5=14811
  vapour, thermodynamic behaviour rel. to Van de Waals force and associated mols. 5=11805
  vapour, 1. 64 mm absorption, line-breadth study 5=8842
  vapour—O mixture, sound absorpt. 5=6172
  vapour as Si etchant 5=9272
  Venus, balloon meas. 5=13749
  velocity, acoustic, 20-75°C, ~ 60 Mc/s 5=11886
  waves, nonlinear, dispersive 5=4718
  X-ray effects on frozen solns. of NaOH, KOH, H_2SO_4, H and solvated e prod., e. s. r. obs. 5=4417
  Cs^+ ions conductance 5=11902
  Cs ions conductance 5=11909
  D_2O, dielectric relaxation time 5=14856
  D_2O effects on p.m.r. in Mn ion solns. 5=9161
  D_2O, gaseous, electron diffr. study 5=11532
  D_2O, n. m. r. of d, −10° to −130°C 5=7278
  D_2O and D_2O—H_2O mixtures, near i. r. spectra 5=6188
  H formation by irradiation, H/D effect rel. to LET 5=10024
  H_2O vapour, stimulated emission in discharge 5=8054
  H_2O^+ excited ion break-up by electron impact, fragment k. e. 5=3125
  H_2O—D_2O gaseous mixtures, equimolar, thermal cond. 5=11810-11
  H_2O and D_2O, low temp. obs. of O^{17} n. m. r 5=3375
  H_2O^{16} and H_2O^{18} isotope separation in gas phase 5=14624

Water—contd
  H_2O^{18}, thermal expansion, 5°-90°C 5=6168
  H_2O—NaCl—$BaCL_2$, isopiestic vapour pressure meas. 5=14805
Wave equations, quantum theory. See Quantum theory/wave
Wave functions. See Quantum theory/wave equations.
Wave mechanics. See Quantum theory.
Waveguides. See Electromagnetic wave propagation/guided waves.
Waves
  See also Acoustic waves; Elastic waves; Electromagnetic waves; Liquid waves; Magnetohydrodynamics; Seismic waves; Shock waves.
  transformation of small-signal energy and momentum 5=2024
  acceleration wave, non-linearity effect 5=10313
  acoustic-gravity, in ionosphere 5=13451
  amplification in moving media 5=2025
  analyser circuit semiconductor magnetoresistance 5=14024
  in atmosphere, damping, by viscosity and thermal cond. 5=15690
  calculation of period from obs. 5=7737
  circular aperture, asymmetric phase effects 5=10225
  diffraction by right-angled wedge 5=13827
  diffusion invariant imbedding applications 5=13893
  dispersive, nonlinear, general theory 5=4718
  finite amplitude long waves, initial valve calc. 5=14792
  fluid, ideal, with elastic boundary, surface, periodic motions 5=11791
  fluid surface perturbations 5=11787
  fluid, viscous, long, equation deviations 5=11792
  fluids, internal theory, Boussinesq approx. 5=11772
  gas, damped standing, secular behaviour 5=1150
  gravity waves of finite amplitude, interaction 5=3256
  initial boundary value problem solution 5=27
  moiré pattern solns 5=10711
  by motion of solids in fluids, including animals 5=1143
  nonlinear effects in statistical media 5=7732
  packets, optimal reception, statistical theory 5=7731
  plane, pulse phase distortion by interface reflection 5=14794
  progressing wave formalism 5=10223
  propagation invariant imbedding applications 5=13893
  propagation with random statistically anisotropic inhomogeneities, correlations 5=13826
  quasi-optic resonators 5=14096
  refractive index diagrams for anisotropic regions with confined sources, calc. 5=10226
  in relativity, general, global imbedding impossibility 5=13861
  scattering, multiple, on random array of spheres, "hole corrections" 5=28
  scattering resonances and metastable states 5=29
  scattering in rotating system, calc. 5=14793
  scattering, semi-geometrical optics 5=10224
  spatial dispersion effects near critical point 5=7848
  spectra, unscrambling calc. technique 5=7730
  thermomagnetic waves in metals 5=6538
Waxes
  Carnauba, electret, charge decay 5=12808
  ceresin, density and elec. cond., temp. var., melting point region 5=7014
  paraffin, density and elec. cond., temp. var., melting point region 5=7014
Weak interactions. See Field theory, quantum/interactions, weak.
Wear
  diamond, fast n-irrad., crack prod. on polishing 5=9548
  sapphire, microscopical obs. of surface 5=3877
  steel, dry 5=3879-80
  microslip between rolling bodies, radioactive tracer meas. 5=1507
  Cu crystals, scratching 5=6702
  ZnO, grinding effects, lattice structure 5=6773
Weather. See Meteorology.
Weighing. See Balances; Mechanical measurement.
Weissenberg cameras. See Cameras; X-ray crystallography/
Wentzel—Kramers—Brillouin method. See Quantum theory.
Wetting
  See also Capillarity.
  metals by ceramics 5=871
  by Bi—Pb—Sn—Cd liquid, of solids, contact angles 5=11850

- **Whiskers.** See Crystals/whiskers.
- **Whistlers.** See Atmospherics; Ionosphere.
- **White dwarfs.** See Stars.
- **Wiedemann–Franz law.** See Conductivity, electrical/solids; conductivity, thermal/solids.
- **Wien effect.** See Conductivity, electrical/liquids, electrolytic.
- **Wigner coefficients.** See Quantum theory.
- **Wigner effect.** See Physical effects of radiation.
- **Wilson cloud chambers.** See Cloud chambers.
- **Wind**
  - and acoustic–gravity wave propagation 5=13318
  - atmospheric press. micropulsations, time spectrum 5=13254
  - cross, dust cloud deposition 5=13257
  - ionosphere, low, meas. 5=13479
  - ionosphere, night patterns 5=13459
  - local, self-similar soln. 5=15660
  - New Mexico dust devil, elec. field 5=13283
  - snow, blizzard radio noise, vel. var. 5=7484
  - speed indicator 5=4448
  - speed through radioactive point 5=13284
  - stratospheric, rel. to ozone variations 5=15656
  - tornado, elec., lab. expt. and theory 5=13253
  - tropospheric, correlation with rainfall 5=7477
  - turbulence dissipation, Eulerian wind record, calc. 5=10054
  - velocities along and across jet streams 5=4464
  - velocity meas. using sonic techniques 5=4462
  - vertical velocity and temp. profiles 5=13250
  - zonal, baroclinic instability 5=4463
  - zonal, baroclinic instability 5=10060
  - zonal, quasigeostrophic model calc. 5=4458
- **WKB method.** See Quantum theory.
- **Wolfram.** See Tungsten.
- **Wood**
  - Indian, dynamic elastic modulus and damping coeff. 5=12558
- **Work function**
  - See also Electron emission.
  - crystals, temp. var., photo-electric 5=13020
  - and electron emission, secondary 5=12860
  - metal–insulator–metal, Schottky emission mechanism rel. to energy bands 5=1706
  - review 5=4122
  - space charge layers, electron correl. and screening review 5=7045
  - Al electrodes, oxide-coated, thermionic work function in vac. and Cs vapour 5=1705
  - Au on W 5=1276
  - Fe electronegative gases effect 5=4123
  - GaAs, (110) surfaces, rel. to (111) Si and Ge 5=7057
  - GaSb, (110) surfaces, rel. to (111) Si and Ge 5=7057
  - Ge, cleaned, effect of O$_2$ 5=7056
  - Ge, (111) cleaved surfaces 5=4137
  - InAs, (110) surfaces, rel. to (111) Si and Ge 5=7057
  - InSb, (110) surfaces, rel. to (111) Si and Ge 5=7057
  - Nb, (111) surface 5=4124
  - Ni films, and chemisorption of H$_2$O, 77-273°K 5=1906
  - Ni planes, ultra-pure, effect of impurities 5=1708
  - Ta, changes due to ion bombard. and ht. treatment 5=3647
  - U, oxygen covered 5=1276
  - W, rel. to adsorbed Th 5=12069
  - W (112) surface 5=8947
  - W, Na film reduction, anisotropy 5=12054
- **Work hardening**
  - See also Cold working; Surface texture.
  - crystals, cubic, rel. to recovery process 5=12465
  - and crystal dislocation interactions 5=6623
  - and dislocation velocity stress dependence, criticism and reply 5=9449
  - elastic waves in visco-elasto-plastic strain-hardening body, propagation and reflection theory 5=102
  - steel, tensile strength improvement by pre-torsion 5=12507
  - Al alloy, reversion during cycling 5=15140
  - Al, plasticity boundary stabilization 5=12477
  - Cd, rel. to melting temp. 5=6733
  - Cd single cryst., temp. dependence 5=3836
  - Cu, effect of dispersed oxides 5=12491
  - Cu, neutron-irrad. single cryst. 5=3844
  - Cu in solid soln. with Ni, Zn and Al, factors affecting strain-hardening 5=3847
  - Cu, tensile strength improvement by pre-torsion 5=12507
- **Work hardening**—contd
  - Cu$_3$Au, strain-hardening 5=6708
  - Cu–Sn, and flow stress, versus pure Cu, temp. var. 5=6709
  - α-Fe alloys with dispersed phase, strain hardening 5=6722
  - Fe, plasticity boundary stabilization 5=12477
  - Fe, tensile strength improvement by pre-torsion 5=12507
  - Fe–Cr δ ferrite, phase transformations 5=6298
  - Mg single crystals, 3 stage curve, 77 to 453, parameters temp. var., rel. to melting temp. 5=6733
  - MgO, strain hardening 5=15170
  - Ni, ultra-pure, polycryst., removal by excessive heating, cancellation of mag. domain patterns 5=1708
  - Zn, rel. to melting temp. 5=6733
  - Zn single crystals, and plastic deformation, acid treatment effects 5=12560
  - Zn, Cd doped, deformed at 90 to 573°K, parameters var. with temp., conc. 5=3885

- **X-ray absorption**
  - See also X-ray spectra/absorption.
  - crystallography correction for self-absorpt. in cylinders and spheres 5=1344
  - crystals, calc. for any polygon cross-section 5=6426
  - films, solid, for thickness meas. 5=12038
  - metals, interelectron interaction, model 5=7305
  - single cryst., corrections in crystallography 5=1347
  - Be, Mg, Al, Cu, and Ag. 7-17A range 5=1833
  - CoCl$_2$, pink and blue solns. 5=14850
  - Ga crystal, polarized and unpolarized 5=7336
  - Zn transmission, thermal vibrations, effect 5=12295
- **X-ray analysis.** See Chemical analysis X-ray; Crystal structure/atomic; X-ray crystallography.
- **X-ray astronomy.** See Astronomy and astrophysics.
- **X-ray characteristic temperature.** See Specific heat.
- **X-ray crystallography**
  - For results of structure analysis see Crystal structure, atomic.
  - anomalous dispersion, calc. for $Z = 10 - 98$ 5=6432
  - atomic scattering factors 5=9317
  - automatic cell-size det. and orientation of single cryst. 5=1335
  - Bijvoet differences, probability distrib. 5=1336
  - diffraction, low-angle, chromatic error 5=6433
  - dislocation mapping by topographical method 5=6636
  - excess average intensity compensation 5=3598
  - lattice constant determ., accuracy increase methods 5=3601
  - photographs, relative scaling 5=9320
  - quartz bent crystals, reflection var. 5=9318
  - reflection intensity distrib. statistics, heavy atom effect 5=3600
  - scattering factors, tables 5=6425
  - and spectroscopy, progress review 5=1355
  - visible optics similarity, Borrmann effect 5=15527
  - Cu$_3$Au, Nilsson's formula rel. to numerical integration 5=9333
  - **apparatus**
    - See also X-ray monochromators; X-ray spectrometers.
    - achromatic camera 5=1348
    - camera, high temp. 5=3609
    - camera, single-crystal oscillation 5=3611
    - camera, Weissenberg, crystal alignment, graphical 5=6435
    - collimators, for single-crystal work 5=1352
    - crystal remounting between two Weissenberg goniometers 5=6436
    - demountable tube appl. 5=4426
    - diffraction geometry for high and low temp. work 5=12176
    - diffractometer, 4-circle, unsymmetrical and symmetrical χ–φ assemblies 5=15003
    - diffractometers, point-drive single crystal, setting accuracy 5=2367
    - diffractometer, precision, high-temp. attachment 5=15004
    - for double scanning diffractometry in back reflect. region 5=3608
    - furnace, for Philips diffractometer, operation up to 2100°C 5=1353
    - for lattice dynamic study 5=3610
    - polycrystalline analysing graphite crystal 5=5125
    - scanning comparator, for powder films 5=1351
    - ADP, poss. use 5=3578

- **X-ray crystallography**—contd
  - calculation methods
    - computer programme, for lattice parameters, from powder diffrac. data 5=1341
    - digital computer evaluation of cell parameters 5=1335
    - refinement of atomic posns., scale and temp. factors, CAB 500 programme 5=1338
    - structure extraction from Patterson peaks by computer 5=9315
  - calculation methods
    - absorption corrections for single cryst. 5=1347
    - absorption for any polygon cross-section crystal 5=6426
    - correction for absorption in cylindrical samples 5=3597
    - correction for X-ray self-absorpt. in cylinders and spheres 5=1344
    - diffraction, rays due to $\alpha_1\alpha_2$ doublet, rapid 5=6428
    - direct det. of phase, role of molec. structure 5=1337
    - errors due to radius in automatic diffractometer programmes 5=1345
    - F function appl. to centro-symm. struct. soln. 5=1343
    - Fourier analysis of two-dimensional periodic functions 5=13829
    - image seeking functions, high order 5=9319
    - line profile analysis 5=12172
    - line profile variance, effect of physical aberr. 5=6434
    - metals, harmonic analysis in fine structure studies 5=3602
    - OD structure anal. 5=12229
    - Patterson function, graphical construction from 1-dim. models 5=9316
    - phase determ., anomalous X-ray dispersion meas. 5=1356
    - phase eqns. representing non-crystallographic symmetry 5=1241
    - polycrystalline monoclinic materials 5=3648
    - powder diffr. patterns, computer indexing 5=12174
    - powder diffraction lines, second order correction 5=3607
    - scale and temp. factors det. 5=1339
    - secondary extinction correction check 5=12210
    - thermal scattering factor for metals 5=15002
    - vector verification, frequency check use 5=3599
  - **structures**. See Crystal structure, atomic.
  - **technique**
    - application of divergent beam method to stress-strain anal. 5=3808
    - escape peak interferences with powders 5=3605
    - high temp. 5=3604
    - integrated intensity meas., large error sources 5=6431
    - Kossel micro diffr. procedure evaluation 5=12173
    - measurement of absolute intensity 5=6429
    - precision lattice parameter meas. by divergent beam method 5=3603
    - chromatic focusing of diffraction lines 5=1348
    - chromatic and geometric focusing of diffraction lines, graphical soln. 5=1349
    - diffraction symbols 5=1346
    - powder specimens, precision moulding 5=1322
    - resticking device for oriented crystals 5=12177
- **X-ray diffraction**
  - See also X-ray crystallography; X-ray scattering.
  - apparatus, 77°-600°K vac. path, rel. to lattice dynamic study 5=3610
  - crystals, and visible optics, Borrmann effect 5=15527
  - crystals, perfect, dynamical diffr. 5=1828
  - crystals, temp. var., photo-electric 5=13020
  - double scanning in back reflect. region 5=3608
  - focusing of lines, graphical soln. 5=1349
  - Fresnel zone plate prod. for u. v. and soft X-rays 5=328
  - gratings, stearate, optimum thickness, soft X 5=13015
  - low-angle, chromatic error 5=6433
  - propagation proper modes 5=12170
  - rapid analysis, rays due to $\alpha_1\alpha_2$ doublet 5=6428
  - spots, integrated intensity meas. 5=6430
  - stresses, internal meas., theory 5=6673
  - URS-501 X-ray apparatus, electronic angle marker 5=10749
- **X-ray diffractometers**. See X-ray crystallography/apparatus.
- **X-ray examination of materials**
  - See also Chemical analysis/X-ray; Radiography.
  - accuracy in analysis, conference 5=12171
  - conference, Denver (1964) 5=2363
  - diffraction apparatus, 77°-600°K vac. path, rel. to lattice dynamic study 5=3610
- **X-ray examination of materials**—contd
  - films, solid, on quartz, diffraction pattern change detection by Au film standard 5=3497
  - glass, CaO—MgO—SiO_2, metastable amorphous liquid phase separation 5=3526
  - glass, small-angle camera with prop. counter 5=14959
  - macroprobe for soft X-ray diffr. 5=3581
  - metals, stretching, triaxial, X-ray meas. 5=12452
  - non-crystalline phases, fundamental eqn. 5=14830
  - orientation by Kossel lines 5=12175
  - phase transformations at high pressure 5=6268
  - polycrystalline materials 5=12168
  - polymers, transmission diffr. 5=3530
  - powders, camera for high-temp. investig. 5=11995
  - powder specimens, precision moulding 5=1322
  - rel. to spherically symmetrical form factors 5=12169
  - steel, stresses, residual, surface 5=3831
  - stresses, residual, surface 5=3831
  - stresses, two-exposure, high-strength materials 5=3810
  - Al, stresses, residual, surface 5=3831
  - CdS—CdSe, homogeneity, Se content 5=3440
  - Ni, anomalies near Curie point 5=15053
  - Ni, phonon spectrum by diffuse scatt. 5=6515
  - Se, crystallization kinetics 5=3568
  - Si wedge single crystals, Pendellösung fringes 5=3606
  - Ti, stresses, residual, surface 5=3831
  - **liquids**
    - capillaries for X-ray diffraction studies 5=14831
    - correction for planetary electrons 5=5838
    - diffraction apparatus 5=14829
    - monatomic, fundamental eqn. 5=14830
    - scattering, second approx. 5=1170
    - In-Bi eutectic melt, atomic distrib. 5=14832
  - **microstructure**
    - See also Crystal structure/microstructure.
    - α-brass, stacking faults formation, rel. to plastic deform. and solidification 5=1480
    - crystal imperfections effect, versus electron microscopy 5=1449
    - crystal imperfects., neutron prod. 5=3730
    - diamond, diffraction spikes due to platelets, re-exam 5=1475
    - diamonds, synthetic, topography 5=12151
    - dislocation mapping by topographical method 5=6636
    - lattice defects, precision meas. with X-ray spectrometer 5=12368
    - metals, deformed, pure profile prod. method 5=6405
    - parallel beam, imperfections, topographical study 5=1450
    - polymer long periods, temp. var. 5=1288
    - Al, deformed, pure profile prod. method 5=6405
    - Al, "hook effect" analysis 5=1326
    - Al, mosaic structure, diffraction broadening anomalies 5=6644
    - Al–Cu, deformed, pure profile prod. method 5=6405
    - CdS, disloc. diffr. micrograms, zig-zag contrast 5=3748
    - CdS, precipitated 5=1327
    - Cu, deformed, pure profile prod. method 5=6405
    - Cu, electrodeposited 5=12149
    - Cu, plastic deformation effects 5=15083
    - Cu, stacking faults formation, rel. to plastic deform. and solidification 5=1480
    - Cu_3Au, short-range order 5=3461
    - Ge, scanning method of topography 5=3582
    - LiF, lamellar defects due to n-irrad. 5=1449
    - NaCl, crystal surface imperfects. obs. 5=9493
    - Si, crystal imperfects., surface processing prod., extinction contrast exam. 5=3774
    - Si, lattice vibr. obs. from weak scatt. 5=6517
    - Si, Pendellosung fringes and disloc. images 5=12153
    - Si, scanning method of topography 5=3582
    - Si, P-diffused, disloc. study by anomalous transmission 5=1473
    - UO_2—Mo system, solid and liquid state 5=14939
    - Zn crystal dislocations 5=9480
  - **molecular structure**
    - vitreous borates, cation distrib. 5=3529
    - Ag perchlorate—benzene complex, benzene motion obs., versus p. m. r. 5=993
- **X-ray fluorescence**. See Luminescence; X-ray spectra/emission.
- **X-ray measurement**
  - See also Dosimetry.
  - absorption, automated system, programme 5=5130
  - cells, for dosimetry 5=14398-9

X-ray measurement—contd
- conversion factor, wavelength, calcite meas. 5=5122
- conversion constant X to Å 5=10205
- dosemeter, circuit 5=10999
- dosimeter, digital, for beam current integration 5=2365
- dosimetry cell 5=8319
- dosimetry scintillation, 30-130 keV 5=11000
- exposure standards, NPL, congruity 5=2578
- ionization chamber, NBS P2-4 and Wilson's quantameter 5=5316
- ionization chamber standardization for megavoltages 5=2501
- p—n junction photovoltaic detector 5=2573
- megavoltage, cavity ionization chambers 5=2502
- photomultipliers sensitivity 5=12855
- quantometer, single crystal 5=11001
- review, comparative 5=5317
- semiconductor pulse detectors, 30-600 keV 5=5318
- Si p—n junction radiation detector, steady-state response, photovoltaic operation 5=5315

X-ray microscopes. See Microscopes.

X-ray monochromators.
- separation of coherent and incoherent Compton scattering 5=359
- total reflection, no intensity loss 5=5132

X-ray reflection
- Bijvoet differences, probability distrib. 5=1336
- quartz, bent crystals 5=9318
- surfaces, double beam near critical angle 5=12030
- total, meas. method 5=5131
- Ge dendrite, total, meas. 5=5131

X-ray scattering
- See also Compton effect; X-ray diffraction.
- amorphous materials, Compton component elimination 5=9256
- atoms, and ions, 208, calc. tables 5=6425
- collimation distortion elimination 5=5133
- crystals, γ-irradiated 5=3798
- cylinders of arbitrary cross-sect., small-angle 5=14222
- disordered alloys, atomic displacement from diffuse scatt. 5=1259
- ellipsoids, triaxial 5=8191
- gases, liquids, amorphous solids, intensity rel. to duration of coherent radiation 5=2366
- ions and atoms, 208, calc. tables 5=6425
- liquids, second approx. 5=1170
- metal crystals, exchange correction, calc. 5=6424
- photon—photon, flashbulb expt. 5=10980
- polystyrene in cyclohexane, critical opalescence 5=6182
- separation of coherent and incoherent Compton scattering 5=359
- solids, Compton scatt. by electrons, Stokes shift calc. 5=1230
- thermal scattering factor for metals 5=15002
- thread-like molecules 5=8907-8
- Al powder in Ar, up to 900°C, anomalous above 396°K 5=3695
- Fe(50 at %) —Ni (25 at %) —Al (25 at %), diffuse, calc. from decomposition zones 5=12204
- Fe—W, size effect, meas. versus calc. 5=1244
- Ge, absolute factors 5=13071
- KCl—KBr diffuse scatt., size effect 5=9349
- Pb, solid near melting temp., pair correlations 5=3437
- Si, absolute factors 5=13071

X-ray spectra
- See also Atmospheric spectra; Chemical analysis/X-ray.
- alkali-halide phosphors, luminesc., effect of F-band illum. 5=15590
- atoms, characteristic intensities, rel. to finite nucleus size 5=14586
- auroral zone, balloon obs., high time resolution studies 5=13389
- electron beam prod. data, collection 5=2894
- elements, yield for $K\alpha$ and $L\alpha$ lines 5=13079
- muonic, elec.—quadrupole hyperfine effects 5=14625
- Sun events, review of recent U.K. studies 5=13760
- Sun, flare burst classification 5=13759
- sun, and ionosphere, review 5=15873
- Sun, soft, meas. methods 5=13758
- Al, rel. to collective and individual behaviour of electron gas 5=6818

X-ray spectra—contd
- Al, and X-unit meas. 5=14223
- Al, K, valence and coordination effects 5=4313
- $Ca^{40,44}$ mesic atoms, isotope effects 5=932
- Ce cpds, L_{III} 5=7345
- Cr in refractory cpds., electron structure det. 5=15231
- GaAs, reflection, rel. to ionicity search 5=11960
- La cpds, L_{III} 5=7345
- Mg, rel. to collective and individual behaviour of electron gas 5=6818
- Mg, K α, β satellites, classification 5=5764
- Mg, K, valence and coordination effects 5=4313
- Mo, plastically deformed, reflection changes 5=13062
- Ne, KLL Auger spectrum 5=5791
- Pt, isochromats, and electron state density 5=7354
- Si, K, valence and coordination effects 5=4313
- Sn—SnO_2 K-series chemical shift 5=15575
- Th, L-spectrum, forbidden transitions, meas. 5=911
- Y oxide and hexaboride, L_{III} absorption rel. to band structure 5=7370
- Z up to 20, L_I—L_{II}, screening doublet sep., field theoretical corrections 5=2894
- $73 < Z < 92$, Coster—Kronig $L_I \rightarrow L_{III}$ transition 5=13077
- **absorption**
  - measurement, automated system, programme 5=5130
  - methane, photoionization absorpt., 23.6-250Ǎ 5=8743
  - methylal, photoionization absorpt., 23.6-250Ǎ 5=8743
  - mylar 5=9890
  - propylene 5=9890
  - teflon 5=9890
  - Al, and mass coeffs. 5=9890
  - Be, and mass coeffs. 5=9890
  - C, and mass coeffs. 5=9890
  - F, and mass coeffs. 5=9890
  - Ga crystal, polarized and unpolarized 5=7336
  - Ga, K edge, fine struct. meas. 5=13048
  - Ga crystal, X-ray absorpt., polarized and unpolarized 5=7336
  - He, photoionization absorpt., 23.6-250Ǎ 5=8743
  - Kr, photoionization absorpt., 23.6-250Ǎ 5=8743
  - La in tetra- and hexa-borides with lattice defects, L-edge 5=4312
  - NiO(II), rel. electron to energy levels calc. 5=3920
  - O, and mass coeffs. 5=9890
  - Si, anomalous and mean coeffs., agreement with calc. 5=4321
  - Xe, photoionization absorpt., 23.6-250Ǎ 5=8743
  - Xe, L absorpt. spectra, meas. 5=11449
- **emission**
  - by fission products bombardment, calc. 5=15531
  - L, 8 metals and oxides 5=4280
  - metals and alloys .5=4279
  - Ag, characteristic emission intensity calc. 5=9916
  - Al, characteristic emission intensity calc. 5=9916
  - Al, plasmon satellite bands intensity theory 5=1830
  - Al, proton channeling effect 5=9892
  - AlK, high energy α-satellites 5=9891
  - Al K series, diagram, nondiagram lines, versus Al_2O_3 5=13032
  - Al_2O_3 K series, diagram, nondiagram lines, versus Al 5=13032
  - B, characteristic emission intensity calc. 5=9916
  - Be, characteristic emission intensity calc. 5=9916
  - C, characteristic emission intensity calc. 5=9916
  - C, K source for instrument calibration 5=13040
  - Cr, characteristic emission intensity calc. 5=9916
  - Cu, characteristic emission intensity calc. 5=9916
  - Cu, proton channeling effects 5=9892
  - Ge^{71} K-capture, gallium satellites intensity meas. 5=5578
  - Ir, isochromats, and electron state density 5=7354
  - Mg, plasmon satellite bands intensity theory 5=1830
  - Na, plasmon satellite bands intensity theory 5=1830
  - Pd, isochromats, and electron state density 5=7354
  - Pt, isochromats, and electron state density 5=7354
  - Rh, isochromats, and electron state density 5=7354
  - Ti in $TiO_{0\cdot85-1\cdot20}$, K_β bands 5=9923
  - W, $L\alpha$ intensity, by electron impact 5=8768

X-ray spectrometers
- See also Gamma-ray spectrometers; X-ray crystallography/apparatus.
- maximum intensity setting, by CdS photoemission 5=5128
- three-crystal 5=1350
- ultra-soft 5=5127

X-ray spectrometers—contd
  and C source of K radn. for calibration 5=13040
X-ray spectroscopy
  See also X-ray crystallography; X-ray diffraction.
  and crystal structure, progress review 5=1355
  diffraction gratings, 2 NPL systems 5=360
  emission, var. of line posn. with temp. 5=5129
  Fermi edge, convolution broadening 5=3923
  fluorescence, appl. to structure of amorphous silicoaluminas 5=1287
  polycrystalline analysing graphite crystal 5=5125
  ultra-soft, grating blaze angle effects 5=5126
X-ray tubes
  demountable, appl. in crystallog. and chem. analysis 5=4426
  field emission techniques, semipop. review 5=4128
  fine focus, high intensity, medium energy X-ray source 5=8189
  γ-excited 5=358
  hard component, pulsed 5=5124
  proton bombard., soft 5=5123
  sharp focused with end window radiation outlet 5=10748
  sharp focused with higher power output 5=10747
  X-ray flashes obtained using portable sets 5=10746
  Be window, vacuum-tight, demountable, bakeable, mechanically sealed 5=5134
  Hg vapour target X-ray tube, design 5=2364
X-rays
  See also Gamma-rays.
  astronomical, by electron bremsstrahlung in mag. fields 5=10159
  astronomical, sources 5=7622
  astronomical sources in Scorpius and Sagittarius, rocket obs. 5=10160
  astronomical sources search 5=7623
  auroral bremsstrahlung and atmospheric ionization 5=4482
  collimator for astronomy 5=10123
  cosmic sources 5=13684
  cosmic,sources 5=15780
  and cosmology, steady-state, from background 5=10113
  Jupiter, flux upper limit, rocket obs. 5=10169
  neutron star source 5=10130
  plasma pulsed discharge prodn. 5=5994
  production in interplanetary space 5=15869
  production by proton bombard., soft 5=5123
  production in thick targets by electrons, calc. 5=8190
  from pulsed powerful discharges, calc. 5=14685
  from Sun, below 10 Å, obs. and theory 5=13762
  from sun flares, caused by inverse Compton effect? 5=4678
  from Sun, obs. by photographic emulsions 5=13763
  from Sun, 44-60 A, satellite obs. 5=1982
  supernovae type I 5=4589
  telescope, aplanatic 5=13701
  telescope, grazing incidence 5=1964
  vision 5=349
  Sb_2S_3, photosensitivity to X-rays 5=15399
  W $K\alpha_1$, wavelength standard 5=8188
 effects
  See also Nuclear reactions due to photons.
  alkali halides, defect generation, multiple ionization role 5=6607
  N-alkylureas, e.s.r. spectra and chem. decomp. 5=4413
  dimethylgloxime, radical prod., e. s. r. obs. 5=3077
  L-cystine dihydrochloride, paramag. absorpt. at low temps. 5=4171
  pentaerythintol crystals, 45 kV, breaking into mosaic 5=3770
  π° prod., 235-435 MeV, polarized X 5=592
  quartz, etching 5=1476
  ruby, induced fluorescence 5=7398
  H_2O and N_2O frozen solns. of NaOH, KOH, H_2SO_4, H and solvated e prod. e. s. r. obs. 5=4417
  KBr, zone-refined, colour centre generation 5=6647
  KCl, defect prod., F-centre X-ray colourability method meas. 5=15085
  KCl, zone-refined, colour centre generation 5=6647
  KCl: Pb[Sr], elec. cond. 5=9704
  LiFmcolour centre prod., 5000A 5=15116
  NaCl, formation of dislocations 5=12396
  NaCl, luminescence 5=7401

X-rays—contd
 effects—contd
  NaCl, Cu doped, on luminesc. and electron emission 5=9962
  Na_2O—3 SiO_2 glasses, colour centres 5=6646
  $Na_2S_2O_3 . 5H_2O$, e.s.r. 5=7254
X-rays. Protection. See Radiation protection.
Xenon
  absorption spectrum, 180 to 190 Å, new 5=5775
  arc discharge, double cathode 5=3117
  arcs, electric, output stability 5=8934
  atoms, $(5p^5 6S)^1P_1$ and $^3P_1$ states, lifetimes 5=5788
  crystalline, density 5=15194
  diffusion in UO_2 5=12340
  electronic conduction, anomalous 5=3271
  electronic partition functions, at high temp. 5=11803
  flash lamps, series triggering 5=11651
  gas, ionized, stagnation-point heat transfer theory 5=11807
  ions, recombination, empirical regularities 5=14693
  ions, Xe^{2+}—Xe one and two-electron capture meas. 5=1052
  laser action, u. v. 5=14156
  laser, arc excited by nuclear heat, calc. 5=14148
  laser, pulsed-c. w. orange through blue-green transitions 5=5006
  laser radiations in visible region 5=5005
  liquid, density, surface tension and corresponding states theory 5=9094
  Nuclear magnetic resonance, chemical shift, in gaseous state 5=2918
  in ocean deeps, and supersaturation 5=13227
  plasma, electron density and temp. determ. 5=11682
  plasma, resistivity 5=11688
  Renazzo chondrite, isotopic composition 5=15857
  shock hugoniots 5=13922
  shock ionized, equilib. props. 5=3132
  solid, vibr. props, intermol. potential parameters calc. 5=12272
  solid, Xe^{129} n.m.r. 5=7288
  spectra, L absorpt., meas. 5=11449
  vapour press., 77-180°K, review 5=9181
  Xe^{133} ion penetration in Au, < 100 > direction, 40 keV 5=6660
  Xe I lines in vac. u.v. 5=11439
Xenon compounds
  Xe (II) F, bond lengths, in solid and gas 5=11519
  XeF_2—XeF_4, crystal struct., atomic 5=6493
  XeF_6, pure, prep. and melting point 5=6213
Xerography. See Photography.

Yield. See Elastic limit; Plastic deformation; Plastic flow.
Young's modulus. See Elastic constants.
Ytterbium
  n. m. r., anisotropic Knight shift 5=13008
  Yb^{3+} e.s.r. in ThO_2 5=7262
Ytterbium compounds
  gallate garnet, Yb^{3+} ion magnetization laws meas. 5=7162
  Yb^{3+} chelates, crystal-field splitting 5=6243
  Yb_2O_3, Yb^{171} Mössbauer effect 5=11977
Yttrium
  abundance in solar system rel. to stellar neutron fluxes 5=15824
  atoms, automatic analyses of spectra 5=2910
  surface reaction with Cl 5=1905
Yttrium compounds
  Y ferrites, Fe^{2+} impurities effect on ferromag. reson. 5=1783
  Y oxide and hexaboride, X-ray L_{III} absorption spectrum rel. to band structure 5=7370
  $Y_{3-x}A_x Fe_5O_{12}$, ferrimag. resonance, A is rare earth metal 5=4229
  YAl garnet, Eu^{3+} absorption spectrum and crystal field 5=1226
  YAl garnet, Eu^{3+} and Tb^{3+}, energy levels and crystal-field calc. 5=1225
  YAl garnet, Nd^{3+} energy levels and crystal-field calc. 5=1228
  Y—Ce, elec. resistance maxima and minima 5=1617
  YCl_3, Er^{3+} energy levels, spectra meas. method 5=13046
  YCo_5, crystal growth 5=14981
  YF ground state, absorption singlet 5=962
  YFe garnet, Curie temp., high press. effects 5=7283

- **Yttrium compounds**—contd
  - YFe garnet, face morphology 5=6345
  - YFe garnet, ferrimagnetic reson., Yb impurity effects 5=7203
  - YFe garnet, ferromag. relaxation, surface dependence 5=7199
  - YFe garnet, ferromag. reson. 5=15482
  - YFe garnet, ferromag. reson., cavity wall effects 5=9829
  - YFe garnet, ferromag. reson., magnetostatic mode echo 5=12964
  - YFe garnet, ferromag. reson., Co^{2+} and Ge^{4+} substitution for Fe^{3+} effects 5=12965
  - YFe garnet, i. r. refr. index meas. 5=15580
  - YFe garnet, ionic self-diffusion of O 5=6597
  - YFe garnet, mag. and crystallog. data rel. to divalent Co substitution 5=4213
  - Y–Fe garnets, magnetoelastic pulses prod. 5=7174
  - YFe garnet, magnetoelastic waves, polarization reversal at rod end 5=9579
  - YFe garnet, magnetostatic-mode relax., 2-magnon contrib. 5=4227
  - YFe garnet, resonating, microwave emission by mag. pulsing 5=7371
  - YFe garnet spheres, acoustic props., Mn^{3+}, Si impurity effects 5=12279
  - YFe garnet, spin—wave mode lifetimes, rare-earth impurity effects 5=7198
  - YFe garnets, square hysteresis loops 5=1763
  - YFe garnet, thermal expansion, contribution of Fe^{2+} ions 5=6566
  - YFe garnet, vapour growth 5=6388
  - $YFeO_3$, absorption spectrum 5=15579
  - Y_5Ga_3, lattice consts. 5=1387
  - YIG sphere orientation for min. temp. depend. of reson. 5=10528
  - $YMnO_3$-type crystals, ordered mag. structs. 5=15429
  - YNi, crystal struct., atomic 5=6494
  - Y_2O_3 5=1427
  - Y_2O_3, conductivity, ionic and semicond., temp. and O_2 press. var 5=9670
  - Y_2O_3:Eu, fluorescence props. 5=13112
  - YVO_4: Eu phosphor, rel. to colour TV 5=4365
- **Yukawa potential.** See Field theory, quantum/meson field; Nuclear forces; scattering.

- **Zeeman effect**
  - alkali atoms, Zeeman-level degeneracy removal by elec. field 5=8744
  - atoms, electron excited, coherent precession 5=11451
  - formaldehyde, and mol. moments and mag. suscepts. 5=11568
  - n. q. r., teaching demonstrations 5=4704
  - population var. on optical pumping, e.s.r. obs. 5=7361
  - rare earth ions in crystal field, theory 5=9887
  - ruby laser, rel. to appd. mag. fld. 5=5018
  - ruby, population var. on optical pumping, e.s.r. obs. 5=7361
  - AlH, $^1\pi$-$X^1\Sigma^+$ system O, O band 5=14636
  - BaF_2—Sm^{2+} crystals, rel. to f—d transition 5=7321
  - $CoCs_3Cl_5$, and anisotropy, meas. 5=13045
  - $CoCs_3Cl_5$, axial absorpt. spectrum 5=2996
  - CaF_2:Dy^{2+}, $^5I_7$—$^5I_8$ transition 5=13109
  - CaF_2—Sm^{2+} crystals, rel. to f—d transition 5=7321
  - Ce^{3+} in CaF_2, measurement 5=13042
  - Cl^{35} in dichloropyridine, n.q.r. 5=7291
  - $CoCs_3Cl_5$, axial absorpt. spectrum at 17 308 cm^{-1} 5=2996
  - and Cr^{3+} e. s. r. in Al_2O_3, h. f. s. Orbach relax. 5=9840
  - Cs, optically aligned, e.s.r. 5=5751
  - Er ethylsulphate, anisotropic 5=9926
  - Er^{3+} in YCl_3, rel. to energy levels, meas. 5=13046
  - He^3 nuclear laser 5=275
  - MnF_2, antiferromag. cryst. 5=7350
  - $Na^{23}F^9$, hyperfine structure 5=11545
  - $Rb^{85,87}$, optically aligned, e.s.r. 5=5751
  - SrF_2—Sm^{2+} crystals, rel. to f—d transition 5=7321
  - V corundum, effect on absorption spectrum at 1.2°, 4.2° and 20°K, meas. 5=1855
- **Zener diodes.** See Semiconducting devices/diodes.
- **Zener effect.** See Semiconducting materials; semiconductors.
- **Zeta-potential.** See Electrokinetic effects.
- **Zinc**
  - compressibility, versus NaCl 5=12487
  - cracking during thermal cycling, effect of impurities 5=15196
  - creep, rel. to programmed hardening and thermal cycling 5=12561
  - creep, stress var., thermal activation 5=9581
  - crystal dislocations 5=9480
  - cyclotron resonance, up to 10 kG and 3.6 × 10^{10} c/s 5=1595
  - de Haas—van Alphen effect 5=9767
  - diffusion in GaAs from gaseous phase 5=6585
  - diffusion in InSb 5=3717
  - dislocation, etching, on cleavage face 5=12406
  - elastic fatigue, S/N curves in reversed shear 5=9580
  - electron induced light radn., and energy loss calc. 5=13035
  - electron and ion emission, laser prod., var. background gas press. 5=12845
  - electron scatt. by stacking faults, calc. 5=15226
  - electronic structure, open orbits, Fermi surface, u. s. absorption study 5=3900
  - Fermi surface "needles", g factor 5=3925
  - fracture stress, orientation angle and crystal diameter var. 5=15195
  - grain boundary motion 5=3772
  - growth of single crystals, effect of growth rate and Cd 5=14982
  - internal friction rel. to temp. 5=12562
  - isotope diffusion, 400°-500°C 5=6588
  - Landé factor meas. for 4^3P_1 level 5=11450
  - mechanical hysteresis losses at points of discrete contact 5=1543
  - plastic behaviour, initial 5=12559
  - plastic deformation characs. of single crystals, acid treatment effects 5=12560
  - plastic flow, rate var., 293-377°K 5=9582
  - pressure, effect on elec. resistance and lattice parameters 5=9624
  - recrystallization, secondary, surface-energy induced 5=9288
  - single crystals, irrad. effect on deform. 5=1552
  - static creep var. in wires due to vibrs. 5=6772
  - superconducting energy gap anisotropy, mm studies 5=3989
  - tensile strength, contact liquid Hg or Ga, effects 5=6770
  - in III—V semicond. cpds., junction depth of conc.-depend. diffusion 5=3708
  - twin boundaries, incoherent, formation and behaviour 5=1295
  - Twinning, interaction of dislocations and hardening 5=3763
  - ultrasonic resonance absorption, by open-orbit electrons 5=3900
  - vacancy diffusion along edge disloc. during plastic deform. 5=6771
  - vapour deposition, on Pyrex, at low supersaturation 5=1278
  - whiskers, press. effects, and Fermi surface connectivity 5=12615
  - work hardening curve, rel. to melting temp. 5=6733
  - X-ray transmission, thermal vibrations, effect 5=12295
- **Zinc compounds**
  - sphalerite structure, grain boundaries 5=6413
  - wurtzite, magneto-optical effects 5=7372
  - N-ZnSe–(In–Ga), injection electroluminescence, prod. and props 5=7402
  - Zn alloys, supercond. transition temp., rel. to electron conc. and m. f. p. 5=1637
  - Zn solid solns., lattice parameters 5=1398
  - Zn spinels, Al^{27} n. m. r. 5=15517
  - $ZnAl_2O_4$ spinel, synthetic, e. s. r. of Cr^{3+} and Fe^{3+} 5=15492
  - Zn_3As_2—Cd_3As_2, solid soln. series 5=1257
  - $ZnCO_3$ (smithsonite), e. s. r. of Mn^{2+}, allowed and forbidden transitions 5=9844
  - Zn—Cd, deformed at 90 to 573°K, work hardening parameters var. with temp., conc. 5=3885
  - Zn—Cd, evaporation, temp. var. 5=11952
  - Zn_xCd_{1-x} Te p—n junctions, electroluminescence, visible 5=4366
  - n-Zn_xCd_{1-x} Te, self-compensation-limited, conductivity 5=9689
  - ZnCdS, trap depths 5=9991
  - ZnCdS—Mn—In, X-irrad., i. r. effect on luminesc. 5=9990
  - ZnF_2, optic modes, transverse and longitudinal 5=4314

Zinc compounds—contd
    $ZnF_2 \cdot 4H_2O$, crystal lattice structure 5=15023
    $[Zn(N_2H_4)_2(NCS)_2]$, crystal atomic structure 5=12241
    $(Zn, Ni)SiF_6 \cdot 6H_2O$, weak exchange interactions by e. s. r. 5=15508
    ZnO, adsorbent surface, differential isotopic investig. 5=1284
    ZnO, charging, in electrophotography 5=2357
    ZnO, chemisorption of H 5=15623
    ZnO, chemisorption of O_2, at low temps. 5=13167
    ZnO, crystals, optical and elec. props. 5=1856
    ZnO, elec. cond., O_2 adsorption effect, high freq. versus d. c. 5=3525
    ZnO film, elec. conduct., tempering effects 5=12754
    ZnO, grinding effects, lattice structure 5=6773
    ZnO powder, heat treated, absorption, luminescence spectra, free Zn effects 5=15581
    $ZnO—CO_2$ system, thermodynamics of adsorption 5=13162
    $Zn_3[PO_4]_2 \cdot 4H_2O$, crystal structure, new 5=12240
    $\alpha—Zn_3(PO_4)_2$, crystal atomic structure 5=12243
    $Zn_4O(BO_2)_6$:Ga, In, Tl, luminescence 5=9965
    ZnP_2, tetrag, modification, crystal structure 5=9360
    ZnS_xSe_{1-x}, luminesc., nearest-neighbour splitting 5=9988
    ZnSb, diffusion of impurities 5=9420
    ZnSe films, crystal structure 5=12239
    ZnSe fluorescent emission 5=13105
    ZnSe, photoconductivity and lattice parameters 5=12836
    ZnSe, refractive index rel. to optical wavelength 5=1857
    ZnSe, unactivated, luminesc. 5=15604
    ZnSe, Cu and Al diffusion, rel. to Zn vacancies 5=6598
    $ZnSeO_3 \cdot 2H_2O$, crystal structure 5=1399
    ZnSe—ZnTe, n- and p-type, synthesis and transport props. rel. to temp. and composition 5=6950
    $Zn_2SiO_4—Fe_2SiO_4$ solid soln., equilib. diagram 5=9213
    $ZnSnAs_2$, single crysts., prep. and semicond. props. 5=9690
    $ZnSnAs_2$, thermal conductivity 5=12309
    p—$ZnSnAs_2$, thermo-e. m. f. and transverse Nernst—Ettingshausen effect 5=12814
    ZnTe, electroluminescence 5=7407
    ZnTe fluorescent emission 5=13105
    ZnTe, n-type prep., elec. resistance 5=15347
    ZnTe, phase diagram 5=14940
    ZnTe—HgTe solid solutions, continuous series, composition, elec. and mechanical props. 5=3443
    $ZnWO_4$, Czochralski growth, Rh impurities from crucibles analysis 5=14983
    $ZnWO_4$ single crystals, optical props. 5=1879
    $ZnWO_4:Cr^{3+}$, spin-lattice relax. 5=1794
  zinc sulphide
    acoustoelectric transient saturation effects 5=6949
    constitution of Cu luminogene centres 5=9966
    crystal imperfections, field inhomogeneities between different forms 5=15105
    dielectric and photodiel. props. of powdered phosphors 5=12755
    double injection, in single cryst. 5=4041
    electroluminesc. characs., time var. Cu reprecipitation effect 5=13129
    electroluminescence 5=9982
    electroluminescence, activated with Mn, temp. and field depend. 5=1877
    electroluminescence at liq. He temps. 5=9979
    electroluminescence, in 300kG mag. field 5=9985
    electroluminescent brightness waves 5=9983
    electroluminescent film condensers 5=1888
    films, dielectric props., thickness var. 5=15378
    films, electroluminesc. and electron emission 5=9973
    luminescence band temp. depend. 5=9975
    luminescence and conductivity, effect of elec. fields 5=7405
    luminescence, elementary processes 5=9968
    luminescence, fast neutron effects 5=9976
    luminescence, heat treatment effects on films 5=12057
    luminescence, 1.3-2.3μ, energy level structure 5=15592
    luminescence, Pb and Sn activated, long-wavelength emission 5=1876
    luminescence precipitated 5=9970
    luminescence and press. pulses, shapes meas., Mn and Cu activated 5=7403
    luminescence, review 5=7404
    luminescence, self-activated centre 5=9972

Zinc compounds—contd
  zinc sulphide
    luminescence, unfired, after-treatment effect 5=9971
    new polytype 5=12242
    nuclear reson. absorpt. and luminesc. of Fe^{57} 5=9969
    optical properties,various 5=9924
    optical props and band structure 5=13081
    phase transform., temp. var. with excess Zn 5=12021
    phosphors, e.p.r. 5=15509
    powder, ball milling effect on electroluminesc. 5=9974
    preparation and stoichiometry 5=9209
    single crystals, darkening by light 5=10021
    spectra, diffuse reflection, rel. to crystalline modifications 5=1858
    transducers, vapour-deposited thin-film 5=13939
    wurtzite—sphalerite transform., defect and domain struct. interpretation 5=6620
    Ag, centre,spectra, luminescence, e. s. r. 5=9425
    Cu diffusion, rel. to Al impurity 5=6598
    ZnS: Ag, Cu, Au, orange centres 5=4368
    ZnS–CdS, light centres and point defects 5=9496
    ZnS—CdS: Cu, lumines. centres; reversible transforms 5=9989
    ZnS : Cl, blue luminescence centre, self-activated 5=1875
    ZnS:Cu. Al, electroluminesc. temp. depend. 5=4367
    ZnS: Cu, mechanism of electroluminesc. 5=9984
    ZnS: Cu phosphor, electroluminesc. rise 5=7406
    ZnS—Cu, photoluminescence quenching 5=15605
    ZnS: Cu, quenched, electroluminesc. 5=9986
    ZnS: Cu, quenched, luminesc. 5=9977
    ZnS: Cu or Mn electroluminesc., temp. var. 5=9981
    $ZnS: Fe^{3+}$, second harmonic generation 5=4330
    ZnS(Mn) films with Cu-rich layer, d.c. electroluminesc. 5=9980
    ZnS: Mn powders, electroluminesc. props. 5=9978
    ZnS-s, unfired, luminesc. and activation 5=9967
    $ZnS : Tb^{3+}$ as fluorescence recombination centre 5=1878

Zirconium
    abundance in solar system rel. to stellar neutron fluxes 5=15824
    atoms, K-ionization by negatons and positons, absolute cross-sections, 240-1440 keV 5=1068
    deformation modes, slip planes identification 5=12504
    deformed, stage I recovery 5=12563
    diffusion and precipitation of He 5=15082
    mag. susceptibility, electronic sp. ht. calc. 5=4170
    optical consts., 2. 5-20μ room temp. meas 5=7369
    oxidation, single and polycrystalline, and grain structure 5=15618
    preparation for microscope exam. 5=6420
    solubility, terminal, of H, effect of O 5=14919
    thermal expansion up to 2000°C 5=6564
    CO photodesorption 5=9251
    α-Zr, H solubility, terminal 5=14918
    α–Zr, O_2 diffusion, kinetics and mechanism 5=12343

Zirconium compounds
    zircaloy–Al, interdiffusion 5=9419
    zircaloy-2, brittleness and corrosion in steam, H uptake 5=9583
    Zircaloy-2, creep, activation energies 5=15197
    Zircaloy-2, ductility, rel. to H-content 5=12564
    zirconia, conference, Ohio, 1962 5=11956
    zirconia, zero porosity, monoclinic, eleastic consts 5=12565
    Zr alloys mag. susceptibility, electronic sp. ht. calc. 5=4170
    Zr carbide, hot. pressed, mech. props. to 2600°C 5=3886
    Zr diffused with Cr, Fe, Ni, Cu, Mo, phase transforms, intermediate 5=12023
    Zr–Al, interdiffusion 5=9419
    ZrC cathode, evaporation rate determ., 2300°—2500°K 5=3411
    ZrC, thermal expansion at high temps. 5=6558
    ZrC, thermal expansion to 200°C 5=9396
    $ZrCl_3$, crystal structure 5=3652
    $ZrCr_2$, polymorphism 5=12024
    ZrF_2, vibration amplitudes 5=5856
    Zr—H alloys, with O impurity, precipitation strengthening 5=3887
    Zr—H crystal twinning, nucleation shear stress 5=15099
    ZrNb(1 and 2. 5), brittleness and corrosion in steam, H uptake 5=9583

Zirconium compounds — contd
  Zr—Nb, phase transform., ω 5=12025
  ZrO_2 crucibles, electron bombard. heating for Be, Cu, Au vaporization 5=1994
  ZrO_2, effect of γ-ray irrad. on elec. cond. 5=12756
  ZrO_2, elec. props. and defect structure 5=15346
  ZrO_2, metal addition effect on microstruct. 5=12156
  ZrO_2, phase transforms, elec. cond. obs. 5=12022
  ZrO_2, tetragonal, lattice constants and thermal expansion 5=12301
  ZrO_2, vacancy—pair interaction 5=12363
  ZrO_2, zirconia, i. r. absorption 5=13082
  ZrO_2—$CaZrO_3$ system, elec. cond. 5=4081
  ZrO_2: Cu_2O, crystal structure, semiconducting 5=12244
  ZrP_2O_7, polymorph, high pressure prod., structure 5=6315
Zodiacal light
  axis, photometric, photoelectric obs. 5=15871
  brightness, polarization plane, 5300 A, and interplanetary matter 5=7650
  isophotes, from obs. in Egypt, 1957 5=4649
Zodiacal light—contd
  photometry, absolute 5=15870
  polarization and interplanetary matter meas. 5=4650
Zonal heating. See Atmosphere/thermodynamics.
Zone melting and refining
  impurity conc. distrib. calc. 5=12087
  linear gradient of solute conc. production 5=12089
  liquid zone migration rate through solid, vapour exchange effect 5=6356
  Mullins–Sekerka criterion, stability calc. 5=6354
  organic cpds. with m. f. below room temp., apparatus description 5=6357
  power stabilizer 5=10429
  Al purification, effect of P, F and I 5=3552
  Al, very high purity 5=14969
  CaF_2 crystal growth, by zone melting 5=12106
  $CaWO_4$:Nd^{3+}, floating zone recrystallization 5=6368
  KBr 5=6647
  KCl 5=6647
Zone plates. See Diffraction/light.
Zoology
  No entries

LIST OF SUBJECT INDEX HEADINGS

The headings used in the Alphabetical Index are listed below. The headings are grouped into sections on the same basis as the arrangement of the abstracts in the monthly issues of Physics Abstracts. Each section lists the headings which concern its subject and it follows that many of the headings are listed in several places.

An introduction to the Subject Index will be found on page S1.

GENERAL

- Bibliographies
- Biographies
- Books
- Collections of physical data
- Conferences
- History
- Laboratories
- Laboratory apparatus and technique
- Nomenclature and symbols
- Physics
- Physics fundamentals
- Recording
- Reviews

EDUCATION

- Biographies
- Books
- History
- Laboratories
- Laboratory apparatus and technique
- Physics
- Physics fundamentals
- Reviews
- Teaching
    - demonstrations

UNITS · MEASUREMENT · METROLOGY

- Acceleration measurement
- Alignment
- Altimeters
- Anemometers
- Angle measurement
- Angular velocity measurement
- Area measurement
- Balances
- Constants
- Density measurement
- Dimensions
- Force measurement
- Instruments
- Interferometry
- Length measurement
- Manometers
- Measurement
    - errors
- Mechanical measurement
- Micrometry
- Nomenclature and symbols
- Particle size
- Pressure measurement
- Recording
- Standards
- Strain gauges
- Stroboscopes
- Surface measurement
- Thickness measurement
- Time interval measurement
- Time measurement
- Units
- Vapour pressure measurement
- Velocity measurement
- Volume measurement

MATHEMATICAL PHYSICS

- Algebra
- Differential equations
- Equations
- Field theory, classical
- Fluctuations
- Fourier analysis
- Functions
- Geometry
- Group theory
- Hysteresis
- Information theory
- Integral equations
- Integrals
- Mathematics
- Matrices
- Probability
- Radiation
- Relaxation
- Series
- Statistical analysis
    - applications
- Tensors
- Transformations, mathematical
- Vectors
- Waves

MATHEMATICAL METHODS COMPUTATION

- Calculating apparatus
    - analogue apparatus
    - digital computers
    - digital computer programmes
- Calculation
- Graphs
- Nomograms
- Sliderules
- Statistical analysis
    - applications
- Tables, mathematical

MECHANICS

- Ballistics
- Centrifuges
- Dynamics
- Friction
- Gravitation
- Gyroscopes
- Impact
- Kinematics
- Mechanics
- Pendulums
- Pressure
- Rockets
- Rotating bodies
- Torsion
- Velocity

Elasticity · Plasticity

- Bending
- Damping
- Deformation
- Elastic deformation
- Elasticity
- Photoelasticity
- Plastic deformation
- Plasticity
- Relaxation
- Rheology
- Stress analysis
- Stresses, internal
- Thermoelasticity
- Viscoelasticity

GRAVITATION · RELATIVITY

- Gravitation
- Relativity
    - general
    - special
    - unified field theories

STATISTICAL PHYSICS

- Bosons
- Brownian movement
- Fermions
- Fluctuations
- Hysteresis
- Information theory
- Probability
- Quantum theory
    - many-particle systems
- Random processes
- Relaxation
- Statistical analysis
    - applications
- Statistical mechanics
- Thermodynamics

Thermodynamics

- Entropy
    - properties of substances
- Equations of state
    - gases
    - liquids
    - solids
- Joule–Thomson effect
- Thermodynamic properties
- Thermodynamics
    - applications

TRANSPORT PROCESSES

- Diffusion
- Radiation
- Radiative transfer
- Transport processes

VIBRATIONS · WAVES · ACOUSTICS

- Oscillations
- Vibrations
- Waves

VIBRATIONS · ELASTIC WAVES

- Damping
- Elastic waves
- Membranes
- Oscillations
- Piezoelectric oscillations
- Relaxation
- Resonators
- Seismic waves
- Shock waves
  - effects
- Vibrating bodies
- Vibrations
  - excitation
  - measurement
- Waves

SHOCK WAVES

- Detonation
- Explosions
  - nuclear
- Schlieren systems
- Shock tubes
- Shock waves
  - effects
- Supersonic flow

ACOUSTICS

- Absorption
  - acoustic waves
  - acoustic waves, ultrasonic
- Acoustic analysis
- Acoustic generators
- Acoustic impedance
- Acoustic measurement
- Acoustic radiators
- Acoustic receivers
- Acoustic resonators
- Acoustic streaming
- Acoustic transducers
- Acoustic wave propagation
  - ultrasonic
- Acoustic waves
  - effects
- Acoustical laboratories
- Acoustics
  - musical
- Acoustoelectric effects
- Atmospheric acoustics
- Architectural acoustics
- Diffraction
  - acoustic waves
  - acoustic waves, ultrasonic
- Diffusion
  - acoustic waves
- Dispersion, acoustic
  - ultrasonic
- Doppler effect
- Echo
- Helium
  - liquid, sound propagation
- Intensity measurement
  - acoustics
- Interference
  - acoustic waves
- Interferometers
  - acoustic waves
- Interferometry
  - acoustic waves
- Magnetoacoustic effects
- Microphones
- Musical instruments
- Noise
  - acoustic
- Noise abatement
- Physical effects of radiations
- Radiation pressure
- Reflection
  - acoustic waves
  - acoustic waves, ultrasor
- Refraction
  - acoustic waves
  - acoustic waves, ultrasor
- Reverberation
- Scattering
  - acoustic waves
  - acoustic waves, ultrasor
- Schlieren systems
- Sound ranging
- Sound recording
- Sound reproduction
- Speech
- Stroboscopes
- Transmission
  - acoustic waves
  - acoustic waves, ultrason
- Ultrasonics
- Velocity
  - acoustic waves
  - acoustic waves, ultrason
- Velocity measurement
  - acoustic waves
  - acoustic waves, ultrason

Hearing · Speech

- Ear
- Hearing
- Noise
  - acoustic
- Speech

HEAT

- Bolometers
- Calorimeters
- Calorimetry
- Combustion
- Conductivity, thermal
- Convection
- Cooling
- Cryostats
- Emissivity
- Flames
- Heat
- Heat conduction
- Heat transfer
- Heat treatment
- Heating
- High-temperature production and effects
- Latent heat
- Pyrometers
- Radiation
  - heat
- Radiation detectors
- Radiation pressure
- Radiative transfer
- Specific heat
- Temperature
- Temperature distribution
- Temperature measurement
  - spectral methods
- Thermal expansion
- Thermal measurement
- Thermocouples
- Thermometers
  - resistance
- Thermostats

LOW-TEMPERATURE PHYSICS

- Cryostats
- Joule—Thomson effect
- Liquefaction, gases
- Low-temperature phenomena
- Low-temperature production
- Low-temperature technique
- Magnetic cooling
- Quantum theory
  - many-particle systems

Liquid and Solid Helium

- Helium
  - liquid
  - liquid, sound propagation
  - solid
- Superfluidity

ELECTRICITY AND MAGNETISM

- Electricity
- Electromagnetism
- Magnetism

ELECTRICAL MEASUREMENTS AND CIRCUITS

- Amplifiers
- Circuits
- Counting circuits
- Dielectric measurement
- Electrical measurement
- Fluctuations
  - electrical
- High-voltage production
- Image convertors and amplifiers
- Plasma
  - measurement and techniques

ELECTROSTATICS · DIELECTRICS

- Breakdown,electric
- Contact potential
- Dielectric devices
- Dielectric phenomena
- Electrets
- Electric charge
- Electric fields
  - effects
- Electric strength
- Electroluminescence
- Electrostatics
- Electrostriction
- Ferroelectric phenomena
- High-voltage production
- Hysteresis
- Piezoelectricity
- Piezoelectric oscillations
- Pyroelectricity
- Relaxation
- Space charge
- Triboelectricity

CURRENT ELECTRICITY

- Acoustoelectric effects
- Conduction, electrical
- Conductivity, electrical
  - measurement
- Contact potential
- Contact resistance
- Current, electrical
- Eddy currents
- Electric charge
- Electrical properties of substs.
- Electrokinetic effects
- Electromotive force
- Electron gas
- Electrons
- Electro-optical effects
- Electrophoresis
- Fluctuations
  - electrical
- Hall effect
- Inductance
- Magnetoelectric effects
- Magnetoresistance
- Photoconductivity
- Photoelectricity
- Photoelectromagnetic effects
- Photovoltaic effects
- Piezoresistance
- Rectifiers
- Resistance, electrical
- Semiconductors
- Skin effect
- Space charge
- Superconductivity
- Thermoelectricity
- Thermocouples

Direct Conversion

- Electricity
  - direct conversion
- Magnetohydrodynamics

MAGNETISM

- Antiferromagnetism
- Compasses
- de Haas—van Alphen effect
- Diamagnetism
- Ferrimagnetism
- Ferromagnetism
  - spin-wave theory
- Gyromagnetic effect
- Gyromagnetic ratio
- Hall effect
- Magnetic devices
- Magnetic field measurement
- Magnetic fields
  - effects
- Magnetic films
- Magnetic measurement
- Magnetic resonance and relaxation
- Magnetism
- Magnetization process
- Magnetization state
- Magnetoacoustic effects
- Magnetoelectric effects
- Magnetomechanical effects
- Magneto-optical effects
- Magnetoresistance
- Magnetostriction
- Magnetothermal effects
- Magnets
- Paramagnetism

ELECTROMAGNETISM

- Eddy currents
- Electromagnetism
- Electromagnetic fields
- Electromotive force
- Inductance

ELECTRODYNAMICS · PARTICLE OPTICS

- Electrodynamics
- Particle optics
- Particle range
- Particle velocity

ELECTRON BEAMS ELECTRON OPTICS AND TUBES

- Electron beams
  - effects
- Electron diffraction
- Electron gas
- Electron lenses
  - electrostatic
  - magnetic
- Electron microscopes
- Electron microscopy
- Electron optics
- Electron tubes
- Electrons
  - absorption
  - ionization
  - radiation
  - scattering
- Fluctuations, electrical
- Gas-discharge tubes
- Image convertors and amplifiers
- Particle optics
- Photomultipliers
- Space charge

ION BEAMS ION OPTICS AND SOURCES

- Bremsstrahlung
- Ion beams
  - effects
- Ion microscopes
- Ion optics
- Ions
  - recombination
  - scattering
- Ion sources
- Ion velocity
- Particle optics
- Physical effects of radiations
- Sputtering

MAGNETOHYDRODYNAMICS MAGNETOGASDYNAMICS

- Electricity
  - direct conversion
- Magnetohydrodynamics
- Plasma
  - magnetohydrodynamics
- Shock waves
  - effects

ELECTROMAGNETIC WAVES AND OSCILLATIONS

- Electromagnetic oscillations
- Electromagnetic waves
- Light
  - electromagnetic theory
- Radiation

GENERATION AND PROPAGATION

- Absorption
  - electromagnetic waves
- Amplifiers
- Diffraction
  - electromagnetic waves
- Diffusion
  - electromagnetic waves
- Doppler effect
- Electromagnetic wave
  - atmosphere [propagation
  - ionosphere
  - guided waves
- Electromagnetic waves
  - radiators

- Interference
  - electromagnetic waves
- Interferometers
  - electromagnetic waves
- Interferometry
  - electromagnetic waves
- Plasma
  - electromagnetic wave propagation
- Reflection
  - electromagnetic waves
- Refraction
  - electromagnetic waves
- Scattering
  - electromagnetic waves

RADIOFREQUENCY SPECTROSCOPY

MAGNETIC RESONANCES

- Antiferromagnetic resonance
- Cyclotron resonance
- Ferrimagnetic resonance
- Ferromagnetic relaxation
- Ferromagnetic resonance
- Magnetic resonance and
  - [relaxation

- Nuclear magnetic resonance a
  - measurement [relaxati
- Nuclear quadrupole resonance
- Paramagnetic resonance and
  - measurement [relaxati
- Spectra
- Spectrometers, radiofrequenc
- Spectroscopy, radiofrequency

MASERS

- Amplifiers
- Masers

- Optical pumping

Lasers

- Amplifiers
- Lasers
  - gaseous
  - solid

- Optical pumping

OPTICS

- Doppler effect
- Electro-optical effects
- Light
  - coherence
  - e.m. theory

- Light sources
- Optics

- Photons
- Photophoresis
- Radiation
- Radiation pressure

- Velocity
  - light
- Velocity measurement
  - light

PHOTOMETRY · COLORIMETRY

- Bolometers
- Brightness
- Colour
- Colorimetry
- Densitometry
- Emissivity

- Illumination
- Photometers
- Photometry
  - light sources
- Pyrometers
- Radiation detectors

GEOMETRICAL OPTICS

- Aberrations, optical
- Dispersion, optical
- Lenses
  - aspherical
  - photographic
- Mirrors
- Optical images
- Optical systems
- Optics
  - geometrical

- Prisms, optical
- Reflection
  - light
- Refraction
  - light
- Refractive index
  - light
- Resolving power, optics
- Schlieren systems
- Stereoscopy

INSTRUMENTAL OPTICS

- Aberrations, optical
- Dispersion, optical
- Filters, optical
- Glass
- Image convertors and
- Lasers [amplifiers
  - gaseous
  - solid
- Lenses
  - aspherical
  - photographic
- Light sources
- Luminescent devices
- Microscopes
- Microscopy
- Mirrors
- Optical constants
- Optical films
- Optical images
- Optical instruments

- Optical instrument testing
- Optical materials
- Optical systems
- Prisms, optical
- Projectors, optical
- Quartz
- Reflection
  - light
- Refraction
  - light
- Refractive index
  - light
- Refractive index measurement
- Refractometers
- Resolving power, optics
- Schlieren systems
- Stereoscopy
- Stroboscopes
- Telescopes

Spectroscopy

- Astronomical spectra
- Atmospheric spectra
- Monochromators
- Spectral line breadth
- Spectrochemical analysis
- Spectrometers
  - accessories
- Spectrophotometers

- Spectrophotometry
- Spectroscopy
  - light sources
- Stark effect
- Temperature measurement
  - spectral methods
- Zeeman effect

PHYSICAL OPTICS

- Absorption
  - light
- Diffraction
  - light
- Diffraction gratings
- Diffusion
  - light
- Dispersion, optical
- Doppler effect
- Double refraction
  - flow
  - mechanical
- Electro-optical effects
- Filters, optical
- Interference
  - light
- Interferometers
  - light
- Interferometry
  - light
- Magneto-optical effects

- Optical constants
- Optical films
- Optical pumping
- Optical rotation
- Photoelasticity
- Pleochroism
- Polarimeters
- Polarized light
- Reflection
  - light
- Reflectivity
- Refraction
  - light
- Refractive index
  - light
- Scattering
  - light
- Transmission
  - light
- Transparency

PHOTOGRAPHY

- Cameras
- Cinematography
- Densitometry
- Lenses
    - photographic
- Light sources
- Nuclear track emulsions
- Photographic materials
    - sensitivity
- Photographic process
    - development
- Photography
    - applications
    - colour
    - high-speed
- Radiography

VISION

- Eye
- Vision
- Colour vision
- Stereoscopy

X-RAYS · TUBES AND TECHNIQUES

- Dosimetry
- High-voltage production
- Radiation monitoring
- Radiation protection
- Radiography
- X-ray absorption
- X-ray diffraction
- X-ray examination of materials
- X-ray measurement
- X-ray monochromators
- X-ray reflection
- X-ray scattering
- X-ray spectra
    - absorption
    - emission
- X-ray spectrometers
- X-ray spectroscopy
- X-ray tubes
- X-rays
    - effects

QUANTUM THEORY

- Collision processes
- Dispersion relations
- Indeterminacy
- Parity
- Quantum electrodynamics
- Quantum theory
    - application methods
    - quantization
    - wave equations
    - many-particle systems
- Scattering

QUANTUM FIELD THEORY

- Baryons
- Bosons
- Collision processes
- Dispersion relations
- Elementary particles
- Fermions
- Field theory, quantum
    - interactions
    - interactions, strong
    - interactions, weak
    - meson field
    - quantization
- Leptons
- Nuclear forces
- Parity
- Quantum electrodynamics
- Quantum theory
    - application methods
    - quantization
    - wave equations
    - many-particle systems
- S-matrix theory
- Scattering
- Scattering, particles

NUCLEAR PHYSICS

- Nuclear physics
- Physical effects of radiations

APPARATUS · PARTICLE DETECTORS

- Alpha-ray spectrometers
- Beta-ray spectrometers
- Counters
    - accessories
    - Cherenkov
    - crystal
    - Geiger
    - operation technique
    - proportional
    - scintillation
    - semiconductor
    - spark
    - statistical analysis
- Dosimetry
- Gamma-ray spectrometers
- Ionization chambers
- Neutron spectrometers
- Nuclear bombardment targets
- Particle accelerators
    - linear
    - orbital
- Particle detectors
- Particle optics
- Particle spectrometers
- Particle velocity analysis
- Radioactivity measurement
    - apparatus

Counting Circuits

- Amplifiers
- Counting circuits

Track Visualization

- Bubble chambers
- Cloud chambers
- Luminescence chambers
- Nuclear track emulsions
- Particle range
- Particle tracks
- Particle track visualization
- Spark chambers

PARTICLE ACCELERATORS

- High-voltage production
- Ion sources
- Particle accelerators
    - linear
    - orbital
    - orbital, cyclotrons

ELEMENTARY PARTICLES

- Baryons
- Bosons
- Elementary particles
- Fermions
- Leptons
- Parity
- Particle range
- Particle velocity analysis
- Scattering, particles
- Strange particles

Photons · Gamma-rays · X-rays

- Photons
  - scattering
  - interactions
  - polarization
- Bremsstrahlung
- Cherenkov radiation
- Compton effect
- Mössbauer effect
- Gamma-rays
  - absorption
  - angular distribution
  - detection, measurement
  - effects
  - scattering
- Gamma-ray spectrometers
- X-rays
  - effects
- X-ray absorption
- X-ray diffraction
- X-ray measurement
- X-ray reflection
- X-ray scattering

Neutrinos

- Neutrinos and antineutrinos

Electrons

- Electrons
  - absorption
  - ionization
  - radiation
  - scattering
  - scattering, electron-proton
- Electron theory
- Positrons
- Electron pairs
  - annihilation
  - production
- Positronium
- Beta-rays
  - absorption
  - angular distribution
  - detection, measurement
  - effects
  - polarization
  - scattering
- Beta-ray spectra
  - conversion electrons
- Beta-ray spectrometers

Nucleons

- Nuclear forces
- Nucleons and antinucleons
  - antinucleons
  - interactions
  - interactions, nucleon—nucleon
  - scattering
  - scattering, nucleon—nucleon

Protons

- Protons and antiprotons
  - absorption
  - angular distribution
  - antiprotons
  - detection, measurement
  - effects
  - interactions
  - interactions, proton—proton
  - magnetic moment
  - polarization
  - production
  - scattering
  - scattering, proton—deuteron
  - scattering, proton—proton
- Proton spectra

Neutrons

- Neutrons and antineutrons
  - absorption
  - angular distribution
  - detection, measurement
  - diffusion
  - effects
  - interactions
  - moderation
  - polarization
  - production
  - reflection
  - scattering
  - scattering,proton—neutron
- Neutron diffraction
- Neutron spectra
- Neutron spectrometers

Mesons

- Mesons
  - absorption
  - capture
  - decay
  - decay observations
  - detection, mesurement
  - effects
  - interactions
  - magnetic moment
  - mass
  - production
  - resonances
  - scattering
  - spin and parity
- Muonium
- Pions
  - decay
  - interactions
  - interactions, pion—nucle
  - interactions, pion—pion
  - interactions, pion—proto
  - production
  - scattering
  - scattering, pion—nucleon
  - scattering, pion—pion
  - scattering, pion—proton
- Strange particles

Hyperons

- Hyperons
  - absorption
  - capture
  - decay
  - decay observations
  - detection, measurement
  - effects
  - interactions
  - magnetic moment
  - mass
  - production
  - resonances
  - scattering
  - spin and parity
- Hypernuclei
- Strange particles

Deuterons

- Deuterons
  - effects
  - interactions
  - photodisintegration
  - polarization
  - scattering

Tritons

- Tritons

Alpha-particles,He Nuclei

- Alpha-particles and He nuclei
- Alpha-rays
  - absorption
  - angular distribution
  - detection, measurement
  - effects
  - scattering
- Alpha-ray spectrometers

COSMIC RAYS

- Cosmic rays
  - absorption
  - apparatus
  - composition
    - alpha-particles
    - deuterons
    - electrons
    - mesons
    - neutrons
    - photons
    - protons
  - effects and interactions
  - origin
  - primary
  - showers and bursts
  - variation

NUCLEUS

- Gyromagnetic ratio
- Hypernuclei
- Mössbauer effect
- Nuclear forces
- Nuclear magnetic resonance and
  - measurement [relaxation
- Nuclear orientation
- Nucleus
  - electric moment
  - energy levels
  - magnetic moment
  - models
  - size
  - spin and parity
  - theory

Energy levels · Excited nuclei

- Beta-ray spectra
  - conversion electrons
- Gamma-ray spectra
- Gamma-rays
  - angular distribution
  - internal conversion
- Mössbauer effect
- Nuclear excitation
- Nuclear isomerism
- Nucleus
  - energy levels
  - models

NUCLEAR DECAY . RADIOACTIVITY

- Alpha-particles and He nuclei
- Alpha-ray spectra
- Alpha-ray spectrometers
- Alpha-rays
  - absorption
  - angular distribution
  - detection, measurement
  - effects
  - scattering
- Beta-decay theory
- Beta-ray spectra
  - conversion electrons
- Beta-ray spectrometers
- Beta-rays
  - absorption
  - angular distribution
  - detection, measurement
  - effects
  - polarization
  - scattering
- Dosimetry
- Fallout
- Gamma-ray spectra
- Gamma-ray spectrometers
- Gamma-rays
  - absorption
  - angular distribution
  - detection, measurement
  - effects
  - internal conversion
  - scattering
- Nuclear decay theory
- Nuclear bombardment targets
- Radiation monitoring
- Radiation protection
- Radioactive dating
- Radioactive tracers
- Radioactivity
  - decay periods
  - decay schemes
  - electron capture
- Radioactivity measurement
  - apparatus
- Radiochemistry

NUCLEAR REACTIONS

- Alpha-rays
  - scattering
- Chemical analysis
  - by nuclear reactions
- Collision processes
- Deuterons
  - scattering
- Electrons
  - scattering
- Explosions
  - nuclear
- Gamma-rays
  - scattering
- Hyperons
  - scattering
- Mesons
  - scattering
- Neutrinos and antineutrinos
- Neutrons and antineutrons
  - scattering
- Nuclear excitation
- Nuclear forces
- Nuclear reactions
  - chemical effects
- Nuclear bombardment targets
- Nuclear reactions due to
  - alpha-rays
  - cosmic rays
  - deuterons
  - electrons
  - helium-3
  - mesons
  - neutrinos
  - neutrons
  - nuclei of Z>2
  - photons
  - protons
  - tritons
- Nuclear spallation
- Nucleons and antinucleons
  - scattering
- Photons
  - scattering
- Pions
  - scattering
- Protons and antiprotons
  - scattering
- Radiation monitoring
- Radiation protection
- Scattering, particles

Nuclear Fission

- Nuclear fission
  - products
  - uranium

Thermonuclear Reactions
Nuclear Fusion

- Nuclear fusion
- Thermonuclear reactions
- Plasma

NUCLEAR POWER STUDIES

- Biological effects of radiations
- Chemical analysis
  - by nuclear reactions
- Chemical effects of radiations
  - ionizing radiations
- Dosimetry
- Neutrons
  - absorption
  - angular distribution
  - detection, measurement
  - diffusion
  - effects
  - interactions
  - moderation
  - polarization
  - production
  - reflection
  - scattering
- Nuclear fission
  - products
  - uranium
- Nuclear fusion
- Nuclear reactions
  - chemical effects
- Nuclear reactors, fission
  - materials
  - operation
  - theory
- Nuclear reactors, fusion
- Physical effects of radiations
- Plasma
  - devices
- Radiation monitoring
- Radiation protection
- Radiochemistry
- Thermonuclear reactions

ATOMIC AND MOLECULAR PHYSICS

Collision processes
Orbital calculation methods
Quantum theory

MASS SPECTROMETERS

Mass spectra
Mass spectrometers
    accessories
    applications

ATOMS

Atoms
    electron scattering
    excitation
    magnetic moment
    structure
Atomic beams
Atomic mass and weight
Collision processes
Elements
    origin
    relative abundances
Gyromagnetic ratio

Ionization potential
Luminescence
    gases
Optical pumping
Orbital calculation methods
Periodic system
Photoelectric emission
Spectra
    atoms
Spectral line breadth
Stark effect
Zeeman effect

Isotopes

Isotope effects
Isotope exchanges
Isotope separation
Isotopes
    detection
    relative abundances
Mass spectra

Mass spectrometers
    applications
Radioactive dating
Radioactive tracers
Radiochemistry
Tracers

Mesic Atoms

Atoms, mesic

MOLECULES

Molecules

Structure · Internal Mechanics
Spectra

Bonds
Chemical structure
Isomerism
Luminescence
    gases
Molecular weight
Molecules
    configuration and dimensions
        inorganic
        organic
    excitation
    internal mechanics
    electronic structure
    electronic structure, inorganic
    electronic structure, organic
    nuclear coupling
    rotation
    vibration
    moments

Orbital calculation methods
Raman spectra
    inorganic
    organic
Spectra
    inorganic molecules
        diatomic
        diatomic, radiofrequency
        polyatomic
        polyatomic, radiofrequency
    inorganic liquids and solutions
    inorganic solids
        radiofrequency
    organic molecules and substances
        infrared
        radiofrequency
Spectral line breadth
Stark effect
Valency
Zeeman effect

Magnetic Resonances

Magnetic resonance and
    [relaxation
Molecules
    nuclear coupling
    relaxation
Nuclear magnetic resonance
    [and relaxation

Nuclear quadrupole resonanc
Paramagnetic resonance and
    [relaxat

Dissociation · Free Radicals

Association
    gases
Free radicals
Heat of dissociation

Molecules
    dissociation
    dissociation energies

Intermolecular Mechanics

Collision processes
Molecular beams

Molecules
    intermolecular mechanic

Macromolecules · Polymers

Association
Heat of formation
Isomerism
Macromolecules

Molecules
    configuration and dimens
Polymers   [macromole
Proteins

Mesic Molecules

Molecules, mesic

ELECTRIC DISCHARGES

Arcs, electric
Breakdown, electric
    gases
Corona, electric discharge

Discharges, electric
    glows
    high-frequency
Gas-discharge tubes
Lightning
Sparks, electric
Sputtering

IONIZATION

Dissociation
Ion velocity
Ionization
    gases
Ionization potential
Ionization, surface

Ions
    recombination
    scattering
Shock waves
    effects
Space charge

PLASMA

Discharges, electric
    glows
    high-frequency
Electron gas
Ionization
    gases
Nuclear fusion
Nuclear reactors, fusion

Plasma
    electromagnetic wave pro
    magnetohydrodynamics
    measurement techniques
Shock waves
    effects
Space charge
Thermonuclear reactions

Plasma Confinement

Plasma
    confinement

Plasma Oscillations and Stability

Plasma
    magnetohydrodynamics
    oscillations
    stability

Plasma Devices

Plasma
    devices
Nuclear reactors, fusion

FLUIDS

- Flow
- Fluids
- Hydrodynamics
- Hydrostatics
- Oscillations
- Turbulence
- Vortices
- Waves

MECHANICS OF GASES

- Acoustic streaming
- Aerodynamics
- Anemometers
- Compressibility
    - gases
- Condensation
- Density
    - gases
- Diffusion in gases
    - thermal
- Flow
    - gases
- Flowmeters
- Gases
- Humidity
- Hygrometers
- Jets
- Manometers
- Moisture
- Pressure
- Pumps
- Radiation pressure
- Supersonic flow
- Turbulence
- Viscometers
- Viscosity
    - gases
- Vortices
- Waves

GASEOUS STATE

- Absorption
    - acoustic waves
    - acoustic waves,ultrasonic
    - electromagnetic waves
    - light
- Association
    - gases
- Breakdown,electric
    - gases
- Conductivity,electrical
    - gases
- Conductivity,thermal
    - gases
    - measurement
- Dielectric properties of substs.
    - gases
- Diffraction
    - acoustic waves
    - acoustic waves,ultrasonic
    - electromagnetic waves
    - light
- Diffusion
    - acoustic waves
    - electromagnetic waves
    - light
- Electrical properties of substs.
- Electroluminescence
- Equations of state
    - gases
- Gases
- Helium
    - gas
- Interference
    - acoustic waves
- Joule—Thomson effect
- Kinetic theory
    - gases
- Lasers
    - gaseous
- Luminescence
    - gases
- Magnetic resonance and relaxation
- Molecules
    - intermolecular mechanics
- Nuclear magnetic resonance and relaxation
- Nuclear quadrupole resonance
- Optical properties of substances
- Paramagnetic resonance and relaxation
- Reflection
    - acoustic waves
    - acoustic waves, ultrasonic
    - electromagnetic waves
    - light
- Refraction
    - acoustic waves
    - acoustic waves, ultrasonic
    - electromagnetic waves
    - light
- Scattering
    - acoustic waves
    - acoustic waves, ultrasonic
    - electromagnetic waves
    - light
- Sorption
- Specific heat
    - gases
- Spectra
- Statistical mechanics
- Thermoluminescence
- Transmission
    - acoustic waves
    - acoustic waves,ultrasonic
    - light
- Velocity
    - acoustic waves
    - acoustic waves,ultrasonic

Viscosity · Diffusion

- Diffusion in gases
    - thermal
- Transport processes
- Viscosity
    - gases

VACUUM PHYSICS

- Glass—metal seals
- Leak detection
- Manometers
- Sputtering
- Vacuum apparatus
- Vacuum gauges
- Vacuum pumps
- Vacuum technique

MECHANICS OF LIQUIDS

- Acoustic streaming
- Bubbles
- Capillarity
- Cavitation
- Compressibility
    - liquids
- Density
    - liquids
- Diffusion in liquids
    - thermal
- Double refraction
    - flow
- Drops
- Elasticity
    - liquids
- Emulsions
- Films
    - liquid
- Filters
- Flow
    - liquids
- Flowmeters
- Foams
- Hydrodynamics
- Hydrostatics
- Jets
- Liquid oscillations
- Liquid waves
    - surface
- Lubrication
- Moisture
- Pressure
- Pumps
- Radiation pressure
- Rheology
- Schlieren systems
- Sprays
- Surface energy
- Surface tension
- Surface tension measurement
- Thixotropy
- Turbulence
- Viscometers
- Viscosity
    - liquids
- Vortices
- Wetting

LIQUID STATE

- Liquids
- Metals
- Semiconductors

Theory and Structure of Liquids

Solutions

- Association
    - liquids
- Electron diffraction examination
- Equations of state of materials
    - liquids
- Heat of solution
- Liquid crystals
- Liquids
    - structure
    - theory
- Neutron diffraction examination of materials
- Neutrons
    - scattering
- Polymers
- Solubility
- Solutions
- X-ray examination of materials
    - liquids

Viscosity · Surface Tension · Diffusion

- Diffusion in liquids
    - thermal
- Filters
- Membranes
- Osmosis
- Sorption
- Surface tension
- Surface tension measurement
- Transport processes
- Viscosity
    - liquids

Thermal Properties of Liquids

- Conductivity,thermal
    - liquids
    - measurement
- Heat of solution
- Specific heat
    - liquids
- Thermal expansion
- Thermodynamic properties

Acoustic Properties of Liquids

- Absorption
    - acoustic waves
    - acoustic waves, ultrasonic
- Acoustic wave propagation
    - ultrasonic
- Diffraction
    - acoustic waves
    - acoustic waves, ultrasonic
- Diffusion
    - acoustic waves
- Interference
    - acoustic waves
- Reflection
    - acoustic waves
    - acoustic waves, ultrasonic
- Refraction
    - acoustic waves
    - acoustic waves, ultrasonic
- Scattering
    - acoustic waves
    - acoustic waves, ultrasonic
- Transmission
    - acoustic waves
    - acoustic waves, ultrasonic
- Velocity
    - acoustic waves
    - acoustic waves, ultrasonic

Optical Properties of Liquids

- Absorption
  - electromagnetic waves
  - light
- Diffraction
  - electromagnetic waves
  - light
- Diffusion
  - electromagnetic waves
  - light
- Electroluminescence
- Luminescence
  - liquids and solutions
- Optical properties of substs.
- Raman spectra
  - inorganic
  - organic
- Reflection
  - electromagnetic waves
  - light
- Refraction
  - electromagnetic waves
  - light
- Scattering
  - electromagnetic waves
  - light
- Spectra
  - inorganic liquids and solutions
- Thermoluminescence
- Transmission
  - light

Electrical and Magnetic Properties of Liquids

- Absorption
  - electromagnetic waves
- Breakdown,electric
  - liquids
- Conductivity,electrical
  - liquids
  - liquids,electrolytic
- Dielectric properties of substs.
  - liquids and solutions
- Electrical properties of substs.
- Magnetic properties of substs.
- Magnetic resonance and relaxa
- Metals
- Nuclear magnetic resonance a
  [relaxation
- Nuclear quadrupole resonance
- Paramagnetic resonance and
  [relaxation
- Semiconducting materials
- Semiconductors

DISPERSIONS · COLLOIDS

- Aerosols
- Centrifuges
- Colloids
- Disperse systems
- Electrophoresis
- Emulsions
- Filters
- Foams
- Gels
- Heat of solution
- Membranes
- Osmosis
- Particle size
- Precipitation
- Sedimentation
- Sols
- Solubility
- Solutions
- Surface phenomena
- Suspensions
- Thixotropy

CHANGE OF STATE

- Boiling
- Boiling point
- Condensation
- Critical constants, thermal
- Distillation
- Drying
- Equations of state
  - gas
  - liquid
  - solid
- Evaporation
- Freezing
- Heat of fusion
- Heat of sublimation
- Heat of transformation
- Heat of vaporization
- Humidity
- Liquefaction, gases
- Melting
- Melting point
- Phase equilibrium
- Phase transformations
- Sublimation
- Supercooling
- Vapour pressure
- Vapour pressure measurement
- Vaporization

SOLID-STATE PHYSICS

- Bonds
- Crystals
  - internal fields
- Crystal properties
- Equations of state
  - solids
- Metals
  - theory
- Mössbauer effect
- Nuclear orientation
- Orbital calculation methods
- Solids
  - structure
  - theory

STRUCTURE OF SOLIDS · ALLOYS

- Alloys
- Crystal structure
- Density
  - solids
- Fibres
- Filters
- Granular structure
- Heat treatment
  - alloys
- Membranes
- Particle size
- Permeability,mechanical
- Polymorphism
- Porous materials
- Powders
- Sintering
- Solids
  - structure
- Solid solutions
- Solubility

Solid-State Phase Transformations

- Heat treatment
  - alloys
- Phase equilibrium
- Phase transformations
  - solid-state
- Polymorphism
- Precipitation

Surfaces

- Surface energy
- Surface measurement
- Surface phenomena
- Surface texture

Films

- Evaporation
- Films
  - solid
- Sputtering
- Sublimation

Adsorption

- Adsorption
- Adsorbed layers
- Heat of adsorption
- Sorption

NON-CRYSTALLINE STATE

- Amorphous state
- Glass
- Plastics
- Polymers
- Rubber
- Vitreous state
- Waxes

CRYSTALLOGRAPHY

- Crystal chemistry
- Crystal properties
- Crystal structure
- Crystallization
- Crystallography
- Crystals
  - etching
  - faces
  - growth
  - orientation
  - twinning
  - whiskers
- Minerals
- Polymorphism
- Precipitation
- Solids
  - structure
- Surface texture
- Zone melting and refining

MICROSTRUCTURE OF SOLIDS

- Amorphous state
- Crystal structure
  - microstructure
- Electron diffraction examination
- Electron microscope examination
- Electron microscopy
- Fibres
- Granular structure
- Ion microscopes
- Metallurgy
- Microscopy
- Neutron diffraction examinati
- Particle size
- Powders
- Porous materials
- Radiography
- Surface texture
- X-ray examination of materia
  - microstructure
  - molecular structure

CRYSTAL LATTICE STRUCTURES

- Crystal structure, atomic
  - elements
  - alloys
  - inorganic compounds
  - organic compounds
- Electron diffraction crystallography
- Electron diffraction examination
- Electron microscope examination
- Neutron diffraction crystallography
- Neutron diffraction examination
- Polymers
- X-ray absorption
- X-ray crystallography
  - apparatus
  - calculation apparatus
  - calculation methods
  - technique
- X-ray diffraction
- X-ray examination of materials
  - molecular structure
- X-ray measurement
- X-ray monochromators
- X-ray reflection
- X-ray scattering
- X-ray tubes

LATTICE MECHANICS

- Crystals
  - lattice mechanics
- Mössbauer effect

ACOUSTICAL PROPERTIES OF SOLIDS

- Absorption
  - acoustic waves
  - acoustic waves, ultrasonic
- Acoustic wave propagation
  - ultrasonic
- Acoustoelectric effects
- Diffraction
  - acoustic waves
  - acoustic waves, ultrasonic
- Dispersion, acoustic
  - ultrasonic
- Magnetoacoustic effects
- Reflection
  - acoustic waves
  - acoustic waves, ultrasonic
- Refraction
  - acoustic waves
  - acoustic waves, ultrasonic
- Scattering
  - acoustic waves
  - acoustic waves, ultrasonic
- Transmission
  - acoustic waves
  - acoustic waves, ultrasonic
- Velocity
  - acoustic waves
  - acoustic waves, ultrasonic

THERMAL PROPERTIES OF SOLIDS

- Conductivity, thermal
  - measurement
  - solids
- Equations of state
  - solids
- Heat conduction
- Specific heat
  - solids
- Thermal expansion
- Thermodynamic properties

DIFFUSION IN SOLIDS

- Diffusion in solids
- Permeability, mechanical

DEFECT PROPERTIES OF SOLIDS

- Cold working
- Creep
- Crystal imperfections
  - dislocations
  - interstitials
  - vacancies
  - etching
  - twinning
- Crystal structure
- Deformation
- Elastic deformation
- Electron diffraction examination of materials
- Electron microscope examination of materials
- Heat treatment
  - alloys
- Internal friction
- Neutron diffraction examination of materials
- Plastic deformation
- Plastic flow
- Slip
- Stresses, internal
- Work hardening
- X-ray examination of materials
  - microstructure

Colour Centres

- Absorption
  - light
- Colour centres
- X-rays
  - effects

RADIATION EFFECTS IN SOLIDS

- Acoustic waves
  - effects
- Alpha-rays
  - effects
- Beta-rays
  - effects
- Deuterons
  - effects
- Electron beams
  - effects
- Gamma-rays
  - effects
- Hyperons
  - effects
- Ion beams
  - effects
- Mesons
  - effects
- Neutrons
  - effects
- Physical effects of radiations
- Protons
  - effects
- Sputtering
- X-rays
  - effects

MECHANICAL PROPERTIES OF SOLIDS

- Abrasion
- Adhesion
- Bending
- Brittleness
- Cold working
- Compressibility
- Corrosion
- Cracks
- Creep
- Deformation
- Density
  - solids
- Elastic constants
  - measurement
- Elastic deformation
- Elastic fatigue
- Elastic limit
- Elastic relaxation
- Elasticity
- Fracture
- Hardness
- Heat treatment
  - alloys
- High-pressure phenomena and effects
- Hysteresis
- Impact
- Internal friction
- Lubrication
- Magnetomechanical effects
- Mechanical properties of substs.
- Mechanical strength
  - compressive
  - shear
  - tensile
- Photoelasticity
- Physical effects of radiations
- Plastic deformation
- Plastic flow
- Plasticity
- Rheology
- Slip
- Strain gauges
- Stress analysis
- Stress effects
- Stress/strain relations
- Stresses, internal
- Thermoelasticity
- Thixotropy
- Torsion
- Viscoelasticity
- Wear
- Work hardening

ELECTRON STATES IN SOLIDS

- Crystal properties
- Crystal electron states
  - excitons
  - Fermi level
  - Fermi surface
  - plasma
  - polarons
  - surface
- Cyclotron resonance
- Electron beams
  - effects
- Electron gas
- Electron pairs
  - annihilation
- Electrons
  - scattering
  - absorption
  - radiation
- Hall effect
- Magnetoacoustic effects
- Metals
  - theory
- Piezoresistance
- Solids
  - theory
- Surface phenomena

ELECTRICAL PROPERTIES OF SOLIDS

- Acoustoelectric effects
- Conduction, electrical
- Conductivity, electrical
  - solids
- Contact potential
- Contact resistance
- Crystal electron states
- Eddy currents
- Electrical properties of substs.
- Electron gas
- Electro-optical effects
- Fluctuations
  - electrical
- Hall effect
- Magnetoelectric effects
- Magnetoresistance
- Magnetothermal effects
- Piezoresistance
- Resistance, electrical
- Space charge

Metals · Conductors

- Electron gas
- Hall effect
- Magnetoelectric effects
- Magnetoresistance
- Metals
  - theory
- Piezoresistance
- Skin effect

Superconductivity

- Superconductivity

Superconducting Materials and Devices

- Superconducting materials and devices

Semiconductors

- Acoustoelectric effects
- Contact potential
- Contact resistance
- Electron gas
- Electro-optical effects
- Fluctuations
  - electrical
- Hall effect
- Magnetoelectric effects
- Magnetoresistance
- Magnetothermal effects
- Piezoresistance
- Semiconductors
- Space charge

Semiconducting Materials

- Semiconducting materials
  - gallium arsenide
  - germanium
  - indium antimonide
  - silicon

Semiconducting Devices

- Counters
  - semiconductor
- Semiconducting devices
  - diodes
  - p—n junctions
  - transistors
  - tunnel diodes
- Rectifiers

Dielectrics

- Breakdown, electric
  - solids
- Contact potential
- Dielectric devices
- Dielectric measurement
- Dielectric phenomena
- Dielectric properties of substs.
  - solids
- Electrets
- Electric charge
- Electric fields
- Electric strength
- Electrostriction
- Ferroelectric materials
  - barium titanate
- Ferroelectric phenomena
- Hysteresis
- Piezoelectricity
- Piezoelectric oscillations
- Pyroelectricity
- Relaxation
- Rochelle salt
- Space charge
- Triboelectricity

THERMOELECTRIC PROPERTIES OF SOLIDS

- Thermocouples
- Thermoelectricity

PHOTOCONDUCTIVITY PHOTOVOLTAIC EFFECTS

- Photoconductivity
- Photoelectricity
- Photoelectromagnetic effects
- Photovoltaic effects

ELECTRON AND ION EMISSION BY SOLIDS

- Cathodes
  - oxide
- Electron emission
  - field emission
  - photoelectric
  - secondary
  - thermionic
- Ion emission
  - secondary
  - thermionic
- Ionization
  - solids
- Ionization, surface

MAGNETIC PROPERTIES OF SOLIDS

- Antiferromagnetism
- de Haas—van Alphen effect
- Diamagnetism
- Electron diffraction examination [of materials
- Electron microscope examination [of materials
- Ferrimagnetism
- Ferrites
- Ferromagnetism
  - spin-wave theory
- Gyromagnetic ratio
- Hall effect
- Hysteresis
- Magnetic devices
- Magnetic fields
  - effects
- Magnetic films
- Magnetic properties of substs.
  - antiferromagnetic
  - diamagnetic
  - ferrimagnetic
  - ferromagnetic
  - paramagnetic
  - transitions
- Magnetism
- Magnetization process
- Magnetization state
  - domains
- Magnetoacoustic effects
- Magnetoelectric effects
- Magneto-optical effects
- Magnetoresistance
- Magnetostriction
- Magnetothermal effects
- Neutron diffraction examinatio [of materials
- Paramagnetism
- Zeeman effect

Paramagnetic Properties

- Magnetic properties of substances
  - paramagnetic
- Paramagnetism

Ferromagnetic Properties

- Ferromagnetism
  - spin-wave theory
- Hysteresis
- Magnetic devices
- Magnetic films
- Magnetic properties of substa
  - ferromagnetic
- Magnetization process
- Magnetization state
  - domains

Ferrimagnetic Properties · Ferrites

- Ferrimagnetism
- Ferrites
- Hysteresis
- Magnetic devices
- Magnetic films
- Magnetic properties of substs.
  - ferrimagnetic

Antiferromagnetic Properties

- Antiferromagnetism
- Magnetic properties of substs.
  - antiferromagnetic

MAGNETIC RESONANCES IN SOLIDS

- Antiferromagnetic resonance
- Cyclotron resonance
- Ferrimagnetic resonance
- Ferromagnetic resonance
- Gyromagnetic ratio
- Magnetic resonance and relaxation
- Magnetomechanical effects
- Nuclear magnetic resonance a
  - measurement [relaxation
- Nuclear quadrupole resonance
- Optical pumping
- Paramagnetic resonance and
  - measurement [relaxation

OPTICAL PROPERTIES OF SOLIDS

- Absorption
  - electromagnetic waves
  - light
- Diffraction
  - electromagnetic waves
  - light
- Diffusion
  - electromagnetic waves
  - light
- Dispersion, optical
- Double refraction
  - mechanical
- Electromag. wave propagation
- Electro-optical effects
- Emissivity
- Interference
  - light
- Lasers
  - solid
- Magneto-optical effects
- Optical constants
- Optical films
- Optical materials
- Optical properties of substances
- Optical pumping
- Optical rotation
- Optics
- Photoelasticity
- Pleochroism
- Polarized light
- Raman spectra
  - inorganic
  - organic
- Reflection
  - electromagnetic waves
  - light
- Reflectivity
- Refraction
  - electromagnetic waves
  - light
- Refractive index
  - light
- Scattering
  - electromagnetic waves
  - light
- Spectra
  - inorganic solids
    - radiofrequency
  - organic molecules and
    - infrared [substances
    - radiofrequency
- Spectral line breadth
- Stark effect
- Transmission
  - light
- Transparency
- Velocity
  - light
- X-ray spectra
  - absorption
  - emission
- Zeeman effect

Luminescence of Solids

- Colour centres
- Counters, scintillation
- Electroluminescence
- Luminescence
  - solids, inorganic
  - solids, organic
- Luminescent devices
- Thermoluminescence

PHYSICAL CHEMISTRY

- Atomic weight
- Balances
- Bonds
- Centrifuges
- Chemical structure
- Chemical technology
- Distillation
- Elements
    - origin
    - relative abundances
- Filters
- Isomerism
- Laboratory app.and technique
- Macromolecules
- Molecular weight
- Molecular weight determn.
- Periodic system
- Physical chemistry
- Precipitation
- Pumps
- Quantum chemistry
- Sedimentation
- Valency

THERMOCHEMISTRY · REACTIONS

- Association
    - gases
    - liquids
- Catalysis
- Chemical reactions
- Combustion
- Corrosion
- Crystal chemistry
- Detonation
- Dissociation
- Exchanges, chemical
- Explosions
- Flames
- Heat of adsorption
- Heat of combustion
- Heat of dissociation
- Heat of formation
- Heat of reaction
- Isotope exchanges
- Oxidation
- Phase equilibrium
- Phase transformations
- Polymerization
- Polymers
- Reaction kinetics
- Sorption

ELECTROCHEMISTRY

- Conductivity, electrical
    - liquids, electrolytic
- Dissociation
    - electrolytic
- Electrochemistry
    - electrodes
- Electrokinetic effects
- Electrolysis
- Electrolytic deposition
- Electrophoresis
- Ion velocity
    - electrolytic
- Ions, electrolytic

PHOTOCHEMISTRY
RADIATION CHEMISTRY
RADIOCHEMISTRY

- Chemical effects of radiations
    - acoustic waves
    - ionizing radiations
- Nuclear reactions
    - chemical effects
- Photochemistry
- Radiochemistry

PHYSICAL METHODS OF CHEMICAL ANALYSIS

- Chemical analysis
    - adsorption
    - by mass spectrometry
    - by nuclear reactions
    - electrochemical
    - radioactive
    - X-ray
- Chromatography
- Radioactive tracers
- Spectrochemical analysis
- Tracers

GEOPHYSICS

- Earth
    - age
    - composition
    - electricity
    - heat
    - rotation
- Geodesy
- Geophysical prospecting
- Geophysics
- Glaciers
- Gravity
- Minerals
- Oceanography
- Radioactive dating
- Radioactivity
- Seawater
- Seismic waves
- Seismology

ATMOSPHERE

- Altimeters
- Anemometers
- Atmosphere
    - composition
    - humidity
    - movements
    - precipitation
    - radioactivity
    - structure
    - temperature
    - thermodynamics
- Atmospheric acoustics
- Atmospheric electricity
- Atmospheric optics
- Atmospheric pressure and [density
- Atmospheric spectra
- Atmospherics
- Clouds
- Condensation
- Electromagnetic wave propagation
    - atmosphere
- Evaporation
- Fallout
- Fog
- Humidity
- Hygrometers
- Ice
- Lightning
- Meteorological instruments
- Meteorology
- Rain
- Rockets
- Satellites, artificial
- Sky brightness
- Snow
- Sunlight
- Thunderstorms
- Twilight
- Wind
- Atmospheric optics
- Atmospheric pressure and [density
- Atmospheric spectra
- Atmospherics
- Aurora
- Fallout
- Ionization, atmosphere
- Meteors
- Rockets
- Satellites, artificial
- Sky brightness
- Sunlight
- Twilight
- Zodiacal light

UPPER ATMOSPHERE

- Airglow
- Altimeters
- Atmosphere
    - composition
    - movements
    - radioactivity
    - radiation belts
- Atmosphere
    - structure
    - temperature
    - thermodynamics
    - upper
- Atmospheric electricity

Ionosphere

- Atmosherics
- Aurora
- Electromag. wave propagation
    - ionosphere
- Ionization, atmosphere
- Ionosphere
    - D-region
    - E-region
    - F-region
- Ionosphere meas. apparatus

GEOMAGNETISM

- Compasses
- Earth
    - magnetic field
    - magnetic field, variations
- Magnetic storms
- Rock magnetism

SPACE RESEARCH TECHNIQUES

- Rockets
- Satellites, artificial
- Space research
- Space vehicles
    - instrumentation

ASTROPHYSICS

- Astronomical instruments
- Astronomical observations
- Astronomical spectra
- Astronomy and astrophysics
- Celestial mechanics
- Cosmic rays
- Cosmology
- Elements
    - origin
    - relative abundances
- Gravitation
- Telescopes
    - astronomical

STARS · GALAXIES

- Cosmic radiations, r.f.
- Galaxies
    - the Galaxy
- Interstellar matter
- Magnetohydrodynamics
- Nebulae
- Novae
- Stars
    - composition
    - magnetism
    - radiation
    - spectra
    - structure
- Thermonuclear reactions

SOLAR SYSTEM · SUN

- Comets
- Cosmic rays
- Earth
    - rotation
- Gravitation
- Interplanetary magnetic field
- Interplanetary matter
- Meteorites
- Meteors
- Moon
- Planets
- Radioastronomy
- Solar system
- Sun
    - corona
    - eclipses
    - flares
    - magnetism
    - prominences
    - radiation
    - radiation, corpuscular
    - radiation, r.f.
    - spectra
- Sunspots
- Zodiacal light

RADIOASTRONOMY TECHNIQUES

- Cosmic radiations, r.f.
- Radioastronomy

BIOPHYSICS

- Biological effects of radiations
    - acoustic waves
    - ionizing radiations
- Biological technique and instruments
- Biology
- Biophysics
- Blood
- Dosimetry
- Medical science
- Physiology
- Proteins
- Radiation protection
- Radiography
- Zoology

TECHNIQUE · MATERIALS

- Biological technique and instruments
- Chemical technology
- Heat treatment
    - alloys
- Laboratory apparatus and technique
- Leak detection
- Low-temperature technique
- Materials
- Metallurgy
- Vacuum technique
- Zone melting and refining

HIGH-PRESSURE TECHNIQUES

- High-pressure phenomena and effects

LIST OF SUBJECT INDEX HEADINGS

SUBSTANCES

Chemical elements and inorganic compounds

All the chemical elements are listed by name, followed by their compounds, e.g. "Cadmium", "Cadmium compounds",

"Hydrogen" is subdivided by the subheadings "neutral atoms" "neutral molecules", and "ions". "Deuterium" and "Tritium" are independent headings. "Hydrogen compounds" is supplemented by "Ice", "Steam", and "Water".

"Oxygen" is supplemented by "Ozone", and "Carbon" is supplemented by "Diamonds" and "Graphite".

The following inorganic compounds are further subdivided by subheadings as shown:-

- Barium compounds
    - barium titanate*
- Cadmium compounds
    - cadmium sulphide
- Calcium compounds
    - calcium fluoride
- Gallium compounds
    - gallium arsenide**
- Indium compounds
    - indium antimonide**
- Lithium compounds
    - lithium fluoride
- Nitrogen compounds
    - ammonia
    - ammonium compounds
- Potassium compounds
    - potassium bromide
    - potassium chloride
- Sodium compounds
    - sodium chloride
- Zinc compounds
    - zinc sulphide

* Ferroelectric properties are listed under "Ferroelectric materials/barium titanate".

** Semiconducting properties are listed under the corresponding subheadings of "Semiconducting materials".

Organic compounds

Organic compounds are grouped under headings "Organic compounds", "Polymers", "Plastics", "Proteins"; "Rochelle salt" is an independent heading.

Substance groups

In addition there are the following headings for groups of elements, compounds or substances:-

- Actinides
- Actinide compounds
- Alkali metals
- Alkali-metal compounds
    - halides
- Alkaline-earth metals
- Alkaline-earth compounds
- Ferrites
- Ferroelectric materials
    - barium titanate*
- Garnets
- Halogens
- Inert gases
- Metals
- Minerals
- Rare-earth metals
- Rare-earth compounds
- Semiconductors
- Semiconducting materials
    - gallium arsenide**
    - germanium**
    - indium antimonide**
    - silicon**
- Transition metals
- Transition-metal compounds

* Used for ferroelectric properties only.

** Used for semiconducting properties only.

Alloys

General papers on alloys are indexed under "Alloys". Alloys of specified composition are listed under, either

(i) special alloy headings (there are five of them: "Aluminium alloys", "Copper alloys","Iron alloys", "Nickel alloys", "Steel"), e.g. Al—Ni alloys under "Aluminium alloys", or

(ii) compounds of the base or first-named element, e.g. Mn—Zn alloys under "Manganese compounds", and silicon-iron under "Iron alloys".

Special substances and materials

There are also the following special headings for certain common substances:-

- Air
- Blood
- Ceramics
- Clay
- Coal
- Concrete
- Fibres
- Gelatin
- Glass
- Mica
- Optical materials
- Paper
- Porous materials
- Powders
- Quartz
- Rubber
- Ruby
- Sand
- Seawater
- Soil
- Waxes
- Wood

PUBLISHED BY THE INSTITUTION OF ELECTRICAL ENGINEERS. PRINTED BY UNWIN BROTHERS LIMITED, WOKING AND LONDON